

LORP Synopsis for June 2025

Compliance Comments

Flows were above the minimum flow for the month.

Maintenance

Activities for the month on the Lower Owens River included the following:

- Current metering continues the development of discharge curves at all in-river flow monitoring sites and are used to develop velocity indexing tables.
- Some in-river station measurements have fluctuated as a result of shifting sedimentation in the river, requiring additional indexing to increase the accuracy of measurements.

Operations

LORP operations for the month of June included a Seasonal Habitat Flow with a peak of 174 cfs released from LORP Intake.

Below are flow changes that occurred during the month:

- LORP Intake from 68 to 43 cfs on June 7, 2025.
- Locust Return Ditch from 0 cfs to 5 cfs on June 18, 2025
- Georges Return Ditch from 0 cfs to 5 cfs on June 18, 2025.
- Locust Return Ditch from 5 cfs to 0 cfs on June 28, 2025
- Georges Return Ditch from 5 cfs to 0 cfs on June 28, 2025.
- LORP Intake from 43 to 90 cfs on June 29, 2025.
- Summary of Seasonal Habitat Flow released from LORP Intake:

Seasonal Habitat Flow Schedule (peak of 174 cfs)			
		Begin Flow	Change To
Wednesday	6/11/2025	43	54
Thursday	6/12/2025	54	67
Friday	6/13/2025	67	84
Saturday	6/14/2025	84	105
Sunday	6/15/2025	105	131
Monday	6/16/2025	131	164
Tuesday	6/17/2025	164	174
Wednesday	6/18/2025	174	139
Thursday	6/19/2025	139	111
Friday	6/20/2025	111	89
Saturday	6/21/2025	89	71
Sunday	6/22/2025	71	57
Monday	6/23/2025	57	46
Tuesday	6/24/2025	46	43

Waterfowl Area Monthly Report

Synopsis (for Runoff Year 2025-2026)

Implementation of the Interim Management and Monitoring Plan continued, which includes the seasonal flooding regime and a fixed waterfowl acreage goal of 500 acres.

On March 1, 2025 (RY 2024-25) flows to all units were set to 0 cfs.

Flow Rates and Wetted Acreage Summary (for Runoff Year 2025-26)

	Inflow (cfs)	Date Set	Wetted Acreage	Date of Survey
Drew Unit	off	4/16/2021		
Waggoner Unit	off	3/1/2025		
Winterton Unit	off	3/1/2025		
Thibaut Unit	off	3/1/2025		

JUNE 2025 IN-RIVER STATION CURRENT METERING SUMMARY

Station	Date	Metered Flow	Station Begin Flow	Station End Flow	Shift Applied	Notes	
LORP Intake	6/10/2025	43.40	43.00	43.00	0	gage height	3.15
At Mazourka Canyon Road	6/10/2025	44.00	44.00	44.00	0	gage height	3.10
At Reinhackle Springs	6/10/2025	56.00	52.00	52.00	4	gage height	3.60

Month: June
Year: 2025

Date	Intake			Blackrock Ditch Return		Billy Lake Return		Mazourka Canyon Road			Locust Ditch Return		Georges Ditch Return		Reinhackle Springs			Alabama Gates Release		Above Pumpstation			Pumpback Discharge		Lange-mann Release to Delta	Weir to Delta	River Daily Avg
	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Flow	Avg Month to Date		
06/01/25	68	55	15	1	2	1	1	50	49	15	0	0	0	0	44	46	15	0	0	41	44	15	38	38	3	0	51
06/02/25	68	56	15	1	2	1	1	58	50	15	0	0	0	0	47	46	15	0	0	41	43	15	38	38	3	0	54
06/03/25	68	57	15	1	2	1	1	60	50	15	0	0	0	0	52	47	15	0	0	41	43	15	38	38	3	0	55
06/04/25	68	58	15	1	2	1	1	62	51	15	0	0	0	0	55	47	15	0	0	41	42	15	38	38	3	0	57
06/05/25	67	59	15	1	2	1	1	60	52	15	0	0	0	0	58	48	15	0	0	41	42	15	38	38	3	0	57
06/06/25	68	60	15	1	2	1	1	60	53	15	0	0	0	0	56	49	15	0	0	41	42	15	38	38	3	0	56
06/07/25	52	60	15	2	2	1	1	59	54	15	0	0	0	0	56	49	15	0	0	42	42	15	39	38	3	0	52
06/08/25	42	59	15	2	2	1	1	56	54	15	0	0	1	0	54	50	15	0	0	43	42	15	40	38	3	0	49
06/09/25	43	58	15	2	2	1	1	43	54	15	0	0	0	0	52	50	15	0	0	44	42	15	41	39	3	0	46
06/10/25	43	58	15	2	1	1	1	39	53	14	0	0	0	0	40	50	15	0	0	43	42	15	40	39	3	0	41
06/11/25	51	57	15	2	1	1	1	42	52	14	0	0	0	0	48	50	15	0	0	43	42	15	40	39	3	0	46
06/12/25	61	58	15	1	1	1	1	43	52	14	0	0	0	0	48	50	15	0	0	41	42	15	38	39	3	0	48
06/13/25	77	59	15	0	1	1	1	49	52	14	0	0	0	0	48	50	15	0	0	38	42	14	35	39	3	0	53
06/14/25	99	62	15	0	1	1	1	58	52	14	0	0	1	0	48	50	15	0	0	36	41	13	33	38	3	0	60
06/15/25	120	66	15	1	1	1	1	67	54	14	0	0	1	0	48	50	15	0	0	34	41	12	31	38	3	0	67
06/16/25	147	72	15	1	1	1	1	80	56	14	0	0	1	0	65	52	15	0	0	31	40	11	28	37	3	0	81
06/17/25	168	78	15	1	1	1	1	95	58	14	0	0	1	0	71	53	15	0	0	30	39	10	27	36	3	0	91
06/18/25	154	84	15	1	1	1	1	113	62	14	3	0	4	1	82	55	15	0	0	31	39	9	28	36	3	0	95
06/19/25	122	88	15	1	1	1	1	131	66	14	4	0	5	1	93	58	15	0	0	33	38	8	30	36	3	0	95
06/20/25	100	90	15	1	1	1	1	141	72	14	4	1	4	1	107	61	15	0	0	36	38	7	33	36	3	0	96
06/21/25	78	90	15	1	1	1	1	131	76	14	4	1	6	2	124	66	15	0	0	39	38	6	36	36	3	0	93
06/22/25	64	91	15	1	1	1	1	109	80	14	5	1	6	2	126	70	15	0	0	45	38	6	42	36	3	0	86
06/23/25	52	92	15	1	1	1	1	87	82	14	5	2	5	2	128	75	15	0	0	51	38	6	48	36	3	0	80
06/24/25	44	92	15	1	1	1	1	69	84	14	5	2	5	3	118	80	15	0	0	59	39	6	48	37	3	8	73
06/25/25	42	92	15	1	1	1	1	58	85	15	6	2	5	3	100	84	15	0	0	73	41	6	48	37	3	22	68
06/26/25	42	91	15	1	1	1	1	52	86	15	6	3	5	3	81	86	15	0	0	83	44	6	48	38	3	32	65
06/27/25	42	90	15	1	1	1	1	49	86	15	6	3	5	4	70	87	15	0	0	89	47	6	48	38	3	38	63
06/28/25	42	88	15	1	1	1	1	47	86	15	3	3	3	4	62	88	15	0	0	85	50	7	48	38	3	34	59
06/29/25	75	86	15	1	1	1	1	46	85	15	0	3	0	4	52	88	15	0	0	72	53	8	48	39	3	21	61
06/30/25	91	84	15	1	1	1	1	52	84	15	0	3	0	4	48	88	15	0	0	57	54	9	48	39	3	6	62
Monthly Avg	75							69							69					47							65

Lower Owens River Project Flow Report for 06/01/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			68	55	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			50	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			44	46	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	44	15
Pump Station			38	41	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			51	49	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/02/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			68	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.7	1			
Mazourka Canyon Road			58	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	46	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	43	15
Pump Station			38	40	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			54	49	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/03/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			68	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.7	1			
Mazourka Canyon Road			60	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			52	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	43	15
Pump Station			38	40	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			55	49	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/04/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			68	58	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.7	1			
Mazourka Canyon Road			62	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			55	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	42	15
Pump Station			38	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	50	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/05/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			67	59	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			60	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			58	48	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	42	15
Pump Station			38	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	50	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/06/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			68	60	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			60	53	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			56	49	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	42	15
Pump Station			38	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	51	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/07/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			52	60	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			59	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			56	49	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			42	42	15
Pump Station			39	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	51	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/08/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	59	15
Blackrock Ditch Return (augmentation)	2	2			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			56	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	2	0			
Reinhackle Springs			54	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	42	15
Pump Station			40	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	51	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/09/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	58	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.7	1			
Mazourka Canyon Road			43	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			52	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			44	42	15
Pump Station			41	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			46	51	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/10/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	58	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			39	53	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			40	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	42	15
Pump Station			40	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			41	50	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/11/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			51	57	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			42	52	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	42	15
Pump Station			40	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			46	50	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/12/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			61	58	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			43	52	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	42	15
Pump Station			38	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/13/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			77	59	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			49	52	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			38	42	14
Pump Station			35	39	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			53	51	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/14/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			99	62	15
Blackrock Ditch Return (augmentation)	0	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.8	1			
Mazourka Canyon Road			58	52	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			48	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			36	41	13
Pump Station			33	38	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			60	52	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/15/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			120	66	15
Blackrock Ditch Return (augmentation)	0	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.7	1			
Mazourka Canyon Road			67	54	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			48	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			34	41	12
Pump Station			31	38	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			67	53	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/16/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			147	72	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			80	56	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			65	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			31	40	11
Pump Station			28	37	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			81	55	

Pump Station Month-to-Date Average Flow 37 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/17/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			168	78	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			95	58	14
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			71	53	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			30	39	10
Pump Station			27	36	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			91	57	

Pump Station Month-to-Date Average Flow 36 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/18/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			154	84	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			113	62	14
Locust Ditch Return (augmentation)	3	0			
Georges Ditch Return (augmentation)	3	1			
Reinhackle Springs			82	55	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			31	39	9
Pump Station			28	36	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			95	60	

Pump Station Month-to-Date Average Flow 36 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/19/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			122	88	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			131	66	14
Locust Ditch Return (augmentation)	4	0			
Georges Ditch Return (augmentation)	5	1			
Reinhackle Springs			93	58	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			33	38	8
Pump Station			30	35	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			95	62	

Pump Station Month-to-Date Average Flow 36 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/20/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			100	90	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			141	72	14
Locust Ditch Return (augmentation)	4	1			
Georges Ditch Return (augmentation)	4	1			
Reinhackle Springs			107	61	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			36	38	7
Pump Station			33	35	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			96	65	

Pump Station Month-to-Date Average Flow 36 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/21/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			78	90	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.8	1			
Mazourka Canyon Road			131	76	14
Locust Ditch Return (augmentation)	5	1			
Georges Ditch Return (augmentation)	6	2			
Reinhackle Springs			124	66	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			39	38	6
Pump Station			36	35	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			93	68	

Pump Station Month-to-Date Average Flow 36 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/22/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			64	91	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.8	1			
Mazourka Canyon Road			109	80	14
Locust Ditch Return (augmentation)	5	1			
Georges Ditch Return (augmentation)	6	2			
Reinhackle Springs			126	70	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			45	38	6
Pump Station			42	35	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			86	70	

Pump Station Month-to-Date Average Flow 36 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.55 ft	(Last Collected: 06/04/2025)
Lower Twin Lake Gage Read	2.41 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/23/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			52	92	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			87	82	14
Locust Ditch Return (augmentation)	5	2			
Georges Ditch Return (augmentation)	5	2			
Reinhackle Springs			128	75	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			51	38	6
Pump Station			48	35	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			80	72	

Pump Station Month-to-Date Average Flow 36 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/24/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			44	92	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			69	84	14
Locust Ditch Return (augmentation)	5	2			
Georges Ditch Return (augmentation)	5	2			
Reinhackle Springs			118	80	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			59	39	6
Pump Station			48	36	
Langemann Gate to Delta			3	3	
Weir to Delta			8	1	
LORP In Channel Average Flow ²			72	74	

Pump Station Month-to-Date Average Flow 37 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/25/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	92	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			58	85	15
Locust Ditch Return (augmentation)	6	2			
Georges Ditch Return (augmentation)	5	3			
Reinhackle Springs			100	84	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			73	41	6
Pump Station			48	36	
Langemann Gate to Delta			3	3	
Weir to Delta			22	2	
LORP In Channel Average Flow ²			68	75	

Pump Station Month-to-Date Average Flow 37 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/26/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	91	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			52	86	15
Locust Ditch Return (augmentation)	6	3			
Georges Ditch Return (augmentation)	5	3			
Reinhackle Springs			81	86	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			83	44	6
Pump Station			48	37	
Langemann Gate to Delta			3	3	
Weir to Delta			32	4	
LORP In Channel Average Flow ²			64	77	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/27/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	90	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			49	86	15
Locust Ditch Return (augmentation)	6	3			
Georges Ditch Return (augmentation)	5	3			
Reinhackle Springs			70	87	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			89	47	6
Pump Station			48	38	
Langemann Gate to Delta			3	3	
Weir to Delta			38	7	
LORP In Channel Average Flow ²			62	78	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/28/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	88	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			47	86	15
Locust Ditch Return (augmentation)	3	3			
Georges Ditch Return (augmentation)	4	4			
Reinhackle Springs			62	88	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			85	50	7
Pump Station			48	38	
Langemann Gate to Delta			3	3	
Weir to Delta			34	9	
LORP In Channel Average Flow ²			59	78	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/29/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			75	86	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			46	85	15
Locust Ditch Return (augmentation)	0	3			
Georges Ditch Return (augmentation)	0	4			
Reinhackle Springs			52	88	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			72	53	8
Pump Station			48	39	
Langemann Gate to Delta			3	3	
Weir to Delta			21	10	
LORP In Channel Average Flow ²			61	78	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 06/30/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			91	84	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			52	84	15
Locust Ditch Return (augmentation)	0	3			
Georges Ditch Return (augmentation)	0	4			
Reinhackle Springs			48	88	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			57	54	9
Pump Station			48	41	
Langemann Gate to Delta			3	3	
Weir to Delta			6	11	
LORP In Channel Average Flow ²			62	78	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.56 ft	(Last Collected: 06/23/2025)
Lower Twin Lake Gage Read	2.38 ft	
Goose Lake Gage Read	2.44 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Courtnie Cappello

DATE: June 6, 2025

REQUESTED BY: Chad Lamacchia x30380

FLOW CHANGE LOCATION **LORP Intake**

START DATE: Saturday, June 7, 2025 TIME: morning

CHANGE FLOW: From: 68 cfs To: 43 cfs

To maintain required flows to the LORP, monitor and make adjustments to the Aqueduct Intake gates for at least one day following this flow change.

C:	Adam Perez	Ben Butler
	Eric Tillemans	Jason Olin
	Forest Mathieu	Bruce Peterson
	Ryan Yeager	Gary Reiser
	Joe Bowling	Tony Tillemans

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Courtnie Cappello

DATE: June 9, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **LORP Intake**

START DATE: Wednesday, June 11, 2025 TIME: 8am daily

CHANGE FLOW: See following Seasonal Habitat Flow Table

Seasonal Habitat Flow Schedule (peak of 174 cfs)			
		Begin Flow	Change To
Wednesday	6/11/2025	43	54
Thursday	6/12/2025	54	67
Friday	6/13/2025	67	84
Saturday	6/14/2025	84	105
Sunday	6/15/2025	105	131
Monday	6/16/2025	131	164
Tuesday	6/17/2025	164	174
Wednesday	6/18/2025	174	139
Thursday	6/19/2025	139	111
Friday	6/20/2025	111	89
Saturday	6/21/2025	89	71
Sunday	6/22/2025	71	57
Monday	6/23/2025	57	46
Tuesday	6/24/2025	46	43

To maintain required flows to the LORP, monitor and make adjustments to the Aqueduct Intake gates for at least one day following this flow change.

C:	Adam Perez	Ben Butler
	Eric Tillemans	Jason Olin
	Forest Mathieu	Bruce Peterson
	Ryan Yeager	Gary Reiser
	Joe Bowling	Chad Lamacchia
		Ian Keller

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Courtnie Cappello

DATE: June 17, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **Locust Spillgate**

START DATE: Wednesday, June 18, 2025 **TIME:** 10:00 am

CHANGE FLOW: FROM: 0 cfs TO: 5 cfs

FLOW CHANGE LOCATION **Georges Spillgate**

START DATE: Wednesday, June 18, 2025 **TIME:** 10:00 am

CHANGE FLOW: FROM: 0 cfs TO: 5 cfs

C:	Adam Perez	Ben Butler
	Eric Tillemans	Jason Olin
	Forest Mathieu	Bruce Peterson
	Ryan Yeager	David Livingston
	Joe Bowling	Chad Lamacchia
	Lori Dermody	Ian Keller
		Gary Reiser

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Courtnie Cappello

DATE: June 27, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **Locust Spillgate**

START DATE: Saturday, June 28, 2025 **TIME:** 10:00 am

CHANGE FLOW: FROM: 5 cfs TO: 0 cfs

FLOW CHANGE LOCATION **Georges Spillgate**

START DATE: Saturday, June 28, 2025 **TIME:** 10:00 am

CHANGE FLOW: FROM: 5 cfs TO: 0 cfs

C:	Adam Perez	Ben Butler
	Eric Tillemans	Jason Olin
	Forest Mathieu	Bruce Peterson
	Ryan Yeager	David Livingston
	Joe Bowling	Chad Lamacchia
	Lori Dermody	Ian Keller
		Gary Reiser

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Courtnie Cappello

DATE: June 27, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **LORP Intake**

START DATE: Sunday, June 29, 2025 TIME: morning

CHANGE FLOW: From: 43 cfs To: 90 cfs

To maintain required flows to the LORP, monitor and make adjustments to the Aqueduct Intake gates for at least one day following this flow change.

C:	Adam Perez	Ben Butler
	Eric Tillemans	Jason Olin
	Forest Mathieu	Bruce Peterson
	Ryan Yeager	Gary Reiser
	Joe Bowling	Chad Lamacchia

Quality Assurance and Calibration Procedures

The Los Angeles Department of Water and Power has a set standard to assure quality of all hydrological data collected. Procedures used to QA data vary based on the type of data collected and the device used to measure flow.

Data collected from sites utilizing area velocity flow meters are electronically monitored continuously. Sites are physically visited most days of the week to assure debris or vandalism hasn't affected the reading. Errors in the data collected may arise from several sources:

1. The transducers which detect the stage height and velocities have a tendency to drift.
2. Power outages occur occasionally thereby preventing the recording of data to the data loggers.
3. Occasionally the data loggers themselves malfunction.
4. Data can be lost or corrupted when it is transferred from the data loggers to the laptop.

Errors in discharge can originate from the instability of the relationship between velocity and stage height. This relationship varies temporally. It is affected by changes in the streambed that results from the flow of water over the bed, such as scour and fill, aquatic growth, ice, debris, or bed roughness.

To compensate for changes in the constantly shifting conditions multiple current meter measurements at each location per USGS standards are conducted per month. The current meter shots are taken at 2 foot intervals horizontally across the lined sections or 1 foot intervals at the sites where the measurements are taken in culverts. In each vertical section two separate measurements are taken (0.2 and 0.8) of the depth to achieve the best velocity average in the vertical. These vertical discharges are then added together to obtain a total flow in the section. The current meter data is logged in an on-board computer tracking the measurements as taken. That data is then extracted from the on-board computer to a PC using the FlowPack software that allows analysis of the data for erroneous measurements and is then converted to an Excel spreadsheet for ease of storage and printing. See Examples 1 – 3 for printout of software used to validate the current meter data.

Current meter data is used to develop velocity index tables. The tables require a minimum of 6 meter shots. After a table has been developed it is then downloaded into the on-site SonTek software which takes into account any variables within the meter section and applies any shifts to the discharge.

Data is collected and logged every 10 minutes utilizing SonTek area velocity flow meters. The data is downloaded from the meters once per month utilizing software provided by SonTek. The software "ViewArgonaut" gives us the ability to check items relevant to the performance of the meter. Battery voltage, beam strength, noise ratios, depth, and cell distance. (See Example 4) The software provides a trend of the data collected and displays it for quick comparisons, flagging discrepancies, one day at a time. Utilizing the ViewArgonaut software monthly reports are generated and the data is

reviewed. Using the current meter data collected during the month shifts are applied to the discharge to assure accuracy.

Augmentation Flows

Flows at several of the augmentation points are measured using weirs and flumes at sites that were pre-existing. Billy Lake has a one foot Parshall flume, Locust and Georges Returns have three foot weirs installed. All have stilling wells with dataloggers installed. The water surface elevation in the stillwell is measured each time the site is visited and verified it matches the staff gage for correct water depth through the measuring device. The still wells are flushed once every two months to assure the communication line is open and free of debris. The gage height data is logged on a module every 15 minutes. The modules are changed and processed every two weeks. Software used to process the data gives an hourly average gage and converts it to flow. It also gives the maximum and minimum flows for each day and time stamps it. The data is reviewed for any discrepancies which can be caused as a result of debris plugging the measuring device, a plugged stillwell, low batteries, etc.

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)

The current export settings are:

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics

[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company

070706.0RABR.LOR.WAD

Discharge Measurement Summary

Date Generated: Thu Sep 27 2007

File Information

File Name 070706.0RABR.LOR.WAD
Start Date and Time 2007/07/06 07:48:17

Site Details

Site Name ORABR
Operator(s) DJT

System Information

Sensor Type FlowTracker
Serial # P1685
CPU Firmware Version 3.2
Software Ver 2.11

Units

(English Units)

Distance ft
Velocity ft/s
Area ft²
Discharge cfs

Discharge Uncertainty

Category	ISO	Stats
Accuracy	1.0%	1.0%
Depth	0.1%	0.5%
Velocity	0.3%	1.4%
Width	0.1%	0.1%
Method	0.8%	-
# Stations	1.6%	-
Overall	2.1%	1.8%

Summary

Averaging Int.	40	# Stations	32
Start Edge	REW	Total Width	48.100
Mean SNR	18.7 dB	Total Area	69.016
Mean Temp	73.68 °F	Mean Depth	1.435
Disch. Equation	Mid-Section	Mean Velocity	0.6419
		Total Discharge	44.3025

Measurement Results

St	Clock	Loc	Method	Depth	%Dep	MeasD	Vel	CorrFact	MeanV	Area	Flow	%Q
0	07:48	23.60	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0
1	07:48	24.60	0.6	0.360	0.6	0.144	0.2762	1.00	0.2762	0.360	0.0994	0.2
2	07:50	25.60	0.6	0.640	0.6	0.256	0.5102	1.00	0.5102	0.640	0.3266	0.7
3	07:51	26.60	0.6	0.880	0.6	0.352	0.5938	1.00	0.5938	0.880	0.5225	1.2
4	07:52	27.60	0.6	1.180	0.6	0.472	0.6257	1.00	0.6257	1.180	0.7383	1.7
5	07:54	28.60	0.6	1.390	0.6	0.556	0.6302	1.00	0.6302	1.390	0.8761	2.0
6	07:55	29.60	0.2/0.8	1.520	0.2	1.216	0.8130	1.00	0.7078	1.520	1.0759	2.4
6	07:56	29.60	0.2/0.8	1.520	0.8	0.304	0.6027					
7	07:58	30.60	0.8/0.2	1.690	0.2	1.352	0.8468	1.00	0.7664	1.690	1.2952	2.9
7	07:57	30.60	0.8/0.2	1.690	0.8	0.338	0.6860					
8	07:59	31.60	0.2/0.8	1.700	0.2	1.360	0.8146	1.00	0.7037	2.040	1.4357	3.2
8	08:00	31.60	0.2/0.8	1.700	0.8	0.340	0.5928					
9	08:03	33.00	0.8/0.2	1.680	0.2	1.344	0.8383	1.00	0.7408	2.016	1.4935	3.4
9	08:01	33.00	0.8/0.2	1.680	0.8	0.336	0.6434					
10	08:05	34.00	0.2/0.8	1.600	0.2	1.280	0.8724	1.00	0.7398	2.400	1.7757	4.0
10	08:06	34.00	0.2/0.8	1.600	0.8	0.320	0.6073					
11	08:08	36.00	0.8/0.2	1.520	0.2	1.216	0.8186	1.00	0.6995	3.040	2.1264	4.8
11	08:07	36.00	0.8/0.2	1.520	0.8	0.304	0.5804					
12	08:09	38.00	0.2/0.8	1.500	0.2	1.200	0.8957	1.00	0.7461	3.000	2.2382	5.1
12	08:11	38.00	0.2/0.8	1.500	0.8	0.300	0.5965					
13	08:12	40.00	0.2/0.8	1.490	0.2	1.192	0.8245	1.00	0.6321	2.980	1.8837	4.3
13	08:13	40.00	0.2/0.8	1.490	0.8	0.298	0.4396					
14	08:15	42.00	0.2/0.8	1.510	0.2	1.208	0.8514	1.00	0.7548	3.020	2.2791	5.1
14	08:16	42.00	0.2/0.8	1.510	0.8	0.302	0.6581					
15	08:18	44.00	0.8/0.2	1.600	0.2	1.280	0.8278	1.00	0.7026	3.200	2.2484	5.1
15	08:17	44.00	0.8/0.2	1.600	0.8	0.320	0.5774					
16	08:19	46.00	0.2/0.8	1.620	0.2	1.296	0.8018	1.00	0.6916	3.240	2.2409	5.1
16	08:20	46.00	0.2/0.8	1.620	0.8	0.324	0.5814					
17	08:22	48.00	0.8/0.2	1.700	0.2	1.360	0.8396	1.00	0.7756	3.400	2.6372	6.0
17	08:21	48.00	0.8/0.2	1.700	0.8	0.340	0.7116					
18	08:23	50.00	0.2/0.8	1.800	0.2	1.440	0.9016	1.00	0.8251	3.600	2.9703	6.7
18	08:24	50.00	0.2/0.8	1.800	0.8	0.360	0.7487					
19	08:26	52.00	0.8/0.2	1.680	0.2	1.344	0.8271	1.00	0.7269	3.360	2.4425	5.5
19	08:25	52.00	0.8/0.2	1.680	0.8	0.336	0.6266					
20	08:27	54.00	0.2/0.8	1.780	0.2	1.424	0.7795	1.00	0.6763	3.560	2.4076	5.4
20	08:28	54.00	0.2/0.8	1.780	0.8	0.356	0.5732					
21	08:30	56.00	0.8/0.2	1.820	0.2	1.456	0.7329	1.00	0.6097	3.640	2.2193	5.0
21	08:29	56.00	0.8/0.2	1.820	0.8	0.364	0.4865					
22	08:32	58.00	0.2/0.8	1.820	0.2	1.456	0.7123	1.00	0.5540	3.640	2.0163	4.6
22	08:34	58.00	0.2/0.8	1.820	0.8	0.364	0.3957					
23	08:36	60.00	0.8/0.2	1.800	0.2	1.440	0.6949	1.00	0.6017	3.600	2.1660	4.9
23	08:35	60.00	0.8/0.2	1.800	0.8	0.360	0.5085					

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)**The current export settings are:**

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics




[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company

070706.0RABR.LOR.WAD




Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)

Fri Jul 6 07:47:10 PDT 2007



SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)**The current export settings are:**

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics




[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company


070706.0RABR.LOR.WAD





Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)



FileName: BROR_070801_a.arg (Argonaut- SW 3000 kHz)



System	Argonaut-SW
Frequency	3000 kHz
File	BROR_070801_a
File Size	65.18 kB
Sample No	1
Sample Date	02/07/2007
Sample Time	13:28:38
Time Interval	180

Velocity Data:	
V1/X/E(cm/s)	27.8
V2/Y/N(cm/s)	2.4
V3/Z/U(cm/s)	--
Speed (cm/s)	27.9
Direction(deg)	85.1

Discharge Summary:	
V Beam (m)	0.426
Stage (m)	1.304
VMean (cm/s)	22.7
Flow (cfs)	50.21
Area (m2)	6.26
Vol (acre-ft)	0.7

Diagnostic Data:	
SNR1 (dB)	61
SNR2 (dB)	61
SNR3 (dB)	--
StErr1 (cm/s)	0.9
StErr2 (cm/s)	0.8
StErr3 (cm/s)	--
Mean StDev	0.9
Battery (V)	12.4

Party: BLP BRP	Width: 26.7 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 160 ft²	Mean Velocity: 0.272 ft/s
Gage Height: 5.54 ft	G.H.Change: 0.000 ft	Discharge: 43.4 ft³/s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:		ADCP:	
BT 3-Beam Solution: YES	Max. Vel.: 1.74 ft/s	Type/Freq.: StreamPro / 2000 kHz	
WT 3-Beam Solution: YES	Max. Depth: 6.30 ft	Serial #: 2370	Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Mean Depth: 5.99 ft	Bin Size: 7 cm	Blank: 3 cm
WT Error Vel.: 1.05 ft/s	% Meas.: 73.04	BT Mode: 10	BT Pings: 2
BT Up Vel.: 1.00 ft/s	Water Temp.: None	WT Mode: 12	WT Pings: 6
WT Up Vel.: 1.64 ft/s	ADCP Temp.: 82.2 °F		
Use Weighted Mean Depth: YES			

Performed Diag. Test: NO
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 250610 INTK_0.mmt
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	34	3.57	31.7	3.53	1.73	2.44	43.0	28	167	14:24	14:25	0.64	0.26	6	3
001	R	2	2	43	3.53	31.8	3.50	2.65	2.58	44.1	26	157	14:25	14:26	0.51	0.28	35	1
002	L	2	2	31	3.57	31.3	3.96	1.34	2.86	43.0	28	167	14:26	14:27	0.70	0.26	0	1
003	R	2	2	36	3.57	32.1	3.57	1.94	2.51	43.6	25	148	14:27	14:28	0.62	0.30	28	1
Mean		2	2	36	3.56	31.7	3.64	1.92	2.60	43.4	27	160	Total	00:03	0.62	0.27	17	1
SDev		0	0	5	0.018	0.340	0.214	0.548	0.186	0.529	1.8	9.5			0.08	0.02		
SD/M		0.0%	0.0%	14.2%	0.5%	1.1%	5.9%	28.6%	7.2%	1.2%	6.7%	5.9%			13.3%	7.2%		

Remarks:

Blackrock Return Ditch

Station 0208

Date	Flow (cfs)
6/1/2025	0.92
6/2/2025	1.13
6/3/2025	0.95
6/4/2025	1.01
6/5/2025	1.22
6/6/2025	1.42
6/7/2025	2.14
6/8/2025	2.15
6/9/2025	2.05
6/10/2025	1.94
6/11/2025	1.70
6/12/2025	1.03
6/13/2025	0.18
6/14/2025	0.04
6/15/2025	1.05
6/16/2025	0.80
6/17/2025	0.76
6/18/2025	1.18
6/19/2025	1.18
6/20/2025	1.30
6/21/2025	1.17
6/22/2025	1.11
6/23/2025	1.12
6/24/2025	1.16
6/25/2025	1.14
6/26/2025	1.06
6/27/2025	1.45
6/28/2025	1.46
6/29/2025	1.44
6/30/2025	1.30

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/1/2025	12:00:00 AM	0.42
6/1/2025	12:15:00 AM	0.41
6/1/2025	12:30:00 AM	0.42
6/1/2025	12:45:00 AM	0.41
6/1/2025	1:00:00 AM	0.42
6/1/2025	1:15:00 AM	0.42
6/1/2025	1:30:00 AM	0.42
6/1/2025	1:45:00 AM	0.42
6/1/2025	2:00:00 AM	0.42
6/1/2025	2:15:00 AM	0.42
6/1/2025	2:30:00 AM	0.42
6/1/2025	2:45:00 AM	0.42
6/1/2025	3:00:00 AM	0.42
6/1/2025	3:15:00 AM	0.42
6/1/2025	3:30:00 AM	0.42
6/1/2025	3:45:00 AM	0.42
6/1/2025	4:00:00 AM	0.42
6/1/2025	4:15:00 AM	0.42
6/1/2025	4:30:00 AM	0.42
6/1/2025	4:45:00 AM	0.42
6/1/2025	5:00:00 AM	0.42
6/1/2025	5:15:00 AM	0.42
6/1/2025	5:30:00 AM	0.42
6/1/2025	5:45:00 AM	0.42
6/1/2025	6:00:00 AM	0.42
6/1/2025	6:15:00 AM	0.42
6/1/2025	6:30:00 AM	0.42
6/1/2025	6:45:00 AM	0.42
6/1/2025	7:00:00 AM	0.42
6/1/2025	7:15:00 AM	0.41
6/1/2025	7:30:00 AM	0.42
6/1/2025	7:45:00 AM	0.42
6/1/2025	8:00:00 AM	0.41
6/1/2025	8:15:00 AM	0.41
6/1/2025	8:30:00 AM	0.41
6/1/2025	8:45:00 AM	0.41
6/1/2025	9:00:00 AM	0.41
6/1/2025	9:15:00 AM	0.41
6/1/2025	9:30:00 AM	0.41
6/1/2025	9:45:00 AM	0.41
6/1/2025	10:00:00 AM	0.41
6/1/2025	10:15:00 AM	0.41
6/1/2025	10:30:00 AM	0.41
6/1/2025	10:45:00 AM	0.41
6/1/2025	11:00:00 AM	0.41
6/1/2025	11:15:00 AM	0.41

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/1/2025	11:30:00 AM	0.41
6/1/2025	11:45:00 AM	0.41
6/1/2025	12:00:00 PM	0.41
6/1/2025	12:15:00 PM	0.41
6/1/2025	12:30:00 PM	0.41
6/1/2025	12:45:00 PM	0.4
6/1/2025	1:00:00 PM	0.4
6/1/2025	1:15:00 PM	0.4
6/1/2025	1:30:00 PM	0.4
6/1/2025	1:45:00 PM	0.4
6/1/2025	2:00:00 PM	0.4
6/1/2025	2:15:00 PM	0.4
6/1/2025	2:30:00 PM	0.39
6/1/2025	2:45:00 PM	0.4
6/1/2025	3:00:00 PM	0.39
6/1/2025	3:15:00 PM	0.4
6/1/2025	3:30:00 PM	0.4
6/1/2025	3:45:00 PM	0.4
6/1/2025	4:00:00 PM	0.4
6/1/2025	4:15:00 PM	0.4
6/1/2025	4:30:00 PM	0.4
6/1/2025	4:45:00 PM	0.4
6/1/2025	5:00:00 PM	0.41
6/1/2025	5:15:00 PM	0.41
6/1/2025	5:30:00 PM	0.41
6/1/2025	5:45:00 PM	0.41
6/1/2025	6:00:00 PM	0.41
6/1/2025	6:15:00 PM	0.42
6/1/2025	6:30:00 PM	0.42
6/1/2025	6:45:00 PM	0.42
6/1/2025	7:00:00 PM	0.42
6/1/2025	7:15:00 PM	0.43
6/1/2025	7:30:00 PM	0.43
6/1/2025	7:45:00 PM	0.43
6/1/2025	8:00:00 PM	0.43
6/1/2025	8:15:00 PM	0.44
6/1/2025	8:30:00 PM	0.44
6/1/2025	8:45:00 PM	0.44
6/1/2025	9:00:00 PM	0.45
6/1/2025	9:15:00 PM	0.45
6/1/2025	9:30:00 PM	0.45
6/1/2025	9:45:00 PM	0.45
6/1/2025	10:00:00 PM	0.46
6/1/2025	10:15:00 PM	0.46
6/1/2025	10:30:00 PM	0.46
6/1/2025	10:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/1/2025	11:00:00 PM	0.46
6/1/2025	11:15:00 PM	0.47
6/1/2025	11:30:00 PM	0.47
6/1/2025	11:45:00 PM	0.47
6/2/2025	12:00:00 AM	0.47
6/2/2025	12:15:00 AM	0.47
6/2/2025	12:30:00 AM	0.47
6/2/2025	12:45:00 AM	0.47
6/2/2025	1:00:00 AM	0.48
6/2/2025	1:15:00 AM	0.48
6/2/2025	1:30:00 AM	0.48
6/2/2025	1:45:00 AM	0.48
6/2/2025	2:00:00 AM	0.48
6/2/2025	2:15:00 AM	0.48
6/2/2025	2:30:00 AM	0.48
6/2/2025	2:45:00 AM	0.48
6/2/2025	3:00:00 AM	0.49
6/2/2025	3:15:00 AM	0.48
6/2/2025	3:30:00 AM	0.49
6/2/2025	3:45:00 AM	0.49
6/2/2025	4:00:00 AM	0.49
6/2/2025	4:15:00 AM	0.49
6/2/2025	4:30:00 AM	0.49
6/2/2025	4:45:00 AM	0.49
6/2/2025	5:00:00 AM	0.49
6/2/2025	5:15:00 AM	0.49
6/2/2025	5:30:00 AM	0.49
6/2/2025	5:45:00 AM	0.49
6/2/2025	6:00:00 AM	0.49
6/2/2025	6:15:00 AM	0.49
6/2/2025	6:30:00 AM	0.5
6/2/2025	6:45:00 AM	0.5
6/2/2025	7:00:00 AM	0.5
6/2/2025	7:15:00 AM	0.5
6/2/2025	7:30:00 AM	0.5
6/2/2025	7:45:00 AM	0.5
6/2/2025	8:00:00 AM	0.5
6/2/2025	8:15:00 AM	0.5
6/2/2025	8:30:00 AM	0.5
6/2/2025	8:45:00 AM	0.5
6/2/2025	9:00:00 AM	0.5
6/2/2025	9:15:00 AM	0.5
6/2/2025	9:30:00 AM	0.5
6/2/2025	9:45:00 AM	0.5
6/2/2025	10:00:00 AM	0.5
6/2/2025	10:15:00 AM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/2/2025	10:30:00 AM	0.5
6/2/2025	10:45:00 AM	0.5
6/2/2025	11:00:00 AM	0.5
6/2/2025	11:15:00 AM	0.5
6/2/2025	11:30:00 AM	0.5
6/2/2025	11:45:00 AM	0.5
6/2/2025	12:00:00 PM	0.5
6/2/2025	12:15:00 PM	0.5
6/2/2025	12:30:00 PM	0.5
6/2/2025	12:45:00 PM	0.5
6/2/2025	1:00:00 PM	0.5
6/2/2025	1:15:00 PM	0.5
6/2/2025	1:30:00 PM	0.5
6/2/2025	1:45:00 PM	0.5
6/2/2025	2:00:00 PM	0.49
6/2/2025	2:15:00 PM	0.49
6/2/2025	2:30:00 PM	0.49
6/2/2025	2:45:00 PM	0.49
6/2/2025	3:00:00 PM	0.49
6/2/2025	3:15:00 PM	0.49
6/2/2025	3:30:00 PM	0.49
6/2/2025	3:45:00 PM	0.49
6/2/2025	4:00:00 PM	0.48
6/2/2025	4:15:00 PM	0.48
6/2/2025	4:30:00 PM	0.48
6/2/2025	4:45:00 PM	0.48
6/2/2025	5:00:00 PM	0.47
6/2/2025	5:15:00 PM	0.47
6/2/2025	5:30:00 PM	0.47
6/2/2025	5:45:00 PM	0.47
6/2/2025	6:00:00 PM	0.47
6/2/2025	6:15:00 PM	0.47
6/2/2025	6:30:00 PM	0.47
6/2/2025	6:45:00 PM	0.47
6/2/2025	7:00:00 PM	0.47
6/2/2025	7:15:00 PM	0.46
6/2/2025	7:30:00 PM	0.46
6/2/2025	7:45:00 PM	0.46
6/2/2025	8:00:00 PM	0.46
6/2/2025	8:15:00 PM	0.46
6/2/2025	8:30:00 PM	0.46
6/2/2025	8:45:00 PM	0.46
6/2/2025	9:00:00 PM	0.46
6/2/2025	9:15:00 PM	0.46
6/2/2025	9:30:00 PM	0.46
6/2/2025	9:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/2/2025	10:00:00 PM	0.46
6/2/2025	10:15:00 PM	0.46
6/2/2025	10:30:00 PM	0.46
6/2/2025	10:45:00 PM	0.46
6/2/2025	11:00:00 PM	0.46
6/2/2025	11:15:00 PM	0.46
6/2/2025	11:30:00 PM	0.46
6/2/2025	11:45:00 PM	0.46
6/3/2025	12:00:00 AM	0.46
6/3/2025	12:15:00 AM	0.46
6/3/2025	12:30:00 AM	0.46
6/3/2025	12:45:00 AM	0.46
6/3/2025	1:00:00 AM	0.46
6/3/2025	1:15:00 AM	0.46
6/3/2025	1:30:00 AM	0.46
6/3/2025	1:45:00 AM	0.46
6/3/2025	2:00:00 AM	0.46
6/3/2025	2:15:00 AM	0.46
6/3/2025	2:30:00 AM	0.46
6/3/2025	2:45:00 AM	0.46
6/3/2025	3:00:00 AM	0.46
6/3/2025	3:15:00 AM	0.46
6/3/2025	3:30:00 AM	0.45
6/3/2025	3:45:00 AM	0.45
6/3/2025	4:00:00 AM	0.45
6/3/2025	4:15:00 AM	0.45
6/3/2025	4:30:00 AM	0.45
6/3/2025	4:45:00 AM	0.45
6/3/2025	5:00:00 AM	0.45
6/3/2025	5:15:00 AM	0.45
6/3/2025	5:30:00 AM	0.44
6/3/2025	5:45:00 AM	0.44
6/3/2025	6:00:00 AM	0.44
6/3/2025	6:15:00 AM	0.44
6/3/2025	6:30:00 AM	0.44
6/3/2025	6:45:00 AM	0.44
6/3/2025	7:00:00 AM	0.44
6/3/2025	7:15:00 AM	0.44
6/3/2025	7:30:00 AM	0.44
6/3/2025	7:45:00 AM	0.43
6/3/2025	8:00:00 AM	0.43
6/3/2025	8:15:00 AM	0.43
6/3/2025	8:30:00 AM	0.43
6/3/2025	8:45:00 AM	0.43
6/3/2025	9:00:00 AM	0.43
6/3/2025	9:15:00 AM	0.42

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/3/2025	9:30:00 AM	0.42
6/3/2025	9:45:00 AM	0.42
6/3/2025	10:00:00 AM	0.42
6/3/2025	10:15:00 AM	0.42
6/3/2025	10:30:00 AM	0.42
6/3/2025	10:45:00 AM	0.42
6/3/2025	11:00:00 AM	0.42
6/3/2025	11:15:00 AM	0.42
6/3/2025	11:30:00 AM	0.42
6/3/2025	11:45:00 AM	0.42
6/3/2025	12:00:00 PM	0.42
6/3/2025	12:15:00 PM	0.42
6/3/2025	12:30:00 PM	0.42
6/3/2025	12:45:00 PM	0.42
6/3/2025	1:00:00 PM	0.42
6/3/2025	1:15:00 PM	0.42
6/3/2025	1:30:00 PM	0.42
6/3/2025	1:45:00 PM	0.42
6/3/2025	2:00:00 PM	0.42
6/3/2025	2:15:00 PM	0.42
6/3/2025	2:30:00 PM	0.42
6/3/2025	2:45:00 PM	0.42
6/3/2025	3:00:00 PM	0.42
6/3/2025	3:15:00 PM	0.42
6/3/2025	3:30:00 PM	0.42
6/3/2025	3:45:00 PM	0.42
6/3/2025	4:00:00 PM	0.42
6/3/2025	4:15:00 PM	0.42
6/3/2025	4:30:00 PM	0.42
6/3/2025	4:45:00 PM	0.42
6/3/2025	5:00:00 PM	0.42
6/3/2025	5:15:00 PM	0.42
6/3/2025	5:30:00 PM	0.42
6/3/2025	5:45:00 PM	0.42
6/3/2025	6:00:00 PM	0.41
6/3/2025	6:15:00 PM	0.41
6/3/2025	6:30:00 PM	0.41
6/3/2025	6:45:00 PM	0.41
6/3/2025	7:00:00 PM	0.41
6/3/2025	7:15:00 PM	0.41
6/3/2025	7:30:00 PM	0.41
6/3/2025	7:45:00 PM	0.41
6/3/2025	8:00:00 PM	0.41
6/3/2025	8:15:00 PM	0.41
6/3/2025	8:30:00 PM	0.41
6/3/2025	8:45:00 PM	0.41

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/3/2025	9:00:00 PM	0.41
6/3/2025	9:15:00 PM	0.41
6/3/2025	9:30:00 PM	0.41
6/3/2025	9:45:00 PM	0.41
6/3/2025	10:00:00 PM	0.41
6/3/2025	10:15:00 PM	0.41
6/3/2025	10:30:00 PM	0.42
6/3/2025	10:45:00 PM	0.42
6/3/2025	11:00:00 PM	0.42
6/3/2025	11:15:00 PM	0.42
6/3/2025	11:30:00 PM	0.42
6/3/2025	11:45:00 PM	0.42
6/4/2025	12:00:00 AM	0.42
6/4/2025	12:15:00 AM	0.42
6/4/2025	12:30:00 AM	0.42
6/4/2025	12:45:00 AM	0.42
6/4/2025	1:00:00 AM	0.42
6/4/2025	1:15:00 AM	0.42
6/4/2025	1:30:00 AM	0.42
6/4/2025	1:45:00 AM	0.42
6/4/2025	2:00:00 AM	0.42
6/4/2025	2:15:00 AM	0.42
6/4/2025	2:30:00 AM	0.42
6/4/2025	2:45:00 AM	0.42
6/4/2025	3:00:00 AM	0.43
6/4/2025	3:15:00 AM	0.43
6/4/2025	3:30:00 AM	0.43
6/4/2025	3:45:00 AM	0.43
6/4/2025	4:00:00 AM	0.43
6/4/2025	4:15:00 AM	0.43
6/4/2025	4:30:00 AM	0.43
6/4/2025	4:45:00 AM	0.43
6/4/2025	5:00:00 AM	0.43
6/4/2025	5:15:00 AM	0.43
6/4/2025	5:30:00 AM	0.43
6/4/2025	5:45:00 AM	0.43
6/4/2025	6:00:00 AM	0.43
6/4/2025	6:15:00 AM	0.43
6/4/2025	6:30:00 AM	0.43
6/4/2025	6:45:00 AM	0.43
6/4/2025	7:00:00 AM	0.43
6/4/2025	7:15:00 AM	0.43
6/4/2025	7:30:00 AM	0.43
6/4/2025	7:45:00 AM	0.43
6/4/2025	8:00:00 AM	0.43
6/4/2025	8:15:00 AM	0.43

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/4/2025	8:30:00 AM	0.43
6/4/2025	8:45:00 AM	0.43
6/4/2025	9:00:00 AM	0.43
6/4/2025	9:15:00 AM	0.43
6/4/2025	9:30:00 AM	0.43
6/4/2025	9:45:00 AM	0.43
6/4/2025	10:00:00 AM	0.43
6/4/2025	10:15:00 AM	0.43
6/4/2025	10:30:00 AM	0.43
6/4/2025	10:45:00 AM	0.43
6/4/2025	11:00:00 AM	0.43
6/4/2025	11:15:00 AM	0.43
6/4/2025	11:30:00 AM	0.43
6/4/2025	11:45:00 AM	0.43
6/4/2025	12:00:00 PM	0.43
6/4/2025	12:15:00 PM	0.43
6/4/2025	12:30:00 PM	0.43
6/4/2025	12:45:00 PM	0.43
6/4/2025	1:00:00 PM	0.43
6/4/2025	1:15:00 PM	0.44
6/4/2025	1:30:00 PM	0.44
6/4/2025	1:45:00 PM	0.44
6/4/2025	2:00:00 PM	0.44
6/4/2025	2:15:00 PM	0.44
6/4/2025	2:30:00 PM	0.44
6/4/2025	2:45:00 PM	0.44
6/4/2025	3:00:00 PM	0.45
6/4/2025	3:15:00 PM	0.45
6/4/2025	3:30:00 PM	0.45
6/4/2025	3:45:00 PM	0.45
6/4/2025	4:00:00 PM	0.45
6/4/2025	4:15:00 PM	0.46
6/4/2025	4:30:00 PM	0.46
6/4/2025	4:45:00 PM	0.46
6/4/2025	5:00:00 PM	0.46
6/4/2025	5:15:00 PM	0.46
6/4/2025	5:30:00 PM	0.46
6/4/2025	5:45:00 PM	0.46
6/4/2025	6:00:00 PM	0.47
6/4/2025	6:15:00 PM	0.47
6/4/2025	6:30:00 PM	0.47
6/4/2025	6:45:00 PM	0.47
6/4/2025	7:00:00 PM	0.47
6/4/2025	7:15:00 PM	0.47
6/4/2025	7:30:00 PM	0.47
6/4/2025	7:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/4/2025	8:00:00 PM	0.48
6/4/2025	8:15:00 PM	0.48
6/4/2025	8:30:00 PM	0.48
6/4/2025	8:45:00 PM	0.48
6/4/2025	9:00:00 PM	0.49
6/4/2025	9:15:00 PM	0.49
6/4/2025	9:30:00 PM	0.49
6/4/2025	9:45:00 PM	0.49
6/4/2025	10:00:00 PM	0.49
6/4/2025	10:15:00 PM	0.49
6/4/2025	10:30:00 PM	0.49
6/4/2025	10:45:00 PM	0.49
6/4/2025	11:00:00 PM	0.49
6/4/2025	11:15:00 PM	0.49
6/4/2025	11:30:00 PM	0.5
6/4/2025	11:45:00 PM	0.5
6/5/2025	12:00:00 AM	0.5
6/5/2025	12:15:00 AM	0.5
6/5/2025	12:30:00 AM	0.5
6/5/2025	12:45:00 AM	0.5
6/5/2025	1:00:00 AM	0.5
6/5/2025	1:15:00 AM	0.5
6/5/2025	1:30:00 AM	0.51
6/5/2025	1:45:00 AM	0.51
6/5/2025	2:00:00 AM	0.51
6/5/2025	2:15:00 AM	0.51
6/5/2025	2:30:00 AM	0.51
6/5/2025	2:45:00 AM	0.51
6/5/2025	3:00:00 AM	0.51
6/5/2025	3:15:00 AM	0.51
6/5/2025	3:30:00 AM	0.51
6/5/2025	3:45:00 AM	0.51
6/5/2025	4:00:00 AM	0.51
6/5/2025	4:15:00 AM	0.51
6/5/2025	4:30:00 AM	0.51
6/5/2025	4:45:00 AM	0.51
6/5/2025	5:00:00 AM	0.51
6/5/2025	5:15:00 AM	0.52
6/5/2025	5:30:00 AM	0.52
6/5/2025	5:45:00 AM	0.52
6/5/2025	6:00:00 AM	0.52
6/5/2025	6:15:00 AM	0.52
6/5/2025	6:30:00 AM	0.52
6/5/2025	6:45:00 AM	0.52
6/5/2025	7:00:00 AM	0.52
6/5/2025	7:15:00 AM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/5/2025	7:30:00 AM	0.52
6/5/2025	7:45:00 AM	0.52
6/5/2025	8:00:00 AM	0.52
6/5/2025	8:15:00 AM	0.52
6/5/2025	8:30:00 AM	0.52
6/5/2025	8:45:00 AM	0.52
6/5/2025	9:00:00 AM	0.52
6/5/2025	9:15:00 AM	0.52
6/5/2025	9:30:00 AM	0.52
6/5/2025	9:45:00 AM	0.52
6/5/2025	10:00:00 AM	0.52
6/5/2025	10:15:00 AM	0.52
6/5/2025	10:30:00 AM	0.52
6/5/2025	10:45:00 AM	0.52
6/5/2025	11:00:00 AM	0.52
6/5/2025	11:15:00 AM	0.52
6/5/2025	11:30:00 AM	0.52
6/5/2025	11:45:00 AM	0.52
6/5/2025	12:00:00 PM	0.52
6/5/2025	12:15:00 PM	0.52
6/5/2025	12:30:00 PM	0.52
6/5/2025	12:45:00 PM	0.52
6/5/2025	1:00:00 PM	0.52
6/5/2025	1:15:00 PM	0.51
6/5/2025	1:30:00 PM	0.51
6/5/2025	1:45:00 PM	0.51
6/5/2025	2:00:00 PM	0.51
6/5/2025	2:15:00 PM	0.51
6/5/2025	2:30:00 PM	0.51
6/5/2025	2:45:00 PM	0.51
6/5/2025	3:00:00 PM	0.51
6/5/2025	3:15:00 PM	0.51
6/5/2025	3:30:00 PM	0.51
6/5/2025	3:45:00 PM	0.51
6/5/2025	4:00:00 PM	0.51
6/5/2025	4:15:00 PM	0.51
6/5/2025	4:30:00 PM	0.51
6/5/2025	4:45:00 PM	0.5
6/5/2025	5:00:00 PM	0.5
6/5/2025	5:15:00 PM	0.5
6/5/2025	5:30:00 PM	0.5
6/5/2025	5:45:00 PM	0.5
6/5/2025	6:00:00 PM	0.5
6/5/2025	6:15:00 PM	0.5
6/5/2025	6:30:00 PM	0.5
6/5/2025	6:45:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/5/2025	7:00:00 PM	0.5
6/5/2025	7:15:00 PM	0.5
6/5/2025	7:30:00 PM	0.5
6/5/2025	7:45:00 PM	0.5
6/5/2025	8:00:00 PM	0.5
6/5/2025	8:15:00 PM	0.5
6/5/2025	8:30:00 PM	0.5
6/5/2025	8:45:00 PM	0.5
6/5/2025	9:00:00 PM	0.5
6/5/2025	9:15:00 PM	0.5
6/5/2025	9:30:00 PM	0.5
6/5/2025	9:45:00 PM	0.5
6/5/2025	10:00:00 PM	0.5
6/5/2025	10:15:00 PM	0.5
6/5/2025	10:30:00 PM	0.5
6/5/2025	10:45:00 PM	0.5
6/5/2025	11:00:00 PM	0.49
6/5/2025	11:15:00 PM	0.49
6/5/2025	11:30:00 PM	0.49
6/5/2025	11:45:00 PM	0.49
6/6/2025	12:00:00 AM	0.49
6/6/2025	12:15:00 AM	0.49
6/6/2025	12:30:00 AM	0.49
6/6/2025	12:45:00 AM	0.49
6/6/2025	1:00:00 AM	0.49
6/6/2025	1:15:00 AM	0.49
6/6/2025	1:30:00 AM	0.49
6/6/2025	1:45:00 AM	0.49
6/6/2025	2:00:00 AM	0.49
6/6/2025	2:15:00 AM	0.49
6/6/2025	2:30:00 AM	0.49
6/6/2025	2:45:00 AM	0.49
6/6/2025	3:00:00 AM	0.49
6/6/2025	3:15:00 AM	0.48
6/6/2025	3:30:00 AM	0.49
6/6/2025	3:45:00 AM	0.48
6/6/2025	4:00:00 AM	0.48
6/6/2025	4:15:00 AM	0.48
6/6/2025	4:30:00 AM	0.48
6/6/2025	4:45:00 AM	0.48
6/6/2025	5:00:00 AM	0.48
6/6/2025	5:15:00 AM	0.48
6/6/2025	5:30:00 AM	0.48
6/6/2025	5:45:00 AM	0.48
6/6/2025	6:00:00 AM	0.48
6/6/2025	6:15:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/6/2025	6:30:00 AM	0.48
6/6/2025	6:45:00 AM	0.48
6/6/2025	7:00:00 AM	0.48
6/6/2025	7:15:00 AM	0.48
6/6/2025	7:30:00 AM	0.48
6/6/2025	7:45:00 AM	0.48
6/6/2025	8:00:00 AM	0.48
6/6/2025	8:15:00 AM	0.48
6/6/2025	8:30:00 AM	0.48
6/6/2025	8:45:00 AM	0.48
6/6/2025	9:00:00 AM	0.48
6/6/2025	9:15:00 AM	0.49
6/6/2025	9:30:00 AM	0.49
6/6/2025	9:45:00 AM	0.49
6/6/2025	10:00:00 AM	0.5
6/6/2025	10:15:00 AM	0.5
6/6/2025	10:30:00 AM	0.5
6/6/2025	10:45:00 AM	0.51
6/6/2025	11:00:00 AM	0.51
6/6/2025	11:15:00 AM	0.52
6/6/2025	11:30:00 AM	0.52
6/6/2025	11:45:00 AM	0.53
6/6/2025	12:00:00 PM	0.53
6/6/2025	12:15:00 PM	0.53
6/6/2025	12:30:00 PM	0.54
6/6/2025	12:45:00 PM	0.54
6/6/2025	1:00:00 PM	0.55
6/6/2025	1:15:00 PM	0.55
6/6/2025	1:30:00 PM	0.56
6/6/2025	1:45:00 PM	0.56
6/6/2025	2:00:00 PM	0.57
6/6/2025	2:15:00 PM	0.58
6/6/2025	2:30:00 PM	0.58
6/6/2025	2:45:00 PM	0.59
6/6/2025	3:00:00 PM	0.59
6/6/2025	3:15:00 PM	0.59
6/6/2025	3:30:00 PM	0.6
6/6/2025	3:45:00 PM	0.6
6/6/2025	4:00:00 PM	0.61
6/6/2025	4:15:00 PM	0.61
6/6/2025	4:30:00 PM	0.62
6/6/2025	4:45:00 PM	0.62
6/6/2025	5:00:00 PM	0.63
6/6/2025	5:15:00 PM	0.63
6/6/2025	5:30:00 PM	0.63
6/6/2025	5:45:00 PM	0.64

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/6/2025	6:00:00 PM	0.64
6/6/2025	6:15:00 PM	0.64
6/6/2025	6:30:00 PM	0.65
6/6/2025	6:45:00 PM	0.65
6/6/2025	7:00:00 PM	0.65
6/6/2025	7:15:00 PM	0.65
6/6/2025	7:30:00 PM	0.65
6/6/2025	7:45:00 PM	0.66
6/6/2025	8:00:00 PM	0.66
6/6/2025	8:15:00 PM	0.66
6/6/2025	8:30:00 PM	0.66
6/6/2025	8:45:00 PM	0.67
6/6/2025	9:00:00 PM	0.67
6/6/2025	9:15:00 PM	0.67
6/6/2025	9:30:00 PM	0.67
6/6/2025	9:45:00 PM	0.68
6/6/2025	10:00:00 PM	0.68
6/6/2025	10:15:00 PM	0.69
6/6/2025	10:30:00 PM	0.69
6/6/2025	10:45:00 PM	0.69
6/6/2025	11:00:00 PM	0.7
6/6/2025	11:15:00 PM	0.7
6/6/2025	11:30:00 PM	0.71
6/6/2025	11:45:00 PM	0.71
6/7/2025	12:00:00 AM	0.71
6/7/2025	12:15:00 AM	0.71
6/7/2025	12:30:00 AM	0.72
6/7/2025	12:45:00 AM	0.72
6/7/2025	1:00:00 AM	0.72
6/7/2025	1:15:00 AM	0.72
6/7/2025	1:30:00 AM	0.72
6/7/2025	1:45:00 AM	0.72
6/7/2025	2:00:00 AM	0.73
6/7/2025	2:15:00 AM	0.73
6/7/2025	2:30:00 AM	0.73
6/7/2025	2:45:00 AM	0.73
6/7/2025	3:00:00 AM	0.73
6/7/2025	3:15:00 AM	0.73
6/7/2025	3:30:00 AM	0.73
6/7/2025	3:45:00 AM	0.73
6/7/2025	4:00:00 AM	0.73
6/7/2025	4:15:00 AM	0.73
6/7/2025	4:30:00 AM	0.73
6/7/2025	4:45:00 AM	0.74
6/7/2025	5:00:00 AM	0.74
6/7/2025	5:15:00 AM	0.74

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/7/2025	5:30:00 AM	0.74
6/7/2025	5:45:00 AM	0.74
6/7/2025	6:00:00 AM	0.74
6/7/2025	6:15:00 AM	0.74
6/7/2025	6:30:00 AM	0.74
6/7/2025	6:45:00 AM	0.74
6/7/2025	7:00:00 AM	0.74
6/7/2025	7:15:00 AM	0.74
6/7/2025	7:30:00 AM	0.74
6/7/2025	7:45:00 AM	0.75
6/7/2025	8:00:00 AM	0.75
6/7/2025	8:15:00 AM	0.75
6/7/2025	8:30:00 AM	0.75
6/7/2025	8:45:00 AM	0.75
6/7/2025	9:00:00 AM	0.75
6/7/2025	9:15:00 AM	0.75
6/7/2025	9:30:00 AM	0.75
6/7/2025	9:45:00 AM	0.75
6/7/2025	10:00:00 AM	0.75
6/7/2025	10:15:00 AM	0.75
6/7/2025	10:30:00 AM	0.75
6/7/2025	10:45:00 AM	0.75
6/7/2025	11:00:00 AM	0.75
6/7/2025	11:15:00 AM	0.75
6/7/2025	11:30:00 AM	0.75
6/7/2025	11:45:00 AM	0.75
6/7/2025	12:00:00 PM	0.75
6/7/2025	12:15:00 PM	0.75
6/7/2025	12:30:00 PM	0.75
6/7/2025	12:45:00 PM	0.75
6/7/2025	1:00:00 PM	0.75
6/7/2025	1:15:00 PM	0.75
6/7/2025	1:30:00 PM	0.75
6/7/2025	1:45:00 PM	0.75
6/7/2025	2:00:00 PM	0.75
6/7/2025	2:15:00 PM	0.75
6/7/2025	2:30:00 PM	0.74
6/7/2025	2:45:00 PM	0.74
6/7/2025	3:00:00 PM	0.74
6/7/2025	3:15:00 PM	0.74
6/7/2025	3:30:00 PM	0.74
6/7/2025	3:45:00 PM	0.74
6/7/2025	4:00:00 PM	0.74
6/7/2025	4:15:00 PM	0.74
6/7/2025	4:30:00 PM	0.74
6/7/2025	4:45:00 PM	0.74

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/7/2025	5:00:00 PM	0.74
6/7/2025	5:15:00 PM	0.74
6/7/2025	5:30:00 PM	0.74
6/7/2025	5:45:00 PM	0.74
6/7/2025	6:00:00 PM	0.73
6/7/2025	6:15:00 PM	0.73
6/7/2025	6:30:00 PM	0.73
6/7/2025	6:45:00 PM	0.74
6/7/2025	7:00:00 PM	0.74
6/7/2025	7:15:00 PM	0.73
6/7/2025	7:30:00 PM	0.73
6/7/2025	7:45:00 PM	0.74
6/7/2025	8:00:00 PM	0.73
6/7/2025	8:15:00 PM	0.74
6/7/2025	8:30:00 PM	0.73
6/7/2025	8:45:00 PM	0.73
6/7/2025	9:00:00 PM	0.74
6/7/2025	9:15:00 PM	0.74
6/7/2025	9:30:00 PM	0.74
6/7/2025	9:45:00 PM	0.74
6/7/2025	10:00:00 PM	0.74
6/7/2025	10:15:00 PM	0.74
6/7/2025	10:30:00 PM	0.74
6/7/2025	10:45:00 PM	0.74
6/7/2025	11:00:00 PM	0.74
6/7/2025	11:15:00 PM	0.74
6/7/2025	11:30:00 PM	0.74
6/7/2025	11:45:00 PM	0.74
6/8/2025	12:00:00 AM	0.74
6/8/2025	12:15:00 AM	0.74
6/8/2025	12:30:00 AM	0.74
6/8/2025	12:45:00 AM	0.74
6/8/2025	1:00:00 AM	0.74
6/8/2025	1:15:00 AM	0.74
6/8/2025	1:30:00 AM	0.74
6/8/2025	1:45:00 AM	0.74
6/8/2025	2:00:00 AM	0.75
6/8/2025	2:15:00 AM	0.75
6/8/2025	2:30:00 AM	0.75
6/8/2025	2:45:00 AM	0.75
6/8/2025	3:00:00 AM	0.75
6/8/2025	3:15:00 AM	0.75
6/8/2025	3:30:00 AM	0.75
6/8/2025	3:45:00 AM	0.75
6/8/2025	4:00:00 AM	0.75
6/8/2025	4:15:00 AM	0.75

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/8/2025	4:30:00 AM	0.75
6/8/2025	4:45:00 AM	0.75
6/8/2025	5:00:00 AM	0.75
6/8/2025	5:15:00 AM	0.75
6/8/2025	5:30:00 AM	0.75
6/8/2025	5:45:00 AM	0.75
6/8/2025	6:00:00 AM	0.75
6/8/2025	6:15:00 AM	0.75
6/8/2025	6:30:00 AM	0.75
6/8/2025	6:45:00 AM	0.75
6/8/2025	7:00:00 AM	0.75
6/8/2025	7:15:00 AM	0.75
6/8/2025	7:30:00 AM	0.75
6/8/2025	7:45:00 AM	0.75
6/8/2025	8:00:00 AM	0.75
6/8/2025	8:15:00 AM	0.75
6/8/2025	8:30:00 AM	0.75
6/8/2025	8:45:00 AM	0.75
6/8/2025	9:00:00 AM	0.75
6/8/2025	9:15:00 AM	0.75
6/8/2025	9:30:00 AM	0.75
6/8/2025	9:45:00 AM	0.75
6/8/2025	10:00:00 AM	0.75
6/8/2025	10:15:00 AM	0.75
6/8/2025	10:30:00 AM	0.75
6/8/2025	10:45:00 AM	0.75
6/8/2025	11:00:00 AM	0.75
6/8/2025	11:15:00 AM	0.75
6/8/2025	11:30:00 AM	0.74
6/8/2025	11:45:00 AM	0.73
6/8/2025	12:00:00 PM	0.73
6/8/2025	12:15:00 PM	0.73
6/8/2025	12:30:00 PM	0.73
6/8/2025	12:45:00 PM	0.73
6/8/2025	1:00:00 PM	0.73
6/8/2025	1:15:00 PM	0.75
6/8/2025	1:30:00 PM	0.75
6/8/2025	1:45:00 PM	0.75
6/8/2025	2:00:00 PM	0.75
6/8/2025	2:15:00 PM	0.75
6/8/2025	2:30:00 PM	0.75
6/8/2025	2:45:00 PM	0.75
6/8/2025	3:00:00 PM	0.75
6/8/2025	3:15:00 PM	0.75
6/8/2025	3:30:00 PM	0.75
6/8/2025	3:45:00 PM	0.74

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/8/2025	4:00:00 PM	0.74
6/8/2025	4:15:00 PM	0.74
6/8/2025	4:30:00 PM	0.74
6/8/2025	4:45:00 PM	0.74
6/8/2025	5:00:00 PM	0.74
6/8/2025	5:15:00 PM	0.74
6/8/2025	5:30:00 PM	0.73
6/8/2025	5:45:00 PM	0.73
6/8/2025	6:00:00 PM	0.73
6/8/2025	6:15:00 PM	0.73
6/8/2025	6:30:00 PM	0.73
6/8/2025	6:45:00 PM	0.73
6/8/2025	7:00:00 PM	0.73
6/8/2025	7:15:00 PM	0.73
6/8/2025	7:30:00 PM	0.73
6/8/2025	7:45:00 PM	0.73
6/8/2025	8:00:00 PM	0.73
6/8/2025	8:15:00 PM	0.73
6/8/2025	8:30:00 PM	0.73
6/8/2025	8:45:00 PM	0.73
6/8/2025	9:00:00 PM	0.73
6/8/2025	9:15:00 PM	0.73
6/8/2025	9:30:00 PM	0.73
6/8/2025	9:45:00 PM	0.73
6/8/2025	10:00:00 PM	0.73
6/8/2025	10:15:00 PM	0.73
6/8/2025	10:30:00 PM	0.73
6/8/2025	10:45:00 PM	0.73
6/8/2025	11:00:00 PM	0.73
6/8/2025	11:15:00 PM	0.73
6/8/2025	11:30:00 PM	0.73
6/8/2025	11:45:00 PM	0.73
6/9/2025	12:00:00 AM	0.73
6/9/2025	12:15:00 AM	0.73
6/9/2025	12:30:00 AM	0.73
6/9/2025	12:45:00 AM	0.73
6/9/2025	1:00:00 AM	0.73
6/9/2025	1:15:00 AM	0.73
6/9/2025	1:30:00 AM	0.73
6/9/2025	1:45:00 AM	0.73
6/9/2025	2:00:00 AM	0.73
6/9/2025	2:15:00 AM	0.73
6/9/2025	2:30:00 AM	0.73
6/9/2025	2:45:00 AM	0.73
6/9/2025	3:00:00 AM	0.73
6/9/2025	3:15:00 AM	0.73

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/9/2025	3:30:00 AM	0.73
6/9/2025	3:45:00 AM	0.73
6/9/2025	4:00:00 AM	0.73
6/9/2025	4:15:00 AM	0.73
6/9/2025	4:30:00 AM	0.73
6/9/2025	4:45:00 AM	0.73
6/9/2025	5:00:00 AM	0.73
6/9/2025	5:15:00 AM	0.73
6/9/2025	5:30:00 AM	0.73
6/9/2025	5:45:00 AM	0.73
6/9/2025	6:00:00 AM	0.73
6/9/2025	6:15:00 AM	0.73
6/9/2025	6:30:00 AM	0.73
6/9/2025	6:45:00 AM	0.73
6/9/2025	7:00:00 AM	0.73
6/9/2025	7:15:00 AM	0.73
6/9/2025	7:30:00 AM	0.72
6/9/2025	7:45:00 AM	0.73
6/9/2025	8:00:00 AM	0.72
6/9/2025	8:15:00 AM	0.72
6/9/2025	8:30:00 AM	0.72
6/9/2025	8:45:00 AM	0.72
6/9/2025	9:00:00 AM	0.72
6/9/2025	9:15:00 AM	0.72
6/9/2025	9:30:00 AM	0.72
6/9/2025	9:45:00 AM	0.72
6/9/2025	10:00:00 AM	0.72
6/9/2025	10:15:00 AM	0.72
6/9/2025	10:30:00 AM	0.72
6/9/2025	10:45:00 AM	0.72
6/9/2025	11:00:00 AM	0.72
6/9/2025	11:15:00 AM	0.72
6/9/2025	11:30:00 AM	0.72
6/9/2025	11:45:00 AM	0.72
6/9/2025	12:00:00 PM	0.72
6/9/2025	12:15:00 PM	0.72
6/9/2025	12:30:00 PM	0.72
6/9/2025	12:45:00 PM	0.72
6/9/2025	1:00:00 PM	0.72
6/9/2025	1:15:00 PM	0.72
6/9/2025	1:30:00 PM	0.71
6/9/2025	1:45:00 PM	0.71
6/9/2025	2:00:00 PM	0.71
6/9/2025	2:15:00 PM	0.71
6/9/2025	2:30:00 PM	0.71
6/9/2025	2:45:00 PM	0.71

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/9/2025	3:00:00 PM	0.71
6/9/2025	3:15:00 PM	0.71
6/9/2025	3:30:00 PM	0.71
6/9/2025	3:45:00 PM	0.71
6/9/2025	4:00:00 PM	0.71
6/9/2025	4:15:00 PM	0.71
6/9/2025	4:30:00 PM	0.71
6/9/2025	4:45:00 PM	0.71
6/9/2025	5:00:00 PM	0.71
6/9/2025	5:15:00 PM	0.71
6/9/2025	5:30:00 PM	0.71
6/9/2025	5:45:00 PM	0.71
6/9/2025	6:00:00 PM	0.7
6/9/2025	6:15:00 PM	0.7
6/9/2025	6:30:00 PM	0.7
6/9/2025	6:45:00 PM	0.7
6/9/2025	7:00:00 PM	0.7
6/9/2025	7:15:00 PM	0.7
6/9/2025	7:30:00 PM	0.7
6/9/2025	7:45:00 PM	0.71
6/9/2025	8:00:00 PM	0.7
6/9/2025	8:15:00 PM	0.71
6/9/2025	8:30:00 PM	0.7
6/9/2025	8:45:00 PM	0.7
6/9/2025	9:00:00 PM	0.71
6/9/2025	9:15:00 PM	0.71
6/9/2025	9:30:00 PM	0.71
6/9/2025	9:45:00 PM	0.71
6/9/2025	10:00:00 PM	0.71
6/9/2025	10:15:00 PM	0.71
6/9/2025	10:30:00 PM	0.71
6/9/2025	10:45:00 PM	0.71
6/9/2025	11:00:00 PM	0.71
6/9/2025	11:15:00 PM	0.71
6/9/2025	11:30:00 PM	0.71
6/9/2025	11:45:00 PM	0.71
6/10/2025	12:00:00 AM	0.71
6/10/2025	12:15:00 AM	0.71
6/10/2025	12:30:00 AM	0.71
6/10/2025	12:45:00 AM	0.71
6/10/2025	1:00:00 AM	0.71
6/10/2025	1:15:00 AM	0.71
6/10/2025	1:30:00 AM	0.71
6/10/2025	1:45:00 AM	0.71
6/10/2025	2:00:00 AM	0.71
6/10/2025	2:15:00 AM	0.71

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/10/2025	2:30:00 AM	0.71
6/10/2025	2:45:00 AM	0.71
6/10/2025	3:00:00 AM	0.71
6/10/2025	3:15:00 AM	0.71
6/10/2025	3:30:00 AM	0.71
6/10/2025	3:45:00 AM	0.71
6/10/2025	4:00:00 AM	0.71
6/10/2025	4:15:00 AM	0.71
6/10/2025	4:30:00 AM	0.71
6/10/2025	4:45:00 AM	0.71
6/10/2025	5:00:00 AM	0.71
6/10/2025	5:15:00 AM	0.71
6/10/2025	5:30:00 AM	0.71
6/10/2025	5:45:00 AM	0.71
6/10/2025	6:00:00 AM	0.71
6/10/2025	6:15:00 AM	0.71
6/10/2025	6:30:00 AM	0.71
6/10/2025	6:45:00 AM	0.71
6/10/2025	7:00:00 AM	0.71
6/10/2025	7:15:00 AM	0.71
6/10/2025	7:30:00 AM	0.7
6/10/2025	7:45:00 AM	0.7
6/10/2025	8:00:00 AM	0.7
6/10/2025	8:15:00 AM	0.7
6/10/2025	8:30:00 AM	0.7
6/10/2025	8:45:00 AM	0.7
6/10/2025	9:00:00 AM	0.7
6/10/2025	9:15:00 AM	0.7
6/10/2025	9:30:00 AM	0.7
6/10/2025	9:45:00 AM	0.7
6/10/2025	10:00:00 AM	0.7
6/10/2025	10:15:00 AM	0.7
6/10/2025	10:30:00 AM	0.7
6/10/2025	10:45:00 AM	0.7
6/10/2025	11:00:00 AM	0.7
6/10/2025	11:15:00 AM	0.7
6/10/2025	11:30:00 AM	0.7
6/10/2025	11:45:00 AM	0.7
6/10/2025	12:00:00 PM	0.69
6/10/2025	12:15:00 PM	0.69
6/10/2025	12:30:00 PM	0.69
6/10/2025	12:45:00 PM	0.69
6/10/2025	1:00:00 PM	0.69
6/10/2025	1:15:00 PM	0.69
6/10/2025	1:30:00 PM	0.69
6/10/2025	1:45:00 PM	0.69

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/10/2025	2:00:00 PM	0.69
6/10/2025	2:15:00 PM	0.69
6/10/2025	2:30:00 PM	0.69
6/10/2025	2:45:00 PM	0.69
6/10/2025	3:00:00 PM	0.68
6/10/2025	3:15:00 PM	0.68
6/10/2025	3:30:00 PM	0.68
6/10/2025	3:45:00 PM	0.68
6/10/2025	4:00:00 PM	0.68
6/10/2025	4:15:00 PM	0.68
6/10/2025	4:30:00 PM	0.68
6/10/2025	4:45:00 PM	0.68
6/10/2025	5:00:00 PM	0.68
6/10/2025	5:15:00 PM	0.67
6/10/2025	5:30:00 PM	0.67
6/10/2025	5:45:00 PM	0.67
6/10/2025	6:00:00 PM	0.67
6/10/2025	6:15:00 PM	0.67
6/10/2025	6:30:00 PM	0.67
6/10/2025	6:45:00 PM	0.67
6/10/2025	7:00:00 PM	0.67
6/10/2025	7:15:00 PM	0.67
6/10/2025	7:30:00 PM	0.67
6/10/2025	7:45:00 PM	0.67
6/10/2025	8:00:00 PM	0.67
6/10/2025	8:15:00 PM	0.67
6/10/2025	8:30:00 PM	0.67
6/10/2025	8:45:00 PM	0.67
6/10/2025	9:00:00 PM	0.67
6/10/2025	9:15:00 PM	0.67
6/10/2025	9:30:00 PM	0.67
6/10/2025	9:45:00 PM	0.67
6/10/2025	10:00:00 PM	0.67
6/10/2025	10:15:00 PM	0.67
6/10/2025	10:30:00 PM	0.67
6/10/2025	10:45:00 PM	0.67
6/10/2025	11:00:00 PM	0.67
6/10/2025	11:15:00 PM	0.67
6/10/2025	11:30:00 PM	0.68
6/10/2025	11:45:00 PM	0.67
6/11/2025	12:00:00 AM	0.68
6/11/2025	12:15:00 AM	0.67
6/11/2025	12:30:00 AM	0.68
6/11/2025	12:45:00 AM	0.68
6/11/2025	1:00:00 AM	0.68
6/11/2025	1:15:00 AM	0.68

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/11/2025	1:30:00 AM	0.68
6/11/2025	1:45:00 AM	0.68
6/11/2025	2:00:00 AM	0.68
6/11/2025	2:15:00 AM	0.68
6/11/2025	2:30:00 AM	0.68
6/11/2025	2:45:00 AM	0.68
6/11/2025	3:00:00 AM	0.68
6/11/2025	3:15:00 AM	0.68
6/11/2025	3:30:00 AM	0.68
6/11/2025	3:45:00 AM	0.68
6/11/2025	4:00:00 AM	0.68
6/11/2025	4:15:00 AM	0.68
6/11/2025	4:30:00 AM	0.68
6/11/2025	4:45:00 AM	0.68
6/11/2025	5:00:00 AM	0.68
6/11/2025	5:15:00 AM	0.68
6/11/2025	5:30:00 AM	0.68
6/11/2025	5:45:00 AM	0.68
6/11/2025	6:00:00 AM	0.68
6/11/2025	6:15:00 AM	0.68
6/11/2025	6:30:00 AM	0.68
6/11/2025	6:45:00 AM	0.68
6/11/2025	7:00:00 AM	0.68
6/11/2025	7:15:00 AM	0.68
6/11/2025	7:30:00 AM	0.68
6/11/2025	7:45:00 AM	0.68
6/11/2025	8:00:00 AM	0.68
6/11/2025	8:15:00 AM	0.68
6/11/2025	8:30:00 AM	0.68
6/11/2025	8:45:00 AM	0.68
6/11/2025	9:00:00 AM	0.67
6/11/2025	9:15:00 AM	0.67
6/11/2025	9:30:00 AM	0.67
6/11/2025	9:45:00 AM	0.67
6/11/2025	10:00:00 AM	0.66
6/11/2025	10:15:00 AM	0.66
6/11/2025	10:30:00 AM	0.66
6/11/2025	10:45:00 AM	0.66
6/11/2025	11:00:00 AM	0.65
6/11/2025	11:15:00 AM	0.65
6/11/2025	11:30:00 AM	0.65
6/11/2025	11:45:00 AM	0.65
6/11/2025	12:00:00 PM	0.65
6/11/2025	12:15:00 PM	0.64
6/11/2025	12:30:00 PM	0.64
6/11/2025	12:45:00 PM	0.64

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/11/2025	1:00:00 PM	0.64
6/11/2025	1:15:00 PM	0.63
6/11/2025	1:30:00 PM	0.63
6/11/2025	1:45:00 PM	0.63
6/11/2025	2:00:00 PM	0.62
6/11/2025	2:15:00 PM	0.62
6/11/2025	2:30:00 PM	0.62
6/11/2025	2:45:00 PM	0.62
6/11/2025	3:00:00 PM	0.61
6/11/2025	3:15:00 PM	0.61
6/11/2025	3:30:00 PM	0.61
6/11/2025	3:45:00 PM	0.6
6/11/2025	4:00:00 PM	0.6
6/11/2025	4:15:00 PM	0.6
6/11/2025	4:30:00 PM	0.6
6/11/2025	4:45:00 PM	0.59
6/11/2025	5:00:00 PM	0.59
6/11/2025	5:15:00 PM	0.59
6/11/2025	5:30:00 PM	0.59
6/11/2025	5:45:00 PM	0.59
6/11/2025	6:00:00 PM	0.59
6/11/2025	6:15:00 PM	0.58
6/11/2025	6:30:00 PM	0.58
6/11/2025	6:45:00 PM	0.58
6/11/2025	7:00:00 PM	0.58
6/11/2025	7:15:00 PM	0.58
6/11/2025	7:30:00 PM	0.58
6/11/2025	7:45:00 PM	0.57
6/11/2025	8:00:00 PM	0.57
6/11/2025	8:15:00 PM	0.57
6/11/2025	8:30:00 PM	0.57
6/11/2025	8:45:00 PM	0.57
6/11/2025	9:00:00 PM	0.57
6/11/2025	9:15:00 PM	0.57
6/11/2025	9:30:00 PM	0.57
6/11/2025	9:45:00 PM	0.57
6/11/2025	10:00:00 PM	0.57
6/11/2025	10:15:00 PM	0.57
6/11/2025	10:30:00 PM	0.56
6/11/2025	10:45:00 PM	0.56
6/11/2025	11:00:00 PM	0.56
6/11/2025	11:15:00 PM	0.56
6/11/2025	11:30:00 PM	0.56
6/11/2025	11:45:00 PM	0.56
6/12/2025	12:00:00 AM	0.56
6/12/2025	12:15:00 AM	0.56

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/12/2025	12:30:00 AM	0.55
6/12/2025	12:45:00 AM	0.55
6/12/2025	1:00:00 AM	0.55
6/12/2025	1:15:00 AM	0.55
6/12/2025	1:30:00 AM	0.55
6/12/2025	1:45:00 AM	0.55
6/12/2025	2:00:00 AM	0.54
6/12/2025	2:15:00 AM	0.54
6/12/2025	2:30:00 AM	0.54
6/12/2025	2:45:00 AM	0.54
6/12/2025	3:00:00 AM	0.54
6/12/2025	3:15:00 AM	0.54
6/12/2025	3:30:00 AM	0.53
6/12/2025	3:45:00 AM	0.53
6/12/2025	4:00:00 AM	0.53
6/12/2025	4:15:00 AM	0.53
6/12/2025	4:30:00 AM	0.53
6/12/2025	4:45:00 AM	0.53
6/12/2025	5:00:00 AM	0.53
6/12/2025	5:15:00 AM	0.52
6/12/2025	5:30:00 AM	0.52
6/12/2025	5:45:00 AM	0.52
6/12/2025	6:00:00 AM	0.52
6/12/2025	6:15:00 AM	0.51
6/12/2025	6:30:00 AM	0.51
6/12/2025	6:45:00 AM	0.51
6/12/2025	7:00:00 AM	0.5
6/12/2025	7:15:00 AM	0.5
6/12/2025	7:30:00 AM	0.5
6/12/2025	7:45:00 AM	0.5
6/12/2025	8:00:00 AM	0.5
6/12/2025	8:15:00 AM	0.5
6/12/2025	8:30:00 AM	0.49
6/12/2025	8:45:00 AM	0.49
6/12/2025	9:00:00 AM	0.49
6/12/2025	9:15:00 AM	0.49
6/12/2025	9:30:00 AM	0.48
6/12/2025	9:45:00 AM	0.48
6/12/2025	10:00:00 AM	0.48
6/12/2025	10:15:00 AM	0.48
6/12/2025	10:30:00 AM	0.48
6/12/2025	10:45:00 AM	0.47
6/12/2025	11:00:00 AM	0.47
6/12/2025	11:15:00 AM	0.47
6/12/2025	11:30:00 AM	0.47
6/12/2025	11:45:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/12/2025	12:00:00 PM	0.47
6/12/2025	12:15:00 PM	0.46
6/12/2025	12:30:00 PM	0.46
6/12/2025	12:45:00 PM	0.46
6/12/2025	1:00:00 PM	0.45
6/12/2025	1:15:00 PM	0.45
6/12/2025	1:30:00 PM	0.45
6/12/2025	1:45:00 PM	0.45
6/12/2025	2:00:00 PM	0.44
6/12/2025	2:15:00 PM	0.44
6/12/2025	2:30:00 PM	0.44
6/12/2025	2:45:00 PM	0.43
6/12/2025	3:00:00 PM	0.43
6/12/2025	3:15:00 PM	0.43
6/12/2025	3:30:00 PM	0.43
6/12/2025	3:45:00 PM	0.42
6/12/2025	4:00:00 PM	0.42
6/12/2025	4:15:00 PM	0.42
6/12/2025	4:30:00 PM	0.41
6/12/2025	4:45:00 PM	0.41
6/12/2025	5:00:00 PM	0.41
6/12/2025	5:15:00 PM	0.4
6/12/2025	5:30:00 PM	0.4
6/12/2025	5:45:00 PM	0.4
6/12/2025	6:00:00 PM	0.39
6/12/2025	6:15:00 PM	0.38
6/12/2025	6:30:00 PM	0.38
6/12/2025	6:45:00 PM	0.38
6/12/2025	7:00:00 PM	0.37
6/12/2025	7:15:00 PM	0.37
6/12/2025	7:30:00 PM	0.37
6/12/2025	7:45:00 PM	0.36
6/12/2025	8:00:00 PM	0.36
6/12/2025	8:15:00 PM	0.36
6/12/2025	8:30:00 PM	0.35
6/12/2025	8:45:00 PM	0.35
6/12/2025	9:00:00 PM	0.35
6/12/2025	9:15:00 PM	0.34
6/12/2025	9:30:00 PM	0.34
6/12/2025	9:45:00 PM	0.34
6/12/2025	10:00:00 PM	0.33
6/12/2025	10:15:00 PM	0.33
6/12/2025	10:30:00 PM	0.32
6/12/2025	10:45:00 PM	0.32
6/12/2025	11:00:00 PM	0.32
6/12/2025	11:15:00 PM	0.31

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/12/2025	11:30:00 PM	0.31
6/12/2025	11:45:00 PM	0.31
6/13/2025	12:00:00 AM	0.3
6/13/2025	12:15:00 AM	0.3
6/13/2025	12:30:00 AM	0.3
6/13/2025	12:45:00 AM	0.29
6/13/2025	1:00:00 AM	0.29
6/13/2025	1:15:00 AM	0.29
6/13/2025	1:30:00 AM	0.28
6/13/2025	1:45:00 AM	0.28
6/13/2025	2:00:00 AM	0.27
6/13/2025	2:15:00 AM	0.27
6/13/2025	2:30:00 AM	0.27
6/13/2025	2:45:00 AM	0.26
6/13/2025	3:00:00 AM	0.26
6/13/2025	3:15:00 AM	0.26
6/13/2025	3:30:00 AM	0.25
6/13/2025	3:45:00 AM	0.25
6/13/2025	4:00:00 AM	0.24
6/13/2025	4:15:00 AM	0.24
6/13/2025	4:30:00 AM	0.24
6/13/2025	4:45:00 AM	0.23
6/13/2025	5:00:00 AM	0.23
6/13/2025	5:15:00 AM	0.22
6/13/2025	5:30:00 AM	0.22
6/13/2025	5:45:00 AM	0.22
6/13/2025	6:00:00 AM	0.21
6/13/2025	6:15:00 AM	0.21
6/13/2025	6:30:00 AM	0.2
6/13/2025	6:45:00 AM	0.2
6/13/2025	7:00:00 AM	0.2
6/13/2025	7:15:00 AM	0.19
6/13/2025	7:30:00 AM	0.19
6/13/2025	7:45:00 AM	0.18
6/13/2025	8:00:00 AM	0.18
6/13/2025	8:15:00 AM	0.17
6/13/2025	8:30:00 AM	0.17
6/13/2025	8:45:00 AM	0.17
6/13/2025	9:00:00 AM	0.16
6/13/2025	9:15:00 AM	0.16
6/13/2025	9:30:00 AM	0.15
6/13/2025	9:45:00 AM	0.15
6/13/2025	10:00:00 AM	0.14
6/13/2025	10:15:00 AM	0.14
6/13/2025	10:30:00 AM	0.14
6/13/2025	10:45:00 AM	0.14

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/13/2025	11:00:00 AM	0.13
6/13/2025	11:15:00 AM	0.13
6/13/2025	11:30:00 AM	0.12
6/13/2025	11:45:00 AM	0.12
6/13/2025	12:00:00 PM	0.11
6/13/2025	12:15:00 PM	0.11
6/13/2025	12:30:00 PM	0.1
6/13/2025	12:45:00 PM	0.1
6/13/2025	1:00:00 PM	0.09
6/13/2025	1:15:00 PM	0.09
6/13/2025	1:30:00 PM	0.08
6/13/2025	1:45:00 PM	0.08
6/13/2025	2:00:00 PM	0.08
6/13/2025	2:15:00 PM	0.07
6/13/2025	2:30:00 PM	0.07
6/13/2025	2:45:00 PM	0.06
6/13/2025	3:00:00 PM	0.06
6/13/2025	3:15:00 PM	0.05
6/13/2025	3:30:00 PM	0.05
6/13/2025	3:45:00 PM	0.05
6/13/2025	4:00:00 PM	0.04
6/13/2025	4:15:00 PM	0.04
6/13/2025	4:30:00 PM	0.03
6/13/2025	4:45:00 PM	0.03
6/13/2025	5:00:00 PM	0.02
6/13/2025	5:15:00 PM	0.02
6/13/2025	5:30:00 PM	0.01
6/13/2025	5:45:00 PM	0.01
6/13/2025	6:00:00 PM	0
6/13/2025	6:15:00 PM	0
6/13/2025	6:30:00 PM	0
6/13/2025	6:45:00 PM	0
6/13/2025	7:00:00 PM	0
6/13/2025	7:15:00 PM	0
6/13/2025	7:30:00 PM	0
6/13/2025	7:45:00 PM	0
6/13/2025	8:00:00 PM	0
6/13/2025	8:15:00 PM	0
6/13/2025	8:30:00 PM	0
6/13/2025	8:45:00 PM	0
6/13/2025	9:00:00 PM	0
6/13/2025	9:15:00 PM	0
6/13/2025	9:30:00 PM	0
6/13/2025	9:45:00 PM	0
6/13/2025	10:00:00 PM	0
6/13/2025	10:15:00 PM	0

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/13/2025	10:30:00 PM	0
6/13/2025	10:45:00 PM	0
6/13/2025	11:00:00 PM	0
6/13/2025	11:15:00 PM	0
6/13/2025	11:30:00 PM	0
6/13/2025	11:45:00 PM	0
6/14/2025	12:00:00 AM	0
6/14/2025	12:15:00 AM	0
6/14/2025	12:30:00 AM	0
6/14/2025	12:45:00 AM	0
6/14/2025	1:00:00 AM	0
6/14/2025	1:15:00 AM	0
6/14/2025	1:30:00 AM	0
6/14/2025	1:45:00 AM	0
6/14/2025	2:00:00 AM	0
6/14/2025	2:15:00 AM	0
6/14/2025	2:30:00 AM	0
6/14/2025	2:45:00 AM	0
6/14/2025	3:00:00 AM	0
6/14/2025	3:15:00 AM	0
6/14/2025	3:30:00 AM	0
6/14/2025	3:45:00 AM	0
6/14/2025	4:00:00 AM	0
6/14/2025	4:15:00 AM	0
6/14/2025	4:30:00 AM	0
6/14/2025	4:45:00 AM	0
6/14/2025	5:00:00 AM	0
6/14/2025	5:15:00 AM	0
6/14/2025	5:30:00 AM	0
6/14/2025	5:45:00 AM	0
6/14/2025	6:00:00 AM	0
6/14/2025	6:15:00 AM	0
6/14/2025	6:30:00 AM	0
6/14/2025	6:45:00 AM	0
6/14/2025	7:00:00 AM	0
6/14/2025	7:15:00 AM	0
6/14/2025	7:30:00 AM	0
6/14/2025	7:45:00 AM	0
6/14/2025	8:00:00 AM	0
6/14/2025	8:15:00 AM	0
6/14/2025	8:30:00 AM	0
6/14/2025	8:45:00 AM	0
6/14/2025	9:00:00 AM	0
6/14/2025	9:15:00 AM	0
6/14/2025	9:30:00 AM	0
6/14/2025	9:45:00 AM	0

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/14/2025	10:00:00 AM	0
6/14/2025	10:15:00 AM	0
6/14/2025	10:30:00 AM	0
6/14/2025	10:45:00 AM	0
6/14/2025	11:00:00 AM	0
6/14/2025	11:15:00 AM	0
6/14/2025	11:30:00 AM	0
6/14/2025	11:45:00 AM	0
6/14/2025	12:00:00 PM	0
6/14/2025	12:15:00 PM	0
6/14/2025	12:30:00 PM	0
6/14/2025	12:45:00 PM	0
6/14/2025	1:00:00 PM	0
6/14/2025	1:15:00 PM	0
6/14/2025	1:30:00 PM	0
6/14/2025	1:45:00 PM	0
6/14/2025	2:00:00 PM	0
6/14/2025	2:15:00 PM	0
6/14/2025	2:30:00 PM	0
6/14/2025	2:45:00 PM	0
6/14/2025	3:00:00 PM	0
6/14/2025	3:15:00 PM	0
6/14/2025	3:30:00 PM	0
6/14/2025	3:45:00 PM	0
6/14/2025	4:00:00 PM	0
6/14/2025	4:15:00 PM	0
6/14/2025	4:30:00 PM	0
6/14/2025	4:45:00 PM	0
6/14/2025	5:00:00 PM	0
6/14/2025	5:15:00 PM	0
6/14/2025	5:30:00 PM	0
6/14/2025	5:45:00 PM	0
6/14/2025	6:00:00 PM	0
6/14/2025	6:15:00 PM	0
6/14/2025	6:30:00 PM	0
6/14/2025	6:45:00 PM	0
6/14/2025	7:00:00 PM	0
6/14/2025	7:15:00 PM	0
6/14/2025	7:30:00 PM	0
6/14/2025	7:45:00 PM	0
6/14/2025	8:00:00 PM	0.01
6/14/2025	8:15:00 PM	0.03
6/14/2025	8:30:00 PM	0.06
6/14/2025	8:45:00 PM	0.08
6/14/2025	9:00:00 PM	0.1
6/14/2025	9:15:00 PM	0.12

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/14/2025	9:30:00 PM	0.14
6/14/2025	9:45:00 PM	0.15
6/14/2025	10:00:00 PM	0.17
6/14/2025	10:15:00 PM	0.19
6/14/2025	10:30:00 PM	0.2
6/14/2025	10:45:00 PM	0.21
6/14/2025	11:00:00 PM	0.23
6/14/2025	11:15:00 PM	0.24
6/14/2025	11:30:00 PM	0.25
6/14/2025	11:45:00 PM	0.26
6/15/2025	12:00:00 AM	0.27
6/15/2025	12:15:00 AM	0.27
6/15/2025	12:30:00 AM	0.28
6/15/2025	12:45:00 AM	0.29
6/15/2025	1:00:00 AM	0.3
6/15/2025	1:15:00 AM	0.31
6/15/2025	1:30:00 AM	0.31
6/15/2025	1:45:00 AM	0.32
6/15/2025	2:00:00 AM	0.33
6/15/2025	2:15:00 AM	0.33
6/15/2025	2:30:00 AM	0.34
6/15/2025	2:45:00 AM	0.35
6/15/2025	3:00:00 AM	0.35
6/15/2025	3:15:00 AM	0.36
6/15/2025	3:30:00 AM	0.36
6/15/2025	3:45:00 AM	0.37
6/15/2025	4:00:00 AM	0.37
6/15/2025	4:15:00 AM	0.38
6/15/2025	4:30:00 AM	0.39
6/15/2025	4:45:00 AM	0.39
6/15/2025	5:00:00 AM	0.4
6/15/2025	5:15:00 AM	0.4
6/15/2025	5:30:00 AM	0.41
6/15/2025	5:45:00 AM	0.41
6/15/2025	6:00:00 AM	0.41
6/15/2025	6:15:00 AM	0.42
6/15/2025	6:30:00 AM	0.43
6/15/2025	6:45:00 AM	0.43
6/15/2025	7:00:00 AM	0.44
6/15/2025	7:15:00 AM	0.44
6/15/2025	7:30:00 AM	0.45
6/15/2025	7:45:00 AM	0.45
6/15/2025	8:00:00 AM	0.46
6/15/2025	8:15:00 AM	0.46
6/15/2025	8:30:00 AM	0.46
6/15/2025	8:45:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/15/2025	9:00:00 AM	0.47
6/15/2025	9:15:00 AM	0.48
6/15/2025	9:30:00 AM	0.48
6/15/2025	9:45:00 AM	0.48
6/15/2025	10:00:00 AM	0.49
6/15/2025	10:15:00 AM	0.49
6/15/2025	10:30:00 AM	0.49
6/15/2025	10:45:00 AM	0.49
6/15/2025	11:00:00 AM	0.49
6/15/2025	11:15:00 AM	0.5
6/15/2025	11:30:00 AM	0.5
6/15/2025	11:45:00 AM	0.5
6/15/2025	12:00:00 PM	0.51
6/15/2025	12:15:00 PM	0.51
6/15/2025	12:30:00 PM	0.51
6/15/2025	12:45:00 PM	0.51
6/15/2025	1:00:00 PM	0.51
6/15/2025	1:15:00 PM	0.51
6/15/2025	1:30:00 PM	0.52
6/15/2025	1:45:00 PM	0.52
6/15/2025	2:00:00 PM	0.52
6/15/2025	2:15:00 PM	0.52
6/15/2025	2:30:00 PM	0.52
6/15/2025	2:45:00 PM	0.52
6/15/2025	3:00:00 PM	0.52
6/15/2025	3:15:00 PM	0.52
6/15/2025	3:30:00 PM	0.52
6/15/2025	3:45:00 PM	0.52
6/15/2025	4:00:00 PM	0.52
6/15/2025	4:15:00 PM	0.52
6/15/2025	4:30:00 PM	0.52
6/15/2025	4:45:00 PM	0.52
6/15/2025	5:00:00 PM	0.52
6/15/2025	5:15:00 PM	0.51
6/15/2025	5:30:00 PM	0.51
6/15/2025	5:45:00 PM	0.51
6/15/2025	6:00:00 PM	0.51
6/15/2025	6:15:00 PM	0.51
6/15/2025	6:30:00 PM	0.51
6/15/2025	6:45:00 PM	0.51
6/15/2025	7:00:00 PM	0.5
6/15/2025	7:15:00 PM	0.5
6/15/2025	7:30:00 PM	0.5
6/15/2025	7:45:00 PM	0.5
6/15/2025	8:00:00 PM	0.5
6/15/2025	8:15:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/15/2025	8:30:00 PM	0.49
6/15/2025	8:45:00 PM	0.49
6/15/2025	9:00:00 PM	0.49
6/15/2025	9:15:00 PM	0.49
6/15/2025	9:30:00 PM	0.49
6/15/2025	9:45:00 PM	0.49
6/15/2025	10:00:00 PM	0.48
6/15/2025	10:15:00 PM	0.48
6/15/2025	10:30:00 PM	0.48
6/15/2025	10:45:00 PM	0.48
6/15/2025	11:00:00 PM	0.48
6/15/2025	11:15:00 PM	0.47
6/15/2025	11:30:00 PM	0.47
6/15/2025	11:45:00 PM	0.47
6/16/2025	12:00:00 AM	0.47
6/16/2025	12:15:00 AM	0.46
6/16/2025	12:30:00 AM	0.46
6/16/2025	12:45:00 AM	0.46
6/16/2025	1:00:00 AM	0.46
6/16/2025	1:15:00 AM	0.45
6/16/2025	1:30:00 AM	0.45
6/16/2025	1:45:00 AM	0.45
6/16/2025	2:00:00 AM	0.45
6/16/2025	2:15:00 AM	0.45
6/16/2025	2:30:00 AM	0.44
6/16/2025	2:45:00 AM	0.44
6/16/2025	3:00:00 AM	0.44
6/16/2025	3:15:00 AM	0.44
6/16/2025	3:30:00 AM	0.44
6/16/2025	3:45:00 AM	0.44
6/16/2025	4:00:00 AM	0.43
6/16/2025	4:15:00 AM	0.43
6/16/2025	4:30:00 AM	0.43
6/16/2025	4:45:00 AM	0.43
6/16/2025	5:00:00 AM	0.43
6/16/2025	5:15:00 AM	0.42
6/16/2025	5:30:00 AM	0.42
6/16/2025	5:45:00 AM	0.42
6/16/2025	6:00:00 AM	0.42
6/16/2025	6:15:00 AM	0.42
6/16/2025	6:30:00 AM	0.41
6/16/2025	6:45:00 AM	0.41
6/16/2025	7:00:00 AM	0.41
6/16/2025	7:15:00 AM	0.41
6/16/2025	7:30:00 AM	0.41
6/16/2025	7:45:00 AM	0.41

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/16/2025	8:00:00 AM	0.41
6/16/2025	8:15:00 AM	0.4
6/16/2025	8:30:00 AM	0.4
6/16/2025	8:45:00 AM	0.4
6/16/2025	9:00:00 AM	0.39
6/16/2025	9:15:00 AM	0.39
6/16/2025	9:30:00 AM	0.39
6/16/2025	9:45:00 AM	0.39
6/16/2025	10:00:00 AM	0.39
6/16/2025	10:15:00 AM	0.38
6/16/2025	10:30:00 AM	0.38
6/16/2025	10:45:00 AM	0.38
6/16/2025	11:00:00 AM	0.38
6/16/2025	11:15:00 AM	0.37
6/16/2025	11:30:00 AM	0.37
6/16/2025	11:45:00 AM	0.37
6/16/2025	12:00:00 PM	0.37
6/16/2025	12:15:00 PM	0.36
6/16/2025	12:30:00 PM	0.36
6/16/2025	12:45:00 PM	0.36
6/16/2025	1:00:00 PM	0.36
6/16/2025	1:15:00 PM	0.35
6/16/2025	1:30:00 PM	0.35
6/16/2025	1:45:00 PM	0.35
6/16/2025	2:00:00 PM	0.35
6/16/2025	2:15:00 PM	0.34
6/16/2025	2:30:00 PM	0.35
6/16/2025	2:45:00 PM	0.34
6/16/2025	3:00:00 PM	0.34
6/16/2025	3:15:00 PM	0.34
6/16/2025	3:30:00 PM	0.34
6/16/2025	3:45:00 PM	0.34
6/16/2025	4:00:00 PM	0.34
6/16/2025	4:15:00 PM	0.35
6/16/2025	4:30:00 PM	0.35
6/16/2025	4:45:00 PM	0.35
6/16/2025	5:00:00 PM	0.35
6/16/2025	5:15:00 PM	0.35
6/16/2025	5:30:00 PM	0.35
6/16/2025	5:45:00 PM	0.35
6/16/2025	6:00:00 PM	0.35
6/16/2025	6:15:00 PM	0.35
6/16/2025	6:30:00 PM	0.35
6/16/2025	6:45:00 PM	0.35
6/16/2025	7:00:00 PM	0.35
6/16/2025	7:15:00 PM	0.35

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/16/2025	7:30:00 PM	0.35
6/16/2025	7:45:00 PM	0.35
6/16/2025	8:00:00 PM	0.35
6/16/2025	8:15:00 PM	0.35
6/16/2025	8:30:00 PM	0.35
6/16/2025	8:45:00 PM	0.35
6/16/2025	9:00:00 PM	0.35
6/16/2025	9:15:00 PM	0.35
6/16/2025	9:30:00 PM	0.35
6/16/2025	9:45:00 PM	0.35
6/16/2025	10:00:00 PM	0.35
6/16/2025	10:15:00 PM	0.35
6/16/2025	10:30:00 PM	0.35
6/16/2025	10:45:00 PM	0.35
6/16/2025	11:00:00 PM	0.35
6/16/2025	11:15:00 PM	0.35
6/16/2025	11:30:00 PM	0.35
6/16/2025	11:45:00 PM	0.35
6/17/2025	12:00:00 AM	0.35
6/17/2025	12:15:00 AM	0.35
6/17/2025	12:30:00 AM	0.35
6/17/2025	12:45:00 AM	0.35
6/17/2025	1:00:00 AM	0.35
6/17/2025	1:15:00 AM	0.35
6/17/2025	1:30:00 AM	0.35
6/17/2025	1:45:00 AM	0.35
6/17/2025	2:00:00 AM	0.35
6/17/2025	2:15:00 AM	0.35
6/17/2025	2:30:00 AM	0.35
6/17/2025	2:45:00 AM	0.35
6/17/2025	3:00:00 AM	0.35
6/17/2025	3:15:00 AM	0.35
6/17/2025	3:30:00 AM	0.35
6/17/2025	3:45:00 AM	0.35
6/17/2025	4:00:00 AM	0.35
6/17/2025	4:15:00 AM	0.35
6/17/2025	4:30:00 AM	0.35
6/17/2025	4:45:00 AM	0.35
6/17/2025	5:00:00 AM	0.35
6/17/2025	5:15:00 AM	0.35
6/17/2025	5:30:00 AM	0.35
6/17/2025	5:45:00 AM	0.35
6/17/2025	6:00:00 AM	0.35
6/17/2025	6:15:00 AM	0.34
6/17/2025	6:30:00 AM	0.34
6/17/2025	6:45:00 AM	0.34

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/17/2025	7:00:00 AM	0.34
6/17/2025	7:15:00 AM	0.34
6/17/2025	7:30:00 AM	0.34
6/17/2025	7:45:00 AM	0.34
6/17/2025	8:00:00 AM	0.34
6/17/2025	8:15:00 AM	0.33
6/17/2025	8:30:00 AM	0.34
6/17/2025	8:45:00 AM	0.34
6/17/2025	9:00:00 AM	0.33
6/17/2025	9:15:00 AM	0.33
6/17/2025	9:30:00 AM	0.33
6/17/2025	9:45:00 AM	0.33
6/17/2025	10:00:00 AM	0.33
6/17/2025	10:15:00 AM	0.33
6/17/2025	10:30:00 AM	0.33
6/17/2025	10:45:00 AM	0.33
6/17/2025	11:00:00 AM	0.33
6/17/2025	11:15:00 AM	0.33
6/17/2025	11:30:00 AM	0.34
6/17/2025	11:45:00 AM	0.34
6/17/2025	12:00:00 PM	0.34
6/17/2025	12:15:00 PM	0.34
6/17/2025	12:30:00 PM	0.34
6/17/2025	12:45:00 PM	0.34
6/17/2025	1:00:00 PM	0.34
6/17/2025	1:15:00 PM	0.34
6/17/2025	1:30:00 PM	0.34
6/17/2025	1:45:00 PM	0.34
6/17/2025	2:00:00 PM	0.34
6/17/2025	2:15:00 PM	0.34
6/17/2025	2:30:00 PM	0.34
6/17/2025	2:45:00 PM	0.34
6/17/2025	3:00:00 PM	0.34
6/17/2025	3:15:00 PM	0.34
6/17/2025	3:30:00 PM	0.34
6/17/2025	3:45:00 PM	0.35
6/17/2025	4:00:00 PM	0.35
6/17/2025	4:15:00 PM	0.35
6/17/2025	4:30:00 PM	0.35
6/17/2025	4:45:00 PM	0.35
6/17/2025	5:00:00 PM	0.36
6/17/2025	5:15:00 PM	0.36
6/17/2025	5:30:00 PM	0.37
6/17/2025	5:45:00 PM	0.37
6/17/2025	6:00:00 PM	0.38
6/17/2025	6:15:00 PM	0.38

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/17/2025	6:30:00 PM	0.39
6/17/2025	6:45:00 PM	0.39
6/17/2025	7:00:00 PM	0.4
6/17/2025	7:15:00 PM	0.41
6/17/2025	7:30:00 PM	0.41
6/17/2025	7:45:00 PM	0.42
6/17/2025	8:00:00 PM	0.42
6/17/2025	8:15:00 PM	0.43
6/17/2025	8:30:00 PM	0.44
6/17/2025	8:45:00 PM	0.44
6/17/2025	9:00:00 PM	0.45
6/17/2025	9:15:00 PM	0.46
6/17/2025	9:30:00 PM	0.46
6/17/2025	9:45:00 PM	0.47
6/17/2025	10:00:00 PM	0.47
6/17/2025	10:15:00 PM	0.48
6/17/2025	10:30:00 PM	0.48
6/17/2025	10:45:00 PM	0.49
6/17/2025	11:00:00 PM	0.49
6/17/2025	11:15:00 PM	0.5
6/17/2025	11:30:00 PM	0.5
6/17/2025	11:45:00 PM	0.51
6/18/2025	12:00:00 AM	0.51
6/18/2025	12:15:00 AM	0.51
6/18/2025	12:30:00 AM	0.52
6/18/2025	12:45:00 AM	0.52
6/18/2025	1:00:00 AM	0.52
6/18/2025	1:15:00 AM	0.53
6/18/2025	1:30:00 AM	0.53
6/18/2025	1:45:00 AM	0.53
6/18/2025	2:00:00 AM	0.54
6/18/2025	2:15:00 AM	0.54
6/18/2025	2:30:00 AM	0.54
6/18/2025	2:45:00 AM	0.54
6/18/2025	3:00:00 AM	0.55
6/18/2025	3:15:00 AM	0.55
6/18/2025	3:30:00 AM	0.55
6/18/2025	3:45:00 AM	0.55
6/18/2025	4:00:00 AM	0.55
6/18/2025	4:15:00 AM	0.55
6/18/2025	4:30:00 AM	0.56
6/18/2025	4:45:00 AM	0.56
6/18/2025	5:00:00 AM	0.56
6/18/2025	5:15:00 AM	0.56
6/18/2025	5:30:00 AM	0.56
6/18/2025	5:45:00 AM	0.56

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/18/2025	6:00:00 AM	0.56
6/18/2025	6:15:00 AM	0.57
6/18/2025	6:30:00 AM	0.57
6/18/2025	6:45:00 AM	0.57
6/18/2025	7:00:00 AM	0.57
6/18/2025	7:15:00 AM	0.57
6/18/2025	7:30:00 AM	0.57
6/18/2025	7:45:00 AM	0.56
6/18/2025	8:00:00 AM	0.56
6/18/2025	8:15:00 AM	0.56
6/18/2025	8:30:00 AM	0.55
6/18/2025	8:45:00 AM	0.55
6/18/2025	9:00:00 AM	0.55
6/18/2025	9:15:00 AM	0.54
6/18/2025	9:30:00 AM	0.54
6/18/2025	9:45:00 AM	0.54
6/18/2025	10:00:00 AM	0.53
6/18/2025	10:15:00 AM	0.52
6/18/2025	10:30:00 AM	0.52
6/18/2025	10:45:00 AM	0.52
6/18/2025	11:00:00 AM	0.52
6/18/2025	11:15:00 AM	0.51
6/18/2025	11:30:00 AM	0.5
6/18/2025	11:45:00 AM	0.5
6/18/2025	12:00:00 PM	0.5
6/18/2025	12:15:00 PM	0.49
6/18/2025	12:30:00 PM	0.49
6/18/2025	12:45:00 PM	0.49
6/18/2025	1:00:00 PM	0.49
6/18/2025	1:15:00 PM	0.48
6/18/2025	1:30:00 PM	0.48
6/18/2025	1:45:00 PM	0.47
6/18/2025	2:00:00 PM	0.47
6/18/2025	2:15:00 PM	0.47
6/18/2025	2:30:00 PM	0.47
6/18/2025	2:45:00 PM	0.46
6/18/2025	3:00:00 PM	0.46
6/18/2025	3:15:00 PM	0.46
6/18/2025	3:30:00 PM	0.45
6/18/2025	3:45:00 PM	0.45
6/18/2025	4:00:00 PM	0.45
6/18/2025	4:15:00 PM	0.45
6/18/2025	4:30:00 PM	0.45
6/18/2025	4:45:00 PM	0.44
6/18/2025	5:00:00 PM	0.44
6/18/2025	5:15:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/18/2025	5:30:00 PM	0.44
6/18/2025	5:45:00 PM	0.44
6/18/2025	6:00:00 PM	0.44
6/18/2025	6:15:00 PM	0.43
6/18/2025	6:30:00 PM	0.43
6/18/2025	6:45:00 PM	0.43
6/18/2025	7:00:00 PM	0.43
6/18/2025	7:15:00 PM	0.43
6/18/2025	7:30:00 PM	0.43
6/18/2025	7:45:00 PM	0.43
6/18/2025	8:00:00 PM	0.43
6/18/2025	8:15:00 PM	0.43
6/18/2025	8:30:00 PM	0.43
6/18/2025	8:45:00 PM	0.43
6/18/2025	9:00:00 PM	0.43
6/18/2025	9:15:00 PM	0.43
6/18/2025	9:30:00 PM	0.43
6/18/2025	9:45:00 PM	0.44
6/18/2025	10:00:00 PM	0.44
6/18/2025	10:15:00 PM	0.44
6/18/2025	10:30:00 PM	0.44
6/18/2025	10:45:00 PM	0.44
6/18/2025	11:00:00 PM	0.44
6/18/2025	11:15:00 PM	0.44
6/18/2025	11:30:00 PM	0.44
6/18/2025	11:45:00 PM	0.44
6/19/2025	12:00:00 AM	0.44
6/19/2025	12:15:00 AM	0.44
6/19/2025	12:30:00 AM	0.44
6/19/2025	12:45:00 AM	0.44
6/19/2025	1:00:00 AM	0.45
6/19/2025	1:15:00 AM	0.45
6/19/2025	1:30:00 AM	0.45
6/19/2025	1:45:00 AM	0.45
6/19/2025	2:00:00 AM	0.45
6/19/2025	2:15:00 AM	0.45
6/19/2025	2:30:00 AM	0.45
6/19/2025	2:45:00 AM	0.45
6/19/2025	3:00:00 AM	0.46
6/19/2025	3:15:00 AM	0.46
6/19/2025	3:30:00 AM	0.46
6/19/2025	3:45:00 AM	0.46
6/19/2025	4:00:00 AM	0.46
6/19/2025	4:15:00 AM	0.46
6/19/2025	4:30:00 AM	0.46
6/19/2025	4:45:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/19/2025	5:00:00 AM	0.47
6/19/2025	5:15:00 AM	0.47
6/19/2025	5:30:00 AM	0.47
6/19/2025	5:45:00 AM	0.47
6/19/2025	6:00:00 AM	0.47
6/19/2025	6:15:00 AM	0.48
6/19/2025	6:30:00 AM	0.48
6/19/2025	6:45:00 AM	0.48
6/19/2025	7:00:00 AM	0.48
6/19/2025	7:15:00 AM	0.48
6/19/2025	7:30:00 AM	0.48
6/19/2025	7:45:00 AM	0.48
6/19/2025	8:00:00 AM	0.49
6/19/2025	8:15:00 AM	0.49
6/19/2025	8:30:00 AM	0.49
6/19/2025	8:45:00 AM	0.49
6/19/2025	9:00:00 AM	0.49
6/19/2025	9:15:00 AM	0.49
6/19/2025	9:30:00 AM	0.5
6/19/2025	9:45:00 AM	0.5
6/19/2025	10:00:00 AM	0.5
6/19/2025	10:15:00 AM	0.5
6/19/2025	10:30:00 AM	0.5
6/19/2025	10:45:00 AM	0.5
6/19/2025	11:00:00 AM	0.5
6/19/2025	11:15:00 AM	0.5
6/19/2025	11:30:00 AM	0.5
6/19/2025	11:45:00 AM	0.5
6/19/2025	12:00:00 PM	0.5
6/19/2025	12:15:00 PM	0.5
6/19/2025	12:30:00 PM	0.51
6/19/2025	12:45:00 PM	0.51
6/19/2025	1:00:00 PM	0.51
6/19/2025	1:15:00 PM	0.51
6/19/2025	1:30:00 PM	0.51
6/19/2025	1:45:00 PM	0.51
6/19/2025	2:00:00 PM	0.51
6/19/2025	2:15:00 PM	0.51
6/19/2025	2:30:00 PM	0.51
6/19/2025	2:45:00 PM	0.51
6/19/2025	3:00:00 PM	0.51
6/19/2025	3:15:00 PM	0.51
6/19/2025	3:30:00 PM	0.51
6/19/2025	3:45:00 PM	0.51
6/19/2025	4:00:00 PM	0.52
6/19/2025	4:15:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/19/2025	4:30:00 PM	0.51
6/19/2025	4:45:00 PM	0.52
6/19/2025	5:00:00 PM	0.52
6/19/2025	5:15:00 PM	0.52
6/19/2025	5:30:00 PM	0.52
6/19/2025	5:45:00 PM	0.52
6/19/2025	6:00:00 PM	0.52
6/19/2025	6:15:00 PM	0.52
6/19/2025	6:30:00 PM	0.52
6/19/2025	6:45:00 PM	0.52
6/19/2025	7:00:00 PM	0.52
6/19/2025	7:15:00 PM	0.52
6/19/2025	7:30:00 PM	0.53
6/19/2025	7:45:00 PM	0.53
6/19/2025	8:00:00 PM	0.53
6/19/2025	8:15:00 PM	0.53
6/19/2025	8:30:00 PM	0.53
6/19/2025	8:45:00 PM	0.53
6/19/2025	9:00:00 PM	0.53
6/19/2025	9:15:00 PM	0.53
6/19/2025	9:30:00 PM	0.54
6/19/2025	9:45:00 PM	0.54
6/19/2025	10:00:00 PM	0.54
6/19/2025	10:15:00 PM	0.54
6/19/2025	10:30:00 PM	0.54
6/19/2025	10:45:00 PM	0.54
6/19/2025	11:00:00 PM	0.54
6/19/2025	11:15:00 PM	0.54
6/19/2025	11:30:00 PM	0.54
6/19/2025	11:45:00 PM	0.54
6/20/2025	12:00:00 AM	0.54
6/20/2025	12:15:00 AM	0.54
6/20/2025	12:30:00 AM	0.54
6/20/2025	12:45:00 AM	0.54
6/20/2025	1:00:00 AM	0.54
6/20/2025	1:15:00 AM	0.55
6/20/2025	1:30:00 AM	0.55
6/20/2025	1:45:00 AM	0.55
6/20/2025	2:00:00 AM	0.55
6/20/2025	2:15:00 AM	0.55
6/20/2025	2:30:00 AM	0.55
6/20/2025	2:45:00 AM	0.55
6/20/2025	3:00:00 AM	0.55
6/20/2025	3:15:00 AM	0.55
6/20/2025	3:30:00 AM	0.55
6/20/2025	3:45:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/20/2025	4:00:00 AM	0.55
6/20/2025	4:15:00 AM	0.55
6/20/2025	4:30:00 AM	0.55
6/20/2025	4:45:00 AM	0.55
6/20/2025	5:00:00 AM	0.55
6/20/2025	5:15:00 AM	0.55
6/20/2025	5:30:00 AM	0.55
6/20/2025	5:45:00 AM	0.55
6/20/2025	6:00:00 AM	0.55
6/20/2025	6:15:00 AM	0.55
6/20/2025	6:30:00 AM	0.55
6/20/2025	6:45:00 AM	0.55
6/20/2025	7:00:00 AM	0.55
6/20/2025	7:15:00 AM	0.55
6/20/2025	7:30:00 AM	0.55
6/20/2025	7:45:00 AM	0.55
6/20/2025	8:00:00 AM	0.55
6/20/2025	8:15:00 AM	0.55
6/20/2025	8:30:00 AM	0.54
6/20/2025	8:45:00 AM	0.55
6/20/2025	9:00:00 AM	0.54
6/20/2025	9:15:00 AM	0.54
6/20/2025	9:30:00 AM	0.54
6/20/2025	9:45:00 AM	0.54
6/20/2025	10:00:00 AM	0.54
6/20/2025	10:15:00 AM	0.54
6/20/2025	10:30:00 AM	0.54
6/20/2025	10:45:00 AM	0.54
6/20/2025	11:00:00 AM	0.54
6/20/2025	11:15:00 AM	0.54
6/20/2025	11:30:00 AM	0.54
6/20/2025	11:45:00 AM	0.54
6/20/2025	12:00:00 PM	0.54
6/20/2025	12:15:00 PM	0.54
6/20/2025	12:30:00 PM	0.54
6/20/2025	12:45:00 PM	0.53
6/20/2025	1:00:00 PM	0.53
6/20/2025	1:15:00 PM	0.53
6/20/2025	1:30:00 PM	0.53
6/20/2025	1:45:00 PM	0.53
6/20/2025	2:00:00 PM	0.53
6/20/2025	2:15:00 PM	0.52
6/20/2025	2:30:00 PM	0.52
6/20/2025	2:45:00 PM	0.52
6/20/2025	3:00:00 PM	0.52
6/20/2025	3:15:00 PM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/20/2025	3:30:00 PM	0.52
6/20/2025	3:45:00 PM	0.51
6/20/2025	4:00:00 PM	0.51
6/20/2025	4:15:00 PM	0.51
6/20/2025	4:30:00 PM	0.51
6/20/2025	4:45:00 PM	0.51
6/20/2025	5:00:00 PM	0.51
6/20/2025	5:15:00 PM	0.51
6/20/2025	5:30:00 PM	0.51
6/20/2025	5:45:00 PM	0.51
6/20/2025	6:00:00 PM	0.51
6/20/2025	6:15:00 PM	0.51
6/20/2025	6:30:00 PM	0.5
6/20/2025	6:45:00 PM	0.51
6/20/2025	7:00:00 PM	0.51
6/20/2025	7:15:00 PM	0.5
6/20/2025	7:30:00 PM	0.5
6/20/2025	7:45:00 PM	0.5
6/20/2025	8:00:00 PM	0.5
6/20/2025	8:15:00 PM	0.5
6/20/2025	8:30:00 PM	0.5
6/20/2025	8:45:00 PM	0.5
6/20/2025	9:00:00 PM	0.5
6/20/2025	9:15:00 PM	0.5
6/20/2025	9:30:00 PM	0.5
6/20/2025	9:45:00 PM	0.5
6/20/2025	10:00:00 PM	0.5
6/20/2025	10:15:00 PM	0.51
6/20/2025	10:30:00 PM	0.51
6/20/2025	10:45:00 PM	0.51
6/20/2025	11:00:00 PM	0.51
6/20/2025	11:15:00 PM	0.51
6/20/2025	11:30:00 PM	0.51
6/20/2025	11:45:00 PM	0.51
6/21/2025	12:00:00 AM	0.51
6/21/2025	12:15:00 AM	0.51
6/21/2025	12:30:00 AM	0.51
6/21/2025	12:45:00 AM	0.51
6/21/2025	1:00:00 AM	0.51
6/21/2025	1:15:00 AM	0.51
6/21/2025	1:30:00 AM	0.51
6/21/2025	1:45:00 AM	0.51
6/21/2025	2:00:00 AM	0.51
6/21/2025	2:15:00 AM	0.51
6/21/2025	2:30:00 AM	0.51
6/21/2025	2:45:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/21/2025	3:00:00 AM	0.51
6/21/2025	3:15:00 AM	0.51
6/21/2025	3:30:00 AM	0.51
6/21/2025	3:45:00 AM	0.51
6/21/2025	4:00:00 AM	0.51
6/21/2025	4:15:00 AM	0.51
6/21/2025	4:30:00 AM	0.51
6/21/2025	4:45:00 AM	0.51
6/21/2025	5:00:00 AM	0.51
6/21/2025	5:15:00 AM	0.51
6/21/2025	5:30:00 AM	0.51
6/21/2025	5:45:00 AM	0.51
6/21/2025	6:00:00 AM	0.51
6/21/2025	6:15:00 AM	0.51
6/21/2025	6:30:00 AM	0.51
6/21/2025	6:45:00 AM	0.51
6/21/2025	7:00:00 AM	0.51
6/21/2025	7:15:00 AM	0.51
6/21/2025	7:30:00 AM	0.5
6/21/2025	7:45:00 AM	0.5
6/21/2025	8:00:00 AM	0.5
6/21/2025	8:15:00 AM	0.5
6/21/2025	8:30:00 AM	0.5
6/21/2025	8:45:00 AM	0.5
6/21/2025	9:00:00 AM	0.5
6/21/2025	9:15:00 AM	0.5
6/21/2025	9:30:00 AM	0.5
6/21/2025	9:45:00 AM	0.5
6/21/2025	10:00:00 AM	0.5
6/21/2025	10:15:00 AM	0.5
6/21/2025	10:30:00 AM	0.5
6/21/2025	10:45:00 AM	0.5
6/21/2025	11:00:00 AM	0.5
6/21/2025	11:15:00 AM	0.5
6/21/2025	11:30:00 AM	0.5
6/21/2025	11:45:00 AM	0.5
6/21/2025	12:00:00 PM	0.5
6/21/2025	12:15:00 PM	0.5
6/21/2025	12:30:00 PM	0.49
6/21/2025	12:45:00 PM	0.5
6/21/2025	1:00:00 PM	0.49
6/21/2025	1:15:00 PM	0.49
6/21/2025	1:30:00 PM	0.49
6/21/2025	1:45:00 PM	0.49
6/21/2025	2:00:00 PM	0.49
6/21/2025	2:15:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/21/2025	2:30:00 PM	0.49
6/21/2025	2:45:00 PM	0.49
6/21/2025	3:00:00 PM	0.49
6/21/2025	3:15:00 PM	0.49
6/21/2025	3:30:00 PM	0.48
6/21/2025	3:45:00 PM	0.48
6/21/2025	4:00:00 PM	0.48
6/21/2025	4:15:00 PM	0.48
6/21/2025	4:30:00 PM	0.48
6/21/2025	4:45:00 PM	0.48
6/21/2025	5:00:00 PM	0.48
6/21/2025	5:15:00 PM	0.48
6/21/2025	5:30:00 PM	0.48
6/21/2025	5:45:00 PM	0.48
6/21/2025	6:00:00 PM	0.48
6/21/2025	6:15:00 PM	0.48
6/21/2025	6:30:00 PM	0.48
6/21/2025	6:45:00 PM	0.47
6/21/2025	7:00:00 PM	0.47
6/21/2025	7:15:00 PM	0.47
6/21/2025	7:30:00 PM	0.47
6/21/2025	7:45:00 PM	0.47
6/21/2025	8:00:00 PM	0.47
6/21/2025	8:15:00 PM	0.47
6/21/2025	8:30:00 PM	0.48
6/21/2025	8:45:00 PM	0.47
6/21/2025	9:00:00 PM	0.47
6/21/2025	9:15:00 PM	0.47
6/21/2025	9:30:00 PM	0.47
6/21/2025	9:45:00 PM	0.48
6/21/2025	10:00:00 PM	0.48
6/21/2025	10:15:00 PM	0.48
6/21/2025	10:30:00 PM	0.48
6/21/2025	10:45:00 PM	0.48
6/21/2025	11:00:00 PM	0.48
6/21/2025	11:15:00 PM	0.48
6/21/2025	11:30:00 PM	0.48
6/21/2025	11:45:00 PM	0.48
6/22/2025	12:00:00 AM	0.48
6/22/2025	12:15:00 AM	0.48
6/22/2025	12:30:00 AM	0.48
6/22/2025	12:45:00 AM	0.48
6/22/2025	1:00:00 AM	0.48
6/22/2025	1:15:00 AM	0.48
6/22/2025	1:30:00 AM	0.48
6/22/2025	1:45:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/22/2025	2:00:00 AM	0.48
6/22/2025	2:15:00 AM	0.48
6/22/2025	2:30:00 AM	0.48
6/22/2025	2:45:00 AM	0.48
6/22/2025	3:00:00 AM	0.48
6/22/2025	3:15:00 AM	0.48
6/22/2025	3:30:00 AM	0.48
6/22/2025	3:45:00 AM	0.48
6/22/2025	4:00:00 AM	0.48
6/22/2025	4:15:00 AM	0.48
6/22/2025	4:30:00 AM	0.48
6/22/2025	4:45:00 AM	0.48
6/22/2025	5:00:00 AM	0.48
6/22/2025	5:15:00 AM	0.48
6/22/2025	5:30:00 AM	0.48
6/22/2025	5:45:00 AM	0.48
6/22/2025	6:00:00 AM	0.48
6/22/2025	6:15:00 AM	0.48
6/22/2025	6:30:00 AM	0.48
6/22/2025	6:45:00 AM	0.48
6/22/2025	7:00:00 AM	0.48
6/22/2025	7:15:00 AM	0.48
6/22/2025	7:30:00 AM	0.48
6/22/2025	7:45:00 AM	0.48
6/22/2025	8:00:00 AM	0.48
6/22/2025	8:15:00 AM	0.48
6/22/2025	8:30:00 AM	0.48
6/22/2025	8:45:00 AM	0.48
6/22/2025	9:00:00 AM	0.48
6/22/2025	9:15:00 AM	0.48
6/22/2025	9:30:00 AM	0.48
6/22/2025	9:45:00 AM	0.48
6/22/2025	10:00:00 AM	0.48
6/22/2025	10:15:00 AM	0.48
6/22/2025	10:30:00 AM	0.48
6/22/2025	10:45:00 AM	0.48
6/22/2025	11:00:00 AM	0.48
6/22/2025	11:15:00 AM	0.48
6/22/2025	11:30:00 AM	0.48
6/22/2025	11:45:00 AM	0.48
6/22/2025	12:00:00 PM	0.48
6/22/2025	12:15:00 PM	0.48
6/22/2025	12:30:00 PM	0.48
6/22/2025	12:45:00 PM	0.48
6/22/2025	1:00:00 PM	0.48
6/22/2025	1:15:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/22/2025	1:30:00 PM	0.48
6/22/2025	1:45:00 PM	0.48
6/22/2025	2:00:00 PM	0.48
6/22/2025	2:15:00 PM	0.48
6/22/2025	2:30:00 PM	0.48
6/22/2025	2:45:00 PM	0.48
6/22/2025	3:00:00 PM	0.48
6/22/2025	3:15:00 PM	0.48
6/22/2025	3:30:00 PM	0.48
6/22/2025	3:45:00 PM	0.48
6/22/2025	4:00:00 PM	0.48
6/22/2025	4:15:00 PM	0.48
6/22/2025	4:30:00 PM	0.47
6/22/2025	4:45:00 PM	0.47
6/22/2025	5:00:00 PM	0.47
6/22/2025	5:15:00 PM	0.47
6/22/2025	5:30:00 PM	0.47
6/22/2025	5:45:00 PM	0.47
6/22/2025	6:00:00 PM	0.47
6/22/2025	6:15:00 PM	0.47
6/22/2025	6:30:00 PM	0.47
6/22/2025	6:45:00 PM	0.47
6/22/2025	7:00:00 PM	0.47
6/22/2025	7:15:00 PM	0.47
6/22/2025	7:30:00 PM	0.47
6/22/2025	7:45:00 PM	0.47
6/22/2025	8:00:00 PM	0.47
6/22/2025	8:15:00 PM	0.47
6/22/2025	8:30:00 PM	0.47
6/22/2025	8:45:00 PM	0.47
6/22/2025	9:00:00 PM	0.47
6/22/2025	9:15:00 PM	0.47
6/22/2025	9:30:00 PM	0.47
6/22/2025	9:45:00 PM	0.47
6/22/2025	10:00:00 PM	0.47
6/22/2025	10:15:00 PM	0.47
6/22/2025	10:30:00 PM	0.47
6/22/2025	10:45:00 PM	0.47
6/22/2025	11:00:00 PM	0.47
6/22/2025	11:15:00 PM	0.47
6/22/2025	11:30:00 PM	0.47
6/22/2025	11:45:00 PM	0.47
6/23/2025	12:00:00 AM	0.47
6/23/2025	12:15:00 AM	0.47
6/23/2025	12:30:00 AM	0.47
6/23/2025	12:45:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/23/2025	1:00:00 AM	0.47
6/23/2025	1:15:00 AM	0.47
6/23/2025	1:30:00 AM	0.47
6/23/2025	1:45:00 AM	0.47
6/23/2025	2:00:00 AM	0.48
6/23/2025	2:15:00 AM	0.48
6/23/2025	2:30:00 AM	0.48
6/23/2025	2:45:00 AM	0.48
6/23/2025	3:00:00 AM	0.48
6/23/2025	3:15:00 AM	0.48
6/23/2025	3:30:00 AM	0.48
6/23/2025	3:45:00 AM	0.48
6/23/2025	4:00:00 AM	0.48
6/23/2025	4:15:00 AM	0.48
6/23/2025	4:30:00 AM	0.48
6/23/2025	4:45:00 AM	0.48
6/23/2025	5:00:00 AM	0.48
6/23/2025	5:15:00 AM	0.48
6/23/2025	5:30:00 AM	0.48
6/23/2025	5:45:00 AM	0.48
6/23/2025	6:00:00 AM	0.48
6/23/2025	6:15:00 AM	0.49
6/23/2025	6:30:00 AM	0.49
6/23/2025	6:45:00 AM	0.49
6/23/2025	7:00:00 AM	0.49
6/23/2025	7:15:00 AM	0.49
6/23/2025	7:30:00 AM	0.49
6/23/2025	7:45:00 AM	0.49
6/23/2025	8:00:00 AM	0.48
6/23/2025	8:15:00 AM	0.48
6/23/2025	8:30:00 AM	0.48
6/23/2025	8:45:00 AM	0.48
6/23/2025	9:00:00 AM	0.48
6/23/2025	9:15:00 AM	0.48
6/23/2025	9:30:00 AM	0.48
6/23/2025	9:45:00 AM	0.48
6/23/2025	10:00:00 AM	0.48
6/23/2025	10:15:00 AM	0.48
6/23/2025	10:30:00 AM	0.48
6/23/2025	10:45:00 AM	0.48
6/23/2025	11:00:00 AM	0.48
6/23/2025	11:15:00 AM	0.48
6/23/2025	11:30:00 AM	0.48
6/23/2025	11:45:00 AM	0.48
6/23/2025	12:00:00 PM	0.48
6/23/2025	12:15:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/23/2025	12:30:00 PM	0.48
6/23/2025	12:45:00 PM	0.48
6/23/2025	1:00:00 PM	0.48
6/23/2025	1:15:00 PM	0.48
6/23/2025	1:30:00 PM	0.48
6/23/2025	1:45:00 PM	0.48
6/23/2025	2:00:00 PM	0.48
6/23/2025	2:15:00 PM	0.48
6/23/2025	2:30:00 PM	0.48
6/23/2025	2:45:00 PM	0.48
6/23/2025	3:00:00 PM	0.48
6/23/2025	3:15:00 PM	0.48
6/23/2025	3:30:00 PM	0.48
6/23/2025	3:45:00 PM	0.48
6/23/2025	4:00:00 PM	0.48
6/23/2025	4:15:00 PM	0.48
6/23/2025	4:30:00 PM	0.48
6/23/2025	4:45:00 PM	0.48
6/23/2025	5:00:00 PM	0.48
6/23/2025	5:15:00 PM	0.48
6/23/2025	5:30:00 PM	0.48
6/23/2025	5:45:00 PM	0.48
6/23/2025	6:00:00 PM	0.48
6/23/2025	6:15:00 PM	0.48
6/23/2025	6:30:00 PM	0.48
6/23/2025	6:45:00 PM	0.48
6/23/2025	7:00:00 PM	0.48
6/23/2025	7:15:00 PM	0.48
6/23/2025	7:30:00 PM	0.48
6/23/2025	7:45:00 PM	0.48
6/23/2025	8:00:00 PM	0.48
6/23/2025	8:15:00 PM	0.48
6/23/2025	8:30:00 PM	0.48
6/23/2025	8:45:00 PM	0.48
6/23/2025	9:00:00 PM	0.48
6/23/2025	9:15:00 PM	0.48
6/23/2025	9:30:00 PM	0.48
6/23/2025	9:45:00 PM	0.49
6/23/2025	10:00:00 PM	0.49
6/23/2025	10:15:00 PM	0.49
6/23/2025	10:30:00 PM	0.49
6/23/2025	10:45:00 PM	0.49
6/23/2025	11:00:00 PM	0.49
6/23/2025	11:15:00 PM	0.49
6/23/2025	11:30:00 PM	0.49
6/23/2025	11:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/24/2025	12:00:00 AM	0.49
6/24/2025	12:15:00 AM	0.49
6/24/2025	12:30:00 AM	0.49
6/24/2025	12:45:00 AM	0.49
6/24/2025	1:00:00 AM	0.49
6/24/2025	1:15:00 AM	0.49
6/24/2025	1:30:00 AM	0.49
6/24/2025	1:45:00 AM	0.49
6/24/2025	2:00:00 AM	0.49
6/24/2025	2:15:00 AM	0.49
6/24/2025	2:30:00 AM	0.49
6/24/2025	2:45:00 AM	0.5
6/24/2025	3:00:00 AM	0.5
6/24/2025	3:15:00 AM	0.5
6/24/2025	3:30:00 AM	0.5
6/24/2025	3:45:00 AM	0.5
6/24/2025	4:00:00 AM	0.5
6/24/2025	4:15:00 AM	0.5
6/24/2025	4:30:00 AM	0.5
6/24/2025	4:45:00 AM	0.5
6/24/2025	5:00:00 AM	0.5
6/24/2025	5:15:00 AM	0.5
6/24/2025	5:30:00 AM	0.5
6/24/2025	5:45:00 AM	0.5
6/24/2025	6:00:00 AM	0.5
6/24/2025	6:15:00 AM	0.5
6/24/2025	6:30:00 AM	0.5
6/24/2025	6:45:00 AM	0.5
6/24/2025	7:00:00 AM	0.5
6/24/2025	7:15:00 AM	0.5
6/24/2025	7:30:00 AM	0.5
6/24/2025	7:45:00 AM	0.5
6/24/2025	8:00:00 AM	0.5
6/24/2025	8:15:00 AM	0.5
6/24/2025	8:30:00 AM	0.49
6/24/2025	8:45:00 AM	0.5
6/24/2025	9:00:00 AM	0.5
6/24/2025	9:15:00 AM	0.49
6/24/2025	9:30:00 AM	0.49
6/24/2025	9:45:00 AM	0.49
6/24/2025	10:00:00 AM	0.49
6/24/2025	10:15:00 AM	0.49
6/24/2025	10:30:00 AM	0.49
6/24/2025	10:45:00 AM	0.49
6/24/2025	11:00:00 AM	0.49
6/24/2025	11:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/24/2025	11:30:00 AM	0.49
6/24/2025	11:45:00 AM	0.49
6/24/2025	12:00:00 PM	0.49
6/24/2025	12:15:00 PM	0.49
6/24/2025	12:30:00 PM	0.49
6/24/2025	12:45:00 PM	0.49
6/24/2025	1:00:00 PM	0.49
6/24/2025	1:15:00 PM	0.49
6/24/2025	1:30:00 PM	0.49
6/24/2025	1:45:00 PM	0.49
6/24/2025	2:00:00 PM	0.49
6/24/2025	2:15:00 PM	0.49
6/24/2025	2:30:00 PM	0.49
6/24/2025	2:45:00 PM	0.49
6/24/2025	3:00:00 PM	0.49
6/24/2025	3:15:00 PM	0.49
6/24/2025	3:30:00 PM	0.49
6/24/2025	3:45:00 PM	0.49
6/24/2025	4:00:00 PM	0.49
6/24/2025	4:15:00 PM	0.49
6/24/2025	4:30:00 PM	0.49
6/24/2025	4:45:00 PM	0.49
6/24/2025	5:00:00 PM	0.49
6/24/2025	5:15:00 PM	0.49
6/24/2025	5:30:00 PM	0.49
6/24/2025	5:45:00 PM	0.49
6/24/2025	6:00:00 PM	0.49
6/24/2025	6:15:00 PM	0.49
6/24/2025	6:30:00 PM	0.49
6/24/2025	6:45:00 PM	0.49
6/24/2025	7:00:00 PM	0.49
6/24/2025	7:15:00 PM	0.49
6/24/2025	7:30:00 PM	0.49
6/24/2025	7:45:00 PM	0.49
6/24/2025	8:00:00 PM	0.49
6/24/2025	8:15:00 PM	0.49
6/24/2025	8:30:00 PM	0.49
6/24/2025	8:45:00 PM	0.49
6/24/2025	9:00:00 PM	0.49
6/24/2025	9:15:00 PM	0.49
6/24/2025	9:30:00 PM	0.49
6/24/2025	9:45:00 PM	0.49
6/24/2025	10:00:00 PM	0.49
6/24/2025	10:15:00 PM	0.49
6/24/2025	10:30:00 PM	0.49
6/24/2025	10:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/24/2025	11:00:00 PM	0.49
6/24/2025	11:15:00 PM	0.49
6/24/2025	11:30:00 PM	0.49
6/24/2025	11:45:00 PM	0.49
6/25/2025	12:00:00 AM	0.49
6/25/2025	12:15:00 AM	0.49
6/25/2025	12:30:00 AM	0.49
6/25/2025	12:45:00 AM	0.49
6/25/2025	1:00:00 AM	0.49
6/25/2025	1:15:00 AM	0.49
6/25/2025	1:30:00 AM	0.49
6/25/2025	1:45:00 AM	0.49
6/25/2025	2:00:00 AM	0.49
6/25/2025	2:15:00 AM	0.49
6/25/2025	2:30:00 AM	0.5
6/25/2025	2:45:00 AM	0.49
6/25/2025	3:00:00 AM	0.5
6/25/2025	3:15:00 AM	0.5
6/25/2025	3:30:00 AM	0.5
6/25/2025	3:45:00 AM	0.5
6/25/2025	4:00:00 AM	0.5
6/25/2025	4:15:00 AM	0.5
6/25/2025	4:30:00 AM	0.5
6/25/2025	4:45:00 AM	0.5
6/25/2025	5:00:00 AM	0.5
6/25/2025	5:15:00 AM	0.5
6/25/2025	5:30:00 AM	0.5
6/25/2025	5:45:00 AM	0.5
6/25/2025	6:00:00 AM	0.5
6/25/2025	6:15:00 AM	0.5
6/25/2025	6:30:00 AM	0.5
6/25/2025	6:45:00 AM	0.5
6/25/2025	7:00:00 AM	0.49
6/25/2025	7:15:00 AM	0.5
6/25/2025	7:30:00 AM	0.5
6/25/2025	7:45:00 AM	0.49
6/25/2025	8:00:00 AM	0.49
6/25/2025	8:15:00 AM	0.49
6/25/2025	8:30:00 AM	0.49
6/25/2025	8:45:00 AM	0.49
6/25/2025	9:00:00 AM	0.49
6/25/2025	9:15:00 AM	0.49
6/25/2025	9:30:00 AM	0.49
6/25/2025	9:45:00 AM	0.49
6/25/2025	10:00:00 AM	0.49
6/25/2025	10:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/25/2025	10:30:00 AM	0.49
6/25/2025	10:45:00 AM	0.49
6/25/2025	11:00:00 AM	0.49
6/25/2025	11:15:00 AM	0.49
6/25/2025	11:30:00 AM	0.49
6/25/2025	11:45:00 AM	0.49
6/25/2025	12:00:00 PM	0.49
6/25/2025	12:15:00 PM	0.49
6/25/2025	12:30:00 PM	0.49
6/25/2025	12:45:00 PM	0.49
6/25/2025	1:00:00 PM	0.49
6/25/2025	1:15:00 PM	0.49
6/25/2025	1:30:00 PM	0.49
6/25/2025	1:45:00 PM	0.49
6/25/2025	2:00:00 PM	0.48
6/25/2025	2:15:00 PM	0.48
6/25/2025	2:30:00 PM	0.48
6/25/2025	2:45:00 PM	0.48
6/25/2025	3:00:00 PM	0.48
6/25/2025	3:15:00 PM	0.48
6/25/2025	3:30:00 PM	0.48
6/25/2025	3:45:00 PM	0.48
6/25/2025	4:00:00 PM	0.48
6/25/2025	4:15:00 PM	0.48
6/25/2025	4:30:00 PM	0.48
6/25/2025	4:45:00 PM	0.48
6/25/2025	5:00:00 PM	0.48
6/25/2025	5:15:00 PM	0.48
6/25/2025	5:30:00 PM	0.48
6/25/2025	5:45:00 PM	0.47
6/25/2025	6:00:00 PM	0.48
6/25/2025	6:15:00 PM	0.47
6/25/2025	6:30:00 PM	0.47
6/25/2025	6:45:00 PM	0.47
6/25/2025	7:00:00 PM	0.47
6/25/2025	7:15:00 PM	0.47
6/25/2025	7:30:00 PM	0.47
6/25/2025	7:45:00 PM	0.47
6/25/2025	8:00:00 PM	0.47
6/25/2025	8:15:00 PM	0.47
6/25/2025	8:30:00 PM	0.48
6/25/2025	8:45:00 PM	0.48
6/25/2025	9:00:00 PM	0.48
6/25/2025	9:15:00 PM	0.48
6/25/2025	9:30:00 PM	0.48
6/25/2025	9:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/25/2025	10:00:00 PM	0.48
6/25/2025	10:15:00 PM	0.48
6/25/2025	10:30:00 PM	0.48
6/25/2025	10:45:00 PM	0.48
6/25/2025	11:00:00 PM	0.48
6/25/2025	11:15:00 PM	0.48
6/25/2025	11:30:00 PM	0.48
6/25/2025	11:45:00 PM	0.48
6/26/2025	12:00:00 AM	0.48
6/26/2025	12:15:00 AM	0.48
6/26/2025	12:30:00 AM	0.48
6/26/2025	12:45:00 AM	0.48
6/26/2025	1:00:00 AM	0.48
6/26/2025	1:15:00 AM	0.48
6/26/2025	1:30:00 AM	0.49
6/26/2025	1:45:00 AM	0.48
6/26/2025	2:00:00 AM	0.48
6/26/2025	2:15:00 AM	0.48
6/26/2025	2:30:00 AM	0.48
6/26/2025	2:45:00 AM	0.48
6/26/2025	3:00:00 AM	0.48
6/26/2025	3:15:00 AM	0.48
6/26/2025	3:30:00 AM	0.47
6/26/2025	3:45:00 AM	0.47
6/26/2025	4:00:00 AM	0.47
6/26/2025	4:15:00 AM	0.47
6/26/2025	4:30:00 AM	0.46
6/26/2025	4:45:00 AM	0.46
6/26/2025	5:00:00 AM	0.46
6/26/2025	5:15:00 AM	0.46
6/26/2025	5:30:00 AM	0.46
6/26/2025	5:45:00 AM	0.45
6/26/2025	6:00:00 AM	0.45
6/26/2025	6:15:00 AM	0.45
6/26/2025	6:30:00 AM	0.45
6/26/2025	6:45:00 AM	0.44
6/26/2025	7:00:00 AM	0.44
6/26/2025	7:15:00 AM	0.44
6/26/2025	7:30:00 AM	0.44
6/26/2025	7:45:00 AM	0.44
6/26/2025	8:00:00 AM	0.43
6/26/2025	8:15:00 AM	0.43
6/26/2025	8:30:00 AM	0.43
6/26/2025	8:45:00 AM	0.43
6/26/2025	9:00:00 AM	0.43
6/26/2025	9:15:00 AM	0.43

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/26/2025	9:30:00 AM	0.42
6/26/2025	9:45:00 AM	0.42
6/26/2025	10:00:00 AM	0.42
6/26/2025	10:15:00 AM	0.42
6/26/2025	10:30:00 AM	0.42
6/26/2025	10:45:00 AM	0.42
6/26/2025	11:00:00 AM	0.41
6/26/2025	11:15:00 AM	0.41
6/26/2025	11:30:00 AM	0.41
6/26/2025	11:45:00 AM	0.41
6/26/2025	12:00:00 PM	0.41
6/26/2025	12:15:00 PM	0.41
6/26/2025	12:30:00 PM	0.41
6/26/2025	12:45:00 PM	0.41
6/26/2025	1:00:00 PM	0.41
6/26/2025	1:15:00 PM	0.41
6/26/2025	1:30:00 PM	0.41
6/26/2025	1:45:00 PM	0.41
6/26/2025	2:00:00 PM	0.42
6/26/2025	2:15:00 PM	0.42
6/26/2025	2:30:00 PM	0.43
6/26/2025	2:45:00 PM	0.43
6/26/2025	3:00:00 PM	0.44
6/26/2025	3:15:00 PM	0.44
6/26/2025	3:30:00 PM	0.44
6/26/2025	3:45:00 PM	0.45
6/26/2025	4:00:00 PM	0.45
6/26/2025	4:15:00 PM	0.46
6/26/2025	4:30:00 PM	0.46
6/26/2025	4:45:00 PM	0.46
6/26/2025	5:00:00 PM	0.47
6/26/2025	5:15:00 PM	0.47
6/26/2025	5:30:00 PM	0.48
6/26/2025	5:45:00 PM	0.48
6/26/2025	6:00:00 PM	0.48
6/26/2025	6:15:00 PM	0.48
6/26/2025	6:30:00 PM	0.48
6/26/2025	6:45:00 PM	0.49
6/26/2025	7:00:00 PM	0.49
6/26/2025	7:15:00 PM	0.49
6/26/2025	7:30:00 PM	0.5
6/26/2025	7:45:00 PM	0.5
6/26/2025	8:00:00 PM	0.5
6/26/2025	8:15:00 PM	0.51
6/26/2025	8:30:00 PM	0.51
6/26/2025	8:45:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/26/2025	9:00:00 PM	0.51
6/26/2025	9:15:00 PM	0.52
6/26/2025	9:30:00 PM	0.52
6/26/2025	9:45:00 PM	0.52
6/26/2025	10:00:00 PM	0.52
6/26/2025	10:15:00 PM	0.53
6/26/2025	10:30:00 PM	0.53
6/26/2025	10:45:00 PM	0.53
6/26/2025	11:00:00 PM	0.53
6/26/2025	11:15:00 PM	0.54
6/26/2025	11:30:00 PM	0.54
6/26/2025	11:45:00 PM	0.54
6/27/2025	12:00:00 AM	0.54
6/27/2025	12:15:00 AM	0.54
6/27/2025	12:30:00 AM	0.54
6/27/2025	12:45:00 AM	0.55
6/27/2025	1:00:00 AM	0.55
6/27/2025	1:15:00 AM	0.55
6/27/2025	1:30:00 AM	0.55
6/27/2025	1:45:00 AM	0.55
6/27/2025	2:00:00 AM	0.55
6/27/2025	2:15:00 AM	0.55
6/27/2025	2:30:00 AM	0.56
6/27/2025	2:45:00 AM	0.56
6/27/2025	3:00:00 AM	0.56
6/27/2025	3:15:00 AM	0.56
6/27/2025	3:30:00 AM	0.56
6/27/2025	3:45:00 AM	0.56
6/27/2025	4:00:00 AM	0.56
6/27/2025	4:15:00 AM	0.57
6/27/2025	4:30:00 AM	0.57
6/27/2025	4:45:00 AM	0.57
6/27/2025	5:00:00 AM	0.57
6/27/2025	5:15:00 AM	0.57
6/27/2025	5:30:00 AM	0.57
6/27/2025	5:45:00 AM	0.57
6/27/2025	6:00:00 AM	0.57
6/27/2025	6:15:00 AM	0.57
6/27/2025	6:30:00 AM	0.57
6/27/2025	6:45:00 AM	0.57
6/27/2025	7:00:00 AM	0.57
6/27/2025	7:15:00 AM	0.57
6/27/2025	7:30:00 AM	0.57
6/27/2025	7:45:00 AM	0.57
6/27/2025	8:00:00 AM	0.57
6/27/2025	8:15:00 AM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/27/2025	8:30:00 AM	0.58
6/27/2025	8:45:00 AM	0.58
6/27/2025	9:00:00 AM	0.58
6/27/2025	9:15:00 AM	0.58
6/27/2025	9:30:00 AM	0.58
6/27/2025	9:45:00 AM	0.58
6/27/2025	10:00:00 AM	0.58
6/27/2025	10:15:00 AM	0.58
6/27/2025	10:30:00 AM	0.58
6/27/2025	10:45:00 AM	0.58
6/27/2025	11:00:00 AM	0.58
6/27/2025	11:15:00 AM	0.58
6/27/2025	11:30:00 AM	0.58
6/27/2025	11:45:00 AM	0.58
6/27/2025	12:00:00 PM	0.58
6/27/2025	12:15:00 PM	0.57
6/27/2025	12:30:00 PM	0.58
6/27/2025	12:45:00 PM	0.58
6/27/2025	1:00:00 PM	0.58
6/27/2025	1:15:00 PM	0.57
6/27/2025	1:30:00 PM	0.57
6/27/2025	1:45:00 PM	0.57
6/27/2025	2:00:00 PM	0.57
6/27/2025	2:15:00 PM	0.57
6/27/2025	2:30:00 PM	0.57
6/27/2025	2:45:00 PM	0.57
6/27/2025	3:00:00 PM	0.57
6/27/2025	3:15:00 PM	0.57
6/27/2025	3:30:00 PM	0.57
6/27/2025	3:45:00 PM	0.57
6/27/2025	4:00:00 PM	0.57
6/27/2025	4:15:00 PM	0.57
6/27/2025	4:30:00 PM	0.57
6/27/2025	4:45:00 PM	0.57
6/27/2025	5:00:00 PM	0.57
6/27/2025	5:15:00 PM	0.57
6/27/2025	5:30:00 PM	0.57
6/27/2025	5:45:00 PM	0.57
6/27/2025	6:00:00 PM	0.57
6/27/2025	6:15:00 PM	0.57
6/27/2025	6:30:00 PM	0.57
6/27/2025	6:45:00 PM	0.56
6/27/2025	7:00:00 PM	0.57
6/27/2025	7:15:00 PM	0.57
6/27/2025	7:30:00 PM	0.57
6/27/2025	7:45:00 PM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/27/2025	8:00:00 PM	0.57
6/27/2025	8:15:00 PM	0.57
6/27/2025	8:30:00 PM	0.57
6/27/2025	8:45:00 PM	0.57
6/27/2025	9:00:00 PM	0.57
6/27/2025	9:15:00 PM	0.57
6/27/2025	9:30:00 PM	0.57
6/27/2025	9:45:00 PM	0.57
6/27/2025	10:00:00 PM	0.57
6/27/2025	10:15:00 PM	0.57
6/27/2025	10:30:00 PM	0.57
6/27/2025	10:45:00 PM	0.57
6/27/2025	11:00:00 PM	0.57
6/27/2025	11:15:00 PM	0.57
6/27/2025	11:30:00 PM	0.57
6/27/2025	11:45:00 PM	0.57
6/28/2025	12:00:00 AM	0.57
6/28/2025	12:15:00 AM	0.57
6/28/2025	12:30:00 AM	0.57
6/28/2025	12:45:00 AM	0.57
6/28/2025	1:00:00 AM	0.57
6/28/2025	1:15:00 AM	0.57
6/28/2025	1:30:00 AM	0.58
6/28/2025	1:45:00 AM	0.57
6/28/2025	2:00:00 AM	0.58
6/28/2025	2:15:00 AM	0.58
6/28/2025	2:30:00 AM	0.58
6/28/2025	2:45:00 AM	0.58
6/28/2025	3:00:00 AM	0.58
6/28/2025	3:15:00 AM	0.58
6/28/2025	3:30:00 AM	0.58
6/28/2025	3:45:00 AM	0.58
6/28/2025	4:00:00 AM	0.58
6/28/2025	4:15:00 AM	0.58
6/28/2025	4:30:00 AM	0.58
6/28/2025	4:45:00 AM	0.58
6/28/2025	5:00:00 AM	0.58
6/28/2025	5:15:00 AM	0.58
6/28/2025	5:30:00 AM	0.58
6/28/2025	5:45:00 AM	0.58
6/28/2025	6:00:00 AM	0.58
6/28/2025	6:15:00 AM	0.58
6/28/2025	6:30:00 AM	0.58
6/28/2025	6:45:00 AM	0.58
6/28/2025	7:00:00 AM	0.58
6/28/2025	7:15:00 AM	0.58

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/28/2025	7:30:00 AM	0.58
6/28/2025	7:45:00 AM	0.58
6/28/2025	8:00:00 AM	0.58
6/28/2025	8:15:00 AM	0.58
6/28/2025	8:30:00 AM	0.58
6/28/2025	8:45:00 AM	0.58
6/28/2025	9:00:00 AM	0.58
6/28/2025	9:15:00 AM	0.58
6/28/2025	9:30:00 AM	0.58
6/28/2025	9:45:00 AM	0.58
6/28/2025	10:00:00 AM	0.58
6/28/2025	10:15:00 AM	0.58
6/28/2025	10:30:00 AM	0.58
6/28/2025	10:45:00 AM	0.58
6/28/2025	11:00:00 AM	0.58
6/28/2025	11:15:00 AM	0.58
6/28/2025	11:30:00 AM	0.58
6/28/2025	11:45:00 AM	0.58
6/28/2025	12:00:00 PM	0.58
6/28/2025	12:15:00 PM	0.58
6/28/2025	12:30:00 PM	0.58
6/28/2025	12:45:00 PM	0.58
6/28/2025	1:00:00 PM	0.58
6/28/2025	1:15:00 PM	0.58
6/28/2025	1:30:00 PM	0.58
6/28/2025	1:45:00 PM	0.58
6/28/2025	2:00:00 PM	0.58
6/28/2025	2:15:00 PM	0.57
6/28/2025	2:30:00 PM	0.57
6/28/2025	2:45:00 PM	0.57
6/28/2025	3:00:00 PM	0.57
6/28/2025	3:15:00 PM	0.57
6/28/2025	3:30:00 PM	0.57
6/28/2025	3:45:00 PM	0.57
6/28/2025	4:00:00 PM	0.57
6/28/2025	4:15:00 PM	0.57
6/28/2025	4:30:00 PM	0.57
6/28/2025	4:45:00 PM	0.57
6/28/2025	5:00:00 PM	0.57
6/28/2025	5:15:00 PM	0.57
6/28/2025	5:30:00 PM	0.57
6/28/2025	5:45:00 PM	0.57
6/28/2025	6:00:00 PM	0.57
6/28/2025	6:15:00 PM	0.57
6/28/2025	6:30:00 PM	0.57
6/28/2025	6:45:00 PM	0.56

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/28/2025	7:00:00 PM	0.56
6/28/2025	7:15:00 PM	0.56
6/28/2025	7:30:00 PM	0.56
6/28/2025	7:45:00 PM	0.56
6/28/2025	8:00:00 PM	0.56
6/28/2025	8:15:00 PM	0.56
6/28/2025	8:30:00 PM	0.56
6/28/2025	8:45:00 PM	0.56
6/28/2025	9:00:00 PM	0.56
6/28/2025	9:15:00 PM	0.56
6/28/2025	9:30:00 PM	0.56
6/28/2025	9:45:00 PM	0.56
6/28/2025	10:00:00 PM	0.56
6/28/2025	10:15:00 PM	0.56
6/28/2025	10:30:00 PM	0.56
6/28/2025	10:45:00 PM	0.56
6/28/2025	11:00:00 PM	0.56
6/28/2025	11:15:00 PM	0.56
6/28/2025	11:30:00 PM	0.56
6/28/2025	11:45:00 PM	0.57
6/29/2025	12:00:00 AM	0.57
6/29/2025	12:15:00 AM	0.57
6/29/2025	12:30:00 AM	0.57
6/29/2025	12:45:00 AM	0.57
6/29/2025	1:00:00 AM	0.57
6/29/2025	1:15:00 AM	0.57
6/29/2025	1:30:00 AM	0.57
6/29/2025	1:45:00 AM	0.57
6/29/2025	2:00:00 AM	0.57
6/29/2025	2:15:00 AM	0.57
6/29/2025	2:30:00 AM	0.57
6/29/2025	2:45:00 AM	0.57
6/29/2025	3:00:00 AM	0.57
6/29/2025	3:15:00 AM	0.57
6/29/2025	3:30:00 AM	0.57
6/29/2025	3:45:00 AM	0.57
6/29/2025	4:00:00 AM	0.57
6/29/2025	4:15:00 AM	0.57
6/29/2025	4:30:00 AM	0.57
6/29/2025	4:45:00 AM	0.57
6/29/2025	5:00:00 AM	0.57
6/29/2025	5:15:00 AM	0.57
6/29/2025	5:30:00 AM	0.57
6/29/2025	5:45:00 AM	0.57
6/29/2025	6:00:00 AM	0.57
6/29/2025	6:15:00 AM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/29/2025	6:30:00 AM	0.57
6/29/2025	6:45:00 AM	0.57
6/29/2025	7:00:00 AM	0.57
6/29/2025	7:15:00 AM	0.57
6/29/2025	7:30:00 AM	0.58
6/29/2025	7:45:00 AM	0.57
6/29/2025	8:00:00 AM	0.57
6/29/2025	8:15:00 AM	0.58
6/29/2025	8:30:00 AM	0.58
6/29/2025	8:45:00 AM	0.58
6/29/2025	9:00:00 AM	0.58
6/29/2025	9:15:00 AM	0.58
6/29/2025	9:30:00 AM	0.58
6/29/2025	9:45:00 AM	0.58
6/29/2025	10:00:00 AM	0.58
6/29/2025	10:15:00 AM	0.58
6/29/2025	10:30:00 AM	0.58
6/29/2025	10:45:00 AM	0.58
6/29/2025	11:00:00 AM	0.58
6/29/2025	11:15:00 AM	0.58
6/29/2025	11:30:00 AM	0.58
6/29/2025	11:45:00 AM	0.57
6/29/2025	12:00:00 PM	0.58
6/29/2025	12:15:00 PM	0.57
6/29/2025	12:30:00 PM	0.57
6/29/2025	12:45:00 PM	0.58
6/29/2025	1:00:00 PM	0.57
6/29/2025	1:15:00 PM	0.57
6/29/2025	1:30:00 PM	0.57
6/29/2025	1:45:00 PM	0.57
6/29/2025	2:00:00 PM	0.57
6/29/2025	2:15:00 PM	0.57
6/29/2025	2:30:00 PM	0.57
6/29/2025	2:45:00 PM	0.57
6/29/2025	3:00:00 PM	0.57
6/29/2025	3:15:00 PM	0.57
6/29/2025	3:30:00 PM	0.57
6/29/2025	3:45:00 PM	0.57
6/29/2025	4:00:00 PM	0.57
6/29/2025	4:15:00 PM	0.57
6/29/2025	4:30:00 PM	0.57
6/29/2025	4:45:00 PM	0.56
6/29/2025	5:00:00 PM	0.56
6/29/2025	5:15:00 PM	0.56
6/29/2025	5:30:00 PM	0.56
6/29/2025	5:45:00 PM	0.56

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/29/2025	6:00:00 PM	0.56
6/29/2025	6:15:00 PM	0.56
6/29/2025	6:30:00 PM	0.56
6/29/2025	6:45:00 PM	0.56
6/29/2025	7:00:00 PM	0.56
6/29/2025	7:15:00 PM	0.55
6/29/2025	7:30:00 PM	0.55
6/29/2025	7:45:00 PM	0.55
6/29/2025	8:00:00 PM	0.55
6/29/2025	8:15:00 PM	0.55
6/29/2025	8:30:00 PM	0.55
6/29/2025	8:45:00 PM	0.55
6/29/2025	9:00:00 PM	0.55
6/29/2025	9:15:00 PM	0.55
6/29/2025	9:30:00 PM	0.55
6/29/2025	9:45:00 PM	0.55
6/29/2025	10:00:00 PM	0.55
6/29/2025	10:15:00 PM	0.55
6/29/2025	10:30:00 PM	0.55
6/29/2025	10:45:00 PM	0.55
6/29/2025	11:00:00 PM	0.55
6/29/2025	11:15:00 PM	0.55
6/29/2025	11:30:00 PM	0.55
6/29/2025	11:45:00 PM	0.55
6/30/2025	12:00:00 AM	0.55
6/30/2025	12:15:00 AM	0.55
6/30/2025	12:30:00 AM	0.55
6/30/2025	12:45:00 AM	0.55
6/30/2025	1:00:00 AM	0.55
6/30/2025	1:15:00 AM	0.55
6/30/2025	1:30:00 AM	0.55
6/30/2025	1:45:00 AM	0.55
6/30/2025	2:00:00 AM	0.55
6/30/2025	2:15:00 AM	0.55
6/30/2025	2:30:00 AM	0.55
6/30/2025	2:45:00 AM	0.55
6/30/2025	3:00:00 AM	0.55
6/30/2025	3:15:00 AM	0.55
6/30/2025	3:30:00 AM	0.55
6/30/2025	3:45:00 AM	0.55
6/30/2025	4:00:00 AM	0.55
6/30/2025	4:15:00 AM	0.55
6/30/2025	4:30:00 AM	0.55
6/30/2025	4:45:00 AM	0.55
6/30/2025	5:00:00 AM	0.55
6/30/2025	5:15:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/30/2025	5:30:00 AM	0.55
6/30/2025	5:45:00 AM	0.55
6/30/2025	6:00:00 AM	0.55
6/30/2025	6:15:00 AM	0.55
6/30/2025	6:30:00 AM	0.55
6/30/2025	6:45:00 AM	0.55
6/30/2025	7:00:00 AM	0.55
6/30/2025	7:15:00 AM	0.55
6/30/2025	7:30:00 AM	0.55
6/30/2025	7:45:00 AM	0.55
6/30/2025	8:00:00 AM	0.55
6/30/2025	8:15:00 AM	0.55
6/30/2025	8:30:00 AM	0.55
6/30/2025	8:45:00 AM	0.55
6/30/2025	9:00:00 AM	0.55
6/30/2025	9:15:00 AM	0.55
6/30/2025	9:30:00 AM	0.55
6/30/2025	9:45:00 AM	0.55
6/30/2025	10:00:00 AM	0.55
6/30/2025	10:15:00 AM	0.55
6/30/2025	10:30:00 AM	0.55
6/30/2025	10:45:00 AM	0.55
6/30/2025	11:00:00 AM	0.54
6/30/2025	11:15:00 AM	0.55
6/30/2025	11:30:00 AM	0.54
6/30/2025	11:45:00 AM	0.54
6/30/2025	12:00:00 PM	0.54
6/30/2025	12:15:00 PM	0.54
6/30/2025	12:30:00 PM	0.54
6/30/2025	12:45:00 PM	0.54
6/30/2025	1:00:00 PM	0.54
6/30/2025	1:15:00 PM	0.54
6/30/2025	1:30:00 PM	0.54
6/30/2025	1:45:00 PM	0.53
6/30/2025	2:00:00 PM	0.53
6/30/2025	2:15:00 PM	0.53
6/30/2025	2:30:00 PM	0.53
6/30/2025	2:45:00 PM	0.53
6/30/2025	3:00:00 PM	0.53
6/30/2025	3:15:00 PM	0.52
6/30/2025	3:30:00 PM	0.52
6/30/2025	3:45:00 PM	0.52
6/30/2025	4:00:00 PM	0.52
6/30/2025	4:15:00 PM	0.52
6/30/2025	4:30:00 PM	0.51
6/30/2025	4:45:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
6/30/2025	5:00:00 PM	0.51
6/30/2025	5:15:00 PM	0.51
6/30/2025	5:30:00 PM	0.51
6/30/2025	5:45:00 PM	0.51
6/30/2025	6:00:00 PM	0.51
6/30/2025	6:15:00 PM	0.51
6/30/2025	6:30:00 PM	0.5
6/30/2025	6:45:00 PM	0.5
6/30/2025	7:00:00 PM	0.5
6/30/2025	7:15:00 PM	0.5
6/30/2025	7:30:00 PM	0.5
6/30/2025	7:45:00 PM	0.5
6/30/2025	8:00:00 PM	0.5
6/30/2025	8:15:00 PM	0.5
6/30/2025	8:30:00 PM	0.5
6/30/2025	8:45:00 PM	0.5
6/30/2025	9:00:00 PM	0.5
6/30/2025	9:15:00 PM	0.5
6/30/2025	9:30:00 PM	0.5
6/30/2025	9:45:00 PM	0.5
6/30/2025	10:00:00 PM	0.5
6/30/2025	10:15:00 PM	0.5
6/30/2025	10:30:00 PM	0.5
6/30/2025	10:45:00 PM	0.5
6/30/2025	11:00:00 PM	0.5
6/30/2025	11:15:00 PM	0.5
6/30/2025	11:30:00 PM	0.5
6/30/2025	11:45:00 PM	0.5

Billy Lake Return
Station 0213

Date	Flow (cfs)
6/1/2025	0.96
6/2/2025	0.65
6/3/2025	0.63
6/4/2025	0.70
6/5/2025	1.01
6/6/2025	1.22
6/7/2025	1.19
6/8/2025	1.03
6/9/2025	0.72
6/10/2025	0.84
6/11/2025	0.88
6/12/2025	0.95
6/13/2025	1.05
6/14/2025	0.79
6/15/2025	0.68
6/16/2025	1.07
6/17/2025	1.05
6/18/2025	0.98
6/19/2025	0.91
6/20/2025	1.02
6/21/2025	0.79
6/22/2025	0.77
6/23/2025	1.27
6/24/2025	1.30
6/25/2025	1.30
6/26/2025	1.16
6/27/2025	1.23
6/28/2025	1.21
6/29/2025	1.18
6/30/2025	1.17

Billy Lake Return Gage

DATE	TIME	GAGE
6/1/2025	12:00:00 AM	0.27
6/1/2025	12:15:00 AM	0.27
6/1/2025	12:30:00 AM	0.27
6/1/2025	12:45:00 AM	0.26
6/1/2025	1:00:00 AM	0.27
6/1/2025	1:15:00 AM	0.26
6/1/2025	1:30:00 AM	0.26
6/1/2025	1:45:00 AM	0.26
6/1/2025	2:00:00 AM	0.26
6/1/2025	2:15:00 AM	0.26
6/1/2025	2:30:00 AM	0.26
6/1/2025	2:45:00 AM	0.26
6/1/2025	3:00:00 AM	0.26
6/1/2025	3:15:00 AM	0.26
6/1/2025	3:30:00 AM	0.26
6/1/2025	3:45:00 AM	0.26
6/1/2025	4:00:00 AM	0.26
6/1/2025	4:15:00 AM	0.26
6/1/2025	4:30:00 AM	0.26
6/1/2025	4:45:00 AM	0.26
6/1/2025	5:00:00 AM	0.26
6/1/2025	5:15:00 AM	0.26
6/1/2025	5:30:00 AM	0.26
6/1/2025	5:45:00 AM	0.26
6/1/2025	6:00:00 AM	0.26
6/1/2025	6:15:00 AM	0.26
6/1/2025	6:30:00 AM	0.26
6/1/2025	6:45:00 AM	0.26
6/1/2025	7:00:00 AM	0.26
6/1/2025	7:15:00 AM	0.26
6/1/2025	7:30:00 AM	0.26
6/1/2025	7:45:00 AM	0.26
6/1/2025	8:00:00 AM	0.26
6/1/2025	8:15:00 AM	0.26
6/1/2025	8:30:00 AM	0.26
6/1/2025	8:45:00 AM	0.26
6/1/2025	9:00:00 AM	0.26
6/1/2025	9:15:00 AM	0.26
6/1/2025	9:30:00 AM	0.26
6/1/2025	9:45:00 AM	0.26
6/1/2025	10:00:00 AM	0.26
6/1/2025	10:15:00 AM	0.26
6/1/2025	10:30:00 AM	0.25
6/1/2025	10:45:00 AM	0.25
6/1/2025	11:00:00 AM	0.25
6/1/2025	11:15:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
6/1/2025	11:30:00 AM	0.25
6/1/2025	11:45:00 AM	0.25
6/1/2025	12:00:00 PM	0.25
6/1/2025	12:15:00 PM	0.25
6/1/2025	12:30:00 PM	0.25
6/1/2025	12:45:00 PM	0.25
6/1/2025	1:00:00 PM	0.25
6/1/2025	1:15:00 PM	0.25
6/1/2025	1:30:00 PM	0.25
6/1/2025	1:45:00 PM	0.25
6/1/2025	2:00:00 PM	0.25
6/1/2025	2:15:00 PM	0.25
6/1/2025	2:30:00 PM	0.25
6/1/2025	2:45:00 PM	0.25
6/1/2025	3:00:00 PM	0.26
6/1/2025	3:15:00 PM	0.26
6/1/2025	3:30:00 PM	0.26
6/1/2025	3:45:00 PM	0.26
6/1/2025	4:00:00 PM	0.26
6/1/2025	4:15:00 PM	0.26
6/1/2025	4:30:00 PM	0.26
6/1/2025	4:45:00 PM	0.26
6/1/2025	5:00:00 PM	0.26
6/1/2025	5:15:00 PM	0.26
6/1/2025	5:30:00 PM	0.26
6/1/2025	5:45:00 PM	0.26
6/1/2025	6:00:00 PM	0.26
6/1/2025	6:15:00 PM	0.26
6/1/2025	6:30:00 PM	0.26
6/1/2025	6:45:00 PM	0.26
6/1/2025	7:00:00 PM	0.26
6/1/2025	7:15:00 PM	0.26
6/1/2025	7:30:00 PM	0.26
6/1/2025	7:45:00 PM	0.26
6/1/2025	8:00:00 PM	0.25
6/1/2025	8:15:00 PM	0.25
6/1/2025	8:30:00 PM	0.25
6/1/2025	8:45:00 PM	0.25
6/1/2025	9:00:00 PM	0.25
6/1/2025	9:15:00 PM	0.24
6/1/2025	9:30:00 PM	0.24
6/1/2025	9:45:00 PM	0.24
6/1/2025	10:00:00 PM	0.24
6/1/2025	10:15:00 PM	0.23
6/1/2025	10:30:00 PM	0.23
6/1/2025	10:45:00 PM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
6/1/2025	11:00:00 PM	0.23
6/1/2025	11:15:00 PM	0.23
6/1/2025	11:30:00 PM	0.23
6/1/2025	11:45:00 PM	0.22
6/2/2025	12:00:00 AM	0.22
6/2/2025	12:15:00 AM	0.22
6/2/2025	12:30:00 AM	0.22
6/2/2025	12:45:00 AM	0.22
6/2/2025	1:00:00 AM	0.21
6/2/2025	1:15:00 AM	0.21
6/2/2025	1:30:00 AM	0.21
6/2/2025	1:45:00 AM	0.21
6/2/2025	2:00:00 AM	0.21
6/2/2025	2:15:00 AM	0.21
6/2/2025	2:30:00 AM	0.21
6/2/2025	2:45:00 AM	0.21
6/2/2025	3:00:00 AM	0.21
6/2/2025	3:15:00 AM	0.21
6/2/2025	3:30:00 AM	0.2
6/2/2025	3:45:00 AM	0.2
6/2/2025	4:00:00 AM	0.2
6/2/2025	4:15:00 AM	0.2
6/2/2025	4:30:00 AM	0.2
6/2/2025	4:45:00 AM	0.2
6/2/2025	5:00:00 AM	0.2
6/2/2025	5:15:00 AM	0.2
6/2/2025	5:30:00 AM	0.2
6/2/2025	5:45:00 AM	0.2
6/2/2025	6:00:00 AM	0.2
6/2/2025	6:15:00 AM	0.2
6/2/2025	6:30:00 AM	0.2
6/2/2025	6:45:00 AM	0.2
6/2/2025	7:00:00 AM	0.2
6/2/2025	7:15:00 AM	0.2
6/2/2025	7:30:00 AM	0.2
6/2/2025	7:45:00 AM	0.2
6/2/2025	8:00:00 AM	0.2
6/2/2025	8:15:00 AM	0.2
6/2/2025	8:30:00 AM	0.2
6/2/2025	8:45:00 AM	0.2
6/2/2025	9:00:00 AM	0.2
6/2/2025	9:15:00 AM	0.2
6/2/2025	9:30:00 AM	0.2
6/2/2025	9:45:00 AM	0.2
6/2/2025	10:00:00 AM	0.2
6/2/2025	10:15:00 AM	0.2

Billy Lake Return Gage

DATE	TIME	GAGE
6/2/2025	10:30:00 AM	0.2
6/2/2025	10:45:00 AM	0.19
6/2/2025	11:00:00 AM	0.19
6/2/2025	11:15:00 AM	0.19
6/2/2025	11:30:00 AM	0.19
6/2/2025	11:45:00 AM	0.19
6/2/2025	12:00:00 PM	0.18
6/2/2025	12:15:00 PM	0.18
6/2/2025	12:30:00 PM	0.18
6/2/2025	12:45:00 PM	0.18
6/2/2025	1:00:00 PM	0.17
6/2/2025	1:15:00 PM	0.17
6/2/2025	1:30:00 PM	0.17
6/2/2025	1:45:00 PM	0.17
6/2/2025	2:00:00 PM	0.17
6/2/2025	2:15:00 PM	0.17
6/2/2025	2:30:00 PM	0.17
6/2/2025	2:45:00 PM	0.18
6/2/2025	3:00:00 PM	0.18
6/2/2025	3:15:00 PM	0.18
6/2/2025	3:30:00 PM	0.19
6/2/2025	3:45:00 PM	0.19
6/2/2025	4:00:00 PM	0.2
6/2/2025	4:15:00 PM	0.2
6/2/2025	4:30:00 PM	0.2
6/2/2025	4:45:00 PM	0.2
6/2/2025	5:00:00 PM	0.2
6/2/2025	5:15:00 PM	0.2
6/2/2025	5:30:00 PM	0.2
6/2/2025	5:45:00 PM	0.2
6/2/2025	6:00:00 PM	0.2
6/2/2025	6:15:00 PM	0.2
6/2/2025	6:30:00 PM	0.2
6/2/2025	6:45:00 PM	0.2
6/2/2025	7:00:00 PM	0.2
6/2/2025	7:15:00 PM	0.2
6/2/2025	7:30:00 PM	0.2
6/2/2025	7:45:00 PM	0.2
6/2/2025	8:00:00 PM	0.2
6/2/2025	8:15:00 PM	0.2
6/2/2025	8:30:00 PM	0.2
6/2/2025	8:45:00 PM	0.2
6/2/2025	9:00:00 PM	0.2
6/2/2025	9:15:00 PM	0.2
6/2/2025	9:30:00 PM	0.2
6/2/2025	9:45:00 PM	0.2

Billy Lake Return Gage

DATE	TIME	GAGE
6/2/2025	10:00:00 PM	0.2
6/2/2025	10:15:00 PM	0.2
6/2/2025	10:30:00 PM	0.2
6/2/2025	10:45:00 PM	0.2
6/2/2025	11:00:00 PM	0.2
6/2/2025	11:15:00 PM	0.2
6/2/2025	11:30:00 PM	0.2
6/2/2025	11:45:00 PM	0.2
6/3/2025	12:00:00 AM	0.19
6/3/2025	12:15:00 AM	0.19
6/3/2025	12:30:00 AM	0.19
6/3/2025	12:45:00 AM	0.19
6/3/2025	1:00:00 AM	0.19
6/3/2025	1:15:00 AM	0.19
6/3/2025	1:30:00 AM	0.19
6/3/2025	1:45:00 AM	0.19
6/3/2025	2:00:00 AM	0.19
6/3/2025	2:15:00 AM	0.19
6/3/2025	2:30:00 AM	0.19
6/3/2025	2:45:00 AM	0.19
6/3/2025	3:00:00 AM	0.18
6/3/2025	3:15:00 AM	0.18
6/3/2025	3:30:00 AM	0.18
6/3/2025	3:45:00 AM	0.18
6/3/2025	4:00:00 AM	0.18
6/3/2025	4:15:00 AM	0.18
6/3/2025	4:30:00 AM	0.18
6/3/2025	4:45:00 AM	0.18
6/3/2025	5:00:00 AM	0.18
6/3/2025	5:15:00 AM	0.17
6/3/2025	5:30:00 AM	0.17
6/3/2025	5:45:00 AM	0.17
6/3/2025	6:00:00 AM	0.17
6/3/2025	6:15:00 AM	0.18
6/3/2025	6:30:00 AM	0.18
6/3/2025	6:45:00 AM	0.19
6/3/2025	7:00:00 AM	0.19
6/3/2025	7:15:00 AM	0.2
6/3/2025	7:30:00 AM	0.21
6/3/2025	7:45:00 AM	0.21
6/3/2025	8:00:00 AM	0.22
6/3/2025	8:15:00 AM	0.22
6/3/2025	8:30:00 AM	0.23
6/3/2025	8:45:00 AM	0.23
6/3/2025	9:00:00 AM	0.23
6/3/2025	9:15:00 AM	0.24

Billy Lake Return Gage

DATE	TIME	GAGE
6/3/2025	9:30:00 AM	0.24
6/3/2025	9:45:00 AM	0.25
6/3/2025	10:00:00 AM	0.25
6/3/2025	10:15:00 AM	0.25
6/3/2025	10:30:00 AM	0.26
6/3/2025	10:45:00 AM	0.26
6/3/2025	11:00:00 AM	0.26
6/3/2025	11:15:00 AM	0.26
6/3/2025	11:30:00 AM	0.27
6/3/2025	11:45:00 AM	0.27
6/3/2025	12:00:00 PM	0.27
6/3/2025	12:15:00 PM	0.27
6/3/2025	12:30:00 PM	0.27
6/3/2025	12:45:00 PM	0.27
6/3/2025	1:00:00 PM	0.27
6/3/2025	1:15:00 PM	0.27
6/3/2025	1:30:00 PM	0.27
6/3/2025	1:45:00 PM	0.26
6/3/2025	2:00:00 PM	0.25
6/3/2025	2:15:00 PM	0.24
6/3/2025	2:30:00 PM	0.24
6/3/2025	2:45:00 PM	0.23
6/3/2025	3:00:00 PM	0.22
6/3/2025	3:15:00 PM	0.21
6/3/2025	3:30:00 PM	0.21
6/3/2025	3:45:00 PM	0.2
6/3/2025	4:00:00 PM	0.2
6/3/2025	4:15:00 PM	0.19
6/3/2025	4:30:00 PM	0.18
6/3/2025	4:45:00 PM	0.18
6/3/2025	5:00:00 PM	0.17
6/3/2025	5:15:00 PM	0.17
6/3/2025	5:30:00 PM	0.17
6/3/2025	5:45:00 PM	0.16
6/3/2025	6:00:00 PM	0.16
6/3/2025	6:15:00 PM	0.15
6/3/2025	6:30:00 PM	0.15
6/3/2025	6:45:00 PM	0.15
6/3/2025	7:00:00 PM	0.15
6/3/2025	7:15:00 PM	0.14
6/3/2025	7:30:00 PM	0.14
6/3/2025	7:45:00 PM	0.14
6/3/2025	8:00:00 PM	0.13
6/3/2025	8:15:00 PM	0.13
6/3/2025	8:30:00 PM	0.13
6/3/2025	8:45:00 PM	0.13

Billy Lake Return Gage

DATE	TIME	GAGE
6/3/2025	9:00:00 PM	0.13
6/3/2025	9:15:00 PM	0.12
6/3/2025	9:30:00 PM	0.12
6/3/2025	9:45:00 PM	0.12
6/3/2025	10:00:00 PM	0.12
6/3/2025	10:15:00 PM	0.11
6/3/2025	10:30:00 PM	0.11
6/3/2025	10:45:00 PM	0.11
6/3/2025	11:00:00 PM	0.11
6/3/2025	11:15:00 PM	0.11
6/3/2025	11:30:00 PM	0.1
6/3/2025	11:45:00 PM	0.1
6/4/2025	12:00:00 AM	0.1
6/4/2025	12:15:00 AM	0.1
6/4/2025	12:30:00 AM	0.1
6/4/2025	12:45:00 AM	0.09
6/4/2025	1:00:00 AM	0.09
6/4/2025	1:15:00 AM	0.09
6/4/2025	1:30:00 AM	0.09
6/4/2025	1:45:00 AM	0.09
6/4/2025	2:00:00 AM	0.09
6/4/2025	2:15:00 AM	0.09
6/4/2025	2:30:00 AM	0.09
6/4/2025	2:45:00 AM	0.09
6/4/2025	3:00:00 AM	0.08
6/4/2025	3:15:00 AM	0.08
6/4/2025	3:30:00 AM	0.08
6/4/2025	3:45:00 AM	0.08
6/4/2025	4:00:00 AM	0.08
6/4/2025	4:15:00 AM	0.08
6/4/2025	4:30:00 AM	0.08
6/4/2025	4:45:00 AM	0.08
6/4/2025	5:00:00 AM	0.08
6/4/2025	5:15:00 AM	0.08
6/4/2025	5:30:00 AM	0.08
6/4/2025	5:45:00 AM	0.07
6/4/2025	6:00:00 AM	0.07
6/4/2025	6:15:00 AM	0.07
6/4/2025	6:30:00 AM	0.07
6/4/2025	6:45:00 AM	0.07
6/4/2025	7:00:00 AM	0.07
6/4/2025	7:15:00 AM	0.07
6/4/2025	7:30:00 AM	0.07
6/4/2025	7:45:00 AM	0.18
6/4/2025	8:00:00 AM	0.26
6/4/2025	8:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/4/2025	8:30:00 AM	0.28
6/4/2025	8:45:00 AM	0.28
6/4/2025	9:00:00 AM	0.29
6/4/2025	9:15:00 AM	0.29
6/4/2025	9:30:00 AM	0.29
6/4/2025	9:45:00 AM	0.3
6/4/2025	10:00:00 AM	0.3
6/4/2025	10:15:00 AM	0.31
6/4/2025	10:30:00 AM	0.31
6/4/2025	10:45:00 AM	0.31
6/4/2025	11:00:00 AM	0.32
6/4/2025	11:15:00 AM	0.32
6/4/2025	11:30:00 AM	0.32
6/4/2025	11:45:00 AM	0.33
6/4/2025	12:00:00 PM	0.33
6/4/2025	12:15:00 PM	0.24
6/4/2025	12:30:00 PM	0.2
6/4/2025	12:45:00 PM	0.2
6/4/2025	1:00:00 PM	0.2
6/4/2025	1:15:00 PM	0.2
6/4/2025	1:30:00 PM	0.21
6/4/2025	1:45:00 PM	0.21
6/4/2025	2:00:00 PM	0.21
6/4/2025	2:15:00 PM	0.21
6/4/2025	2:30:00 PM	0.21
6/4/2025	2:45:00 PM	0.22
6/4/2025	3:00:00 PM	0.22
6/4/2025	3:15:00 PM	0.22
6/4/2025	3:30:00 PM	0.22
6/4/2025	3:45:00 PM	0.22
6/4/2025	4:00:00 PM	0.23
6/4/2025	4:15:00 PM	0.23
6/4/2025	4:30:00 PM	0.23
6/4/2025	4:45:00 PM	0.23
6/4/2025	5:00:00 PM	0.23
6/4/2025	5:15:00 PM	0.24
6/4/2025	5:30:00 PM	0.24
6/4/2025	5:45:00 PM	0.24
6/4/2025	6:00:00 PM	0.24
6/4/2025	6:15:00 PM	0.24
6/4/2025	6:30:00 PM	0.24
6/4/2025	6:45:00 PM	0.24
6/4/2025	7:00:00 PM	0.25
6/4/2025	7:15:00 PM	0.25
6/4/2025	7:30:00 PM	0.25
6/4/2025	7:45:00 PM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
6/4/2025	8:00:00 PM	0.25
6/4/2025	8:15:00 PM	0.25
6/4/2025	8:30:00 PM	0.25
6/4/2025	8:45:00 PM	0.25
6/4/2025	9:00:00 PM	0.25
6/4/2025	9:15:00 PM	0.25
6/4/2025	9:30:00 PM	0.26
6/4/2025	9:45:00 PM	0.26
6/4/2025	10:00:00 PM	0.26
6/4/2025	10:15:00 PM	0.26
6/4/2025	10:30:00 PM	0.26
6/4/2025	10:45:00 PM	0.26
6/4/2025	11:00:00 PM	0.26
6/4/2025	11:15:00 PM	0.26
6/4/2025	11:30:00 PM	0.25
6/4/2025	11:45:00 PM	0.25
6/5/2025	12:00:00 AM	0.25
6/5/2025	12:15:00 AM	0.25
6/5/2025	12:30:00 AM	0.24
6/5/2025	12:45:00 AM	0.24
6/5/2025	1:00:00 AM	0.24
6/5/2025	1:15:00 AM	0.24
6/5/2025	1:30:00 AM	0.24
6/5/2025	1:45:00 AM	0.23
6/5/2025	2:00:00 AM	0.23
6/5/2025	2:15:00 AM	0.23
6/5/2025	2:30:00 AM	0.23
6/5/2025	2:45:00 AM	0.23
6/5/2025	3:00:00 AM	0.22
6/5/2025	3:15:00 AM	0.22
6/5/2025	3:30:00 AM	0.22
6/5/2025	3:45:00 AM	0.22
6/5/2025	4:00:00 AM	0.21
6/5/2025	4:15:00 AM	0.21
6/5/2025	4:30:00 AM	0.21
6/5/2025	4:45:00 AM	0.21
6/5/2025	5:00:00 AM	0.21
6/5/2025	5:15:00 AM	0.21
6/5/2025	5:30:00 AM	0.21
6/5/2025	5:45:00 AM	0.2
6/5/2025	6:00:00 AM	0.21
6/5/2025	6:15:00 AM	0.21
6/5/2025	6:30:00 AM	0.22
6/5/2025	6:45:00 AM	0.22
6/5/2025	7:00:00 AM	0.23
6/5/2025	7:15:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
6/5/2025	7:30:00 AM	0.23
6/5/2025	7:45:00 AM	0.24
6/5/2025	8:00:00 AM	0.24
6/5/2025	8:15:00 AM	0.25
6/5/2025	8:30:00 AM	0.25
6/5/2025	8:45:00 AM	0.25
6/5/2025	9:00:00 AM	0.26
6/5/2025	9:15:00 AM	0.26
6/5/2025	9:30:00 AM	0.26
6/5/2025	9:45:00 AM	0.26
6/5/2025	10:00:00 AM	0.27
6/5/2025	10:15:00 AM	0.27
6/5/2025	10:30:00 AM	0.27
6/5/2025	10:45:00 AM	0.27
6/5/2025	11:00:00 AM	0.27
6/5/2025	11:15:00 AM	0.27
6/5/2025	11:30:00 AM	0.28
6/5/2025	11:45:00 AM	0.28
6/5/2025	12:00:00 PM	0.28
6/5/2025	12:15:00 PM	0.28
6/5/2025	12:30:00 PM	0.28
6/5/2025	12:45:00 PM	0.28
6/5/2025	1:00:00 PM	0.28
6/5/2025	1:15:00 PM	0.28
6/5/2025	1:30:00 PM	0.28
6/5/2025	1:45:00 PM	0.28
6/5/2025	2:00:00 PM	0.28
6/5/2025	2:15:00 PM	0.28
6/5/2025	2:30:00 PM	0.28
6/5/2025	2:45:00 PM	0.28
6/5/2025	3:00:00 PM	0.28
6/5/2025	3:15:00 PM	0.28
6/5/2025	3:30:00 PM	0.28
6/5/2025	3:45:00 PM	0.28
6/5/2025	4:00:00 PM	0.28
6/5/2025	4:15:00 PM	0.28
6/5/2025	4:30:00 PM	0.28
6/5/2025	4:45:00 PM	0.29
6/5/2025	5:00:00 PM	0.29
6/5/2025	5:15:00 PM	0.29
6/5/2025	5:30:00 PM	0.29
6/5/2025	5:45:00 PM	0.29
6/5/2025	6:00:00 PM	0.29
6/5/2025	6:15:00 PM	0.29
6/5/2025	6:30:00 PM	0.29
6/5/2025	6:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/5/2025	7:00:00 PM	0.29
6/5/2025	7:15:00 PM	0.29
6/5/2025	7:30:00 PM	0.29
6/5/2025	7:45:00 PM	0.29
6/5/2025	8:00:00 PM	0.29
6/5/2025	8:15:00 PM	0.29
6/5/2025	8:30:00 PM	0.29
6/5/2025	8:45:00 PM	0.29
6/5/2025	9:00:00 PM	0.29
6/5/2025	9:15:00 PM	0.29
6/5/2025	9:30:00 PM	0.29
6/5/2025	9:45:00 PM	0.29
6/5/2025	10:00:00 PM	0.29
6/5/2025	10:15:00 PM	0.29
6/5/2025	10:30:00 PM	0.29
6/5/2025	10:45:00 PM	0.29
6/5/2025	11:00:00 PM	0.29
6/5/2025	11:15:00 PM	0.29
6/5/2025	11:30:00 PM	0.29
6/5/2025	11:45:00 PM	0.29
6/6/2025	12:00:00 AM	0.29
6/6/2025	12:15:00 AM	0.29
6/6/2025	12:30:00 AM	0.29
6/6/2025	12:45:00 AM	0.29
6/6/2025	1:00:00 AM	0.29
6/6/2025	1:15:00 AM	0.29
6/6/2025	1:30:00 AM	0.29
6/6/2025	1:45:00 AM	0.29
6/6/2025	2:00:00 AM	0.29
6/6/2025	2:15:00 AM	0.29
6/6/2025	2:30:00 AM	0.29
6/6/2025	2:45:00 AM	0.29
6/6/2025	3:00:00 AM	0.29
6/6/2025	3:15:00 AM	0.29
6/6/2025	3:30:00 AM	0.29
6/6/2025	3:45:00 AM	0.29
6/6/2025	4:00:00 AM	0.29
6/6/2025	4:15:00 AM	0.29
6/6/2025	4:30:00 AM	0.29
6/6/2025	4:45:00 AM	0.29
6/6/2025	5:00:00 AM	0.29
6/6/2025	5:15:00 AM	0.29
6/6/2025	5:30:00 AM	0.29
6/6/2025	5:45:00 AM	0.3
6/6/2025	6:00:00 AM	0.3
6/6/2025	6:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
6/6/2025	6:30:00 AM	0.3
6/6/2025	6:45:00 AM	0.3
6/6/2025	7:00:00 AM	0.3
6/6/2025	7:15:00 AM	0.3
6/6/2025	7:30:00 AM	0.3
6/6/2025	7:45:00 AM	0.3
6/6/2025	8:00:00 AM	0.3
6/6/2025	8:15:00 AM	0.3
6/6/2025	8:30:00 AM	0.3
6/6/2025	8:45:00 AM	0.3
6/6/2025	9:00:00 AM	0.3
6/6/2025	9:15:00 AM	0.3
6/6/2025	9:30:00 AM	0.3
6/6/2025	9:45:00 AM	0.3
6/6/2025	10:00:00 AM	0.3
6/6/2025	10:15:00 AM	0.3
6/6/2025	10:30:00 AM	0.3
6/6/2025	10:45:00 AM	0.3
6/6/2025	11:00:00 AM	0.3
6/6/2025	11:15:00 AM	0.3
6/6/2025	11:30:00 AM	0.3
6/6/2025	11:45:00 AM	0.3
6/6/2025	12:00:00 PM	0.3
6/6/2025	12:15:00 PM	0.3
6/6/2025	12:30:00 PM	0.3
6/6/2025	12:45:00 PM	0.3
6/6/2025	1:00:00 PM	0.3
6/6/2025	1:15:00 PM	0.3
6/6/2025	1:30:00 PM	0.3
6/6/2025	1:45:00 PM	0.3
6/6/2025	2:00:00 PM	0.3
6/6/2025	2:15:00 PM	0.3
6/6/2025	2:30:00 PM	0.3
6/6/2025	2:45:00 PM	0.3
6/6/2025	3:00:00 PM	0.3
6/6/2025	3:15:00 PM	0.3
6/6/2025	3:30:00 PM	0.3
6/6/2025	3:45:00 PM	0.3
6/6/2025	4:00:00 PM	0.3
6/6/2025	4:15:00 PM	0.3
6/6/2025	4:30:00 PM	0.3
6/6/2025	4:45:00 PM	0.3
6/6/2025	5:00:00 PM	0.3
6/6/2025	5:15:00 PM	0.3
6/6/2025	5:30:00 PM	0.3
6/6/2025	5:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
6/6/2025	6:00:00 PM	0.3
6/6/2025	6:15:00 PM	0.3
6/6/2025	6:30:00 PM	0.3
6/6/2025	6:45:00 PM	0.3
6/6/2025	7:00:00 PM	0.3
6/6/2025	7:15:00 PM	0.3
6/6/2025	7:30:00 PM	0.3
6/6/2025	7:45:00 PM	0.3
6/6/2025	8:00:00 PM	0.3
6/6/2025	8:15:00 PM	0.3
6/6/2025	8:30:00 PM	0.3
6/6/2025	8:45:00 PM	0.3
6/6/2025	9:00:00 PM	0.3
6/6/2025	9:15:00 PM	0.3
6/6/2025	9:30:00 PM	0.3
6/6/2025	9:45:00 PM	0.3
6/6/2025	10:00:00 PM	0.3
6/6/2025	10:15:00 PM	0.3
6/6/2025	10:30:00 PM	0.3
6/6/2025	10:45:00 PM	0.3
6/6/2025	11:00:00 PM	0.3
6/6/2025	11:15:00 PM	0.3
6/6/2025	11:30:00 PM	0.3
6/6/2025	11:45:00 PM	0.3
6/7/2025	12:00:00 AM	0.3
6/7/2025	12:15:00 AM	0.3
6/7/2025	12:30:00 AM	0.3
6/7/2025	12:45:00 AM	0.3
6/7/2025	1:00:00 AM	0.3
6/7/2025	1:15:00 AM	0.3
6/7/2025	1:30:00 AM	0.3
6/7/2025	1:45:00 AM	0.3
6/7/2025	2:00:00 AM	0.3
6/7/2025	2:15:00 AM	0.3
6/7/2025	2:30:00 AM	0.3
6/7/2025	2:45:00 AM	0.3
6/7/2025	3:00:00 AM	0.3
6/7/2025	3:15:00 AM	0.3
6/7/2025	3:30:00 AM	0.3
6/7/2025	3:45:00 AM	0.3
6/7/2025	4:00:00 AM	0.3
6/7/2025	4:15:00 AM	0.3
6/7/2025	4:30:00 AM	0.3
6/7/2025	4:45:00 AM	0.3
6/7/2025	5:00:00 AM	0.3
6/7/2025	5:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
6/7/2025	5:30:00 AM	0.3
6/7/2025	5:45:00 AM	0.3
6/7/2025	6:00:00 AM	0.3
6/7/2025	6:15:00 AM	0.3
6/7/2025	6:30:00 AM	0.3
6/7/2025	6:45:00 AM	0.3
6/7/2025	7:00:00 AM	0.3
6/7/2025	7:15:00 AM	0.3
6/7/2025	7:30:00 AM	0.3
6/7/2025	7:45:00 AM	0.3
6/7/2025	8:00:00 AM	0.3
6/7/2025	8:15:00 AM	0.3
6/7/2025	8:30:00 AM	0.3
6/7/2025	8:45:00 AM	0.3
6/7/2025	9:00:00 AM	0.3
6/7/2025	9:15:00 AM	0.3
6/7/2025	9:30:00 AM	0.3
6/7/2025	9:45:00 AM	0.3
6/7/2025	10:00:00 AM	0.3
6/7/2025	10:15:00 AM	0.3
6/7/2025	10:30:00 AM	0.3
6/7/2025	10:45:00 AM	0.3
6/7/2025	11:00:00 AM	0.3
6/7/2025	11:15:00 AM	0.3
6/7/2025	11:30:00 AM	0.3
6/7/2025	11:45:00 AM	0.3
6/7/2025	12:00:00 PM	0.29
6/7/2025	12:15:00 PM	0.29
6/7/2025	12:30:00 PM	0.29
6/7/2025	12:45:00 PM	0.29
6/7/2025	1:00:00 PM	0.29
6/7/2025	1:15:00 PM	0.29
6/7/2025	1:30:00 PM	0.29
6/7/2025	1:45:00 PM	0.29
6/7/2025	2:00:00 PM	0.29
6/7/2025	2:15:00 PM	0.29
6/7/2025	2:30:00 PM	0.29
6/7/2025	2:45:00 PM	0.29
6/7/2025	3:00:00 PM	0.29
6/7/2025	3:15:00 PM	0.29
6/7/2025	3:30:00 PM	0.29
6/7/2025	3:45:00 PM	0.29
6/7/2025	4:00:00 PM	0.29
6/7/2025	4:15:00 PM	0.29
6/7/2025	4:30:00 PM	0.29
6/7/2025	4:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/7/2025	5:00:00 PM	0.29
6/7/2025	5:15:00 PM	0.28
6/7/2025	5:30:00 PM	0.28
6/7/2025	5:45:00 PM	0.28
6/7/2025	6:00:00 PM	0.28
6/7/2025	6:15:00 PM	0.28
6/7/2025	6:30:00 PM	0.28
6/7/2025	6:45:00 PM	0.28
6/7/2025	7:00:00 PM	0.28
6/7/2025	7:15:00 PM	0.28
6/7/2025	7:30:00 PM	0.28
6/7/2025	7:45:00 PM	0.28
6/7/2025	8:00:00 PM	0.28
6/7/2025	8:15:00 PM	0.28
6/7/2025	8:30:00 PM	0.28
6/7/2025	8:45:00 PM	0.28
6/7/2025	9:00:00 PM	0.28
6/7/2025	9:15:00 PM	0.28
6/7/2025	9:30:00 PM	0.28
6/7/2025	9:45:00 PM	0.28
6/7/2025	10:00:00 PM	0.28
6/7/2025	10:15:00 PM	0.28
6/7/2025	10:30:00 PM	0.28
6/7/2025	10:45:00 PM	0.28
6/7/2025	11:00:00 PM	0.28
6/7/2025	11:15:00 PM	0.28
6/7/2025	11:30:00 PM	0.28
6/7/2025	11:45:00 PM	0.28
6/8/2025	12:00:00 AM	0.28
6/8/2025	12:15:00 AM	0.28
6/8/2025	12:30:00 AM	0.28
6/8/2025	12:45:00 AM	0.28
6/8/2025	1:00:00 AM	0.28
6/8/2025	1:15:00 AM	0.28
6/8/2025	1:30:00 AM	0.28
6/8/2025	1:45:00 AM	0.28
6/8/2025	2:00:00 AM	0.28
6/8/2025	2:15:00 AM	0.28
6/8/2025	2:30:00 AM	0.28
6/8/2025	2:45:00 AM	0.28
6/8/2025	3:00:00 AM	0.28
6/8/2025	3:15:00 AM	0.28
6/8/2025	3:30:00 AM	0.28
6/8/2025	3:45:00 AM	0.28
6/8/2025	4:00:00 AM	0.28
6/8/2025	4:15:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
6/8/2025	4:30:00 AM	0.28
6/8/2025	4:45:00 AM	0.28
6/8/2025	5:00:00 AM	0.28
6/8/2025	5:15:00 AM	0.28
6/8/2025	5:30:00 AM	0.28
6/8/2025	5:45:00 AM	0.28
6/8/2025	6:00:00 AM	0.28
6/8/2025	6:15:00 AM	0.27
6/8/2025	6:30:00 AM	0.27
6/8/2025	6:45:00 AM	0.27
6/8/2025	7:00:00 AM	0.27
6/8/2025	7:15:00 AM	0.27
6/8/2025	7:30:00 AM	0.27
6/8/2025	7:45:00 AM	0.27
6/8/2025	8:00:00 AM	0.27
6/8/2025	8:15:00 AM	0.27
6/8/2025	8:30:00 AM	0.27
6/8/2025	8:45:00 AM	0.27
6/8/2025	9:00:00 AM	0.27
6/8/2025	9:15:00 AM	0.27
6/8/2025	9:30:00 AM	0.27
6/8/2025	9:45:00 AM	0.27
6/8/2025	10:00:00 AM	0.27
6/8/2025	10:15:00 AM	0.27
6/8/2025	10:30:00 AM	0.28
6/8/2025	10:45:00 AM	0.29
6/8/2025	11:00:00 AM	0.28
6/8/2025	11:15:00 AM	0.27
6/8/2025	11:30:00 AM	0.27
6/8/2025	11:45:00 AM	0.27
6/8/2025	12:00:00 PM	0.27
6/8/2025	12:15:00 PM	0.27
6/8/2025	12:30:00 PM	0.27
6/8/2025	12:45:00 PM	0.27
6/8/2025	1:00:00 PM	0.27
6/8/2025	1:15:00 PM	0.27
6/8/2025	1:30:00 PM	0.27
6/8/2025	1:45:00 PM	0.27
6/8/2025	2:00:00 PM	0.27
6/8/2025	2:15:00 PM	0.27
6/8/2025	2:30:00 PM	0.26
6/8/2025	2:45:00 PM	0.26
6/8/2025	3:00:00 PM	0.26
6/8/2025	3:15:00 PM	0.26
6/8/2025	3:30:00 PM	0.26
6/8/2025	3:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
6/8/2025	4:00:00 PM	0.26
6/8/2025	4:15:00 PM	0.26
6/8/2025	4:30:00 PM	0.26
6/8/2025	4:45:00 PM	0.26
6/8/2025	5:00:00 PM	0.26
6/8/2025	5:15:00 PM	0.26
6/8/2025	5:30:00 PM	0.26
6/8/2025	5:45:00 PM	0.26
6/8/2025	6:00:00 PM	0.26
6/8/2025	6:15:00 PM	0.26
6/8/2025	6:30:00 PM	0.26
6/8/2025	6:45:00 PM	0.26
6/8/2025	7:00:00 PM	0.26
6/8/2025	7:15:00 PM	0.26
6/8/2025	7:30:00 PM	0.26
6/8/2025	7:45:00 PM	0.25
6/8/2025	8:00:00 PM	0.25
6/8/2025	8:15:00 PM	0.25
6/8/2025	8:30:00 PM	0.25
6/8/2025	8:45:00 PM	0.25
6/8/2025	9:00:00 PM	0.25
6/8/2025	9:15:00 PM	0.25
6/8/2025	9:30:00 PM	0.25
6/8/2025	9:45:00 PM	0.24
6/8/2025	10:00:00 PM	0.24
6/8/2025	10:15:00 PM	0.24
6/8/2025	10:30:00 PM	0.24
6/8/2025	10:45:00 PM	0.24
6/8/2025	11:00:00 PM	0.24
6/8/2025	11:15:00 PM	0.24
6/8/2025	11:30:00 PM	0.23
6/8/2025	11:45:00 PM	0.23
6/9/2025	12:00:00 AM	0.23
6/9/2025	12:15:00 AM	0.23
6/9/2025	12:30:00 AM	0.23
6/9/2025	12:45:00 AM	0.23
6/9/2025	1:00:00 AM	0.23
6/9/2025	1:15:00 AM	0.23
6/9/2025	1:30:00 AM	0.23
6/9/2025	1:45:00 AM	0.22
6/9/2025	2:00:00 AM	0.22
6/9/2025	2:15:00 AM	0.22
6/9/2025	2:30:00 AM	0.22
6/9/2025	2:45:00 AM	0.22
6/9/2025	3:00:00 AM	0.22
6/9/2025	3:15:00 AM	0.22

Billy Lake Return Gage

DATE	TIME	GAGE
6/9/2025	3:30:00 AM	0.22
6/9/2025	3:45:00 AM	0.21
6/9/2025	4:00:00 AM	0.21
6/9/2025	4:15:00 AM	0.21
6/9/2025	4:30:00 AM	0.21
6/9/2025	4:45:00 AM	0.21
6/9/2025	5:00:00 AM	0.21
6/9/2025	5:15:00 AM	0.21
6/9/2025	5:30:00 AM	0.21
6/9/2025	5:45:00 AM	0.21
6/9/2025	6:00:00 AM	0.21
6/9/2025	6:15:00 AM	0.21
6/9/2025	6:30:00 AM	0.21
6/9/2025	6:45:00 AM	0.21
6/9/2025	7:00:00 AM	0.21
6/9/2025	7:15:00 AM	0.21
6/9/2025	7:30:00 AM	0.21
6/9/2025	7:45:00 AM	0.2
6/9/2025	8:00:00 AM	0.2
6/9/2025	8:15:00 AM	0.2
6/9/2025	8:30:00 AM	0.2
6/9/2025	8:45:00 AM	0.2
6/9/2025	9:00:00 AM	0.2
6/9/2025	9:15:00 AM	0.2
6/9/2025	9:30:00 AM	0.2
6/9/2025	9:45:00 AM	0.2
6/9/2025	10:00:00 AM	0.2
6/9/2025	10:15:00 AM	0.19
6/9/2025	10:30:00 AM	0.19
6/9/2025	10:45:00 AM	0.19
6/9/2025	11:00:00 AM	0.19
6/9/2025	11:15:00 AM	0.19
6/9/2025	11:30:00 AM	0.19
6/9/2025	11:45:00 AM	0.19
6/9/2025	12:00:00 PM	0.19
6/9/2025	12:15:00 PM	0.19
6/9/2025	12:30:00 PM	0.19
6/9/2025	12:45:00 PM	0.19
6/9/2025	1:00:00 PM	0.18
6/9/2025	1:15:00 PM	0.18
6/9/2025	1:30:00 PM	0.18
6/9/2025	1:45:00 PM	0.18
6/9/2025	2:00:00 PM	0.18
6/9/2025	2:15:00 PM	0.18
6/9/2025	2:30:00 PM	0.19
6/9/2025	2:45:00 PM	0.19

Billy Lake Return Gage

DATE	TIME	GAGE
6/9/2025	3:00:00 PM	0.19
6/9/2025	3:15:00 PM	0.19
6/9/2025	3:30:00 PM	0.2
6/9/2025	3:45:00 PM	0.2
6/9/2025	4:00:00 PM	0.2
6/9/2025	4:15:00 PM	0.2
6/9/2025	4:30:00 PM	0.21
6/9/2025	4:45:00 PM	0.21
6/9/2025	5:00:00 PM	0.21
6/9/2025	5:15:00 PM	0.21
6/9/2025	5:30:00 PM	0.21
6/9/2025	5:45:00 PM	0.22
6/9/2025	6:00:00 PM	0.22
6/9/2025	6:15:00 PM	0.22
6/9/2025	6:30:00 PM	0.22
6/9/2025	6:45:00 PM	0.22
6/9/2025	7:00:00 PM	0.22
6/9/2025	7:15:00 PM	0.23
6/9/2025	7:30:00 PM	0.23
6/9/2025	7:45:00 PM	0.23
6/9/2025	8:00:00 PM	0.23
6/9/2025	8:15:00 PM	0.23
6/9/2025	8:30:00 PM	0.23
6/9/2025	8:45:00 PM	0.23
6/9/2025	9:00:00 PM	0.23
6/9/2025	9:15:00 PM	0.23
6/9/2025	9:30:00 PM	0.23
6/9/2025	9:45:00 PM	0.23
6/9/2025	10:00:00 PM	0.23
6/9/2025	10:15:00 PM	0.23
6/9/2025	10:30:00 PM	0.23
6/9/2025	10:45:00 PM	0.23
6/9/2025	11:00:00 PM	0.23
6/9/2025	11:15:00 PM	0.23
6/9/2025	11:30:00 PM	0.23
6/9/2025	11:45:00 PM	0.23
6/10/2025	12:00:00 AM	0.23
6/10/2025	12:15:00 AM	0.23
6/10/2025	12:30:00 AM	0.23
6/10/2025	12:45:00 AM	0.23
6/10/2025	1:00:00 AM	0.23
6/10/2025	1:15:00 AM	0.23
6/10/2025	1:30:00 AM	0.23
6/10/2025	1:45:00 AM	0.23
6/10/2025	2:00:00 AM	0.23
6/10/2025	2:15:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
6/10/2025	2:30:00 AM	0.23
6/10/2025	2:45:00 AM	0.23
6/10/2025	3:00:00 AM	0.23
6/10/2025	3:15:00 AM	0.23
6/10/2025	3:30:00 AM	0.23
6/10/2025	3:45:00 AM	0.23
6/10/2025	4:00:00 AM	0.23
6/10/2025	4:15:00 AM	0.23
6/10/2025	4:30:00 AM	0.23
6/10/2025	4:45:00 AM	0.23
6/10/2025	5:00:00 AM	0.23
6/10/2025	5:15:00 AM	0.23
6/10/2025	5:30:00 AM	0.23
6/10/2025	5:45:00 AM	0.23
6/10/2025	6:00:00 AM	0.23
6/10/2025	6:15:00 AM	0.23
6/10/2025	6:30:00 AM	0.23
6/10/2025	6:45:00 AM	0.23
6/10/2025	7:00:00 AM	0.23
6/10/2025	7:15:00 AM	0.23
6/10/2025	7:30:00 AM	0.23
6/10/2025	7:45:00 AM	0.23
6/10/2025	8:00:00 AM	0.23
6/10/2025	8:15:00 AM	0.23
6/10/2025	8:30:00 AM	0.23
6/10/2025	8:45:00 AM	0.24
6/10/2025	9:00:00 AM	0.24
6/10/2025	9:15:00 AM	0.24
6/10/2025	9:30:00 AM	0.24
6/10/2025	9:45:00 AM	0.24
6/10/2025	10:00:00 AM	0.24
6/10/2025	10:15:00 AM	0.24
6/10/2025	10:30:00 AM	0.24
6/10/2025	10:45:00 AM	0.24
6/10/2025	11:00:00 AM	0.24
6/10/2025	11:15:00 AM	0.24
6/10/2025	11:30:00 AM	0.24
6/10/2025	11:45:00 AM	0.24
6/10/2025	12:00:00 PM	0.24
6/10/2025	12:15:00 PM	0.24
6/10/2025	12:30:00 PM	0.24
6/10/2025	12:45:00 PM	0.24
6/10/2025	1:00:00 PM	0.24
6/10/2025	1:15:00 PM	0.24
6/10/2025	1:30:00 PM	0.24
6/10/2025	1:45:00 PM	0.24

Billy Lake Return Gage

DATE	TIME	GAGE
6/10/2025	2:00:00 PM	0.24
6/10/2025	2:15:00 PM	0.24
6/10/2025	2:30:00 PM	0.24
6/10/2025	2:45:00 PM	0.24
6/10/2025	3:00:00 PM	0.24
6/10/2025	3:15:00 PM	0.24
6/10/2025	3:30:00 PM	0.24
6/10/2025	3:45:00 PM	0.24
6/10/2025	4:00:00 PM	0.24
6/10/2025	4:15:00 PM	0.24
6/10/2025	4:30:00 PM	0.24
6/10/2025	4:45:00 PM	0.24
6/10/2025	5:00:00 PM	0.24
6/10/2025	5:15:00 PM	0.24
6/10/2025	5:30:00 PM	0.23
6/10/2025	5:45:00 PM	0.23
6/10/2025	6:00:00 PM	0.23
6/10/2025	6:15:00 PM	0.23
6/10/2025	6:30:00 PM	0.23
6/10/2025	6:45:00 PM	0.23
6/10/2025	7:00:00 PM	0.23
6/10/2025	7:15:00 PM	0.23
6/10/2025	7:30:00 PM	0.23
6/10/2025	7:45:00 PM	0.23
6/10/2025	8:00:00 PM	0.23
6/10/2025	8:15:00 PM	0.23
6/10/2025	8:30:00 PM	0.23
6/10/2025	8:45:00 PM	0.23
6/10/2025	9:00:00 PM	0.23
6/10/2025	9:15:00 PM	0.23
6/10/2025	9:30:00 PM	0.23
6/10/2025	9:45:00 PM	0.23
6/10/2025	10:00:00 PM	0.23
6/10/2025	10:15:00 PM	0.23
6/10/2025	10:30:00 PM	0.23
6/10/2025	10:45:00 PM	0.23
6/10/2025	11:00:00 PM	0.23
6/10/2025	11:15:00 PM	0.23
6/10/2025	11:30:00 PM	0.23
6/10/2025	11:45:00 PM	0.23
6/11/2025	12:00:00 AM	0.23
6/11/2025	12:15:00 AM	0.23
6/11/2025	12:30:00 AM	0.23
6/11/2025	12:45:00 AM	0.23
6/11/2025	1:00:00 AM	0.23
6/11/2025	1:15:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
6/11/2025	1:30:00 AM	0.23
6/11/2025	1:45:00 AM	0.23
6/11/2025	2:00:00 AM	0.23
6/11/2025	2:15:00 AM	0.23
6/11/2025	2:30:00 AM	0.23
6/11/2025	2:45:00 AM	0.23
6/11/2025	3:00:00 AM	0.23
6/11/2025	3:15:00 AM	0.23
6/11/2025	3:30:00 AM	0.23
6/11/2025	3:45:00 AM	0.23
6/11/2025	4:00:00 AM	0.23
6/11/2025	4:15:00 AM	0.23
6/11/2025	4:30:00 AM	0.23
6/11/2025	4:45:00 AM	0.23
6/11/2025	5:00:00 AM	0.23
6/11/2025	5:15:00 AM	0.23
6/11/2025	5:30:00 AM	0.23
6/11/2025	5:45:00 AM	0.23
6/11/2025	6:00:00 AM	0.23
6/11/2025	6:15:00 AM	0.23
6/11/2025	6:30:00 AM	0.24
6/11/2025	6:45:00 AM	0.24
6/11/2025	7:00:00 AM	0.24
6/11/2025	7:15:00 AM	0.24
6/11/2025	7:30:00 AM	0.24
6/11/2025	7:45:00 AM	0.24
6/11/2025	8:00:00 AM	0.24
6/11/2025	8:15:00 AM	0.24
6/11/2025	8:30:00 AM	0.24
6/11/2025	8:45:00 AM	0.24
6/11/2025	9:00:00 AM	0.24
6/11/2025	9:15:00 AM	0.24
6/11/2025	9:30:00 AM	0.25
6/11/2025	9:45:00 AM	0.25
6/11/2025	10:00:00 AM	0.25
6/11/2025	10:15:00 AM	0.25
6/11/2025	10:30:00 AM	0.25
6/11/2025	10:45:00 AM	0.25
6/11/2025	11:00:00 AM	0.25
6/11/2025	11:15:00 AM	0.25
6/11/2025	11:30:00 AM	0.25
6/11/2025	11:45:00 AM	0.25
6/11/2025	12:00:00 PM	0.25
6/11/2025	12:15:00 PM	0.25
6/11/2025	12:30:00 PM	0.25
6/11/2025	12:45:00 PM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
6/11/2025	1:00:00 PM	0.25
6/11/2025	1:15:00 PM	0.25
6/11/2025	1:30:00 PM	0.25
6/11/2025	1:45:00 PM	0.25
6/11/2025	2:00:00 PM	0.25
6/11/2025	2:15:00 PM	0.25
6/11/2025	2:30:00 PM	0.25
6/11/2025	2:45:00 PM	0.25
6/11/2025	3:00:00 PM	0.25
6/11/2025	3:15:00 PM	0.24
6/11/2025	3:30:00 PM	0.24
6/11/2025	3:45:00 PM	0.25
6/11/2025	4:00:00 PM	0.24
6/11/2025	4:15:00 PM	0.24
6/11/2025	4:30:00 PM	0.24
6/11/2025	4:45:00 PM	0.24
6/11/2025	5:00:00 PM	0.24
6/11/2025	5:15:00 PM	0.24
6/11/2025	5:30:00 PM	0.24
6/11/2025	5:45:00 PM	0.24
6/11/2025	6:00:00 PM	0.24
6/11/2025	6:15:00 PM	0.24
6/11/2025	6:30:00 PM	0.24
6/11/2025	6:45:00 PM	0.24
6/11/2025	7:00:00 PM	0.24
6/11/2025	7:15:00 PM	0.24
6/11/2025	7:30:00 PM	0.24
6/11/2025	7:45:00 PM	0.24
6/11/2025	8:00:00 PM	0.24
6/11/2025	8:15:00 PM	0.24
6/11/2025	8:30:00 PM	0.24
6/11/2025	8:45:00 PM	0.24
6/11/2025	9:00:00 PM	0.24
6/11/2025	9:15:00 PM	0.24
6/11/2025	9:30:00 PM	0.24
6/11/2025	9:45:00 PM	0.24
6/11/2025	10:00:00 PM	0.25
6/11/2025	10:15:00 PM	0.25
6/11/2025	10:30:00 PM	0.25
6/11/2025	10:45:00 PM	0.25
6/11/2025	11:00:00 PM	0.25
6/11/2025	11:15:00 PM	0.25
6/11/2025	11:30:00 PM	0.25
6/11/2025	11:45:00 PM	0.25
6/12/2025	12:00:00 AM	0.25
6/12/2025	12:15:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
6/12/2025	12:30:00 AM	0.25
6/12/2025	12:45:00 AM	0.25
6/12/2025	1:00:00 AM	0.25
6/12/2025	1:15:00 AM	0.25
6/12/2025	1:30:00 AM	0.25
6/12/2025	1:45:00 AM	0.25
6/12/2025	2:00:00 AM	0.25
6/12/2025	2:15:00 AM	0.25
6/12/2025	2:30:00 AM	0.25
6/12/2025	2:45:00 AM	0.25
6/12/2025	3:00:00 AM	0.25
6/12/2025	3:15:00 AM	0.25
6/12/2025	3:30:00 AM	0.25
6/12/2025	3:45:00 AM	0.25
6/12/2025	4:00:00 AM	0.25
6/12/2025	4:15:00 AM	0.25
6/12/2025	4:30:00 AM	0.25
6/12/2025	4:45:00 AM	0.25
6/12/2025	5:00:00 AM	0.24
6/12/2025	5:15:00 AM	0.24
6/12/2025	5:30:00 AM	0.24
6/12/2025	5:45:00 AM	0.24
6/12/2025	6:00:00 AM	0.24
6/12/2025	6:15:00 AM	0.24
6/12/2025	6:30:00 AM	0.24
6/12/2025	6:45:00 AM	0.25
6/12/2025	7:00:00 AM	0.25
6/12/2025	7:15:00 AM	0.25
6/12/2025	7:30:00 AM	0.25
6/12/2025	7:45:00 AM	0.25
6/12/2025	8:00:00 AM	0.25
6/12/2025	8:15:00 AM	0.25
6/12/2025	8:30:00 AM	0.25
6/12/2025	8:45:00 AM	0.25
6/12/2025	9:00:00 AM	0.25
6/12/2025	9:15:00 AM	0.25
6/12/2025	9:30:00 AM	0.25
6/12/2025	9:45:00 AM	0.25
6/12/2025	10:00:00 AM	0.25
6/12/2025	10:15:00 AM	0.25
6/12/2025	10:30:00 AM	0.25
6/12/2025	10:45:00 AM	0.25
6/12/2025	11:00:00 AM	0.25
6/12/2025	11:15:00 AM	0.25
6/12/2025	11:30:00 AM	0.25
6/12/2025	11:45:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
6/12/2025	12:00:00 PM	0.25
6/12/2025	12:15:00 PM	0.25
6/12/2025	12:30:00 PM	0.25
6/12/2025	12:45:00 PM	0.25
6/12/2025	1:00:00 PM	0.25
6/12/2025	1:15:00 PM	0.25
6/12/2025	1:30:00 PM	0.25
6/12/2025	1:45:00 PM	0.25
6/12/2025	2:00:00 PM	0.25
6/12/2025	2:15:00 PM	0.25
6/12/2025	2:30:00 PM	0.25
6/12/2025	2:45:00 PM	0.25
6/12/2025	3:00:00 PM	0.25
6/12/2025	3:15:00 PM	0.25
6/12/2025	3:30:00 PM	0.25
6/12/2025	3:45:00 PM	0.25
6/12/2025	4:00:00 PM	0.26
6/12/2025	4:15:00 PM	0.26
6/12/2025	4:30:00 PM	0.26
6/12/2025	4:45:00 PM	0.26
6/12/2025	5:00:00 PM	0.26
6/12/2025	5:15:00 PM	0.26
6/12/2025	5:30:00 PM	0.26
6/12/2025	5:45:00 PM	0.26
6/12/2025	6:00:00 PM	0.26
6/12/2025	6:15:00 PM	0.26
6/12/2025	6:30:00 PM	0.26
6/12/2025	6:45:00 PM	0.26
6/12/2025	7:00:00 PM	0.26
6/12/2025	7:15:00 PM	0.26
6/12/2025	7:30:00 PM	0.26
6/12/2025	7:45:00 PM	0.26
6/12/2025	8:00:00 PM	0.26
6/12/2025	8:15:00 PM	0.26
6/12/2025	8:30:00 PM	0.26
6/12/2025	8:45:00 PM	0.26
6/12/2025	9:00:00 PM	0.26
6/12/2025	9:15:00 PM	0.26
6/12/2025	9:30:00 PM	0.26
6/12/2025	9:45:00 PM	0.26
6/12/2025	10:00:00 PM	0.26
6/12/2025	10:15:00 PM	0.26
6/12/2025	10:30:00 PM	0.26
6/12/2025	10:45:00 PM	0.26
6/12/2025	11:00:00 PM	0.26
6/12/2025	11:15:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
6/12/2025	11:30:00 PM	0.26
6/12/2025	11:45:00 PM	0.26
6/13/2025	12:00:00 AM	0.26
6/13/2025	12:15:00 AM	0.26
6/13/2025	12:30:00 AM	0.26
6/13/2025	12:45:00 AM	0.26
6/13/2025	1:00:00 AM	0.26
6/13/2025	1:15:00 AM	0.26
6/13/2025	1:30:00 AM	0.26
6/13/2025	1:45:00 AM	0.26
6/13/2025	2:00:00 AM	0.26
6/13/2025	2:15:00 AM	0.26
6/13/2025	2:30:00 AM	0.26
6/13/2025	2:45:00 AM	0.26
6/13/2025	3:00:00 AM	0.26
6/13/2025	3:15:00 AM	0.26
6/13/2025	3:30:00 AM	0.26
6/13/2025	3:45:00 AM	0.26
6/13/2025	4:00:00 AM	0.26
6/13/2025	4:15:00 AM	0.26
6/13/2025	4:30:00 AM	0.26
6/13/2025	4:45:00 AM	0.26
6/13/2025	5:00:00 AM	0.26
6/13/2025	5:15:00 AM	0.26
6/13/2025	5:30:00 AM	0.26
6/13/2025	5:45:00 AM	0.26
6/13/2025	6:00:00 AM	0.26
6/13/2025	6:15:00 AM	0.28
6/13/2025	6:30:00 AM	0.28
6/13/2025	6:45:00 AM	0.28
6/13/2025	7:00:00 AM	0.28
6/13/2025	7:15:00 AM	0.28
6/13/2025	7:30:00 AM	0.28
6/13/2025	7:45:00 AM	0.28
6/13/2025	8:00:00 AM	0.28
6/13/2025	8:15:00 AM	0.28
6/13/2025	8:30:00 AM	0.28
6/13/2025	8:45:00 AM	0.28
6/13/2025	9:00:00 AM	0.28
6/13/2025	9:15:00 AM	0.28
6/13/2025	9:30:00 AM	0.28
6/13/2025	9:45:00 AM	0.28
6/13/2025	10:00:00 AM	0.28
6/13/2025	10:15:00 AM	0.28
6/13/2025	10:30:00 AM	0.28
6/13/2025	10:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
6/13/2025	11:00:00 AM	0.27
6/13/2025	11:15:00 AM	0.27
6/13/2025	11:30:00 AM	0.27
6/13/2025	11:45:00 AM	0.27
6/13/2025	12:00:00 PM	0.27
6/13/2025	12:15:00 PM	0.27
6/13/2025	12:30:00 PM	0.27
6/13/2025	12:45:00 PM	0.27
6/13/2025	1:00:00 PM	0.27
6/13/2025	1:15:00 PM	0.27
6/13/2025	1:30:00 PM	0.27
6/13/2025	1:45:00 PM	0.27
6/13/2025	2:00:00 PM	0.27
6/13/2025	2:15:00 PM	0.27
6/13/2025	2:30:00 PM	0.27
6/13/2025	2:45:00 PM	0.27
6/13/2025	3:00:00 PM	0.27
6/13/2025	3:15:00 PM	0.27
6/13/2025	3:30:00 PM	0.27
6/13/2025	3:45:00 PM	0.27
6/13/2025	4:00:00 PM	0.27
6/13/2025	4:15:00 PM	0.27
6/13/2025	4:30:00 PM	0.27
6/13/2025	4:45:00 PM	0.27
6/13/2025	5:00:00 PM	0.27
6/13/2025	5:15:00 PM	0.27
6/13/2025	5:30:00 PM	0.27
6/13/2025	5:45:00 PM	0.27
6/13/2025	6:00:00 PM	0.27
6/13/2025	6:15:00 PM	0.27
6/13/2025	6:30:00 PM	0.27
6/13/2025	6:45:00 PM	0.27
6/13/2025	7:00:00 PM	0.27
6/13/2025	7:15:00 PM	0.27
6/13/2025	7:30:00 PM	0.27
6/13/2025	7:45:00 PM	0.27
6/13/2025	8:00:00 PM	0.27
6/13/2025	8:15:00 PM	0.27
6/13/2025	8:30:00 PM	0.27
6/13/2025	8:45:00 PM	0.27
6/13/2025	9:00:00 PM	0.27
6/13/2025	9:15:00 PM	0.27
6/13/2025	9:30:00 PM	0.27
6/13/2025	9:45:00 PM	0.27
6/13/2025	10:00:00 PM	0.27
6/13/2025	10:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/13/2025	10:30:00 PM	0.27
6/13/2025	10:45:00 PM	0.27
6/13/2025	11:00:00 PM	0.27
6/13/2025	11:15:00 PM	0.27
6/13/2025	11:30:00 PM	0.27
6/13/2025	11:45:00 PM	0.27
6/14/2025	12:00:00 AM	0.27
6/14/2025	12:15:00 AM	0.27
6/14/2025	12:30:00 AM	0.27
6/14/2025	12:45:00 AM	0.26
6/14/2025	1:00:00 AM	0.26
6/14/2025	1:15:00 AM	0.26
6/14/2025	1:30:00 AM	0.26
6/14/2025	1:45:00 AM	0.26
6/14/2025	2:00:00 AM	0.25
6/14/2025	2:15:00 AM	0.25
6/14/2025	2:30:00 AM	0.25
6/14/2025	2:45:00 AM	0.25
6/14/2025	3:00:00 AM	0.24
6/14/2025	3:15:00 AM	0.24
6/14/2025	3:30:00 AM	0.24
6/14/2025	3:45:00 AM	0.23
6/14/2025	4:00:00 AM	0.23
6/14/2025	4:15:00 AM	0.23
6/14/2025	4:30:00 AM	0.23
6/14/2025	4:45:00 AM	0.23
6/14/2025	5:00:00 AM	0.22
6/14/2025	5:15:00 AM	0.22
6/14/2025	5:30:00 AM	0.22
6/14/2025	5:45:00 AM	0.21
6/14/2025	6:00:00 AM	0.22
6/14/2025	6:15:00 AM	0.22
6/14/2025	6:30:00 AM	0.22
6/14/2025	6:45:00 AM	0.22
6/14/2025	7:00:00 AM	0.23
6/14/2025	7:15:00 AM	0.23
6/14/2025	7:30:00 AM	0.23
6/14/2025	7:45:00 AM	0.23
6/14/2025	8:00:00 AM	0.23
6/14/2025	8:15:00 AM	0.24
6/14/2025	8:30:00 AM	0.24
6/14/2025	8:45:00 AM	0.24
6/14/2025	9:00:00 AM	0.24
6/14/2025	9:15:00 AM	0.24
6/14/2025	9:30:00 AM	0.24
6/14/2025	9:45:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
6/14/2025	10:00:00 AM	0.25
6/14/2025	10:15:00 AM	0.25
6/14/2025	10:30:00 AM	0.25
6/14/2025	10:45:00 AM	0.25
6/14/2025	11:00:00 AM	0.25
6/14/2025	11:15:00 AM	0.25
6/14/2025	11:30:00 AM	0.25
6/14/2025	11:45:00 AM	0.25
6/14/2025	12:00:00 PM	0.25
6/14/2025	12:15:00 PM	0.26
6/14/2025	12:30:00 PM	0.26
6/14/2025	12:45:00 PM	0.26
6/14/2025	1:00:00 PM	0.26
6/14/2025	1:15:00 PM	0.26
6/14/2025	1:30:00 PM	0.26
6/14/2025	1:45:00 PM	0.26
6/14/2025	2:00:00 PM	0.26
6/14/2025	2:15:00 PM	0.26
6/14/2025	2:30:00 PM	0.26
6/14/2025	2:45:00 PM	0.26
6/14/2025	3:00:00 PM	0.26
6/14/2025	3:15:00 PM	0.26
6/14/2025	3:30:00 PM	0.26
6/14/2025	3:45:00 PM	0.25
6/14/2025	4:00:00 PM	0.24
6/14/2025	4:15:00 PM	0.24
6/14/2025	4:30:00 PM	0.23
6/14/2025	4:45:00 PM	0.23
6/14/2025	5:00:00 PM	0.22
6/14/2025	5:15:00 PM	0.22
6/14/2025	5:30:00 PM	0.21
6/14/2025	5:45:00 PM	0.21
6/14/2025	6:00:00 PM	0.2
6/14/2025	6:15:00 PM	0.2
6/14/2025	6:30:00 PM	0.19
6/14/2025	6:45:00 PM	0.19
6/14/2025	7:00:00 PM	0.19
6/14/2025	7:15:00 PM	0.18
6/14/2025	7:30:00 PM	0.18
6/14/2025	7:45:00 PM	0.18
6/14/2025	8:00:00 PM	0.17
6/14/2025	8:15:00 PM	0.17
6/14/2025	8:30:00 PM	0.17
6/14/2025	8:45:00 PM	0.16
6/14/2025	9:00:00 PM	0.16
6/14/2025	9:15:00 PM	0.16

Billy Lake Return Gage

DATE	TIME	GAGE
6/14/2025	9:30:00 PM	0.16
6/14/2025	9:45:00 PM	0.15
6/14/2025	10:00:00 PM	0.15
6/14/2025	10:15:00 PM	0.15
6/14/2025	10:30:00 PM	0.15
6/14/2025	10:45:00 PM	0.15
6/14/2025	11:00:00 PM	0.14
6/14/2025	11:15:00 PM	0.14
6/14/2025	11:30:00 PM	0.14
6/14/2025	11:45:00 PM	0.14
6/15/2025	12:00:00 AM	0.14
6/15/2025	12:15:00 AM	0.13
6/15/2025	12:30:00 AM	0.13
6/15/2025	12:45:00 AM	0.13
6/15/2025	1:00:00 AM	0.13
6/15/2025	1:15:00 AM	0.13
6/15/2025	1:30:00 AM	0.13
6/15/2025	1:45:00 AM	0.13
6/15/2025	2:00:00 AM	0.12
6/15/2025	2:15:00 AM	0.12
6/15/2025	2:30:00 AM	0.12
6/15/2025	2:45:00 AM	0.12
6/15/2025	3:00:00 AM	0.12
6/15/2025	3:15:00 AM	0.12
6/15/2025	3:30:00 AM	0.12
6/15/2025	3:45:00 AM	0.12
6/15/2025	4:00:00 AM	0.11
6/15/2025	4:15:00 AM	0.11
6/15/2025	4:30:00 AM	0.11
6/15/2025	4:45:00 AM	0.11
6/15/2025	5:00:00 AM	0.11
6/15/2025	5:15:00 AM	0.11
6/15/2025	5:30:00 AM	0.11
6/15/2025	5:45:00 AM	0.11
6/15/2025	6:00:00 AM	0.11
6/15/2025	6:15:00 AM	0.12
6/15/2025	6:30:00 AM	0.12
6/15/2025	6:45:00 AM	0.13
6/15/2025	7:00:00 AM	0.14
6/15/2025	7:15:00 AM	0.14
6/15/2025	7:30:00 AM	0.15
6/15/2025	7:45:00 AM	0.15
6/15/2025	8:00:00 AM	0.16
6/15/2025	8:15:00 AM	0.16
6/15/2025	8:30:00 AM	0.17
6/15/2025	8:45:00 AM	0.17

Billy Lake Return Gage

DATE	TIME	GAGE
6/15/2025	9:00:00 AM	0.18
6/15/2025	9:15:00 AM	0.18
6/15/2025	9:30:00 AM	0.18
6/15/2025	9:45:00 AM	0.19
6/15/2025	10:00:00 AM	0.19
6/15/2025	10:15:00 AM	0.2
6/15/2025	10:30:00 AM	0.2
6/15/2025	10:45:00 AM	0.2
6/15/2025	11:00:00 AM	0.21
6/15/2025	11:15:00 AM	0.21
6/15/2025	11:30:00 AM	0.21
6/15/2025	11:45:00 AM	0.22
6/15/2025	12:00:00 PM	0.22
6/15/2025	12:15:00 PM	0.23
6/15/2025	12:30:00 PM	0.23
6/15/2025	12:45:00 PM	0.23
6/15/2025	1:00:00 PM	0.23
6/15/2025	1:15:00 PM	0.23
6/15/2025	1:30:00 PM	0.24
6/15/2025	1:45:00 PM	0.24
6/15/2025	2:00:00 PM	0.24
6/15/2025	2:15:00 PM	0.24
6/15/2025	2:30:00 PM	0.24
6/15/2025	2:45:00 PM	0.24
6/15/2025	3:00:00 PM	0.25
6/15/2025	3:15:00 PM	0.25
6/15/2025	3:30:00 PM	0.25
6/15/2025	3:45:00 PM	0.25
6/15/2025	4:00:00 PM	0.25
6/15/2025	4:15:00 PM	0.25
6/15/2025	4:30:00 PM	0.25
6/15/2025	4:45:00 PM	0.25
6/15/2025	5:00:00 PM	0.25
6/15/2025	5:15:00 PM	0.25
6/15/2025	5:30:00 PM	0.25
6/15/2025	5:45:00 PM	0.25
6/15/2025	6:00:00 PM	0.25
6/15/2025	6:15:00 PM	0.25
6/15/2025	6:30:00 PM	0.25
6/15/2025	6:45:00 PM	0.25
6/15/2025	7:00:00 PM	0.25
6/15/2025	7:15:00 PM	0.26
6/15/2025	7:30:00 PM	0.26
6/15/2025	7:45:00 PM	0.26
6/15/2025	8:00:00 PM	0.26
6/15/2025	8:15:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
6/15/2025	8:30:00 PM	0.26
6/15/2025	8:45:00 PM	0.26
6/15/2025	9:00:00 PM	0.26
6/15/2025	9:15:00 PM	0.26
6/15/2025	9:30:00 PM	0.26
6/15/2025	9:45:00 PM	0.26
6/15/2025	10:00:00 PM	0.26
6/15/2025	10:15:00 PM	0.26
6/15/2025	10:30:00 PM	0.26
6/15/2025	10:45:00 PM	0.26
6/15/2025	11:00:00 PM	0.26
6/15/2025	11:15:00 PM	0.26
6/15/2025	11:30:00 PM	0.26
6/15/2025	11:45:00 PM	0.26
6/16/2025	12:00:00 AM	0.27
6/16/2025	12:15:00 AM	0.27
6/16/2025	12:30:00 AM	0.27
6/16/2025	12:45:00 AM	0.27
6/16/2025	1:00:00 AM	0.27
6/16/2025	1:15:00 AM	0.27
6/16/2025	1:30:00 AM	0.27
6/16/2025	1:45:00 AM	0.27
6/16/2025	2:00:00 AM	0.27
6/16/2025	2:15:00 AM	0.27
6/16/2025	2:30:00 AM	0.27
6/16/2025	2:45:00 AM	0.27
6/16/2025	3:00:00 AM	0.27
6/16/2025	3:15:00 AM	0.27
6/16/2025	3:30:00 AM	0.27
6/16/2025	3:45:00 AM	0.27
6/16/2025	4:00:00 AM	0.27
6/16/2025	4:15:00 AM	0.27
6/16/2025	4:30:00 AM	0.27
6/16/2025	4:45:00 AM	0.27
6/16/2025	5:00:00 AM	0.27
6/16/2025	5:15:00 AM	0.27
6/16/2025	5:30:00 AM	0.27
6/16/2025	5:45:00 AM	0.27
6/16/2025	6:00:00 AM	0.27
6/16/2025	6:15:00 AM	0.27
6/16/2025	6:30:00 AM	0.27
6/16/2025	6:45:00 AM	0.27
6/16/2025	7:00:00 AM	0.27
6/16/2025	7:15:00 AM	0.28
6/16/2025	7:30:00 AM	0.28
6/16/2025	7:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
6/16/2025	8:00:00 AM	0.28
6/16/2025	8:15:00 AM	0.28
6/16/2025	8:30:00 AM	0.28
6/16/2025	8:45:00 AM	0.28
6/16/2025	9:00:00 AM	0.28
6/16/2025	9:15:00 AM	0.28
6/16/2025	9:30:00 AM	0.28
6/16/2025	9:45:00 AM	0.28
6/16/2025	10:00:00 AM	0.28
6/16/2025	10:15:00 AM	0.28
6/16/2025	10:30:00 AM	0.28
6/16/2025	10:45:00 AM	0.28
6/16/2025	11:00:00 AM	0.28
6/16/2025	11:15:00 AM	0.28
6/16/2025	11:30:00 AM	0.28
6/16/2025	11:45:00 AM	0.29
6/16/2025	12:00:00 PM	0.28
6/16/2025	12:15:00 PM	0.28
6/16/2025	12:30:00 PM	0.28
6/16/2025	12:45:00 PM	0.28
6/16/2025	1:00:00 PM	0.28
6/16/2025	1:15:00 PM	0.28
6/16/2025	1:30:00 PM	0.28
6/16/2025	1:45:00 PM	0.28
6/16/2025	2:00:00 PM	0.28
6/16/2025	2:15:00 PM	0.28
6/16/2025	2:30:00 PM	0.28
6/16/2025	2:45:00 PM	0.28
6/16/2025	3:00:00 PM	0.28
6/16/2025	3:15:00 PM	0.27
6/16/2025	3:30:00 PM	0.27
6/16/2025	3:45:00 PM	0.27
6/16/2025	4:00:00 PM	0.27
6/16/2025	4:15:00 PM	0.27
6/16/2025	4:30:00 PM	0.27
6/16/2025	4:45:00 PM	0.27
6/16/2025	5:00:00 PM	0.27
6/16/2025	5:15:00 PM	0.27
6/16/2025	5:30:00 PM	0.27
6/16/2025	5:45:00 PM	0.27
6/16/2025	6:00:00 PM	0.27
6/16/2025	6:15:00 PM	0.27
6/16/2025	6:30:00 PM	0.27
6/16/2025	6:45:00 PM	0.27
6/16/2025	7:00:00 PM	0.27
6/16/2025	7:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/16/2025	7:30:00 PM	0.27
6/16/2025	7:45:00 PM	0.27
6/16/2025	8:00:00 PM	0.27
6/16/2025	8:15:00 PM	0.27
6/16/2025	8:30:00 PM	0.27
6/16/2025	8:45:00 PM	0.27
6/16/2025	9:00:00 PM	0.27
6/16/2025	9:15:00 PM	0.27
6/16/2025	9:30:00 PM	0.27
6/16/2025	9:45:00 PM	0.27
6/16/2025	10:00:00 PM	0.27
6/16/2025	10:15:00 PM	0.27
6/16/2025	10:30:00 PM	0.27
6/16/2025	10:45:00 PM	0.27
6/16/2025	11:00:00 PM	0.27
6/16/2025	11:15:00 PM	0.27
6/16/2025	11:30:00 PM	0.27
6/16/2025	11:45:00 PM	0.27
6/17/2025	12:00:00 AM	0.27
6/17/2025	12:15:00 AM	0.27
6/17/2025	12:30:00 AM	0.26
6/17/2025	12:45:00 AM	0.27
6/17/2025	1:00:00 AM	0.26
6/17/2025	1:15:00 AM	0.26
6/17/2025	1:30:00 AM	0.26
6/17/2025	1:45:00 AM	0.27
6/17/2025	2:00:00 AM	0.26
6/17/2025	2:15:00 AM	0.26
6/17/2025	2:30:00 AM	0.26
6/17/2025	2:45:00 AM	0.27
6/17/2025	3:00:00 AM	0.27
6/17/2025	3:15:00 AM	0.27
6/17/2025	3:30:00 AM	0.27
6/17/2025	3:45:00 AM	0.27
6/17/2025	4:00:00 AM	0.27
6/17/2025	4:15:00 AM	0.27
6/17/2025	4:30:00 AM	0.27
6/17/2025	4:45:00 AM	0.27
6/17/2025	5:00:00 AM	0.27
6/17/2025	5:15:00 AM	0.27
6/17/2025	5:30:00 AM	0.27
6/17/2025	5:45:00 AM	0.27
6/17/2025	6:00:00 AM	0.27
6/17/2025	6:15:00 AM	0.27
6/17/2025	6:30:00 AM	0.27
6/17/2025	6:45:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/17/2025	7:00:00 AM	0.27
6/17/2025	7:15:00 AM	0.27
6/17/2025	7:30:00 AM	0.27
6/17/2025	7:45:00 AM	0.27
6/17/2025	8:00:00 AM	0.27
6/17/2025	8:15:00 AM	0.27
6/17/2025	8:30:00 AM	0.27
6/17/2025	8:45:00 AM	0.27
6/17/2025	9:00:00 AM	0.27
6/17/2025	9:15:00 AM	0.27
6/17/2025	9:30:00 AM	0.27
6/17/2025	9:45:00 AM	0.27
6/17/2025	10:00:00 AM	0.27
6/17/2025	10:15:00 AM	0.27
6/17/2025	10:30:00 AM	0.27
6/17/2025	10:45:00 AM	0.27
6/17/2025	11:00:00 AM	0.27
6/17/2025	11:15:00 AM	0.27
6/17/2025	11:30:00 AM	0.27
6/17/2025	11:45:00 AM	0.27
6/17/2025	12:00:00 PM	0.27
6/17/2025	12:15:00 PM	0.27
6/17/2025	12:30:00 PM	0.27
6/17/2025	12:45:00 PM	0.27
6/17/2025	1:00:00 PM	0.27
6/17/2025	1:15:00 PM	0.27
6/17/2025	1:30:00 PM	0.27
6/17/2025	1:45:00 PM	0.27
6/17/2025	2:00:00 PM	0.27
6/17/2025	2:15:00 PM	0.27
6/17/2025	2:30:00 PM	0.27
6/17/2025	2:45:00 PM	0.27
6/17/2025	3:00:00 PM	0.27
6/17/2025	3:15:00 PM	0.27
6/17/2025	3:30:00 PM	0.27
6/17/2025	3:45:00 PM	0.27
6/17/2025	4:00:00 PM	0.27
6/17/2025	4:15:00 PM	0.27
6/17/2025	4:30:00 PM	0.27
6/17/2025	4:45:00 PM	0.27
6/17/2025	5:00:00 PM	0.27
6/17/2025	5:15:00 PM	0.27
6/17/2025	5:30:00 PM	0.27
6/17/2025	5:45:00 PM	0.27
6/17/2025	6:00:00 PM	0.27
6/17/2025	6:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/17/2025	6:30:00 PM	0.27
6/17/2025	6:45:00 PM	0.27
6/17/2025	7:00:00 PM	0.27
6/17/2025	7:15:00 PM	0.27
6/17/2025	7:30:00 PM	0.27
6/17/2025	7:45:00 PM	0.27
6/17/2025	8:00:00 PM	0.27
6/17/2025	8:15:00 PM	0.27
6/17/2025	8:30:00 PM	0.27
6/17/2025	8:45:00 PM	0.27
6/17/2025	9:00:00 PM	0.27
6/17/2025	9:15:00 PM	0.27
6/17/2025	9:30:00 PM	0.27
6/17/2025	9:45:00 PM	0.27
6/17/2025	10:00:00 PM	0.27
6/17/2025	10:15:00 PM	0.27
6/17/2025	10:30:00 PM	0.27
6/17/2025	10:45:00 PM	0.27
6/17/2025	11:00:00 PM	0.27
6/17/2025	11:15:00 PM	0.27
6/17/2025	11:30:00 PM	0.27
6/17/2025	11:45:00 PM	0.27
6/18/2025	12:00:00 AM	0.27
6/18/2025	12:15:00 AM	0.27
6/18/2025	12:30:00 AM	0.27
6/18/2025	12:45:00 AM	0.27
6/18/2025	1:00:00 AM	0.27
6/18/2025	1:15:00 AM	0.27
6/18/2025	1:30:00 AM	0.27
6/18/2025	1:45:00 AM	0.27
6/18/2025	2:00:00 AM	0.27
6/18/2025	2:15:00 AM	0.27
6/18/2025	2:30:00 AM	0.27
6/18/2025	2:45:00 AM	0.27
6/18/2025	3:00:00 AM	0.27
6/18/2025	3:15:00 AM	0.27
6/18/2025	3:30:00 AM	0.27
6/18/2025	3:45:00 AM	0.27
6/18/2025	4:00:00 AM	0.27
6/18/2025	4:15:00 AM	0.27
6/18/2025	4:30:00 AM	0.27
6/18/2025	4:45:00 AM	0.27
6/18/2025	5:00:00 AM	0.27
6/18/2025	5:15:00 AM	0.27
6/18/2025	5:30:00 AM	0.27
6/18/2025	5:45:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/18/2025	6:00:00 AM	0.27
6/18/2025	6:15:00 AM	0.27
6/18/2025	6:30:00 AM	0.27
6/18/2025	6:45:00 AM	0.27
6/18/2025	7:00:00 AM	0.27
6/18/2025	7:15:00 AM	0.27
6/18/2025	7:30:00 AM	0.27
6/18/2025	7:45:00 AM	0.27
6/18/2025	8:00:00 AM	0.27
6/18/2025	8:15:00 AM	0.27
6/18/2025	8:30:00 AM	0.27
6/18/2025	8:45:00 AM	0.27
6/18/2025	9:00:00 AM	0.27
6/18/2025	9:15:00 AM	0.27
6/18/2025	9:30:00 AM	0.27
6/18/2025	9:45:00 AM	0.27
6/18/2025	10:00:00 AM	0.27
6/18/2025	10:15:00 AM	0.27
6/18/2025	10:30:00 AM	0.27
6/18/2025	10:45:00 AM	0.27
6/18/2025	11:00:00 AM	0.27
6/18/2025	11:15:00 AM	0.27
6/18/2025	11:30:00 AM	0.27
6/18/2025	11:45:00 AM	0.27
6/18/2025	12:00:00 PM	0.27
6/18/2025	12:15:00 PM	0.27
6/18/2025	12:30:00 PM	0.27
6/18/2025	12:45:00 PM	0.27
6/18/2025	1:00:00 PM	0.27
6/18/2025	1:15:00 PM	0.27
6/18/2025	1:30:00 PM	0.27
6/18/2025	1:45:00 PM	0.27
6/18/2025	2:00:00 PM	0.27
6/18/2025	2:15:00 PM	0.27
6/18/2025	2:30:00 PM	0.27
6/18/2025	2:45:00 PM	0.27
6/18/2025	3:00:00 PM	0.27
6/18/2025	3:15:00 PM	0.27
6/18/2025	3:30:00 PM	0.27
6/18/2025	3:45:00 PM	0.26
6/18/2025	4:00:00 PM	0.26
6/18/2025	4:15:00 PM	0.26
6/18/2025	4:30:00 PM	0.26
6/18/2025	4:45:00 PM	0.26
6/18/2025	5:00:00 PM	0.26
6/18/2025	5:15:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
6/18/2025	5:30:00 PM	0.25
6/18/2025	5:45:00 PM	0.25
6/18/2025	6:00:00 PM	0.25
6/18/2025	6:15:00 PM	0.24
6/18/2025	6:30:00 PM	0.24
6/18/2025	6:45:00 PM	0.24
6/18/2025	7:00:00 PM	0.24
6/18/2025	7:15:00 PM	0.23
6/18/2025	7:30:00 PM	0.23
6/18/2025	7:45:00 PM	0.23
6/18/2025	8:00:00 PM	0.23
6/18/2025	8:15:00 PM	0.23
6/18/2025	8:30:00 PM	0.22
6/18/2025	8:45:00 PM	0.23
6/18/2025	9:00:00 PM	0.22
6/18/2025	9:15:00 PM	0.22
6/18/2025	9:30:00 PM	0.22
6/18/2025	9:45:00 PM	0.22
6/18/2025	10:00:00 PM	0.22
6/18/2025	10:15:00 PM	0.22
6/18/2025	10:30:00 PM	0.21
6/18/2025	10:45:00 PM	0.21
6/18/2025	11:00:00 PM	0.21
6/18/2025	11:15:00 PM	0.21
6/18/2025	11:30:00 PM	0.21
6/18/2025	11:45:00 PM	0.21
6/19/2025	12:00:00 AM	0.21
6/19/2025	12:15:00 AM	0.21
6/19/2025	12:30:00 AM	0.21
6/19/2025	12:45:00 AM	0.21
6/19/2025	1:00:00 AM	0.21
6/19/2025	1:15:00 AM	0.2
6/19/2025	1:30:00 AM	0.2
6/19/2025	1:45:00 AM	0.2
6/19/2025	2:00:00 AM	0.2
6/19/2025	2:15:00 AM	0.2
6/19/2025	2:30:00 AM	0.2
6/19/2025	2:45:00 AM	0.2
6/19/2025	3:00:00 AM	0.2
6/19/2025	3:15:00 AM	0.2
6/19/2025	3:30:00 AM	0.2
6/19/2025	3:45:00 AM	0.2
6/19/2025	4:00:00 AM	0.2
6/19/2025	4:15:00 AM	0.2
6/19/2025	4:30:00 AM	0.2
6/19/2025	4:45:00 AM	0.2

Billy Lake Return Gage

DATE	TIME	GAGE
6/19/2025	5:00:00 AM	0.2
6/19/2025	5:15:00 AM	0.2
6/19/2025	5:30:00 AM	0.2
6/19/2025	5:45:00 AM	0.2
6/19/2025	6:00:00 AM	0.21
6/19/2025	6:15:00 AM	0.21
6/19/2025	6:30:00 AM	0.21
6/19/2025	6:45:00 AM	0.22
6/19/2025	7:00:00 AM	0.22
6/19/2025	7:15:00 AM	0.22
6/19/2025	7:30:00 AM	0.23
6/19/2025	7:45:00 AM	0.23
6/19/2025	8:00:00 AM	0.23
6/19/2025	8:15:00 AM	0.23
6/19/2025	8:30:00 AM	0.24
6/19/2025	8:45:00 AM	0.24
6/19/2025	9:00:00 AM	0.24
6/19/2025	9:15:00 AM	0.24
6/19/2025	9:30:00 AM	0.25
6/19/2025	9:45:00 AM	0.25
6/19/2025	10:00:00 AM	0.25
6/19/2025	10:15:00 AM	0.25
6/19/2025	10:30:00 AM	0.25
6/19/2025	10:45:00 AM	0.26
6/19/2025	11:00:00 AM	0.26
6/19/2025	11:15:00 AM	0.26
6/19/2025	11:30:00 AM	0.26
6/19/2025	11:45:00 AM	0.26
6/19/2025	12:00:00 PM	0.26
6/19/2025	12:15:00 PM	0.26
6/19/2025	12:30:00 PM	0.26
6/19/2025	12:45:00 PM	0.26
6/19/2025	1:00:00 PM	0.26
6/19/2025	1:15:00 PM	0.26
6/19/2025	1:30:00 PM	0.26
6/19/2025	1:45:00 PM	0.26
6/19/2025	2:00:00 PM	0.27
6/19/2025	2:15:00 PM	0.27
6/19/2025	2:30:00 PM	0.27
6/19/2025	2:45:00 PM	0.27
6/19/2025	3:00:00 PM	0.27
6/19/2025	3:15:00 PM	0.27
6/19/2025	3:30:00 PM	0.27
6/19/2025	3:45:00 PM	0.27
6/19/2025	4:00:00 PM	0.27
6/19/2025	4:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/19/2025	4:30:00 PM	0.27
6/19/2025	4:45:00 PM	0.27
6/19/2025	5:00:00 PM	0.27
6/19/2025	5:15:00 PM	0.27
6/19/2025	5:30:00 PM	0.27
6/19/2025	5:45:00 PM	0.27
6/19/2025	6:00:00 PM	0.27
6/19/2025	6:15:00 PM	0.27
6/19/2025	6:30:00 PM	0.27
6/19/2025	6:45:00 PM	0.27
6/19/2025	7:00:00 PM	0.27
6/19/2025	7:15:00 PM	0.27
6/19/2025	7:30:00 PM	0.27
6/19/2025	7:45:00 PM	0.27
6/19/2025	8:00:00 PM	0.27
6/19/2025	8:15:00 PM	0.27
6/19/2025	8:30:00 PM	0.27
6/19/2025	8:45:00 PM	0.27
6/19/2025	9:00:00 PM	0.27
6/19/2025	9:15:00 PM	0.27
6/19/2025	9:30:00 PM	0.27
6/19/2025	9:45:00 PM	0.27
6/19/2025	10:00:00 PM	0.27
6/19/2025	10:15:00 PM	0.27
6/19/2025	10:30:00 PM	0.27
6/19/2025	10:45:00 PM	0.27
6/19/2025	11:00:00 PM	0.27
6/19/2025	11:15:00 PM	0.27
6/19/2025	11:30:00 PM	0.27
6/19/2025	11:45:00 PM	0.27
6/20/2025	12:00:00 AM	0.28
6/20/2025	12:15:00 AM	0.28
6/20/2025	12:30:00 AM	0.28
6/20/2025	12:45:00 AM	0.28
6/20/2025	1:00:00 AM	0.28
6/20/2025	1:15:00 AM	0.28
6/20/2025	1:30:00 AM	0.28
6/20/2025	1:45:00 AM	0.28
6/20/2025	2:00:00 AM	0.28
6/20/2025	2:15:00 AM	0.28
6/20/2025	2:30:00 AM	0.28
6/20/2025	2:45:00 AM	0.28
6/20/2025	3:00:00 AM	0.28
6/20/2025	3:15:00 AM	0.28
6/20/2025	3:30:00 AM	0.28
6/20/2025	3:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
6/20/2025	4:00:00 AM	0.28
6/20/2025	4:15:00 AM	0.28
6/20/2025	4:30:00 AM	0.28
6/20/2025	4:45:00 AM	0.28
6/20/2025	5:00:00 AM	0.28
6/20/2025	5:15:00 AM	0.28
6/20/2025	5:30:00 AM	0.28
6/20/2025	5:45:00 AM	0.28
6/20/2025	6:00:00 AM	0.28
6/20/2025	6:15:00 AM	0.28
6/20/2025	6:30:00 AM	0.28
6/20/2025	6:45:00 AM	0.28
6/20/2025	7:00:00 AM	0.28
6/20/2025	7:15:00 AM	0.28
6/20/2025	7:30:00 AM	0.28
6/20/2025	7:45:00 AM	0.27
6/20/2025	8:00:00 AM	0.27
6/20/2025	8:15:00 AM	0.27
6/20/2025	8:30:00 AM	0.27
6/20/2025	8:45:00 AM	0.27
6/20/2025	9:00:00 AM	0.27
6/20/2025	9:15:00 AM	0.27
6/20/2025	9:30:00 AM	0.27
6/20/2025	9:45:00 AM	0.27
6/20/2025	10:00:00 AM	0.27
6/20/2025	10:15:00 AM	0.27
6/20/2025	10:30:00 AM	0.27
6/20/2025	10:45:00 AM	0.27
6/20/2025	11:00:00 AM	0.27
6/20/2025	11:15:00 AM	0.27
6/20/2025	11:30:00 AM	0.27
6/20/2025	11:45:00 AM	0.27
6/20/2025	12:00:00 PM	0.27
6/20/2025	12:15:00 PM	0.27
6/20/2025	12:30:00 PM	0.26
6/20/2025	12:45:00 PM	0.26
6/20/2025	1:00:00 PM	0.26
6/20/2025	1:15:00 PM	0.27
6/20/2025	1:30:00 PM	0.27
6/20/2025	1:45:00 PM	0.27
6/20/2025	2:00:00 PM	0.27
6/20/2025	2:15:00 PM	0.27
6/20/2025	2:30:00 PM	0.27
6/20/2025	2:45:00 PM	0.27
6/20/2025	3:00:00 PM	0.27
6/20/2025	3:15:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
6/20/2025	3:30:00 PM	0.26
6/20/2025	3:45:00 PM	0.26
6/20/2025	4:00:00 PM	0.26
6/20/2025	4:15:00 PM	0.26
6/20/2025	4:30:00 PM	0.26
6/20/2025	4:45:00 PM	0.26
6/20/2025	5:00:00 PM	0.26
6/20/2025	5:15:00 PM	0.25
6/20/2025	5:30:00 PM	0.25
6/20/2025	5:45:00 PM	0.25
6/20/2025	6:00:00 PM	0.25
6/20/2025	6:15:00 PM	0.25
6/20/2025	6:30:00 PM	0.25
6/20/2025	6:45:00 PM	0.25
6/20/2025	7:00:00 PM	0.25
6/20/2025	7:15:00 PM	0.24
6/20/2025	7:30:00 PM	0.25
6/20/2025	7:45:00 PM	0.24
6/20/2025	8:00:00 PM	0.24
6/20/2025	8:15:00 PM	0.24
6/20/2025	8:30:00 PM	0.24
6/20/2025	8:45:00 PM	0.24
6/20/2025	9:00:00 PM	0.24
6/20/2025	9:15:00 PM	0.24
6/20/2025	9:30:00 PM	0.24
6/20/2025	9:45:00 PM	0.24
6/20/2025	10:00:00 PM	0.24
6/20/2025	10:15:00 PM	0.24
6/20/2025	10:30:00 PM	0.24
6/20/2025	10:45:00 PM	0.23
6/20/2025	11:00:00 PM	0.23
6/20/2025	11:15:00 PM	0.23
6/20/2025	11:30:00 PM	0.23
6/20/2025	11:45:00 PM	0.23
6/21/2025	12:00:00 AM	0.23
6/21/2025	12:15:00 AM	0.23
6/21/2025	12:30:00 AM	0.23
6/21/2025	12:45:00 AM	0.23
6/21/2025	1:00:00 AM	0.23
6/21/2025	1:15:00 AM	0.23
6/21/2025	1:30:00 AM	0.23
6/21/2025	1:45:00 AM	0.23
6/21/2025	2:00:00 AM	0.23
6/21/2025	2:15:00 AM	0.23
6/21/2025	2:30:00 AM	0.23
6/21/2025	2:45:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
6/21/2025	3:00:00 AM	0.23
6/21/2025	3:15:00 AM	0.23
6/21/2025	3:30:00 AM	0.23
6/21/2025	3:45:00 AM	0.23
6/21/2025	4:00:00 AM	0.23
6/21/2025	4:15:00 AM	0.23
6/21/2025	4:30:00 AM	0.23
6/21/2025	4:45:00 AM	0.23
6/21/2025	5:00:00 AM	0.23
6/21/2025	5:15:00 AM	0.23
6/21/2025	5:30:00 AM	0.23
6/21/2025	5:45:00 AM	0.23
6/21/2025	6:00:00 AM	0.23
6/21/2025	6:15:00 AM	0.23
6/21/2025	6:30:00 AM	0.24
6/21/2025	6:45:00 AM	0.24
6/21/2025	7:00:00 AM	0.24
6/21/2025	7:15:00 AM	0.24
6/21/2025	7:30:00 AM	0.25
6/21/2025	7:45:00 AM	0.25
6/21/2025	8:00:00 AM	0.25
6/21/2025	8:15:00 AM	0.25
6/21/2025	8:30:00 AM	0.25
6/21/2025	8:45:00 AM	0.26
6/21/2025	9:00:00 AM	0.26
6/21/2025	9:15:00 AM	0.26
6/21/2025	9:30:00 AM	0.26
6/21/2025	9:45:00 AM	0.26
6/21/2025	10:00:00 AM	0.26
6/21/2025	10:15:00 AM	0.26
6/21/2025	10:30:00 AM	0.26
6/21/2025	10:45:00 AM	0.26
6/21/2025	11:00:00 AM	0.27
6/21/2025	11:15:00 AM	0.27
6/21/2025	11:30:00 AM	0.27
6/21/2025	11:45:00 AM	0.27
6/21/2025	12:00:00 PM	0.27
6/21/2025	12:15:00 PM	0.27
6/21/2025	12:30:00 PM	0.27
6/21/2025	12:45:00 PM	0.27
6/21/2025	1:00:00 PM	0.27
6/21/2025	1:15:00 PM	0.27
6/21/2025	1:30:00 PM	0.27
6/21/2025	1:45:00 PM	0.27
6/21/2025	2:00:00 PM	0.27
6/21/2025	2:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
6/21/2025	2:30:00 PM	0.26
6/21/2025	2:45:00 PM	0.26
6/21/2025	3:00:00 PM	0.25
6/21/2025	3:15:00 PM	0.25
6/21/2025	3:30:00 PM	0.24
6/21/2025	3:45:00 PM	0.24
6/21/2025	4:00:00 PM	0.23
6/21/2025	4:15:00 PM	0.23
6/21/2025	4:30:00 PM	0.22
6/21/2025	4:45:00 PM	0.22
6/21/2025	5:00:00 PM	0.21
6/21/2025	5:15:00 PM	0.21
6/21/2025	5:30:00 PM	0.2
6/21/2025	5:45:00 PM	0.2
6/21/2025	6:00:00 PM	0.2
6/21/2025	6:15:00 PM	0.19
6/21/2025	6:30:00 PM	0.19
6/21/2025	6:45:00 PM	0.18
6/21/2025	7:00:00 PM	0.18
6/21/2025	7:15:00 PM	0.18
6/21/2025	7:30:00 PM	0.18
6/21/2025	7:45:00 PM	0.17
6/21/2025	8:00:00 PM	0.17
6/21/2025	8:15:00 PM	0.17
6/21/2025	8:30:00 PM	0.17
6/21/2025	8:45:00 PM	0.16
6/21/2025	9:00:00 PM	0.16
6/21/2025	9:15:00 PM	0.16
6/21/2025	9:30:00 PM	0.16
6/21/2025	9:45:00 PM	0.15
6/21/2025	10:00:00 PM	0.15
6/21/2025	10:15:00 PM	0.15
6/21/2025	10:30:00 PM	0.15
6/21/2025	10:45:00 PM	0.15
6/21/2025	11:00:00 PM	0.14
6/21/2025	11:15:00 PM	0.14
6/21/2025	11:30:00 PM	0.14
6/21/2025	11:45:00 PM	0.14
6/22/2025	12:00:00 AM	0.14
6/22/2025	12:15:00 AM	0.13
6/22/2025	12:30:00 AM	0.13
6/22/2025	12:45:00 AM	0.13
6/22/2025	1:00:00 AM	0.13
6/22/2025	1:15:00 AM	0.13
6/22/2025	1:30:00 AM	0.13
6/22/2025	1:45:00 AM	0.13

Billy Lake Return Gage

DATE	TIME	GAGE
6/22/2025	2:00:00 AM	0.12
6/22/2025	2:15:00 AM	0.12
6/22/2025	2:30:00 AM	0.12
6/22/2025	2:45:00 AM	0.12
6/22/2025	3:00:00 AM	0.12
6/22/2025	3:15:00 AM	0.12
6/22/2025	3:30:00 AM	0.12
6/22/2025	3:45:00 AM	0.12
6/22/2025	4:00:00 AM	0.12
6/22/2025	4:15:00 AM	0.12
6/22/2025	4:30:00 AM	0.12
6/22/2025	4:45:00 AM	0.12
6/22/2025	5:00:00 AM	0.11
6/22/2025	5:15:00 AM	0.11
6/22/2025	5:30:00 AM	0.11
6/22/2025	5:45:00 AM	0.12
6/22/2025	6:00:00 AM	0.12
6/22/2025	6:15:00 AM	0.13
6/22/2025	6:30:00 AM	0.14
6/22/2025	6:45:00 AM	0.14
6/22/2025	7:00:00 AM	0.15
6/22/2025	7:15:00 AM	0.15
6/22/2025	7:30:00 AM	0.16
6/22/2025	7:45:00 AM	0.17
6/22/2025	8:00:00 AM	0.17
6/22/2025	8:15:00 AM	0.18
6/22/2025	8:30:00 AM	0.18
6/22/2025	8:45:00 AM	0.19
6/22/2025	9:00:00 AM	0.19
6/22/2025	9:15:00 AM	0.2
6/22/2025	9:30:00 AM	0.2
6/22/2025	9:45:00 AM	0.21
6/22/2025	10:00:00 AM	0.21
6/22/2025	10:15:00 AM	0.21
6/22/2025	10:30:00 AM	0.22
6/22/2025	10:45:00 AM	0.22
6/22/2025	11:00:00 AM	0.23
6/22/2025	11:15:00 AM	0.23
6/22/2025	11:30:00 AM	0.24
6/22/2025	11:45:00 AM	0.24
6/22/2025	12:00:00 PM	0.24
6/22/2025	12:15:00 PM	0.24
6/22/2025	12:30:00 PM	0.25
6/22/2025	12:45:00 PM	0.25
6/22/2025	1:00:00 PM	0.25
6/22/2025	1:15:00 PM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
6/22/2025	1:30:00 PM	0.26
6/22/2025	1:45:00 PM	0.26
6/22/2025	2:00:00 PM	0.26
6/22/2025	2:15:00 PM	0.26
6/22/2025	2:30:00 PM	0.26
6/22/2025	2:45:00 PM	0.26
6/22/2025	3:00:00 PM	0.26
6/22/2025	3:15:00 PM	0.27
6/22/2025	3:30:00 PM	0.27
6/22/2025	3:45:00 PM	0.27
6/22/2025	4:00:00 PM	0.27
6/22/2025	4:15:00 PM	0.27
6/22/2025	4:30:00 PM	0.27
6/22/2025	4:45:00 PM	0.27
6/22/2025	5:00:00 PM	0.27
6/22/2025	5:15:00 PM	0.27
6/22/2025	5:30:00 PM	0.27
6/22/2025	5:45:00 PM	0.27
6/22/2025	6:00:00 PM	0.27
6/22/2025	6:15:00 PM	0.28
6/22/2025	6:30:00 PM	0.28
6/22/2025	6:45:00 PM	0.28
6/22/2025	7:00:00 PM	0.28
6/22/2025	7:15:00 PM	0.28
6/22/2025	7:30:00 PM	0.28
6/22/2025	7:45:00 PM	0.28
6/22/2025	8:00:00 PM	0.28
6/22/2025	8:15:00 PM	0.28
6/22/2025	8:30:00 PM	0.28
6/22/2025	8:45:00 PM	0.28
6/22/2025	9:00:00 PM	0.28
6/22/2025	9:15:00 PM	0.29
6/22/2025	9:30:00 PM	0.29
6/22/2025	9:45:00 PM	0.29
6/22/2025	10:00:00 PM	0.29
6/22/2025	10:15:00 PM	0.29
6/22/2025	10:30:00 PM	0.29
6/22/2025	10:45:00 PM	0.29
6/22/2025	11:00:00 PM	0.29
6/22/2025	11:15:00 PM	0.29
6/22/2025	11:30:00 PM	0.29
6/22/2025	11:45:00 PM	0.29
6/23/2025	12:00:00 AM	0.29
6/23/2025	12:15:00 AM	0.29
6/23/2025	12:30:00 AM	0.29
6/23/2025	12:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/23/2025	1:00:00 AM	0.29
6/23/2025	1:15:00 AM	0.29
6/23/2025	1:30:00 AM	0.29
6/23/2025	1:45:00 AM	0.29
6/23/2025	2:00:00 AM	0.29
6/23/2025	2:15:00 AM	0.29
6/23/2025	2:30:00 AM	0.29
6/23/2025	2:45:00 AM	0.29
6/23/2025	3:00:00 AM	0.29
6/23/2025	3:15:00 AM	0.29
6/23/2025	3:30:00 AM	0.29
6/23/2025	3:45:00 AM	0.29
6/23/2025	4:00:00 AM	0.29
6/23/2025	4:15:00 AM	0.29
6/23/2025	4:30:00 AM	0.29
6/23/2025	4:45:00 AM	0.29
6/23/2025	5:00:00 AM	0.29
6/23/2025	5:15:00 AM	0.29
6/23/2025	5:30:00 AM	0.29
6/23/2025	5:45:00 AM	0.3
6/23/2025	6:00:00 AM	0.3
6/23/2025	6:15:00 AM	0.3
6/23/2025	6:30:00 AM	0.3
6/23/2025	6:45:00 AM	0.3
6/23/2025	7:00:00 AM	0.3
6/23/2025	7:15:00 AM	0.3
6/23/2025	7:30:00 AM	0.3
6/23/2025	7:45:00 AM	0.3
6/23/2025	8:00:00 AM	0.31
6/23/2025	8:15:00 AM	0.31
6/23/2025	8:30:00 AM	0.31
6/23/2025	8:45:00 AM	0.31
6/23/2025	9:00:00 AM	0.31
6/23/2025	9:15:00 AM	0.31
6/23/2025	9:30:00 AM	0.31
6/23/2025	9:45:00 AM	0.31
6/23/2025	10:00:00 AM	0.31
6/23/2025	10:15:00 AM	0.31
6/23/2025	10:30:00 AM	0.31
6/23/2025	10:45:00 AM	0.31
6/23/2025	11:00:00 AM	0.31
6/23/2025	11:15:00 AM	0.31
6/23/2025	11:30:00 AM	0.31
6/23/2025	11:45:00 AM	0.31
6/23/2025	12:00:00 PM	0.31
6/23/2025	12:15:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
6/23/2025	12:30:00 PM	0.31
6/23/2025	12:45:00 PM	0.31
6/23/2025	1:00:00 PM	0.31
6/23/2025	1:15:00 PM	0.31
6/23/2025	1:30:00 PM	0.31
6/23/2025	1:45:00 PM	0.31
6/23/2025	2:00:00 PM	0.31
6/23/2025	2:15:00 PM	0.31
6/23/2025	2:30:00 PM	0.31
6/23/2025	2:45:00 PM	0.31
6/23/2025	3:00:00 PM	0.31
6/23/2025	3:15:00 PM	0.31
6/23/2025	3:30:00 PM	0.31
6/23/2025	3:45:00 PM	0.31
6/23/2025	4:00:00 PM	0.31
6/23/2025	4:15:00 PM	0.31
6/23/2025	4:30:00 PM	0.31
6/23/2025	4:45:00 PM	0.31
6/23/2025	5:00:00 PM	0.31
6/23/2025	5:15:00 PM	0.31
6/23/2025	5:30:00 PM	0.31
6/23/2025	5:45:00 PM	0.31
6/23/2025	6:00:00 PM	0.31
6/23/2025	6:15:00 PM	0.31
6/23/2025	6:30:00 PM	0.31
6/23/2025	6:45:00 PM	0.31
6/23/2025	7:00:00 PM	0.31
6/23/2025	7:15:00 PM	0.31
6/23/2025	7:30:00 PM	0.31
6/23/2025	7:45:00 PM	0.31
6/23/2025	8:00:00 PM	0.31
6/23/2025	8:15:00 PM	0.31
6/23/2025	8:30:00 PM	0.31
6/23/2025	8:45:00 PM	0.31
6/23/2025	9:00:00 PM	0.31
6/23/2025	9:15:00 PM	0.31
6/23/2025	9:30:00 PM	0.31
6/23/2025	9:45:00 PM	0.31
6/23/2025	10:00:00 PM	0.31
6/23/2025	10:15:00 PM	0.31
6/23/2025	10:30:00 PM	0.31
6/23/2025	10:45:00 PM	0.31
6/23/2025	11:00:00 PM	0.31
6/23/2025	11:15:00 PM	0.31
6/23/2025	11:30:00 PM	0.31
6/23/2025	11:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
6/24/2025	12:00:00 AM	0.31
6/24/2025	12:15:00 AM	0.31
6/24/2025	12:30:00 AM	0.31
6/24/2025	12:45:00 AM	0.31
6/24/2025	1:00:00 AM	0.31
6/24/2025	1:15:00 AM	0.31
6/24/2025	1:30:00 AM	0.31
6/24/2025	1:45:00 AM	0.31
6/24/2025	2:00:00 AM	0.31
6/24/2025	2:15:00 AM	0.31
6/24/2025	2:30:00 AM	0.31
6/24/2025	2:45:00 AM	0.31
6/24/2025	3:00:00 AM	0.31
6/24/2025	3:15:00 AM	0.31
6/24/2025	3:30:00 AM	0.31
6/24/2025	3:45:00 AM	0.31
6/24/2025	4:00:00 AM	0.31
6/24/2025	4:15:00 AM	0.31
6/24/2025	4:30:00 AM	0.31
6/24/2025	4:45:00 AM	0.31
6/24/2025	5:00:00 AM	0.31
6/24/2025	5:15:00 AM	0.31
6/24/2025	5:30:00 AM	0.31
6/24/2025	5:45:00 AM	0.31
6/24/2025	6:00:00 AM	0.31
6/24/2025	6:15:00 AM	0.31
6/24/2025	6:30:00 AM	0.31
6/24/2025	6:45:00 AM	0.31
6/24/2025	7:00:00 AM	0.31
6/24/2025	7:15:00 AM	0.31
6/24/2025	7:30:00 AM	0.31
6/24/2025	7:45:00 AM	0.31
6/24/2025	8:00:00 AM	0.31
6/24/2025	8:15:00 AM	0.31
6/24/2025	8:30:00 AM	0.31
6/24/2025	8:45:00 AM	0.31
6/24/2025	9:00:00 AM	0.31
6/24/2025	9:15:00 AM	0.31
6/24/2025	9:30:00 AM	0.31
6/24/2025	9:45:00 AM	0.31
6/24/2025	10:00:00 AM	0.31
6/24/2025	10:15:00 AM	0.31
6/24/2025	10:30:00 AM	0.31
6/24/2025	10:45:00 AM	0.31
6/24/2025	11:00:00 AM	0.31
6/24/2025	11:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
6/24/2025	11:30:00 AM	0.31
6/24/2025	11:45:00 AM	0.31
6/24/2025	12:00:00 PM	0.31
6/24/2025	12:15:00 PM	0.31
6/24/2025	12:30:00 PM	0.31
6/24/2025	12:45:00 PM	0.31
6/24/2025	1:00:00 PM	0.31
6/24/2025	1:15:00 PM	0.31
6/24/2025	1:30:00 PM	0.31
6/24/2025	1:45:00 PM	0.31
6/24/2025	2:00:00 PM	0.31
6/24/2025	2:15:00 PM	0.31
6/24/2025	2:30:00 PM	0.31
6/24/2025	2:45:00 PM	0.31
6/24/2025	3:00:00 PM	0.31
6/24/2025	3:15:00 PM	0.31
6/24/2025	3:30:00 PM	0.31
6/24/2025	3:45:00 PM	0.31
6/24/2025	4:00:00 PM	0.31
6/24/2025	4:15:00 PM	0.31
6/24/2025	4:30:00 PM	0.31
6/24/2025	4:45:00 PM	0.31
6/24/2025	5:00:00 PM	0.31
6/24/2025	5:15:00 PM	0.31
6/24/2025	5:30:00 PM	0.31
6/24/2025	5:45:00 PM	0.31
6/24/2025	6:00:00 PM	0.31
6/24/2025	6:15:00 PM	0.31
6/24/2025	6:30:00 PM	0.31
6/24/2025	6:45:00 PM	0.31
6/24/2025	7:00:00 PM	0.31
6/24/2025	7:15:00 PM	0.31
6/24/2025	7:30:00 PM	0.31
6/24/2025	7:45:00 PM	0.31
6/24/2025	8:00:00 PM	0.31
6/24/2025	8:15:00 PM	0.31
6/24/2025	8:30:00 PM	0.31
6/24/2025	8:45:00 PM	0.31
6/24/2025	9:00:00 PM	0.31
6/24/2025	9:15:00 PM	0.31
6/24/2025	9:30:00 PM	0.31
6/24/2025	9:45:00 PM	0.31
6/24/2025	10:00:00 PM	0.31
6/24/2025	10:15:00 PM	0.31
6/24/2025	10:30:00 PM	0.31
6/24/2025	10:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
6/24/2025	11:00:00 PM	0.31
6/24/2025	11:15:00 PM	0.31
6/24/2025	11:30:00 PM	0.31
6/24/2025	11:45:00 PM	0.31
6/25/2025	12:00:00 AM	0.31
6/25/2025	12:15:00 AM	0.31
6/25/2025	12:30:00 AM	0.31
6/25/2025	12:45:00 AM	0.31
6/25/2025	1:00:00 AM	0.31
6/25/2025	1:15:00 AM	0.31
6/25/2025	1:30:00 AM	0.31
6/25/2025	1:45:00 AM	0.31
6/25/2025	2:00:00 AM	0.31
6/25/2025	2:15:00 AM	0.31
6/25/2025	2:30:00 AM	0.31
6/25/2025	2:45:00 AM	0.31
6/25/2025	3:00:00 AM	0.31
6/25/2025	3:15:00 AM	0.31
6/25/2025	3:30:00 AM	0.31
6/25/2025	3:45:00 AM	0.31
6/25/2025	4:00:00 AM	0.31
6/25/2025	4:15:00 AM	0.31
6/25/2025	4:30:00 AM	0.31
6/25/2025	4:45:00 AM	0.31
6/25/2025	5:00:00 AM	0.31
6/25/2025	5:15:00 AM	0.31
6/25/2025	5:30:00 AM	0.31
6/25/2025	5:45:00 AM	0.31
6/25/2025	6:00:00 AM	0.31
6/25/2025	6:15:00 AM	0.31
6/25/2025	6:30:00 AM	0.31
6/25/2025	6:45:00 AM	0.31
6/25/2025	7:00:00 AM	0.31
6/25/2025	7:15:00 AM	0.31
6/25/2025	7:30:00 AM	0.31
6/25/2025	7:45:00 AM	0.31
6/25/2025	8:00:00 AM	0.31
6/25/2025	8:15:00 AM	0.31
6/25/2025	8:30:00 AM	0.31
6/25/2025	8:45:00 AM	0.31
6/25/2025	9:00:00 AM	0.31
6/25/2025	9:15:00 AM	0.31
6/25/2025	9:30:00 AM	0.31
6/25/2025	9:45:00 AM	0.31
6/25/2025	10:00:00 AM	0.31
6/25/2025	10:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
6/25/2025	10:30:00 AM	0.31
6/25/2025	10:45:00 AM	0.31
6/25/2025	11:00:00 AM	0.31
6/25/2025	11:15:00 AM	0.31
6/25/2025	11:30:00 AM	0.31
6/25/2025	11:45:00 AM	0.31
6/25/2025	12:00:00 PM	0.31
6/25/2025	12:15:00 PM	0.31
6/25/2025	12:30:00 PM	0.31
6/25/2025	12:45:00 PM	0.31
6/25/2025	1:00:00 PM	0.31
6/25/2025	1:15:00 PM	0.31
6/25/2025	1:30:00 PM	0.31
6/25/2025	1:45:00 PM	0.31
6/25/2025	2:00:00 PM	0.31
6/25/2025	2:15:00 PM	0.31
6/25/2025	2:30:00 PM	0.31
6/25/2025	2:45:00 PM	0.31
6/25/2025	3:00:00 PM	0.31
6/25/2025	3:15:00 PM	0.31
6/25/2025	3:30:00 PM	0.31
6/25/2025	3:45:00 PM	0.31
6/25/2025	4:00:00 PM	0.31
6/25/2025	4:15:00 PM	0.31
6/25/2025	4:30:00 PM	0.31
6/25/2025	4:45:00 PM	0.31
6/25/2025	5:00:00 PM	0.31
6/25/2025	5:15:00 PM	0.31
6/25/2025	5:30:00 PM	0.31
6/25/2025	5:45:00 PM	0.31
6/25/2025	6:00:00 PM	0.31
6/25/2025	6:15:00 PM	0.31
6/25/2025	6:30:00 PM	0.31
6/25/2025	6:45:00 PM	0.31
6/25/2025	7:00:00 PM	0.31
6/25/2025	7:15:00 PM	0.31
6/25/2025	7:30:00 PM	0.31
6/25/2025	7:45:00 PM	0.31
6/25/2025	8:00:00 PM	0.31
6/25/2025	8:15:00 PM	0.31
6/25/2025	8:30:00 PM	0.31
6/25/2025	8:45:00 PM	0.31
6/25/2025	9:00:00 PM	0.31
6/25/2025	9:15:00 PM	0.31
6/25/2025	9:30:00 PM	0.31
6/25/2025	9:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
6/25/2025	10:00:00 PM	0.31
6/25/2025	10:15:00 PM	0.31
6/25/2025	10:30:00 PM	0.3
6/25/2025	10:45:00 PM	0.3
6/25/2025	11:00:00 PM	0.3
6/25/2025	11:15:00 PM	0.3
6/25/2025	11:30:00 PM	0.3
6/25/2025	11:45:00 PM	0.29
6/26/2025	12:00:00 AM	0.29
6/26/2025	12:15:00 AM	0.29
6/26/2025	12:30:00 AM	0.29
6/26/2025	12:45:00 AM	0.29
6/26/2025	1:00:00 AM	0.29
6/26/2025	1:15:00 AM	0.28
6/26/2025	1:30:00 AM	0.28
6/26/2025	1:45:00 AM	0.28
6/26/2025	2:00:00 AM	0.28
6/26/2025	2:15:00 AM	0.28
6/26/2025	2:30:00 AM	0.28
6/26/2025	2:45:00 AM	0.28
6/26/2025	3:00:00 AM	0.28
6/26/2025	3:15:00 AM	0.27
6/26/2025	3:30:00 AM	0.27
6/26/2025	3:45:00 AM	0.27
6/26/2025	4:00:00 AM	0.27
6/26/2025	4:15:00 AM	0.27
6/26/2025	4:30:00 AM	0.27
6/26/2025	4:45:00 AM	0.27
6/26/2025	5:00:00 AM	0.27
6/26/2025	5:15:00 AM	0.27
6/26/2025	5:30:00 AM	0.27
6/26/2025	5:45:00 AM	0.27
6/26/2025	6:00:00 AM	0.27
6/26/2025	6:15:00 AM	0.26
6/26/2025	6:30:00 AM	0.27
6/26/2025	6:45:00 AM	0.27
6/26/2025	7:00:00 AM	0.27
6/26/2025	7:15:00 AM	0.27
6/26/2025	7:30:00 AM	0.27
6/26/2025	7:45:00 AM	0.28
6/26/2025	8:00:00 AM	0.28
6/26/2025	8:15:00 AM	0.28
6/26/2025	8:30:00 AM	0.28
6/26/2025	8:45:00 AM	0.28
6/26/2025	9:00:00 AM	0.29
6/26/2025	9:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/26/2025	9:30:00 AM	0.29
6/26/2025	9:45:00 AM	0.29
6/26/2025	10:00:00 AM	0.29
6/26/2025	10:15:00 AM	0.29
6/26/2025	10:30:00 AM	0.29
6/26/2025	10:45:00 AM	0.29
6/26/2025	11:00:00 AM	0.29
6/26/2025	11:15:00 AM	0.29
6/26/2025	11:30:00 AM	0.29
6/26/2025	11:45:00 AM	0.29
6/26/2025	12:00:00 PM	0.29
6/26/2025	12:15:00 PM	0.29
6/26/2025	12:30:00 PM	0.29
6/26/2025	12:45:00 PM	0.29
6/26/2025	1:00:00 PM	0.29
6/26/2025	1:15:00 PM	0.29
6/26/2025	1:30:00 PM	0.29
6/26/2025	1:45:00 PM	0.29
6/26/2025	2:00:00 PM	0.29
6/26/2025	2:15:00 PM	0.29
6/26/2025	2:30:00 PM	0.29
6/26/2025	2:45:00 PM	0.29
6/26/2025	3:00:00 PM	0.29
6/26/2025	3:15:00 PM	0.29
6/26/2025	3:30:00 PM	0.29
6/26/2025	3:45:00 PM	0.29
6/26/2025	4:00:00 PM	0.29
6/26/2025	4:15:00 PM	0.3
6/26/2025	4:30:00 PM	0.29
6/26/2025	4:45:00 PM	0.29
6/26/2025	5:00:00 PM	0.29
6/26/2025	5:15:00 PM	0.3
6/26/2025	5:30:00 PM	0.29
6/26/2025	5:45:00 PM	0.29
6/26/2025	6:00:00 PM	0.29
6/26/2025	6:15:00 PM	0.3
6/26/2025	6:30:00 PM	0.29
6/26/2025	6:45:00 PM	0.3
6/26/2025	7:00:00 PM	0.3
6/26/2025	7:15:00 PM	0.3
6/26/2025	7:30:00 PM	0.3
6/26/2025	7:45:00 PM	0.3
6/26/2025	8:00:00 PM	0.3
6/26/2025	8:15:00 PM	0.3
6/26/2025	8:30:00 PM	0.3
6/26/2025	8:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
6/26/2025	9:00:00 PM	0.3
6/26/2025	9:15:00 PM	0.3
6/26/2025	9:30:00 PM	0.3
6/26/2025	9:45:00 PM	0.3
6/26/2025	10:00:00 PM	0.3
6/26/2025	10:15:00 PM	0.3
6/26/2025	10:30:00 PM	0.3
6/26/2025	10:45:00 PM	0.3
6/26/2025	11:00:00 PM	0.3
6/26/2025	11:15:00 PM	0.3
6/26/2025	11:30:00 PM	0.3
6/26/2025	11:45:00 PM	0.3
6/27/2025	12:00:00 AM	0.3
6/27/2025	12:15:00 AM	0.3
6/27/2025	12:30:00 AM	0.3
6/27/2025	12:45:00 AM	0.3
6/27/2025	1:00:00 AM	0.3
6/27/2025	1:15:00 AM	0.3
6/27/2025	1:30:00 AM	0.3
6/27/2025	1:45:00 AM	0.3
6/27/2025	2:00:00 AM	0.3
6/27/2025	2:15:00 AM	0.3
6/27/2025	2:30:00 AM	0.3
6/27/2025	2:45:00 AM	0.3
6/27/2025	3:00:00 AM	0.3
6/27/2025	3:15:00 AM	0.3
6/27/2025	3:30:00 AM	0.3
6/27/2025	3:45:00 AM	0.3
6/27/2025	4:00:00 AM	0.3
6/27/2025	4:15:00 AM	0.3
6/27/2025	4:30:00 AM	0.3
6/27/2025	4:45:00 AM	0.3
6/27/2025	5:00:00 AM	0.3
6/27/2025	5:15:00 AM	0.3
6/27/2025	5:30:00 AM	0.3
6/27/2025	5:45:00 AM	0.3
6/27/2025	6:00:00 AM	0.3
6/27/2025	6:15:00 AM	0.3
6/27/2025	6:30:00 AM	0.3
6/27/2025	6:45:00 AM	0.3
6/27/2025	7:00:00 AM	0.3
6/27/2025	7:15:00 AM	0.3
6/27/2025	7:30:00 AM	0.3
6/27/2025	7:45:00 AM	0.3
6/27/2025	8:00:00 AM	0.3
6/27/2025	8:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
6/27/2025	8:30:00 AM	0.3
6/27/2025	8:45:00 AM	0.3
6/27/2025	9:00:00 AM	0.3
6/27/2025	9:15:00 AM	0.3
6/27/2025	9:30:00 AM	0.3
6/27/2025	9:45:00 AM	0.3
6/27/2025	10:00:00 AM	0.3
6/27/2025	10:15:00 AM	0.3
6/27/2025	10:30:00 AM	0.3
6/27/2025	10:45:00 AM	0.3
6/27/2025	11:00:00 AM	0.3
6/27/2025	11:15:00 AM	0.3
6/27/2025	11:30:00 AM	0.3
6/27/2025	11:45:00 AM	0.3
6/27/2025	12:00:00 PM	0.3
6/27/2025	12:15:00 PM	0.3
6/27/2025	12:30:00 PM	0.3
6/27/2025	12:45:00 PM	0.3
6/27/2025	1:00:00 PM	0.3
6/27/2025	1:15:00 PM	0.3
6/27/2025	1:30:00 PM	0.3
6/27/2025	1:45:00 PM	0.3
6/27/2025	2:00:00 PM	0.3
6/27/2025	2:15:00 PM	0.3
6/27/2025	2:30:00 PM	0.3
6/27/2025	2:45:00 PM	0.3
6/27/2025	3:00:00 PM	0.3
6/27/2025	3:15:00 PM	0.3
6/27/2025	3:30:00 PM	0.3
6/27/2025	3:45:00 PM	0.3
6/27/2025	4:00:00 PM	0.3
6/27/2025	4:15:00 PM	0.3
6/27/2025	4:30:00 PM	0.29
6/27/2025	4:45:00 PM	0.3
6/27/2025	5:00:00 PM	0.3
6/27/2025	5:15:00 PM	0.29
6/27/2025	5:30:00 PM	0.3
6/27/2025	5:45:00 PM	0.29
6/27/2025	6:00:00 PM	0.29
6/27/2025	6:15:00 PM	0.29
6/27/2025	6:30:00 PM	0.29
6/27/2025	6:45:00 PM	0.29
6/27/2025	7:00:00 PM	0.29
6/27/2025	7:15:00 PM	0.3
6/27/2025	7:30:00 PM	0.29
6/27/2025	7:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
6/27/2025	8:00:00 PM	0.3
6/27/2025	8:15:00 PM	0.3
6/27/2025	8:30:00 PM	0.3
6/27/2025	8:45:00 PM	0.3
6/27/2025	9:00:00 PM	0.3
6/27/2025	9:15:00 PM	0.3
6/27/2025	9:30:00 PM	0.3
6/27/2025	9:45:00 PM	0.3
6/27/2025	10:00:00 PM	0.3
6/27/2025	10:15:00 PM	0.3
6/27/2025	10:30:00 PM	0.3
6/27/2025	10:45:00 PM	0.3
6/27/2025	11:00:00 PM	0.3
6/27/2025	11:15:00 PM	0.3
6/27/2025	11:30:00 PM	0.3
6/27/2025	11:45:00 PM	0.3
6/28/2025	12:00:00 AM	0.3
6/28/2025	12:15:00 AM	0.3
6/28/2025	12:30:00 AM	0.3
6/28/2025	12:45:00 AM	0.3
6/28/2025	1:00:00 AM	0.3
6/28/2025	1:15:00 AM	0.3
6/28/2025	1:30:00 AM	0.3
6/28/2025	1:45:00 AM	0.3
6/28/2025	2:00:00 AM	0.3
6/28/2025	2:15:00 AM	0.3
6/28/2025	2:30:00 AM	0.3
6/28/2025	2:45:00 AM	0.3
6/28/2025	3:00:00 AM	0.3
6/28/2025	3:15:00 AM	0.3
6/28/2025	3:30:00 AM	0.3
6/28/2025	3:45:00 AM	0.3
6/28/2025	4:00:00 AM	0.3
6/28/2025	4:15:00 AM	0.3
6/28/2025	4:30:00 AM	0.3
6/28/2025	4:45:00 AM	0.3
6/28/2025	5:00:00 AM	0.3
6/28/2025	5:15:00 AM	0.3
6/28/2025	5:30:00 AM	0.3
6/28/2025	5:45:00 AM	0.3
6/28/2025	6:00:00 AM	0.3
6/28/2025	6:15:00 AM	0.3
6/28/2025	6:30:00 AM	0.3
6/28/2025	6:45:00 AM	0.3
6/28/2025	7:00:00 AM	0.3
6/28/2025	7:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
6/28/2025	7:30:00 AM	0.3
6/28/2025	7:45:00 AM	0.3
6/28/2025	8:00:00 AM	0.3
6/28/2025	8:15:00 AM	0.3
6/28/2025	8:30:00 AM	0.3
6/28/2025	8:45:00 AM	0.3
6/28/2025	9:00:00 AM	0.3
6/28/2025	9:15:00 AM	0.3
6/28/2025	9:30:00 AM	0.3
6/28/2025	9:45:00 AM	0.3
6/28/2025	10:00:00 AM	0.3
6/28/2025	10:15:00 AM	0.3
6/28/2025	10:30:00 AM	0.3
6/28/2025	10:45:00 AM	0.3
6/28/2025	11:00:00 AM	0.3
6/28/2025	11:15:00 AM	0.3
6/28/2025	11:30:00 AM	0.3
6/28/2025	11:45:00 AM	0.3
6/28/2025	12:00:00 PM	0.3
6/28/2025	12:15:00 PM	0.3
6/28/2025	12:30:00 PM	0.3
6/28/2025	12:45:00 PM	0.3
6/28/2025	1:00:00 PM	0.3
6/28/2025	1:15:00 PM	0.29
6/28/2025	1:30:00 PM	0.3
6/28/2025	1:45:00 PM	0.29
6/28/2025	2:00:00 PM	0.29
6/28/2025	2:15:00 PM	0.29
6/28/2025	2:30:00 PM	0.29
6/28/2025	2:45:00 PM	0.29
6/28/2025	3:00:00 PM	0.29
6/28/2025	3:15:00 PM	0.29
6/28/2025	3:30:00 PM	0.29
6/28/2025	3:45:00 PM	0.29
6/28/2025	4:00:00 PM	0.29
6/28/2025	4:15:00 PM	0.29
6/28/2025	4:30:00 PM	0.29
6/28/2025	4:45:00 PM	0.29
6/28/2025	5:00:00 PM	0.29
6/28/2025	5:15:00 PM	0.29
6/28/2025	5:30:00 PM	0.29
6/28/2025	5:45:00 PM	0.29
6/28/2025	6:00:00 PM	0.29
6/28/2025	6:15:00 PM	0.29
6/28/2025	6:30:00 PM	0.29
6/28/2025	6:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/28/2025	7:00:00 PM	0.29
6/28/2025	7:15:00 PM	0.29
6/28/2025	7:30:00 PM	0.29
6/28/2025	7:45:00 PM	0.29
6/28/2025	8:00:00 PM	0.29
6/28/2025	8:15:00 PM	0.29
6/28/2025	8:30:00 PM	0.29
6/28/2025	8:45:00 PM	0.29
6/28/2025	9:00:00 PM	0.29
6/28/2025	9:15:00 PM	0.29
6/28/2025	9:30:00 PM	0.29
6/28/2025	9:45:00 PM	0.29
6/28/2025	10:00:00 PM	0.29
6/28/2025	10:15:00 PM	0.29
6/28/2025	10:30:00 PM	0.29
6/28/2025	10:45:00 PM	0.29
6/28/2025	11:00:00 PM	0.29
6/28/2025	11:15:00 PM	0.29
6/28/2025	11:30:00 PM	0.29
6/28/2025	11:45:00 PM	0.29
6/29/2025	12:00:00 AM	0.29
6/29/2025	12:15:00 AM	0.29
6/29/2025	12:30:00 AM	0.29
6/29/2025	12:45:00 AM	0.29
6/29/2025	1:00:00 AM	0.29
6/29/2025	1:15:00 AM	0.29
6/29/2025	1:30:00 AM	0.29
6/29/2025	1:45:00 AM	0.29
6/29/2025	2:00:00 AM	0.29
6/29/2025	2:15:00 AM	0.29
6/29/2025	2:30:00 AM	0.29
6/29/2025	2:45:00 AM	0.29
6/29/2025	3:00:00 AM	0.29
6/29/2025	3:15:00 AM	0.29
6/29/2025	3:30:00 AM	0.29
6/29/2025	3:45:00 AM	0.29
6/29/2025	4:00:00 AM	0.29
6/29/2025	4:15:00 AM	0.29
6/29/2025	4:30:00 AM	0.29
6/29/2025	4:45:00 AM	0.29
6/29/2025	5:00:00 AM	0.29
6/29/2025	5:15:00 AM	0.29
6/29/2025	5:30:00 AM	0.29
6/29/2025	5:45:00 AM	0.29
6/29/2025	6:00:00 AM	0.29
6/29/2025	6:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/29/2025	6:30:00 AM	0.29
6/29/2025	6:45:00 AM	0.29
6/29/2025	7:00:00 AM	0.3
6/29/2025	7:15:00 AM	0.29
6/29/2025	7:30:00 AM	0.29
6/29/2025	7:45:00 AM	0.29
6/29/2025	8:00:00 AM	0.29
6/29/2025	8:15:00 AM	0.29
6/29/2025	8:30:00 AM	0.29
6/29/2025	8:45:00 AM	0.29
6/29/2025	9:00:00 AM	0.3
6/29/2025	9:15:00 AM	0.29
6/29/2025	9:30:00 AM	0.29
6/29/2025	9:45:00 AM	0.29
6/29/2025	10:00:00 AM	0.3
6/29/2025	10:15:00 AM	0.29
6/29/2025	10:30:00 AM	0.3
6/29/2025	10:45:00 AM	0.29
6/29/2025	11:00:00 AM	0.29
6/29/2025	11:15:00 AM	0.3
6/29/2025	11:30:00 AM	0.29
6/29/2025	11:45:00 AM	0.29
6/29/2025	12:00:00 PM	0.29
6/29/2025	12:15:00 PM	0.29
6/29/2025	12:30:00 PM	0.29
6/29/2025	12:45:00 PM	0.29
6/29/2025	1:00:00 PM	0.29
6/29/2025	1:15:00 PM	0.29
6/29/2025	1:30:00 PM	0.29
6/29/2025	1:45:00 PM	0.29
6/29/2025	2:00:00 PM	0.29
6/29/2025	2:15:00 PM	0.29
6/29/2025	2:30:00 PM	0.29
6/29/2025	2:45:00 PM	0.29
6/29/2025	3:00:00 PM	0.29
6/29/2025	3:15:00 PM	0.29
6/29/2025	3:30:00 PM	0.29
6/29/2025	3:45:00 PM	0.29
6/29/2025	4:00:00 PM	0.29
6/29/2025	4:15:00 PM	0.29
6/29/2025	4:30:00 PM	0.29
6/29/2025	4:45:00 PM	0.29
6/29/2025	5:00:00 PM	0.29
6/29/2025	5:15:00 PM	0.29
6/29/2025	5:30:00 PM	0.29
6/29/2025	5:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/29/2025	6:00:00 PM	0.29
6/29/2025	6:15:00 PM	0.29
6/29/2025	6:30:00 PM	0.29
6/29/2025	6:45:00 PM	0.29
6/29/2025	7:00:00 PM	0.29
6/29/2025	7:15:00 PM	0.29
6/29/2025	7:30:00 PM	0.29
6/29/2025	7:45:00 PM	0.29
6/29/2025	8:00:00 PM	0.29
6/29/2025	8:15:00 PM	0.29
6/29/2025	8:30:00 PM	0.29
6/29/2025	8:45:00 PM	0.29
6/29/2025	9:00:00 PM	0.29
6/29/2025	9:15:00 PM	0.29
6/29/2025	9:30:00 PM	0.29
6/29/2025	9:45:00 PM	0.29
6/29/2025	10:00:00 PM	0.29
6/29/2025	10:15:00 PM	0.29
6/29/2025	10:30:00 PM	0.29
6/29/2025	10:45:00 PM	0.29
6/29/2025	11:00:00 PM	0.29
6/29/2025	11:15:00 PM	0.29
6/29/2025	11:30:00 PM	0.29
6/29/2025	11:45:00 PM	0.29
6/30/2025	12:00:00 AM	0.29
6/30/2025	12:15:00 AM	0.29
6/30/2025	12:30:00 AM	0.29
6/30/2025	12:45:00 AM	0.29
6/30/2025	1:00:00 AM	0.29
6/30/2025	1:15:00 AM	0.29
6/30/2025	1:30:00 AM	0.29
6/30/2025	1:45:00 AM	0.29
6/30/2025	2:00:00 AM	0.29
6/30/2025	2:15:00 AM	0.29
6/30/2025	2:30:00 AM	0.29
6/30/2025	2:45:00 AM	0.29
6/30/2025	3:00:00 AM	0.29
6/30/2025	3:15:00 AM	0.29
6/30/2025	3:30:00 AM	0.29
6/30/2025	3:45:00 AM	0.29
6/30/2025	4:00:00 AM	0.29
6/30/2025	4:15:00 AM	0.29
6/30/2025	4:30:00 AM	0.29
6/30/2025	4:45:00 AM	0.29
6/30/2025	5:00:00 AM	0.29
6/30/2025	5:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/30/2025	5:30:00 AM	0.29
6/30/2025	5:45:00 AM	0.29
6/30/2025	6:00:00 AM	0.29
6/30/2025	6:15:00 AM	0.29
6/30/2025	6:30:00 AM	0.29
6/30/2025	6:45:00 AM	0.29
6/30/2025	7:00:00 AM	0.29
6/30/2025	7:15:00 AM	0.29
6/30/2025	7:30:00 AM	0.29
6/30/2025	7:45:00 AM	0.29
6/30/2025	8:00:00 AM	0.29
6/30/2025	8:15:00 AM	0.29
6/30/2025	8:30:00 AM	0.29
6/30/2025	8:45:00 AM	0.29
6/30/2025	9:00:00 AM	0.29
6/30/2025	9:15:00 AM	0.29
6/30/2025	9:30:00 AM	0.29
6/30/2025	9:45:00 AM	0.29
6/30/2025	10:00:00 AM	0.29
6/30/2025	10:15:00 AM	0.29
6/30/2025	10:30:00 AM	0.29
6/30/2025	10:45:00 AM	0.29
6/30/2025	11:00:00 AM	0.29
6/30/2025	11:15:00 AM	0.29
6/30/2025	11:30:00 AM	0.29
6/30/2025	11:45:00 AM	0.29
6/30/2025	12:00:00 PM	0.29
6/30/2025	12:15:00 PM	0.29
6/30/2025	12:30:00 PM	0.29
6/30/2025	12:45:00 PM	0.29
6/30/2025	1:00:00 PM	0.29
6/30/2025	1:15:00 PM	0.29
6/30/2025	1:30:00 PM	0.29
6/30/2025	1:45:00 PM	0.29
6/30/2025	2:00:00 PM	0.29
6/30/2025	2:15:00 PM	0.29
6/30/2025	2:30:00 PM	0.29
6/30/2025	2:45:00 PM	0.29
6/30/2025	3:00:00 PM	0.29
6/30/2025	3:15:00 PM	0.29
6/30/2025	3:30:00 PM	0.29
6/30/2025	3:45:00 PM	0.29
6/30/2025	4:00:00 PM	0.29
6/30/2025	4:15:00 PM	0.29
6/30/2025	4:30:00 PM	0.29
6/30/2025	4:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
6/30/2025	5:00:00 PM	0.29
6/30/2025	5:15:00 PM	0.29
6/30/2025	5:30:00 PM	0.29
6/30/2025	5:45:00 PM	0.29
6/30/2025	6:00:00 PM	0.29
6/30/2025	6:15:00 PM	0.29
6/30/2025	6:30:00 PM	0.29
6/30/2025	6:45:00 PM	0.29
6/30/2025	7:00:00 PM	0.29
6/30/2025	7:15:00 PM	0.29
6/30/2025	7:30:00 PM	0.29
6/30/2025	7:45:00 PM	0.29
6/30/2025	8:00:00 PM	0.29
6/30/2025	8:15:00 PM	0.29
6/30/2025	8:30:00 PM	0.29
6/30/2025	8:45:00 PM	0.29
6/30/2025	9:00:00 PM	0.29
6/30/2025	9:15:00 PM	0.29
6/30/2025	9:30:00 PM	0.29
6/30/2025	9:45:00 PM	0.29
6/30/2025	10:00:00 PM	0.29
6/30/2025	10:15:00 PM	0.29
6/30/2025	10:30:00 PM	0.29
6/30/2025	10:45:00 PM	0.29
6/30/2025	11:00:00 PM	0.29
6/30/2025	11:15:00 PM	0.29
6/30/2025	11:30:00 PM	0.29
6/30/2025	11:45:00 PM	0.29

Party: BRP BLP	Width: 20.9 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 65.6 ft ²	Mean Velocity: 0.671 ft/s
Gage Height: 3.10 ft	G.H.Change: 0.000 ft	Discharge: 44.0 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:		ADCP:	
BT 3-Beam Solution: YES	Max. Vel.: 3.11 ft/s	Type/Freq.: StreamPro / 2000 kHz	
WT 3-Beam Solution: YES	Max. Depth: 3.25 ft	Serial #: 2370	Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Mean Depth: 3.14 ft	Bin Size: 3 cm	Blank: 3 cm
WT Error Vel.: 1.61 ft/s	% Meas.: 61.76	BT Mode: 10	BT Pings: 2
BT Up Vel.: 1.00 ft/s	Water Temp.: None	WT Mode: 12	WT Pings: 6
WT Up Vel.: 1.64 ft/s	ADCP Temp.: 82.5 °F		
Use Weighted Mean Depth: YES			

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 250610 MOUK_0.mmt
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	30	6.14	27.9	3.81	3.35	3.88	45.1	21	67	13:33	13:33	0.59	0.67	0	2
001	R	2	2	32	6.14	27.9	3.81	3.81	3.99	45.7	21	66	13:34	13:34	0.51	0.69	0	1
002	L	2	2	31	5.51	25.1	3.28	3.32	3.11	40.3	21	66	13:34	13:35	0.56	0.61	0	1
003	R	2	2	32	6.14	27.9	3.67	3.71	3.81	45.2	21	67	13:35	13:36	0.55	0.68	0	1
004	L	2	2	30	6.07	27.7	3.60	3.64	3.81	44.8	21	65	13:36	13:36	0.55	0.69	0	1
005	R	2	2	31	5.90	26.7	3.50	3.46	3.50	43.1	20	63	13:37	13:37	0.51	0.68	0	1
Mean		2	2	31	5.99	27.2	3.61	3.55	3.68	44.0	21	66	Total	00:04	0.55	0.67	0	1
SDev		0	0	1	0.252	1.14	0.203	0.201	0.327	2.02	0.4	1.4			0.03	0.03		
SD/M		0.0%	0.0%	2.9%	4.2%	4.2%	5.6%	5.7%	8.9%	4.6%	1.9%	2.1%			6.1%	4.4%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	1	0	8	10	26	-0.8	0.906	0.5	0.4	0	57.6	59.8	0	160	164	0	26	25
2025	6	1	0	18	10	25.8	-0.9	0.906	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	1	0	28	10	25.9	0	0.906	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	0	38	10	26.4	-1	0.906	0.4	0.3	0	58	59.3	0	160	164	0	25	26
2025	6	1	0	48	10	26.1	0.5	0.906	0.4	0.3	0	58	60.2	0	160	165	0	25	25
2025	6	1	0	58	10	26.2	0.6	0.906	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	1	1	8	10	26.5	-1.3	0.906	0.5	0.5	0	58	59.8	0	160	164	0	25	25
2025	6	1	1	18	10	26.6	0	0.905	0.6	0.5	0	57.6	59.8	0	160	164	0	26	25
2025	6	1	1	28	10	26.3	-0.4	0.905	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	1	38	10	26.6	-1	0.905	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	1	48	10	26	-1.1	0.905	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	1	58	10	26.3	0.8	0.905	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	2	8	10	25.4	-0.7	0.905	0.6	0.5	0	57.6	59.8	0	160	164	0	26	25
2025	6	1	2	18	10	26.7	-1.5	0.905	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	2	28	10	26.9	-0.5	0.905	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	1	2	38	10	25.9	-0.9	0.905	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	1	2	48	10	25.2	-1.1	0.905	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	1	2	58	10	26.6	-1.7	0.906	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	1	3	8	10	25.9	-0.2	0.906	0.5	0.5	0	58	59.3	0	160	164	0	25	26
2025	6	1	3	18	10	26.1	-0.4	0.906	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	3	28	10	25.6	-0.6	0.906	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	1	3	38	10	25.2	0	0.906	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	3	48	10	27.1	-1.3	0.906	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	6	1	3	58	10	25.6	-0.6	0.906	0.5	0.5	0	58	59.3	0	160	164	0	25	26
2025	6	1	4	8	10	26.4	-0.4	0.906	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	4	18	10	26.4	-0.4	0.906	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	1	4	28	10	26.5	-0.8	0.907	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	1	4	38	10	25.9	-0.6	0.907	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	1	4	48	10	26.4	-0.9	0.908	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	1	4	58	10	25.6	-1	0.908	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	5	8	10	25.3	-0.8	0.909	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	5	18	10	26.6	-0.8	0.91	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	1	5	28	10	26.3	-0.6	0.91	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	1	5	38	10	26.1	-1	0.91	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	5	48	10	27.4	-0.6	0.91	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	5	58	10	27.1	0.1	0.91	0.4	0.3	0	58	59.3	0	160	164	0	25	26
2025	6	1	6	8	10	25.6	0.1	0.911	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	1	6	18	10	24.6	-1.1	0.911	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	1	6	28	10	26.7	-1.4	0.911	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	6	38	10	26.5	-1.4	0.911	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	1	6	48	10	26.3	-0.5	0.911	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	6	58	10	25.2	-1.7	0.912	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	1	7	8	10	25.8	-0.4	0.912	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	1	7	18	10	25.8	-0.5	0.912	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	7	28	10	25.8	-1	0.912	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	7	38	10	26.2	-1	0.912	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	1	7	48	10	25.7	-0.4	0.913	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	6	1	7	58	10	27.1	-0.3	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	1	8	8	10	27.1	-0.8	0.913	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	8	18	10	26.8	-1.9	0.913	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	1	8	28	10	28	-0.7	0.913	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	8	38	10	27.2	-1.4	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	8	48	10	26.7	-1.4	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	8	58	10	26.7	-0.6	0.914	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	9	8	10	27	-0.9	0.914	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	9	18	10	26.8	-1.4	0.914	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	1	9	28	10	26.3	0.1	0.914	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	6	1	9	38	10	25.8	-1.1	0.914	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	1	9	48	10	26.1	-0.8	0.915	0.5	0.4	0	56.3	58.5	0	158	162	0	27	26
2025	6	1	9	58	10	26.6	-0.8	0.915	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	1	10	8	10	26.2	-1.2	0.915	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	1	10	18	10	26.6	-1.8	0.916	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	1	10	28	10	27.4	-1.5	0.916	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	1	10	38	10	27.4	-1.3	0.916	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	1	10	48	10	26.1	-1.5	0.916	0.5	0.5	0	56.8	57.6	0	157	161	0	25	27
2025	6	1	10	58	10	26.5	-1.9	0.917	0.5	0.5	0	56.3	58	0	157	160	0	26	25
2025	6	1	11	8	10	27.4	0.2	0.917	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	1	11	18	10	26.7	-0.2	0.918	0.5	0.5	0	56.8	57.6	0	157	160	0	25	26
2025	6	1	11	28	10	27.2	-1.7	0.918	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	1	11	38	10	26.4	-1.4	0.918	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	6	1	11	48	10	26.7	-1.1	0.918	0.5	0.5	0	56.3	57.2	0	156	160	0	25	27
2025	6	1	11	58	10	27.3	-1.4	0.919	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	6	1	12	8	10	27.5	-0.1	0.919	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	6	1	12	18	10	26.7	-0.8	0.92	0.5	0.4	0	55.5	57.2	0	155	159	0	26	26
2025	6	1	12	28	10	26.5	-0.5	0.92	0.5	0.4	0	55.5	56.8	0	155	159	0	26	27
2025	6	1	12	38	10	27.1	-1.4	0.921	0.5	0.4	0	55.5	57.2	0	155	159	0	26	26
2025	6	1	12	48	10	26.2	-0.6	0.921	0.5	0.4	0	55.9	57.2	0	155	159	0	25	26
2025	6	1	12	58	10	26.8	-0.5	0.923	0.6	0.5	0	55.5	57.2	0	155	159	0	26	26
2025	6	1	13	8	10	27.7	-1	0.922	0.5	0.5	0	55.5	57.2	0	155	159	0	26	26
2025	6	1	13	18	10	27.1	-0.3	0.923	0.5	0.5	0	55	56.8	0	154	158	0	26	26
2025	6	1	13	28	10	27.2	-0.5	0.923	0.4	0.3	0	55.9	57.2	0	155	159	0	25	26
2025	6	1	13	38	10	27.3	-0.5	0.922	0.5	0.4	0	55.5	56.8	0	154	158	0	25	26
2025	6	1	13	48	10	27.8	-0.2	0.924	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	6	1	13	58	10	26.1	0.3	0.923	0.5	0.5	0	56.3	57.2	0	156	158	0	25	25
2025	6	1	14	8	10	27.9	0	0.924	0.5	0.4	0	55.9	57.6	0	155	159	0	25	25
2025	6	1	14	18	10	28.6	-1.1	0.925	0.5	0.5	0	56.3	57.2	0	156	159	0	25	26
2025	6	1	14	28	10	26.7	0	0.925	0.5	0.4	0	55.9	57.6	0	156	159	0	26	25
2025	6	1	14	38	10	27.7	-0.7	0.925	0.5	0.4	0	56.8	57.2	0	157	159	0	25	26
2025	6	1	14	48	10	27.4	-0.5	0.926	0.5	0.5	0	56.3	57.2	0	156	159	0	25	26
2025	6	1	14	58	10	27.8	-2	0.927	0.4	0.3	0	56.8	57.2	0	156	159	0	24	26
2025	6	1	15	8	10	26.8	0.1	0.926	0.5	0.4	0	56.8	58	0	157	160	0	25	25
2025	6	1	15	18	10	27.2	-0.7	0.928	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	1	15	28	10	28.2	-1.7	0.928	0.5	0.5	0	56.8	57.6	0	157	160	0	25	26
2025	6	1	15	38	10	27.4	-1.1	0.93	0.5	0.4	0	57.2	58	0	157	161	0	24	26
2025	6	1	15	48	10	27.9	-1.2	0.929	0.5	0.4	0	57.2	58	0	157	160	0	24	25
2025	6	1	15	58	10	28.3	0.3	0.93	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	1	16	8	10	27.4	-0.1	0.931	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	1	16	18	10	26.2	-0.5	0.931	0.5	0.5	0	56.3	58	0	157	160	0	26	25
2025	6	1	16	28	10	26.9	-0.3	0.931	0.5	0.4	0	57.6	58.5	0	158	161	0	24	25
2025	6	1	16	38	10	26.3	0.4	0.931	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	1	16	48	10	27.5	-0.5	0.932	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	1	16	58	10	27.7	-0.7	0.932	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	1	17	8	10	28	-0.9	0.932	0.5	0.4	0	56.8	58.9	0	157	162	0	25	25
2025	6	1	17	18	10	28	-0.4	0.932	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	1	17	28	10	28.3	-0.1	0.933	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	1	17	38	10	27.4	-0.6	0.933	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	1	17	48	10	26.8	-0.4	0.933	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	1	17	58	10	26.8	-1	0.933	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	18	8	10	27.3	-1.9	0.934	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	1	18	18	10	28.3	-0.6	0.934	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	1	18	28	10	28.1	-0.8	0.934	0.5	0.5	0	57.6	58.5	0	158	162	0	24	26
2025	6	1	18	38	10	28.2	0.6	0.934	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	6	1	18	48	10	26.9	-0.3	0.935	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	1	18	58	10	28.5	-0.2	0.936	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	1	19	8	10	27.6	-1.4	0.938	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	19	18	10	27.8	-0.5	0.939	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	1	19	28	10	28	-1	0.939	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	19	38	10	28.1	0	0.94	0.6	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	1	19	48	10	28.5	-0.9	0.94	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	1	19	58	10	28.1	-0.6	0.94	0.5	0.4	0	57.6	58.9	0	158	163	0	24	26
2025	6	1	20	8	10	28	-1.2	0.941	0.4	0.3	0	57.2	59.3	0	158	163	0	25	25
2025	6	1	20	18	10	28	-0.7	0.941	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	1	20	28	10	27.3	-0.7	0.941	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	1	20	38	10	27.8	-0.2	0.941	0.4	0.3	0	56.8	59.3	0	158	163	0	26	25
2025	6	1	20	48	10	28	-0.1	0.942	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	6	1	20	58	10	28.3	-0.5	0.942	0.5	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	6	1	21	8	10	27.2	-0.1	0.942	0.5	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	6	1	21	18	10	28	-0.4	0.942	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	6	1	21	28	10	27.9	0	0.942	0.5	0.4	0	57.2	59.3	0	158	163	0	25	25
2025	6	1	21	38	10	29	0.3	0.942	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	6	1	21	48	10	29	-1	0.942	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	1	21	58	10	28	-1.3	0.943	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	1	22	8	10	28	-1	0.943	0.5	0.4	0	57.2	59.3	0	158	163	0	25	25
2025	6	1	22	18	10	27.9	0.4	0.943	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	6	1	22	28	10	28	-0.3	0.943	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	1	22	38	10	28.9	0.5	0.944	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	1	22	48	10	28.7	-1	0.945	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	1	22	58	10	28	0.3	0.946	0.3	0.2	0	57.2	58	0	158	161	0	25	26
2025	6	1	23	8	10	28.5	-0.6	0.948	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	1	23	18	10	28.2	0.1	0.948	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	1	23	28	10	29.2	-0.5	0.949	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	1	23	38	10	29.7	-1	0.949	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	1	23	48	10	28	-0.1	0.949	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	1	23	58	10	29.4	-0.4	0.949	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	2	0	8	10	28	0.6	0.95	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	0	18	10	28.6	-0.3	0.95	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	0	28	10	29.1	-1	0.95	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	2	0	38	10	28.8	-0.6	0.951	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	0	48	10	28.6	0.4	0.951	0.5	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	6	2	0	58	10	28.7	0	0.951	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	2	1	8	10	28	-0.3	0.951	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	1	18	10	28.7	0	0.951	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	1	28	10	28.1	-0.1	0.951	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	1	38	10	29	-1	0.951	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	1	48	10	28.4	-0.9	0.951	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	1	58	10	29.9	0	0.952	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	2	8	10	27.8	-0.8	0.952	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	2	18	10	29.2	0.5	0.952	0.3	0.2	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	2	28	10	29.4	-0.6	0.952	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	2	38	10	28.4	-0.5	0.953	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	2	48	10	30.4	-0.8	0.953	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	2	58	10	28.5	-0.4	0.953	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	3	8	10	29.5	0.2	0.954	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	3	18	10	29.7	-0.6	0.954	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	3	28	10	28.8	0	0.956	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	3	38	10	28.5	-0.9	0.957	0.4	0.3	0	57.2	59.3	0	159	163	0	26	25
2025	6	2	3	48	10	28.3	-0.6	0.957	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	6	2	3	58	10	28.2	-1.8	0.958	0.5	0.5	0	57.2	59.3	0	159	163	0	26	25
2025	6	2	4	8	10	29.4	-1.1	0.958	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	2	4	18	10	29.7	0	0.958	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	4	28	10	28.8	-1.7	0.958	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	4	38	10	28.5	-0.5	0.959	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	4	48	10	30.6	-0.9	0.959	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	4	58	10	28.4	0.1	0.959	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	2	5	8	10	28.5	-1.5	0.959	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	5	18	10	29.4	0.4	0.959	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	6	2	5	28	10	29.5	0.4	0.959	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	5	38	10	29.6	-1.5	0.96	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	2	5	48	10	29.5	-0.7	0.96	0.6	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	2	5	58	10	28.4	-0.8	0.96	0.5	0.5	0	57.6	59.3	0	161	164	0	27	26
2025	6	2	6	8	10	28.8	-1.4	0.96	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	2	6	18	10	29	-1.1	0.96	0.4	0.3	0	58	59.3	0	161	165	0	26	27
2025	6	2	6	28	10	28.8	-0.2	0.96	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	2	6	38	10	28.6	0	0.96	0.6	0.5	0	58.5	59.8	0	162	165	0	26	26
2025	6	2	6	48	10	28.7	-1.3	0.96	0.5	0.5	0	58.5	59.3	0	162	165	0	26	27
2025	6	2	6	58	10	30.5	-1.3	0.96	0.4	0.3	0	58.5	59.8	0	162	165	0	26	26
2025	6	2	7	8	10	29.4	-1.1	0.96	0.5	0.5	0	58.9	59.3	0	162	165	0	25	27
2025	6	2	7	18	10	29	0.4	0.96	0.4	0.3	0	58	59.8	0	162	165	0	27	26
2025	6	2	7	28	10	29.9	-1.2	0.961	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	2	7	38	10	30.7	-0.9	0.961	0.3	0.2	0	58.5	59.8	0	162	165	0	26	26
2025	6	2	7	48	10	28.5	-0.6	0.961	0.4	0.3	0	58.5	59.8	0	161	165	0	25	26
2025	6	2	7	58	10	29.4	-0.1	0.961	0.5	0.4	0	58	59.8	0	161	165	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	2	8	8	10	28.9	0	0.961	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	2	8	18	10	28.9	-0.3	0.961	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	8	28	10	29	-1.1	0.961	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	2	8	38	10	30	-0.6	0.961	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	8	48	10	27.7	-0.5	0.961	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	8	58	10	28	-1.2	0.961	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	2	9	8	10	28.8	-1	0.962	0.4	0.3	0	58	58.9	0	161	164	0	26	27
2025	6	2	9	18	10	29.1	-1.5	0.962	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	2	9	28	10	30.6	-2	0.962	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	9	38	10	29.3	-1.2	0.962	0.5	0.5	0	58.5	59.8	0	162	165	0	26	26
2025	6	2	9	48	10	28.6	-0.7	0.962	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	2	9	58	10	27.7	0	0.962	0.5	0.4	0	58.5	59.3	0	162	164	0	26	26
2025	6	2	10	8	10	29.6	-1	0.962	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	10	18	10	29.3	-0.4	0.963	0.4	0.3	0	58.5	59.3	0	161	164	0	25	26
2025	6	2	10	28	10	29.2	-1.5	0.963	0.4	0.3	0	58.5	59.3	0	161	164	0	25	26
2025	6	2	10	38	10	30.1	-1.1	0.963	0.4	0.3	0	58	59.3	0	160	164	0	25	26
2025	6	2	10	48	10	28.7	-0.8	0.963	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	2	10	58	10	29.4	-0.6	0.963	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	2	11	8	10	29.3	-1.2	0.963	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	11	18	10	29.2	-0.2	0.963	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	11	28	10	29.3	-0.8	0.963	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	11	38	10	29.2	-0.7	0.964	0.4	0.3	0	57.6	58.9	0	160	164	0	26	27
2025	6	2	11	48	10	29.6	-1.6	0.964	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	2	11	58	10	29.5	-1	0.964	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	2	12	8	10	29	0	0.964	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	2	12	18	10	28.6	-0.6	0.964	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	6	2	12	28	10	29.3	-0.9	0.964	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	12	38	10	29.6	0	0.965	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	2	12	48	10	29.5	-1.4	0.965	0.4	0.3	0	57.6	59.8	0	160	164	0	26	25
2025	6	2	12	58	10	29.5	-1.3	0.964	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	6	2	13	8	10	28.5	-0.3	0.965	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	2	13	18	10	29.7	-1.5	0.964	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	13	28	10	30.2	-0.3	0.965	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	2	13	38	10	30	-1.1	0.965	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	13	48	10	29.8	-1.4	0.965	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	6	2	13	58	10	30.2	-0.4	0.965	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	2	14	8	10	30	0.1	0.965	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	14	18	10	29.6	-1.2	0.965	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	2	14	28	10	29.1	-0.4	0.965	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	14	38	10	29.4	-1	0.966	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	14	48	10	29.1	-0.5	0.966	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	14	58	10	29.7	-0.5	0.966	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	2	15	8	10	30.7	-0.3	0.966	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	15	18	10	30.6	-0.9	0.966	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	2	15	28	10	30.9	-1.2	0.966	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	2	15	38	10	30.3	-1	0.967	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	2	15	48	10	29.1	0	0.967	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	15	58	10	28.8	-0.8	0.967	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	2	16	8	10	29.6	-1	0.967	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	16	18	10	29.6	-0.9	0.967	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	2	16	28	10	29.4	0	0.967	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	2	16	38	10	29.4	-0.5	0.968	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	16	48	10	29.2	-0.5	0.967	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	16	58	10	30.7	-1.3	0.967	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	2	17	8	10	29.2	-2	0.968	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	17	18	10	29.4	-0.7	0.969	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	6	2	17	28	10	29.6	-1	0.968	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	2	17	38	10	29.9	-0.2	0.968	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	17	48	10	29.6	-1	0.968	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	17	58	10	29.5	-1.3	0.968	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	18	8	10	29.6	-0.4	0.968	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	18	18	10	29.3	-1.4	0.968	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	18	28	10	29.5	-0.6	0.968	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	18	38	10	29.5	-1.1	0.968	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	2	18	48	10	28.4	-0.2	0.968	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	18	58	10	31.2	-0.9	0.968	0.5	0.4	0	57.2	58.9	0	159	162	0	26	25
2025	6	2	19	8	10	29.4	-1	0.968	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	19	18	10	29.4	-1	0.969	0.6	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	19	28	10	30.2	-0.5	0.969	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	19	38	10	30	-0.1	0.969	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	19	48	10	29.5	-1.3	0.97	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	19	58	10	29.8	-0.2	0.97	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	20	8	10	29.3	-0.5	0.971	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	2	20	18	10	30.5	-0.4	0.971	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	20	28	10	28.9	-1.2	0.972	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	6	2	20	38	10	29.6	-1.1	0.972	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	2	20	48	10	29.4	0	0.972	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	2	20	58	10	30.1	-0.5	0.972	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	6	2	21	8	10	29.7	-1.4	0.973	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	21	18	10	29.9	-0.4	0.973	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	21	28	10	30.5	-0.2	0.973	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	21	38	10	30.3	-0.8	0.973	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	21	48	10	29.7	-0.4	0.973	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	21	58	10	29.7	-0.2	0.973	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	22	8	10	29.8	0.8	0.973	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	2	22	18	10	28.9	-1.2	0.973	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	22	28	10	30.1	-0.4	0.973	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	22	38	10	30.6	-0.6	0.973	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	22	48	10	29.7	-1.2	0.974	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	22	58	10	29.4	-0.5	0.974	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	2	23	8	10	29.8	-0.4	0.973	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	23	18	10	30.3	-0.8	0.974	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	23	28	10	31	-1.5	0.974	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	2	23	38	10	29.8	-1	0.974	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	6	2	23	48	10	29.4	-0.1	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	2	23	58	10	29.9	-0.6	0.974	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	3	0	8	10	30.2	-0.5	0.974	0.6	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	0	18	10	29.7	-0.2	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	0	28	10	31	-1	0.974	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	0	38	10	30.3	-1.2	0.974	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	3	0	48	10	30.8	-0.9	0.974	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	3	0	58	10	28.6	-0.4	0.974	0.5	0.4	0	57.2	59.3	0	159	163	0	26	25
2025	6	3	1	8	10	30.2	-1.1	0.974	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	1	18	10	28.9	-1.1	0.974	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	6	3	1	28	10	30	-0.7	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	1	38	10	29.7	0	0.974	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	3	1	48	10	30.2	0	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	1	58	10	29.1	-0.5	0.974	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	3	2	8	10	29.3	-0.7	0.974	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	3	2	18	10	30	0	0.974	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	6	3	2	28	10	30.7	0.1	0.974	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	2	38	10	29.6	-1.8	0.974	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	2	48	10	29.6	-0.5	0.974	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	6	3	2	58	10	30.1	0.2	0.975	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	3	8	10	29.7	-1.1	0.975	0.3	0.2	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	3	18	10	30	-0.3	0.975	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	3	3	28	10	29.6	0.2	0.975	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	3	38	10	30.6	-1	0.975	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	3	48	10	31.3	-0.7	0.975	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	3	58	10	29.7	-0.1	0.976	0.7	0.6	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	4	8	10	29.9	-0.7	0.976	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	4	18	10	29.7	-0.6	0.977	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	4	28	10	29.9	-0.9	0.977	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	6	3	4	38	10	30.4	0	0.978	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	4	48	10	30	-0.8	0.978	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	6	3	4	58	10	29.1	-0.9	0.978	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	3	5	8	10	30.3	-1.1	0.979	0.3	0.2	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	5	18	10	29.7	-0.7	0.979	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	6	3	5	28	10	30.2	-0.4	0.979	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	5	38	10	30.2	0.5	0.979	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	3	5	48	10	30.7	-1	0.979	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	3	5	58	10	29.7	-0.8	0.979	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	3	6	8	10	29.7	-1	0.979	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	3	6	18	10	30.1	-0.3	0.979	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	6	3	6	28	10	30.4	-0.4	0.979	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	3	6	38	10	30.1	-0.2	0.979	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	3	6	48	10	29.7	-0.7	0.98	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	3	6	58	10	29.6	-1.7	0.98	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	3	7	8	10	30.5	-1	0.98	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	3	7	18	10	30.6	-0.6	0.98	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	3	7	28	10	30.8	-0.8	0.98	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	3	7	38	10	29.7	-0.5	0.98	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	6	3	7	48	10	31.6	-0.3	0.98	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	3	7	58	10	29.9	-1.4	0.98	0.5	0.4	0	58	59.3	0	161	164	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	3	8	8	10	31.2	-0.7	0.98	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	8	18	10	30.2	-0.7	0.98	0.6	0.5	0	58	58.9	0	161	164	0	26	27
2025	6	3	8	28	10	29.3	-0.9	0.98	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	8	38	10	29.7	-0.5	0.98	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	3	8	48	10	31.4	-2	0.98	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	8	58	10	30.3	-1	0.98	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	6	3	9	8	10	30.7	-1.5	0.98	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	9	18	10	30.4	-0.4	0.98	0.5	0.4	0	58	58.5	0	160	163	0	25	27
2025	6	3	9	28	10	30	-1.3	0.98	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	3	9	38	10	29.9	-1.5	0.98	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	3	9	48	10	29.7	-0.9	0.98	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	3	9	58	10	30.3	-1.4	0.98	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	3	10	8	10	30	-0.3	0.98	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	6	3	10	18	10	30.7	-1.6	0.98	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	10	28	10	30.4	-0.5	0.98	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	10	38	10	30.3	-1	0.98	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	10	48	10	30.4	-0.4	0.98	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	10	58	10	30	-0.8	0.981	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	3	11	8	10	30.2	-1.1	0.98	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	3	11	18	10	30	-0.5	0.981	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	6	3	11	28	10	31	-0.4	0.979	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	3	11	38	10	30	-1.5	0.981	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	6	3	11	48	10	30.3	-1	0.98	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	3	11	58	10	30.2	-0.3	0.98	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	3	12	8	10	30.3	-1.2	0.979	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	3	12	18	10	30	0	0.979	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	3	12	28	10	30.3	-1.4	0.978	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	3	12	38	10	30.6	-0.3	0.978	0.4	0.3	0	56.3	58	0	157	161	0	26	26
2025	6	3	12	48	10	30.8	-0.5	0.978	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	6	3	12	58	10	30	-0.8	0.979	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	3	13	8	10	26.3	1.3	0.978	0.5	0.5	0	55.9	55	0	156	154	0	26	26
2025	6	3	13	18	10	29.1	-1	0.978	0.3	0.2	0	56.3	57.6	0	157	160	0	26	26
2025	6	3	13	28	10	27.9	-1.7	0.978	0.5	0.4	0	56.8	55.9	0	157	157	0	25	27
2025	6	3	13	38	10	31.2	-1.5	0.979	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	3	13	48	10	30.6	-0.9	0.979	0.5	0.5	0	56.3	57.2	0	157	159	0	26	26
2025	6	3	13	58	10	24.5	1.9	0.978	0.5	0.4	0	56.3	57.2	0	157	159	0	26	26
2025	6	3	14	8	10	19.1	-11.8	-1	0.5	0.5	0	40.9	57.6	0	121	159	0	26	25
2025	6	3	14	18	10	30	-1.3	0.979	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	3	14	28	10	29.7	-0.1	0.98	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	3	14	38	10	29.1	0.2	0.979	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	3	14	48	10	29.8	-1.1	0.979	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	3	14	58	10	30.4	0	0.979	0.4	0.3	0	56.3	58	0	157	160	0	26	25
2025	6	3	15	8	10	30.7	-0.6	0.979	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	6	3	15	18	10	30	-0.3	0.979	0.5	0.5	0	56.3	57.2	0	156	159	0	25	26
2025	6	3	15	28	10	30.5	-1.1	0.979	0.4	0.3	0	56.8	58	0	157	160	0	25	25
2025	6	3	15	38	10	30.7	-1.4	0.979	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	3	15	48	10	29.3	-1.2	0.979	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	6	3	15	58	10	30.5	-1.3	0.98	0.5	0.5	0	56.8	57.2	0	157	159	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	3	16	8	10	30.5	0.3	0.98	0.5	0.5	0	56.3	57.6	0	156	159	0	25	25
2025	6	3	16	18	10	30.1	-0.7	0.98	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	3	16	28	10	30.3	-1.3	0.98	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	3	16	38	10	29.3	0.4	0.981	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	3	16	48	10	30.8	-0.9	0.98	0.5	0.4	0	56.8	57.2	0	157	159	0	25	26
2025	6	3	16	58	10	30.4	-1.5	0.981	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	6	3	17	8	10	31.1	-0.7	0.98	0.5	0.4	0	57.2	57.6	0	158	160	0	25	26
2025	6	3	17	18	10	30.7	-0.4	0.981	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	3	17	28	10	30.2	-0.1	0.98	0.4	0.3	0	57.2	57.6	0	158	160	0	25	26
2025	6	3	17	38	10	29.9	0	0.981	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	17	48	10	30.2	-1.2	0.981	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	3	17	58	10	30.3	-0.3	0.981	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	3	18	8	10	30.7	0.2	0.98	0.4	0.3	0	57.2	58.5	0	158	161	0	25	25
2025	6	3	18	18	10	29.7	-1.8	0.98	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	3	18	28	10	29.2	-1.1	0.98	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	3	18	38	10	30.5	0.3	0.98	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	18	48	10	30.2	-0.5	0.981	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	18	58	10	30.6	-1.4	0.981	0.5	0.4	0	57.6	58	0	159	161	0	25	26
2025	6	3	19	8	10	29.4	-1	0.981	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	19	18	10	30.3	-0.3	0.981	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	19	28	10	31	-0.5	0.982	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	19	38	10	30.4	-0.9	0.981	0.5	0.4	0	56.8	58.9	0	159	162	0	27	25
2025	6	3	19	48	10	30.1	-0.8	0.983	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	19	58	10	30.1	-0.2	0.983	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	3	20	8	10	30	-0.4	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	20	18	10	30.5	0.2	0.983	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	3	20	28	10	30	-0.3	0.983	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	20	38	10	30.3	-0.8	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	3	20	48	10	31	-0.5	0.983	0.5	0.4	0	57.2	58.9	0	159	162	0	26	25
2025	6	3	20	58	10	30.5	-0.1	0.983	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	21	8	10	30.4	-0.9	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	21	18	10	29.6	-0.1	0.983	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	6	3	21	28	10	29.2	-0.2	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	21	38	10	29.7	-0.9	0.983	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	21	48	10	30.9	-1.4	0.983	0.5	0.4	0	57.2	58.9	0	159	162	0	26	25
2025	6	3	21	58	10	30.2	-0.9	0.983	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	22	8	10	30.2	-0.4	0.983	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	22	18	10	30.2	-0.7	0.983	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	22	28	10	30.8	-0.6	0.983	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	22	38	10	30.7	-0.9	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	22	48	10	29.9	-0.6	0.983	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	22	58	10	30.3	-0.2	0.983	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	3	23	8	10	29.8	-0.4	0.983	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	3	23	18	10	30.1	-1	0.983	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	23	28	10	28.9	-0.6	0.983	0.4	0.3	0	57.6	58.9	0	159	162	0	25	25
2025	6	3	23	38	10	31.1	-0.4	0.983	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	3	23	48	10	30.1	-0.1	0.983	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	3	23	58	10	30.8	-0.5	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	4	0	8	10	31.1	-0.4	0.983	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	6	4	0	18	10	30.9	-0.5	0.983	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	0	28	10	29.8	-1.7	0.983	0.4	0.3	0	57.6	58.9	0	159	162	0	25	25
2025	6	4	0	38	10	30.6	-0.4	0.983	0.4	0.3	0	58	58.5	0	160	162	0	25	26
2025	6	4	0	48	10	29.6	-0.5	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	0	58	10	30.5	-0.2	0.983	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	1	8	10	29.6	-1	0.983	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	4	1	18	10	29.1	-0.8	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	1	28	10	30.5	-0.9	0.983	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	4	1	38	10	29.9	-1	0.983	0.3	0.2	0	57.6	58.5	0	159	162	0	25	26
2025	6	4	1	48	10	30.8	-0.5	0.983	0.5	0.4	0	57.6	58	0	159	162	0	25	27
2025	6	4	1	58	10	30.7	-0.9	0.983	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	4	2	8	10	31.3	-1.4	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	2	18	10	30	-0.4	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	2	28	10	30.7	-1.3	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	2	38	10	30.9	0.5	0.983	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	2	48	10	30.1	0	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	2	58	10	30.7	-0.1	0.983	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	6	4	3	8	10	31.6	-0.7	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	3	18	10	29.4	-0.5	0.983	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	4	3	28	10	30.8	0	0.983	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	4	3	38	10	30.8	-0.5	0.983	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	3	48	10	30.3	-1.3	0.983	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	3	58	10	31.6	-0.7	0.983	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	4	4	8	10	30	0	0.983	0.3	0.2	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	4	18	10	30.8	-0.6	0.983	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	4	28	10	31.2	-1	0.983	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	4	38	10	30.3	-0.6	0.983	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	6	4	4	48	10	29.8	-1.2	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	4	58	10	30.2	-1.3	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	5	8	10	30.7	-0.9	0.983	0.5	0.4	0	58.5	59.3	0	161	164	0	25	26
2025	6	4	5	18	10	30.6	-1.4	0.983	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	4	5	28	10	28.4	-1.2	0.983	0.4	0.3	0	58	59.8	0	162	165	0	27	26
2025	6	4	5	38	10	30.3	-1	0.983	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	4	5	48	10	29.8	-0.3	0.983	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	4	5	58	10	31	-0.4	0.983	0.5	0.4	0	58	59.3	0	161	165	0	26	27
2025	6	4	6	8	10	30.3	-0.6	0.983	0.4	0.3	0	58.9	59.3	0	162	165	0	25	27
2025	6	4	6	18	10	29.6	-1.1	0.983	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	4	6	28	10	30.3	-1.4	0.983	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	4	6	38	10	31	-1.4	0.983	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	4	6	48	10	31.1	-0.6	0.983	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	4	6	58	10	31.5	-1.2	0.983	0.4	0.3	0	58	58.9	0	161	164	0	26	27
2025	6	4	7	8	10	29.9	-0.5	0.983	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	4	7	18	10	30.2	-0.7	0.983	0.5	0.5	0	58	59.8	0	161	165	0	26	26
2025	6	4	7	28	10	30.3	-0.4	0.982	0.5	0.4	0	58	59.3	0	161	165	0	26	27
2025	6	4	7	38	10	30.8	-0.8	0.983	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	4	7	48	10	31.7	-0.9	0.982	0.5	0.5	0	58.5	59.8	0	162	165	0	26	26
2025	6	4	7	58	10	30.5	-1	0.983	0.5	0.4	0	58	59.3	0	161	164	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	4	8	8	10	30.5	-1.3	0.982	0.5	0.4	0	58.5	59.8	0	162	166	0	26	27
2025	6	4	8	18	10	30.4	-1.4	0.983	0.3	0.2	0	58.9	59.8	0	163	165	0	26	26
2025	6	4	8	28	10	30.9	-2	0.983	0.5	0.5	0	58.5	59.3	0	162	165	0	26	27
2025	6	4	8	38	10	29.8	-1.1	0.982	0.5	0.4	0	58.5	60.2	0	162	166	0	26	26
2025	6	4	8	48	10	31	-0.8	0.982	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	4	8	58	10	30.9	0	0.983	0.4	0.3	0	58.5	59.8	0	162	165	0	26	26
2025	6	4	9	8	10	31	-1.1	0.983	0.5	0.5	0	58	59.8	0	162	165	0	27	26
2025	6	4	9	18	10	30.6	-1.1	0.982	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	4	9	28	10	29.2	-1.7	0.982	0.5	0.4	0	58.9	60.2	0	163	166	0	26	26
2025	6	4	9	38	10	29.9	-1.4	0.983	0.5	0.5	0	58.5	59.3	0	162	165	0	26	27
2025	6	4	9	48	10	30.9	-1.8	0.982	0.5	0.4	0	58.5	59.3	0	162	165	0	26	27
2025	6	4	9	58	10	31.3	-0.8	0.982	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	6	4	10	8	10	31.1	-1	0.982	0.5	0.5	0	58.5	59.8	0	162	165	0	26	26
2025	6	4	10	18	10	30.9	-1.7	0.982	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	4	10	28	10	30.9	-0.2	0.982	0.4	0.3	0	58	59.8	0	161	165	0	26	26
2025	6	4	10	38	10	30.9	-1.2	0.982	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	4	10	48	10	29.8	0.4	0.983	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	4	10	58	10	30.4	-1	0.983	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	4	11	8	10	30.3	-0.4	0.983	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	6	4	11	18	10	30.7	-0.5	0.983	0.5	0.4	0	58.5	59.3	0	161	164	0	25	26
2025	6	4	11	28	10	30.8	-1.9	0.983	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	6	4	11	38	10	30.1	-1.8	0.983	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	4	11	48	10	30.8	-1	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	11	58	10	30	-0.4	0.983	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	12	8	10	29.7	-0.1	0.983	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	12	18	10	30.6	-0.8	0.982	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	4	12	28	10	32.2	-1.1	0.981	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	4	12	38	10	29.7	-0.4	0.983	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	4	12	48	10	29.8	-1.6	0.984	0.4	0.3	0	57.6	58.9	0	159	162	0	25	25
2025	6	4	12	58	10	30.1	-1.1	0.983	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	13	8	10	30.3	-1.9	0.983	0.5	0.4	0	56.8	58.9	0	158	162	0	26	25
2025	6	4	13	18	10	30.8	0.1	0.984	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	4	13	28	10	29.4	-1.4	0.984	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	13	38	10	31.4	-1.3	0.984	0.3	0.2	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	13	48	10	31.1	-0.1	0.984	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	13	58	10	30.6	-1.3	0.984	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	6	4	14	8	10	30	-1	0.983	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	4	14	18	10	31.4	-0.5	0.984	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	4	14	28	10	30.6	-1.7	0.984	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	4	14	38	10	30.5	-0.4	0.984	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	4	14	48	10	31.1	-0.4	0.984	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	4	14	58	10	30.7	0.1	0.984	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	4	15	8	10	30.3	-0.1	0.985	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	4	15	18	10	30.5	-0.1	0.985	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	4	15	28	10	30.4	-1.2	0.984	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	4	15	38	10	30	-1.3	0.985	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	4	15	48	10	29.6	0.2	0.985	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	4	15	58	10	30.2	-0.6	0.985	0.3	0.2	0	57.2	58	0	158	161	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	4	16	8	10	30.9	-0.5	0.985	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	4	16	18	10	30.7	-0.1	0.985	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	4	16	28	10	31	0	0.986	0.4	0.3	0	56.8	58.9	0	158	162	0	26	25
2025	6	4	16	38	10	30	-0.5	0.984	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	4	16	48	10	31.1	-0.2	0.985	0.5	0.4	0	56.3	58.5	0	157	161	0	26	25
2025	6	4	16	58	10	31.7	-0.9	0.984	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	4	17	8	10	30.8	-1.4	0.985	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	4	17	18	10	30.3	0	0.985	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	4	17	28	10	30.4	-0.6	0.984	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	4	17	38	10	30.5	-0.8	0.984	0.5	0.4	0	56.8	58.9	0	157	162	0	25	25
2025	6	4	17	48	10	29.9	-0.4	0.984	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	4	17	58	10	30.1	-1.4	0.983	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	4	18	8	10	31.1	0	0.984	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	4	18	18	10	30.2	-0.8	0.983	0.5	0.4	0	57.6	58	0	159	162	0	25	27
2025	6	4	18	28	10	31	0	0.983	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	4	18	38	10	29.6	-0.7	0.984	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	4	18	48	10	31.5	-0.4	0.983	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	4	18	58	10	29.7	-1	0.983	0.5	0.4	0	57.2	59.3	0	159	163	0	26	25
2025	6	4	19	8	10	30.7	-0.9	0.983	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	4	19	18	10	31.1	-0.2	0.982	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	4	19	28	10	30.4	-1.4	0.983	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	4	19	38	10	30.5	-0.1	0.983	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	4	19	48	10	31.6	-0.7	0.982	0.5	0.4	0	57.6	59.3	0	160	163	0	26	25
2025	6	4	19	58	10	30.2	-0.4	0.982	0.5	0.5	0	58	59.3	0	160	164	0	25	26
2025	6	4	20	8	10	30.1	0.4	0.982	0.4	0.3	0	57.2	59.3	0	159	163	0	26	25
2025	6	4	20	18	10	30.1	-0.2	0.984	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	4	20	28	10	30.5	-1.4	0.984	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	4	20	38	10	30.1	0.2	0.984	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	4	20	48	10	30	-1.4	0.984	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	20	58	10	30.8	-0.5	0.984	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	6	4	21	8	10	30.7	-0.3	0.984	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	4	21	18	10	31.2	-1.3	0.984	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	4	21	28	10	30.3	-0.3	0.984	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	4	21	38	10	31.4	-0.5	0.984	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	4	21	48	10	30.7	-0.9	0.984	0.3	0.2	0	57.2	58.5	0	158	162	0	25	26
2025	6	4	21	58	10	30.4	-0.9	0.984	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	6	4	22	8	10	30.1	-1.2	0.984	0.5	0.4	0	56.8	58.9	0	158	162	0	26	25
2025	6	4	22	18	10	30.9	-0.2	0.983	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	4	22	28	10	31.9	-0.7	0.984	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	6	4	22	38	10	31.1	-0.4	0.984	0.4	0.3	0	57.6	58.9	0	160	162	0	26	25
2025	6	4	22	48	10	30.3	0.1	0.984	0.5	0.5	0	57.6	59.3	0	160	163	0	26	25
2025	6	4	22	58	10	30.3	-1	0.984	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	4	23	8	10	30.8	-1.6	0.984	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	6	4	23	18	10	30	0.1	0.983	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	4	23	28	10	29.5	-0.4	0.983	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	23	38	10	30.7	-1	0.983	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	4	23	48	10	30.2	-0.5	0.983	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	4	23	58	10	31.2	0	0.983	0.5	0.5	0	58	58.9	0	160	163	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	5	0	8	10	31.4	-0.1	0.983	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	0	18	10	30.8	-0.4	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	0	28	10	30.8	-1.1	0.983	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	5	0	38	10	30.5	-0.2	0.983	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	0	48	10	30.4	0.4	0.983	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	5	0	58	10	31.3	0.4	0.983	0.5	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	6	5	1	8	10	30.3	-1	0.983	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	1	18	10	29.3	-1	0.983	0.5	0.5	0	57.6	59.3	0	160	163	0	26	25
2025	6	5	1	28	10	30.7	-0.8	0.983	0.5	0.4	0	57.6	58	0	159	162	0	25	27
2025	6	5	1	38	10	30.2	-0.5	0.983	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	1	48	10	30.4	-0.1	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	1	58	10	30.2	-1.2	0.982	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	5	2	8	10	30.2	-0.4	0.982	0.3	0.2	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	2	18	10	29.2	0.2	0.983	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	2	28	10	30.1	0.5	0.982	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	2	38	10	30.6	-0.7	0.982	0.4	0.3	0	56.8	58.9	0	159	163	0	27	26
2025	6	5	2	48	10	30.6	-0.7	0.982	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	2	58	10	31	-1	0.982	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	3	8	10	29.9	-1.4	0.982	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	3	18	10	30.3	-1	0.982	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	3	28	10	29.6	-0.7	0.982	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	3	38	10	30.2	-0.6	0.982	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	3	48	10	30	-0.4	0.982	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	3	58	10	31.6	0	0.982	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	4	8	10	29.6	-1	0.982	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	6	5	4	18	10	30	0	0.982	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	4	28	10	30.3	-0.8	0.982	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	4	38	10	30	-1.3	0.982	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	4	48	10	30.7	-1.7	0.982	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	4	58	10	30.2	-1	0.981	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	5	5	8	10	30.2	0.4	0.981	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	5	5	18	10	31	-0.6	0.981	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	5	28	10	29.8	0.3	0.981	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	5	5	38	10	31.3	-1.6	0.981	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	5	5	48	10	29.9	-1.4	0.981	0.4	0.3	0	58	58.9	0	160	164	0	25	27
2025	6	5	5	58	10	29.5	-0.8	0.981	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	5	6	8	10	30.7	-1	0.981	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	6	5	6	18	10	30.1	0	0.98	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	5	6	28	10	31	-0.6	0.98	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	5	6	38	10	29.9	-1.4	0.98	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	6	48	10	29.4	-0.9	0.98	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	5	6	58	10	29.4	-0.2	0.98	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	5	7	8	10	29.9	-0.9	0.98	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	6	5	7	18	10	31	-1.4	0.98	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26
2025	6	5	7	28	10	31.2	-0.9	0.98	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	5	7	38	10	30.1	-1.2	0.979	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	5	7	48	10	29.5	-2.1	0.979	0.5	0.4	0	58.5	59.3	0	161	164	0	25	26
2025	6	5	7	58	10	31	-2	0.979	0.4	0.3	0	58	58.9	0	161	164	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	5	8	8	10	29.3	-1.1	0.979	0.5	0.5	0	58	58.9	0	161	163	0	26	26
2025	6	5	8	18	10	30.1	-1	0.979	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	5	8	28	10	30.6	-1.8	0.979	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	8	38	10	29.9	-1.2	0.979	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	5	8	48	10	31	0	0.978	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	5	8	58	10	30.2	-0.4	0.978	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	9	8	10	30	-0.4	0.977	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	9	18	10	30.7	-1	0.977	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	9	28	10	30.4	-1	0.976	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	6	5	9	38	10	30.8	-0.5	0.975	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	6	5	9	48	10	29.4	-1.4	0.975	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	9	58	10	30.2	-1	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	10	8	10	30	-0.4	0.974	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	5	10	18	10	29.6	-1.4	0.974	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	6	5	10	28	10	30	-1.6	0.974	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	6	5	10	38	10	29.4	-1	0.974	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	5	10	48	10	30.2	-1.9	0.973	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	5	10	58	10	30.6	-1.2	0.973	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	6	5	11	8	10	30.4	-1	0.973	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	6	5	11	18	10	30.2	-0.6	0.973	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	5	11	28	10	29	-0.9	0.973	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	5	11	38	10	29.9	-1	0.973	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	5	11	48	10	29.2	-0.9	0.973	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	5	11	58	10	30.2	-0.4	0.973	0.3	0.2	0	56.8	58	0	158	161	0	26	26
2025	6	5	12	8	10	30.2	-2.1	0.973	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	6	5	12	18	10	30.8	-0.9	0.973	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	5	12	28	10	30.1	-1.6	0.973	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	6	5	12	38	10	30	-0.7	0.973	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	5	12	48	10	29.6	-1.4	0.973	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	5	12	58	10	29.5	-0.7	0.972	0.5	0.5	0	56.8	57.6	0	157	160	0	25	26
2025	6	5	13	8	10	29.7	-0.5	0.973	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	6	5	13	18	10	30.4	-0.4	0.972	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	6	5	13	28	10	29.7	-1.5	0.971	0.5	0.5	0	56.8	57.6	0	157	160	0	25	26
2025	6	5	13	38	10	30.2	-0.9	0.972	0.5	0.4	0	55.9	57.2	0	156	159	0	26	26
2025	6	5	13	48	10	30.5	-1	0.972	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	6	5	13	58	10	28.7	0	0.972	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	6	5	14	8	10	30.8	-0.3	0.971	0.5	0.4	0	55.9	57.6	0	156	159	0	26	25
2025	6	5	14	18	10	28.9	-0.5	0.97	0.5	0.5	0	56.3	57.2	0	156	159	0	25	26
2025	6	5	14	28	10	30.3	-1	0.97	0.4	0.3	0	56.3	57.2	0	156	159	0	25	26
2025	6	5	14	38	10	29.2	-0.1	0.971	0.4	0.3	0	56.3	57.2	0	156	159	0	25	26
2025	6	5	14	48	10	30.3	-0.4	0.972	0.4	0.3	0	55.5	57.2	0	155	159	0	26	26
2025	6	5	14	58	10	30	-0.6	0.97	0.5	0.4	0	56.3	57.2	0	156	159	0	25	26
2025	6	5	15	8	10	30.3	-0.2	0.971	0.5	0.5	0	55.5	57.6	0	155	159	0	26	25
2025	6	5	15	18	10	29.8	-1.2	0.97	0.6	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	6	5	15	28	10	30.7	-0.8	0.97	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	6	5	15	38	10	30.1	0	0.969	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	5	15	48	10	30.5	-0.2	0.97	0.6	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	6	5	15	58	10	29.6	-0.7	0.969	0.5	0.4	0	56.3	58	0	157	160	0	26	25

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	5	16	8	10	29.8	-0.2	0.968	0.5	0.4	0	56.3	58	0	156	160	0	25	25
2025	6	5	16	18	10	29.5	-0.1	0.969	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	6	5	16	28	10	29.4	-1.1	0.969	0.5	0.4	0	55.9	58	0	156	160	0	26	25
2025	6	5	16	38	10	29.4	-0.6	0.969	0.5	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	6	5	16	48	10	30.4	-1.4	0.969	0.5	0.5	0	56.8	58	0	157	160	0	25	25
2025	6	5	16	58	10	30.4	-0.1	0.969	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	5	17	8	10	29.4	0.8	0.968	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	5	17	18	10	29.9	-0.4	0.968	0.4	0.3	0	56.8	58	0	157	161	0	25	26
2025	6	5	17	28	10	29.6	-1.5	0.969	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	5	17	38	10	29.5	-0.7	0.969	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	5	17	48	10	30.6	-0.7	0.969	0.4	0.3	0	56.3	58	0	157	161	0	26	26
2025	6	5	17	58	10	30.4	0	0.969	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	5	18	8	10	29.6	-0.2	0.968	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	6	5	18	18	10	29.7	-0.5	0.969	0.4	0.3	0	57.2	58.9	0	158	162	0	25	25
2025	6	5	18	28	10	29.4	-0.6	0.968	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	5	18	38	10	29.8	-0.4	0.968	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	5	18	48	10	30.4	0.2	0.969	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	18	58	10	28.5	-1.3	0.968	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	5	19	8	10	29.5	-0.6	0.968	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	5	19	18	10	29.7	-0.1	0.969	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	5	19	28	10	30.4	0.3	0.968	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	5	19	38	10	29.4	0.3	0.968	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	5	19	48	10	29.4	-0.4	0.968	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	5	19	58	10	29.4	-0.6	0.968	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	6	5	20	8	10	29.5	-0.6	0.969	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	5	20	18	10	29.9	-1.4	0.969	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	5	20	28	10	30.2	0	0.969	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	5	20	38	10	30	-0.3	0.969	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	5	20	48	10	29.4	-0.4	0.97	0.5	0.5	0	57.2	59.3	0	158	163	0	25	25
2025	6	5	20	58	10	28.8	-1.1	0.97	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	5	21	8	10	30.7	-0.9	0.97	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	21	18	10	29.4	-0.7	0.97	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	5	21	28	10	30.5	-0.3	0.97	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	5	21	38	10	29.8	0.2	0.971	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	5	21	48	10	28.8	-0.1	0.971	0.5	0.5	0	58	59.8	0	160	164	0	25	25
2025	6	5	21	58	10	29.3	-1.1	0.972	0.4	0.3	0	58	59.8	0	160	164	0	25	25
2025	6	5	22	8	10	29.7	-0.9	0.972	0.4	0.3	0	58	59.3	0	160	164	0	25	26
2025	6	5	22	18	10	29.2	-0.9	0.972	0.6	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	5	22	28	10	29.6	0.4	0.972	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	22	38	10	29.5	-0.5	0.972	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	5	22	48	10	29	-0.3	0.972	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	5	22	58	10	30.5	-1.2	0.972	0.4	0.3	0	57.6	59.3	0	160	163	0	26	25
2025	6	5	23	8	10	29.9	-0.9	0.972	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	5	23	18	10	30.9	0.9	0.972	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	23	28	10	28.7	-0.7	0.972	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	23	38	10	29.5	-1.9	0.972	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	5	23	48	10	29.7	-0.5	0.972	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	5	23	58	10	28.6	-0.8	0.972	0.5	0.5	0	58	59.3	0	160	163	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	6	0	8	10	31.8	-0.4	0.972	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	6	0	18	10	30.1	-0.1	0.972	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	6	0	28	10	30.2	-0.4	0.972	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	6	0	38	10	29.7	-0.5	0.972	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	6	0	48	10	30.7	-0.5	0.972	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	0	58	10	30	0	0.972	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	1	8	10	30.3	-0.9	0.972	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	1	18	10	29.3	-0.5	0.972	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	1	28	10	29.8	-0.5	0.973	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	6	6	1	38	10	29.7	-0.4	0.973	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	6	1	48	10	31	-1.2	0.972	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	1	58	10	29.2	-0.9	0.972	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	2	8	10	29.1	-0.5	0.973	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	2	18	10	30	-1	0.972	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	2	28	10	30.1	-1.6	0.973	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	2	38	10	28.7	-0.4	0.973	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	2	48	10	29.5	-0.5	0.973	0.5	0.5	0	58	59.3	0	160	164	0	25	26
2025	6	6	2	58	10	31	-1.2	0.973	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	6	3	8	10	30.1	-1.4	0.973	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	6	3	18	10	29.7	-1	0.973	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	3	28	10	29.6	-0.5	0.972	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	3	38	10	30	-1.2	0.973	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	3	48	10	30.5	-0.4	0.973	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	3	58	10	29.5	-0.7	0.972	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	6	4	8	10	30.2	-0.3	0.973	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	6	4	18	10	31.2	-0.8	0.973	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	4	28	10	29.4	0	0.973	0.5	0.5	0	58	58.9	0	161	163	0	26	26
2025	6	6	4	38	10	30.6	-0.9	0.973	0.5	0.4	0	58	58.5	0	160	163	0	25	27
2025	6	6	4	48	10	29.7	-1.3	0.973	0.4	0.3	0	58	58.9	0	161	163	0	26	26
2025	6	6	4	58	10	30.4	0	0.973	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	6	5	8	10	29.2	-1.1	0.973	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	6	5	18	10	29.9	-1.8	0.973	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	6	6	5	28	10	29.8	-0.7	0.973	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	6	5	38	10	30.7	-0.1	0.973	0.5	0.4	0	58.5	59.3	0	162	165	0	26	27
2025	6	6	5	48	10	29.9	-1.4	0.973	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	6	6	5	58	10	29.8	-1.6	0.973	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	6	6	8	10	29.9	-1.2	0.973	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	6	6	18	10	29.1	-1.4	0.973	0.5	0.4	0	58.5	59.3	0	162	165	0	26	27
2025	6	6	6	28	10	29.8	0.3	0.973	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	6	6	38	10	29.3	-1.4	0.973	0.6	0.5	0	58	58.9	0	162	164	0	27	27
2025	6	6	6	48	10	29.8	-0.5	0.973	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	6	6	58	10	30.8	-0.9	0.973	0.4	0.3	0	58	59.3	0	162	164	0	27	26
2025	6	6	7	8	10	30.6	-0.4	0.973	0.5	0.4	0	58.5	59.3	0	162	165	0	26	27
2025	6	6	7	18	10	29.4	-0.7	0.973	0.5	0.4	0	58.9	59.8	0	162	165	0	25	26
2025	6	6	7	28	10	29.9	-0.9	0.973	0.4	0.3	0	58.5	59.8	0	162	165	0	26	26
2025	6	6	7	38	10	29	-0.6	0.973	0.5	0.5	0	58.5	59.8	0	162	165	0	26	26
2025	6	6	7	48	10	29.6	-0.7	0.973	0.5	0.5	0	58.5	59.3	0	162	165	0	26	27
2025	6	6	7	58	10	29.3	-0.7	0.973	0.5	0.4	0	58	59.8	0	162	165	0	27	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	6	8	8	10	30.8	-0.6	0.973	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	6	8	18	10	29.7	-1.1	0.973	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	6	8	28	10	29.9	-1.4	0.973	0.5	0.5	0	58	59.3	0	161	165	0	26	27
2025	6	6	8	38	10	30.6	-0.9	0.973	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	6	6	8	48	10	30	-1	0.973	0.5	0.5	0	58	59.8	0	161	165	0	26	26
2025	6	6	8	58	10	29.9	-1.2	0.973	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	6	9	8	10	28.9	0	0.973	0.5	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	6	6	9	18	10	30.4	0	0.973	0.5	0.4	0	57.6	59.3	0	161	164	0	27	26
2025	6	6	9	28	10	29.9	0	0.973	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	6	9	38	10	29.3	-0.5	0.973	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	6	9	48	10	31.2	-1.3	0.973	0.4	0.3	0	57.6	58.9	0	160	164	0	26	27
2025	6	6	9	58	10	30.8	-0.7	0.973	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	6	10	8	10	29	-0.6	0.973	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	10	18	10	30	-2.4	0.973	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	6	10	28	10	29.6	-1.4	0.973	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	6	10	38	10	31.3	-2.2	0.973	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	6	10	48	10	30.2	-0.3	0.974	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	6	10	58	10	30.3	-0.5	0.974	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	6	11	8	10	29.6	-1	0.973	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	6	11	18	10	31	-1.3	0.973	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	6	11	28	10	29.6	-0.8	0.974	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	6	11	38	10	29.7	-0.6	0.974	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	11	48	10	28.6	0.1	0.974	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	6	11	58	10	30.6	-0.4	0.974	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	6	12	8	10	30	-1.5	0.974	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	6	12	18	10	29.4	-0.8	0.974	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	6	12	28	10	29.4	-0.3	0.974	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	6	6	12	38	10	29.4	-0.5	0.974	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	6	12	48	10	29.6	-0.5	0.974	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	6	12	58	10	29.5	-0.9	0.974	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	6	6	13	8	10	31.2	-1.2	0.974	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	6	13	18	10	30	-1.8	0.974	0.4	0.3	0	56.8	58.5	0	158	161	0	26	25
2025	6	6	13	28	10	30.7	-0.1	0.974	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	6	13	38	10	29	-0.8	0.974	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	6	6	13	48	10	30.8	-0.7	0.973	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	6	13	58	10	30	-1.3	0.974	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	6	14	8	10	29.7	-1.3	0.973	0.4	0.3	0	56.8	57.6	0	157	161	0	25	27
2025	6	6	14	18	10	30.8	-0.8	0.973	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	6	14	28	10	29.3	-1	0.973	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	6	6	14	38	10	30.4	0	0.971	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	6	6	14	48	10	30.8	-1.2	0.973	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	6	14	58	10	29.6	-1.7	0.974	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	6	15	8	10	30.5	-0.4	0.972	0.6	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	6	15	18	10	30.5	0	0.972	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	6	6	15	28	10	30.4	-1.6	0.972	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	6	15	38	10	28.9	-0.1	0.974	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	6	15	48	10	31.1	-0.5	0.972	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	6	15	58	10	30.2	-0.3	0.972	0.4	0.3	0	56.3	58	0	157	161	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	6	16	8	10	31.4	-0.6	0.972	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	6	16	18	10	30.3	-1	0.971	0.5	0.4	0	56.3	58	0	156	160	0	25	25
2025	6	6	16	28	10	31	-0.5	0.972	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	6	6	16	38	10	29.6	-0.4	0.972	0.5	0.4	0	56.8	58.5	0	158	161	0	26	25
2025	6	6	16	48	10	30.4	-0.3	0.971	0.5	0.4	0	57.6	58.5	0	158	161	0	24	25
2025	6	6	16	58	10	30.1	-0.5	0.97	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	6	17	8	10	30.4	-0.8	0.972	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	6	17	18	10	29.4	-1.1	0.971	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	6	17	28	10	29.5	0	0.971	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	6	17	38	10	29.7	-1.1	0.971	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	6	6	17	48	10	30.1	0.4	0.971	0.4	0.3	0	57.2	58.5	0	158	161	0	25	25
2025	6	6	17	58	10	30.6	-0.4	0.971	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	6	18	8	10	29.8	-1	0.971	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	6	18	18	10	30.1	-0.5	0.971	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	6	18	28	10	30.1	-0.4	0.971	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	6	18	38	10	29.7	-0.8	0.971	0.5	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	6	6	18	48	10	29.7	-1.1	0.97	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	6	18	58	10	30.4	-0.3	0.97	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	6	19	8	10	31.2	0	0.971	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	6	19	18	10	29.7	-0.8	0.971	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	6	19	28	10	29.6	-1.1	0.97	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	6	19	38	10	29.5	-1	0.97	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	6	19	48	10	29.2	-1.4	0.97	0.4	0.3	0	58	58.5	0	160	162	0	25	26
2025	6	6	19	58	10	30.9	-0.3	0.971	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	6	20	8	10	30	-0.6	0.971	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	6	20	18	10	30.2	-0.1	0.971	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	6	20	28	10	31	-0.5	0.97	0.5	0.4	0	58	59.8	0	160	164	0	25	25
2025	6	6	20	38	10	29.3	-0.5	0.97	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	6	20	48	10	29.7	-0.3	0.97	0.5	0.5	0	57.6	59.3	0	160	163	0	26	25
2025	6	6	20	58	10	29.7	-0.1	0.971	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	21	8	10	29.9	-0.3	0.971	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	6	21	18	10	29.5	-0.1	0.971	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	6	21	28	10	29.1	-0.4	0.971	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	21	38	10	30.1	0.4	0.971	0.5	0.5	0	58	59.3	0	159	163	0	24	25
2025	6	6	21	48	10	30.6	-0.9	0.971	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	6	21	58	10	29.8	0.6	0.971	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	6	22	8	10	30.4	-0.5	0.971	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	6	22	18	10	29.3	-0.5	0.971	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	22	28	10	31.1	-0.4	0.971	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	6	22	38	10	30.2	-1.3	0.971	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	22	48	10	30.9	-1.5	0.971	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	6	22	58	10	29.5	-0.6	0.972	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	23	8	10	29.6	-1	0.972	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	23	18	10	29.6	-0.9	0.971	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	23	28	10	30.1	-1.4	0.971	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	23	38	10	29.9	-0.5	0.972	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	6	23	48	10	30.6	-0.9	0.971	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	6	23	58	10	30.3	-0.4	0.971	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	7	0	8	10	29.4	0.2	0.971	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	0	18	10	31.3	-0.4	0.972	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	0	28	10	29.5	0.3	0.971	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	6	7	0	38	10	29.3	-1.1	0.971	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	0	48	10	29.6	-0.3	0.971	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	6	7	0	58	10	30.8	-1.6	0.971	0.5	0.4	0	57.2	59.3	0	159	163	0	26	25
2025	6	7	1	8	10	30.1	0	0.971	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	1	18	10	30.8	-0.5	0.971	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	1	28	10	30	-1.5	0.971	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	1	38	10	30.2	-0.5	0.971	0.5	0.4	0	57.6	59.3	0	160	163	0	26	25
2025	6	7	1	48	10	28.9	-0.7	0.971	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	1	58	10	29.9	0.3	0.971	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	2	8	10	29.9	-0.4	0.971	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	2	18	10	28.8	-0.7	0.971	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	2	28	10	29.2	-0.9	0.971	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	2	38	10	30.3	-1	0.971	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	2	48	10	29.4	-0.9	0.971	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	2	58	10	30.6	-0.2	0.971	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	3	8	10	29.7	-1.4	0.971	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	3	18	10	30.2	-0.6	0.971	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	3	28	10	29.5	-1.5	0.971	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	7	3	38	10	30.3	-0.4	0.971	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	3	48	10	29.8	-0.7	0.971	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	3	58	10	29.8	-1.2	0.971	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	4	8	10	29.8	-1	0.971	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	4	18	10	29.2	-0.5	0.971	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	7	4	28	10	30	-1.8	0.971	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	4	38	10	29.9	-1	0.971	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	4	48	10	30.5	-0.4	0.971	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	4	58	10	30	-1	0.971	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	5	8	10	29.7	-0.4	0.971	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	7	5	18	10	29.1	-0.7	0.971	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	7	5	28	10	29.1	-1.2	0.971	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	5	38	10	29.4	-0.5	0.971	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	7	5	48	10	30.3	-0.8	0.971	0.5	0.4	0	58.5	58.9	0	162	164	0	26	27
2025	6	7	5	58	10	28.8	-1.3	0.971	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	7	6	8	10	30	-0.6	0.971	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	7	6	18	10	29.8	-1.8	0.97	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	7	6	28	10	28.9	0.5	0.971	0.5	0.4	0	58.5	59.3	0	162	164	0	26	26
2025	6	7	6	38	10	29.5	-1.3	0.97	0.4	0.3	0	58.5	59.3	0	162	164	0	26	26
2025	6	7	6	48	10	29.2	-0.8	0.97	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	7	6	58	10	30.1	-1.8	0.97	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	7	7	8	10	29.2	-1.2	0.97	0.6	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	7	7	18	10	29.7	-1.1	0.97	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	7	7	28	10	29.8	-1.6	0.97	0.5	0.4	0	58.5	59.3	0	161	164	0	25	26
2025	6	7	7	38	10	30.6	-1.4	0.97	0.4	0.3	0	57.6	59.3	0	161	164	0	27	26
2025	6	7	7	48	10	29.2	-0.5	0.97	0.4	0.3	0	58	58.9	0	161	164	0	26	27
2025	6	7	7	58	10	30.8	-0.9	0.97	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	7	8	8	10	30.1	-1.5	0.97	0.5	0.4	0	58	58.9	0	160	164	0	25	27
2025	6	7	8	18	10	30.6	-0.2	0.97	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	6	7	8	28	10	29.4	-1.5	0.97	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	7	8	38	10	30.1	-2.1	0.97	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	7	8	48	10	29.3	-0.9	0.97	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	7	8	58	10	29.7	-1.8	0.97	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	9	8	10	30.3	-1.3	0.97	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	9	18	10	29.1	-0.7	0.97	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	6	7	9	28	10	30.1	-0.4	0.97	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	7	9	38	10	30.7	-0.9	0.97	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	9	48	10	29.7	-0.3	0.97	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	7	9	58	10	28.4	-0.6	0.97	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	7	10	8	10	30.3	-0.8	0.971	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	7	10	18	10	29.8	-0.9	0.971	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	7	10	28	10	29.4	-2.2	0.971	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	7	10	38	10	29.5	0.1	0.971	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	6	7	10	48	10	30.2	-1.6	0.971	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	7	10	58	10	29.2	0.3	0.971	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	6	7	11	8	10	28.8	-0.5	0.971	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	6	7	11	18	10	30.5	-1.2	0.971	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	7	11	28	10	29.6	-0.1	0.971	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	7	11	38	10	29.5	0.4	0.971	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	7	11	48	10	29.4	-0.6	0.971	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	7	11	58	10	29.8	-0.2	0.97	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	6	7	12	8	10	30.4	-1.6	0.968	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	7	12	18	10	29.1	-0.6	0.97	0.6	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	6	7	12	28	10	29.4	-0.9	0.969	0.5	0.4	0	56.3	58.5	0	157	161	0	26	25
2025	6	7	12	38	10	30.8	-0.6	0.97	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	7	12	48	10	29.9	-0.7	0.97	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	6	7	12	58	10	29.7	-0.7	0.969	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	7	13	8	10	30.7	-0.4	0.969	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	6	7	13	18	10	29.6	-0.3	0.969	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	7	13	28	10	29.9	-0.7	0.969	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	6	7	13	38	10	30.2	-1	0.968	0.5	0.5	0	55.9	58	0	156	160	0	26	25
2025	6	7	13	48	10	29.7	-1.6	0.968	0.5	0.4	0	55.9	57.2	0	156	159	0	26	26
2025	6	7	13	58	10	29.9	-0.5	0.968	0.5	0.5	0	55.9	57.6	0	156	159	0	26	25
2025	6	7	14	8	10	29.8	-1	0.968	0.4	0.3	0	56.3	57.6	0	156	160	0	25	26
2025	6	7	14	18	10	29.5	-0.5	0.968	0.5	0.4	0	55.9	57.2	0	156	159	0	26	26
2025	6	7	14	28	10	31	-1.4	0.968	0.4	0.3	0	55.9	57.2	0	156	159	0	26	26
2025	6	7	14	38	10	29.2	-0.1	0.968	0.4	0.3	0	56.3	57.6	0	156	159	0	25	25
2025	6	7	14	48	10	30.1	-0.7	0.967	0.5	0.5	0	55.9	57.6	0	156	159	0	26	25
2025	6	7	14	58	10	29.7	-0.8	0.968	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	6	7	15	8	10	24.6	-0.4	0.968	0.6	0.5	0	58	60.6	0	161	166	0	26	25
2025	6	7	15	18	10	31.5	-0.5	0.968	0.5	0.5	0	55	57.2	0	154	159	0	26	26
2025	6	7	15	28	10	26.9	-0.3	0.968	0.5	0.4	0	55.9	58.5	0	156	161	0	26	25
2025	6	7	15	38	10	29.6	-0.5	0.968	0.3	0.2	0	55.5	57.2	0	154	159	0	25	26
2025	6	7	15	48	10	30.1	-0.7	0.968	0.5	0.4	0	55	58	0	154	160	0	26	25
2025	6	7	15	58	10	28.8	-0.4	0.968	0.5	0.5	0	55.9	58.5	0	155	161	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	7	16	8	10	28.7	-1.5	0.968	0.5	0.4	0	55	57.2	0	154	159	0	26	26
2025	6	7	16	18	10	29.3	-0.7	0.968	0.5	0.4	0	55.9	58	0	155	160	0	25	25
2025	6	7	16	28	10	31	-1.9	0.968	0.5	0.5	0	55.9	58.5	0	155	161	0	25	25
2025	6	7	16	38	10	31.5	-1.2	0.968	0.5	0.4	0	55.5	58	0	154	160	0	25	25
2025	6	7	16	48	10	30	-1.7	0.968	0.5	0.4	0	55.9	57.6	0	155	160	0	25	26
2025	6	7	16	58	10	29.6	-0.6	0.968	0.5	0.5	0	55.9	58	0	155	161	0	25	26
2025	6	7	17	8	10	29.9	-0.4	0.968	0.4	0.3	0	56.3	58	0	156	161	0	25	26
2025	6	7	17	18	10	29.8	-0.3	0.968	0.5	0.5	0	55.9	58.5	0	155	161	0	25	25
2025	6	7	17	28	10	30.4	-0.4	0.968	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	6	7	17	38	10	29.6	-0.1	0.968	0.5	0.4	0	56.3	58.9	0	156	162	0	25	25
2025	6	7	17	48	10	29.4	-1.6	0.968	0.5	0.4	0	56.3	58.5	0	156	161	0	25	25
2025	6	7	17	58	10	29.6	-0.8	0.968	0.6	0.5	0	56.3	58.9	0	156	162	0	25	25
2025	6	7	18	8	10	30	0	0.969	0.5	0.4	0	56.3	58	0	156	161	0	25	26
2025	6	7	18	18	10	29.3	0	0.968	0.5	0.5	0	56.8	58.9	0	157	162	0	25	25
2025	6	7	18	28	10	29.2	-0.9	0.969	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	6	7	18	38	10	29.2	-0.5	0.968	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26
2025	6	7	18	48	10	30.4	0.4	0.968	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26
2025	6	7	18	58	10	29.4	-0.7	0.968	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	6	7	19	8	10	29.6	-0.9	0.968	0.5	0.4	0	56.3	58.9	0	156	162	0	25	25
2025	6	7	19	18	10	29.8	-0.3	0.968	0.5	0.4	0	56.3	58.9	0	156	162	0	25	25
2025	6	7	19	28	10	29.6	-2.1	0.969	0.5	0.5	0	56.3	58.9	0	156	162	0	25	25
2025	6	7	19	38	10	30.8	-0.4	0.969	0.5	0.4	0	55.9	59.3	0	156	163	0	26	25
2025	6	7	19	48	10	29.9	0	0.969	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	6	7	19	58	10	29.8	1.1	0.969	0.4	0.3	0	56.8	58.9	0	157	162	0	25	25
2025	6	7	20	8	10	28.8	-0.2	0.969	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	7	20	18	10	29.8	-0.9	0.969	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	7	20	28	10	30.4	-0.3	0.969	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	7	20	38	10	30.2	-0.5	0.969	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	20	48	10	28.6	0.1	0.969	0.5	0.5	0	57.2	59.3	0	159	163	0	26	25
2025	6	7	20	58	10	30.9	-0.9	0.969	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	7	21	8	10	29.8	-1	0.969	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	6	7	21	18	10	30.2	-0.3	0.969	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	6	7	21	28	10	30.2	0	0.969	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	21	38	10	30.5	-0.7	0.97	0.5	0.4	0	57.2	59.3	0	159	163	0	26	25
2025	6	7	21	48	10	30.4	-0.8	0.97	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	7	21	58	10	29.3	-0.5	0.97	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	22	8	10	29.1	-1.4	0.97	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	22	18	10	30	-0.4	0.971	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	7	22	28	10	31.1	-1.5	0.971	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	7	22	38	10	29.6	-0.9	0.972	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	7	22	48	10	30.2	-0.3	0.972	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	7	22	58	10	30.9	-0.8	0.972	0.4	0.3	0	57.2	58.9	0	158	162	0	25	25
2025	6	7	23	8	10	28.9	-0.3	0.973	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	7	23	18	10	30.1	-1.9	0.973	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	7	23	28	10	31.2	-1.4	0.973	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	7	23	38	10	29.9	-0.7	0.973	0.5	0.5	0	57.2	59.3	0	159	163	0	26	25
2025	6	7	23	48	10	29.9	-0.2	0.973	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	7	23	58	10	30.3	-0.3	0.973	0.4	0.3	0	57.6	59.3	0	159	163	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	8	0	8	10	31.2	-0.9	0.973	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	8	0	18	10	30	-1.3	0.973	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	8	0	28	10	29.7	-1.3	0.974	0.5	0.4	0	58	59.8	0	160	164	0	25	25
2025	6	8	0	38	10	29.9	-0.4	0.974	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	8	0	48	10	30.6	-1	0.974	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	8	0	58	10	29.7	-0.6	0.974	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	8	1	8	10	30.1	-1.4	0.974	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	8	1	18	10	29.3	-1.4	0.974	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	8	1	28	10	30.6	-1.1	0.974	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	8	1	38	10	29.6	-0.6	0.974	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	8	1	48	10	29.2	-0.7	0.974	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	8	1	58	10	29.6	-1.4	0.974	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	8	2	8	10	29.4	-0.2	0.974	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	8	2	18	10	29.6	0	0.974	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	8	2	28	10	29.8	-0.4	0.974	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	8	2	38	10	30.5	-0.8	0.974	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	8	2	48	10	29.6	-1.3	0.974	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	8	2	58	10	30.8	-0.3	0.974	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	3	8	10	30.4	-0.5	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	3	18	10	30.4	-1.4	0.974	0.4	0.3	0	58.5	58.9	0	160	163	0	24	26
2025	6	8	3	28	10	29.3	0	0.974	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	8	3	38	10	28.3	-1	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	3	48	10	30.5	-1.4	0.974	0.5	0.4	0	58	58.5	0	160	162	0	25	26
2025	6	8	3	58	10	29.6	-0.3	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	4	8	10	29.9	0.1	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	4	18	10	30.8	-0.3	0.974	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	8	4	28	10	29.7	-0.9	0.974	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	8	4	38	10	30.1	-0.3	0.974	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	8	4	48	10	29.5	-0.2	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	4	58	10	30.5	-1.4	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	5	8	10	30.2	-1.3	0.974	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	8	5	18	10	30.9	-0.8	0.973	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	8	5	28	10	30.7	-0.3	0.974	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	8	5	38	10	30.3	-0.7	0.973	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	8	5	48	10	29.1	-0.3	0.973	0.5	0.5	0	58	59.8	0	161	165	0	26	26
2025	6	8	5	58	10	30.2	-0.4	0.973	0.5	0.5	0	58.5	59.8	0	161	165	0	25	26
2025	6	8	6	8	10	30.1	-1.3	0.973	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	8	6	18	10	30	-0.9	0.973	0.5	0.5	0	58	59.8	0	161	165	0	26	26
2025	6	8	6	28	10	29.7	-0.2	0.973	0.4	0.3	0	57.6	58.9	0	161	164	0	27	27
2025	6	8	6	38	10	30.6	-0.6	0.973	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	6	8	6	48	10	29.6	-1.1	0.973	0.4	0.3	0	58.5	58.9	0	161	164	0	25	27
2025	6	8	6	58	10	30.4	-1.6	0.973	0.4	0.3	0	57.6	58.9	0	160	164	0	26	27
2025	6	8	7	8	10	29.9	-0.6	0.973	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	8	7	18	10	29.8	-0.9	0.973	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	8	7	28	10	30.1	-0.2	0.973	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	8	7	38	10	30.2	-0.6	0.973	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	8	7	48	10	29.1	-1.4	0.972	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	6	8	7	58	10	29.1	-1.3	0.972	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	8	8	8	10	29.6	-0.4	0.972	0.4	0.3	0	57.2	58.9	0	160	164	0	27	27
2025	6	8	8	18	10	29.7	-0.3	0.972	0.4	0.3	0	57.2	59.3	0	159	164	0	26	26
2025	6	8	8	28	10	30.8	-1.4	0.972	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	6	8	8	38	10	29.6	-1.2	0.972	0.5	0.4	0	58	59.3	0	159	164	0	24	26
2025	6	8	8	48	10	30.1	-0.7	0.972	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	6	8	8	58	10	30	-1.3	0.972	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	8	9	8	10	30.7	-1.1	0.972	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	6	8	9	18	10	30.1	-0.6	0.971	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	8	9	28	10	29.8	-0.9	0.971	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	8	9	38	10	30.2	0.6	0.971	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	6	8	9	48	10	30.3	-1	0.97	0.4	0.3	0	56.8	58.9	0	158	163	0	26	26
2025	6	8	9	58	10	30.1	-0.4	0.97	0.4	0.3	0	56.8	58.9	0	158	163	0	26	26
2025	6	8	10	8	10	30.4	-1.9	0.969	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	6	8	10	18	10	29.5	-1.4	0.969	0.4	0.3	0	56.8	58.9	0	158	163	0	26	26
2025	6	8	10	28	10	30.1	-0.1	0.966	0.6	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	6	8	10	38	10	30.8	-1.9	0.965	0.4	0.3	0	55.9	58	0	156	161	0	26	26
2025	6	8	10	48	10	29.4	-1.3	0.965	0.6	0.5	0	55.9	58	0	156	161	0	26	26
2025	6	8	10	58	10	30.4	0	0.964	0.6	0.5	0	56.3	58	0	156	161	0	25	26
2025	6	8	11	8	10	29.4	-1.3	0.964	0.6	0.5	0	55.5	58	0	155	161	0	26	26
2025	6	8	11	18	10	30.1	-0.8	0.964	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	6	8	11	28	10	29.8	-1.9	0.963	0.5	0.5	0	55.9	58	0	155	161	0	25	26
2025	6	8	11	38	10	29.1	-1.8	0.963	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	6	8	11	48	10	29.1	-1.2	0.963	0.5	0.4	0	55	58	0	154	161	0	26	26
2025	6	8	11	58	10	29.4	-0.7	0.962	0.7	0.6	0	55.5	58	0	155	161	0	26	26
2025	6	8	12	8	10	30.4	-1.2	0.961	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	6	8	12	18	10	28.5	-1	0.96	0.5	0.4	0	55.5	57.6	0	154	160	0	25	26
2025	6	8	12	28	10	28.7	-1.1	0.959	0.5	0.5	0	55	57.6	0	154	160	0	26	26
2025	6	8	12	38	10	30	-0.8	0.957	0.5	0.4	0	54.6	58	0	153	160	0	26	25
2025	6	8	12	48	10	28.8	-1.2	0.957	0.5	0.5	0	54.6	57.2	0	153	159	0	26	26
2025	6	8	12	58	10	29.9	0	0.955	0.5	0.5	0	55	58	0	154	160	0	26	25
2025	6	8	13	8	10	29.7	-1.4	0.955	0.5	0.5	0	54.6	57.2	0	153	159	0	26	26
2025	6	8	13	18	10	28.5	-1.5	0.954	0.5	0.5	0	55	57.2	0	153	159	0	25	26
2025	6	8	13	28	10	29.1	-1	0.954	0.5	0.5	0	54.6	57.2	0	153	159	0	26	26
2025	6	8	13	38	10	28.9	0	0.954	0.5	0.5	0	55.5	57.6	0	154	160	0	25	26
2025	6	8	13	48	10	28.3	0.5	0.953	0.5	0.4	0	54.6	57.6	0	153	159	0	26	25
2025	6	8	13	58	10	29.3	-0.5	0.953	0.5	0.5	0	54.6	57.2	0	152	158	0	25	25
2025	6	8	14	8	10	28.3	-1	0.952	0.3	0.2	0	55	57.6	0	153	159	0	25	25
2025	6	8	14	18	10	28.8	-0.9	0.952	0.5	0.5	0	54.6	56.8	0	152	158	0	25	26
2025	6	8	14	28	10	29.3	-0.3	0.948	0.3	0.2	0	55	56.8	0	152	158	0	24	26
2025	6	8	14	38	10	29.6	-0.8	0.947	0.5	0.4	0	54.6	56.3	0	152	157	0	25	26
2025	6	8	14	48	10	29.4	-0.8	0.946	0.5	0.4	0	55	57.2	0	152	158	0	24	25
2025	6	8	14	58	10	28.9	-0.7	0.945	0.5	0.5	0	54.6	57.6	0	152	159	0	25	25
2025	6	8	15	8	10	28.7	-0.2	0.944	0.5	0.4	0	54.6	57.2	0	152	159	0	25	26
2025	6	8	15	18	10	28.4	-0.4	0.944	0.6	0.5	0	54.6	57.6	0	152	159	0	25	25
2025	6	8	15	28	10	28.7	-1.2	0.943	0.5	0.5	0	54.6	57.6	0	152	159	0	25	25
2025	6	8	15	38	10	28.3	-0.4	0.943	0.5	0.4	0	55	57.6	0	153	159	0	25	25
2025	6	8	15	48	10	28.9	-1.5	0.942	0.5	0.5	0	54.6	57.2	0	152	158	0	25	25
2025	6	8	15	58	10	27.4	0	0.941	0.5	0.4	0	54.2	57.2	0	152	158	0	26	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	8	16	8	10	27.9	-0.7	0.939	0.5	0.5	0	54.6	57.6	0	152	159	0	25	25
2025	6	8	16	18	10	27.6	0.4	0.937	0.5	0.5	0	54.6	58	0	153	160	0	26	25
2025	6	8	16	28	10	27.7	-0.5	0.937	0.5	0.5	0	55	57.2	0	153	159	0	25	26
2025	6	8	16	38	10	28.6	-0.1	0.936	0.5	0.4	0	55	57.2	0	153	159	0	25	26
2025	6	8	16	48	10	27.7	0	0.935	0.5	0.5	0	55	58	0	153	160	0	25	25
2025	6	8	16	58	10	29.3	-1	0.934	0.5	0.5	0	55.5	58.5	0	154	161	0	25	25
2025	6	8	17	8	10	27.9	0.2	0.933	0.5	0.4	0	55	58.5	0	154	161	0	26	25
2025	6	8	17	18	10	28.3	-1.1	0.932	0.5	0.5	0	55.5	58	0	154	160	0	25	25
2025	6	8	17	28	10	26.7	-0.9	0.932	0.5	0.5	0	55.5	57.6	0	154	160	0	25	26
2025	6	8	17	38	10	27.4	-0.4	0.93	0.5	0.4	0	55.5	58.5	0	154	161	0	25	25
2025	6	8	17	48	10	29.1	-1.2	0.929	0.5	0.5	0	55.5	57.6	0	154	160	0	25	26
2025	6	8	17	58	10	27	-1	0.928	0.5	0.5	0	55.9	58	0	155	161	0	25	26
2025	6	8	18	8	10	27.2	-1.1	0.926	0.4	0.3	0	55.5	58	0	154	160	0	25	25
2025	6	8	18	18	10	27.7	-0.7	0.925	0.5	0.4	0	55.5	58	0	154	160	0	25	25
2025	6	8	18	28	10	27.9	0.2	0.924	0.4	0.3	0	55.5	58	0	155	161	0	26	26
2025	6	8	18	38	10	27.9	-1.9	0.923	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	6	8	18	48	10	28.1	0.4	0.923	0.5	0.4	0	55.9	58.5	0	154	161	0	24	25
2025	6	8	18	58	10	27.1	-0.5	0.922	0.6	0.5	0	55.5	58	0	154	161	0	25	26
2025	6	8	19	8	10	28	-2.1	0.922	0.5	0.5	0	55.5	58.5	0	154	161	0	25	25
2025	6	8	19	18	10	27.6	-1	0.921	0.5	0.5	0	55	58.5	0	154	161	0	26	25
2025	6	8	19	28	10	26.7	-1.5	0.921	0.5	0.5	0	55.5	58.5	0	154	161	0	25	25
2025	6	8	19	38	10	28.1	-0.4	0.92	0.5	0.4	0	55.9	58.9	0	154	162	0	24	25
2025	6	8	19	48	10	28.2	-0.5	0.92	0.5	0.5	0	55.5	58.5	0	154	161	0	25	25
2025	6	8	19	58	10	26.6	-1.5	0.919	0.5	0.4	0	55.5	58.9	0	154	162	0	25	25
2025	6	8	20	8	10	27.9	-1	0.918	0.6	0.5	0	55.9	58.5	0	154	162	0	24	26
2025	6	8	20	18	10	28.6	-1.6	0.917	0.4	0.3	0	55.5	58.9	0	154	163	0	25	26
2025	6	8	20	28	10	26.5	0	0.915	0.5	0.5	0	55.9	59.3	0	155	163	0	25	25
2025	6	8	20	38	10	26.5	0	0.915	0.5	0.4	0	56.3	59.3	0	155	163	0	24	25
2025	6	8	20	48	10	27.5	-1.4	0.913	0.5	0.4	0	56.3	59.8	0	156	164	0	25	25
2025	6	8	20	58	10	27.4	-0.7	0.912	0.4	0.3	0	56.3	59.3	0	156	164	0	25	26
2025	6	8	21	8	10	26.9	0.3	0.912	0.6	0.5	0	55.9	59.8	0	155	164	0	25	25
2025	6	8	21	18	10	26.1	-0.6	0.91	0.5	0.5	0	56.3	59.3	0	156	163	0	25	25
2025	6	8	21	28	10	25.4	-0.5	0.91	0.5	0.4	0	55.9	59.8	0	155	164	0	25	25
2025	6	8	21	38	10	26.5	-0.5	0.909	0.5	0.5	0	55.9	59.8	0	156	164	0	26	25
2025	6	8	21	48	10	27.7	-1.2	0.909	0.5	0.5	0	55.9	59.3	0	155	164	0	25	26
2025	6	8	21	58	10	26.9	-0.8	0.908	0.5	0.4	0	55.9	58.9	0	155	163	0	25	26
2025	6	8	22	8	10	25.9	-1.6	0.908	0.5	0.4	0	56.3	58.9	0	155	163	0	24	26
2025	6	8	22	18	10	26	-1.5	0.907	0.5	0.5	0	56.3	58.9	0	156	163	0	25	26
2025	6	8	22	28	10	26.1	-1.3	0.907	0.5	0.4	0	55.5	59.3	0	155	163	0	26	25
2025	6	8	22	38	10	27.7	-1	0.906	0.6	0.5	0	55.9	59.3	0	155	163	0	25	25
2025	6	8	22	48	10	27.8	-0.4	0.906	0.5	0.4	0	55.9	58.9	0	155	163	0	25	26
2025	6	8	22	58	10	26.6	0.4	0.905	0.5	0.4	0	56.3	59.8	0	156	164	0	25	25
2025	6	8	23	8	10	26	-0.5	0.904	0.4	0.3	0	56.8	58.9	0	157	163	0	25	26
2025	6	8	23	18	10	25.8	-0.5	0.904	0.5	0.5	0	56.8	59.8	0	157	164	0	25	25
2025	6	8	23	28	10	25	0.7	0.904	0.5	0.5	0	57.2	59.8	0	158	164	0	25	25
2025	6	8	23	38	10	26.4	-0.8	0.903	0.4	0.3	0	56.8	58.9	0	157	163	0	25	26
2025	6	8	23	48	10	25.4	-0.1	0.902	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	6	8	23	58	10	25.5	-0.3	0.902	0.5	0.5	0	57.2	59.3	0	158	164	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	9	0	8	10	26.4	-0.5	0.901	0.5	0.5	0	56.3	59.3	0	157	164	0	26	26
2025	6	9	0	18	10	26.9	-1	0.901	0.5	0.4	0	56.8	59.3	0	158	164	0	26	26
2025	6	9	0	28	10	25.8	-0.6	0.9	0.6	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	6	9	0	38	10	25.8	-1.4	0.9	0.5	0.4	0	56.8	58.9	0	157	163	0	25	26
2025	6	9	0	48	10	26.1	-0.5	0.898	0.5	0.4	0	56.8	59.3	0	157	163	0	25	25
2025	6	9	0	58	10	24.6	-0.5	0.898	0.5	0.5	0	56.8	59.3	0	158	164	0	26	26
2025	6	9	1	8	10	25.7	-1	0.897	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	6	9	1	18	10	25.5	-1.3	0.896	0.6	0.5	0	57.2	59.3	0	158	164	0	25	26
2025	6	9	1	28	10	25.6	-0.5	0.895	0.5	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	6	9	1	38	10	25.1	0	0.895	0.5	0.4	0	56.8	58.9	0	157	163	0	25	26
2025	6	9	1	48	10	26.1	-0.1	0.894	0.6	0.5	0	56.8	58.9	0	157	163	0	25	26
2025	6	9	1	58	10	25.5	-0.6	0.894	0.5	0.5	0	56.8	58.9	0	157	163	0	25	26
2025	6	9	2	8	10	26.3	0	0.894	0.5	0.5	0	56.8	58.9	0	157	163	0	25	26
2025	6	9	2	18	10	24.6	-0.4	0.894	0.4	0.3	0	56.8	58.9	0	157	163	0	25	26
2025	6	9	2	28	10	25.6	-0.6	0.893	0.6	0.5	0	56.3	58.9	0	156	163	0	25	26
2025	6	9	2	38	10	26	-0.3	0.893	0.5	0.4	0	56.3	58.9	0	156	163	0	25	26
2025	6	9	2	48	10	25.2	-1.5	0.893	0.5	0.5	0	56.3	59.3	0	156	163	0	25	25
2025	6	9	2	58	10	25.4	-1	0.892	0.5	0.5	0	55.5	58.5	0	155	162	0	26	26
2025	6	9	3	8	10	26.1	-0.6	0.892	0.5	0.4	0	56.3	58.9	0	156	163	0	25	26
2025	6	9	3	18	10	25.5	-1.5	0.892	0.6	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	6	9	3	28	10	25.2	-0.7	0.892	0.5	0.4	0	58.5	58.9	0	161	163	0	25	26
2025	6	9	3	38	10	25.5	-0.9	0.891	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	9	3	48	10	26.2	-0.4	0.891	0.5	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	6	9	3	58	10	25.9	-1.8	0.891	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	6	9	4	8	10	24.1	0.1	0.891	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	9	4	18	10	25.1	-0.6	0.891	0.5	0.5	0	57.6	59.3	0	160	163	0	26	25
2025	6	9	4	28	10	25.1	-0.8	0.89	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	9	4	38	10	25.5	-1	0.89	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	9	4	48	10	25.7	-0.4	0.89	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	9	4	58	10	25.9	-0.4	0.89	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	9	5	8	10	25.9	0.4	0.89	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	9	5	18	10	25.3	-0.5	0.89	0.6	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	6	9	5	28	10	26.3	-0.6	0.889	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	9	5	38	10	24.8	-1.1	0.889	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	9	5	48	10	25.8	-1.8	0.889	0.5	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	6	9	5	58	10	26	-0.9	0.889	0.7	0.6	0	58	59.3	0	161	164	0	26	26
2025	6	9	6	8	10	25.6	-0.6	0.889	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	9	6	18	10	25.7	-0.2	0.888	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	9	6	28	10	25.2	-0.5	0.888	0.5	0.4	0	58	58.9	0	160	164	0	25	27
2025	6	9	6	38	10	26.3	0	0.888	0.6	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	9	6	48	10	25.5	-1.2	0.887	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	9	6	58	10	25.1	-0.5	0.887	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	9	7	8	10	25.6	-0.4	0.887	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	9	7	18	10	26.2	0	0.887	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	9	7	28	10	25.2	-1.5	0.886	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	9	7	38	10	25.2	-1.2	0.885	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	9	7	48	10	25.7	-0.7	0.886	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	9	7	58	10	25.9	-0.1	0.884	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	9	8	8	10	25.7	-1.2	0.883	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	9	8	18	10	24.2	0.1	0.882	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	9	8	28	10	25.2	-2.5	0.882	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	9	8	38	10	25.8	0	0.881	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	9	8	48	10	25.3	-1.4	0.881	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	9	8	58	10	25	-0.7	0.88	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	9	9	8	10	24.6	-1.6	0.88	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	9	9	18	10	24.6	-1.3	0.88	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	9	9	28	10	25.6	-0.8	0.879	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	9	9	38	10	24	-1	0.879	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	9	9	48	10	24.8	-1.1	0.879	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	9	9	58	10	25.9	-1.4	0.879	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	9	10	8	10	24.2	-1	0.878	0.5	0.4	0	56.3	58.5	0	157	161	0	26	25
2025	6	9	10	18	10	24.9	-0.4	0.878	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	9	10	28	10	23.8	-0.8	0.878	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	9	10	38	10	24.3	0.4	0.878	0.4	0.3	0	56.3	58	0	157	161	0	26	26
2025	6	9	10	48	10	24.5	0	0.878	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	9	10	58	10	24.3	-0.3	0.878	0.5	0.5	0	55.9	57.2	0	156	160	0	26	27
2025	6	9	11	8	10	25.6	-1.5	0.878	0.5	0.5	0	55.9	57.2	0	156	159	0	26	26
2025	6	9	11	18	10	25.5	-1.2	0.877	0.3	0.2	0	56.3	57.2	0	156	159	0	25	26
2025	6	9	11	28	10	24.7	-0.7	0.877	0.4	0.3	0	56.8	57.2	0	157	160	0	25	27
2025	6	9	11	38	10	23.9	-0.9	0.876	0.5	0.5	0	55.9	57.2	0	156	159	0	26	26
2025	6	9	11	48	10	24.7	-1	0.875	0.5	0.4	0	56.3	57.2	0	156	159	0	25	26
2025	6	9	11	58	10	25	-0.3	0.875	0.5	0.5	0	55.9	57.2	0	156	159	0	26	26
2025	6	9	12	8	10	25.3	-0.5	0.874	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	6	9	12	18	10	24.1	-0.5	0.873	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	6	9	12	28	10	24.3	-2.6	0.872	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	6	9	12	38	10	24.9	-0.9	0.871	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	6	9	12	48	10	24.6	-1.4	0.871	0.5	0.4	0	56.3	57.2	0	156	159	0	25	26
2025	6	9	12	58	10	24.8	-1	0.871	0.5	0.5	0	56.3	57.2	0	156	159	0	25	26
2025	6	9	13	8	10	23.9	-1.2	0.871	0.5	0.4	0	56.3	57.2	0	156	159	0	25	26
2025	6	9	13	18	10	24.1	-1.4	0.871	0.6	0.5	0	56.3	57.2	0	156	159	0	25	26
2025	6	9	13	28	10	24.7	-1	0.871	0.5	0.4	0	55.5	57.2	0	155	159	0	26	26
2025	6	9	13	38	10	25	-0.9	0.871	0.5	0.4	0	55.9	57.2	0	155	159	0	25	26
2025	6	9	13	48	10	23.6	-2	0.871	0.5	0.5	0	55.9	57.2	0	155	158	0	25	25
2025	6	9	13	58	10	23.7	-1	0.871	0.5	0.4	0	55.9	57.2	0	155	159	0	25	26
2025	6	9	14	8	10	24.2	-1.6	0.87	0.6	0.5	0	55.9	56.8	0	155	158	0	25	26
2025	6	9	14	18	10	24	-1	0.871	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	9	14	28	10	24.7	-1	0.871	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	9	14	38	10	23.8	-0.9	0.87	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	9	14	48	10	24.6	-0.3	0.87	0.6	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	9	14	58	10	22.9	0.6	0.87	0.5	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	9	15	8	10	24.5	-1.9	0.87	0.6	0.5	0	55	56.8	0	154	157	0	26	25
2025	6	9	15	18	10	23.8	-0.7	0.868	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	9	15	28	10	24.8	-0.3	0.869	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	9	15	38	10	23.9	-1.6	0.868	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	9	15	48	10	24.9	0	0.868	0.5	0.5	0	55.5	56.3	0	154	157	0	25	26
2025	6	9	15	58	10	23.9	-0.2	0.867	0.6	0.5	0	55.9	56.8	0	155	158	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	9	16	8	10	24.5	-0.3	0.867	0.5	0.4	0	55	57.2	0	154	158	0	26	25
2025	6	9	16	18	10	24.3	-0.5	0.867	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	6	9	16	28	10	23.7	-0.5	0.866	0.5	0.4	0	55.5	56.8	0	155	158	0	26	26
2025	6	9	16	38	10	23.5	-0.8	0.865	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	6	9	16	48	10	24.3	-0.6	0.864	0.5	0.4	0	55.9	57.6	0	155	159	0	25	25
2025	6	9	16	58	10	24.5	-1.1	0.864	0.5	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	9	17	8	10	23.9	-0.5	0.864	0.5	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	6	9	17	18	10	24.6	-1.6	0.864	0.6	0.5	0	56.3	58	0	156	160	0	25	25
2025	6	9	17	28	10	23.1	-0.7	0.864	0.5	0.5	0	56.3	58	0	156	160	0	25	25
2025	6	9	17	38	10	24.1	-0.5	0.863	0.5	0.4	0	56.3	58	0	156	160	0	25	25
2025	6	9	17	48	10	24.4	0	0.863	0.5	0.4	0	56.8	58	0	156	160	0	24	25
2025	6	9	17	58	10	24.6	-0.5	0.863	0.5	0.4	0	56.3	58	0	156	160	0	25	25
2025	6	9	18	8	10	23.7	-0.7	0.863	0.5	0.4	0	56.3	58	0	156	160	0	25	25
2025	6	9	18	18	10	23.4	-0.5	0.863	0.6	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	9	18	28	10	23.1	-0.3	0.863	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	9	18	38	10	23.6	-0.5	0.863	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	9	18	48	10	23.2	-0.5	0.863	0.5	0.4	0	57.2	58.5	0	157	161	0	24	25
2025	6	9	18	58	10	23.9	0	0.862	0.6	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	9	19	8	10	24.7	-0.9	0.862	0.5	0.5	0	57.2	58.9	0	157	162	0	24	25
2025	6	9	19	18	10	24.4	-0.9	0.862	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	9	19	28	10	24.2	-0.7	0.862	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	6	9	19	38	10	24.2	-1	0.862	0.6	0.5	0	56.8	58.9	0	157	162	0	25	25
2025	6	9	19	48	10	24.5	-1.5	0.862	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	9	19	58	10	23.4	0	0.862	0.5	0.5	0	58	58.9	0	159	162	0	24	25
2025	6	9	20	8	10	23.5	0.7	0.861	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	9	20	18	10	24	-0.4	0.861	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	9	20	28	10	23.5	0.5	0.861	0.5	0.5	0	58	59.8	0	160	164	0	25	25
2025	6	9	20	38	10	23.3	-0.3	0.861	0.5	0.5	0	58	58.9	0	159	162	0	24	25
2025	6	9	20	48	10	24.1	-1.6	0.861	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	9	20	58	10	24.9	-0.2	0.861	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	9	21	8	10	23.5	0	0.861	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	9	21	18	10	23.8	-1	0.861	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	9	21	28	10	24.9	0	0.86	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	9	21	38	10	23.7	0	0.86	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	9	21	48	10	23	0	0.86	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	9	21	58	10	24	0.2	0.86	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	9	22	8	10	24.4	-1.6	0.86	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	9	22	18	10	24	-0.5	0.86	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	9	22	28	10	24.3	-0.5	0.86	0.5	0.4	0	57.2	59.3	0	158	163	0	25	25
2025	6	9	22	38	10	22.7	0.1	0.86	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	9	22	48	10	23.2	0.2	0.86	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	9	22	58	10	24	0	0.86	0.5	0.5	0	56.8	58.9	0	157	162	0	25	25
2025	6	9	23	8	10	24.7	-0.5	0.86	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	9	23	18	10	23.8	-1.2	0.859	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	9	23	28	10	23.2	-0.3	0.859	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	9	23	38	10	24.2	-0.4	0.859	0.6	0.5	0	58	59.3	0	160	163	0	25	25
2025	6	9	23	48	10	23	0	0.859	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	9	23	58	10	24.3	0.2	0.859	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	10	0	8	10	22.5	-1.8	0.859	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	10	0	18	10	23.6	-1.5	0.859	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	10	0	28	10	22.7	-1.1	0.859	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	10	0	38	10	24	-0.2	0.859	0.6	0.5	0	58.5	59.3	0	160	164	0	24	26
2025	6	10	0	48	10	23.4	-1.3	0.859	0.6	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	10	0	58	10	23.4	-0.3	0.859	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	10	1	8	10	23.5	-1.7	0.859	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	10	1	18	10	22.7	-1.3	0.859	0.6	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	10	1	28	10	23.4	-0.6	0.858	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	10	1	38	10	24.1	-0.4	0.858	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	10	1	48	10	23.5	-1.5	0.858	0.5	0.5	0	56.8	59.3	0	158	163	0	26	25
2025	6	10	1	58	10	24.1	-1.6	0.858	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	10	2	8	10	22.9	-0.2	0.858	0.6	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	10	2	18	10	24.9	0.3	0.858	0.7	0.6	0	56.8	58.9	0	158	163	0	26	26
2025	6	10	2	28	10	24.2	-0.8	0.858	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	10	2	38	10	23.8	-0.2	0.858	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	10	2	48	10	23.4	-0.2	0.858	0.6	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	6	10	2	58	10	23.2	-0.3	0.858	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	10	3	8	10	23.2	-0.8	0.858	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	10	3	18	10	25.3	0	0.858	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	10	3	28	10	24.6	-0.9	0.858	0.6	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	6	10	3	38	10	21.9	-0.9	0.858	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	10	3	48	10	22.6	0	0.858	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	10	3	58	10	23.7	-1.7	0.857	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	10	4	8	10	23.8	-1.6	0.857	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	10	4	18	10	23.7	-0.3	0.857	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	10	4	28	10	23.2	-0.6	0.857	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	10	4	38	10	22.3	-0.5	0.857	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	10	4	48	10	24.2	-1.6	0.857	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	10	4	58	10	23.5	-1.5	0.857	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	10	5	8	10	23.2	-1	0.857	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	10	5	18	10	23.3	-0.5	0.857	0.6	0.5	0	57.6	58.9	0	160	162	0	26	25
2025	6	10	5	28	10	23.7	-0.7	0.857	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	10	5	38	10	24.3	-1.3	0.857	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	10	5	48	10	22.4	-0.9	0.857	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	10	5	58	10	24.7	-0.2	0.857	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	10	6	8	10	22.5	-1	0.857	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	10	6	18	10	23.5	0.1	0.857	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	10	6	28	10	23	-0.6	0.857	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	10	6	38	10	23.7	-1	0.857	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	10	6	48	10	25.2	-0.4	0.857	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	10	6	58	10	24.4	-2	0.857	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	10	7	8	10	23.6	-1	0.857	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	10	7	18	10	23.5	-0.7	0.856	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	10	7	28	10	24	-0.1	0.856	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	10	7	38	10	23.5	-0.7	0.856	0.7	0.6	0	56.8	58.5	0	158	162	0	26	26
2025	6	10	7	48	10	23.8	-0.8	0.856	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	10	7	58	10	22.5	-1.2	0.856	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	10	8	8	10	23.7	-0.5	0.856	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	10	8	18	10	23.5	-0.7	0.856	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	10	8	28	10	23.3	-0.5	0.856	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	10	8	38	10	22.3	-1	0.856	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	8	48	10	23	-1.6	0.856	0.6	0.5	0	56.3	58	0	157	161	0	26	26
2025	6	10	8	58	10	22.6	-0.5	0.856	0.6	0.5	0	56.3	58	0	157	161	0	26	26
2025	6	10	9	8	10	24.1	-1.1	0.856	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	10	9	18	10	22.7	-0.4	0.856	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	6	10	9	28	10	24.2	-0.2	0.856	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	10	9	38	10	22.7	-1	0.856	0.5	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	6	10	9	48	10	22.6	-1.8	0.856	0.5	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	6	10	9	58	10	24.1	-1.2	0.856	0.7	0.6	0	55.5	57.2	0	155	159	0	26	26
2025	6	10	10	8	10	23.8	-0.5	0.856	0.6	0.5	0	55.9	57.2	0	156	159	0	26	26
2025	6	10	10	18	10	23.5	-1.6	0.856	0.5	0.5	0	55.9	56.8	0	155	158	0	25	26
2025	6	10	10	28	10	22.3	-1.6	0.856	0.5	0.5	0	55.5	56.8	0	155	158	0	26	26
2025	6	10	10	38	10	23.1	-1	0.856	0.5	0.4	0	55	56.8	0	154	158	0	26	26
2025	6	10	10	48	10	23.4	-0.2	0.856	0.6	0.5	0	55	56.8	0	154	158	0	26	26
2025	6	10	10	58	10	23.1	-1.4	0.856	0.5	0.5	0	55	56.8	0	154	158	0	26	26
2025	6	10	11	8	10	21.6	-1.2	0.855	0.4	0.3	0	55	56.3	0	154	157	0	26	26
2025	6	10	11	18	10	24.6	-0.2	0.855	0.5	0.4	0	54.6	56.3	0	153	157	0	26	26
2025	6	10	11	28	10	22.9	-1.9	0.855	0.5	0.5	0	55	56.3	0	154	157	0	26	26
2025	6	10	11	38	10	23.5	-0.8	0.855	0.5	0.5	0	55	56.3	0	154	156	0	26	25
2025	6	10	11	48	10	22.4	-1.4	0.854	0.5	0.4	0	55.5	56.8	0	154	157	0	25	25
2025	6	10	11	58	10	23.6	-1	0.853	0.6	0.5	0	55	56.3	0	154	156	0	26	25
2025	6	10	12	8	10	23	-0.7	0.854	0.5	0.5	0	54.6	56.3	0	153	156	0	26	25
2025	6	10	12	18	10	23.3	-0.4	0.853	0.5	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	10	12	28	10	22.6	-0.7	0.852	0.6	0.5	0	55.9	55.5	0	155	154	0	25	25
2025	6	10	12	38	10	21.5	-1.6	0.852	0.6	0.5	0	55.9	55.9	0	156	155	0	26	25
2025	6	10	12	48	10	16	1.5	0.851	0.5	0.5	0	46.4	49	0	133	140	0	25	26
2025	6	10	12	58	10	22.6	-2	0.852	0.6	0.5	0	52	53.8	0	147	151	0	26	26
2025	6	10	13	8	10	24.4	-1	0.852	0.5	0.5	0	55	56.3	0	153	156	0	25	25
2025	6	10	13	18	10	23.3	-1.2	0.851	0.6	0.5	0	55.5	55.9	0	153	156	0	24	26
2025	6	10	13	28	10	24	0	0.851	0.5	0.5	0	55	56.3	0	153	156	0	25	25
2025	6	10	13	38	10	24.7	-0.5	0.851	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	6	10	13	48	10	22.5	-1.4	0.851	0.6	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	10	13	58	10	18.3	1.7	0.851	0.5	0.5	0	56.3	56.8	0	155	158	0	24	26
2025	6	10	14	8	10	19.5	0.9	0.851	0.5	0.5	0	54.6	50.7	0	151	143	0	24	25
2025	6	10	14	18	10	23.5	-0.7	0.851	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	10	14	28	10	23.4	0.2	0.85	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	10	14	38	10	23.1	-2.8	0.85	0.5	0.4	0	55	56.3	0	153	156	0	25	25
2025	6	10	14	48	10	24.2	-0.1	0.851	0.5	0.4	0	55.5	56.3	0	153	156	0	24	25
2025	6	10	14	58	10	24.2	0.4	0.85	0.5	0.5	0	55	56.3	0	153	156	0	25	25
2025	6	10	15	8	10	12.9	-0.3	0.85	0.5	0.5	0	55.5	45.2	0	154	130	0	25	25
2025	6	10	15	18	10	23.4	0.7	0.85	0.5	0.4	0	55	56.8	0	153	156	0	25	24
2025	6	10	15	28	10	23.4	-0.9	0.85	0.5	0.5	0	55	56.3	0	153	156	0	25	25
2025	6	10	15	38	10	22.9	-0.9	0.85	0.6	0.5	0	55.5	56.3	0	153	156	0	24	25
2025	6	10	15	48	10	24.6	-0.2	0.85	0.5	0.5	0	54.6	56.8	0	153	157	0	26	25
2025	6	10	15	58	10	23.6	-0.4	0.85	0.5	0.4	0	55	56.3	0	153	156	0	25	25

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	10	16	8	10	23.2	-1	0.85	0.5	0.4	0	55	56.8	0	153	157	0	25	25
2025	6	10	16	18	10	22.7	-1	0.85	0.6	0.5	0	55.5	56.8	0	154	157	0	25	25
2025	6	10	16	28	10	23	-0.6	0.849	0.5	0.5	0	55.9	57.2	0	155	158	0	25	25
2025	6	10	16	38	10	23.3	-0.7	0.85	0.5	0.5	0	55.9	56.8	0	155	158	0	25	26
2025	6	10	16	48	10	22.5	-0.8	0.849	0.5	0.4	0	56.3	57.2	0	155	158	0	24	25
2025	6	10	16	58	10	23	-0.5	0.85	0.5	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	10	17	8	10	22.2	-1.4	0.849	0.5	0.4	0	56.8	57.6	0	156	159	0	24	25
2025	6	10	17	18	10	22.6	-0.4	0.849	0.5	0.4	0	56.3	58	0	156	160	0	25	25
2025	6	10	17	28	10	21.3	-0.3	0.848	0.5	0.5	0	56.3	58	0	156	160	0	25	25
2025	6	10	17	38	10	22.9	-0.9	0.848	0.6	0.5	0	56.3	58	0	156	160	0	25	25
2025	6	10	17	48	10	22.2	-0.3	0.848	0.5	0.4	0	57.2	58.5	0	157	160	0	24	24
2025	6	10	17	58	10	23.4	-0.2	0.848	0.6	0.5	0	57.2	58.5	0	157	161	0	24	25
2025	6	10	18	8	10	21.8	0.1	0.849	0.5	0.5	0	57.6	58	0	158	161	0	24	26
2025	6	10	18	18	10	23.4	-0.7	0.849	0.5	0.4	0	56.8	58	0	157	160	0	25	25
2025	6	10	18	28	10	23.7	0.5	0.849	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	18	38	10	23	-0.1	0.848	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	10	18	48	10	22.7	-0.1	0.848	0.5	0.4	0	56.8	58	0	157	160	0	25	25
2025	6	10	18	58	10	22.2	-0.1	0.849	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	19	8	10	23	-1.3	0.848	0.6	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	19	18	10	22.3	0.5	0.848	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	19	28	10	23.6	-0.5	0.848	0.6	0.5	0	57.2	58.9	0	157	161	0	24	24
2025	6	10	19	38	10	22.9	-0.7	0.848	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	19	48	10	22.9	-0.5	0.848	0.5	0.5	0	57.2	58.5	0	157	161	0	24	25
2025	6	10	19	58	10	23.1	-1	0.848	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	20	8	10	22.4	-0.2	0.847	0.5	0.5	0	57.6	58.9	0	158	162	0	24	25
2025	6	10	20	18	10	21.9	-1.1	0.847	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	10	20	28	10	22	-0.7	0.848	0.5	0.5	0	57.2	58	0	157	161	0	24	26
2025	6	10	20	38	10	22.6	0.2	0.847	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	10	20	48	10	22.9	0.2	0.847	0.5	0.5	0	57.6	58.9	0	158	162	0	24	25
2025	6	10	20	58	10	22.9	0	0.847	0.6	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	21	8	10	22.7	0.7	0.847	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	21	18	10	22.9	0	0.847	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	21	28	10	22.4	0.2	0.847	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	21	38	10	22.5	-1.4	0.847	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	21	48	10	24.4	-0.5	0.847	0.5	0.5	0	56.3	58	0	156	160	0	25	25
2025	6	10	21	58	10	23.3	-0.6	0.847	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	22	8	10	23.4	0	0.847	0.5	0.5	0	57.2	58	0	157	161	0	24	26
2025	6	10	22	18	10	23.1	-1	0.847	0.5	0.4	0	56.3	58	0	156	160	0	25	25
2025	6	10	22	28	10	22.9	0	0.847	0.6	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	10	22	38	10	21.9	-1.1	0.847	0.5	0.5	0	57.2	58.5	0	157	161	0	24	25
2025	6	10	22	48	10	22.4	-0.7	0.847	0.5	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	6	10	22	58	10	22.9	-0.8	0.847	0.5	0.5	0	56.8	58	0	157	160	0	25	25
2025	6	10	23	8	10	23	-1.9	0.847	0.5	0.5	0	56.8	58	0	157	160	0	25	25
2025	6	10	23	18	10	23.6	-0.5	0.847	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	10	23	28	10	23.4	-1.1	0.847	0.5	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	10	23	38	10	21.4	-0.1	0.846	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	10	23	48	10	21.4	-0.8	0.847	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	10	23	58	10	23	0.2	0.847	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	11	0	8	10	21.7	0	0.847	0.5	0.5	0	57.2	59.3	0	158	162	0	25	24
2025	6	11	0	18	10	23.3	0	0.846	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	11	0	28	10	23.2	-0.5	0.846	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	0	38	10	21.6	-2	0.846	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	11	0	48	10	22.2	0	0.846	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	11	0	58	10	22.4	-0.3	0.846	0.5	0.5	0	57.6	58.5	0	159	161	0	25	25
2025	6	11	1	8	10	22.1	0	0.846	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	11	1	18	10	22.6	-0.1	0.846	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	1	28	10	20.9	0.6	0.846	0.6	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	11	1	38	10	21.5	-0.4	0.846	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	11	1	48	10	23.5	-0.5	0.846	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	11	1	58	10	22.6	0	0.846	0.5	0.5	0	58	58.5	0	159	162	0	24	26
2025	6	11	2	8	10	22.9	0.9	0.846	0.5	0.5	0	56.8	58.5	0	158	161	0	26	25
2025	6	11	2	18	10	23.2	-0.1	0.846	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	2	28	10	22.6	-0.7	0.846	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	2	38	10	22	-0.6	0.846	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	2	48	10	22.2	-0.5	0.846	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	11	2	58	10	22.5	-1	0.846	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	3	8	10	22.5	-1.6	0.846	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	11	3	18	10	23.6	-1.2	0.846	0.6	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	3	28	10	22.8	-0.2	0.846	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	3	38	10	22.8	-0.1	0.846	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	11	3	48	10	22.7	0.3	0.846	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	11	3	58	10	22.7	-0.7	0.846	0.5	0.5	0	56.3	58.5	0	157	161	0	26	25
2025	6	11	4	8	10	22.3	-0.5	0.846	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	11	4	18	10	23.3	-1	0.846	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	11	4	28	10	22.8	-0.5	0.846	0.6	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	11	4	38	10	22.2	-0.4	0.846	0.7	0.6	0	56.8	58	0	158	161	0	26	26
2025	6	11	4	48	10	23.1	-0.5	0.846	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	11	4	58	10	22.8	-0.5	0.845	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	11	5	8	10	22.3	0	0.846	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	11	5	18	10	23.5	-0.5	0.846	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	11	5	28	10	23.1	-1.4	0.846	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	11	5	38	10	23.3	-1.1	0.846	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	11	5	48	10	22.5	-1.3	0.846	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	11	5	58	10	23.5	-1	0.846	0.6	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	6	11	6	8	10	22	-1.2	0.846	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	11	6	18	10	23.4	-0.7	0.846	0.5	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	6	11	6	28	10	23	-0.9	0.845	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	6	38	10	23.6	-0.8	0.846	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	6	11	6	48	10	22.3	-0.5	0.846	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	11	6	58	10	21.7	0	0.846	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	11	7	8	10	23.1	-0.5	0.846	0.5	0.4	0	57.2	58	0	158	162	0	25	27
2025	6	11	7	18	10	23.6	-1	0.846	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	11	7	28	10	22	-1	0.846	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	6	11	7	38	10	22.1	-0.5	0.846	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	11	7	48	10	22.8	-0.8	0.846	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	6	11	7	58	10	22.8	-1	0.846	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	11	8	8	10	22.7	-0.5	0.846	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	6	11	8	18	10	23.2	-0.9	0.846	0.6	0.5	0	56.3	58	0	157	161	0	26	26
2025	6	11	8	28	10	22.8	-2	0.846	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	6	11	8	38	10	21.5	-1.2	0.846	0.6	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	6	11	8	48	10	23.5	-0.3	0.846	0.6	0.5	0	56.3	57.2	0	156	160	0	25	27
2025	6	11	8	58	10	22.2	-1	0.846	0.5	0.5	0	55.9	57.2	0	156	159	0	26	26
2025	6	11	9	8	10	21.9	-1.2	0.846	0.6	0.5	0	55.9	57.2	0	156	159	0	26	26
2025	6	11	9	18	10	23.1	-0.3	0.846	0.6	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	6	11	9	28	10	22	-0.1	0.846	0.5	0.4	0	55.5	57.2	0	155	159	0	26	26
2025	6	11	9	38	10	23.5	0.2	0.846	0.5	0.4	0	55	56.8	0	154	158	0	26	26
2025	6	11	9	48	10	21.6	-1.3	0.846	0.5	0.4	0	55	56.8	0	154	158	0	26	26
2025	6	11	9	58	10	24	-0.6	0.846	0.4	0.3	0	55	56.8	0	154	158	0	26	26
2025	6	11	10	8	10	21.9	-0.5	0.846	0.5	0.5	0	55	56.8	0	154	158	0	26	26
2025	6	11	10	18	10	22.2	-1.1	0.846	0.6	0.5	0	55.5	56.3	0	154	157	0	25	26
2025	6	11	10	28	10	22.6	-0.5	0.846	0.5	0.5	0	55	56.3	0	154	157	0	26	26
2025	6	11	10	38	10	23.4	0.2	0.846	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	11	10	48	10	22.5	0	0.845	0.5	0.4	0	54.6	56.3	0	153	157	0	26	26
2025	6	11	10	58	10	22.7	-0.7	0.846	0.5	0.4	0	54.6	56.3	0	153	156	0	26	25
2025	6	11	11	8	10	22.3	-0.5	0.846	0.5	0.5	0	54.6	56.3	0	153	157	0	26	26
2025	6	11	11	18	10	24	-1	0.846	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	11	11	28	10	22.9	-0.1	0.846	0.5	0.5	0	55	56.3	0	153	157	0	25	26
2025	6	11	11	38	10	22.9	-0.5	0.846	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	11	11	48	10	22.3	-1.6	0.846	0.5	0.5	0	54.6	56.3	0	153	157	0	26	26
2025	6	11	11	58	10	22.4	-1.2	0.846	0.6	0.5	0	54.6	56.3	0	152	156	0	25	25
2025	6	11	12	8	10	22.4	-1.6	0.846	0.5	0.4	0	54.2	55.9	0	151	156	0	25	26
2025	6	11	12	18	10	21.7	-1.1	0.846	0.6	0.5	0	54.6	55.9	0	152	156	0	25	26
2025	6	11	12	28	10	23.1	-1.5	0.847	0.5	0.5	0	54.2	55.9	0	151	155	0	25	25
2025	6	11	12	38	10	23.1	-0.5	0.846	0.5	0.5	0	54.2	55.5	0	151	155	0	25	26
2025	6	11	12	48	10	22.4	-1.3	0.846	0.6	0.5	0	53.8	55.5	0	150	154	0	25	25
2025	6	11	12	58	10	22.8	-0.2	0.847	0.5	0.4	0	53.8	55.5	0	150	154	0	25	25
2025	6	11	13	8	10	22.4	0.1	0.847	0.5	0.5	0	53.8	55.5	0	150	154	0	25	25
2025	6	11	13	24	55	22.4	-0.5	0.846	0.5	0.4	0	53.8	55.5	0	150	154	0	25	25
2025	6	11	13	34	55	23.1	-1.5	0.847	0.5	0.5	0	53.8	55	0	150	153	0	25	25
2025	6	11	13	44	55	22.5	-1	0.846	0.6	0.5	0	53.3	55	0	149	153	0	25	25
2025	6	11	13	54	55	22.3	-1.2	0.846	0.5	0.4	0	53.3	55	0	149	153	0	25	25
2025	6	11	14	4	55	22.6	-1.5	0.846	0.5	0.4	0	53.8	55	0	150	154	0	25	26
2025	6	11	14	14	55	22.2	-1.9	0.846	0.5	0.5	0	53.8	55.5	0	150	154	0	25	25
2025	6	11	14	24	55	22.4	0.4	0.846	0.5	0.4	0	53.3	55.5	0	150	154	0	26	25
2025	6	11	14	34	55	21.3	-1.7	0.846	0.5	0.5	0	53.3	55.9	0	150	155	0	26	25
2025	6	11	14	44	55	22.8	-0.1	0.845	0.5	0.5	0	53.3	55.5	0	150	154	0	26	25
2025	6	11	14	54	55	22.5	-0.5	0.846	0.4	0.3	0	53.8	55.5	0	150	154	0	25	25
2025	6	11	15	4	55	23	-0.8	0.845	0.5	0.5	0	53.3	55.9	0	150	155	0	26	25
2025	6	11	15	14	55	22.9	-1.2	0.846	0.5	0.4	0	53.8	55.5	0	150	154	0	25	25
2025	6	11	15	24	55	22.8	-0.5	0.845	0.5	0.5	0	53.8	55.5	0	149	154	0	24	25
2025	6	11	15	34	55	22.1	-2.8	0.846	0.5	0.5	0	53.3	55.5	0	149	154	0	25	25
2025	6	11	15	44	55	23.5	-0.3	0.846	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	11	15	54	55	23.6	0	0.844	0.5	0.5	0	54.6	56.3	0	152	156	0	25	25
2025	6	11	16	4	55	22.6	-0.4	0.845	0.5	0.5	0	54.2	55.9	0	151	155	0	25	25

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	11	16	14	55	22.2	-0.7	0.844	0.4	0.3	0	55	56.8	0	152	157	0	24	25
2025	6	11	16	24	55	22.5	-1	0.843	0.5	0.4	0	54.6	56.8	0	152	157	0	25	25
2025	6	11	16	34	55	21.5	-0.5	0.843	0.6	0.5	0	55.5	56.8	0	154	158	0	25	26
2025	6	11	16	44	55	22.6	-0.4	0.843	0.5	0.5	0	55.5	57.6	0	154	159	0	25	25
2025	6	11	16	54	55	23.3	-1.5	0.842	0.6	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	11	17	4	55	22.4	-0.5	0.842	0.6	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	11	17	14	55	22.6	-0.4	0.842	0.6	0.5	0	55.9	58	0	155	160	0	25	25
2025	6	11	17	24	55	23.8	-1.4	0.842	0.5	0.4	0	55.9	58	0	155	160	0	25	25
2025	6	11	17	34	55	22.1	-0.8	0.842	0.6	0.5	0	57.2	58.5	0	157	161	0	24	25
2025	6	11	17	44	55	22.4	0	0.841	0.6	0.5	0	56.8	58.9	0	157	162	0	25	25
2025	6	11	17	54	55	23.2	-0.6	0.841	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	11	18	4	55	22.3	-0.6	0.841	0.6	0.5	0	57.6	58.9	0	158	162	0	24	25
2025	6	11	18	14	55	21	-0.8	0.841	0.6	0.5	0	57.2	59.3	0	158	162	0	25	24
2025	6	11	18	24	55	23.3	0.3	0.841	0.6	0.5	0	56.3	58	0	156	161	0	25	26
2025	6	11	18	34	55	22.3	-0.8	0.84	0.5	0.5	0	57.2	58.9	0	157	162	0	24	25
2025	6	11	18	44	55	22.8	0.3	0.84	0.5	0.5	0	56.8	58.9	0	157	162	0	25	25
2025	6	11	18	54	55	22.6	-0.8	0.84	0.6	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	11	19	4	55	21.9	-0.7	0.84	0.6	0.5	0	57.6	58.9	0	158	162	0	24	25
2025	6	11	19	14	55	21.2	0.5	0.84	0.5	0.5	0	57.6	58.9	0	158	162	0	24	25
2025	6	11	19	24	55	21.9	-0.9	0.839	0.5	0.5	0	57.2	59.3	0	158	163	0	25	25
2025	6	11	19	34	55	22.8	-0.3	0.839	0.6	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	19	44	55	23.4	-0.7	0.839	0.5	0.5	0	57.6	58.5	0	158	162	0	24	26
2025	6	11	19	54	55	22.1	-0.3	0.839	0.7	0.6	0	57.6	58.5	0	159	162	0	25	26
2025	6	11	20	4	55	23.8	0.3	0.839	0.6	0.5	0	58	59.3	0	159	163	0	24	25
2025	6	11	20	14	55	22.4	0.2	0.839	0.5	0.5	0	57.6	58.5	0	158	161	0	24	25
2025	6	11	20	24	55	22.6	0	0.839	0.5	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	6	11	20	34	55	21.8	-0.8	0.839	0.6	0.5	0	56.8	59.3	0	157	163	0	25	25
2025	6	11	20	44	55	22.7	-0.9	0.839	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	20	54	55	22.2	-0.5	0.839	0.5	0.5	0	56.8	58.5	0	158	161	0	26	25
2025	6	11	21	4	55	21.9	-0.8	0.839	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	11	21	14	55	22.5	-1.2	0.839	0.6	0.5	0	56.8	58.5	0	158	161	0	26	25
2025	6	11	21	24	55	22	0	0.839	0.6	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	21	34	55	23.1	-2.3	0.839	0.5	0.5	0	57.6	58.5	0	158	161	0	24	25
2025	6	11	21	44	55	21.2	-0.5	0.839	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	21	54	55	23.4	0.1	0.839	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	11	22	4	55	22.4	-0.8	0.838	0.5	0.5	0	57.6	58	0	158	160	0	24	25
2025	6	11	22	14	55	23.1	-1.8	0.839	0.6	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	22	24	55	22.4	-0.5	0.839	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	22	34	55	23.3	-1.9	0.838	0.7	0.6	0	57.2	58	0	158	161	0	25	26
2025	6	11	22	44	55	22.3	0.2	0.838	0.4	0.3	0	56.8	58.5	0	158	161	0	26	25
2025	6	11	22	54	55	21.6	-1	0.839	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	23	4	55	23.2	-1.6	0.838	0.5	0.5	0	57.6	58	0	158	161	0	24	26
2025	6	11	23	14	55	22.4	-0.8	0.838	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	11	23	24	55	21.4	-0.1	0.839	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	11	23	34	55	22.7	0	0.839	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	11	23	44	55	22	-0.1	0.839	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	11	23	54	55	22.2	-0.5	0.839	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	12	0	4	55	21.8	-1.2	0.839	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	12	0	14	55	22.4	-1	0.84	0.6	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	12	0	24	55	23.5	-0.9	0.84	0.6	0.5	0	57.6	58.5	0	158	161	0	24	25
2025	6	12	0	34	55	23	-0.5	0.84	0.7	0.6	0	57.2	58	0	158	161	0	25	26
2025	6	12	0	44	55	21.9	-0.2	0.841	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	12	0	54	55	22.5	-0.3	0.841	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	12	1	4	55	22.4	-0.4	0.841	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	12	1	14	55	22.7	-0.6	0.842	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	12	1	24	55	21.9	-0.1	0.841	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	12	1	34	55	21.4	0	0.841	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	12	1	44	55	22.3	-1.1	0.841	0.5	0.4	0	56.8	58.5	0	158	161	0	26	25
2025	6	12	1	54	55	22.7	-1.1	0.842	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	12	2	4	55	22.6	-0.7	0.842	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	12	2	14	55	21.7	-1.4	0.842	0.5	0.5	0	58	58.5	0	160	162	0	25	26
2025	6	12	2	24	55	21.8	0.1	0.842	0.5	0.5	0	58	58.5	0	160	162	0	25	26
2025	6	12	2	34	55	22.9	-1.5	0.842	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	12	2	44	55	22.4	-1	0.842	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	12	2	54	55	22.2	-1.4	0.842	0.5	0.5	0	57.6	58.5	0	159	161	0	25	25
2025	6	12	3	4	55	21.8	-1.3	0.842	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	6	12	3	14	55	23	0.4	0.843	0.6	0.5	0	57.6	58	0	159	161	0	25	26
2025	6	12	3	24	55	22.2	-1.1	0.843	0.6	0.5	0	57.6	58	0	159	161	0	25	26
2025	6	12	3	34	55	23.5	-1.5	0.843	0.5	0.4	0	56.8	58	0	158	160	0	26	25
2025	6	12	3	44	55	23.2	0.4	0.843	0.7	0.6	0	57.6	58	0	159	161	0	25	26
2025	6	12	3	54	55	22.4	-1	0.843	0.5	0.4	0	57.2	57.6	0	158	160	0	25	26
2025	6	12	4	4	55	22.2	-0.9	0.843	0.6	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	12	4	14	55	23.2	-0.4	0.843	0.6	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	12	4	24	55	21.1	-1	0.843	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	12	4	34	55	22.3	-1.1	0.843	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	12	4	44	55	22.5	-1	0.843	0.6	0.5	0	56.8	57.6	0	158	160	0	26	26
2025	6	12	4	54	55	21.8	-0.8	0.843	0.5	0.5	0	57.2	58.5	0	159	161	0	26	25
2025	6	12	5	4	55	22.7	-0.2	0.843	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	12	5	14	55	22	-0.9	0.843	0.6	0.5	0	58	58.5	0	160	162	0	25	26
2025	6	12	5	24	55	22.9	-1.1	0.843	0.5	0.5	0	57.6	58	0	159	161	0	25	26
2025	6	12	5	34	55	21.7	0	0.843	0.5	0.5	0	57.6	58	0	159	161	0	25	26
2025	6	12	5	44	55	22	-0.2	0.843	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	12	5	54	55	22.4	-0.1	0.843	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	12	6	4	55	22.5	-0.7	0.843	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	12	6	14	55	21.8	-0.5	0.843	0.5	0.4	0	57.6	58	0	159	161	0	25	26
2025	6	12	6	24	55	21.4	-2	0.843	0.6	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	12	6	34	55	22.5	-0.5	0.843	0.5	0.5	0	58	58.5	0	160	162	0	25	26
2025	6	12	6	44	55	22.7	-1	0.844	0.5	0.5	0	57.6	58	0	159	161	0	25	26
2025	6	12	6	54	55	22.9	-1	0.844	0.5	0.5	0	57.6	58	0	159	161	0	25	26
2025	6	12	7	4	55	22.8	-1.7	0.844	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	6	12	7	14	55	22.7	-1.7	0.844	0.6	0.5	0	57.6	57.6	0	159	160	0	25	26
2025	6	12	7	24	55	23	-0.5	0.844	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	6	12	7	34	55	22.5	-1.4	0.845	0.6	0.5	0	56.3	56.8	0	157	159	0	26	27
2025	6	12	7	44	55	23.3	-1.2	0.845	0.5	0.5	0	56.3	57.2	0	157	159	0	26	26
2025	6	12	7	54	55	21.7	-0.8	0.845	0.5	0.5	0	57.2	57.6	0	158	160	0	25	26
2025	6	12	8	4	55	23.8	-1.5	0.845	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	12	8	14	55	21.9	-0.1	0.845	0.5	0.4	0	56.3	56.8	0	156	158	0	25	26
2025	6	12	8	24	55	22.8	-0.7	0.846	0.5	0.5	0	55.9	55.9	0	156	157	0	26	27
2025	6	12	8	34	55	22.5	-2	0.847	0.6	0.5	0	55.5	56.8	0	155	157	0	26	25
2025	6	12	8	44	55	23.2	-0.2	0.849	0.6	0.5	0	55.5	56.3	0	155	157	0	26	26
2025	6	12	8	54	55	22.8	-1	0.849	0.5	0.4	0	55	56.3	0	154	156	0	26	25
2025	6	12	9	4	55	22.3	-0.4	0.85	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	12	9	14	55	22.6	-1.5	0.85	0.5	0.5	0	55	56.3	0	154	157	0	26	26
2025	6	12	9	24	55	22.4	-1.1	0.85	0.4	0.3	0	55	55.9	0	153	156	0	25	26
2025	6	12	9	34	55	23.3	-0.5	0.851	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	12	9	44	55	22.8	-1.3	0.851	0.5	0.4	0	55	56.8	0	154	157	0	26	25
2025	6	12	9	54	55	23.9	-0.8	0.852	0.5	0.5	0	54.6	55.5	0	153	156	0	26	27
2025	6	12	10	4	55	22.3	-1.6	0.852	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	12	10	14	55	21.3	-1.1	0.852	0.5	0.5	0	55	55.5	0	153	156	0	25	27
2025	6	12	10	24	55	22.7	-1.9	0.852	0.6	0.5	0	54.2	55	0	152	155	0	26	27
2025	6	12	10	34	55	23.1	-0.3	0.853	0.5	0.5	0	54.2	55	0	152	154	0	26	26
2025	6	12	10	44	55	23	-0.5	0.853	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	12	10	54	55	23.6	-0.5	0.853	0.5	0.5	0	54.6	55.5	0	152	154	0	25	25
2025	6	12	11	4	55	23.5	-0.5	0.853	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	12	11	14	55	23.3	0.3	0.854	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	12	11	24	55	23.6	-1.5	0.854	0.5	0.5	0	54.2	54.6	0	151	153	0	25	26
2025	6	12	11	34	55	22.1	-1.9	0.854	0.5	0.4	0	54.2	55	0	151	153	0	25	25
2025	6	12	11	44	55	23	-1	0.855	0.5	0.5	0	54.2	54.6	0	151	153	0	25	26
2025	6	12	11	54	55	23.5	-1.3	0.855	0.5	0.4	0	54.2	54.6	0	151	153	0	25	26
2025	6	12	12	4	55	22.7	-2.2	0.855	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	12	12	14	55	23.6	-1.4	0.855	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	12	12	24	55	23.4	-1	0.856	0.5	0.5	0	53.8	55	0	151	154	0	26	26
2025	6	12	12	34	55	22.1	-0.4	0.856	0.5	0.5	0	54.2	55.5	0	151	154	0	25	25
2025	6	12	12	44	55	23.7	-0.3	0.856	0.6	0.5	0	54.6	55	0	152	154	0	25	26
2025	6	12	12	54	55	23.4	-0.8	0.857	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	12	13	4	55	23.5	-1	0.857	0.7	0.6	0	53.8	54.6	0	150	153	0	25	26
2025	6	12	13	14	55	22.8	0	0.857	0.5	0.5	0	53.3	54.6	0	150	153	0	26	26
2025	6	12	13	24	55	22.4	-1.7	0.858	0.4	0.3	0	54.2	55	0	151	154	0	25	26
2025	6	12	13	34	55	22.7	-1.5	0.858	0.6	0.5	0	53.3	54.6	0	150	153	0	26	26
2025	6	12	13	44	55	23.1	-0.7	0.858	0.6	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	12	13	54	55	24	0	0.858	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	12	14	4	55	23.7	-0.8	0.858	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	12	14	14	55	24.1	-0.6	0.858	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	12	14	24	55	23.7	-0.5	0.859	0.5	0.5	0	54.2	55.5	0	151	154	0	25	25
2025	6	12	14	34	55	23.8	-0.2	0.859	0.6	0.5	0	54.2	55.9	0	152	155	0	26	25
2025	6	12	14	44	55	23.8	-1.1	0.859	0.5	0.4	0	54.6	55.9	0	152	155	0	25	25
2025	6	12	14	54	55	23.2	0.4	0.86	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	12	15	4	55	23.3	-0.8	0.86	0.5	0.4	0	54.6	55.9	0	152	155	0	25	25
2025	6	12	15	14	55	23.9	-0.3	0.86	0.5	0.5	0	55	55.9	0	152	155	0	24	25
2025	6	12	15	24	55	23.4	-0.4	0.86	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	12	15	34	55	25	-0.5	0.86	0.6	0.5	0	54.6	55.9	0	152	156	0	25	26
2025	6	12	15	44	55	21.9	-1.3	0.86	0.5	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	12	15	54	55	22.1	0.1	0.861	0.5	0.5	0	55	56.3	0	153	156	0	25	25
2025	6	12	16	4	55	24.2	-0.7	0.861	0.6	0.5	0	55	56.3	0	153	157	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	12	16	14	55	23.7	-0.9	0.861	0.5	0.5	0	55.5	56.8	0	154	157	0	25	25
2025	6	12	16	24	55	23.9	-0.4	0.861	0.6	0.5	0	55.5	56.3	0	154	157	0	25	26
2025	6	12	16	34	55	23.5	-0.2	0.862	0.6	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	12	16	44	55	24.3	-1.6	0.862	0.6	0.5	0	55	56.8	0	153	158	0	25	26
2025	6	12	16	54	55	22.1	-0.8	0.862	0.5	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	12	17	4	55	23.2	0	0.862	0.5	0.4	0	55.9	57.2	0	155	159	0	25	26
2025	6	12	17	14	55	23.8	-0.3	0.862	0.7	0.6	0	56.3	57.6	0	156	159	0	25	25
2025	6	12	17	24	55	23.6	-1.5	0.862	0.5	0.5	0	55.9	58	0	155	160	0	25	25
2025	6	12	17	34	55	23.6	-0.6	0.863	0.5	0.5	0	56.8	58	0	157	160	0	25	25
2025	6	12	17	44	55	24.1	-0.5	0.863	0.5	0.5	0	56.8	58	0	157	160	0	25	25
2025	6	12	17	54	55	24.6	-0.4	0.863	0.6	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	12	18	4	55	24.8	-0.5	0.863	0.6	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	12	18	14	55	22.8	-0.5	0.863	0.5	0.4	0	56.8	58.5	0	157	161	0	25	25
2025	6	12	18	24	55	22.8	-1.5	0.863	0.5	0.4	0	57.2	58.5	0	157	161	0	24	25
2025	6	12	18	34	55	23.1	0.3	0.864	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	12	18	44	55	23.8	-0.6	0.864	0.6	0.5	0	57.2	58	0	157	161	0	24	26
2025	6	12	18	54	55	23.1	-1.1	0.863	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	6	12	19	4	55	24.2	-0.4	0.863	0.6	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	12	19	14	55	23.4	-0.9	0.863	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	12	19	24	55	24.2	0.6	0.864	0.5	0.5	0	57.6	58.9	0	158	161	0	24	24
2025	6	12	19	34	55	24.1	-0.5	0.864	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	12	19	44	55	24	-1.1	0.864	0.6	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	12	19	54	55	23.5	0.5	0.864	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	12	20	4	55	24.4	-1.4	0.864	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	12	20	14	55	24.9	-1	0.865	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	12	20	24	55	24.2	-0.4	0.864	0.5	0.5	0	57.6	58.5	0	158	161	0	24	25
2025	6	12	20	34	55	23.9	-0.3	0.865	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	12	20	44	55	24.6	-0.8	0.866	0.6	0.5	0	57.6	58	0	158	161	0	24	26
2025	6	12	20	54	55	23.4	-0.5	0.867	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	12	21	4	55	23.7	0.2	0.866	0.5	0.4	0	57.6	58.9	0	158	162	0	24	25
2025	6	12	21	14	55	23.9	-0.5	0.868	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	12	21	24	55	23.2	-0.5	0.868	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	12	21	34	55	25.2	-0.5	0.869	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	12	21	44	55	25	-0.5	0.869	0.5	0.4	0	56.8	58	0	157	160	0	25	25
2025	6	12	21	54	55	23.1	0.4	0.869	0.6	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	12	22	4	55	23.3	-0.7	0.869	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	12	22	14	55	24.3	-0.8	0.87	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	12	22	24	55	24	-1	0.87	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	12	22	34	55	23.9	0.9	0.87	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	12	22	44	55	24.2	0.2	0.87	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	12	22	54	55	24.9	0	0.87	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	12	23	4	55	24.1	-1	0.87	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	12	23	14	55	23.9	-0.1	0.87	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	6	12	23	24	55	23.5	-1.3	0.87	0.6	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	12	23	34	55	23.5	-1.1	0.87	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	12	23	44	55	25	-1.2	0.87	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	12	23	54	55	23.6	-1.9	0.87	0.6	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	13	0	4	55	24	0	0.87	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	13	0	14	55	24	0.3	0.87	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	0	24	55	24.4	0.4	0.87	0.5	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	6	13	0	34	55	24.1	-0.7	0.87	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	13	0	44	55	24.9	-0.5	0.87	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	0	54	55	25.1	-0.7	0.87	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	13	1	4	55	24.2	-1	0.87	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	13	1	14	55	24.3	-0.5	0.87	0.5	0.4	0	57.2	59.3	0	159	163	0	26	25
2025	6	13	1	24	55	25	-0.1	0.87	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	1	34	55	23.7	0.3	0.87	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	6	13	1	44	55	23.5	-0.6	0.87	0.5	0.4	0	57.6	59.3	0	159	164	0	25	26
2025	6	13	1	54	55	25.6	-1.2	0.871	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	2	4	55	25.3	0	0.87	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	6	13	2	14	55	25	-0.6	0.87	0.5	0.5	0	58	59.3	0	160	164	0	25	26
2025	6	13	2	24	55	23.8	-1.3	0.87	0.5	0.5	0	57.6	59.8	0	159	164	0	25	25
2025	6	13	2	34	55	24.5	-1	0.87	0.5	0.5	0	58	59.3	0	161	163	0	26	25
2025	6	13	2	44	55	24	-0.8	0.871	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	13	2	54	55	24.1	-1.4	0.871	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	13	3	4	55	24.3	-0.8	0.871	0.5	0.5	0	58.5	58.9	0	161	163	0	25	26
2025	6	13	3	14	55	24	-0.6	0.871	0.5	0.5	0	57.6	59.3	0	160	163	0	26	25
2025	6	13	3	24	55	24.9	0	0.871	0.5	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	6	13	3	34	55	23.3	0.4	0.872	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	6	13	3	44	55	24.5	-0.7	0.872	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	13	3	54	55	23.9	-1	0.873	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	13	4	4	55	25.2	-0.5	0.872	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	13	4	14	55	24.8	-1	0.874	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	13	4	24	55	23.6	-0.6	0.874	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	13	4	34	55	25	0.2	0.874	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	4	44	55	25.2	-1.2	0.873	0.6	0.5	0	58	59.8	0	161	164	0	26	25
2025	6	13	4	54	55	25	0.7	0.874	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	13	5	4	55	24.5	-0.7	0.875	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	5	14	55	23.9	-2.6	0.875	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	5	24	55	24.4	-0.5	0.875	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	13	5	34	55	24	-0.7	0.875	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	5	44	55	25.1	-2.4	0.875	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	5	54	55	24.1	-1.3	0.875	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	6	4	55	23.6	-0.7	0.875	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	6	13	6	14	55	24.6	-0.2	0.875	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	13	6	24	55	24.1	-1	0.875	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	6	13	6	34	55	25.3	-1	0.875	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	13	6	44	55	24.3	-1.2	0.875	0.4	0.3	0	57.6	58.5	0	160	162	0	26	26
2025	6	13	6	54	55	24.6	-0.4	0.875	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	6	13	7	4	55	24.3	-1.9	0.875	0.5	0.5	0	57.6	58	0	160	161	0	26	26
2025	6	13	7	14	55	24.9	-1.4	0.875	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	13	7	24	55	24.4	-1	0.876	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	6	13	7	34	55	25.5	-1.1	0.876	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	13	7	44	55	23.8	-0.2	0.876	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	13	7	54	55	24	-1.4	0.876	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	6	13	8	4	55	24.8	-0.7	0.876	0.5	0.4	0	57.2	57.6	0	158	160	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	13	8	14	55	24.7	-1.8	0.876	0.6	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	13	8	24	55	24.2	-1.1	0.876	0.5	0.5	0	56.8	57.6	0	158	160	0	26	26
2025	6	13	8	34	55	24.7	-1	0.876	0.5	0.5	0	56.8	57.6	0	158	160	0	26	26
2025	6	13	8	44	55	24.4	-1.4	0.877	0.7	0.6	0	56.3	57.6	0	157	160	0	26	26
2025	6	13	8	54	55	25	-1.4	0.877	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2025	6	13	9	4	55	23.6	-0.5	0.877	0.6	0.5	0	56.8	57.6	0	158	160	0	26	26
2025	6	13	9	14	55	24.5	-0.4	0.877	0.5	0.4	0	56.8	57.6	0	158	160	0	26	26
2025	6	13	9	24	55	25.4	-0.8	0.878	0.5	0.5	0	56.3	56.3	0	156	158	0	25	27
2025	6	13	9	34	55	25.6	-1.5	0.878	0.5	0.4	0	55.5	56.3	0	155	158	0	26	27
2025	6	13	9	44	55	24.5	-1.4	0.878	0.5	0.4	0	55.9	56.3	0	156	158	0	26	27
2025	6	13	9	54	55	24.1	-1.2	0.878	0.5	0.5	0	56.3	56.8	0	156	158	0	25	26
2025	6	13	10	4	55	25.2	-1.8	0.879	0.5	0.4	0	55.5	56.8	0	155	158	0	26	26
2025	6	13	10	14	55	24.5	-1	0.879	0.4	0.3	0	55.5	56.3	0	155	157	0	26	26
2025	6	13	10	24	55	25.2	-1.5	0.879	0.5	0.5	0	55	56.3	0	154	157	0	26	26
2025	6	13	10	34	55	25.1	-1.3	0.879	0.5	0.5	0	55	56.3	0	154	157	0	26	26
2025	6	13	10	44	55	24.9	-1.4	0.88	0.4	0.3	0	55.5	56.3	0	154	157	0	25	26
2025	6	13	10	54	55	25	-1.5	0.88	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	13	11	4	55	25	-0.9	0.881	0.6	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	13	11	14	55	25.3	-1.2	0.881	0.4	0.3	0	55	55.5	0	154	156	0	26	27
2025	6	13	11	24	55	24.6	-1.1	0.881	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	13	11	34	55	24.8	-1.6	0.881	0.6	0.5	0	54.6	56.3	0	153	156	0	26	25
2025	6	13	11	44	55	24.5	-1.4	0.882	0.5	0.5	0	54.6	56.3	0	153	156	0	26	25
2025	6	13	11	54	55	23.7	-1.9	0.883	0.6	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	13	12	4	55	24.6	-0.6	0.883	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	13	12	14	55	25.6	-1.2	0.884	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	13	12	24	55	26.2	-1.4	0.885	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	13	12	34	55	25.5	-0.4	0.885	0.5	0.4	0	54.2	55	0	152	155	0	26	27
2025	6	13	12	44	55	25.5	-0.4	0.885	0.5	0.5	0	53.8	55.5	0	151	155	0	26	26
2025	6	13	12	54	55	25.6	-0.4	0.887	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	13	13	4	55	24.7	-1.3	0.887	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	13	13	14	55	24.5	0	0.887	0.5	0.4	0	54.2	55.9	0	152	155	0	26	25
2025	6	13	13	24	55	24.8	-1.7	0.888	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	13	13	34	55	25.6	-2.2	0.888	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	13	13	44	55	25.4	-0.3	0.888	0.6	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	13	13	54	55	25.9	-0.5	0.888	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	13	14	4	55	24.9	-0.3	0.889	0.5	0.4	0	53.8	55.5	0	151	154	0	26	25
2025	6	13	14	14	55	26	-0.4	0.89	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	13	14	24	55	24.1	-0.4	0.889	0.5	0.4	0	55.5	56.8	0	154	157	0	25	25
2025	6	13	14	34	55	24.8	-0.4	0.891	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	13	14	44	55	26.6	-0.8	0.891	0.5	0.4	0	54.2	55.9	0	152	156	0	26	26
2025	6	13	14	54	55	26	-0.5	0.891	0.6	0.5	0	55	56.3	0	153	156	0	25	25
2025	6	13	15	4	55	25.7	-1.8	0.891	0.5	0.4	0	54.6	55.9	0	152	155	0	25	25
2025	6	13	15	14	55	25.2	-1.5	0.892	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	13	15	24	55	25.9	-0.1	0.892	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	13	15	34	55	25.1	-1.5	0.893	0.5	0.4	0	55	56.3	0	153	156	0	25	25
2025	6	13	15	44	55	25.9	-0.1	0.893	0.5	0.4	0	55	56.8	0	154	157	0	26	25
2025	6	13	15	54	55	25.6	-1	0.894	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	13	16	4	55	25.6	-2.5	0.894	0.5	0.4	0	55.5	56.8	0	154	158	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	13	16	14	55	25.6	-0.6	0.894	0.5	0.4	0	55.9	56.3	0	154	157	0	24	26
2025	6	13	16	24	55	26	-0.9	0.895	0.4	0.3	0	55.5	56.8	0	154	158	0	25	26
2025	6	13	16	34	55	26.9	-1	0.895	0.6	0.5	0	56.3	57.2	0	156	159	0	25	26
2025	6	13	16	44	55	26	0	0.896	0.5	0.5	0	55.5	57.6	0	155	159	0	26	25
2025	6	13	16	54	55	25.3	-0.6	0.896	0.5	0.5	0	56.3	57.6	0	156	159	0	25	25
2025	6	13	17	4	55	26.1	-0.8	0.896	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	6	13	17	14	55	26.5	-1.3	0.897	0.5	0.4	0	56.8	58	0	157	160	0	25	25
2025	6	13	17	24	55	25.5	-0.5	0.897	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	6	13	17	34	55	24.9	0	0.897	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	13	17	44	55	24.5	-0.8	0.898	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	13	17	54	55	26.4	0	0.898	0.6	0.5	0	56.8	58.5	0	158	161	0	26	25
2025	6	13	18	4	55	25.4	0	0.898	0.6	0.5	0	57.6	58.5	0	158	162	0	24	26
2025	6	13	18	14	55	24.9	0.5	0.899	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	13	18	24	55	25.5	-0.5	0.899	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	13	18	34	55	25.6	0	0.899	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	13	18	44	55	25.7	-1.9	0.9	0.5	0.5	0	57.6	58.5	0	159	161	0	25	25
2025	6	13	18	54	55	26.4	-0.4	0.9	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	13	19	4	55	25.5	-0.3	0.902	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	6	13	19	14	55	25.2	-0.2	0.903	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	19	24	55	25.5	-0.6	0.904	0.6	0.5	0	58	58.9	0	159	162	0	24	25
2025	6	13	19	34	55	25.7	-1.7	0.905	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	13	19	44	55	25.8	-0.8	0.905	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	13	19	54	55	25.7	-0.4	0.906	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	13	20	4	55	25.6	-1.1	0.906	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	13	20	14	55	26.2	-1.2	0.907	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	20	24	55	26.3	0.8	0.907	0.4	0.3	0	58	58.9	0	160	163	0	25	26
2025	6	13	20	34	55	26.7	0.9	0.907	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	20	44	55	25.3	0.1	0.907	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	20	54	55	26.8	-0.1	0.908	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	13	21	4	55	26.2	0	0.907	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	21	14	55	25.6	-1.5	0.908	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	21	24	55	26.6	-0.8	0.908	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	21	34	55	26	-0.7	0.908	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	13	21	44	55	26	-0.5	0.908	0.6	0.5	0	57.2	59.3	0	159	163	0	26	25
2025	6	13	21	54	55	27.1	-0.3	0.908	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	22	4	55	25.7	-0.3	0.909	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	22	14	55	26	0	0.909	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	22	24	55	26.1	-1	0.909	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	22	34	55	26.4	-0.8	0.91	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	6	13	22	44	55	26.5	-0.2	0.911	0.5	0.5	0	57.6	59.3	0	159	164	0	25	26
2025	6	13	22	54	55	26.5	0.3	0.912	0.5	0.5	0	57.6	59.8	0	159	164	0	25	25
2025	6	13	23	4	55	26.9	-0.1	0.914	0.6	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	6	13	23	14	55	25.9	0	0.914	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	13	23	24	55	27.7	-1	0.915	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	23	34	55	26.6	-1.5	0.915	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	23	44	55	26.7	-0.5	0.916	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	13	23	54	55	26.8	-0.5	0.916	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	6	14	0	4	55	26.5	0	0.916	0.5	0.5	0	57.6	59.8	0	159	164	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	14	0	14	55	27.4	-0.4	0.916	0.5	0.4	0	57.6	59.3	0	159	164	0	25	26
2025	6	14	0	24	55	25.6	0.2	0.916	0.5	0.5	0	58	58.5	0	160	163	0	25	27
2025	6	14	0	34	55	26.3	-0.3	0.916	0.5	0.4	0	58	59.8	0	160	164	0	25	25
2025	6	14	0	44	55	27.5	-1.1	0.917	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	14	0	54	55	26.6	-0.7	0.917	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	14	1	4	55	26.2	-0.8	0.917	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	14	1	14	55	26.8	-0.8	0.917	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	1	24	55	28.6	-1.4	0.917	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	14	1	34	55	26.7	-1.6	0.917	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	1	44	55	27.7	0.2	0.918	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	1	54	55	27	-0.6	0.918	0.4	0.3	0	58	59.3	0	160	164	0	25	26
2025	6	14	2	4	55	26	0.1	0.918	0.6	0.5	0	58	59.3	0	160	164	0	25	26
2025	6	14	2	14	55	27.5	-2.2	0.919	0.5	0.5	0	58	59.3	0	160	164	0	25	26
2025	6	14	2	24	55	26.6	0	0.919	0.5	0.5	0	57.6	59.8	0	160	164	0	26	25
2025	6	14	2	34	55	27	0.2	0.921	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	2	44	55	26.3	-0.6	0.923	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	2	54	55	26.1	-0.1	0.923	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	14	3	4	55	27.3	-0.1	0.923	0.5	0.5	0	58.5	59.8	0	161	165	0	25	26
2025	6	14	3	14	55	27.9	-0.3	0.924	0.6	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	3	24	55	27.7	-0.9	0.924	0.5	0.4	0	58.5	58.9	0	161	164	0	25	27
2025	6	14	3	34	55	27.4	-1	0.924	0.5	0.4	0	58.5	59.3	0	161	164	0	25	26
2025	6	14	3	44	55	28.1	-1.1	0.924	0.6	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	6	14	3	54	55	27	0.2	0.924	0.5	0.4	0	58.5	59.8	0	161	165	0	25	26
2025	6	14	4	4	55	26.4	-1.6	0.925	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	14	4	14	55	27.2	-0.2	0.925	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	14	4	24	55	25.7	-0.2	0.925	0.6	0.5	0	58	59.3	0	161	164	0	26	26
2025	6	14	4	34	55	27.4	-0.5	0.925	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	4	44	55	27.7	-0.5	0.925	0.4	0.3	0	58	59.8	0	161	164	0	26	25
2025	6	14	4	54	55	27.6	-0.8	0.925	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	5	4	55	27.6	-0.1	0.925	0.5	0.4	0	58.5	59.8	0	161	165	0	25	26
2025	6	14	5	14	55	27.6	-1.2	0.925	0.5	0.5	0	58.5	59.8	0	161	165	0	25	26
2025	6	14	5	24	55	27.8	-0.2	0.926	0.5	0.5	0	58	59.8	0	161	165	0	26	26
2025	6	14	5	34	55	26.7	-0.6	0.926	0.5	0.5	0	58.5	59.8	0	161	165	0	25	26
2025	6	14	5	44	55	26.3	-1.2	0.926	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	14	5	54	55	27.6	-0.5	0.926	0.5	0.5	0	58.5	59.8	0	161	165	0	25	26
2025	6	14	6	4	55	27.8	-0.9	0.926	0.5	0.4	0	58	59.8	0	161	165	0	26	26
2025	6	14	6	14	55	27.4	0	0.927	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	6	14	6	24	55	28.2	-1.1	0.927	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	6	34	55	27.9	-1.1	0.927	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	6	14	6	44	55	27.7	-1.3	0.928	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	6	54	55	27.6	-1.7	0.93	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	6	14	7	4	55	27.5	-0.5	0.932	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	6	14	7	14	55	27.1	-1	0.933	0.5	0.4	0	58	59.8	0	160	165	0	25	26
2025	6	14	7	24	55	27.9	-0.5	0.933	0.4	0.3	0	57.6	59.8	0	160	165	0	26	26
2025	6	14	7	34	55	27.5	-0.3	0.933	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	14	7	44	55	27.8	0	0.933	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	6	14	7	54	55	28.3	-0.7	0.934	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	6	14	8	4	55	27.9	-0.1	0.933	0.4	0.3	0	57.2	59.3	0	159	164	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	14	8	14	55	28.6	-1.2	0.934	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	6	14	8	24	55	27.2	-1	0.934	0.5	0.4	0	56.8	58.9	0	159	163	0	27	26
2025	6	14	8	34	55	28	-0.4	0.934	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	6	14	8	44	55	28.7	-1	0.934	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	6	14	8	54	55	27.9	-1	0.934	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	6	14	9	4	55	28.4	-1.3	0.934	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	6	14	9	14	55	28.2	-0.4	0.934	0.4	0.3	0	56.8	58.5	0	157	162	0	25	26
2025	6	14	9	24	55	28.9	-0.9	0.934	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	6	14	9	34	55	27.1	-1.4	0.935	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	6	14	9	44	55	27.7	-1.1	0.935	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	6	14	9	54	55	28.6	-0.9	0.935	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	6	14	10	4	55	27.5	-1	0.935	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	6	14	10	14	55	28.4	-1.1	0.935	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	6	14	10	24	55	28.1	-1	0.936	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	6	14	10	34	55	28	-1	0.936	0.6	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	6	14	10	44	55	28.2	-1.3	0.935	0.6	0.5	0	55.9	58	0	156	161	0	26	26
2025	6	14	10	54	55	27.9	-0.8	0.937	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	6	14	11	4	55	26.7	-0.6	0.936	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	6	14	11	14	55	28.9	-2.3	0.937	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	6	14	11	24	55	29.2	-1.2	0.937	0.3	0.2	0	55.5	57.6	0	155	160	0	26	26
2025	6	14	11	34	55	27.3	-1.4	0.937	0.3	0.2	0	55.5	57.6	0	155	160	0	26	26
2025	6	14	11	44	55	28.6	-0.3	0.937	0.5	0.4	0	55.5	57.2	0	155	160	0	26	27
2025	6	14	11	54	55	29.4	-0.3	0.938	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	6	14	12	4	55	28.1	-1.1	0.938	0.6	0.5	0	55.5	57.2	0	155	159	0	26	26
2025	6	14	12	14	55	27.8	-1.3	0.938	0.5	0.5	0	55.5	57.2	0	154	159	0	25	26
2025	6	14	12	24	55	27.6	-1.1	0.939	0.5	0.4	0	55.5	56.8	0	154	159	0	25	27
2025	6	14	12	34	55	28.7	0	0.939	0.5	0.4	0	54.6	57.2	0	153	159	0	26	26
2025	6	14	12	44	55	28.1	-2.4	0.939	0.5	0.5	0	54.6	56.8	0	153	158	0	26	26
2025	6	14	12	54	55	29.2	0	0.939	0.5	0.5	0	54.6	56.8	0	153	158	0	26	26
2025	6	14	13	4	55	28.3	-0.1	0.94	0.5	0.5	0	54.6	56.8	0	153	158	0	26	26
2025	6	14	13	14	55	28.4	-0.4	0.94	0.5	0.5	0	54.6	57.2	0	153	158	0	26	25
2025	6	14	13	24	55	29	0	0.94	0.5	0.5	0	54.6	56.3	0	152	157	0	25	26
2025	6	14	13	34	55	28	-0.3	0.941	0.5	0.4	0	55	56.8	0	153	158	0	25	26
2025	6	14	13	44	55	27.6	-0.4	0.941	0.5	0.4	0	54.6	57.2	0	153	158	0	26	25
2025	6	14	13	54	55	28.6	-1	0.941	0.5	0.4	0	55	57.2	0	153	158	0	25	25
2025	6	14	14	4	55	28.6	-1.5	0.941	0.5	0.5	0	55	56.8	0	153	158	0	25	26
2025	6	14	14	14	55	28.7	0.3	0.942	0.5	0.4	0	54.6	56.8	0	153	158	0	26	26
2025	6	14	14	24	55	28.2	-0.6	0.942	0.5	0.5	0	55	56.8	0	153	158	0	25	26
2025	6	14	14	34	55	27.2	-0.3	0.943	0.5	0.4	0	55	57.2	0	153	158	0	25	25
2025	6	14	14	44	55	29.2	-0.1	0.942	0.5	0.4	0	55	56.8	0	153	158	0	25	26
2025	6	14	14	54	55	28.4	-0.4	0.943	0.5	0.4	0	55	57.2	0	153	158	0	25	25
2025	6	14	15	4	55	28.2	-0.9	0.944	0.5	0.5	0	55.5	57.2	0	154	159	0	25	26
2025	6	14	15	14	55	28.7	-1	0.944	0.5	0.4	0	55	56.8	0	154	158	0	26	26
2025	6	14	15	24	55	28.4	-1.3	0.944	0.5	0.4	0	54.6	57.2	0	153	158	0	26	25
2025	6	14	15	34	55	29.7	-0.9	0.945	0.5	0.4	0	54.6	56.8	0	152	157	0	25	25
2025	6	14	15	44	55	28.8	-1	0.946	0.5	0.4	0	54.6	56.3	0	152	157	0	25	26
2025	6	14	15	54	55	29	-0.7	0.946	0.4	0.3	0	55	56.8	0	153	158	0	25	26
2025	6	14	16	4	55	27.5	-0.5	0.946	0.5	0.5	0	55.5	57.6	0	154	159	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	14	16	14	55	28.8	-0.5	0.946	0.5	0.4	0	55.5	57.6	0	154	159	0	25	25
2025	6	14	16	24	55	28.7	-0.9	0.946	0.5	0.5	0	55.5	57.6	0	154	159	0	25	25
2025	6	14	16	34	55	29.8	0.1	0.947	0.5	0.5	0	55.9	57.6	0	155	160	0	25	26
2025	6	14	16	44	55	29.4	-1	0.946	0.5	0.4	0	55.9	57.6	0	155	160	0	25	26
2025	6	14	16	54	55	28.5	0	0.947	0.5	0.5	0	55.9	58	0	155	160	0	25	25
2025	6	14	17	4	55	28.7	-0.2	0.948	0.5	0.4	0	56.3	58	0	156	161	0	25	26
2025	6	14	17	14	55	28.2	-0.5	0.948	0.5	0.4	0	56.3	58.5	0	156	161	0	25	25
2025	6	14	17	24	55	28.4	-0.7	0.949	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	6	14	17	34	55	28.4	-0.4	0.949	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	6	14	17	44	55	29.2	0	0.951	0.5	0.4	0	56.3	58.9	0	156	162	0	25	25
2025	6	14	17	54	55	28.7	-0.9	0.951	0.5	0.4	0	56.3	58.5	0	156	161	0	25	25
2025	6	14	18	4	55	28.4	0.3	0.952	0.5	0.5	0	56.3	58.5	0	156	161	0	25	25
2025	6	14	18	14	55	28.7	0	0.952	0.5	0.4	0	56.3	58	0	156	161	0	25	26
2025	6	14	18	24	55	29.3	-0.8	0.953	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	14	18	34	55	28.7	-0.7	0.954	0.4	0.3	0	57.6	58	0	159	161	0	25	26
2025	6	14	18	44	55	28.6	-0.3	0.954	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	6	14	18	54	55	28	0	0.955	0.5	0.5	0	57.6	58	0	158	161	0	24	26
2025	6	14	19	4	55	29.4	-1.4	0.955	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	14	19	14	55	29.3	-0.3	0.955	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	19	24	55	29	-0.2	0.955	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	19	34	55	29.8	-0.3	0.955	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	14	19	44	55	30.2	-0.4	0.956	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	6	14	19	54	55	29.7	-0.9	0.956	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	14	20	4	55	29.8	-0.5	0.956	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	6	14	20	14	55	29.9	-0.4	0.956	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	14	20	24	55	29.8	-0.8	0.956	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	14	20	34	55	29.5	-1.2	0.957	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	14	20	44	55	28.3	-1	0.957	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	20	54	55	28.9	-0.4	0.958	0.5	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	21	4	55	28.8	0.2	0.958	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	6	14	21	14	55	28.3	-0.9	0.959	0.6	0.5	0	56.8	58.5	0	157	161	0	25	25
2025	6	14	21	24	55	29.2	-0.5	0.96	0.5	0.5	0	56.3	58.5	0	157	161	0	26	25
2025	6	14	21	34	55	28	-0.4	0.962	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	21	44	55	29.1	-0.8	0.962	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	6	14	21	54	55	29.5	-0.9	0.963	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	14	22	4	55	29.3	0	0.963	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	14	22	14	55	29.6	0	0.964	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	14	22	24	55	29.3	-0.2	0.964	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	14	22	34	55	29.5	-0.6	0.965	0.6	0.5	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	22	44	55	29.2	0.1	0.965	0.5	0.4	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	22	54	55	30	0.2	0.965	0.4	0.3	0	57.2	58.5	0	158	161	0	25	25
2025	6	14	23	4	55	29	-0.4	0.965	0.6	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	6	14	23	14	55	28.9	0.2	0.965	0.4	0.3	0	57.6	58	0	159	161	0	25	26
2025	6	14	23	24	55	28.7	-1.1	0.965	0.3	0.2	0	57.6	58	0	159	161	0	25	26
2025	6	14	23	34	55	29.8	-0.6	0.965	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	14	23	44	55	29.3	-0.3	0.966	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	6	14	23	54	55	29.5	-0.8	0.966	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	15	0	4	55	28.7	-0.4	0.966	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	15	0	14	55	29.4	-0.7	0.966	0.4	0.3	0	57.6	58.9	0	159	162	0	25	25
2025	6	15	0	24	55	29.2	1	0.967	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	15	0	34	55	28.4	0	0.967	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	0	44	55	29.7	0.3	0.967	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	0	54	55	31.1	-0.4	0.968	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	1	4	55	29.1	0	0.971	0.4	0.3	0	58	58.5	0	160	162	0	25	26
2025	6	15	1	14	55	30.5	-0.8	0.972	0.5	0.4	0	58	58.5	0	160	162	0	25	26
2025	6	15	1	24	55	29.1	-0.1	0.972	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	15	1	34	55	29.4	-1	0.972	0.5	0.4	0	57.6	58.9	0	160	162	0	26	25
2025	6	15	1	44	55	29.7	-0.4	0.973	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	6	15	1	54	55	30.5	0	0.973	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	6	15	2	4	55	30.1	-1	0.973	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	15	2	14	55	29.5	-0.9	0.974	0.5	0.4	0	58	58.5	0	160	162	0	25	26
2025	6	15	2	24	55	29.4	-0.9	0.974	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	2	34	55	30.1	-0.6	0.974	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	15	2	44	55	28.9	-0.1	0.974	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	6	15	2	54	55	29.4	-0.5	0.974	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	6	15	3	4	55	30.2	-0.4	0.974	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	6	15	3	14	55	30.2	0.5	0.974	0.5	0.4	0	58	58.5	0	160	163	0	25	27
2025	6	15	3	24	55	30	0.4	0.974	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	6	15	3	34	55	30	-0.9	0.974	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	6	15	3	44	55	30	-0.7	0.975	0.5	0.4	0	57.2	57.6	0	158	161	0	25	27
2025	6	15	3	54	55	29.7	-1	0.975	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	6	15	4	4	55	30.2	-0.5	0.975	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	6	15	4	14	55	29.6	0.6	0.976	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	6	15	4	24	55	29.6	-1	0.976	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	15	4	34	55	30.1	-0.7	0.977	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	6	15	4	44	55	30	-1.8	0.979	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	6	15	4	54	55	29.6	0.4	0.98	0.3	0.2	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	5	4	55	29.8	0.2	0.981	0.4	0.3	0	57.6	58	0	159	161	0	25	26
2025	6	15	5	14	55	30.8	-0.5	0.981	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	5	24	55	30.9	-0.4	0.981	0.4	0.3	0	57.2	58	0	159	161	0	26	26
2025	6	15	5	34	55	29.7	-0.3	0.982	0.5	0.5	0	57.6	58	0	159	162	0	25	27
2025	6	15	5	44	55	30.4	-1.1	0.982	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	6	15	5	54	55	29.9	-0.2	0.982	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	6	15	6	4	55	30.7	-0.6	0.982	0.5	0.4	0	58	58.5	0	160	162	0	25	26
2025	6	15	6	14	55	30.8	-0.9	0.983	0.4	0.3	0	57.6	59.3	0	160	163	0	26	25
2025	6	15	6	24	55	30.2	-0.6	0.983	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	6	15	6	34	55	30.6	-1	0.983	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	6	15	6	44	55	31.1	-1.4	0.983	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	6	15	6	54	55	30.3	0	0.983	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	6	15	7	4	55	30.3	-2.4	0.983	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	6	15	7	14	55	31	-0.6	0.983	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	7	24	55	30.4	-1.4	0.983	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	6	15	7	34	55	29.3	-0.9	0.984	0.5	0.4	0	58	58.5	0	160	162	0	25	26
2025	6	15	7	44	55	31.3	-0.1	0.984	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	6	15	7	54	55	31.5	-1.4	0.984	0.4	0.3	0	57.2	58	0	159	161	0	26	26
2025	6	15	8	4	55	30.6	-1.6	0.984	0.5	0.4	0	57.2	57.6	0	158	161	0	25	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	15	8	14	55	31	0.6	0.985	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	6	15	8	24	55	31.3	-1	0.985	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	6	15	8	34	55	31.1	-1.1	0.985	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	6	15	8	44	55	31.1	-0.7	0.985	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	6	15	8	54	55	30.6	-2.2	0.986	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	6	15	9	4	55	30.3	-1.1	0.986	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	15	9	14	55	29.5	-1	0.987	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	6	15	9	24	55	30.3	-0.4	0.987	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	6	15	9	34	55	30.9	0	0.987	0.4	0.3	0	56.8	57.6	0	157	160	0	25	26
2025	6	15	9	44	55	29.7	-0.8	0.988	0.5	0.4	0	57.2	57.6	0	158	160	0	25	26
2025	6	15	9	54	55	29.7	-1.1	0.988	0.5	0.4	0	56.3	56.8	0	157	159	0	26	27
2025	6	15	10	4	55	31	-0.1	0.99	0.4	0.3	0	56.3	57.2	0	157	159	0	26	26
2025	6	15	10	14	55	31	-0.1	0.99	0.5	0.5	0	56.3	57.2	0	157	159	0	26	26
2025	6	15	10	24	55	30.6	-0.2	0.991	0.5	0.4	0	55.9	56.8	0	156	159	0	26	27
2025	6	15	10	34	55	30	-1.6	0.991	0.6	0.5	0	55.9	56.8	0	156	158	0	26	26
2025	6	15	10	44	55	30.6	-1.4	0.99	0.5	0.4	0	55.9	57.2	0	156	158	0	26	25
2025	6	15	10	54	55	31.2	0.1	0.991	0.6	0.5	0	55	56.3	0	155	158	0	27	27
2025	6	15	11	4	55	30.9	-1.4	0.992	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2025	6	15	11	14	55	31.8	-0.4	0.992	0.5	0.4	0	55.9	56.3	0	155	157	0	25	26
2025	6	15	11	24	55	30.6	-0.1	0.993	0.5	0.4	0	55.9	55.9	0	155	157	0	25	27
2025	6	15	11	34	55	31	0	0.993	0.5	0.4	0	55.5	56.3	0	155	157	0	26	26
2025	6	15	11	44	55	30.5	-0.2	0.994	0.5	0.4	0	55.5	56.8	0	155	158	0	26	26
2025	6	15	11	54	55	29.8	-0.4	0.994	0.4	0.3	0	55	56.3	0	155	157	0	27	26
2025	6	15	12	4	55	30.6	-0.1	0.993	0.4	0.3	0	55.5	56.3	0	154	157	0	25	26
2025	6	15	12	14	55	30.9	-0.6	0.994	0.4	0.3	0	55	56.3	0	154	157	0	26	26
2025	6	15	12	24	55	32.1	0	0.995	0.4	0.3	0	55	55.9	0	154	156	0	26	26
2025	6	15	12	34	55	31.8	-0.4	0.995	0.5	0.4	0	55.5	55.9	0	154	156	0	25	26
2025	6	15	12	44	55	31.1	-0.3	0.993	0.5	0.4	0	55	55.9	0	154	156	0	26	26
2025	6	15	12	54	55	30.9	-0.2	0.995	0.4	0.3	0	54.6	55.9	0	153	156	0	26	26
2025	6	15	13	4	55	31.7	-1.2	0.995	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	15	13	14	55	30.7	-1.6	0.996	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	15	13	24	55	30.2	-0.5	0.996	0.5	0.4	0	55.5	56.3	0	154	157	0	25	26
2025	6	15	13	34	55	32.2	-0.1	0.996	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	15	13	44	55	31.3	-1.4	0.997	0.5	0.4	0	55.5	55.9	0	154	156	0	25	26
2025	6	15	13	54	55	33.2	-0.8	0.996	0.4	0.3	0	55.5	56.3	0	154	157	0	25	26
2025	6	15	14	4	55	31.9	-0.7	0.998	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	15	14	14	55	31.3	0	0.998	0.5	0.5	0	55	56.3	0	153	156	0	25	25
2025	6	15	14	24	55	31.5	-0.4	0.998	0.5	0.4	0	55	56.3	0	153	156	0	25	25
2025	6	15	14	34	55	32.2	-0.3	0.998	0.4	0.3	0	55	55.9	0	153	156	0	25	26
2025	6	15	14	44	55	31.2	0.4	0.999	0.4	0.3	0	55	56.3	0	153	156	0	25	25
2025	6	15	14	54	55	31.4	0.1	1	0.5	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	15	15	4	55	31.1	0.2	1.001	0.4	0.3	0	55	55.9	0	154	157	0	26	27
2025	6	15	15	14	55	30.5	-0.4	1	0.5	0.4	0	55.5	56.3	0	154	157	0	25	26
2025	6	15	15	24	55	32.1	0	1.001	0.5	0.4	0	55	56.3	0	153	156	0	25	25
2025	6	15	15	34	55	30.9	0.1	1.001	0.4	0.3	0	54.6	55.9	0	153	156	0	26	26
2025	6	15	15	44	55	31.7	0	1.002	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	15	15	54	55	31.6	-0.3	1.002	0.5	0.4	0	55.5	56.3	0	154	157	0	25	26
2025	6	15	16	4	55	30.8	-0.7	1.003	0.5	0.4	0	55.5	56.3	0	154	157	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	15	16	14	55	32.1	-0.3	1.003	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	15	16	24	55	31.4	0.4	1.003	0.4	0.3	0	55	56.8	0	154	157	0	26	25
2025	6	15	16	34	55	30	-0.2	1.003	0.4	0.3	0	55	56.3	0	154	157	0	26	26
2025	6	15	16	44	55	30.8	0	1.004	0.5	0.4	0	55.9	57.2	0	155	158	0	25	25
2025	6	15	16	54	55	32.3	-0.9	1.004	0.5	0.4	0	55.5	56.8	0	154	157	0	25	25
2025	6	15	17	4	55	32.8	-0.5	1.004	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	15	17	14	55	31	-0.4	1.004	0.5	0.4	0	55.5	56.8	0	154	158	0	25	26
2025	6	15	17	24	55	31.3	0.1	1.005	0.4	0.3	0	55.9	57.2	0	155	158	0	25	25
2025	6	15	17	34	55	31.9	-0.7	1.005	0.5	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	15	17	44	55	32.7	0	1.005	0.4	0.3	0	55.5	57.6	0	155	159	0	26	25
2025	6	15	17	54	55	31.4	-1.2	1.005	0.5	0.5	0	55.9	56.8	0	155	158	0	25	26
2025	6	15	18	4	55	30.4	1.1	1.006	0.4	0.3	0	55.9	57.2	0	155	159	0	25	26
2025	6	15	18	14	55	32.4	-0.9	1.006	0.5	0.4	0	55.9	57.2	0	155	158	0	25	25
2025	6	15	18	24	55	31.5	0	1.006	0.5	0.5	0	55.9	57.2	0	155	158	0	25	25
2025	6	15	18	34	55	30.8	-0.1	1.007	0.5	0.4	0	55.9	56.8	0	155	158	0	25	26
2025	6	15	18	44	55	32.9	-0.1	1.007	0.4	0.3	0	55.9	57.2	0	155	158	0	25	25
2025	6	15	18	54	55	31.9	0.3	1.008	0.5	0.5	0	55.9	56.8	0	155	158	0	25	26
2025	6	15	19	4	55	31.6	0.1	1.01	0.5	0.5	0	55.9	57.6	0	155	159	0	25	25
2025	6	15	19	14	55	31.1	-0.1	1.011	0.5	0.4	0	55.5	57.2	0	155	159	0	26	26
2025	6	15	19	24	55	31.4	-0.3	1.012	0.4	0.3	0	55.9	57.6	0	155	159	0	25	25
2025	6	15	19	34	55	31.1	0.4	1.012	0.5	0.5	0	56.3	57.6	0	155	159	0	24	25
2025	6	15	19	44	55	32.7	-0.1	1.013	0.5	0.4	0	55.5	57.2	0	154	158	0	25	25
2025	6	15	19	54	55	32.3	-0.5	1.013	0.5	0.4	0	55.5	57.2	0	154	158	0	25	25
2025	6	15	20	4	55	31.7	0.7	1.013	0.5	0.4	0	55.5	56.8	0	154	158	0	25	26
2025	6	15	20	14	55	31.8	0.7	1.014	0.5	0.5	0	55.5	57.2	0	154	158	0	25	25
2025	6	15	20	24	55	32.3	0.4	1.014	0.5	0.4	0	55.5	56.8	0	154	158	0	25	26
2025	6	15	20	34	55	32.6	0.4	1.014	0.5	0.4	0	55.5	56.8	0	154	158	0	25	26
2025	6	15	20	44	55	31.9	-0.8	1.014	0.5	0.4	0	55	57.2	0	154	158	0	26	25
2025	6	15	20	54	55	32.6	0.3	1.015	0.5	0.5	0	55	56.3	0	153	157	0	25	26
2025	6	15	21	4	55	31.5	0	1.015	0.4	0.3	0	55	56.8	0	153	157	0	25	25
2025	6	15	21	14	55	32.1	0.4	1.015	0.4	0.3	0	55	56.3	0	153	156	0	25	25
2025	6	15	21	24	55	32.4	1.1	1.015	0.4	0.3	0	55	56.3	0	153	156	0	25	25
2025	6	15	21	34	55	32.4	-0.8	1.016	0.5	0.4	0	54.6	56.3	0	152	156	0	25	25
2025	6	15	21	44	55	32.9	-0.1	1.016	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	15	21	54	55	31.5	-0.4	1.016	0.5	0.4	0	55	56.3	0	153	156	0	25	25
2025	6	15	22	4	55	33.4	-0.1	1.017	0.4	0.3	0	54.6	55.9	0	152	155	0	25	25
2025	6	15	22	14	55	32.3	-0.5	1.018	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	15	22	24	55	33.1	-0.9	1.02	0.4	0.3	0	54.6	55.5	0	152	155	0	25	26
2025	6	15	22	34	55	32.1	0	1.022	0.5	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	15	22	44	55	33.3	-0.6	1.022	0.3	0.2	0	54.2	55.5	0	151	155	0	25	26
2025	6	15	22	54	55	31.5	0.1	1.023	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	15	23	4	55	32.4	-0.2	1.023	0.5	0.4	0	53.8	55.9	0	151	155	0	26	25
2025	6	15	23	14	55	32.3	0.1	1.023	0.4	0.3	0	54.6	56.3	0	152	156	0	25	25
2025	6	15	23	24	55	32.6	0	1.024	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	15	23	34	55	32.7	-2.1	1.024	0.4	0.3	0	54.2	55.5	0	151	155	0	25	26
2025	6	15	23	44	55	32.1	0.2	1.024	0.4	0.3	0	54.2	55.9	0	151	155	0	25	25
2025	6	15	23	54	55	34	0.3	1.024	0.5	0.4	0	54.2	55.9	0	151	155	0	25	25
2025	6	16	0	4	55	32.5	-0.8	1.025	0.5	0.5	0	53.8	55.5	0	151	155	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	16	0	14	55	33.5	-0.4	1.025	0.5	0.4	0	54.2	55.9	0	151	155	0	25	25
2025	6	16	0	24	55	32.9	-1	1.025	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	0	34	55	33.4	0.5	1.026	0.4	0.3	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	0	44	55	32.1	-0.5	1.026	0.4	0.3	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	0	54	55	32.2	0	1.027	0.5	0.5	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	1	4	55	33.4	-0.4	1.028	0.5	0.5	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	1	14	55	32	-0.4	1.03	0.5	0.5	0	54.6	56.3	0	152	156	0	25	25
2025	6	16	1	24	55	32.4	-0.7	1.031	0.4	0.3	0	54.2	55.9	0	151	156	0	25	26
2025	6	16	1	34	55	33.3	-1.4	1.032	0.4	0.3	0	54.2	55.9	0	151	156	0	25	26
2025	6	16	1	44	55	32.4	0.8	1.032	0.4	0.3	0	54.2	55.9	0	151	156	0	25	26
2025	6	16	1	54	55	32.5	0	1.033	0.4	0.3	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	2	4	55	33.1	-1.4	1.033	0.5	0.4	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	2	14	55	32.8	-0.4	1.034	0.4	0.3	0	54.2	55.5	0	152	155	0	26	26
2025	6	16	2	24	55	32.9	-0.8	1.034	0.4	0.3	0	53.8	56.3	0	151	156	0	26	25
2025	6	16	2	34	55	33.3	-0.4	1.034	0.5	0.5	0	54.6	55.5	0	151	155	0	24	26
2025	6	16	2	44	55	32.7	-0.2	1.034	0.5	0.4	0	53.8	55.9	0	151	156	0	26	26
2025	6	16	2	54	55	32.7	-0.2	1.034	0.4	0.3	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	3	4	55	33.9	-0.1	1.035	0.4	0.3	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	3	14	55	33.4	-1.1	1.035	0.5	0.4	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	3	24	55	33.4	-0.9	1.036	0.5	0.4	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	3	34	55	33	0	1.036	0.6	0.5	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	3	44	55	33.9	-0.3	1.038	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	3	54	55	33.4	-0.7	1.039	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	4	4	55	33.4	-0.8	1.041	0.4	0.3	0	54.2	55.9	0	151	156	0	25	26
2025	6	16	4	14	55	33.7	0	1.041	0.5	0.4	0	53.8	55.5	0	151	156	0	26	27
2025	6	16	4	24	55	33.8	-0.9	1.042	0.3	0.2	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	4	34	55	33.8	-0.3	1.042	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	4	44	55	32.9	-1.4	1.043	0.5	0.5	0	54.2	55.5	0	152	156	0	26	27
2025	6	16	4	54	55	33.3	0	1.043	0.3	0.2	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	5	4	55	32.7	-0.1	1.043	0.5	0.5	0	54.2	56.3	0	152	157	0	26	26
2025	6	16	5	14	55	32.8	-0.5	1.043	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	5	24	55	34.1	-0.9	1.044	0.3	0.2	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	5	34	55	34.1	0.4	1.044	0.5	0.4	0	54.6	55.9	0	153	157	0	26	27
2025	6	16	5	44	55	33.9	0	1.044	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	5	54	55	33.5	-1.4	1.045	0.4	0.3	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	6	4	55	34.1	0	1.045	0.4	0.3	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	6	14	55	33.6	-1.1	1.045	0.5	0.5	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	6	24	55	32.8	0.6	1.046	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	6	34	55	33	-0.4	1.047	0.4	0.3	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	6	44	55	33.2	0	1.049	0.4	0.3	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	6	54	55	33.9	-1.4	1.05	0.4	0.3	0	54.2	55.5	0	152	156	0	26	27
2025	6	16	7	4	55	33.7	-0.7	1.051	0.5	0.4	0	54.2	56.3	0	152	156	0	26	25
2025	6	16	7	14	55	34.4	-0.9	1.051	0.5	0.4	0	54.2	55.5	0	152	156	0	26	27
2025	6	16	7	24	55	33.9	-1.5	1.052	0.4	0.3	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	7	34	55	34	-0.8	1.052	0.4	0.3	0	54.2	56.3	0	152	157	0	26	26
2025	6	16	7	44	55	33.3	0	1.053	0.4	0.3	0	54.6	55.9	0	152	157	0	25	27
2025	6	16	7	54	55	33.9	-0.2	1.053	0.5	0.4	0	54.6	56.3	0	152	157	0	25	26
2025	6	16	8	4	55	34.3	-0.9	1.053	0.5	0.4	0	54.2	56.3	0	152	157	0	26	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	16	8	14	55	33.7	0	1.054	0.5	0.5	0	54.2	56.3	0	152	157	0	26	26
2025	6	16	8	24	55	33.9	-0.4	1.054	0.4	0.3	0	54.2	55.5	0	152	156	0	26	27
2025	6	16	8	34	55	34.1	-0.8	1.054	0.4	0.3	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	8	44	55	33.7	-0.9	1.055	0.4	0.3	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	8	54	55	34.2	-0.5	1.055	0.5	0.4	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	9	4	55	34.1	-0.6	1.055	0.3	0.2	0	54.2	55.9	0	152	156	0	26	26
2025	6	16	9	14	55	33.9	-0.4	1.055	0.5	0.4	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	9	24	55	34	-1.1	1.056	0.5	0.4	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	9	34	55	33.7	-1.3	1.056	0.5	0.4	0	53.3	55	0	150	155	0	26	27
2025	6	16	9	44	55	34.5	0	1.057	0.4	0.3	0	53.8	55	0	151	155	0	26	27
2025	6	16	9	54	55	34.6	-1.1	1.057	0.4	0.3	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	10	4	55	34.3	0	1.057	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	10	14	55	34.1	0	1.058	0.5	0.4	0	53.8	55.5	0	151	155	0	26	26
2025	6	16	10	24	55	33.7	-0.4	1.058	0.4	0.3	0	53.3	54.6	0	150	154	0	26	27
2025	6	16	10	34	55	33.7	-0.8	1.059	0.4	0.3	0	53.3	55	0	150	154	0	26	26
2025	6	16	10	44	55	34.7	-0.9	1.059	0.4	0.3	0	52.9	55	0	149	154	0	26	26
2025	6	16	10	54	55	34.5	0	1.06	0.4	0.3	0	52.9	55	0	149	154	0	26	26
2025	6	16	11	4	55	33.5	-0.4	1.061	0.4	0.3	0	52.9	55	0	149	154	0	26	26
2025	6	16	11	14	55	34.9	-1.7	1.062	0.5	0.4	0	52.5	54.6	0	148	153	0	26	26
2025	6	16	11	24	55	33.4	-0.9	1.063	0.5	0.5	0	52.5	53.8	0	148	152	0	26	27
2025	6	16	11	34	55	33.5	-1	1.064	0.3	0.2	0	52.9	54.2	0	149	153	0	26	27
2025	6	16	11	44	55	35.2	-1.3	1.064	0.3	0.2	0	52.5	54.2	0	148	152	0	26	26
2025	6	16	11	54	55	34.4	-0.9	1.065	0.5	0.4	0	52.9	54.6	0	148	153	0	25	26
2025	6	16	12	4	55	34.1	-0.4	1.066	0.4	0.3	0	52.5	54.6	0	148	153	0	26	26
2025	6	16	12	14	55	34.2	-0.9	1.066	0.5	0.4	0	52.9	54.6	0	148	153	0	25	26
2025	6	16	12	24	55	34.6	-0.4	1.067	0.5	0.4	0	52.5	54.6	0	148	153	0	26	26
2025	6	16	12	34	55	34.2	-0.6	1.068	0.5	0.4	0	52.9	54.6	0	148	153	0	25	26
2025	6	16	12	44	55	34.5	-0.4	1.068	0.5	0.4	0	52.5	54.6	0	148	153	0	26	26
2025	6	16	12	54	55	34.3	-1.2	1.068	0.4	0.3	0	52.9	55	0	148	153	0	25	25
2025	6	16	13	4	55	35.3	-0.7	1.069	0.4	0.3	0	52.9	54.2	0	148	152	0	25	26
2025	6	16	13	14	55	35.7	-0.2	1.069	0.4	0.3	0	52	54.2	0	147	152	0	26	26
2025	6	16	13	24	55	34.8	-0.3	1.069	0.5	0.4	0	52.5	54.2	0	148	152	0	26	26
2025	6	16	13	34	55	34.7	-0.2	1.07	0.3	0.2	0	52.9	54.2	0	148	152	0	25	26
2025	6	16	13	44	55	34.7	0	1.071	0.4	0.3	0	52.9	54.2	0	148	152	0	25	26
2025	6	16	13	54	55	34.3	-0.6	1.071	0.4	0.3	0	52.5	54.2	0	148	152	0	26	26
2025	6	16	14	4	55	35.2	-1	1.071	0.4	0.3	0	52.9	54.6	0	148	152	0	25	25
2025	6	16	14	14	55	36.3	-0.3	1.072	0.5	0.5	0	52.5	54.6	0	148	153	0	26	26
2025	6	16	14	24	55	34.8	0.1	1.072	0.3	0.2	0	52.9	55	0	148	153	0	25	25
2025	6	16	14	34	55	35.4	-0.4	1.072	0.4	0.3	0	52.9	55	0	149	154	0	26	26
2025	6	16	14	44	55	35	0.3	1.072	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	14	54	55	35.7	0	1.073	0.4	0.3	0	54.2	56.3	0	151	156	0	25	25
2025	6	16	15	4	55	35.3	0	1.073	0.3	0.2	0	54.2	55.9	0	151	156	0	25	26
2025	6	16	15	14	55	34.4	-0.2	1.074	0.5	0.5	0	53.3	55.9	0	150	155	0	26	25
2025	6	16	15	24	55	35.9	-0.2	1.074	0.4	0.3	0	53.8	55.5	0	150	155	0	25	26
2025	6	16	15	34	55	34.9	-0.9	1.074	0.5	0.4	0	53.3	55.9	0	150	156	0	26	26
2025	6	16	15	44	55	36.6	0.5	1.074	0.4	0.3	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	15	54	55	34.4	0.1	1.075	0.3	0.2	0	54.6	56.8	0	152	157	0	25	25
2025	6	16	16	4	55	35.7	-0.1	1.075	0.3	0.2	0	54.6	56.8	0	152	157	0	25	25

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	16	16	14	55	35.3	0	1.075	0.5	0.5	0	54.6	56.3	0	152	157	0	25	26
2025	6	16	16	24	55	35.3	-0.9	1.076	0.4	0.3	0	54.2	56.3	0	151	156	0	25	25
2025	6	16	16	34	55	34.6	0.4	1.076	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	16	16	44	55	34.8	0	1.076	0.4	0.3	0	54.2	56.8	0	152	157	0	26	25
2025	6	16	16	54	55	35.4	-0.3	1.077	0.4	0.3	0	54.6	56.3	0	152	156	0	25	25
2025	6	16	17	4	55	35.9	0.2	1.077	0.3	0.2	0	54.6	56.3	0	152	156	0	25	25
2025	6	16	17	14	55	35.9	-0.7	1.077	0.5	0.4	0	54.2	55.9	0	151	156	0	25	26
2025	6	16	17	24	55	34.6	0	1.078	0.4	0.3	0	54.2	55.9	0	151	156	0	25	26
2025	6	16	17	34	55	35	-0.3	1.078	0.4	0.3	0	54.2	55.9	0	151	155	0	25	25
2025	6	16	17	44	55	36.5	-0.8	1.079	0.4	0.3	0	54.2	55.9	0	151	155	0	25	25
2025	6	16	17	54	55	35	0.1	1.079	0.4	0.3	0	54.2	55.9	0	151	155	0	25	25
2025	6	16	18	4	55	35.6	-0.2	1.08	0.4	0.3	0	54.2	55.9	0	151	155	0	25	25
2025	6	16	18	14	55	35	0.1	1.081	0.4	0.3	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	18	24	55	35.7	0.3	1.083	0.4	0.3	0	54.2	55.5	0	151	155	0	25	26
2025	6	16	18	34	55	35.2	0.3	1.083	0.3	0.2	0	53.8	55	0	150	154	0	25	26
2025	6	16	18	44	55	36.5	-0.6	1.083	0.5	0.4	0	53.3	54.6	0	150	154	0	26	27
2025	6	16	18	54	55	34.7	-0.1	1.084	0.5	0.4	0	53.8	55.5	0	150	154	0	25	25
2025	6	16	19	4	55	35.9	-0.2	1.084	0.4	0.3	0	53.8	55.5	0	150	154	0	25	25
2025	6	16	19	14	55	35.4	0.2	1.084	0.5	0.4	0	53.3	55.5	0	150	154	0	26	25
2025	6	16	19	24	55	35.7	-0.3	1.085	0.4	0.3	0	53.8	55.5	0	150	154	0	25	25
2025	6	16	19	34	55	36.9	-1.2	1.085	0.4	0.3	0	53.3	55.5	0	149	154	0	25	25
2025	6	16	19	44	55	36.1	-1	1.085	0.3	0.2	0	53.3	55	0	149	153	0	25	25
2025	6	16	19	54	55	36.4	0	1.085	0.4	0.3	0	53.8	55	0	150	154	0	25	26
2025	6	16	20	4	55	36.3	-0.1	1.085	0.3	0.2	0	53.8	55.5	0	150	155	0	25	26
2025	6	16	20	14	55	35.9	0.2	1.086	0.5	0.4	0	53.8	55	0	150	154	0	25	26
2025	6	16	20	24	55	35.2	-0.5	1.086	0.4	0.3	0	53.3	55	0	149	154	0	25	26
2025	6	16	20	34	55	37.5	-0.9	1.086	0.4	0.3	0	52.9	54.6	0	149	153	0	26	26
2025	6	16	20	44	55	35.7	1.2	1.087	0.4	0.3	0	53.3	55	0	150	154	0	26	26
2025	6	16	20	54	55	35.3	-0.1	1.087	0.5	0.4	0	53.8	55	0	150	154	0	25	26
2025	6	16	21	4	55	36.9	-0.6	1.088	0.3	0.2	0	53.3	54.6	0	149	153	0	25	26
2025	6	16	21	14	55	36.6	-0.4	1.09	0.4	0.3	0	53.3	54.6	0	149	153	0	25	26
2025	6	16	21	24	55	34.5	0.4	1.091	0.5	0.5	0	53.3	54.6	0	149	153	0	25	26
2025	6	16	21	34	55	35.9	-1.1	1.092	0.5	0.5	0	52.9	54.6	0	149	153	0	26	26
2025	6	16	21	44	55	36.5	-0.5	1.093	0.4	0.3	0	52.9	54.6	0	149	153	0	26	26
2025	6	16	21	54	55	36.6	-0.3	1.093	0.5	0.5	0	53.3	54.6	0	149	153	0	25	26
2025	6	16	22	4	55	36.1	-0.4	1.094	0.3	0.2	0	52.9	54.6	0	148	153	0	25	26
2025	6	16	22	14	55	36.2	0	1.094	0.3	0.2	0	52.5	55	0	148	153	0	26	25
2025	6	16	22	24	55	35.3	-0.3	1.094	0.5	0.4	0	52.9	54.6	0	149	153	0	26	26
2025	6	16	22	34	55	35.7	0	1.095	0.4	0.3	0	52.5	54.6	0	148	153	0	26	26
2025	6	16	22	44	55	35.8	-0.5	1.095	0.4	0.3	0	52.9	54.2	0	148	152	0	25	26
2025	6	16	22	54	55	36.5	-1.1	1.095	0.5	0.4	0	52.9	54.2	0	148	152	0	25	26
2025	6	16	23	4	55	36.4	-0.6	1.095	0.5	0.5	0	52.5	55	0	148	153	0	26	25
2025	6	16	23	14	55	37.2	-0.3	1.095	0.3	0.2	0	52.5	54.2	0	148	152	0	26	26
2025	6	16	23	24	55	36.5	-0.7	1.096	0.4	0.3	0	52.9	54.6	0	148	153	0	25	26
2025	6	16	23	34	55	37.6	-0.2	1.096	0.5	0.5	0	52.5	54.2	0	148	152	0	26	26
2025	6	16	23	44	55	36.5	-0.7	1.097	0.5	0.4	0	52.5	54.6	0	148	153	0	26	26
2025	6	16	23	54	55	36.3	-0.2	1.097	0.3	0.2	0	52.5	54.6	0	148	153	0	26	26
2025	6	17	0	4	55	36.3	-0.2	1.098	0.4	0.3	0	52.5	54.6	0	148	153	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	17	0	14	55	36.8	-0.4	1.101	0.5	0.4	0	52.5	54.6	0	148	153	0	26	26
2025	6	17	0	24	55	36.4	-0.1	1.102	0.3	0.2	0	52.5	54.2	0	148	152	0	26	26
2025	6	17	0	34	55	35.7	-0.6	1.102	0.5	0.4	0	52.5	54.2	0	147	152	0	25	26
2025	6	17	0	44	55	36.3	-1.6	1.103	0.4	0.3	0	52.5	54.2	0	147	152	0	25	26
2025	6	17	0	54	55	36.6	-0.7	1.104	0.4	0.3	0	52	54.6	0	147	153	0	26	26
2025	6	17	1	4	55	36.8	-1.1	1.104	0.4	0.3	0	52	54.6	0	147	153	0	26	26
2025	6	17	1	14	55	36.2	-0.4	1.104	0.3	0.2	0	52	54.2	0	147	152	0	26	26
2025	6	17	1	24	55	36.8	-0.1	1.104	0.4	0.3	0	52	54.6	0	147	153	0	26	26
2025	6	17	1	34	55	37.8	-1.3	1.105	0.4	0.3	0	52	54.6	0	147	153	0	26	26
2025	6	17	1	44	55	37.5	0	1.105	0.4	0.3	0	52	54.6	0	147	153	0	26	26
2025	6	17	1	54	55	35.7	0	1.105	0.4	0.3	0	52.5	54.6	0	147	153	0	25	26
2025	6	17	2	4	55	36.7	-0.2	1.105	0.4	0.3	0	51.6	54.6	0	146	153	0	26	26
2025	6	17	2	14	55	36.6	0.4	1.106	0.4	0.3	0	52.5	55	0	147	153	0	25	25
2025	6	17	2	24	55	37.8	-0.5	1.106	0.3	0.2	0	52	54.6	0	147	153	0	26	26
2025	6	17	2	34	55	37.3	-0.8	1.107	0.3	0.2	0	52	54.6	0	146	153	0	25	26
2025	6	17	2	44	55	37.7	-1.6	1.108	0.4	0.3	0	51.6	55	0	146	153	0	26	25
2025	6	17	2	54	55	37	-0.8	1.11	0.5	0.4	0	51.6	54.6	0	146	153	0	26	26
2025	6	17	3	4	55	36.4	-0.4	1.111	0.5	0.4	0	51.6	54.6	0	146	153	0	26	26
2025	6	17	3	14	55	38.1	-1.4	1.112	0.5	0.4	0	51.6	54.6	0	146	153	0	26	26
2025	6	17	3	24	55	36.7	-1	1.113	0.3	0.2	0	51.6	54.6	0	146	153	0	26	26
2025	6	17	3	34	55	36.5	0.2	1.113	0.4	0.3	0	51.6	54.6	0	146	153	0	26	26
2025	6	17	3	44	55	37.8	0	1.114	0.4	0.3	0	51.2	54.6	0	145	153	0	26	26
2025	6	17	3	54	55	36.8	-0.8	1.114	0.4	0.3	0	51.2	54.6	0	145	153	0	26	26
2025	6	17	4	4	55	36.5	0.5	1.114	0.5	0.4	0	51.2	54.6	0	145	153	0	26	26
2025	6	17	4	14	55	37.8	0	1.114	0.4	0.3	0	51.6	54.6	0	145	153	0	25	26
2025	6	17	4	24	55	36.7	-0.7	1.115	0.4	0.3	0	51.2	54.2	0	145	152	0	26	26
2025	6	17	4	34	55	37.6	-0.8	1.115	0.5	0.4	0	51.6	54.6	0	145	153	0	25	26
2025	6	17	4	44	55	36.8	-0.5	1.115	0.4	0.3	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	4	54	55	36.8	-0.8	1.116	0.4	0.3	0	50.3	54.2	0	144	152	0	27	26
2025	6	17	5	4	55	37.1	-0.1	1.116	0.4	0.3	0	51.2	54.2	0	145	152	0	26	26
2025	6	17	5	14	55	38	-0.5	1.117	0.3	0.2	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	5	24	55	36.9	-1.6	1.117	0.5	0.5	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	5	34	55	37.2	-1.7	1.118	0.4	0.3	0	50.3	54.6	0	144	153	0	27	26
2025	6	17	5	44	55	37.7	-1.1	1.12	0.5	0.4	0	50.7	53.8	0	144	152	0	26	27
2025	6	17	5	54	55	37.1	0	1.122	0.5	0.4	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	6	4	55	37.5	-0.9	1.122	0.4	0.3	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	6	14	55	37.7	-0.6	1.123	0.5	0.4	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	6	24	55	37.8	-0.3	1.123	0.5	0.4	0	50.7	53.8	0	144	152	0	26	27
2025	6	17	6	34	55	37.7	-0.6	1.124	0.3	0.2	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	6	44	55	37.4	-1.1	1.124	0.4	0.3	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	6	54	55	37	-0.4	1.125	0.4	0.3	0	50.7	55	0	144	153	0	26	25
2025	6	17	7	4	55	37.3	0.2	1.125	0.5	0.5	0	50.7	55	0	144	153	0	26	25
2025	6	17	7	14	55	38	-1.4	1.125	0.4	0.3	0	51.2	54.2	0	144	152	0	25	26
2025	6	17	7	24	55	37.7	-0.4	1.125	0.3	0.2	0	51.2	54.2	0	144	152	0	25	26
2025	6	17	7	34	55	38	-0.9	1.125	0.5	0.4	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	7	44	55	37.7	-1.2	1.126	0.4	0.3	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	7	54	55	37.4	-1	1.126	0.4	0.3	0	50.7	53.8	0	144	152	0	26	27
2025	6	17	8	4	55	36.3	0.2	1.126	0.3	0.2	0	50.7	54.6	0	144	153	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	17	8	14	55	36.1	0	1.127	0.3	0.2	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	8	24	55	37.7	-1.6	1.127	0.4	0.3	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	8	34	55	37.5	-1.1	1.128	0.5	0.5	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	8	44	55	38	-1.1	1.128	0.4	0.3	0	50.7	54.2	0	144	152	0	26	26
2025	6	17	8	54	55	38	-0.8	1.129	0.4	0.3	0	51.6	54.6	0	145	153	0	25	26
2025	6	17	9	4	55	38.5	-1.1	1.13	0.5	0.4	0	51.2	54.6	0	145	153	0	26	26
2025	6	17	9	14	55	38.7	-1.2	1.131	0.4	0.3	0	51.2	54.6	0	144	153	0	25	26
2025	6	17	9	24	55	36.6	-0.2	1.132	0.4	0.3	0	50.7	54.6	0	145	153	0	27	26
2025	6	17	9	34	55	39.3	-0.3	1.133	0.3	0.2	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	9	44	55	37.4	-0.8	1.133	0.5	0.4	0	50.3	54.6	0	144	153	0	27	26
2025	6	17	9	54	55	38.1	-0.5	1.134	0.3	0.2	0	51.2	54.6	0	145	153	0	26	26
2025	6	17	10	4	55	37.8	-0.2	1.135	0.4	0.3	0	51.2	54.6	0	145	153	0	26	26
2025	6	17	10	14	55	38.5	-1.2	1.134	0.3	0.2	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	10	24	55	37.9	-0.4	1.135	0.5	0.4	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	10	34	55	37.3	-0.2	1.136	0.3	0.2	0	50.7	54.6	0	144	153	0	26	26
2025	6	17	10	44	55	38.8	-0.4	1.136	0.4	0.3	0	51.2	54.2	0	144	152	0	25	26
2025	6	17	10	54	55	38.4	-0.7	1.137	0.4	0.3	0	50.3	53.8	0	143	152	0	26	27
2025	6	17	11	4	55	37.1	-0.5	1.137	0.3	0.2	0	50.3	54.2	0	143	152	0	26	26
2025	6	17	11	14	55	38.4	-1.1	1.138	0.3	0.2	0	50.3	53.8	0	143	151	0	26	26
2025	6	17	11	24	55	38.8	-0.7	1.138	0.4	0.3	0	50.3	53.8	0	142	151	0	25	26
2025	6	17	11	34	55	37.2	-0.4	1.138	0.4	0.3	0	49.9	53.8	0	142	151	0	26	26
2025	6	17	11	44	55	37.8	-0.8	1.139	0.3	0.2	0	49.9	53.3	0	142	151	0	26	27
2025	6	17	11	54	55	39	-1.2	1.139	0.4	0.3	0	49.9	53.3	0	141	150	0	25	26
2025	6	17	12	4	55	38	0.5	1.139	0.4	0.3	0	49.5	53.3	0	141	150	0	26	26
2025	6	17	12	14	55	38.3	-1	1.14	0.4	0.3	0	49.9	53.3	0	141	150	0	25	26
2025	6	17	12	24	55	37.9	-0.6	1.14	0.3	0.2	0	49.5	53.3	0	141	150	0	26	26
2025	6	17	12	34	55	38.1	-0.1	1.14	0.4	0.3	0	49.9	53.3	0	141	150	0	25	26
2025	6	17	12	44	55	38.7	0.4	1.141	0.5	0.4	0	49.9	53.3	0	141	150	0	25	26
2025	6	17	12	54	55	38.7	-0.5	1.141	0.4	0.3	0	49.5	52.9	0	140	149	0	25	26
2025	6	17	13	4	55	36.9	-0.4	1.142	0.3	0.2	0	49	52.9	0	140	150	0	26	27
2025	6	17	13	14	55	39.6	-1.4	1.142	0.5	0.4	0	49.5	52.9	0	140	149	0	25	26
2025	6	17	13	24	55	38.3	-0.1	1.142	0.5	0.4	0	49	52.9	0	140	149	0	26	26
2025	6	17	13	34	55	38.5	-0.9	1.142	0.4	0.3	0	49	52.9	0	140	149	0	26	26
2025	6	17	13	44	55	39.1	-2.1	1.143	0.3	0.2	0	49.5	53.3	0	140	149	0	25	25
2025	6	17	13	54	55	38.6	-0.2	1.143	0.5	0.4	0	49.5	52.5	0	140	149	0	25	27
2025	6	17	14	4	55	38.7	-0.6	1.144	0.4	0.3	0	48.6	52.9	0	139	149	0	26	26
2025	6	17	14	14	55	38.4	-1	1.144	0.5	0.4	0	48.6	52.9	0	139	149	0	26	26
2025	6	17	14	24	55	38.1	-0.7	1.145	0.3	0.2	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	14	34	55	39.2	-1	1.145	0.5	0.4	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	14	44	55	38.2	-1.4	1.146	0.3	0.2	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	14	54	55	38.3	-0.4	1.146	0.4	0.3	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	15	4	55	40.1	-0.8	1.146	0.4	0.3	0	48.2	52.5	0	138	147	0	26	25
2025	6	17	15	14	55	39.3	-1.7	1.147	0.4	0.3	0	48.6	52.9	0	138	148	0	25	25
2025	6	17	15	24	55	38.6	-0.3	1.147	0.3	0.2	0	48.6	52.9	0	139	148	0	26	25
2025	6	17	15	34	55	38.6	-1.7	1.149	0.4	0.3	0	47.7	52	0	137	146	0	26	25
2025	6	17	15	44	55	39	-0.9	1.15	0.4	0.3	0	48.2	52.9	0	138	148	0	26	25
2025	6	17	15	54	55	38.7	-0.4	1.151	0.3	0.2	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	16	4	55	39.1	-0.8	1.152	0.4	0.3	0	48.6	52.5	0	138	148	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	17	16	14	55	39.2	-1.4	1.153	0.5	0.4	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	16	24	55	39.5	-1.7	1.153	0.3	0.2	0	48.6	52.9	0	138	148	0	25	25
2025	6	17	16	34	55	39.6	-0.4	1.154	0.4	0.3	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	16	44	55	40	-1.4	1.154	0.4	0.3	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	16	54	55	40	-1	1.155	0.3	0.2	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	17	4	55	39.1	-0.6	1.155	0.4	0.3	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	17	14	55	39.6	-0.6	1.155	0.3	0.2	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	17	24	55	38.6	-0.4	1.156	0.4	0.3	0	48.2	52.9	0	138	148	0	26	25
2025	6	17	17	34	55	39.8	-0.9	1.156	0.5	0.4	0	48.2	53.3	0	138	149	0	26	25
2025	6	17	17	44	55	39.2	-1.9	1.157	0.5	0.4	0	48.6	52.9	0	138	148	0	25	25
2025	6	17	17	54	55	39.5	-0.8	1.157	0.3	0.2	0	48.6	52.9	0	138	149	0	25	26
2025	6	17	18	4	55	40.8	-0.2	1.157	0.5	0.4	0	48.6	53.3	0	138	149	0	25	25
2025	6	17	18	14	55	40.1	-1.5	1.157	0.4	0.3	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	18	24	55	39.4	-0.4	1.158	0.4	0.3	0	49	52.9	0	138	149	0	24	26
2025	6	17	18	34	55	39.3	-0.5	1.158	0.4	0.3	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	18	44	55	40.2	-1.3	1.158	0.4	0.3	0	48.6	52.9	0	138	148	0	25	25
2025	6	17	18	54	55	38.7	-0.2	1.159	0.4	0.3	0	48.2	53.3	0	138	149	0	26	25
2025	6	17	19	4	55	39.6	-0.3	1.159	0.3	0.2	0	48.6	52.9	0	138	149	0	25	26
2025	6	17	19	14	55	40	0	1.16	0.3	0.2	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	19	24	55	38.9	-1.1	1.16	0.4	0.3	0	48.6	52.9	0	138	149	0	25	26
2025	6	17	19	34	55	38.9	-0.1	1.162	0.4	0.3	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	19	44	55	39.2	-0.3	1.163	0.5	0.4	0	48.6	53.3	0	138	149	0	25	25
2025	6	17	19	54	55	40.2	-0.3	1.165	0.3	0.2	0	48.2	52.9	0	138	149	0	26	26
2025	6	17	20	4	55	40.4	-0.6	1.165	0.4	0.3	0	48.6	52.9	0	138	149	0	25	26
2025	6	17	20	14	55	40.7	-0.6	1.166	0.4	0.3	0	48.6	52.9	0	138	149	0	25	26
2025	6	17	20	24	55	39.5	-0.5	1.166	0.3	0.2	0	49	52.9	0	139	149	0	25	26
2025	6	17	20	34	55	40.3	0	1.167	0.3	0.2	0	48.2	53.3	0	138	149	0	26	25
2025	6	17	20	44	55	39.5	-0.9	1.167	0.4	0.3	0	48.6	53.8	0	138	150	0	25	25
2025	6	17	20	54	55	39.4	-1	1.168	0.4	0.3	0	48.6	53.3	0	138	150	0	25	26
2025	6	17	21	4	55	39.2	0.3	1.168	0.3	0.2	0	48.2	52.9	0	138	149	0	26	26
2025	6	17	21	14	55	39.7	-1.3	1.168	0.4	0.3	0	48.2	52.9	0	137	149	0	25	26
2025	6	17	21	24	55	40.2	-0.6	1.168	0.3	0.2	0	48.6	52.9	0	138	149	0	25	26
2025	6	17	21	34	55	39.3	0.4	1.169	0.5	0.4	0	48.6	53.3	0	138	149	0	25	25
2025	6	17	21	44	55	40	-1.7	1.169	0.4	0.3	0	48.6	53.3	0	138	149	0	25	25
2025	6	17	21	54	55	40.5	-1.2	1.17	0.4	0.3	0	49.9	54.6	0	142	152	0	26	25
2025	6	17	22	4	55	41	-0.1	1.17	0.4	0.3	0	48.6	52.9	0	139	149	0	26	26
2025	6	17	22	14	55	40.9	-0.5	1.17	0.5	0.5	0	48.6	52.9	0	138	148	0	25	25
2025	6	17	22	24	55	39.9	-1	1.172	0.4	0.3	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	22	34	55	39.3	-1.3	1.174	0.4	0.3	0	48.2	52.5	0	138	148	0	26	26
2025	6	17	22	44	55	40.7	-0.2	1.175	0.3	0.2	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	22	54	55	40.2	-0.4	1.175	0.4	0.3	0	48.2	52.5	0	137	148	0	25	26
2025	6	17	23	4	55	39.6	-0.9	1.176	0.4	0.3	0	48.6	52.9	0	138	148	0	25	25
2025	6	17	23	14	55	40.3	-0.3	1.176	0.4	0.3	0	48.2	52.9	0	138	148	0	26	25
2025	6	17	23	24	55	40.2	-1	1.176	0.5	0.4	0	48.6	52.5	0	138	148	0	25	26
2025	6	17	23	34	55	40.5	-0.5	1.177	0.4	0.3	0	47.7	52.5	0	137	148	0	26	26
2025	6	17	23	44	55	41.2	-1.4	1.177	0.4	0.3	0	48.2	52.5	0	137	148	0	25	26
2025	6	17	23	54	55	39.8	-1	1.177	0.3	0.2	0	48.2	52	0	137	147	0	25	26
2025	6	18	0	4	55	40.6	0	1.177	0.5	0.5	0	47.7	52	0	137	147	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	18	0	14	55	40.6	-0.8	1.177	0.4	0.3	0	47.7	52.5	0	137	147	0	26	25
2025	6	18	0	24	55	40.2	-0.7	1.178	0.3	0.2	0	47.7	52	0	136	147	0	25	26
2025	6	18	0	34	55	40.3	-1.2	1.178	0.4	0.3	0	47.7	52	0	137	147	0	26	26
2025	6	18	0	44	55	39.3	-0.5	1.178	0.4	0.3	0	48.2	52	0	137	147	0	25	26
2025	6	18	0	54	55	40.9	-1.6	1.179	0.4	0.3	0	47.3	52	0	136	147	0	26	26
2025	6	18	1	4	55	40.9	-1.2	1.179	0.4	0.3	0	47.3	52	0	136	147	0	26	26
2025	6	18	1	14	55	40.6	-2.1	1.18	0.3	0.2	0	47.3	51.6	0	136	146	0	26	26
2025	6	18	1	24	55	40.7	-1.1	1.182	0.5	0.4	0	47.3	51.6	0	136	146	0	26	26
2025	6	18	1	34	55	40.3	-0.8	1.184	0.3	0.2	0	47.3	52	0	136	147	0	26	26
2025	6	18	1	44	55	39.3	-0.2	1.184	0.4	0.3	0	47.3	51.6	0	136	147	0	26	27
2025	6	18	1	54	55	40.7	-1.2	1.185	0.4	0.3	0	47.3	51.6	0	136	146	0	26	26
2025	6	18	2	4	55	39.5	-0.6	1.185	0.4	0.3	0	47.7	52.5	0	137	147	0	26	25
2025	6	18	2	14	55	41.6	-0.8	1.186	0.3	0.2	0	47.3	52	0	136	147	0	26	26
2025	6	18	2	24	55	40.2	0.3	1.186	0.3	0.2	0	48.2	52	0	138	147	0	26	26
2025	6	18	2	34	55	40.5	-0.6	1.186	0.4	0.3	0	48.6	52	0	139	147	0	26	26
2025	6	18	2	44	55	40.6	-0.9	1.187	0.4	0.3	0	49	52	0	139	147	0	25	26
2025	6	18	2	54	55	40.9	-0.5	1.187	0.3	0.2	0	48.2	52	0	138	147	0	26	26
2025	6	18	3	4	55	41.2	0	1.187	0.4	0.3	0	48.2	52	0	138	147	0	26	26
2025	6	18	3	14	55	41.8	0.4	1.187	0.3	0.2	0	48.6	51.2	0	138	146	0	25	27
2025	6	18	3	24	55	40.7	-0.5	1.188	0.3	0.2	0	48.6	52	0	138	147	0	25	26
2025	6	18	3	34	55	40.5	-0.3	1.188	0.4	0.3	0	47.7	52	0	137	147	0	26	26
2025	6	18	3	44	55	41.7	-1.2	1.189	0.4	0.3	0	48.2	51.6	0	138	146	0	26	26
2025	6	18	3	54	55	40.8	-1.6	1.19	0.4	0.3	0	48.2	52	0	138	147	0	26	26
2025	6	18	4	4	55	40.4	-0.4	1.192	0.4	0.3	0	48.6	52	0	138	147	0	25	26
2025	6	18	4	14	55	41.5	-0.8	1.193	0.3	0.2	0	48.2	51.6	0	138	146	0	26	26
2025	6	18	4	24	55	41.6	-0.8	1.194	0.4	0.3	0	48.2	51.6	0	138	146	0	26	26
2025	6	18	4	34	55	40.1	0.3	1.194	0.4	0.3	0	49	52	0	139	147	0	25	26
2025	6	18	4	44	55	41.5	-1.2	1.195	0.3	0.2	0	48.2	52.5	0	138	147	0	26	25
2025	6	18	4	54	55	40.6	-0.4	1.195	0.4	0.3	0	48.6	52	0	139	147	0	26	26
2025	6	18	5	4	55	41.7	-0.4	1.196	0.5	0.4	0	48.6	51.6	0	139	147	0	26	27
2025	6	18	5	14	55	41.9	-1.6	1.196	0.4	0.3	0	48.6	52	0	139	147	0	26	26
2025	6	18	5	24	55	41.8	-0.2	1.196	0.5	0.4	0	48.2	51.6	0	139	147	0	27	27
2025	6	18	5	34	55	41.4	0	1.196	0.4	0.3	0	48.6	52.5	0	139	148	0	26	26
2025	6	18	5	44	55	40.8	-0.4	1.197	0.3	0.2	0	48.2	52	0	139	148	0	27	27
2025	6	18	5	54	55	41.6	-0.8	1.197	0.5	0.5	0	48.6	52	0	139	147	0	26	26
2025	6	18	6	4	55	41.1	0.1	1.197	0.4	0.3	0	48.6	52	0	140	147	0	27	26
2025	6	18	6	14	55	41.7	-0.8	1.198	0.3	0.2	0	48.6	52	0	139	148	0	26	27
2025	6	18	6	24	55	40.4	-0.1	1.198	0.5	0.4	0	49	52.5	0	140	148	0	26	26
2025	6	18	6	34	55	42.3	-0.8	1.199	0.4	0.3	0	49	52	0	139	147	0	25	26
2025	6	18	6	44	55	42.6	-1.1	1.199	0.3	0.2	0	48.6	52	0	139	147	0	26	26
2025	6	18	6	54	55	40.9	-1.4	1.201	0.3	0.2	0	49	51.6	0	140	147	0	26	27
2025	6	18	7	4	55	41.4	-1	1.202	0.3	0.2	0	48.6	52	0	139	147	0	26	26
2025	6	18	7	14	55	41.8	-1.2	1.203	0.3	0.2	0	48.6	52	0	139	147	0	26	26
2025	6	18	7	24	55	41.2	-0.8	1.205	0.5	0.4	0	48.2	51.6	0	138	147	0	26	27
2025	6	18	7	34	55	41.9	-0.8	1.205	0.3	0.2	0	49	51.6	0	140	146	0	26	26
2025	6	18	7	44	55	41.3	-0.7	1.206	0.4	0.3	0	49	52	0	140	147	0	26	26
2025	6	18	7	54	55	42	-0.4	1.206	0.4	0.3	0	49	51.6	0	140	146	0	26	26
2025	6	18	8	4	55	41.2	-0.8	1.207	0.3	0.2	0	49	52	0	140	147	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	18	8	14	55	43	-1.9	1.207	0.5	0.4	0	49	51.6	0	140	146	0	26	26
2025	6	18	8	24	55	41.8	-0.4	1.207	0.3	0.2	0	49.5	51.6	0	140	146	0	25	26
2025	6	18	8	34	55	43.2	-1.8	1.208	0.3	0.2	0	49	51.6	0	140	146	0	26	26
2025	6	18	8	44	55	41.9	-0.6	1.208	0.4	0.3	0	48.2	51.6	0	139	146	0	27	26
2025	6	18	8	54	55	42	-1.6	1.208	0.5	0.5	0	48.6	51.6	0	139	146	0	26	26
2025	6	18	9	4	55	41.6	-1.2	1.209	0.4	0.3	0	49	51.6	0	140	147	0	26	27
2025	6	18	9	14	55	42	-0.9	1.209	0.4	0.3	0	49	51.6	0	139	146	0	25	26
2025	6	18	9	24	55	40.7	-0.3	1.209	0.4	0.3	0	49	51.6	0	140	146	0	26	26
2025	6	18	9	34	55	42.8	-0.9	1.21	0.4	0.3	0	49.5	52	0	141	147	0	26	26
2025	6	18	9	44	55	42.4	-0.8	1.21	0.4	0.3	0	49	52	0	140	147	0	26	26
2025	6	18	9	54	55	41	-1.2	1.211	0.4	0.3	0	49	51.6	0	140	147	0	26	27
2025	6	18	10	4	55	41.4	-0.1	1.211	0.3	0.2	0	49	52	0	140	147	0	26	26
2025	6	18	10	14	55	42.1	-2	1.212	0.6	0.5	0	49	52	0	140	147	0	26	26
2025	6	18	10	24	55	42.4	-0.4	1.212	0.4	0.3	0	48.6	51.6	0	139	146	0	26	26
2025	6	18	10	34	55	42.2	-0.4	1.213	0.4	0.3	0	48.6	51.6	0	139	146	0	26	26
2025	6	18	10	44	55	42.9	-0.3	1.214	0.4	0.3	0	48.2	51.6	0	138	146	0	26	26
2025	6	18	10	54	55	42.3	-0.8	1.216	0.3	0.2	0	48.2	51.2	0	138	145	0	26	26
2025	6	18	11	4	55	42.3	-0.7	1.216	0.4	0.3	0	47.7	50.3	0	137	144	0	26	27
2025	6	18	11	14	55	42.3	-1	1.217	0.3	0.2	0	47.7	50.7	0	137	145	0	26	27
2025	6	18	11	24	55	41	-1.2	1.218	0.4	0.3	0	48.2	50.7	0	137	144	0	25	26
2025	6	18	11	34	55	42	-1.2	1.219	0.3	0.2	0	47.7	50.7	0	137	144	0	26	26
2025	6	18	11	44	55	41.6	-0.8	1.22	0.4	0.3	0	47.7	50.7	0	137	144	0	26	26
2025	6	18	11	54	55	41.3	-1	1.22	0.5	0.4	0	47.7	50.7	0	137	144	0	26	26
2025	6	18	12	4	55	42.4	-1.3	1.221	0.4	0.3	0	47.7	51.2	0	137	144	0	26	25
2025	6	18	12	14	55	42.2	-0.7	1.221	0.4	0.3	0	47.7	50.7	0	137	145	0	26	27
2025	6	18	12	24	55	42.5	-1.7	1.222	0.4	0.3	0	47.7	50.7	0	137	144	0	26	26
2025	6	18	12	34	55	42	-0.4	1.222	0.3	0.2	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	12	44	55	42.9	-0.7	1.223	0.3	0.2	0	47.3	50.7	0	136	144	0	26	26
2025	6	18	12	54	55	41.9	-1.1	1.223	0.3	0.2	0	47.3	50.7	0	136	144	0	26	26
2025	6	18	13	4	55	43.3	-0.3	1.223	0.3	0.2	0	47.3	50.3	0	136	143	0	26	26
2025	6	18	13	14	55	43.2	-0.9	1.224	0.3	0.2	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	13	24	55	42.8	-1	1.225	0.4	0.3	0	47.3	50.7	0	135	144	0	25	26
2025	6	18	13	34	55	42.6	-1	1.225	0.3	0.2	0	47.3	51.2	0	136	144	0	26	25
2025	6	18	13	44	55	43	-1.7	1.225	0.3	0.2	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	13	54	55	43	-1.3	1.226	0.3	0.2	0	48.2	51.2	0	137	145	0	25	26
2025	6	18	14	4	55	43.2	-0.9	1.227	0.4	0.3	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	14	14	55	42.9	-0.4	1.227	0.3	0.2	0	47.3	51.2	0	136	145	0	26	26
2025	6	18	14	24	55	42.7	-2	1.227	0.3	0.2	0	47.3	50.7	0	136	144	0	26	26
2025	6	18	14	34	55	42.1	-1.2	1.227	0.3	0.2	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	14	44	55	43.3	-0.5	1.228	0.3	0.2	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	14	54	55	43.8	-1.6	1.228	0.5	0.4	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	15	4	55	43.4	-0.1	1.229	0.5	0.4	0	47.3	51.6	0	136	145	0	26	25
2025	6	18	15	14	55	43.8	-1.5	1.229	0.4	0.3	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	15	24	55	42.7	-0.7	1.23	0.4	0.3	0	46.9	50.7	0	135	144	0	26	26
2025	6	18	15	34	55	42.6	-0.8	1.231	0.4	0.3	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	15	44	55	43.6	-0.4	1.231	0.5	0.4	0	47.7	51.6	0	136	145	0	25	25
2025	6	18	15	54	55	43.2	-1.3	1.231	0.3	0.2	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	16	4	55	42.6	-0.8	1.231	0.3	0.2	0	47.7	51.6	0	136	145	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	18	16	14	55	43.1	-1.2	1.232	0.3	0.2	0	47.3	50.7	0	136	145	0	26	27
2025	6	18	16	24	55	43	-1.1	1.232	0.3	0.2	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	16	34	55	42.3	-0.9	1.234	0.4	0.3	0	47.3	51.6	0	135	145	0	25	25
2025	6	18	16	44	55	43.5	-1.4	1.235	0.3	0.2	0	47.3	51.2	0	136	145	0	26	26
2025	6	18	16	54	55	43.8	-0.5	1.235	0.3	0.2	0	48.2	51.2	0	136	145	0	24	26
2025	6	18	17	4	55	43	-1.2	1.237	0.4	0.3	0	47.7	51.6	0	136	145	0	25	25
2025	6	18	17	14	55	42.9	-0.5	1.237	0.4	0.3	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	17	24	55	42.6	-2	1.238	0.3	0.2	0	48.2	51.2	0	137	145	0	25	26
2025	6	18	17	34	55	42.7	-0.9	1.239	0.3	0.2	0	48.2	52	0	137	146	0	25	25
2025	6	18	17	44	55	42.3	0	1.239	0.3	0.2	0	47.7	51.6	0	136	146	0	25	26
2025	6	18	17	54	55	42.9	-0.8	1.24	0.4	0.3	0	48.2	51.2	0	137	145	0	25	26
2025	6	18	18	4	55	43	-0.6	1.24	0.4	0.3	0	47.7	51.6	0	137	146	0	26	26
2025	6	18	18	14	55	43.6	-0.9	1.241	0.3	0.2	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	18	24	55	43.1	-0.9	1.241	0.3	0.2	0	47.3	51.6	0	136	145	0	26	25
2025	6	18	18	34	55	43.7	-1.5	1.241	0.3	0.2	0	47.7	51.6	0	136	145	0	25	25
2025	6	18	18	44	55	43.1	0	1.241	0.3	0.2	0	47.7	51.6	0	136	145	0	25	25
2025	6	18	18	54	55	43.8	0	1.242	0.4	0.3	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	19	4	55	43.8	-0.6	1.242	0.3	0.2	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	19	14	55	43.8	-0.3	1.243	0.3	0.2	0	47.3	51.6	0	136	145	0	26	25
2025	6	18	19	24	55	44.7	-0.6	1.243	0.3	0.2	0	47.3	51.2	0	136	145	0	26	26
2025	6	18	19	34	55	44.2	-0.9	1.244	0.3	0.2	0	47.3	51.2	0	136	145	0	26	26
2025	6	18	19	44	55	43.7	-0.4	1.246	0.4	0.3	0	48.2	51.6	0	137	146	0	25	26
2025	6	18	19	54	55	43.9	-1.6	1.247	0.4	0.3	0	47.7	51.6	0	136	145	0	25	25
2025	6	18	20	4	55	44.1	-0.8	1.248	0.3	0.2	0	47.7	51.6	0	136	145	0	25	25
2025	6	18	20	14	55	44.3	-1.3	1.249	0.3	0.2	0	47.3	51.2	0	136	145	0	26	26
2025	6	18	20	24	55	43.4	-0.8	1.25	0.3	0.2	0	47.7	51.2	0	136	145	0	25	26
2025	6	18	20	34	55	44.3	-1.2	1.25	0.3	0.2	0	48.2	51.6	0	137	145	0	25	25
2025	6	18	20	44	55	43.3	0	1.249	0.5	0.4	0	47.7	51.6	0	137	146	0	26	26
2025	6	18	20	54	55	43.9	-0.9	1.25	0.3	0.2	0	48.2	51.6	0	137	146	0	25	26
2025	6	18	21	4	55	43.3	-0.4	1.251	0.4	0.3	0	48.2	51.6	0	137	146	0	25	26
2025	6	18	21	14	55	44.1	-0.4	1.252	0.4	0.3	0	48.6	51.6	0	138	146	0	25	26
2025	6	18	21	24	55	43.4	-0.3	1.252	0.3	0.2	0	48.2	52	0	138	146	0	26	25
2025	6	18	21	34	55	43.8	-1	1.252	0.4	0.3	0	48.6	52	0	138	146	0	25	25
2025	6	18	21	44	55	44.8	-0.7	1.253	0.4	0.3	0	47.7	51.2	0	137	145	0	26	26
2025	6	18	21	54	55	44.3	0	1.253	0.3	0.2	0	47.7	50.7	0	137	144	0	26	26
2025	6	18	22	4	55	44.3	-0.7	1.253	0.4	0.3	0	47.3	50.7	0	136	144	0	26	26
2025	6	18	22	14	55	44.7	-0.9	1.254	0.3	0.2	0	48.2	51.2	0	137	144	0	25	25
2025	6	18	22	24	55	45.2	-0.4	1.254	0.4	0.3	0	47.7	51.2	0	136	144	0	25	25
2025	6	18	22	34	55	45	-0.4	1.256	0.4	0.3	0	48.2	51.2	0	137	144	0	25	25
2025	6	18	22	44	55	44.5	-0.6	1.257	0.3	0.2	0	47.7	50.3	0	136	143	0	25	26
2025	6	18	22	54	55	45.9	-0.4	1.259	0.3	0.2	0	47.7	50.3	0	136	143	0	25	26
2025	6	18	23	4	55	43.2	-0.4	1.259	0.3	0.2	0	47.7	50.7	0	136	144	0	25	26
2025	6	18	23	14	55	43.8	-0.2	1.26	0.3	0.2	0	47.3	51.2	0	136	144	0	26	25
2025	6	18	23	24	55	44.5	-0.6	1.26	0.3	0.2	0	47.7	50.3	0	136	143	0	25	26
2025	6	18	23	34	55	44.3	-0.6	1.261	0.4	0.3	0	47.3	50.3	0	136	143	0	26	26
2025	6	18	23	44	55	45.9	-0.1	1.261	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	18	23	54	55	44.8	0.6	1.261	0.4	0.3	0	49	49.9	0	139	143	0	25	27
2025	6	19	0	4	55	44	-0.6	1.261	0.3	0.2	0	49	50.3	0	139	143	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	19	0	14	55	44.9	0.3	1.262	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	19	0	24	55	44.5	-1.2	1.262	0.3	0.2	0	49	50.7	0	139	143	0	25	25
2025	6	19	0	34	55	44.9	-0.2	1.262	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	19	0	44	55	45.3	-0.4	1.263	0.3	0.2	0	49	49.9	0	139	142	0	25	26
2025	6	19	0	54	55	44.6	-0.3	1.263	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	19	1	4	55	44.5	-1	1.263	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	19	1	14	55	44.6	-0.4	1.264	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	19	1	24	55	45	0	1.264	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	19	1	34	55	44.9	-0.6	1.265	0.3	0.2	0	48.6	50.3	0	139	142	0	26	25
2025	6	19	1	44	55	44.8	-0.4	1.266	0.4	0.3	0	49	50.3	0	139	143	0	25	26
2025	6	19	1	54	55	45.4	-1.1	1.268	0.4	0.3	0	49	50.3	0	139	143	0	25	26
2025	6	19	2	4	55	45.3	-0.7	1.269	0.5	0.4	0	48.6	50.3	0	139	143	0	26	26
2025	6	19	2	14	55	45.6	-0.5	1.27	0.3	0.2	0	48.6	49.5	0	139	142	0	26	27
2025	6	19	2	24	55	45.1	-0.6	1.27	0.4	0.3	0	48.6	50.7	0	139	143	0	26	25
2025	6	19	2	34	55	44.7	-0.8	1.271	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	2	44	55	44.6	-1.2	1.271	0.4	0.3	0	49	49.9	0	140	142	0	26	26
2025	6	19	2	54	55	45.4	-0.9	1.271	0.4	0.3	0	49	50.3	0	139	142	0	25	25
2025	6	19	3	4	55	45.9	-0.8	1.272	0.4	0.3	0	49	50.3	0	139	143	0	25	26
2025	6	19	3	14	55	44.4	-0.3	1.272	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	19	3	24	55	45.8	0	1.272	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	19	3	34	55	44.9	-1.2	1.272	0.5	0.4	0	49	50.3	0	140	143	0	26	26
2025	6	19	3	44	55	45.5	-1.1	1.273	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	3	54	55	44.5	-0.8	1.273	0.4	0.3	0	49	49.9	0	140	142	0	26	26
2025	6	19	4	4	55	45.7	0	1.274	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	4	14	55	44.8	0	1.274	0.5	0.5	0	49	50.3	0	140	143	0	26	26
2025	6	19	4	24	55	45.4	-0.7	1.275	0.3	0.2	0	49	49.9	0	140	142	0	26	26
2025	6	19	4	34	55	44.9	-1	1.275	0.4	0.3	0	49	50.7	0	139	143	0	25	25
2025	6	19	4	44	55	44.7	-0.4	1.277	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	19	4	54	55	46.1	-0.2	1.278	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	5	4	55	45.6	0	1.279	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	5	14	55	46.4	-0.6	1.28	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	19	5	24	55	46.1	-0.3	1.28	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	19	5	34	55	45.4	-0.4	1.281	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	5	44	55	44.5	-0.6	1.281	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	19	5	54	55	46.1	-0.9	1.281	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	6	4	55	46.2	0	1.282	0.4	0.3	0	49.5	50.3	0	140	143	0	25	26
2025	6	19	6	14	55	44.8	-0.3	1.282	0.4	0.3	0	49.5	49.9	0	140	143	0	25	27
2025	6	19	6	24	55	44.6	0.5	1.282	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	19	6	34	55	45.9	-0.5	1.283	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	6	44	55	45.4	-0.2	1.283	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	19	6	54	55	45.9	-0.8	1.283	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	19	7	4	55	45.1	-0.4	1.284	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	19	7	14	55	45.8	-0.6	1.284	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	7	24	55	45.1	-0.7	1.284	0.4	0.3	0	49	49.9	0	140	143	0	26	27
2025	6	19	7	34	55	45.6	-0.8	1.285	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	19	7	44	55	46.8	-0.4	1.286	0.4	0.3	0	49.5	49.5	0	140	142	0	25	27
2025	6	19	7	54	55	46.7	-0.5	1.287	0.4	0.3	0	48.6	49.9	0	139	142	0	26	26
2025	6	19	8	4	55	46.1	-0.3	1.289	0.4	0.3	0	48.6	49.9	0	139	142	0	26	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	19	8	14	55	45	-1.2	1.29	0.3	0.2	0	48.6	49.5	0	139	142	0	26	27
2025	6	19	8	24	55	46.3	-0.9	1.291	0.3	0.2	0	48.6	49.9	0	139	142	0	26	26
2025	6	19	8	34	55	46.8	-0.5	1.292	0.4	0.3	0	48.6	49.9	0	139	142	0	26	26
2025	6	19	8	44	55	46	-1.2	1.292	0.3	0.2	0	48.6	49.9	0	140	142	0	27	26
2025	6	19	8	54	55	46.2	-1.3	1.292	0.3	0.2	0	48.6	49.9	0	139	142	0	26	26
2025	6	19	9	4	55	45.6	-0.4	1.293	0.3	0.2	0	49	49.9	0	139	142	0	25	26
2025	6	19	9	14	55	46.5	0.2	1.293	0.5	0.4	0	48.6	50.3	0	139	142	0	26	25
2025	6	19	9	24	55	45.8	0.1	1.294	0.4	0.3	0	48.6	49.9	0	139	142	0	26	26
2025	6	19	9	34	55	46	-0.7	1.294	0.5	0.5	0	49	49.9	0	140	143	0	26	27
2025	6	19	9	44	55	45.8	-0.8	1.294	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	19	9	54	55	46.9	-1.1	1.295	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	19	10	4	55	46.2	-0.7	1.295	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	19	10	14	55	44.8	-0.5	1.296	0.3	0.2	0	49	49.9	0	139	142	0	25	26
2025	6	19	10	24	55	45.7	-1.1	1.296	0.4	0.3	0	48.6	49.9	0	138	142	0	25	26
2025	6	19	10	34	55	46.6	-0.8	1.296	0.4	0.3	0	48.6	49.9	0	138	142	0	25	26
2025	6	19	10	44	55	46.4	-0.4	1.297	0.4	0.3	0	48.6	49.5	0	139	141	0	26	26
2025	6	19	10	54	55	46.1	0.2	1.297	0.3	0.2	0	48.2	49.5	0	138	141	0	26	26
2025	6	19	11	4	55	46.3	-0.8	1.297	0.3	0.2	0	48.6	49.9	0	139	142	0	26	26
2025	6	19	11	14	55	46.1	-0.2	1.298	0.3	0.2	0	48.2	49.5	0	138	141	0	26	26
2025	6	19	11	24	55	45.7	-0.1	1.298	0.3	0.2	0	48.6	49.9	0	139	142	0	26	26
2025	6	19	11	34	55	46.8	-0.6	1.299	0.3	0.2	0	48.2	49.9	0	138	141	0	26	25
2025	6	19	11	44	55	46.8	-0.7	1.299	0.3	0.2	0	48.2	50.3	0	138	142	0	26	25
2025	6	19	11	54	55	46.1	-1.5	1.3	0.3	0.2	0	48.6	49.9	0	138	142	0	25	26
2025	6	19	12	4	55	45.8	-1.9	1.3	0.3	0.2	0	48.6	49.5	0	138	141	0	25	26
2025	6	19	12	14	55	46.1	-1.9	1.301	0.4	0.3	0	48.6	49.5	0	138	141	0	25	26
2025	6	19	12	24	55	45.8	-0.4	1.301	0.3	0.2	0	48.6	49.9	0	138	142	0	25	26
2025	6	19	12	34	55	45.9	-0.9	1.302	0.3	0.2	0	48.2	49.9	0	138	142	0	26	26
2025	6	19	12	44	55	46.4	-0.7	1.302	0.5	0.4	0	49	49.9	0	139	142	0	25	26
2025	6	19	12	54	55	46.3	-1.3	1.303	0.4	0.3	0	48.6	49.9	0	138	142	0	25	26
2025	6	19	13	4	55	45.7	-1.1	1.303	0.4	0.3	0	48.2	49.9	0	138	142	0	26	26
2025	6	19	13	14	55	45.8	-0.3	1.304	0.4	0.3	0	48.6	50.7	0	139	143	0	26	25
2025	6	19	13	24	55	46.5	-0.2	1.305	0.3	0.2	0	48.2	49.9	0	138	142	0	26	26
2025	6	19	13	34	55	45.7	0	1.306	0.3	0.2	0	49	49.9	0	139	142	0	25	26
2025	6	19	13	44	55	46.4	-0.8	1.307	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	19	13	54	55	46.8	0.1	1.308	0.3	0.2	0	49	50.7	0	139	143	0	25	25
2025	6	19	14	4	55	47.1	-1.2	1.309	0.4	0.3	0	49	49.9	0	139	142	0	25	26
2025	6	19	14	14	55	47.2	-1.3	1.309	0.3	0.2	0	48.2	49.9	0	138	142	0	26	26
2025	6	19	14	24	55	47.4	-1.3	1.309	0.3	0.2	0	48.6	50.3	0	138	142	0	25	25
2025	6	19	14	34	55	46.3	0	1.31	0.5	0.4	0	49	50.3	0	139	143	0	25	26
2025	6	19	14	44	55	47.5	-1.1	1.31	0.3	0.2	0	49	50.7	0	139	143	0	25	25
2025	6	19	14	54	55	46.4	-0.1	1.311	0.3	0.2	0	49	50.7	0	139	143	0	25	25
2025	6	19	15	4	55	46.3	-0.5	1.312	0.4	0.3	0	49.9	51.2	0	141	145	0	25	26
2025	6	19	15	14	55	46.5	-0.7	1.313	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	19	15	24	55	47	0.4	1.313	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	15	34	55	47.1	-0.4	1.313	0.4	0.3	0	48.6	50.7	0	139	143	0	26	25
2025	6	19	15	44	55	46.9	-1.2	1.313	0.4	0.3	0	49	50.7	0	139	143	0	25	25
2025	6	19	15	54	55	47	-0.6	1.314	0.3	0.2	0	49.5	51.6	0	140	144	0	25	24
2025	6	19	16	4	55	46.1	-0.8	1.314	0.3	0.2	0	49.5	51.2	0	140	144	0	25	25

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	19	16	14	55	47.7	0.1	1.314	0.3	0.2	0	49	50.7	0	139	143	0	25	25
2025	6	19	16	24	55	47.9	-0.7	1.314	0.4	0.3	0	49	50.7	0	139	143	0	25	25
2025	6	19	16	34	55	46.1	-0.4	1.315	0.4	0.3	0	48.6	50.7	0	139	143	0	26	25
2025	6	19	16	44	55	47	-0.4	1.315	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	19	16	54	55	46.1	-0.3	1.315	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	17	4	55	47.8	-0.8	1.315	0.3	0.2	0	49.5	51.2	0	141	144	0	26	25
2025	6	19	17	14	55	46.6	-0.2	1.316	0.4	0.3	0	49.5	51.6	0	141	145	0	26	25
2025	6	19	17	24	55	46.2	-0.1	1.316	0.4	0.3	0	49.5	51.2	0	140	144	0	25	25
2025	6	19	17	34	55	47	-0.8	1.316	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	17	44	55	47.4	0.5	1.316	0.3	0.2	0	49.5	52	0	141	145	0	26	24
2025	6	19	17	54	55	48.1	-0.2	1.317	0.3	0.2	0	49.9	50.7	0	141	144	0	25	26
2025	6	19	18	4	55	46.9	-1.1	1.317	0.3	0.2	0	49.9	51.2	0	141	145	0	25	26
2025	6	19	18	14	55	47.2	0.1	1.318	0.3	0.2	0	49.9	51.6	0	141	145	0	25	25
2025	6	19	18	24	55	47	-0.4	1.319	0.5	0.4	0	49.9	51.6	0	141	145	0	25	25
2025	6	19	18	34	55	48	0	1.319	0.3	0.2	0	49.9	51.6	0	141	145	0	25	25
2025	6	19	18	44	55	47.7	0	1.321	0.3	0.2	0	49.9	52.5	0	142	147	0	26	25
2025	6	19	18	54	55	47.2	1.4	1.321	0.3	0.2	0	50.7	52	0	143	147	0	25	26
2025	6	19	19	4	55	47.5	-0.7	1.322	0.3	0.2	0	50.3	52	0	142	146	0	25	25
2025	6	19	19	14	55	48	-0.1	1.323	0.4	0.3	0	49.9	51.6	0	141	146	0	25	26
2025	6	19	19	24	55	47.6	0.3	1.323	0.3	0.2	0	49.5	51.6	0	141	145	0	26	25
2025	6	19	19	34	55	48.7	-0.4	1.323	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	19	44	55	47.3	-0.6	1.324	0.3	0.2	0	49.5	51.6	0	140	145	0	25	25
2025	6	19	19	54	55	47.6	-0.4	1.324	0.4	0.3	0	49.5	51.6	0	140	145	0	25	25
2025	6	19	20	4	55	47.5	-0.2	1.324	0.4	0.3	0	49.9	51.6	0	142	145	0	26	25
2025	6	19	20	14	55	47.9	-0.6	1.325	0.3	0.2	0	50.3	51.6	0	142	146	0	25	26
2025	6	19	20	24	55	47.8	-0.3	1.325	0.4	0.3	0	50.3	51.2	0	142	145	0	25	26
2025	6	19	20	34	55	48.1	-0.8	1.325	0.3	0.2	0	49.9	51.2	0	141	145	0	25	26
2025	6	19	20	44	55	47.2	-0.5	1.325	0.4	0.3	0	49.5	51.6	0	141	145	0	26	25
2025	6	19	20	54	55	46.9	0.2	1.325	0.3	0.2	0	49.9	51.6	0	141	145	0	25	25
2025	6	19	21	4	55	48.1	0.2	1.326	0.3	0.2	0	49.9	51.2	0	141	144	0	25	25
2025	6	19	21	14	55	48.2	-0.6	1.326	0.3	0.2	0	49.9	51.2	0	141	144	0	25	25
2025	6	19	21	24	55	47.3	0	1.326	0.3	0.2	0	49.9	50.7	0	141	144	0	25	26
2025	6	19	21	34	55	47.3	0	1.326	0.3	0.2	0	49.5	50.7	0	141	144	0	26	26
2025	6	19	21	44	55	48.6	0.2	1.327	0.4	0.3	0	49.9	50.7	0	141	144	0	25	26
2025	6	19	21	54	55	47.6	0	1.327	0.4	0.3	0	49.9	51.2	0	141	144	0	25	25
2025	6	19	22	4	55	48	-0.4	1.328	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	22	14	55	47.2	-0.5	1.329	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	22	24	55	47.3	0	1.33	0.3	0.2	0	49	51.2	0	140	144	0	26	25
2025	6	19	22	34	55	47.8	-0.7	1.331	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	19	22	44	55	47.6	-0.8	1.332	0.4	0.3	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	22	54	55	47.7	-0.9	1.332	0.3	0.2	0	49.5	51.2	0	140	144	0	25	25
2025	6	19	23	4	55	46.7	-0.4	1.333	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	19	23	14	55	47.8	0.4	1.333	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	19	23	24	55	47.8	0.2	1.333	0.5	0.4	0	49.5	50.3	0	140	143	0	25	26
2025	6	19	23	34	55	47.7	-0.8	1.333	0.4	0.3	0	49	50.7	0	140	143	0	26	25
2025	6	19	23	44	55	48.6	-0.6	1.334	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	19	23	54	55	47.8	-0.4	1.334	0.4	0.3	0	49.5	50.7	0	141	144	0	26	26
2025	6	20	0	4	55	48.4	-1.2	1.334	0.3	0.2	0	49.9	51.6	0	142	146	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	20	0	14	55	48.4	-0.6	1.334	0.3	0.2	0	50.3	52	0	142	146	0	25	25
2025	6	20	0	24	55	48	-0.5	1.334	0.5	0.4	0	49.9	51.2	0	141	145	0	25	26
2025	6	20	0	34	55	47.7	0.2	1.334	0.3	0.2	0	49.5	51.2	0	141	145	0	26	26
2025	6	20	0	44	55	47.6	0	1.334	0.3	0.2	0	49.9	51.6	0	141	145	0	25	25
2025	6	20	0	54	55	48.5	0.2	1.334	0.3	0.2	0	49.9	50.7	0	141	144	0	25	26
2025	6	20	1	4	55	48	-0.7	1.335	0.3	0.2	0	49.9	50.7	0	141	144	0	25	26
2025	6	20	1	14	55	47.8	-0.3	1.335	0.4	0.3	0	49.5	51.2	0	140	144	0	25	25
2025	6	20	1	24	55	47.5	-0.1	1.335	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	1	34	55	48.4	-0.4	1.335	0.3	0.2	0	49.5	50.7	0	141	144	0	26	26
2025	6	20	1	44	55	48.6	-0.7	1.336	0.4	0.3	0	49.5	50.3	0	140	143	0	25	26
2025	6	20	1	54	55	48.6	-0.8	1.337	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	20	2	4	55	47.1	-0.4	1.338	0.3	0.2	0	49	51.2	0	140	144	0	26	25
2025	6	20	2	14	55	48.3	-0.8	1.339	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	20	2	24	55	48.4	-0.6	1.34	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	20	2	34	55	48.5	-0.4	1.341	0.3	0.2	0	49	51.2	0	140	144	0	26	25
2025	6	20	2	44	55	48.8	-0.2	1.341	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	2	54	55	49.3	-0.5	1.341	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	20	3	4	55	47.6	-0.1	1.342	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	20	3	14	55	48.1	-0.4	1.342	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	20	3	24	55	48.9	0	1.342	0.4	0.3	0	49.5	50.3	0	140	143	0	25	26
2025	6	20	3	34	55	48.4	-1.1	1.342	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	20	3	44	55	49.5	-0.4	1.342	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	3	54	55	48.6	-0.5	1.342	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	20	4	4	55	48.4	-1.2	1.343	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	4	14	55	48.5	0	1.343	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	20	4	24	55	48	-0.4	1.343	0.3	0.2	0	49	51.2	0	140	144	0	26	25
2025	6	20	4	34	55	49.1	-0.3	1.343	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	4	44	55	48.2	-0.9	1.343	0.4	0.3	0	49.9	50.3	0	141	144	0	25	27
2025	6	20	4	54	55	48.8	-0.4	1.343	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	20	5	4	55	49.4	-0.4	1.343	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	5	14	55	48.9	-1.3	1.343	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	5	24	55	48.9	-1	1.344	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	5	34	55	48	-0.4	1.344	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	5	44	55	47.7	-0.9	1.344	0.3	0.2	0	49.5	50.7	0	141	144	0	26	26
2025	6	20	5	54	55	48.8	-0.7	1.344	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	6	4	55	48.5	-1.1	1.344	0.4	0.3	0	49	50.7	0	140	144	0	26	26
2025	6	20	6	14	55	47.7	-0.6	1.345	0.4	0.3	0	49	50.7	0	140	144	0	26	26
2025	6	20	6	24	55	47.7	0.3	1.345	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	6	34	55	48.5	-1.2	1.345	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	20	6	44	55	48.2	0	1.345	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	20	6	54	55	48.3	-0.4	1.346	0.3	0.2	0	49	50.3	0	140	143	0	26	26
2025	6	20	7	4	55	47.1	-0.7	1.347	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	20	7	14	55	47.6	-0.8	1.347	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	20	7	24	55	49	-0.9	1.347	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	20	7	34	55	48.1	-1.3	1.348	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	20	7	44	55	48.2	0	1.348	0.3	0.2	0	49.5	50.3	0	140	143	0	25	26
2025	6	20	7	54	55	48.7	-1.3	1.349	0.4	0.3	0	48.6	49.9	0	139	143	0	26	27
2025	6	20	8	4	55	48.9	0.2	1.349	0.3	0.2	0	48.6	50.7	0	139	143	0	26	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	20	8	14	55	48.6	-0.4	1.349	0.3	0.2	0	49	50.7	0	140	143	0	26	25
2025	6	20	8	24	55	48.6	-0.6	1.349	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	20	8	34	55	48.6	-0.6	1.35	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	20	8	44	55	47.6	-0.2	1.35	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	20	8	54	55	49.4	-0.6	1.35	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	20	9	4	55	49.4	-0.4	1.35	0.4	0.3	0	49	50.3	0	140	143	0	26	26
2025	6	20	9	14	55	48.8	-1.2	1.35	0.5	0.4	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	9	24	55	48	0	1.35	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	9	34	55	48.8	-0.9	1.35	0.3	0.2	0	48.6	50.7	0	139	143	0	26	25
2025	6	20	9	44	55	48.1	0	1.349	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	9	54	55	49	-0.4	1.35	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	10	4	55	48.1	0.1	1.35	0.3	0.2	0	49.5	49.9	0	140	143	0	25	27
2025	6	20	10	14	55	48.1	-1	1.349	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	10	24	55	49.5	-0.4	1.349	0.3	0.2	0	48.2	50.3	0	138	142	0	26	25
2025	6	20	10	34	55	48.9	-0.9	1.349	0.3	0.2	0	48.2	49.9	0	138	142	0	26	26
2025	6	20	10	44	55	49	-1.1	1.349	0.4	0.3	0	48.2	49.9	0	138	142	0	26	26
2025	6	20	10	54	55	48.1	-0.4	1.348	0.3	0.2	0	48.2	49.9	0	138	141	0	26	25
2025	6	20	11	4	55	48.6	-0.9	1.348	0.3	0.2	0	48.2	49.5	0	138	141	0	26	26
2025	6	20	11	14	55	49.2	-0.4	1.348	0.3	0.2	0	48.2	49.9	0	138	142	0	26	26
2025	6	20	11	24	55	49	-1.3	1.348	0.4	0.3	0	48.2	49.9	0	138	142	0	26	26
2025	6	20	11	34	55	49	0	1.348	0.3	0.2	0	48.2	49.9	0	138	142	0	26	26
2025	6	20	11	44	55	48.4	-1.1	1.348	0.3	0.2	0	48.6	49.9	0	138	142	0	25	26
2025	6	20	11	54	55	48.6	-1.2	1.348	0.3	0.2	0	48.2	49.9	0	138	142	0	26	26
2025	6	20	12	4	55	48.9	-0.2	1.348	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	12	14	55	48.7	-1.1	1.348	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	20	12	24	55	48.2	-0.4	1.348	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	12	34	55	48.3	-1.4	1.348	0.3	0.2	0	48.2	50.3	0	138	142	0	26	25
2025	6	20	12	44	55	48	-0.8	1.348	0.3	0.2	0	49	50.3	0	139	143	0	25	26
2025	6	20	12	54	55	48.1	-1.1	1.348	0.3	0.2	0	48.6	50.3	0	139	143	0	26	26
2025	6	20	13	4	55	48.2	-0.4	1.348	0.4	0.3	0	48.6	50.3	0	138	143	0	25	26
2025	6	20	13	14	55	48.9	-0.8	1.348	0.4	0.3	0	49	50.3	0	139	143	0	25	26
2025	6	20	13	24	55	48.5	-0.1	1.348	0.3	0.2	0	48.6	50.7	0	139	143	0	26	25
2025	6	20	13	34	55	48.8	-1	1.348	0.3	0.2	0	48.6	50.3	0	138	143	0	25	26
2025	6	20	13	44	55	48.4	-0.1	1.348	0.5	0.4	0	48.6	50.7	0	139	144	0	26	26
2025	6	20	13	54	55	48	-1	1.348	0.4	0.3	0	49	50.7	0	139	144	0	25	26
2025	6	20	14	4	55	48.3	-0.5	1.348	0.4	0.3	0	49	50.3	0	139	143	0	25	26
2025	6	20	14	14	55	48.2	-0.5	1.348	0.4	0.3	0	49	50.7	0	139	144	0	25	26
2025	6	20	14	24	55	49.1	-0.7	1.348	0.5	0.4	0	49	51.2	0	139	144	0	25	25
2025	6	20	14	34	55	48.2	0.5	1.348	0.3	0.2	0	49	50.7	0	139	144	0	25	26
2025	6	20	14	44	55	47.4	-0.8	1.349	0.3	0.2	0	49	51.2	0	139	144	0	25	25
2025	6	20	14	54	55	47.7	-0.5	1.348	0.3	0.2	0	48.6	51.2	0	139	144	0	26	25
2025	6	20	15	4	55	48.3	-1.1	1.348	0.4	0.3	0	49.5	51.2	0	140	144	0	25	25
2025	6	20	15	14	55	49	-0.4	1.348	0.3	0.2	0	49.5	50.7	0	140	144	0	25	26
2025	6	20	15	24	55	49.1	-0.7	1.348	0.4	0.3	0	49.5	51.6	0	140	145	0	25	25
2025	6	20	15	34	55	47.9	0.2	1.348	0.3	0.2	0	49.5	51.2	0	140	145	0	25	26
2025	6	20	15	44	55	48.1	0	1.347	0.4	0.3	0	49.9	51.6	0	141	145	0	25	25
2025	6	20	15	54	55	48.2	0.2	1.347	0.3	0.2	0	49.9	51.6	0	141	146	0	25	26
2025	6	20	16	4	55	47.9	-0.2	1.347	0.4	0.3	0	50.3	52	0	142	146	0	25	25

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	20	16	14	55	48.8	0	1.346	0.3	0.2	0	50.3	52.5	0	142	147	0	25	25
2025	6	20	16	24	55	49.3	-0.7	1.346	0.3	0.2	0	50.3	52.5	0	143	147	0	26	25
2025	6	20	16	34	55	48.4	-1	1.345	0.3	0.2	0	50.7	52	0	143	147	0	25	26
2025	6	20	16	44	55	48.8	-0.4	1.345	0.3	0.2	0	50.3	52.9	0	143	148	0	26	25
2025	6	20	16	54	55	48.3	-0.4	1.345	0.3	0.2	0	50.3	52.9	0	143	148	0	26	25
2025	6	20	17	4	55	48.5	0	1.347	0.3	0.2	0	50.3	52.9	0	142	147	0	25	24
2025	6	20	17	14	55	49.1	-0.4	1.345	0.3	0.2	0	50.3	52	0	142	147	0	25	26
2025	6	20	17	24	55	48.6	-0.9	1.344	0.4	0.3	0	50.3	52	0	142	146	0	25	25
2025	6	20	17	34	55	47.8	0.5	1.344	0.3	0.2	0	50.3	52.5	0	142	147	0	25	25
2025	6	20	17	44	55	48.8	-0.4	1.345	0.4	0.3	0	49.5	52	0	141	146	0	26	25
2025	6	20	17	54	55	48.8	-0.6	1.344	0.3	0.2	0	49.9	51.6	0	141	146	0	25	26
2025	6	20	18	4	55	48.5	-0.5	1.342	0.4	0.3	0	49.9	52	0	141	146	0	25	25
2025	6	20	18	14	55	47.8	-0.6	1.342	0.4	0.3	0	49.9	52.5	0	141	147	0	25	25
2025	6	20	18	24	55	47.9	0	1.344	0.3	0.2	0	49.9	51.6	0	141	146	0	25	26
2025	6	20	18	34	55	49.2	-1	1.342	0.3	0.2	0	49.9	52.5	0	142	147	0	26	25
2025	6	20	18	44	55	48.8	-0.7	1.343	0.3	0.2	0	51.2	52.9	0	144	149	0	25	26
2025	6	20	18	54	55	49.7	-0.1	1.341	0.3	0.2	0	51.2	53.8	0	145	150	0	26	25
2025	6	20	19	4	55	48.1	-0.4	1.341	0.4	0.3	0	51.2	52.9	0	144	149	0	25	26
2025	6	20	19	14	55	48.3	-0.4	1.341	0.5	0.4	0	50.3	52.9	0	143	148	0	26	25
2025	6	20	19	24	55	47.9	-0.2	1.34	0.3	0.2	0	50.7	52.5	0	143	148	0	25	26
2025	6	20	19	34	55	48.7	0	1.342	0.3	0.2	0	50.3	52	0	142	147	0	25	26
2025	6	20	19	44	55	48.5	-0.4	1.342	0.3	0.2	0	50.3	52.9	0	142	147	0	25	24
2025	6	20	19	54	55	48.6	-0.4	1.342	0.3	0.2	0	49.9	51.6	0	141	146	0	25	26
2025	6	20	20	4	55	47.5	-0.2	1.34	0.4	0.3	0	49.9	52	0	141	147	0	25	26
2025	6	20	20	14	55	47.6	-0.9	1.341	0.3	0.2	0	50.3	52	0	142	147	0	25	26
2025	6	20	20	24	55	48.4	-0.4	1.341	0.4	0.3	0	50.3	52	0	142	147	0	25	26
2025	6	20	20	34	55	48.4	-0.4	1.34	0.5	0.5	0	49.5	52	0	141	147	0	26	26
2025	6	20	20	44	55	48.2	-0.1	1.34	0.4	0.3	0	50.3	52	0	142	147	0	25	26
2025	6	20	20	54	55	48.4	-1.5	1.339	0.4	0.3	0	49.9	52	0	141	147	0	25	26
2025	6	20	21	4	55	47.6	-0.9	1.339	0.3	0.2	0	49.9	51.6	0	141	146	0	25	26
2025	6	20	21	14	55	49	-0.6	1.338	0.3	0.2	0	49	52	0	140	146	0	26	25
2025	6	20	21	24	55	48.7	0.2	1.338	0.3	0.2	0	49	51.6	0	140	145	0	26	25
2025	6	20	21	34	55	48.2	-0.6	1.338	0.4	0.3	0	49.5	51.6	0	140	145	0	25	25
2025	6	20	21	44	55	48.2	-0.1	1.338	0.4	0.3	0	49.5	51.2	0	140	145	0	25	26
2025	6	20	21	54	55	47.9	-0.4	1.337	0.4	0.3	0	49.5	51.6	0	140	145	0	25	25
2025	6	20	22	4	55	47.8	0	1.337	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	20	22	14	55	48.3	-0.3	1.337	0.3	0.2	0	48.6	51.2	0	139	145	0	26	26
2025	6	20	22	24	55	47.5	-0.4	1.336	0.3	0.2	0	48.6	50.3	0	139	144	0	26	27
2025	6	20	22	34	55	47.9	-0.8	1.336	0.3	0.2	0	49	50.7	0	139	144	0	25	26
2025	6	20	22	44	55	48.6	-0.9	1.336	0.3	0.2	0	48.6	50.7	0	139	144	0	26	26
2025	6	20	22	54	55	48.8	-0.5	1.336	0.4	0.3	0	48.6	50.7	0	138	144	0	25	26
2025	6	20	23	4	55	48.5	0.2	1.335	0.3	0.2	0	48.6	50.7	0	139	144	0	26	26
2025	6	20	23	14	55	48.4	-0.3	1.335	0.3	0.2	0	49	50.7	0	139	144	0	25	26
2025	6	20	23	24	55	48	-0.4	1.335	0.3	0.2	0	48.6	50.3	0	139	144	0	26	27
2025	6	20	23	34	55	48	-0.3	1.335	0.4	0.3	0	48.6	50.3	0	138	143	0	25	26
2025	6	20	23	44	55	46.9	0.5	1.335	0.3	0.2	0	49	50.7	0	139	144	0	25	26
2025	6	20	23	54	55	46.9	-0.2	1.334	0.3	0.2	0	48.2	50.7	0	138	144	0	26	26
2025	6	21	0	4	55	48.5	-0.2	1.334	0.3	0.2	0	48.6	50.3	0	138	143	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	21	0	14	55	48.1	-0.7	1.334	0.4	0.3	0	48.2	51.2	0	138	144	0	26	25
2025	6	21	0	24	55	48	-0.8	1.334	0.4	0.3	0	48.6	50.7	0	138	143	0	25	25
2025	6	21	0	34	55	47	-1.1	1.333	0.5	0.4	0	48.6	50.7	0	139	144	0	26	26
2025	6	21	0	44	55	47.7	0	1.333	0.4	0.3	0	48.6	50.7	0	139	144	0	26	26
2025	6	21	0	54	55	47.4	-0.1	1.333	0.3	0.2	0	48.6	50.7	0	139	144	0	26	26
2025	6	21	1	4	55	47.8	0	1.333	0.3	0.2	0	48.6	50.7	0	139	144	0	26	26
2025	6	21	1	14	55	48.5	-0.9	1.333	0.3	0.2	0	48.6	50.7	0	139	144	0	26	26
2025	6	21	1	24	55	48.2	-0.1	1.332	0.4	0.3	0	49	51.2	0	140	145	0	26	26
2025	6	21	1	34	55	48.2	-1.1	1.332	0.4	0.3	0	48.2	51.2	0	139	145	0	27	26
2025	6	21	1	44	55	47.6	-0.8	1.332	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	21	1	54	55	47.9	0.1	1.332	0.3	0.2	0	49.5	51.2	0	140	145	0	25	26
2025	6	21	2	4	55	47.3	-0.8	1.332	0.4	0.3	0	48.6	51.6	0	139	145	0	26	25
2025	6	21	2	14	55	48.2	0.3	1.331	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	21	2	24	55	46.8	0.2	1.331	0.4	0.3	0	48.6	51.6	0	139	145	0	26	25
2025	6	21	2	34	55	47.7	-0.3	1.331	0.4	0.3	0	49	51.2	0	139	145	0	25	26
2025	6	21	2	44	55	48	-1.1	1.331	0.3	0.2	0	48.6	50.7	0	139	144	0	26	26
2025	6	21	2	54	55	47.6	-0.7	1.33	0.3	0.2	0	48.6	51.2	0	139	145	0	26	26
2025	6	21	3	4	55	47.4	-0.4	1.33	0.3	0.2	0	48.6	50.7	0	139	145	0	26	27
2025	6	21	3	14	55	47.5	-0.3	1.33	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	21	3	24	55	47.1	-0.3	1.33	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	21	3	34	55	47.4	-0.7	1.33	0.4	0.3	0	48.6	51.2	0	139	145	0	26	26
2025	6	21	3	44	55	47.6	-0.4	1.329	0.3	0.2	0	49.5	51.2	0	140	145	0	25	26
2025	6	21	3	54	55	47.6	-0.2	1.329	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	21	4	4	55	48	-0.7	1.329	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	21	4	14	55	47.1	-1.3	1.329	0.3	0.2	0	49	51.2	0	140	145	0	26	26
2025	6	21	4	24	55	47.4	-1	1.328	0.4	0.3	0	49.5	51.2	0	140	145	0	25	26
2025	6	21	4	34	55	47.4	-1	1.328	0.3	0.2	0	49.5	51.2	0	140	145	0	25	26
2025	6	21	4	44	55	47	-0.3	1.328	0.4	0.3	0	49.5	51.2	0	140	145	0	25	26
2025	6	21	4	54	55	46.9	-0.6	1.328	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	5	4	55	46.9	0	1.327	0.4	0.3	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	5	14	55	46.6	0	1.327	0.4	0.3	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	5	24	55	46.7	-0.6	1.327	0.4	0.3	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	5	34	55	47.4	-0.5	1.326	0.3	0.2	0	49.9	52	0	142	147	0	26	26
2025	6	21	5	44	55	48.6	-0.6	1.326	0.4	0.3	0	49.9	51.6	0	142	147	0	26	27
2025	6	21	5	54	55	48	-0.7	1.325	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	21	6	4	55	47.7	-1	1.325	0.3	0.2	0	49.9	51.6	0	142	147	0	26	27
2025	6	21	6	14	55	47.1	-0.5	1.325	0.3	0.2	0	50.3	52.9	0	143	148	0	26	25
2025	6	21	6	24	55	47	-0.4	1.324	0.3	0.2	0	50.7	52	0	143	147	0	25	26
2025	6	21	6	34	55	46.9	-0.4	1.322	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	21	6	44	55	47.8	-0.9	1.321	0.3	0.2	0	50.7	52	0	143	147	0	25	26
2025	6	21	6	54	55	47.6	-1.1	1.32	0.3	0.2	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	7	4	55	47.6	-0.3	1.32	0.3	0.2	0	50.7	52.5	0	143	148	0	25	26
2025	6	21	7	14	55	47.3	0	1.319	0.4	0.3	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	7	24	55	47	-1.2	1.319	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	21	7	34	55	46.6	0	1.318	0.3	0.2	0	50.7	52.9	0	144	148	0	26	25
2025	6	21	7	44	55	47.2	-0.7	1.318	0.4	0.3	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	7	54	55	46	-0.2	1.318	0.3	0.2	0	51.2	52.5	0	144	148	0	25	26
2025	6	21	8	4	55	46.1	-0.5	1.318	0.3	0.2	0	50.3	52.5	0	143	148	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	21	8	14	55	46.8	-0.2	1.317	0.3	0.2	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	8	24	55	46.7	-0.6	1.317	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	21	8	34	55	46.7	-0.9	1.317	0.3	0.2	0	50.3	52.9	0	143	148	0	26	25
2025	6	21	8	44	55	46.5	-0.5	1.317	0.3	0.2	0	50.7	52.5	0	144	148	0	26	26
2025	6	21	8	54	55	46.3	-0.5	1.316	0.3	0.2	0	50.7	52.5	0	143	148	0	25	26
2025	6	21	9	4	55	47.3	-1.8	1.316	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	21	9	14	55	46.4	-0.6	1.316	0.4	0.3	0	51.2	52.5	0	144	148	0	25	26
2025	6	21	9	24	55	46.8	-1	1.316	0.4	0.3	0	49.9	52	0	142	147	0	26	26
2025	6	21	9	34	55	47.5	-0.3	1.315	0.3	0.2	0	49.9	52	0	142	147	0	26	26
2025	6	21	9	44	55	47.7	-0.9	1.314	0.3	0.2	0	50.3	52	0	143	148	0	26	27
2025	6	21	9	54	55	46.8	-1.1	1.314	0.4	0.3	0	50.7	52	0	143	147	0	25	26
2025	6	21	10	4	55	46.1	-0.8	1.313	0.3	0.2	0	50.7	52.9	0	143	148	0	25	25
2025	6	21	10	14	55	47.3	-0.4	1.312	0.5	0.4	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	10	24	55	47.5	-1.1	1.31	0.3	0.2	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	10	34	55	47.1	0	1.309	0.3	0.2	0	49.9	52	0	142	147	0	26	26
2025	6	21	10	44	55	46.4	-0.8	1.309	0.3	0.2	0	49.5	52.5	0	142	147	0	27	25
2025	6	21	10	54	55	46	0	1.308	0.3	0.2	0	49.9	52	0	142	147	0	26	26
2025	6	21	11	4	55	46.9	-0.7	1.308	0.3	0.2	0	49.9	52	0	142	147	0	26	26
2025	6	21	11	14	55	46.4	0	1.307	0.3	0.2	0	49.9	52	0	142	147	0	26	26
2025	6	21	11	24	55	46.7	-0.5	1.307	0.4	0.3	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	11	34	55	46.1	0	1.307	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	11	44	55	46.5	0.1	1.307	0.5	0.4	0	49.9	52	0	142	146	0	26	25
2025	6	21	11	54	55	46.3	-0.7	1.306	0.3	0.2	0	49.9	51.6	0	141	146	0	25	26
2025	6	21	12	4	55	46.6	-1.6	1.306	0.3	0.2	0	49.5	52.5	0	141	147	0	26	25
2025	6	21	12	14	55	46.2	-0.8	1.306	0.4	0.3	0	49.9	52	0	141	146	0	25	25
2025	6	21	12	24	55	46.3	-1.3	1.305	0.3	0.2	0	49.9	51.6	0	141	146	0	25	26
2025	6	21	12	34	55	46.7	-1.5	1.303	0.5	0.4	0	49.9	51.6	0	141	146	0	25	26
2025	6	21	12	44	55	45.8	-0.7	1.301	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	12	54	55	45.5	-0.2	1.301	0.3	0.2	0	49.9	51.6	0	142	146	0	26	26
2025	6	21	13	4	55	46.5	-0.6	1.3	0.4	0.3	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	13	14	55	46.3	-0.7	1.299	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	13	24	55	46.8	-0.5	1.299	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	13	34	55	46.4	-0.7	1.299	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	13	44	55	47.3	-0.5	1.298	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	21	13	54	55	45.9	-0.8	1.298	0.3	0.2	0	50.3	52.5	0	142	147	0	25	25
2025	6	21	14	4	55	46.1	0.1	1.298	0.4	0.3	0	49.9	52	0	142	147	0	26	26
2025	6	21	14	14	55	46.4	0	1.298	0.3	0.2	0	50.3	51.6	0	142	146	0	25	26
2025	6	21	14	24	55	46.8	-0.9	1.297	0.3	0.2	0	49.9	52	0	142	147	0	26	26
2025	6	21	14	34	55	45.9	-1.2	1.296	0.4	0.3	0	50.3	52	0	142	147	0	25	26
2025	6	21	14	44	55	46.7	-0.8	1.296	0.4	0.3	0	49.9	52.5	0	142	147	0	26	25
2025	6	21	14	54	55	46.4	0.6	1.294	0.5	0.4	0	50.3	52.9	0	143	148	0	26	25
2025	6	21	15	4	55	47.5	-0.8	1.292	0.3	0.2	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	15	14	55	45.7	0.2	1.291	0.4	0.3	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	15	24	55	46	-0.3	1.291	0.3	0.2	0	50.3	52.9	0	143	148	0	26	25
2025	6	21	15	34	55	45.3	0.6	1.291	0.4	0.3	0	51.2	52.9	0	144	149	0	25	26
2025	6	21	15	44	55	46.8	-0.1	1.29	0.5	0.4	0	51.6	53.3	0	145	150	0	25	26
2025	6	21	15	54	55	46.5	-0.8	1.289	0.4	0.3	0	52.5	54.6	0	147	152	0	25	25
2025	6	21	16	4	55	45.6	-0.4	1.288	0.5	0.4	0	53.3	55	0	149	154	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	21	16	14	55	46.1	0	1.288	0.5	0.4	0	52.9	55.5	0	149	154	0	26	25
2025	6	21	16	24	55	46.3	0	1.287	0.4	0.3	0	52.5	54.6	0	148	153	0	26	26
2025	6	21	16	34	55	46.7	-0.4	1.286	0.3	0.2	0	52.9	55	0	148	153	0	25	25
2025	6	21	16	44	55	44.8	0	1.285	0.3	0.2	0	52.9	55	0	148	154	0	25	26
2025	6	21	16	54	55	46	-1.1	1.285	0.3	0.2	0	52.9	54.6	0	148	153	0	25	26
2025	6	21	17	4	55	45.5	-0.6	1.284	0.4	0.3	0	52.9	54.6	0	148	153	0	25	26
2025	6	21	17	14	55	45.5	-1.1	1.284	0.3	0.2	0	52.5	54.6	0	147	152	0	25	25
2025	6	21	17	24	55	45.3	-0.8	1.284	0.3	0.2	0	52	53.8	0	146	151	0	25	26
2025	6	21	17	34	55	45.6	-0.1	1.283	0.3	0.2	0	52	53.8	0	146	151	0	25	26
2025	6	21	17	44	55	44.6	-0.2	1.282	0.4	0.3	0	51.6	53.8	0	145	151	0	25	26
2025	6	21	17	54	55	45.6	-0.4	1.281	0.3	0.2	0	51.2	53.8	0	144	150	0	25	25
2025	6	21	18	4	55	45.2	0	1.281	0.3	0.2	0	51.2	52.9	0	144	149	0	25	26
2025	6	21	18	14	55	45.4	-0.7	1.279	0.3	0.2	0	51.2	53.3	0	144	149	0	25	25
2025	6	21	18	24	55	45.9	-0.3	1.279	0.4	0.3	0	50.7	52.9	0	143	149	0	25	26
2025	6	21	18	34	55	45.7	-0.4	1.278	0.3	0.2	0	50.7	52.9	0	143	148	0	25	25
2025	6	21	18	44	55	45	-0.5	1.276	0.3	0.2	0	50.7	52.9	0	143	148	0	25	25
2025	6	21	18	54	55	45.5	0	1.276	0.5	0.5	0	50.3	52.5	0	143	148	0	26	26
2025	6	21	19	4	55	46.5	-0.5	1.277	0.3	0.2	0	51.2	53.3	0	145	150	0	26	26
2025	6	21	19	14	55	44.3	-0.1	1.276	0.4	0.3	0	52	54.2	0	147	152	0	26	26
2025	6	21	19	24	55	45.2	0	1.274	0.4	0.3	0	52	54.6	0	147	152	0	26	25
2025	6	21	19	34	55	46	0	1.274	0.4	0.3	0	52	54.6	0	147	152	0	26	25
2025	6	21	19	44	55	45.9	-0.8	1.274	0.3	0.2	0	51.6	54.2	0	146	152	0	26	26
2025	6	21	19	54	55	44.8	-0.2	1.273	0.3	0.2	0	52	53.8	0	146	151	0	25	26
2025	6	21	20	4	55	44.5	-0.4	1.272	0.3	0.2	0	52	53.8	0	146	151	0	25	26
2025	6	21	20	14	55	45.4	-0.1	1.272	0.3	0.2	0	51.2	53.3	0	145	150	0	26	26
2025	6	21	20	24	55	45.5	-0.8	1.272	0.3	0.2	0	51.6	53.3	0	146	150	0	26	26
2025	6	21	20	34	55	44.7	-0.6	1.27	0.3	0.2	0	52	53.8	0	146	151	0	25	26
2025	6	21	20	44	55	45.2	1.1	1.27	0.5	0.4	0	52	53.8	0	146	151	0	25	26
2025	6	21	20	54	55	43.6	-0.6	1.269	0.3	0.2	0	51.6	53.8	0	146	151	0	26	26
2025	6	21	21	4	55	44.9	0	1.268	0.3	0.2	0	51.6	53.8	0	146	151	0	26	26
2025	6	21	21	14	55	44.7	-0.4	1.268	0.5	0.4	0	51.6	53.8	0	146	151	0	26	26
2025	6	21	21	24	55	45.3	-0.6	1.267	0.3	0.2	0	52	53.8	0	147	151	0	26	26
2025	6	21	21	34	55	45.5	-0.4	1.266	0.3	0.2	0	52.5	53.3	0	147	151	0	25	27
2025	6	21	21	44	55	43.8	-1.1	1.265	0.4	0.3	0	52	53.8	0	147	151	0	26	26
2025	6	21	21	54	55	45	0.3	1.264	0.5	0.4	0	51.6	53.8	0	146	151	0	26	26
2025	6	21	22	4	55	44.4	-0.8	1.264	0.3	0.2	0	52.5	53.3	0	147	151	0	25	27
2025	6	21	22	14	55	45.7	0	1.263	0.4	0.3	0	51.6	53.8	0	147	151	0	27	26
2025	6	21	22	24	55	44.1	-1.1	1.262	0.4	0.3	0	52	54.2	0	147	151	0	26	25
2025	6	21	22	34	55	45	-0.4	1.262	0.3	0.2	0	52.5	53.8	0	147	151	0	25	26
2025	6	21	22	44	55	42.6	0.3	1.261	0.4	0.3	0	52.5	53.8	0	147	151	0	25	26
2025	6	21	22	54	55	44.8	-0.2	1.26	0.3	0.2	0	52	53.8	0	147	151	0	26	26
2025	6	21	23	4	55	45.5	-0.4	1.26	0.4	0.3	0	51.6	53.3	0	147	151	0	27	27
2025	6	21	23	14	55	44.1	-0.3	1.258	0.3	0.2	0	51.6	53.8	0	146	151	0	26	26
2025	6	21	23	24	55	43.4	-0.5	1.258	0.3	0.2	0	51.6	53.3	0	146	150	0	26	26
2025	6	21	23	34	55	44.1	-1.4	1.257	0.3	0.2	0	51.2	53.3	0	145	150	0	26	26
2025	6	21	23	44	55	44.1	-0.5	1.256	0.3	0.2	0	51.6	52.5	0	146	149	0	26	27
2025	6	21	23	54	55	44.1	-1.2	1.256	0.5	0.4	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	0	4	55	43.8	-0.5	1.255	0.5	0.4	0	50.7	52.9	0	144	149	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	22	0	14	55	44.4	-0.3	1.254	0.3	0.2	0	51.2	52	0	144	148	0	25	27
2025	6	22	0	24	55	44	-0.9	1.254	0.3	0.2	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	0	34	55	45	-0.1	1.253	0.3	0.2	0	50.3	52.5	0	144	148	0	27	26
2025	6	22	0	44	55	44.3	0.1	1.253	0.3	0.2	0	50.3	52.5	0	144	148	0	27	26
2025	6	22	0	54	55	44.2	-1.3	1.252	0.3	0.2	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	1	4	55	44.7	-0.7	1.252	0.3	0.2	0	50.7	52	0	144	148	0	26	27
2025	6	22	1	14	55	43.5	-0.4	1.251	0.3	0.2	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	1	24	55	44.9	-0.9	1.25	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	1	34	55	43	0.6	1.25	0.5	0.4	0	50.3	52	0	143	148	0	26	27
2025	6	22	1	44	55	44	0.1	1.249	0.4	0.3	0	50.7	52	0	144	148	0	26	27
2025	6	22	1	54	55	44	-1.1	1.248	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	2	4	55	43.8	-1.4	1.246	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	22	2	14	55	43.3	-1.1	1.245	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	2	24	55	42.7	-0.4	1.244	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	2	34	55	43.9	-0.6	1.243	0.5	0.4	0	50.7	51.6	0	143	147	0	25	27
2025	6	22	2	44	55	43.9	-0.9	1.242	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	2	54	55	43.9	-0.9	1.242	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	3	4	55	43.6	-0.9	1.241	0.5	0.4	0	50.7	52	0	143	147	0	25	26
2025	6	22	3	14	55	43.6	-0.6	1.241	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	22	3	24	55	43.2	-1.9	1.24	0.4	0.3	0	50.3	52	0	143	147	0	26	26
2025	6	22	3	34	55	43.4	-0.4	1.239	0.4	0.3	0	50.3	52	0	143	147	0	26	26
2025	6	22	3	44	55	42.6	-0.9	1.239	0.4	0.3	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	3	54	55	42.6	-1	1.238	0.3	0.2	0	50.3	52	0	143	148	0	26	27
2025	6	22	4	4	55	44.1	-1.4	1.238	0.4	0.3	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	4	14	55	43.2	-0.7	1.238	0.3	0.2	0	49.9	52	0	143	147	0	27	26
2025	6	22	4	24	55	43.6	-0.3	1.237	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	4	34	55	43.4	-0.4	1.237	0.5	0.5	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	4	44	55	42.8	-0.1	1.236	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	4	54	55	43.2	-2.1	1.236	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	5	4	55	42.6	-0.7	1.235	0.3	0.2	0	50.3	52.5	0	143	148	0	26	26
2025	6	22	5	14	55	42.8	-1.1	1.234	0.4	0.3	0	50.7	52.9	0	144	149	0	26	26
2025	6	22	5	24	55	43.3	-1.1	1.234	0.5	0.4	0	50.3	52.9	0	144	149	0	27	26
2025	6	22	5	34	55	43.8	-0.8	1.233	0.4	0.3	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	5	44	55	42.8	-0.5	1.232	0.4	0.3	0	50.7	52.9	0	145	149	0	27	26
2025	6	22	5	54	55	43	-0.8	1.231	0.3	0.2	0	50.7	52.9	0	145	149	0	27	26
2025	6	22	6	4	55	42.7	-0.5	1.229	0.3	0.2	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	6	14	55	43.2	-0.5	1.228	0.3	0.2	0	51.2	52.5	0	145	149	0	26	27
2025	6	22	6	24	55	42.7	-1.1	1.227	0.4	0.3	0	50.7	52.5	0	145	149	0	27	27
2025	6	22	6	34	55	42.7	-1.7	1.227	0.4	0.3	0	50.7	52.9	0	145	149	0	27	26
2025	6	22	6	44	55	44.2	-1.5	1.226	0.3	0.2	0	50.7	52.5	0	145	149	0	27	27
2025	6	22	6	54	55	43.5	-0.7	1.226	0.4	0.3	0	50.7	52.9	0	145	149	0	27	26
2025	6	22	7	4	55	42.4	-1.2	1.225	0.3	0.2	0	51.2	52.5	0	145	149	0	26	27
2025	6	22	7	14	55	43.1	-0.8	1.225	0.3	0.2	0	50.7	52.5	0	145	149	0	27	27
2025	6	22	7	24	55	42.5	-1	1.225	0.3	0.2	0	50.3	52.5	0	145	149	0	28	27
2025	6	22	7	34	55	42.1	-1.1	1.224	0.3	0.2	0	50.7	52.5	0	145	149	0	27	27
2025	6	22	7	44	55	42.8	-2.4	1.224	0.3	0.2	0	50.7	52.5	0	145	149	0	27	27
2025	6	22	7	54	55	43.3	-1.5	1.223	0.3	0.2	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	8	4	55	41.5	-1.1	1.223	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	22	8	14	55	43.6	-1.5	1.222	0.3	0.2	0	50.7	52.5	0	144	149	0	26	27
2025	6	22	8	24	55	41.9	0.5	1.222	0.3	0.2	0	50.7	52.5	0	144	149	0	26	27
2025	6	22	8	34	55	42.7	-0.4	1.22	0.3	0.2	0	50.3	52	0	144	148	0	27	27
2025	6	22	8	44	55	42.9	-0.6	1.219	0.4	0.3	0	50.7	52.5	0	145	149	0	27	27
2025	6	22	8	54	55	42.1	-1.2	1.217	0.4	0.3	0	50.3	52.5	0	144	149	0	27	27
2025	6	22	9	4	55	42.7	0	1.216	0.4	0.3	0	51.2	52.5	0	145	149	0	26	27
2025	6	22	9	14	55	42.2	-0.8	1.215	0.4	0.3	0	50.7	52	0	145	148	0	27	27
2025	6	22	9	24	55	42	-1.5	1.215	0.5	0.4	0	50.7	52.5	0	145	149	0	27	27
2025	6	22	9	34	55	42.4	0	1.214	0.4	0.3	0	50.3	52.5	0	144	148	0	27	26
2025	6	22	9	44	55	42	-1.5	1.214	0.3	0.2	0	50.7	52	0	144	148	0	26	27
2025	6	22	9	54	55	40.7	-1.1	1.214	0.4	0.3	0	50.3	52	0	144	148	0	27	27
2025	6	22	10	4	55	42.9	-0.9	1.213	0.4	0.3	0	50.3	52.5	0	144	148	0	27	26
2025	6	22	10	14	55	42	-0.4	1.213	0.3	0.2	0	50.3	52	0	144	148	0	27	27
2025	6	22	10	24	55	41.7	-0.3	1.213	0.4	0.3	0	50.7	52	0	144	148	0	26	27
2025	6	22	10	34	55	41	-0.1	1.212	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	22	10	44	55	41.8	-0.1	1.211	0.4	0.3	0	50.3	52	0	143	147	0	26	26
2025	6	22	10	54	55	43.2	-0.8	1.211	0.4	0.3	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	11	4	55	41.5	-0.7	1.209	0.3	0.2	0	49.9	51.2	0	142	146	0	26	27
2025	6	22	11	14	55	42	-1.5	1.207	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	22	11	24	55	42.3	-1.2	1.206	0.3	0.2	0	49.5	51.2	0	142	146	0	27	27
2025	6	22	11	34	55	40.9	-1.2	1.205	0.4	0.3	0	49.9	52	0	142	147	0	26	26
2025	6	22	11	44	55	41.1	-1.6	1.205	0.4	0.3	0	49.9	51.6	0	143	147	0	27	27
2025	6	22	11	54	55	41.2	-0.3	1.205	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	12	4	55	41.6	-0.3	1.204	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	12	14	55	41.6	-1.2	1.204	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	12	24	55	41.8	-0.7	1.204	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	12	34	55	42.5	-1.1	1.203	0.4	0.3	0	50.3	51.6	0	143	146	0	26	26
2025	6	22	12	44	55	40.7	-1	1.203	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	12	54	55	41.2	-0.3	1.202	0.5	0.5	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	13	4	55	41.1	0	1.201	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	13	14	55	41.2	-2	1.199	0.3	0.2	0	49.9	51.6	0	142	147	0	26	27
2025	6	22	13	24	55	41.2	-0.3	1.197	0.5	0.4	0	49.9	52	0	143	147	0	27	26
2025	6	22	13	34	55	40.4	-1.1	1.197	0.4	0.3	0	50.3	52	0	143	147	0	26	26
2025	6	22	13	44	55	41.6	-1	1.196	0.4	0.3	0	49.9	51.6	0	143	147	0	27	27
2025	6	22	13	54	55	40.4	-0.8	1.196	0.4	0.3	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	14	4	55	41.3	-1.2	1.196	0.4	0.3	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	14	14	55	41.1	-1	1.195	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	14	24	55	40.8	-0.5	1.195	0.5	0.4	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	14	34	55	41	-0.4	1.195	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	14	44	55	41.8	-0.7	1.194	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	14	54	55	42.2	0.3	1.194	0.4	0.3	0	50.7	52	0	144	148	0	26	27
2025	6	22	15	4	55	41.5	-1.2	1.192	0.3	0.2	0	50.7	52	0	144	148	0	26	27
2025	6	22	15	14	55	41.3	-2	1.191	0.3	0.2	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	15	24	55	41.1	-0.7	1.19	0.4	0.3	0	50.3	51.6	0	143	147	0	26	27
2025	6	22	15	34	55	40.8	-0.7	1.188	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	15	44	55	40.9	-0.4	1.187	0.4	0.3	0	50.7	51.6	0	143	147	0	25	27
2025	6	22	15	54	55	40.3	-1.6	1.187	0.3	0.2	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	16	4	55	39.9	-1.5	1.187	0.5	0.5	0	50.7	52	0	144	148	0	26	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	22	16	14	55	40.2	-2	1.187	0.5	0.4	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	16	24	55	40.9	-0.8	1.186	0.3	0.2	0	50.3	52	0	144	148	0	27	27
2025	6	22	16	34	55	40.7	-0.2	1.185	0.4	0.3	0	50.7	52	0	144	148	0	26	27
2025	6	22	16	44	55	40.9	-0.5	1.185	0.5	0.4	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	16	54	55	41.3	-0.9	1.185	0.3	0.2	0	51.2	52.5	0	144	148	0	25	26
2025	6	22	17	4	55	40.1	-1.5	1.184	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	17	14	55	40.2	-1	1.183	0.5	0.4	0	50.7	52.9	0	144	149	0	26	26
2025	6	22	17	24	55	39.7	0.2	1.183	0.3	0.2	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	17	34	55	41.2	-0.2	1.182	0.4	0.3	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	17	44	55	39.4	-0.8	1.182	0.3	0.2	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	17	54	55	40.7	-1.3	1.18	0.4	0.3	0	51.2	52.5	0	144	148	0	25	26
2025	6	22	18	4	55	41	-0.8	1.179	0.3	0.2	0	51.2	52	0	144	148	0	25	27
2025	6	22	18	14	55	40	-1.2	1.178	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	18	24	55	39	-0.8	1.177	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	18	34	55	39.5	-0.9	1.177	0.3	0.2	0	50.3	52	0	143	147	0	26	26
2025	6	22	18	44	55	40.3	-0.6	1.176	0.3	0.2	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	18	54	55	40.4	-0.7	1.176	0.4	0.3	0	51.2	52.5	0	144	148	0	25	26
2025	6	22	19	4	55	40.6	-1.1	1.175	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	19	14	55	40.6	-0.6	1.175	0.3	0.2	0	50.7	52.5	0	144	148	0	26	26
2025	6	22	19	24	55	39.1	-0.7	1.174	0.5	0.5	0	51.6	52.9	0	145	149	0	25	26
2025	6	22	19	34	55	39.6	-0.8	1.174	0.3	0.2	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	19	44	55	39.9	-1.2	1.173	0.4	0.3	0	51.2	53.3	0	145	150	0	26	26
2025	6	22	19	54	55	40.2	-0.4	1.173	0.4	0.3	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	20	4	55	39.8	-1.1	1.173	0.3	0.2	0	51.6	53.3	0	146	150	0	26	26
2025	6	22	20	14	55	40	-0.9	1.173	0.3	0.2	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	20	24	55	39.4	-0.4	1.172	0.3	0.2	0	51.2	52.5	0	145	149	0	26	27
2025	6	22	20	34	55	39.9	0	1.172	0.4	0.3	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	20	44	55	40.5	-1.3	1.171	0.4	0.3	0	51.6	52.9	0	145	149	0	25	26
2025	6	22	20	54	55	39.3	-1.4	1.171	0.3	0.2	0	51.2	53.3	0	145	150	0	26	26
2025	6	22	21	4	55	39.8	0.1	1.17	0.3	0.2	0	51.2	53.3	0	145	150	0	26	26
2025	6	22	21	14	55	40.3	-1.2	1.17	0.3	0.2	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	21	24	55	40.2	-0.4	1.169	0.4	0.3	0	51.6	52.9	0	145	149	0	25	26
2025	6	22	21	34	55	39.9	-0.8	1.168	0.4	0.3	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	21	44	55	39	-0.4	1.167	0.5	0.4	0	51.2	52.9	0	145	149	0	26	26
2025	6	22	21	54	55	39.7	-0.7	1.166	0.3	0.2	0	51.2	52.5	0	145	149	0	26	27
2025	6	22	22	4	55	38.7	-1	1.164	0.3	0.2	0	51.6	52.9	0	146	149	0	26	26
2025	6	22	22	14	55	38.6	-1.4	1.163	0.3	0.2	0	52	52.9	0	147	149	0	26	26
2025	6	22	22	24	55	39.8	-0.7	1.163	0.4	0.3	0	52	52.9	0	147	149	0	26	26
2025	6	22	22	34	55	39.5	-0.8	1.162	0.3	0.2	0	52	52.5	0	147	149	0	26	27
2025	6	22	22	44	55	38.4	-0.5	1.161	0.3	0.2	0	52	52.9	0	147	149	0	26	26
2025	6	22	22	54	55	39.1	-1.1	1.161	0.5	0.4	0	51.6	52.9	0	146	149	0	26	26
2025	6	22	23	4	55	39.4	-0.3	1.161	0.5	0.4	0	52	52.9	0	147	149	0	26	26
2025	6	22	23	14	55	39.4	-0.8	1.16	0.5	0.4	0	52	52.9	0	147	149	0	26	26
2025	6	22	23	24	55	38.4	0	1.16	0.4	0.3	0	52	52.5	0	147	149	0	26	27
2025	6	22	23	34	55	38.9	-0.4	1.159	0.5	0.4	0	52	52.9	0	147	149	0	26	26
2025	6	22	23	44	55	39.2	-0.9	1.159	0.3	0.2	0	52.5	52.5	0	147	149	0	25	27
2025	6	22	23	54	55	39	0	1.158	0.3	0.2	0	52	52.5	0	147	149	0	26	27
2025	6	23	0	4	55	39.2	-0.6	1.158	0.4	0.3	0	52	52.9	0	147	150	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	23	0	14	55	39.5	-0.7	1.158	0.4	0.3	0	52	52.5	0	147	149	0	26	27
2025	6	23	0	24	55	39	0	1.157	0.5	0.4	0	52	52.9	0	147	149	0	26	26
2025	6	23	0	34	55	38.7	0.2	1.157	0.3	0.2	0	52	52.9	0	147	150	0	26	27
2025	6	23	0	44	55	38.8	-0.2	1.156	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	23	0	54	55	38.9	-0.3	1.155	0.5	0.5	0	52	53.3	0	147	150	0	26	26
2025	6	23	1	4	55	38.6	-0.8	1.154	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	23	1	14	55	39.8	-1.3	1.153	0.4	0.3	0	52	52.9	0	147	150	0	26	27
2025	6	23	1	24	55	38.7	-0.6	1.151	0.4	0.3	0	51.6	53.3	0	147	150	0	27	26
2025	6	23	1	34	55	38.3	0	1.149	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	23	1	44	55	38.6	-0.7	1.149	0.3	0.2	0	52	52.9	0	147	150	0	26	27
2025	6	23	1	54	55	38.5	-0.8	1.148	0.3	0.2	0	52	53.3	0	147	150	0	26	26
2025	6	23	2	4	55	38.9	-0.3	1.147	0.3	0.2	0	52	53.3	0	147	150	0	26	26
2025	6	23	2	14	55	38	-1.1	1.147	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	23	2	24	55	38.4	0	1.146	0.4	0.3	0	51.6	53.3	0	147	150	0	27	26
2025	6	23	2	34	55	39.2	-1.7	1.146	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	23	2	44	55	37.3	-1	1.145	0.3	0.2	0	51.6	53.3	0	147	150	0	27	26
2025	6	23	2	54	55	38.4	-0.5	1.145	0.4	0.3	0	52	52.9	0	147	150	0	26	27
2025	6	23	3	4	55	40.5	-1.5	1.144	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	23	3	14	55	38.5	-0.4	1.144	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	23	3	24	55	38.7	-0.9	1.143	0.5	0.4	0	52	53.3	0	147	150	0	26	26
2025	6	23	3	34	55	37.9	-0.4	1.143	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	23	3	44	55	39.1	-1.2	1.142	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	23	3	54	55	39	-0.1	1.141	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	23	4	4	55	37.9	-0.8	1.141	0.5	0.4	0	52	53.3	0	147	150	0	26	26
2025	6	23	4	14	55	37.5	-0.6	1.139	0.5	0.4	0	52	53.3	0	147	150	0	26	26
2025	6	23	4	24	55	39.2	-0.2	1.137	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	23	4	34	55	38.6	-1.7	1.135	0.3	0.2	0	52	53.3	0	147	150	0	26	26
2025	6	23	4	44	55	37.2	0.7	1.135	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	23	4	54	55	39.4	-0.5	1.134	0.4	0.3	0	52.5	53.8	0	148	151	0	26	26
2025	6	23	5	4	55	38.2	-1.2	1.133	0.5	0.4	0	52.9	53.3	0	149	151	0	26	27
2025	6	23	5	14	55	37.9	-0.4	1.133	0.3	0.2	0	52.5	54.2	0	148	152	0	26	26
2025	6	23	5	24	55	37.1	-1.7	1.132	0.3	0.2	0	52.9	54.2	0	149	152	0	26	26
2025	6	23	5	34	55	37	-0.9	1.132	0.5	0.4	0	52.9	54.2	0	149	152	0	26	26
2025	6	23	5	44	55	37.8	-1.4	1.131	0.4	0.3	0	52.9	53.8	0	149	152	0	26	27
2025	6	23	5	54	55	37.7	-1.6	1.131	0.5	0.4	0	52.9	53.8	0	149	152	0	26	27
2025	6	23	6	4	55	37.7	-0.8	1.131	0.4	0.3	0	52.5	53.8	0	149	152	0	27	27
2025	6	23	6	14	55	38.1	-1.3	1.13	0.4	0.3	0	52.9	54.2	0	149	152	0	26	26
2025	6	23	6	24	55	37.4	-0.4	1.129	0.3	0.2	0	52.5	54.2	0	149	152	0	27	26
2025	6	23	6	34	55	37.7	-1.2	1.128	0.5	0.4	0	52.5	53.8	0	148	151	0	26	26
2025	6	23	6	44	55	37.9	-1	1.127	0.3	0.2	0	52.5	53.8	0	148	151	0	26	26
2025	6	23	6	54	55	37.6	-1.2	1.125	0.4	0.3	0	52.5	53.8	0	148	151	0	26	26
2025	6	23	7	4	55	37.5	-0.8	1.123	0.4	0.3	0	52	53.3	0	147	151	0	26	27
2025	6	23	7	14	55	36.4	-0.2	1.122	0.4	0.3	0	52	53.3	0	148	151	0	27	27
2025	6	23	7	24	55	37.2	-1.4	1.122	0.5	0.4	0	51.6	53.3	0	147	150	0	27	26
2025	6	23	7	34	55	37.4	-0.5	1.121	0.4	0.3	0	52	52.9	0	147	150	0	26	27
2025	6	23	7	44	55	36.3	-0.7	1.121	0.4	0.3	0	51.6	53.8	0	147	151	0	27	26
2025	6	23	7	54	55	37.1	-1.3	1.12	0.4	0.3	0	51.6	52.9	0	147	150	0	27	27
2025	6	23	8	4	55	37.1	-2.4	1.12	0.3	0.2	0	51.6	52.9	0	146	150	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	23	8	14	55	37.4	-0.7	1.119	0.4	0.3	0	51.6	53.3	0	146	150	0	26	26
2025	6	23	8	24	55	36.5	-0.9	1.119	0.3	0.2	0	51.2	52.5	0	146	149	0	27	27
2025	6	23	8	34	55	36.2	-1.1	1.118	0.4	0.3	0	51.6	52.9	0	146	149	0	26	26
2025	6	23	8	44	55	38.6	-1.7	1.117	0.3	0.2	0	51.2	52.5	0	145	149	0	26	27
2025	6	23	8	54	55	37.3	-0.7	1.116	0.4	0.3	0	51.6	52.9	0	146	149	0	26	26
2025	6	23	9	4	55	38.2	-1.4	1.114	0.4	0.3	0	51.6	52.9	0	146	149	0	26	26
2025	6	23	9	14	55	37.4	-0.4	1.112	0.4	0.3	0	51.6	52.9	0	146	149	0	26	26
2025	6	23	9	24	55	36.4	-1.6	1.111	0.4	0.3	0	50.7	52.5	0	145	149	0	27	27
2025	6	23	9	34	55	36.9	0.3	1.111	0.5	0.4	0	51.6	52.5	0	146	149	0	26	27
2025	6	23	9	44	55	35.9	-1.4	1.11	0.4	0.3	0	51.6	52.9	0	146	149	0	26	26
2025	6	23	9	54	55	36.3	-0.5	1.109	0.5	0.4	0	51.6	52.9	0	146	149	0	26	26
2025	6	23	10	4	55	36.9	-0.4	1.109	0.3	0.2	0	51.2	52	0	145	148	0	26	27
2025	6	23	10	14	55	37.6	-0.8	1.109	0.4	0.3	0	51.2	51.6	0	145	147	0	26	27
2025	6	23	10	24	55	35.6	-0.1	1.109	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	23	10	34	55	35.5	0.2	1.108	0.4	0.3	0	50.7	51.6	0	144	147	0	26	27
2025	6	23	10	44	55	36.8	-1.2	1.108	0.5	0.5	0	50.3	51.6	0	143	147	0	26	27
2025	6	23	10	54	55	35.6	-0.5	1.106	0.4	0.3	0	50.3	51.6	0	144	147	0	27	27
2025	6	23	11	4	55	37.3	0.3	1.104	0.4	0.3	0	50.7	52	0	144	147	0	26	26
2025	6	23	11	14	55	37.3	-0.2	1.104	0.5	0.4	0	50.7	52	0	144	147	0	26	26
2025	6	23	11	24	55	37.3	-0.9	1.102	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	23	11	34	55	37.5	-1.8	1.101	0.4	0.3	0	50.3	51.2	0	143	146	0	26	27
2025	6	23	11	44	55	37.2	-1	1.101	0.5	0.4	0	50.7	51.6	0	144	147	0	26	27
2025	6	23	11	54	55	35.8	-0.4	1.1	0.4	0.3	0	50.3	52	0	143	147	0	26	26
2025	6	23	12	4	55	35.2	-0.8	1.1	0.4	0.3	0	50.3	51.6	0	143	146	0	26	26
2025	6	23	12	14	55	37.2	0.3	1.1	0.4	0.3	0	50.3	51.6	0	143	146	0	26	26
2025	6	23	12	24	55	36.1	0	1.099	0.4	0.3	0	50.3	51.6	0	143	146	0	26	26
2025	6	23	12	34	55	35.2	-1.1	1.099	0.3	0.2	0	50.3	51.6	0	143	146	0	26	26
2025	6	23	12	44	55	37.3	-0.8	1.098	0.5	0.5	0	49.9	51.6	0	142	146	0	26	26
2025	6	23	12	54	55	35.6	-1.1	1.096	0.3	0.2	0	49.5	51.6	0	142	146	0	27	26
2025	6	23	13	4	55	36.7	-0.9	1.095	0.3	0.2	0	49.9	51.6	0	142	146	0	26	26
2025	6	23	13	14	55	36.2	-1.1	1.094	0.5	0.4	0	49.9	50.7	0	142	145	0	26	27
2025	6	23	13	24	55	35.8	-0.8	1.093	0.5	0.4	0	50.3	52	0	143	146	0	26	25
2025	6	23	13	34	55	35.4	-0.4	1.092	0.4	0.3	0	50.3	51.6	0	143	146	0	26	26
2025	6	23	13	44	55	35	-0.7	1.092	0.5	0.4	0	50.3	51.6	0	143	146	0	26	26
2025	6	23	13	54	55	35.1	-1.4	1.091	0.4	0.3	0	50.3	51.6	0	143	146	0	26	26
2025	6	23	14	4	55	35.3	0.1	1.091	0.4	0.3	0	50.7	51.6	0	143	146	0	25	26
2025	6	23	14	14	55	36.4	-0.3	1.091	0.3	0.2	0	49.9	51.2	0	142	145	0	26	26
2025	6	23	14	24	55	36	-1.1	1.09	0.4	0.3	0	49.9	51.2	0	142	145	0	26	26
2025	6	23	14	34	55	35.3	-0.9	1.089	0.5	0.4	0	49.9	50.7	0	142	145	0	26	27
2025	6	23	14	44	55	34.9	-1.2	1.089	0.5	0.4	0	49.9	51.2	0	142	145	0	26	26
2025	6	23	14	54	55	34.8	0.5	1.087	0.5	0.5	0	49.9	51.2	0	142	145	0	26	26
2025	6	23	15	4	55	35.3	0.2	1.086	0.4	0.3	0	49.5	50.7	0	141	145	0	26	27
2025	6	23	15	14	55	35.8	-1	1.085	0.3	0.2	0	49.5	51.2	0	141	145	0	26	26
2025	6	23	15	24	55	34.7	-0.4	1.084	0.5	0.4	0	50.3	52	0	142	146	0	25	25
2025	6	23	15	34	55	35.4	0.3	1.083	0.4	0.3	0	50.3	51.2	0	142	145	0	25	26
2025	6	23	15	44	55	35.5	-1.6	1.082	0.3	0.2	0	49.5	51.2	0	141	145	0	26	26
2025	6	23	15	54	55	35.5	-1.3	1.082	0.4	0.3	0	49.9	51.2	0	142	145	0	26	26
2025	6	23	16	4	55	35.5	-0.3	1.082	0.5	0.4	0	49.9	51.2	0	141	145	0	25	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	23	16	14	55	35.4	-0.9	1.081	0.3	0.2	0	49.9	51.2	0	141	145	0	25	26
2025	6	23	16	24	55	35.1	-0.5	1.081	0.5	0.5	0	49.9	51.2	0	141	145	0	25	26
2025	6	23	16	34	55	34.2	-1.3	1.081	0.3	0.2	0	49.5	50.7	0	141	144	0	26	26
2025	6	23	16	44	55	35.5	-1.1	1.08	0.5	0.4	0	49.5	50.7	0	141	144	0	26	26
2025	6	23	16	54	55	35	-0.2	1.08	0.4	0.3	0	49.5	51.2	0	141	145	0	26	26
2025	6	23	17	4	55	34.4	-0.8	1.079	0.4	0.3	0	49	50.7	0	140	144	0	26	26
2025	6	23	17	14	55	34.6	0.2	1.079	0.5	0.4	0	49.5	51.2	0	141	145	0	26	26
2025	6	23	17	24	55	35.3	-0.7	1.078	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	23	17	34	55	33.8	0	1.077	0.5	0.4	0	49	50.7	0	140	144	0	26	26
2025	6	23	17	44	55	34.6	-0.2	1.075	0.3	0.2	0	49.5	51.2	0	141	145	0	26	26
2025	6	23	17	54	55	34.8	0.4	1.073	0.4	0.3	0	50.3	51.2	0	142	145	0	25	26
2025	6	23	18	4	55	35.5	0	1.073	0.4	0.3	0	49.9	51.2	0	141	145	0	25	26
2025	6	23	18	14	55	35	-0.7	1.072	0.4	0.3	0	49.9	51.2	0	141	145	0	25	26
2025	6	23	18	24	55	33.8	-0.4	1.072	0.4	0.3	0	49.9	51.2	0	141	145	0	25	26
2025	6	23	18	34	55	34.1	-0.3	1.071	0.5	0.4	0	49.5	51.2	0	141	145	0	26	26
2025	6	23	18	44	55	34.7	0	1.071	0.4	0.3	0	49.9	52	0	142	146	0	26	25
2025	6	23	18	54	55	34.4	-1.4	1.07	0.5	0.4	0	49.5	51.6	0	141	145	0	26	25
2025	6	23	19	4	55	33.6	1.1	1.07	0.5	0.5	0	49.9	51.6	0	142	146	0	26	26
2025	6	23	19	14	55	34.8	-1	1.07	0.5	0.4	0	49.9	51.2	0	142	145	0	26	26
2025	6	23	19	24	55	34.6	-0.4	1.069	0.5	0.4	0	49.9	51.6	0	142	146	0	26	26
2025	6	23	19	34	55	34.1	-0.3	1.069	0.4	0.3	0	50.3	52.5	0	143	147	0	26	25
2025	6	23	19	44	55	34.1	-0.9	1.069	0.4	0.3	0	50.3	52	0	143	147	0	26	26
2025	6	23	19	54	55	34.5	-1	1.068	0.5	0.4	0	50.7	52	0	143	147	0	25	26
2025	6	23	20	4	55	33.9	-0.9	1.068	0.5	0.4	0	50.7	52.5	0	143	147	0	25	25
2025	6	23	20	14	55	33.6	-1.1	1.067	0.4	0.3	0	51.2	52.5	0	144	148	0	25	26
2025	6	23	20	24	55	33.3	-1	1.066	0.5	0.4	0	51.6	52.9	0	145	149	0	25	26
2025	6	23	20	34	55	34.1	0.1	1.066	0.4	0.3	0	51.2	53.3	0	145	150	0	26	26
2025	6	23	20	44	55	34.5	0	1.065	0.4	0.3	0	51.6	52.9	0	145	149	0	25	26
2025	6	23	20	54	55	34	-0.2	1.064	0.4	0.3	0	52	53.3	0	146	150	0	25	26
2025	6	23	21	4	55	33.5	-0.9	1.062	0.6	0.5	0	51.6	53.8	0	146	150	0	26	25
2025	6	23	21	14	55	33.6	0.5	1.061	0.5	0.4	0	51.6	53.3	0	146	150	0	26	26
2025	6	23	21	24	55	34.4	-1.2	1.06	0.5	0.5	0	51.6	53.3	0	146	150	0	26	26
2025	6	23	21	34	55	33.8	-0.7	1.059	0.4	0.3	0	51.6	53.3	0	146	150	0	26	26
2025	6	23	21	44	55	34.1	-1.4	1.059	0.5	0.4	0	52	53.3	0	146	150	0	25	26
2025	6	23	21	54	55	34.5	-0.3	1.058	0.4	0.3	0	52	53.3	0	146	150	0	25	26
2025	6	23	22	4	55	33.6	-0.4	1.058	0.5	0.4	0	51.6	53.3	0	146	150	0	26	26
2025	6	23	22	14	55	32.7	-1.1	1.057	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	23	22	24	55	34.2	-0.3	1.057	0.4	0.3	0	52	53.8	0	147	151	0	26	26
2025	6	23	22	34	55	34.2	-0.5	1.056	0.4	0.3	0	52	53.8	0	147	151	0	26	26
2025	6	23	22	44	55	34.3	0.1	1.056	0.3	0.2	0	52.5	53.8	0	147	151	0	25	26
2025	6	23	22	54	55	32.9	0	1.056	0.5	0.4	0	52.5	53.8	0	147	151	0	25	26
2025	6	23	23	4	55	33.5	-0.9	1.055	0.4	0.3	0	52	54.2	0	147	151	0	26	25
2025	6	23	23	14	55	34.2	-1	1.055	0.3	0.2	0	52	53.3	0	147	151	0	26	27
2025	6	23	23	24	55	33	-1.1	1.055	0.5	0.4	0	52	53.8	0	147	151	0	26	26
2025	6	23	23	34	55	33.1	0	1.054	0.4	0.3	0	52.5	54.2	0	148	152	0	26	26
2025	6	23	23	44	55	34.2	-0.8	1.054	0.5	0.4	0	52	53.3	0	147	151	0	26	27
2025	6	23	23	54	55	33.1	-1	1.053	0.4	0.3	0	52	53.3	0	147	151	0	26	27
2025	6	24	0	4	55	35.1	-1.1	1.053	0.5	0.4	0	52	53.8	0	147	151	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	24	0	14	55	33.3	-0.1	1.052	0.5	0.5	0	52.5	54.2	0	148	152	0	26	26
2025	6	24	0	24	55	33.5	-0.4	1.052	0.5	0.4	0	52	53.8	0	147	152	0	26	27
2025	6	24	0	34	55	33.7	-1.3	1.051	0.5	0.5	0	52.5	53.8	0	148	151	0	26	26
2025	6	24	0	44	55	33.9	-0.5	1.051	0.3	0.2	0	52.9	54.2	0	148	152	0	25	26
2025	6	24	0	54	55	33	-0.5	1.05	0.4	0.3	0	52.5	54.6	0	148	153	0	26	26
2025	6	24	1	4	55	33.4	-0.7	1.05	0.4	0.3	0	52.5	54.2	0	148	152	0	26	26
2025	6	24	1	14	55	33	-2	1.049	0.3	0.2	0	52.5	54.2	0	148	152	0	26	26
2025	6	24	1	24	55	33	-0.9	1.047	0.5	0.4	0	52.5	54.2	0	148	152	0	26	26
2025	6	24	1	34	55	33.3	-0.7	1.046	0.4	0.3	0	52.9	54.2	0	149	152	0	26	26
2025	6	24	1	44	55	33.3	-0.9	1.044	0.5	0.4	0	52.9	55	0	149	154	0	26	26
2025	6	24	1	54	55	32.7	-0.4	1.044	0.5	0.4	0	53.3	55	0	150	154	0	26	26
2025	6	24	2	4	55	32.6	0	1.043	0.5	0.5	0	53.3	55	0	150	154	0	26	26
2025	6	24	2	14	55	33.1	0.4	1.043	0.5	0.4	0	52.9	55	0	149	154	0	26	26
2025	6	24	2	24	55	33.5	-0.9	1.042	0.5	0.4	0	53.3	55	0	150	154	0	26	26
2025	6	24	2	34	55	32.8	-1.2	1.042	0.5	0.4	0	52.9	54.6	0	149	153	0	26	26
2025	6	24	2	44	55	32.7	-0.7	1.041	0.5	0.4	0	52.9	55	0	149	154	0	26	26
2025	6	24	2	54	55	32.8	-0.2	1.041	0.5	0.4	0	53.3	55	0	150	154	0	26	26
2025	6	24	3	4	55	32.7	-0.4	1.041	0.5	0.4	0	53.3	54.6	0	150	154	0	26	27
2025	6	24	3	14	55	33.5	-0.5	1.04	0.5	0.4	0	53.3	55	0	149	154	0	25	26
2025	6	24	3	24	55	33.2	-0.9	1.04	0.5	0.4	0	53.3	55	0	150	154	0	26	26
2025	6	24	3	34	55	33.3	-0.7	1.04	0.5	0.4	0	52.9	54.2	0	149	153	0	26	27
2025	6	24	3	44	55	33.4	-1.3	1.039	0.4	0.3	0	52.9	54.6	0	149	153	0	26	26
2025	6	24	3	54	55	32.4	-0.6	1.039	0.4	0.3	0	52.9	54.6	0	149	153	0	26	26
2025	6	24	4	4	55	33	-1.3	1.039	0.5	0.4	0	52.9	54.6	0	149	153	0	26	26
2025	6	24	4	14	55	33.8	-1.7	1.039	0.5	0.4	0	52.9	54.6	0	149	153	0	26	26
2025	6	24	4	24	55	32.6	-1.8	1.038	0.4	0.3	0	52.9	54.2	0	149	153	0	26	27
2025	6	24	4	34	55	33.2	-0.3	1.038	0.5	0.4	0	52.9	54.2	0	149	153	0	26	27
2025	6	24	4	44	55	33.1	-0.2	1.038	0.3	0.2	0	52.9	54.6	0	149	153	0	26	26
2025	6	24	4	54	55	33.3	-0.4	1.037	0.4	0.3	0	52.9	55	0	149	154	0	26	26
2025	6	24	5	4	55	32.7	-0.6	1.037	0.4	0.3	0	52.9	54.6	0	150	154	0	27	27
2025	6	24	5	14	55	31.6	-0.7	1.036	0.4	0.3	0	53.3	54.6	0	150	154	0	26	27
2025	6	24	5	24	55	32.3	-0.6	1.036	0.3	0.2	0	52.9	54.6	0	150	154	0	27	27
2025	6	24	5	34	55	32.1	-1.2	1.035	0.5	0.4	0	53.3	54.6	0	150	154	0	26	27
2025	6	24	5	44	55	31.5	-1.4	1.035	0.5	0.4	0	53.3	54.6	0	150	154	0	26	27
2025	6	24	5	54	55	31.5	-0.9	1.034	0.5	0.4	0	53.3	55	0	150	155	0	26	27
2025	6	24	6	4	55	32.1	-1.3	1.034	0.5	0.5	0	52.9	54.6	0	150	154	0	27	27
2025	6	24	6	14	55	31.4	-1.4	1.033	0.3	0.2	0	53.3	54.6	0	150	154	0	26	27
2025	6	24	6	24	55	32.8	-1.7	1.031	0.5	0.5	0	52.9	54.6	0	149	154	0	26	27
2025	6	24	6	34	55	31.9	-0.9	1.029	0.5	0.5	0	52.9	54.2	0	149	153	0	26	27
2025	6	24	6	44	55	32.2	-0.4	1.029	0.4	0.3	0	52.9	54.2	0	149	153	0	26	27
2025	6	24	6	54	55	32.8	-0.6	1.029	0.4	0.3	0	52	54.6	0	148	153	0	27	26
2025	6	24	7	4	55	32.4	0.2	1.028	0.5	0.4	0	52.5	54.2	0	148	153	0	26	27
2025	6	24	7	14	55	31.8	-0.4	1.028	0.4	0.3	0	52	54.2	0	148	152	0	27	26
2025	6	24	7	24	55	32.6	-0.1	1.027	0.4	0.3	0	51.6	53.8	0	147	152	0	27	27
2025	6	24	7	34	55	31.8	-1.3	1.027	0.5	0.5	0	51.6	53.8	0	147	152	0	27	27
2025	6	24	7	44	55	32	-0.8	1.027	0.5	0.4	0	51.6	53.8	0	147	151	0	27	26
2025	6	24	7	54	55	32.6	0	1.026	0.4	0.3	0	52	53.3	0	147	151	0	26	27
2025	6	24	8	4	55	30.8	-1.3	1.026	0.4	0.3	0	51.6	53.3	0	146	151	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	24	8	14	55	32.3	-0.9	1.026	0.5	0.4	0	51.2	52.9	0	145	150	0	26	27
2025	6	24	8	24	55	31.3	-1.3	1.026	0.5	0.5	0	51.2	52.9	0	145	150	0	26	27
2025	6	24	8	34	55	31.9	-1.8	1.025	0.4	0.3	0	51.2	52.9	0	145	150	0	26	27
2025	6	24	8	44	55	32.6	-0.7	1.025	0.4	0.3	0	51.2	52.9	0	145	149	0	26	26
2025	6	24	8	54	55	31.2	-0.1	1.025	0.5	0.4	0	51.2	52.5	0	145	149	0	26	27
2025	6	24	9	4	55	32.2	-1.3	1.025	0.5	0.4	0	50.7	52.9	0	144	149	0	26	26
2025	6	24	9	14	55	32.4	-1.3	1.024	0.5	0.4	0	50.7	52.5	0	144	149	0	26	27
2025	6	24	9	24	55	32	0	1.024	0.5	0.5	0	50.7	52	0	144	148	0	26	27
2025	6	24	9	34	55	32.6	-2.1	1.023	0.5	0.4	0	50.3	52	0	143	148	0	26	27
2025	6	24	9	44	55	31.2	-0.8	1.023	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	24	9	54	55	32	-0.6	1.022	0.3	0.2	0	49.9	52	0	143	147	0	27	26
2025	6	24	10	4	55	31.8	0.4	1.021	0.4	0.3	0	49.5	51.6	0	142	147	0	27	27
2025	6	24	10	14	55	31.7	-1.4	1.018	0.4	0.3	0	50.3	51.6	0	143	147	0	26	27
2025	6	24	10	24	55	32.2	-1.6	1.018	0.6	0.5	0	49.9	51.6	0	142	147	0	26	27
2025	6	24	10	34	55	32.1	-0.4	1.017	0.5	0.4	0	49.9	51.2	0	142	146	0	26	27
2025	6	24	10	44	55	31.9	-0.2	1.017	0.5	0.5	0	49	51.6	0	141	146	0	27	26
2025	6	24	10	54	55	31.5	-1.4	1.016	0.5	0.5	0	49	51.6	0	141	146	0	27	26
2025	6	24	11	4	55	31.2	-0.9	1.016	0.4	0.3	0	49	51.2	0	141	146	0	27	27
2025	6	24	11	14	55	31.1	-0.4	1.016	0.4	0.3	0	49	51.2	0	141	146	0	27	27
2025	6	24	11	24	55	31.3	-0.5	1.015	0.4	0.3	0	49.5	50.7	0	141	145	0	26	27
2025	6	24	11	34	55	31.2	-1.1	1.015	0.4	0.3	0	49	50.7	0	140	145	0	26	27
2025	6	24	11	44	55	30.7	-0.5	1.015	0.4	0.3	0	49.5	51.2	0	141	146	0	26	27
2025	6	24	11	54	55	31.6	-0.8	1.014	0.5	0.4	0	49.5	51.2	0	141	145	0	26	26
2025	6	24	12	4	55	31	-1.3	1.014	0.4	0.3	0	49.5	50.7	0	141	145	0	26	27
2025	6	24	12	14	55	31.8	-1.8	1.013	0.5	0.4	0	49	50.7	0	140	145	0	26	27
2025	6	24	12	24	55	31.4	-1.1	1.011	0.5	0.4	0	49	50.7	0	140	145	0	26	27
2025	6	24	12	34	55	30.9	-0.6	1.01	0.5	0.4	0	49	50.3	0	140	144	0	26	27
2025	6	24	12	44	55	31.4	0.2	1.008	0.5	0.4	0	49	50.7	0	140	145	0	26	27
2025	6	24	12	54	55	31.4	-0.9	1.008	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	24	13	4	55	30.8	-0.8	1.007	0.4	0.3	0	49.5	50.7	0	140	145	0	25	27
2025	6	24	13	14	55	30.2	0.4	1.007	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	24	13	24	55	31.8	-1.1	1.007	0.4	0.3	0	49	50.7	0	140	144	0	26	26
2025	6	24	13	34	55	29.6	-1.5	1.007	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	24	13	44	55	30.1	-0.2	1.006	0.5	0.4	0	49.5	51.6	0	142	146	0	27	26
2025	6	24	13	54	55	31.4	-0.7	1.006	0.4	0.3	0	49.5	51.2	0	141	145	0	26	26
2025	6	24	14	4	55	30.9	-0.1	1.005	0.4	0.3	0	49	50.7	0	140	145	0	26	27
2025	6	24	14	14	55	31	-0.6	1.005	0.5	0.4	0	48.6	50.7	0	139	144	0	26	26
2025	6	24	14	24	55	30.9	-0.5	1.005	0.4	0.3	0	48.6	50.3	0	139	143	0	26	26
2025	6	24	14	34	55	31.2	-0.6	1.004	0.5	0.4	0	48.6	50.7	0	139	144	0	26	26
2025	6	24	14	44	55	29.9	-0.1	1.001	0.5	0.4	0	49	50.3	0	140	144	0	26	27
2025	6	24	14	54	55	31.1	-1.7	1	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	24	15	4	55	30.7	-0.6	0.999	0.4	0.3	0	48.6	51.2	0	139	144	0	26	25
2025	6	24	15	14	55	30.4	-0.6	0.999	0.4	0.3	0	49.5	50.7	0	140	145	0	25	27
2025	6	24	15	24	55	30.3	0	0.998	0.5	0.4	0	49	50.7	0	140	144	0	26	26
2025	6	24	15	34	55	30.8	-1	0.998	0.3	0.2	0	48.6	50.7	0	139	144	0	26	26
2025	6	24	15	44	55	31	-0.7	0.998	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	24	15	54	55	29.9	-1.5	0.997	0.5	0.5	0	49	51.2	0	140	145	0	26	26
2025	6	24	16	4	55	29.6	-2.1	0.997	0.5	0.4	0	49	50.7	0	139	144	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	24	16	14	55	29	0	0.997	0.4	0.3	0	49.5	51.2	0	140	145	0	25	26
2025	6	24	16	24	55	29.6	0.4	0.996	0.4	0.3	0	49	50.7	0	140	144	0	26	26
2025	6	24	16	34	55	29.7	-2	0.996	0.5	0.5	0	48.6	50.7	0	139	144	0	26	26
2025	6	24	16	44	55	30.9	-1.8	0.995	0.3	0.2	0	49	50.7	0	140	144	0	26	26
2025	6	24	16	54	55	29.1	-0.7	0.995	0.5	0.4	0	49	51.2	0	140	144	0	26	25
2025	6	24	17	4	55	30.9	-0.2	0.993	0.5	0.5	0	49	50.7	0	140	144	0	26	26
2025	6	24	17	14	55	30	-0.6	0.991	0.5	0.4	0	49	50.7	0	140	144	0	26	26
2025	6	24	17	24	55	30.3	-1	0.99	0.5	0.4	0	49	50.7	0	140	144	0	26	26
2025	6	24	17	34	55	30.5	-0.6	0.989	0.5	0.4	0	49	50.7	0	139	144	0	25	26
2025	6	24	17	44	55	32.6	-0.8	0.988	0.5	0.4	0	49	50.7	0	140	144	0	26	26
2025	6	24	17	54	55	28.5	-0.4	0.988	0.5	0.4	0	53.8	55	0	151	155	0	26	27
2025	6	24	18	4	55	29.9	-1.2	0.989	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	6	24	18	14	55	29.9	-0.5	0.988	0.4	0.3	0	52.9	54.2	0	148	152	0	25	26
2025	6	24	18	24	55	28.3	0.6	0.987	0.5	0.5	0	50.3	52	0	143	147	0	26	26
2025	6	24	18	34	55	30.7	-0.9	0.987	0.5	0.5	0	49.9	52	0	142	147	0	26	26
2025	6	24	18	44	55	30.2	0.4	0.987	0.3	0.2	0	49.5	51.6	0	141	146	0	26	26
2025	6	24	18	54	55	29.4	-0.4	0.987	0.5	0.4	0	50.3	51.6	0	142	146	0	25	26
2025	6	24	19	4	55	30	-1.6	0.987	0.4	0.3	0	50.3	51.6	0	142	146	0	25	26
2025	6	24	19	14	55	30.5	-0.6	0.986	0.5	0.4	0	50.3	51.6	0	142	146	0	25	26
2025	6	24	19	24	55	29	-0.1	0.986	0.5	0.4	0	50.7	52	0	143	147	0	25	26
2025	6	24	19	34	55	30.6	-0.6	0.986	0.4	0.3	0	50.3	52.5	0	143	148	0	26	26
2025	6	24	19	44	55	29.5	-0.5	0.985	0.4	0.3	0	50.3	52.5	0	143	148	0	26	26
2025	6	24	19	54	55	29.9	-0.7	0.985	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	24	20	4	55	30	-0.5	0.984	0.5	0.4	0	50.7	52.9	0	144	149	0	26	26
2025	6	24	20	14	55	30.3	-0.6	0.984	0.5	0.4	0	50.7	52.9	0	144	149	0	26	26
2025	6	24	20	24	55	30.3	-0.3	0.983	0.5	0.4	0	51.6	53.3	0	146	150	0	26	26
2025	6	24	20	34	55	29.3	-1.1	0.982	0.4	0.3	0	52.5	53.8	0	147	151	0	25	26
2025	6	24	20	44	55	28.9	-0.4	0.981	0.3	0.2	0	52	53.8	0	147	151	0	26	26
2025	6	24	20	54	55	28.9	-0.2	0.979	0.5	0.4	0	52	54.2	0	147	152	0	26	26
2025	6	24	21	4	55	30.7	-0.2	0.979	0.4	0.3	0	52.5	54.6	0	147	152	0	25	25
2025	6	24	21	14	55	29.1	-2.1	0.978	0.5	0.5	0	52.5	54.6	0	148	153	0	26	26
2025	6	24	21	24	55	30	-0.4	0.977	0.5	0.4	0	52.9	54.6	0	148	153	0	25	26
2025	6	24	21	34	55	30.1	-0.1	0.977	0.5	0.5	0	52	54.2	0	147	152	0	26	26
2025	6	24	21	44	55	29.2	0	0.977	0.4	0.3	0	52.9	54.6	0	148	153	0	25	26
2025	6	24	21	54	55	28.9	-0.6	0.976	0.5	0.5	0	53.3	54.6	0	149	153	0	25	26
2025	6	24	22	4	55	29.5	-1	0.976	0.5	0.4	0	53.3	54.6	0	149	153	0	25	26
2025	6	24	22	14	55	29.3	-0.3	0.976	0.3	0.2	0	52.5	54.6	0	148	153	0	26	26
2025	6	24	22	24	55	29.7	-0.5	0.975	0.5	0.4	0	52.9	55	0	149	154	0	26	26
2025	6	24	22	34	55	30.2	-0.5	0.975	0.5	0.4	0	52.9	54.6	0	149	153	0	26	26
2025	6	24	22	44	55	29.6	-0.6	0.975	0.4	0.3	0	52.9	55.5	0	149	154	0	26	25
2025	6	24	22	54	55	29.8	-0.4	0.974	0.4	0.3	0	53.3	55	0	150	154	0	26	26
2025	6	24	23	4	55	29.1	0.3	0.974	0.5	0.4	0	53.3	55.5	0	150	155	0	26	26
2025	6	24	23	14	55	28.2	-0.4	0.974	0.5	0.4	0	53.3	55	0	150	154	0	26	26
2025	6	24	23	24	55	28.7	-0.4	0.973	0.5	0.4	0	53.3	55.5	0	150	155	0	26	26
2025	6	24	23	34	55	30	-1.2	0.973	0.5	0.5	0	53.3	55.5	0	150	155	0	26	26
2025	6	24	23	44	55	29.5	-1.2	0.973	0.4	0.3	0	53.3	55.5	0	150	155	0	26	26
2025	6	24	23	54	55	29.6	-0.5	0.972	0.5	0.4	0	53.3	55.5	0	150	155	0	26	26
2025	6	25	0	4	55	29.5	-0.2	0.972	0.4	0.3	0	53.8	55.5	0	150	155	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	25	0	14	55	28.8	-1	0.972	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	25	0	24	55	28.8	-1.4	0.972	0.4	0.3	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	0	34	55	28.3	-0.9	0.971	0.5	0.4	0	53.3	55.9	0	151	156	0	27	26
2025	6	25	0	44	55	28.9	0.4	0.971	0.4	0.3	0	53.3	55.5	0	150	155	0	26	26
2025	6	25	0	54	55	29.4	-0.3	0.971	0.4	0.3	0	53.8	55	0	151	155	0	26	27
2025	6	25	1	4	55	29.3	-0.9	0.97	0.5	0.4	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	1	14	55	29	-0.9	0.97	0.6	0.5	0	53.8	55.5	0	151	155	0	26	26
2025	6	25	1	24	55	28.9	-0.1	0.97	0.4	0.3	0	53.3	55.9	0	150	155	0	26	25
2025	6	25	1	34	55	28.8	-1	0.969	0.5	0.5	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	1	44	55	29.4	0	0.969	0.4	0.3	0	53.3	55.9	0	150	156	0	26	26
2025	6	25	1	54	55	27.9	0	0.969	0.5	0.4	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	2	4	55	28.6	0.2	0.969	0.4	0.3	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	2	14	55	28.5	-0.1	0.968	0.5	0.5	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	2	24	55	28.3	-1.3	0.968	0.5	0.5	0	53.3	55.9	0	151	156	0	27	26
2025	6	25	2	34	55	28.8	-0.4	0.968	0.5	0.4	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	2	44	55	28.7	-0.4	0.967	0.5	0.4	0	53.8	55.5	0	151	156	0	26	27
2025	6	25	2	54	55	29.3	-0.9	0.967	0.5	0.4	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	3	4	55	29	-0.8	0.966	0.5	0.4	0	53.8	55.5	0	151	156	0	26	27
2025	6	25	3	14	55	28.2	-0.9	0.966	0.5	0.4	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	3	24	55	29.2	-1.3	0.965	0.4	0.3	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	3	34	55	28.9	-1	0.965	0.5	0.4	0	53.8	56.3	0	152	157	0	27	26
2025	6	25	3	44	55	29	-1.1	0.964	0.5	0.4	0	53.3	55.5	0	151	156	0	27	27
2025	6	25	3	54	55	28.8	-1.1	0.964	0.5	0.5	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	4	4	55	28.9	-0.7	0.963	0.4	0.3	0	54.2	55.5	0	151	156	0	25	27
2025	6	25	4	14	55	28.1	-1	0.962	0.5	0.4	0	52.9	55.9	0	149	156	0	26	26
2025	6	25	4	24	55	29	-1	0.961	0.5	0.4	0	53.3	55.9	0	151	156	0	27	26
2025	6	25	4	34	55	28.2	-0.5	0.961	0.4	0.3	0	54.2	56.3	0	152	157	0	26	26
2025	6	25	4	44	55	28.9	-0.5	0.96	0.5	0.4	0	54.2	55.5	0	152	156	0	26	27
2025	6	25	4	54	55	28.5	-0.9	0.96	0.5	0.4	0	54.2	55.9	0	152	156	0	26	26
2025	6	25	5	4	55	28.1	-0.8	0.96	0.5	0.4	0	53.8	56.3	0	152	157	0	27	26
2025	6	25	5	14	55	28.6	-0.8	0.96	0.4	0.3	0	54.2	56.3	0	152	157	0	26	26
2025	6	25	5	24	55	29.3	-1.3	0.959	0.5	0.4	0	54.2	56.3	0	152	157	0	26	26
2025	6	25	5	34	55	29.4	-1.8	0.959	0.5	0.4	0	54.2	55.5	0	152	156	0	26	27
2025	6	25	5	44	55	28.4	-1.1	0.958	0.4	0.3	0	54.2	55.9	0	152	157	0	26	27
2025	6	25	5	54	55	28.8	-0.3	0.958	0.6	0.5	0	54.2	55.5	0	152	156	0	26	27
2025	6	25	6	4	55	28	-1.7	0.958	0.4	0.3	0	53.8	55.9	0	151	156	0	26	26
2025	6	25	6	14	55	28.9	-0.7	0.958	0.5	0.4	0	53.3	55.9	0	151	156	0	27	26
2025	6	25	6	24	55	27.9	-2.1	0.958	0.5	0.5	0	54.2	55.5	0	151	156	0	25	27
2025	6	25	6	34	55	28.1	-1.6	0.957	0.5	0.5	0	53.3	55.5	0	151	155	0	27	26
2025	6	25	6	44	55	28.6	-0.1	0.957	0.5	0.5	0	52.9	55	0	149	155	0	26	27
2025	6	25	6	54	55	28.7	-2.1	0.957	0.4	0.3	0	52.9	54.6	0	149	154	0	26	27
2025	6	25	7	4	55	28.3	-1.2	0.957	0.5	0.4	0	52.9	55	0	149	154	0	26	26
2025	6	25	7	14	55	28.7	-1.3	0.956	0.5	0.4	0	52.9	55	0	149	154	0	26	26
2025	6	25	7	24	55	28.3	-1.2	0.956	0.4	0.3	0	52.5	54.6	0	148	154	0	26	27
2025	6	25	7	34	55	29.1	-0.8	0.956	0.4	0.3	0	52.5	54.2	0	148	153	0	26	27
2025	6	25	7	44	55	28	0	0.956	0.5	0.5	0	52.5	54.6	0	148	153	0	26	26
2025	6	25	7	54	55	27.9	-1.8	0.956	0.5	0.5	0	52	54.2	0	147	152	0	26	26
2025	6	25	8	4	55	28.8	-0.2	0.956	0.5	0.4	0	52.5	53.8	0	147	152	0	25	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	25	8	14	55	28.1	-1.3	0.956	0.4	0.3	0	51.6	54.2	0	147	152	0	27	26
2025	6	25	8	24	55	28.6	-0.9	0.955	0.5	0.5	0	51.6	53.8	0	146	152	0	26	27
2025	6	25	8	34	55	28.3	-0.5	0.955	0.5	0.5	0	51.2	53.3	0	146	151	0	27	27
2025	6	25	8	44	55	29.2	-0.9	0.955	0.4	0.3	0	51.6	53.3	0	146	151	0	26	27
2025	6	25	8	54	55	28.3	-0.8	0.955	0.5	0.4	0	51.6	53.8	0	146	151	0	26	26
2025	6	25	9	4	55	28.6	-1.3	0.955	0.4	0.3	0	50.7	53.3	0	145	150	0	27	26
2025	6	25	9	14	55	27.4	-0.9	0.955	0.5	0.4	0	51.2	53.3	0	145	150	0	26	26
2025	6	25	9	24	55	27.9	-0.9	0.954	0.5	0.4	0	50.7	52.5	0	144	149	0	26	27
2025	6	25	9	34	55	28.3	-0.9	0.954	0.5	0.4	0	50.7	52.5	0	144	149	0	26	27
2025	6	25	9	44	55	27.4	-0.4	0.954	0.5	0.4	0	50.3	52.5	0	143	148	0	26	26
2025	6	25	9	54	55	27.6	-1.4	0.953	0.5	0.5	0	50.3	52.9	0	143	149	0	26	26
2025	6	25	10	4	55	27.9	-1.2	0.953	0.5	0.5	0	50.3	52	0	143	148	0	26	27
2025	6	25	10	14	55	27.9	-0.7	0.952	0.5	0.4	0	50.3	52.5	0	143	148	0	26	26
2025	6	25	10	24	55	27.2	-0.6	0.95	0.5	0.4	0	50.3	52.5	0	143	148	0	26	26
2025	6	25	10	34	55	29.1	-0.9	0.949	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	25	10	44	55	28.1	-1.9	0.949	0.5	0.4	0	49.5	52	0	142	147	0	27	26
2025	6	25	10	54	55	28.6	-0.9	0.948	0.5	0.4	0	49.5	52	0	141	147	0	26	26
2025	6	25	11	4	55	28	-0.6	0.948	0.5	0.5	0	49.5	51.2	0	141	146	0	26	27
2025	6	25	11	14	55	28.3	-0.2	0.948	0.5	0.5	0	49.9	52	0	142	147	0	26	26
2025	6	25	11	24	55	27.3	0	0.948	0.5	0.4	0	49.5	51.6	0	141	146	0	26	26
2025	6	25	11	34	55	28.7	-1	0.948	0.5	0.5	0	49.5	51.2	0	141	146	0	26	27
2025	6	25	11	44	55	28.6	-1	0.948	0.5	0.4	0	49	51.2	0	140	146	0	26	27
2025	6	25	11	54	55	27.2	-0.3	0.948	0.5	0.5	0	49.5	51.6	0	141	146	0	26	26
2025	6	25	12	4	55	29.2	-1.4	0.948	0.5	0.4	0	49.5	51.6	0	141	146	0	26	26
2025	6	25	12	14	55	28.4	-0.4	0.947	0.3	0.2	0	48.6	51.2	0	140	145	0	27	26
2025	6	25	12	24	55	27.5	-0.9	0.947	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	25	12	34	55	27.5	-0.7	0.946	0.5	0.5	0	49	51.2	0	140	145	0	26	26
2025	6	25	12	44	55	28	-0.2	0.946	0.6	0.5	0	49	51.2	0	140	145	0	26	26
2025	6	25	12	54	55	28.6	-1.3	0.946	0.5	0.5	0	49	50.3	0	139	144	0	25	27
2025	6	25	13	4	55	27.8	-1.1	0.946	0.5	0.4	0	48.6	50.7	0	139	144	0	26	26
2025	6	25	13	14	55	27.1	-1.4	0.946	0.5	0.4	0	48.6	50.3	0	139	144	0	26	27
2025	6	25	13	24	55	27.9	-1.7	0.945	0.5	0.4	0	48.6	50.7	0	139	144	0	26	26
2025	6	25	13	34	55	26.3	-0.3	0.943	0.4	0.3	0	49	51.2	0	140	145	0	26	26
2025	6	25	13	44	55	27.1	-1.6	0.943	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	25	13	54	55	28.7	-1.2	0.942	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	25	14	4	55	28.7	-0.4	0.941	0.5	0.4	0	49	51.6	0	140	145	0	26	25
2025	6	25	14	14	55	27.8	-0.6	0.941	0.5	0.5	0	49.5	50.7	0	140	145	0	25	27
2025	6	25	14	24	55	27.2	0.3	0.941	0.5	0.5	0	48.6	51.2	0	139	145	0	26	26
2025	6	25	14	34	55	28.5	-0.6	0.941	0.5	0.5	0	48.6	51.2	0	139	145	0	26	26
2025	6	25	14	44	55	27.4	-0.4	0.94	0.5	0.4	0	48.6	51.2	0	139	145	0	26	26
2025	6	25	14	54	55	27.6	-1	0.94	0.5	0.4	0	48.6	50.7	0	139	144	0	26	26
2025	6	25	15	4	55	27.1	-1	0.94	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	25	15	14	55	28	-1.6	0.94	0.5	0.5	0	49	51.2	0	139	145	0	25	26
2025	6	25	15	24	55	27.1	-0.7	0.94	0.5	0.5	0	48.6	50.7	0	139	144	0	26	26
2025	6	25	15	34	55	27.6	-1.4	0.939	0.5	0.4	0	48.6	51.2	0	139	145	0	26	26
2025	6	25	15	44	55	28.3	-0.5	0.94	0.5	0.5	0	49.5	51.6	0	140	145	0	25	25
2025	6	25	15	54	55	26.5	-0.6	0.939	0.5	0.4	0	49	51.2	0	140	145	0	26	26
2025	6	25	16	4	55	28.1	-0.4	0.939	0.4	0.3	0	49.5	51.2	0	140	145	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	25	16	14	55	28.4	0.1	0.938	0.6	0.5	0	48.6	51.2	0	139	145	0	26	26
2025	6	25	16	24	55	27.9	-1.3	0.938	0.5	0.5	0	49.5	52	0	140	146	0	25	25
2025	6	25	16	34	55	27.4	-0.1	0.938	0.5	0.5	0	49.5	52	0	140	146	0	25	25
2025	6	25	16	44	55	27.1	-0.9	0.937	0.6	0.5	0	49	52	0	140	146	0	26	25
2025	6	25	16	54	55	27.4	-0.6	0.935	0.6	0.5	0	49.9	51.6	0	141	146	0	25	26
2025	6	25	17	4	55	28.1	-1	0.934	0.5	0.5	0	49.5	51.6	0	140	146	0	25	26
2025	6	25	17	14	55	27.5	-0.4	0.934	0.5	0.4	0	49	51.6	0	140	146	0	26	26
2025	6	25	17	24	55	27.7	-0.8	0.933	0.4	0.3	0	49	51.6	0	140	146	0	26	26
2025	6	25	17	34	55	27.5	-1	0.933	0.5	0.5	0	50.3	51.6	0	141	146	0	24	26
2025	6	25	17	44	55	28.2	-1	0.933	0.5	0.5	0	49.9	52.5	0	142	147	0	26	25
2025	6	25	17	54	55	27.8	-1.2	0.932	0.5	0.4	0	49.5	52	0	141	147	0	26	26
2025	6	25	18	4	55	27	-0.7	0.932	0.5	0.5	0	49.9	52	0	141	146	0	25	25
2025	6	25	18	14	55	27.9	-0.3	0.932	0.5	0.5	0	49.9	51.6	0	141	146	0	25	26
2025	6	25	18	24	55	27.3	-0.9	0.932	0.5	0.4	0	49.9	51.6	0	141	146	0	25	26
2025	6	25	18	34	55	26.9	-1.1	0.931	0.5	0.4	0	50.3	52	0	142	147	0	25	26
2025	6	25	18	44	55	27.6	-0.8	0.931	0.5	0.5	0	50.3	52	0	142	147	0	25	26
2025	6	25	18	54	55	27.4	-1.4	0.931	0.5	0.4	0	49.9	52.5	0	142	147	0	26	25
2025	6	25	19	4	55	26.5	-0.7	0.931	0.5	0.5	0	50.3	52	0	142	147	0	25	26
2025	6	25	19	14	55	27.5	-0.5	0.931	0.5	0.4	0	50.3	52.5	0	142	148	0	25	26
2025	6	25	19	24	55	27.3	-0.9	0.931	0.5	0.4	0	50.7	52.5	0	143	148	0	25	26
2025	6	25	19	34	55	27.1	-1	0.93	0.4	0.3	0	51.6	53.3	0	144	149	0	24	25
2025	6	25	19	44	55	27.3	-1.2	0.93	0.5	0.4	0	51.2	52.9	0	144	149	0	25	26
2025	6	25	19	54	55	27.1	-0.7	0.93	0.5	0.4	0	50.7	53.3	0	144	150	0	26	26
2025	6	25	20	4	55	26.4	-1	0.93	0.5	0.4	0	51.6	53.8	0	145	151	0	25	26
2025	6	25	20	14	55	26.3	-0.9	0.93	0.5	0.5	0	51.6	53.8	0	145	150	0	25	25
2025	6	25	20	24	55	27.1	0	0.93	0.5	0.4	0	52	54.2	0	146	151	0	25	25
2025	6	25	20	34	55	27.5	0	0.929	0.5	0.5	0	51.6	54.2	0	146	152	0	26	26
2025	6	25	20	44	55	26.1	-0.2	0.929	0.5	0.5	0	52	54.2	0	146	152	0	25	26
2025	6	25	20	54	55	25.5	-1.5	0.929	0.5	0.4	0	52	54.2	0	147	152	0	26	26
2025	6	25	21	4	55	27.3	-1.7	0.928	0.5	0.4	0	52.5	54.6	0	147	152	0	25	25
2025	6	25	21	14	55	26.7	-0.8	0.927	0.5	0.4	0	53.3	54.2	0	150	152	0	26	26
2025	6	25	21	24	55	28.1	-0.7	0.927	0.5	0.4	0	54.2	55	0	151	153	0	25	25
2025	6	25	21	34	55	26.6	0	0.927	0.5	0.4	0	54.2	54.6	0	151	153	0	25	26
2025	6	25	21	44	55	27.2	-0.6	0.928	0.5	0.4	0	53.8	55	0	151	153	0	26	25
2025	6	25	21	54	55	27.9	-1	0.927	0.5	0.4	0	54.2	54.6	0	151	153	0	25	26
2025	6	25	22	4	55	26.8	0.5	0.927	0.5	0.4	0	54.2	55.5	0	151	154	0	25	25
2025	6	25	22	14	55	27.7	-0.6	0.927	0.5	0.4	0	54.2	55	0	151	154	0	25	26
2025	6	25	22	24	55	27.4	-0.7	0.927	0.5	0.4	0	53.8	54.6	0	151	153	0	26	26
2025	6	25	22	34	55	28.2	-0.4	0.926	0.6	0.5	0	53.8	55	0	151	153	0	26	25
2025	6	25	22	44	55	27.4	-0.5	0.926	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	25	22	54	55	26.2	-0.2	0.926	0.5	0.4	0	54.2	55.5	0	152	154	0	26	25
2025	6	25	23	4	55	26.6	-1.2	0.926	0.5	0.4	0	54.2	55.5	0	151	154	0	25	25
2025	6	25	23	14	55	26.7	-1.3	0.926	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	25	23	24	55	27.1	-1.2	0.926	0.6	0.5	0	53.8	55.5	0	151	154	0	26	25
2025	6	25	23	34	55	26.7	-0.4	0.925	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	25	23	44	55	28.1	-0.9	0.925	0.4	0.3	0	54.6	55.9	0	152	155	0	25	25
2025	6	25	23	54	55	26.7	-2.2	0.925	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	26	0	4	55	26.3	-0.4	0.925	0.5	0.4	0	54.6	55	0	152	154	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	26	0	14	55	27.4	-0.4	0.925	0.3	0.2	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	0	24	55	25.9	-1.5	0.925	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	0	34	55	25.5	-1	0.924	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	26	0	44	55	27.1	-0.8	0.924	0.5	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	26	0	54	55	26.2	-0.7	0.924	0.5	0.5	0	54.6	55	0	152	155	0	25	27
2025	6	26	1	4	55	26.6	-0.1	0.924	0.4	0.3	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	1	14	55	25.9	-0.4	0.924	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	1	24	55	26.5	-0.7	0.923	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	1	34	55	25.8	-0.6	0.923	0.5	0.5	0	54.2	55	0	152	155	0	26	27
2025	6	26	1	44	55	25.5	0	0.923	0.5	0.4	0	54.6	56.3	0	153	156	0	26	25
2025	6	26	1	54	55	26.4	-1.8	0.923	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	26	2	4	55	25.7	-0.2	0.923	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	2	14	55	26.4	-0.9	0.923	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	2	24	55	25.9	-0.3	0.923	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	2	34	55	25.9	-1.8	0.922	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	26	2	44	55	26.8	-1.7	0.922	0.5	0.4	0	54.6	56.3	0	153	156	0	26	25
2025	6	26	2	54	55	27.4	-1.3	0.922	0.5	0.4	0	55	55.9	0	153	155	0	25	25
2025	6	26	3	4	55	26.5	-0.4	0.922	0.5	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	26	3	14	55	26.1	-1.3	0.922	0.6	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	3	24	55	26.9	-0.8	0.921	0.4	0.3	0	55	56.3	0	153	156	0	25	25
2025	6	26	3	34	55	26.4	-0.3	0.922	0.4	0.3	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	3	44	55	26.8	-1.5	0.921	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	3	54	55	26.5	0.2	0.921	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	4	4	55	25.9	-0.8	0.921	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	4	14	55	25.4	-0.3	0.921	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	26	4	24	55	27	-0.9	0.921	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	4	34	55	26.5	-0.9	0.92	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	4	44	55	25.4	-1	0.92	0.5	0.5	0	54.6	55.5	0	153	156	0	26	27
2025	6	26	4	54	55	25.9	-0.6	0.92	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	5	4	55	26.2	-0.6	0.92	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	26	5	14	55	25.6	0.5	0.92	0.5	0.5	0	55	56.3	0	154	157	0	26	26
2025	6	26	5	24	55	26.4	-0.3	0.919	0.5	0.5	0	55	56.3	0	154	157	0	26	26
2025	6	26	5	34	55	26	-1.2	0.92	0.5	0.4	0	54.6	56.3	0	153	157	0	26	26
2025	6	26	5	44	55	26.7	-1.8	0.919	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	26	5	54	55	26.5	-1	0.919	0.5	0.5	0	54.6	55.5	0	153	156	0	26	27
2025	6	26	6	4	55	25.6	-0.5	0.919	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	26	6	14	55	25	-1.4	0.918	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	6	24	55	26.2	-0.6	0.918	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	26	6	34	55	25.9	0.2	0.918	0.4	0.3	0	53.8	55	0	152	155	0	27	27
2025	6	26	6	44	55	26	-1.1	0.917	0.5	0.5	0	53.8	55	0	151	154	0	26	26
2025	6	26	6	54	55	26.7	-0.1	0.917	0.5	0.4	0	54.2	55	0	152	155	0	26	27
2025	6	26	7	4	55	26.3	-1.2	0.916	0.5	0.5	0	54.6	55	0	152	155	0	25	27
2025	6	26	7	14	55	26.3	-1.4	0.916	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	26	7	24	55	25.8	0	0.916	0.5	0.4	0	53.3	55	0	150	154	0	26	26
2025	6	26	7	34	55	26.3	-0.7	0.916	0.5	0.5	0	53.3	54.6	0	150	153	0	26	26
2025	6	26	7	44	55	26.3	-1.4	0.915	0.5	0.5	0	53.3	54.6	0	150	153	0	26	26
2025	6	26	7	54	55	26.6	-1.7	0.915	0.5	0.5	0	53.3	54.2	0	150	153	0	26	27
2025	6	26	8	4	55	25.8	-1	0.914	0.5	0.4	0	52.9	54.2	0	149	152	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	26	8	14	55	25.2	-0.8	0.914	0.5	0.5	0	52.9	54.2	0	149	152	0	26	26
2025	6	26	8	24	55	25.6	-0.7	0.914	0.5	0.5	0	52.5	53.3	0	148	151	0	26	27
2025	6	26	8	34	55	26.5	-0.8	0.914	0.6	0.5	0	52.5	53.3	0	148	151	0	26	27
2025	6	26	8	44	55	25.8	-0.7	0.914	0.5	0.4	0	52	53.8	0	147	151	0	26	26
2025	6	26	8	54	55	25.4	-1.5	0.914	0.5	0.5	0	52	53.3	0	147	151	0	26	27
2025	6	26	9	4	55	25.6	-1	0.914	0.5	0.5	0	52	52.9	0	147	150	0	26	27
2025	6	26	9	14	55	25.7	-1	0.914	0.5	0.5	0	52	53.3	0	147	150	0	26	26
2025	6	26	9	24	55	26.7	0.1	0.913	0.5	0.5	0	52	52.9	0	147	150	0	26	27
2025	6	26	9	34	55	25.2	-0.1	0.913	0.5	0.4	0	51.6	53.3	0	146	150	0	26	26
2025	6	26	9	44	55	25.6	-1	0.913	0.5	0.4	0	51.6	52.9	0	146	149	0	26	26
2025	6	26	9	54	55	25.8	-1.4	0.913	0.5	0.5	0	51.2	52.9	0	145	149	0	26	26
2025	6	26	10	4	55	26.5	-1.9	0.913	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	26	10	14	55	25.7	-0.8	0.913	0.5	0.4	0	51.2	52.5	0	145	148	0	26	26
2025	6	26	10	24	55	27.3	-0.9	0.913	0.5	0.4	0	50.7	52	0	144	147	0	26	26
2025	6	26	10	34	55	26.1	-1.5	0.913	0.5	0.4	0	50.7	51.6	0	144	147	0	26	27
2025	6	26	10	44	55	26.9	-1	0.913	0.5	0.5	0	50.7	52	0	144	147	0	26	26
2025	6	26	10	54	55	25.7	-1.1	0.913	0.5	0.4	0	50.7	51.6	0	144	147	0	26	27
2025	6	26	11	4	55	25.8	-1.2	0.913	0.5	0.5	0	50.3	51.2	0	143	146	0	26	27
2025	6	26	11	14	55	26.7	-0.6	0.913	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	26	11	24	55	25.7	-0.9	0.912	0.4	0.3	0	50.3	51.6	0	143	146	0	26	26
2025	6	26	11	34	55	26.4	-1.6	0.913	0.5	0.4	0	50.7	52	0	144	147	0	26	26
2025	6	26	11	44	55	25.8	-0.4	0.913	0.5	0.4	0	50.7	52.5	0	143	147	0	25	25
2025	6	26	11	54	55	26.6	-1.3	0.912	0.5	0.4	0	49.9	51.6	0	142	146	0	26	26
2025	6	26	12	4	55	26	-1.9	0.912	0.5	0.5	0	50.3	52	0	143	147	0	26	26
2025	6	26	12	14	55	25.9	-0.2	0.911	0.5	0.4	0	50.7	52	0	144	147	0	26	26
2025	6	26	12	24	55	26.6	-1	0.912	0.5	0.5	0	50.3	52	0	143	147	0	26	26
2025	6	26	12	34	55	25.6	-2.1	0.911	0.6	0.5	0	50.7	52	0	144	147	0	26	26
2025	6	26	12	44	55	26.4	-0.7	0.911	0.5	0.4	0	50.7	52.5	0	144	148	0	26	26
2025	6	26	12	54	55	25.8	-0.6	0.911	0.5	0.4	0	53.3	54.2	0	149	152	0	25	26
2025	6	26	13	4	55	24.7	-1	0.91	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	26	13	14	55	26.3	-0.6	0.911	0.5	0.4	0	51.2	52	0	144	147	0	25	26
2025	6	26	13	24	55	26.9	-1.7	0.909	0.5	0.5	0	50.3	52	0	143	147	0	26	26
2025	6	26	13	34	55	26.8	-0.8	0.91	0.3	0.2	0	52	53.3	0	146	150	0	25	26
2025	6	26	13	44	55	27	-1.5	0.911	0.5	0.4	0	51.2	52.5	0	144	148	0	25	26
2025	6	26	13	54	55	25.4	-0.4	0.91	0.5	0.4	0	50.7	52	0	144	147	0	26	26
2025	6	26	14	4	55	26	-1.3	0.909	0.5	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	26	14	14	55	26.3	0	0.91	0.5	0.4	0	51.6	52.5	0	144	148	0	24	26
2025	6	26	14	24	55	25.4	-0.5	0.91	0.5	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	26	14	34	55	25.8	-1.4	0.909	0.5	0.4	0	50.7	52.9	0	144	148	0	26	25
2025	6	26	14	44	55	25.4	-1.3	0.909	0.4	0.3	0	51.6	52.9	0	145	149	0	25	26
2025	6	26	14	54	55	26.9	-0.3	0.909	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	26	15	4	55	25.7	-0.1	0.908	0.5	0.4	0	51.2	52.9	0	145	148	0	26	25
2025	6	26	15	14	55	25.1	-0.5	0.908	0.5	0.4	0	51.2	52	0	144	147	0	25	26
2025	6	26	15	24	55	25.6	-0.2	0.908	0.5	0.4	0	51.2	52.5	0	144	148	0	25	26
2025	6	26	15	34	55	26.2	0	0.909	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	26	15	44	55	25.9	-1.1	0.907	0.5	0.4	0	50.7	52	0	143	147	0	25	26
2025	6	26	15	54	55	25.7	-1.3	0.908	0.5	0.5	0	50.7	52.5	0	143	147	0	25	25
2025	6	26	16	4	55	25.3	-1.5	0.907	0.5	0.5	0	51.2	52	0	144	147	0	25	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	26	16	14	55	25.8	0.4	0.906	0.5	0.4	0	51.2	52.5	0	144	147	0	25	25
2025	6	26	16	24	55	26.9	-0.1	0.907	0.5	0.4	0	50.3	52	0	143	147	0	26	26
2025	6	26	16	34	55	25.2	-0.3	0.907	0.5	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	26	16	44	55	25.8	-0.4	0.907	0.5	0.4	0	51.2	52.9	0	144	148	0	25	25
2025	6	26	16	54	55	25.4	-0.6	0.906	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	26	17	4	55	25.7	-1.4	0.906	0.5	0.4	0	50.7	52.9	0	143	148	0	25	25
2025	6	26	17	14	55	24.6	-0.8	0.906	0.5	0.4	0	51.6	52.9	0	145	149	0	25	26
2025	6	26	17	24	55	24.2	-1	0.906	0.5	0.4	0	51.2	52.5	0	144	148	0	25	26
2025	6	26	17	34	55	25.4	-0.5	0.905	0.6	0.5	0	50.7	53.3	0	144	149	0	26	25
2025	6	26	17	44	55	25.8	-0.4	0.906	0.5	0.4	0	51.6	52.5	0	145	148	0	25	26
2025	6	26	17	54	55	25.9	-0.4	0.905	0.4	0.3	0	51.2	52.5	0	144	148	0	25	26
2025	6	26	18	4	55	25.3	-0.4	0.905	0.5	0.5	0	50.7	52.9	0	144	148	0	26	25
2025	6	26	18	14	55	25.4	0.3	0.905	0.5	0.4	0	51.2	52.5	0	145	148	0	26	26
2025	6	26	18	24	55	26	-0.2	0.905	0.6	0.5	0	51.6	53.3	0	145	149	0	25	25
2025	6	26	18	34	55	25.6	-0.6	0.904	0.5	0.4	0	51.2	52.9	0	145	149	0	26	26
2025	6	26	18	44	55	25.2	-0.5	0.904	0.5	0.5	0	51.6	53.3	0	145	149	0	25	25
2025	6	26	18	54	55	25.6	-0.3	0.904	0.4	0.3	0	52	52.9	0	146	149	0	25	26
2025	6	26	19	4	55	25.4	-0.5	0.904	0.6	0.5	0	52	53.8	0	146	150	0	25	25
2025	6	26	19	14	55	25.6	-1	0.904	0.5	0.5	0	52	53.3	0	146	150	0	25	26
2025	6	26	19	24	55	26.4	-1.1	0.904	0.5	0.5	0	52	53.3	0	147	150	0	26	26
2025	6	26	19	34	55	26.2	-0.7	0.903	0.5	0.4	0	52.5	54.2	0	147	151	0	25	25
2025	6	26	19	44	55	25.1	0	0.904	0.5	0.4	0	52.9	54.2	0	148	152	0	25	26
2025	6	26	19	54	55	25.1	-1.3	0.904	0.5	0.4	0	52.9	54.2	0	148	152	0	25	26
2025	6	26	20	4	55	25.7	0	0.904	0.5	0.4	0	53.3	54.6	0	149	153	0	25	26
2025	6	26	20	14	55	25.1	-0.9	0.904	0.5	0.4	0	53.3	54.6	0	149	153	0	25	26
2025	6	26	20	24	55	25.6	-0.1	0.904	0.6	0.5	0	53.8	55	0	150	154	0	25	26
2025	6	26	20	34	55	25.2	-1	0.904	0.5	0.4	0	53.8	55	0	150	154	0	25	26
2025	6	26	20	44	55	25.7	0.1	0.904	0.5	0.5	0	53.8	55	0	150	154	0	25	26
2025	6	26	20	54	55	24.5	-1.8	0.904	0.5	0.5	0	53.8	55.5	0	150	154	0	25	25
2025	6	26	21	4	55	23.8	-0.9	0.903	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	26	21	14	55	25.4	-0.8	0.903	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	26	21	24	55	24.8	0	0.903	0.6	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	21	34	55	26.7	-0.6	0.903	0.5	0.4	0	54.2	54.6	0	151	154	0	25	27
2025	6	26	21	44	55	25.5	0	0.903	0.6	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	26	21	54	55	26	0.4	0.903	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	22	4	55	25.3	-1	0.902	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	26	22	14	55	25.6	0.2	0.903	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	26	22	24	55	24.3	-1.6	0.902	0.5	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	26	22	34	55	24.9	-0.8	0.902	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	26	22	44	55	23.7	0.3	0.902	0.5	0.4	0	54.2	55.9	0	152	155	0	26	25
2025	6	26	22	54	55	24.4	-1	0.902	0.5	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	26	23	4	55	25.2	-1	0.902	0.5	0.5	0	54.2	55.9	0	152	156	0	26	26
2025	6	26	23	14	55	25.6	-0.4	0.902	0.6	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	26	23	24	55	24.2	-0.5	0.902	0.6	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	26	23	34	55	25.8	-0.4	0.901	0.5	0.4	0	55	55.9	0	153	155	0	25	25
2025	6	26	23	44	55	25.4	-2.4	0.901	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	26	23	54	55	25.1	0	0.901	0.6	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	27	0	4	55	25.1	-1.9	0.901	0.6	0.5	0	54.2	55.5	0	152	155	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	27	0	14	55	25.4	-0.2	0.901	0.6	0.5	0	55	55.9	0	153	155	0	25	25
2025	6	27	0	24	55	25.2	-0.3	0.901	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	27	0	34	55	25.1	0	0.901	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	27	0	44	55	24	-1.1	0.901	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	27	0	54	55	25.3	-0.5	0.901	0.5	0.5	0	54.2	55.9	0	152	155	0	26	25
2025	6	27	1	4	55	24.6	-0.3	0.9	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	27	1	14	55	25.6	-0.9	0.9	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	27	1	24	55	25.2	0.2	0.9	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	1	34	55	25.5	-0.7	0.9	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	27	1	44	55	25.5	-1.3	0.9	0.5	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	27	1	54	55	24.8	0.1	0.9	0.5	0.4	0	54.6	56.3	0	153	156	0	26	25
2025	6	27	2	4	55	25.5	-0.4	0.9	0.5	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	27	2	14	55	24.3	0	0.9	0.6	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	2	24	55	24.6	-1	0.9	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	27	2	34	55	25.4	-1	0.9	0.5	0.5	0	54.2	55.9	0	152	156	0	26	26
2025	6	27	2	44	55	25.4	-0.4	0.9	0.6	0.5	0	55	55.5	0	153	156	0	25	27
2025	6	27	2	54	55	25.3	-1.3	0.9	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	3	4	55	24.9	-0.4	0.9	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	3	14	55	25.4	-0.5	0.899	0.4	0.3	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	3	24	55	26	0.2	0.899	0.4	0.3	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	3	34	55	25.1	-0.1	0.899	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	3	44	55	24.9	-0.5	0.899	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	3	54	55	25.3	-0.6	0.899	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	27	4	4	55	25.9	-0.8	0.899	0.5	0.4	0	53.8	55.5	0	152	155	0	27	26
2025	6	27	4	14	55	25.2	0	0.899	0.6	0.5	0	55	55.9	0	153	156	0	25	26
2025	6	27	4	24	55	25.2	-0.5	0.899	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	4	34	55	24.3	-0.2	0.899	0.5	0.4	0	54.2	55.9	0	152	156	0	26	26
2025	6	27	4	44	55	24.5	-1	0.899	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	4	54	55	25.3	-1.5	0.899	0.5	0.4	0	54.6	55.9	0	152	156	0	25	26
2025	6	27	5	4	55	24.3	-1	0.899	0.5	0.4	0	55	55.9	0	153	156	0	25	26
2025	6	27	5	14	55	25.2	-1.3	0.899	0.4	0.3	0	55.5	55.9	0	155	156	0	26	26
2025	6	27	5	24	55	23.6	-0.3	0.899	0.5	0.4	0	55.5	56.3	0	155	157	0	26	26
2025	6	27	5	34	55	25.2	-0.5	0.899	0.5	0.4	0	55.9	56.3	0	155	157	0	25	26
2025	6	27	5	44	55	26.1	0.2	0.899	0.5	0.4	0	55	56.3	0	154	157	0	26	26
2025	6	27	5	54	55	25.4	-1.4	0.899	0.3	0.2	0	55	55.9	0	154	156	0	26	26
2025	6	27	6	4	55	25.7	-1.1	0.899	0.5	0.4	0	55	55.9	0	154	156	0	26	26
2025	6	27	6	14	55	25.7	-0.8	0.899	0.5	0.5	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	6	24	55	23.5	-1	0.899	0.5	0.4	0	55	55.9	0	154	157	0	26	27
2025	6	27	6	34	55	26.1	-0.6	0.899	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	6	44	55	24.5	-0.4	0.899	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	27	6	54	55	25.1	-0.5	0.899	0.5	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	27	7	4	55	23.8	-0.9	0.899	0.5	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	27	7	14	55	23.9	-1.1	0.899	0.5	0.5	0	54.2	55	0	152	154	0	26	26
2025	6	27	7	24	55	24.3	-0.7	0.899	0.5	0.4	0	54.6	55	0	152	154	0	25	26
2025	6	27	7	34	55	23.8	-0.2	0.899	0.5	0.4	0	54.2	55	0	152	154	0	26	26
2025	6	27	7	44	55	25.6	0	0.899	0.4	0.3	0	53.8	54.6	0	151	154	0	26	27
2025	6	27	7	54	55	25.3	-1.5	0.899	0.6	0.5	0	53.3	54.6	0	150	153	0	26	26
2025	6	27	8	4	55	24.5	-1.6	0.898	0.6	0.5	0	53.3	54.2	0	150	152	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	27	8	14	55	24.5	-1.4	0.898	0.5	0.4	0	53.3	54.2	0	150	152	0	26	26
2025	6	27	8	24	55	25.9	-0.8	0.898	0.5	0.5	0	52.9	54.2	0	149	152	0	26	26
2025	6	27	8	34	55	24.6	-1.1	0.898	0.5	0.5	0	52.9	54.2	0	149	152	0	26	26
2025	6	27	8	44	55	25.5	-1	0.898	0.5	0.4	0	52.5	53.8	0	148	151	0	26	26
2025	6	27	8	54	55	25.2	-0.6	0.898	0.5	0.4	0	52	53.3	0	148	151	0	27	27
2025	6	27	9	4	55	24.7	-0.6	0.898	0.5	0.5	0	52.5	53.8	0	148	151	0	26	26
2025	6	27	9	14	55	25.1	-1.5	0.898	0.5	0.4	0	52.5	53.3	0	148	151	0	26	27
2025	6	27	9	24	55	25.1	-1	0.898	0.5	0.4	0	52.5	53.8	0	148	151	0	26	26
2025	6	27	9	34	55	25.2	-0.8	0.898	0.5	0.5	0	52	53.3	0	147	150	0	26	26
2025	6	27	9	44	55	25.6	-0.4	0.897	0.5	0.4	0	51.6	52.9	0	146	149	0	26	26
2025	6	27	9	54	55	24.8	-1.4	0.897	0.5	0.5	0	52	53.3	0	147	150	0	26	26
2025	6	27	10	4	55	24.7	-0.7	0.898	0.5	0.5	0	52	52.9	0	147	150	0	26	27
2025	6	27	10	14	55	25.5	-1.2	0.898	0.6	0.5	0	52	52.9	0	146	149	0	25	26
2025	6	27	10	24	55	25.2	-0.2	0.897	0.4	0.3	0	51.6	52.9	0	146	149	0	26	26
2025	6	27	10	34	55	24.5	-1	0.896	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	10	44	55	24.2	-1.7	0.897	0.5	0.4	0	51.6	52.5	0	145	148	0	25	26
2025	6	27	10	54	55	24.4	-1.3	0.896	0.5	0.4	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	11	4	55	24.8	-1.1	0.896	0.6	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	11	14	55	24	-0.9	0.895	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	11	24	55	25.9	-0.9	0.896	0.5	0.4	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	11	34	55	24.9	-1.5	0.896	0.5	0.4	0	51.6	52	0	145	147	0	25	26
2025	6	27	11	44	55	26.4	-1.7	0.895	0.6	0.5	0	50.7	52	0	144	148	0	26	27
2025	6	27	11	54	55	24.6	-0.8	0.895	0.5	0.4	0	51.2	52	0	144	147	0	25	26
2025	6	27	12	4	55	24.7	-1.2	0.895	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	12	14	55	25.4	-1.4	0.895	0.4	0.3	0	50.7	52	0	144	147	0	26	26
2025	6	27	12	24	55	24.8	-1.1	0.896	0.5	0.5	0	50.7	52.5	0	144	147	0	26	25
2025	6	27	12	34	55	25.3	-1.6	0.894	0.5	0.4	0	50.7	52	0	144	147	0	26	26
2025	6	27	12	44	55	25.7	-0.7	0.895	0.5	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	27	12	54	55	25.1	-0.7	0.895	0.6	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	27	13	4	55	25.7	-1	0.894	0.5	0.5	0	50.7	52	0	144	147	0	26	26
2025	6	27	13	14	55	25.2	-1	0.894	0.5	0.4	0	51.6	52.5	0	145	148	0	25	26
2025	6	27	13	24	55	24.9	-0.5	0.895	0.6	0.5	0	50.7	52	0	144	147	0	26	26
2025	6	27	13	34	55	25.2	-1	0.894	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	13	44	55	25	-1.1	0.894	0.5	0.5	0	51.6	52.5	0	145	148	0	25	26
2025	6	27	13	54	55	25.2	-1.3	0.894	0.6	0.5	0	51.6	52.5	0	145	148	0	25	26
2025	6	27	14	4	55	25.7	-0.1	0.895	0.5	0.5	0	50.7	52	0	144	147	0	26	26
2025	6	27	14	14	55	25.1	-0.4	0.895	0.4	0.3	0	50.7	52.5	0	144	148	0	26	26
2025	6	27	14	24	55	24.7	-0.5	0.894	0.5	0.4	0	51.2	52	0	144	147	0	25	26
2025	6	27	14	34	55	24.1	-1.1	0.894	0.5	0.5	0	51.2	52	0	145	147	0	26	26
2025	6	27	14	44	55	25	-0.9	0.894	0.4	0.3	0	50.7	52	0	143	147	0	25	26
2025	6	27	14	54	55	24.9	0.3	0.894	0.4	0.3	0	51.2	52.5	0	144	147	0	25	25
2025	6	27	15	4	55	25.6	-0.9	0.894	0.5	0.4	0	50.7	52.5	0	144	148	0	26	26
2025	6	27	15	14	55	25.5	-1.2	0.894	0.6	0.5	0	51.2	52.9	0	144	148	0	25	25
2025	6	27	15	24	55	24.3	-0.4	0.893	0.4	0.3	0	51.2	52.9	0	144	148	0	25	25
2025	6	27	15	34	55	25.2	-0.2	0.893	0.5	0.5	0	51.2	52.5	0	144	147	0	25	25
2025	6	27	15	44	55	24.6	-1.5	0.892	0.5	0.5	0	50.7	52	0	144	147	0	26	26
2025	6	27	15	54	55	24.7	-1	0.893	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	27	16	4	55	24.7	-1.5	0.893	0.5	0.4	0	51.2	52.9	0	144	148	0	25	25

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	27	16	14	55	24.7	-1.5	0.892	0.5	0.5	0	50.7	52.5	0	144	147	0	26	25
2025	6	27	16	24	55	25.3	-0.9	0.892	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	27	16	34	55	26.1	-0.6	0.892	0.4	0.3	0	51.2	52	0	144	147	0	25	26
2025	6	27	16	44	55	25.3	-1.1	0.892	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	27	16	54	55	25.6	-2	0.891	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	27	17	4	55	24.3	-1.5	0.892	0.5	0.5	0	51.6	52.9	0	145	148	0	25	25
2025	6	27	17	14	55	24.1	-0.1	0.892	0.5	0.5	0	51.6	52.9	0	145	148	0	25	25
2025	6	27	17	24	55	24.5	0.4	0.892	0.5	0.4	0	51.6	52.9	0	145	148	0	25	25
2025	6	27	17	34	55	25.1	-0.3	0.891	0.6	0.5	0	51.6	52.5	0	145	148	0	25	26
2025	6	27	17	44	55	25.7	-0.4	0.891	0.5	0.4	0	51.6	53.3	0	145	149	0	25	25
2025	6	27	17	54	55	25.4	-0.4	0.89	0.5	0.5	0	52	53.3	0	146	149	0	25	25
2025	6	27	18	4	55	25	-0.7	0.891	0.5	0.4	0	52	53.8	0	146	150	0	25	25
2025	6	27	18	14	55	25.3	-0.5	0.891	0.5	0.5	0	52	53.3	0	146	150	0	25	26
2025	6	27	18	24	55	24.4	-1	0.89	0.5	0.4	0	52	53.3	0	146	150	0	25	26
2025	6	27	18	34	55	25.5	0	0.89	0.4	0.3	0	52	53.3	0	146	150	0	25	26
2025	6	27	18	44	55	24.7	-0.9	0.889	0.5	0.5	0	52	53.8	0	146	150	0	25	25
2025	6	27	18	54	55	24.4	-0.5	0.89	0.5	0.4	0	51.6	53.8	0	146	151	0	26	26
2025	6	27	19	4	55	24.9	-1.1	0.889	0.6	0.5	0	52.5	53.3	0	147	150	0	25	26
2025	6	27	19	14	55	24.8	-0.4	0.888	0.5	0.4	0	52.9	54.2	0	147	151	0	24	25
2025	6	27	19	24	55	24	-1	0.889	0.5	0.4	0	52.9	54.6	0	148	152	0	25	25
2025	6	27	19	34	55	24.9	-0.3	0.888	0.5	0.4	0	52.5	54.6	0	148	152	0	26	25
2025	6	27	19	44	55	24.3	-0.5	0.888	0.5	0.4	0	52.9	54.6	0	148	152	0	25	25
2025	6	27	19	54	55	24.7	-0.5	0.888	0.5	0.4	0	53.8	55.5	0	150	154	0	25	25
2025	6	27	20	4	55	25.9	-0.6	0.888	0.5	0.5	0	53.3	54.6	0	149	153	0	25	26
2025	6	27	20	14	55	24	-1	0.887	0.5	0.5	0	53.8	54.6	0	150	153	0	25	26
2025	6	27	20	24	55	25	-0.9	0.887	0.5	0.5	0	53.8	55	0	150	153	0	25	25
2025	6	27	20	34	55	25.4	-0.6	0.887	0.5	0.4	0	53.8	55.5	0	150	154	0	25	25
2025	6	27	20	44	55	24.3	-1.6	0.887	0.5	0.4	0	52.9	55	0	148	154	0	25	26
2025	6	27	20	54	55	24	-1	0.886	0.6	0.5	0	53.3	55	0	150	154	0	26	26
2025	6	27	21	4	55	24.8	-0.7	0.886	0.5	0.4	0	53.8	55	0	150	154	0	25	26
2025	6	27	21	14	55	24.1	-0.5	0.886	0.5	0.5	0	53.3	55.5	0	150	154	0	26	25
2025	6	27	21	24	55	24.2	-1	0.886	0.6	0.5	0	54.6	55	0	152	154	0	25	26
2025	6	27	21	34	55	24.6	-1	0.886	0.5	0.4	0	55	55.5	0	153	154	0	25	25
2025	6	27	21	44	55	23.5	0.4	0.886	0.5	0.4	0	54.2	55	0	152	154	0	26	26
2025	6	27	21	54	55	24	-0.2	0.886	0.5	0.4	0	55	55.9	0	153	155	0	25	25
2025	6	27	22	4	55	24.7	-1.8	0.886	0.5	0.4	0	55	55.5	0	152	154	0	24	25
2025	6	27	22	14	55	25	-0.9	0.886	0.5	0.4	0	54.6	55	0	152	154	0	25	26
2025	6	27	22	24	55	25.4	-0.7	0.885	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	27	22	34	55	23.9	-0.5	0.885	0.4	0.3	0	55	55.5	0	153	155	0	25	26
2025	6	27	22	44	55	24.6	-1.2	0.885	0.5	0.5	0	55	55	0	153	154	0	25	26
2025	6	27	22	54	55	24.2	-0.5	0.885	0.6	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	27	23	4	55	24.3	-0.9	0.885	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	27	23	14	55	23.4	-0.2	0.885	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	27	23	24	55	23.9	-0.4	0.885	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	27	23	34	55	25.8	-0.6	0.885	0.5	0.5	0	54.6	55.9	0	152	155	0	25	25
2025	6	27	23	44	55	24.6	-0.5	0.885	0.5	0.5	0	54.6	55.5	0	152	154	0	25	25
2025	6	27	23	54	55	25	-1.3	0.885	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	28	0	4	55	24.3	-0.5	0.885	0.5	0.5	0	54.2	55.5	0	152	155	0	26	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	28	0	14	55	25.6	-0.9	0.885	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	28	0	24	55	24.3	-1.4	0.885	0.5	0.4	0	54.2	55	0	151	154	0	25	26
2025	6	28	0	34	55	24.5	-0.8	0.885	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	28	0	44	55	24.7	-1.7	0.885	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	28	0	54	55	23.8	-1.3	0.885	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	28	1	4	55	24.9	-0.4	0.885	0.5	0.5	0	54.2	55.5	0	152	155	0	26	26
2025	6	28	1	14	55	24.6	-0.5	0.885	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	28	1	24	55	24.6	-1.2	0.885	0.6	0.5	0	54.2	55.9	0	152	155	0	26	25
2025	6	28	1	34	55	24.6	-1.2	0.885	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	28	1	44	55	25.2	-0.2	0.885	0.5	0.4	0	54.2	55.5	0	151	155	0	25	26
2025	6	28	1	54	55	23.5	-1	0.886	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	28	2	4	55	24.7	-1.4	0.886	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	28	2	14	55	24.4	-0.5	0.886	0.5	0.5	0	55	55.9	0	153	155	0	25	25
2025	6	28	2	24	55	24.1	-1.4	0.886	0.5	0.5	0	54.6	55	0	153	155	0	26	27
2025	6	28	2	34	55	24.2	-0.7	0.887	0.6	0.5	0	54.6	55.9	0	153	155	0	26	25
2025	6	28	2	44	55	24.4	-1.4	0.887	0.5	0.5	0	55	55.5	0	154	155	0	26	26
2025	6	28	2	54	55	24.5	-1	0.887	0.5	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	28	3	4	55	25.5	-0.6	0.887	0.6	0.5	0	55	55.9	0	154	155	0	26	25
2025	6	28	3	14	55	23.7	-1	0.886	0.5	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	28	3	24	55	25.4	-1	0.887	0.6	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	28	3	34	55	25	-0.7	0.887	0.4	0.3	0	55.5	55.5	0	154	155	0	25	26
2025	6	28	3	44	55	23.3	-1	0.887	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	28	3	54	55	24.2	0.4	0.886	0.5	0.4	0	55.5	55.9	0	154	156	0	25	26
2025	6	28	4	4	55	24.4	-1.6	0.887	0.5	0.5	0	55	55	0	153	155	0	25	27
2025	6	28	4	14	55	24.7	0	0.887	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	28	4	24	55	24.1	-0.8	0.887	0.5	0.4	0	55	55.5	0	153	155	0	25	26
2025	6	28	4	34	55	23.7	-1	0.887	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	28	4	44	55	23.8	-1	0.887	0.5	0.4	0	54.6	55.9	0	153	156	0	26	26
2025	6	28	4	54	55	24.3	-1	0.887	0.5	0.5	0	55.5	55.5	0	155	156	0	26	27
2025	6	28	5	4	55	22.8	-1.2	0.887	0.6	0.5	0	55.5	55.9	0	155	156	0	26	26
2025	6	28	5	14	55	24.5	0	0.887	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	28	5	24	55	24.1	-0.3	0.887	0.5	0.4	0	55.5	55.9	0	155	156	0	26	26
2025	6	28	5	34	55	24	-1.7	0.887	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	28	5	44	55	25.3	-2	0.887	0.5	0.4	0	55.5	55.5	0	154	156	0	25	27
2025	6	28	5	54	55	23.5	0	0.886	0.5	0.5	0	55.5	55.9	0	155	156	0	26	26
2025	6	28	6	4	55	23.7	-1.3	0.886	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	28	6	14	55	23.2	-0.6	0.886	0.5	0.5	0	55	55.5	0	154	156	0	26	27
2025	6	28	6	24	55	24.9	-1.3	0.886	0.5	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	28	6	34	55	24.2	-0.9	0.886	0.6	0.5	0	54.6	55	0	153	154	0	26	26
2025	6	28	6	44	55	24.6	0	0.886	0.6	0.5	0	54.6	55	0	153	155	0	26	27
2025	6	28	6	54	55	24.4	-1	0.886	0.4	0.3	0	54.2	55.5	0	152	155	0	26	26
2025	6	28	7	4	55	25.1	-0.8	0.886	0.5	0.5	0	54.2	55	0	152	154	0	26	26
2025	6	28	7	14	55	24.8	0	0.886	0.5	0.5	0	53.8	55	0	151	153	0	26	25
2025	6	28	7	24	55	24.9	-2.8	0.886	0.5	0.4	0	54.6	55.5	0	152	154	0	25	25
2025	6	28	7	34	55	23.5	-0.7	0.886	0.5	0.4	0	53.8	54.2	0	151	153	0	26	27
2025	6	28	7	44	55	23.2	0.3	0.886	0.5	0.4	0	53.8	54.6	0	151	154	0	26	27
2025	6	28	7	54	55	23.3	-0.5	0.886	0.5	0.5	0	53.3	54.2	0	150	152	0	26	26
2025	6	28	8	4	55	24.4	-1.3	0.886	0.5	0.4	0	52.9	53.8	0	149	152	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	28	8	14	55	24.6	-0.5	0.886	0.5	0.5	0	52.9	53.3	0	149	151	0	26	27
2025	6	28	8	24	55	24.4	-1	0.886	0.5	0.4	0	52.9	53.8	0	148	151	0	25	26
2025	6	28	8	34	55	24.7	-0.3	0.886	0.6	0.5	0	52.5	53.8	0	148	151	0	26	26
2025	6	28	8	44	55	25.6	-1.7	0.886	0.5	0.4	0	52.9	53.8	0	149	151	0	26	26
2025	6	28	8	54	55	24	-2.2	0.886	0.5	0.4	0	52.5	53.8	0	148	151	0	26	26
2025	6	28	9	4	55	24	-1	0.886	0.5	0.4	0	52.5	53.3	0	148	150	0	26	26
2025	6	28	9	14	55	23.4	-0.1	0.886	0.4	0.3	0	52	52.9	0	147	150	0	26	27
2025	6	28	9	24	55	23.4	-0.6	0.886	0.5	0.4	0	51.6	52.9	0	146	149	0	26	26
2025	6	28	9	34	55	23.7	0	0.886	0.5	0.4	0	52	52.9	0	147	150	0	26	27
2025	6	28	9	44	55	23.5	-0.4	0.886	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	28	9	54	55	24.5	0.2	0.886	0.5	0.5	0	52	53.3	0	146	150	0	25	26
2025	6	28	10	4	55	24.3	-0.4	0.886	0.5	0.4	0	52	53.3	0	147	150	0	26	26
2025	6	28	10	14	55	24	-1	0.884	0.5	0.5	0	52.5	53.3	0	147	150	0	25	26
2025	6	28	10	24	55	24.3	-1.1	0.884	0.6	0.5	0	51.6	52.9	0	146	149	0	26	26
2025	6	28	10	34	55	24.3	-1.7	0.886	0.5	0.5	0	51.6	52.5	0	146	149	0	26	27
2025	6	28	10	44	55	25.2	-0.4	0.885	0.5	0.4	0	51.6	52.9	0	146	149	0	26	26
2025	6	28	10	54	55	23.6	-0.8	0.884	0.5	0.5	0	51.2	52.9	0	145	148	0	26	25
2025	6	28	11	4	55	24.5	-0.6	0.884	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	28	11	14	55	24.2	-1.5	0.883	0.5	0.4	0	51.2	52.5	0	145	148	0	26	26
2025	6	28	11	24	55	24.8	-1	0.883	0.5	0.5	0	51.2	52.5	0	144	147	0	25	25
2025	6	28	11	34	55	23.3	-0.5	0.884	0.4	0.3	0	50.7	52	0	144	147	0	26	26
2025	6	28	11	44	55	24.3	-0.1	0.883	0.5	0.4	0	51.2	52.5	0	144	147	0	25	25
2025	6	28	11	54	55	24.9	-0.7	0.883	0.5	0.4	0	50.7	51.6	0	144	146	0	26	26
2025	6	28	12	4	55	24.4	-0.9	0.883	0.5	0.4	0	50.7	52	0	144	147	0	26	26
2025	6	28	12	14	55	24.2	-0.5	0.883	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	28	12	24	55	24.4	-1	0.883	0.5	0.4	0	51.2	52	0	144	147	0	25	26
2025	6	28	12	34	55	24.6	-1.5	0.883	0.5	0.4	0	50.7	51.6	0	143	146	0	25	26
2025	6	28	12	44	55	24.5	-1	0.883	0.5	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	28	12	54	55	25.3	-1	0.883	0.6	0.5	0	50.3	51.6	0	143	146	0	26	26
2025	6	28	13	4	55	25.2	-0.1	0.884	0.5	0.5	0	51.2	52	0	144	148	0	25	27
2025	6	28	13	14	55	23.8	-1.2	0.884	0.5	0.5	0	50.7	52.5	0	143	147	0	25	25
2025	6	28	13	24	55	23.8	-1.7	0.883	0.5	0.4	0	50.7	52.5	0	143	147	0	25	25
2025	6	28	13	34	55	25.6	-0.9	0.884	0.5	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	28	13	44	55	24.3	0	0.884	0.6	0.5	0	50.3	51.6	0	143	146	0	26	26
2025	6	28	13	54	55	23.5	-1.7	0.883	0.5	0.5	0	50.7	51.6	0	143	146	0	25	26
2025	6	28	14	4	55	24.2	-0.6	0.884	0.5	0.5	0	50.3	52.5	0	143	147	0	26	25
2025	6	28	14	14	55	24.6	-1	0.883	0.5	0.5	0	50.3	51.6	0	143	146	0	26	26
2025	6	28	14	24	55	23.7	-1.1	0.883	0.5	0.5	0	50.7	51.6	0	143	146	0	25	26
2025	6	28	14	34	55	24.6	-1.6	0.883	0.5	0.4	0	50.7	51.6	0	143	146	0	25	26
2025	6	28	14	44	55	24.2	-0.1	0.883	0.5	0.4	0	50.7	52.5	0	144	147	0	26	25
2025	6	28	14	54	55	24.2	-0.2	0.884	0.5	0.4	0	50.7	52.9	0	144	148	0	26	25
2025	6	28	15	4	55	24.2	-1.8	0.883	0.6	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	28	15	14	55	24.7	-0.5	0.883	0.5	0.4	0	51.6	52.5	0	144	148	0	24	26
2025	6	28	15	24	55	24.6	-0.6	0.883	0.5	0.5	0	50.7	52.5	0	143	147	0	25	25
2025	6	28	15	34	55	24.3	-0.7	0.883	0.6	0.5	0	50.3	52.5	0	143	147	0	26	25
2025	6	28	15	44	55	24.4	-1.3	0.882	0.5	0.5	0	51.2	52	0	144	147	0	25	26
2025	6	28	15	54	55	24.8	-0.5	0.883	0.5	0.5	0	51.2	52.5	0	144	148	0	25	26
2025	6	28	16	4	55	24.3	-1.1	0.883	0.6	0.5	0	51.2	52.5	0	144	148	0	25	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	28	16	14	55	25.4	-1	0.882	0.5	0.4	0	51.2	52.5	0	144	147	0	25	25
2025	6	28	16	24	55	23.8	-1.4	0.881	0.5	0.4	0	51.2	52.5	0	144	147	0	25	25
2025	6	28	16	34	55	24	-0.4	0.881	0.5	0.4	0	51.6	52.5	0	145	148	0	25	26
2025	6	28	16	44	55	23.8	-0.5	0.883	0.5	0.4	0	51.6	52.9	0	145	148	0	25	25
2025	6	28	16	54	55	23.9	-0.9	0.882	0.5	0.4	0	51.6	52.5	0	145	148	0	25	26
2025	6	28	17	4	55	24.3	-1	0.882	0.6	0.5	0	52	52.9	0	146	149	0	25	26
2025	6	28	17	14	55	24.5	-0.7	0.881	0.5	0.5	0	52.5	53.3	0	146	150	0	24	26
2025	6	28	17	24	55	23.4	-0.9	0.881	0.5	0.5	0	52.5	53.3	0	147	150	0	25	26
2025	6	28	17	34	55	24.6	-1.1	0.881	0.5	0.4	0	52.5	53.8	0	147	150	0	25	25
2025	6	28	17	44	55	23.8	-0.3	0.881	0.5	0.5	0	52.5	53.8	0	147	151	0	25	26
2025	6	28	17	54	55	24	-0.9	0.88	0.5	0.5	0	52.5	54.2	0	147	151	0	25	25
2025	6	28	18	4	55	22.9	-0.3	0.88	0.5	0.5	0	52.9	54.2	0	148	151	0	25	25
2025	6	28	18	14	55	24.2	0.5	0.88	0.5	0.5	0	52.9	54.6	0	148	152	0	25	25
2025	6	28	18	24	55	24	-0.7	0.879	0.5	0.5	0	52.9	53.8	0	148	151	0	25	26
2025	6	28	18	34	55	24.4	-1	0.88	0.5	0.4	0	53.3	54.6	0	149	152	0	25	25
2025	6	28	18	44	55	23.6	-1.3	0.88	0.6	0.5	0	53.3	55	0	149	153	0	25	25
2025	6	28	18	54	55	23.5	-0.5	0.879	0.6	0.5	0	53.8	54.6	0	150	152	0	25	25
2025	6	28	19	4	55	24.5	-1.4	0.879	0.5	0.5	0	53.8	54.6	0	150	152	0	25	25
2025	6	28	19	14	55	24.4	-0.8	0.879	0.5	0.5	0	53.8	55	0	150	153	0	25	25
2025	6	28	19	24	55	23.8	-0.8	0.878	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	28	19	34	55	24.1	-0.1	0.879	0.5	0.4	0	54.2	55	0	151	154	0	25	26
2025	6	28	19	44	55	23.9	-0.8	0.878	0.6	0.5	0	54.2	55.5	0	151	154	0	25	25
2025	6	28	19	54	55	24.4	-0.8	0.878	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	28	20	4	55	24.2	-0.7	0.878	0.5	0.5	0	54.6	55.5	0	152	155	0	25	26
2025	6	28	20	14	55	23.8	-1	0.878	0.5	0.5	0	54.6	56.3	0	153	156	0	26	25
2025	6	28	20	24	55	25.3	-1.9	0.878	0.6	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	28	20	34	55	24.1	-0.3	0.878	0.5	0.5	0	55	55	0	153	154	0	25	26
2025	6	28	20	44	55	23.7	-0.3	0.878	0.6	0.5	0	55.5	55.5	0	154	155	0	25	26
2025	6	28	20	54	55	24.6	-0.1	0.877	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	28	21	4	55	24	0	0.877	0.6	0.5	0	54.6	55	0	152	154	0	25	26
2025	6	28	21	14	55	23.7	-0.1	0.877	0.6	0.5	0	55	55.9	0	153	155	0	25	25
2025	6	28	21	24	55	24.4	-1.8	0.877	0.5	0.4	0	54.6	54.6	0	152	153	0	25	26
2025	6	28	21	34	55	24.2	-1.1	0.877	0.5	0.4	0	54.2	54.6	0	151	153	0	25	26
2025	6	28	21	44	55	24.1	-0.3	0.877	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	28	21	54	55	24.2	-0.3	0.877	0.5	0.5	0	54.2	54.6	0	152	153	0	26	26
2025	6	28	22	4	55	24	-1	0.877	0.5	0.4	0	54.6	55	0	152	153	0	25	25
2025	6	28	22	14	55	22.8	0.2	0.877	0.4	0.3	0	55	55.9	0	153	155	0	25	25
2025	6	28	22	24	55	23.5	-1.1	0.876	0.5	0.4	0	55	55.9	0	153	155	0	25	25
2025	6	28	22	34	55	24.5	-0.6	0.877	0.5	0.4	0	54.2	55	0	152	154	0	26	26
2025	6	28	22	44	55	23.7	-0.3	0.877	0.5	0.4	0	54.6	55	0	152	154	0	25	26
2025	6	28	22	54	55	24.5	-0.7	0.878	0.5	0.4	0	54.2	55	0	152	154	0	26	26
2025	6	28	23	4	55	24.3	0.4	0.878	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	28	23	14	55	24.4	-1.1	0.878	0.5	0.5	0	54.6	55.5	0	152	154	0	25	25
2025	6	28	23	24	55	22.7	0.1	0.878	0.4	0.3	0	55.5	55.5	0	154	155	0	25	26
2025	6	28	23	34	55	24.9	-0.7	0.878	0.5	0.4	0	55.5	55.9	0	154	155	0	25	25
2025	6	28	23	44	55	23.4	-0.9	0.878	0.6	0.5	0	54.6	55	0	153	154	0	26	26
2025	6	28	23	54	55	24.5	-0.3	0.878	0.5	0.4	0	55	55	0	153	154	0	25	26
2025	6	29	0	4	55	23.6	-0.2	0.878	0.5	0.4	0	55	55.5	0	154	155	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	29	0	14	55	23.4	0.4	0.878	0.5	0.4	0	55.5	55.5	0	154	155	0	25	26
2025	6	29	0	24	55	23.4	-1	0.878	0.5	0.4	0	55	55	0	153	154	0	25	26
2025	6	29	0	34	55	24.8	0	0.878	0.4	0.3	0	55	55.5	0	154	155	0	26	26
2025	6	29	0	44	55	23.6	0.2	0.877	0.5	0.4	0	55	55	0	153	154	0	25	26
2025	6	29	0	54	55	24.2	-1	0.878	0.5	0.4	0	55	55	0	153	154	0	25	26
2025	6	29	1	4	55	24.2	-1.5	0.877	0.5	0.4	0	55	55	0	153	154	0	25	26
2025	6	29	1	14	55	23.6	0	0.877	0.5	0.4	0	55	55	0	153	154	0	25	26
2025	6	29	1	24	55	23.7	-0.9	0.877	0.5	0.4	0	54.6	55	0	153	154	0	26	26
2025	6	29	1	34	55	23.7	-1	0.877	0.4	0.3	0	55	55	0	153	154	0	25	26
2025	6	29	1	44	55	24.6	-0.7	0.877	0.5	0.4	0	54.2	55	0	152	154	0	26	26
2025	6	29	1	54	55	23.9	-1.5	0.877	0.5	0.5	0	54.6	55	0	153	154	0	26	26
2025	6	29	2	4	55	23.3	-0.5	0.877	0.5	0.5	0	55	55.9	0	154	155	0	26	25
2025	6	29	2	14	55	24.6	-0.4	0.877	0.5	0.5	0	54.2	55	0	152	154	0	26	26
2025	6	29	2	24	55	23.1	-1	0.877	0.5	0.4	0	54.6	55	0	153	154	0	26	26
2025	6	29	2	34	55	23.5	-0.5	0.877	0.5	0.5	0	54.2	55.5	0	152	154	0	26	25
2025	6	29	2	44	55	24.2	-0.4	0.877	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	29	2	54	55	23.4	-1.5	0.877	0.5	0.4	0	54.6	55.5	0	152	155	0	25	26
2025	6	29	3	4	55	23.8	-0.6	0.877	0.6	0.5	0	54.6	55	0	153	154	0	26	26
2025	6	29	3	14	55	22.7	-0.4	0.877	0.5	0.4	0	55.5	55.5	0	154	155	0	25	26
2025	6	29	3	24	55	24.6	-1.6	0.877	0.4	0.3	0	54.6	55	0	153	154	0	26	26
2025	6	29	3	34	55	23	-0.4	0.877	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	29	3	44	55	23.1	-0.5	0.877	0.5	0.5	0	55	55	0	154	154	0	26	26
2025	6	29	3	54	55	25.8	-0.8	0.876	0.5	0.5	0	55	55.5	0	154	155	0	26	26
2025	6	29	4	4	55	24.2	-0.7	0.877	0.5	0.5	0	54.6	54.6	0	153	154	0	26	27
2025	6	29	4	14	55	23.9	-1.3	0.877	0.6	0.5	0	55	55	0	153	154	0	25	26
2025	6	29	4	24	55	23.7	-1	0.877	0.5	0.4	0	54.6	55	0	153	154	0	26	26
2025	6	29	4	34	55	24.7	-0.7	0.877	0.4	0.3	0	54.6	54.6	0	153	154	0	26	27
2025	6	29	4	44	55	23.7	-0.4	0.876	0.5	0.5	0	55	55	0	154	155	0	26	27
2025	6	29	4	54	55	23.8	-0.5	0.876	0.4	0.3	0	55	55.5	0	154	155	0	26	26
2025	6	29	5	4	55	23.2	-0.9	0.876	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	29	5	14	55	23.5	-0.7	0.876	0.5	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	29	5	24	55	23.1	-0.6	0.876	0.6	0.5	0	55.5	55.9	0	155	156	0	26	26
2025	6	29	5	34	55	23.2	-1	0.876	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	29	5	44	55	23.7	0.6	0.876	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	29	5	54	55	23	0	0.876	0.5	0.5	0	55.5	55.5	0	155	156	0	26	27
2025	6	29	6	4	55	23.3	-0.5	0.876	0.4	0.3	0	55	55.9	0	154	156	0	26	26
2025	6	29	6	14	55	24.2	-1.5	0.876	0.5	0.5	0	55.5	55.9	0	155	156	0	26	26
2025	6	29	6	24	55	23.6	-0.9	0.876	0.5	0.4	0	55.5	55.9	0	155	156	0	26	26
2025	6	29	6	34	55	23.4	-1.6	0.876	0.6	0.5	0	55	54.6	0	153	154	0	25	27
2025	6	29	6	44	55	24.1	-1	0.876	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	29	6	54	55	24.5	-0.7	0.875	0.5	0.5	0	54.6	55	0	153	154	0	26	26
2025	6	29	7	4	55	24.8	-0.9	0.876	0.5	0.4	0	54.2	55	0	152	154	0	26	26
2025	6	29	7	14	55	24	-1.9	0.876	0.5	0.5	0	54.2	54.6	0	152	154	0	26	27
2025	6	29	7	24	55	24	-0.4	0.876	0.5	0.4	0	54.2	55	0	152	154	0	26	26
2025	6	29	7	34	55	23.5	-0.9	0.875	0.5	0.4	0	54.2	54.6	0	152	153	0	26	26
2025	6	29	7	44	55	24	-1.6	0.876	0.5	0.5	0	54.2	55	0	152	154	0	26	26
2025	6	29	7	54	55	23.2	-0.6	0.875	0.4	0.3	0	53.8	54.6	0	151	153	0	26	26
2025	6	29	8	4	55	23.6	-1	0.875	0.5	0.5	0	53.8	54.2	0	151	152	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	29	8	14	55	23.7	-2.4	0.875	0.5	0.4	0	53.3	54.2	0	150	152	0	26	26
2025	6	29	8	24	55	23	-2	0.875	0.5	0.5	0	53.8	54.6	0	151	153	0	26	26
2025	6	29	8	34	55	23.7	-0.3	0.875	0.6	0.5	0	53.8	54.2	0	151	153	0	26	27
2025	6	29	8	44	55	23.3	-2.2	0.876	0.5	0.5	0	53.3	54.2	0	150	152	0	26	26
2025	6	29	8	54	55	23	-0.6	0.876	0.4	0.3	0	53.3	54.6	0	150	153	0	26	26
2025	6	29	9	4	55	23.5	0	0.876	0.5	0.4	0	53.3	53.8	0	150	151	0	26	26
2025	6	29	9	14	55	23.9	-1.6	0.876	0.5	0.5	0	52.5	52.9	0	148	150	0	26	27
2025	6	29	9	24	55	24.3	-1.5	0.876	0.5	0.4	0	52.9	53.8	0	149	151	0	26	26
2025	6	29	9	34	55	23.3	-1.7	0.876	0.5	0.4	0	52	53.3	0	148	150	0	27	26
2025	6	29	9	44	55	23.6	-1	0.876	0.5	0.5	0	52	52.9	0	147	149	0	26	26
2025	6	29	9	54	55	24.2	-1.9	0.876	0.5	0.4	0	52	52.9	0	147	149	0	26	26
2025	6	29	10	4	55	24	-1.9	0.876	0.4	0.3	0	52	52.9	0	147	149	0	26	26
2025	6	29	10	14	55	23.9	-0.8	0.876	0.5	0.5	0	52.5	52.9	0	147	149	0	25	26
2025	6	29	10	24	55	24.2	-0.2	0.876	0.5	0.4	0	51.6	52	0	146	148	0	26	27
2025	6	29	10	34	55	24.6	-0.8	0.876	0.6	0.5	0	52	52.5	0	146	148	0	25	26
2025	6	29	10	44	55	23.7	-1.3	0.876	0.5	0.5	0	51.6	52.5	0	146	148	0	26	26
2025	6	29	10	54	55	23.3	-2	0.876	0.5	0.5	0	52	52.5	0	146	148	0	25	26
2025	6	29	11	4	55	23.1	-1.1	0.876	0.5	0.4	0	51.6	52	0	146	147	0	26	26
2025	6	29	11	14	55	23.2	-0.9	0.876	0.5	0.4	0	51.6	52.5	0	146	148	0	26	26
2025	6	29	11	24	55	24.7	-1	0.876	0.5	0.4	0	51.6	52	0	146	148	0	26	27
2025	6	29	11	34	55	24.3	-2.2	0.876	0.5	0.4	0	51.2	52.5	0	145	147	0	26	25
2025	6	29	11	44	55	22.9	-1.4	0.876	0.4	0.3	0	51.6	52	0	145	147	0	25	26
2025	6	29	11	54	55	24.5	-1	0.876	0.5	0.5	0	51.6	53.3	0	146	149	0	26	25
2025	6	29	12	4	55	23.2	-0.7	0.876	0.5	0.4	0	51.2	51.6	0	145	147	0	26	27
2025	6	29	12	14	55	23.9	-1.2	0.876	0.5	0.4	0	51.6	52.5	0	146	148	0	26	26
2025	6	29	12	24	55	23.9	-0.9	0.876	0.5	0.4	0	51.2	52	0	145	147	0	26	26
2025	6	29	12	34	55	23.6	-1.1	0.876	0.5	0.4	0	51.2	52	0	145	147	0	26	26
2025	6	29	12	44	55	25.2	-1	0.876	0.5	0.5	0	50.7	51.6	0	144	146	0	26	26
2025	6	29	12	54	55	23.6	-1	0.876	0.7	0.6	0	51.6	52	0	145	147	0	25	26
2025	6	29	13	4	55	25	-0.5	0.876	0.6	0.5	0	50.7	52.5	0	144	147	0	26	25
2025	6	29	13	14	55	24.3	-1.5	0.876	0.5	0.4	0	50.7	51.6	0	144	146	0	26	26
2025	6	29	13	24	55	23.4	-1.5	0.876	0.5	0.4	0	50.7	51.2	0	143	145	0	25	26
2025	6	29	13	34	55	23.9	-1.2	0.875	0.5	0.4	0	50.3	51.2	0	143	145	0	26	26
2025	6	29	13	44	55	24.1	-0.9	0.876	0.5	0.5	0	50.7	51.2	0	143	145	0	25	26
2025	6	29	13	54	55	23.8	-0.4	0.876	0.5	0.4	0	51.2	52	0	144	146	0	25	25
2025	6	29	14	4	55	24.1	-0.5	0.875	0.6	0.5	0	51.2	51.6	0	144	146	0	25	26
2025	6	29	14	14	55	22.8	0.4	0.875	0.4	0.3	0	50.7	51.6	0	144	146	0	26	26
2025	6	29	14	24	55	23.5	0.2	0.874	0.5	0.5	0	51.2	52.5	0	145	148	0	26	26
2025	6	29	14	34	55	24.8	-0.4	0.875	0.5	0.4	0	50.7	52	0	143	146	0	25	25
2025	6	29	14	44	55	24.1	-1.1	0.875	0.5	0.4	0	51.2	52	0	144	147	0	25	26
2025	6	29	14	54	55	23.5	-0.9	0.874	0.5	0.5	0	51.6	52	0	145	147	0	25	26
2025	6	29	15	4	55	23.4	-1.1	0.874	0.5	0.4	0	51.6	52.5	0	145	147	0	25	25
2025	6	29	15	14	55	23.6	-0.8	0.874	0.5	0.5	0	51.2	52	0	145	147	0	26	26
2025	6	29	15	24	55	23.8	-1.6	0.874	0.5	0.4	0	51.6	52	0	145	147	0	25	26
2025	6	29	15	34	55	23	-0.2	0.873	0.5	0.4	0	51.6	52	0	145	147	0	25	26
2025	6	29	15	44	55	23.8	-0.7	0.874	0.5	0.5	0	51.6	52.5	0	145	147	0	25	25
2025	6	29	15	54	55	23.7	-0.7	0.874	0.5	0.4	0	51.6	52.5	0	145	147	0	25	25
2025	6	29	16	4	55	23.4	-0.3	0.874	0.5	0.4	0	51.6	52	0	145	147	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	29	16	14	55	23.7	-1.7	0.874	0.5	0.5	0	51.6	52.5	0	145	147	0	25	25
2025	6	29	16	24	55	23.6	0	0.874	0.5	0.5	0	52	52.5	0	146	148	0	25	26
2025	6	29	16	34	55	23.1	-1.1	0.874	0.5	0.5	0	51.6	52.5	0	145	147	0	25	25
2025	6	29	16	44	55	23.3	-0.5	0.874	0.5	0.5	0	52	52.5	0	146	148	0	25	26
2025	6	29	16	54	55	24.2	0	0.874	0.5	0.5	0	52	53.3	0	146	149	0	25	25
2025	6	29	17	4	55	24.3	-2	0.873	0.5	0.5	0	52.5	53.3	0	147	149	0	25	25
2025	6	29	17	14	55	22.7	0.2	0.873	0.5	0.4	0	52.5	53.8	0	147	150	0	25	25
2025	6	29	17	24	55	24	-0.9	0.873	0.5	0.4	0	52.5	52.9	0	147	149	0	25	26
2025	6	29	17	34	55	23.6	-1	0.873	0.5	0.4	0	52.5	53.3	0	147	149	0	25	25
2025	6	29	17	44	55	24.2	-1.2	0.873	0.5	0.4	0	52.9	53.8	0	148	150	0	25	25
2025	6	29	17	54	55	23.5	-1	0.873	0.5	0.4	0	52.9	53.3	0	148	150	0	25	26
2025	6	29	18	4	55	23.6	1.3	0.873	0.6	0.5	0	52.5	53.8	0	148	151	0	26	26
2025	6	29	18	14	55	23.4	-1.2	0.873	0.5	0.5	0	52.9	54.2	0	148	151	0	25	25
2025	6	29	18	24	55	23.5	0	0.872	0.5	0.5	0	53.3	53.8	0	149	151	0	25	26
2025	6	29	18	34	55	23.6	-0.5	0.872	0.5	0.5	0	53.3	54.6	0	149	152	0	25	25
2025	6	29	18	44	55	22.8	-0.1	0.872	0.5	0.4	0	52.9	54.2	0	149	152	0	26	26
2025	6	29	18	54	55	23.7	-0.4	0.872	0.5	0.5	0	53.8	54.6	0	150	152	0	25	25
2025	6	29	19	4	55	23.8	-1.7	0.872	0.5	0.5	0	54.2	55	0	151	153	0	25	25
2025	6	29	19	14	55	23.6	-1.1	0.872	0.5	0.5	0	54.2	55	0	151	153	0	25	25
2025	6	29	19	24	55	24.5	-0.7	0.872	0.5	0.5	0	54.6	55	0	151	153	0	24	25
2025	6	29	19	34	55	24.2	-0.4	0.871	0.6	0.5	0	54.2	55.5	0	151	154	0	25	25
2025	6	29	19	44	55	23.3	-0.8	0.871	0.6	0.5	0	54.2	55	0	151	153	0	25	25
2025	6	29	19	54	55	23.8	-0.7	0.871	0.5	0.4	0	54.6	55.5	0	152	154	0	25	25
2025	6	29	20	4	55	24.3	-0.5	0.871	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	29	20	14	55	23.4	-0.6	0.871	0.5	0.5	0	54.2	55.5	0	152	154	0	26	25
2025	6	29	20	24	55	24.4	-1	0.871	0.6	0.5	0	55.5	55.5	0	154	154	0	25	25
2025	6	29	20	34	55	23.3	-2.1	0.871	0.5	0.4	0	55	54.6	0	153	153	0	25	26
2025	6	29	20	44	55	24.4	-0.8	0.871	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	29	20	54	55	23.7	-1.7	0.871	0.5	0.4	0	55	55.5	0	153	154	0	25	25
2025	6	29	21	4	55	23.5	-0.9	0.871	0.6	0.5	0	55.5	55.9	0	154	155	0	25	25
2025	6	29	21	14	55	23.6	-1.2	0.871	0.5	0.4	0	55	55.9	0	153	155	0	25	25
2025	6	29	21	24	55	24.2	-0.2	0.871	0.5	0.4	0	55	55.9	0	153	155	0	25	25
2025	6	29	21	34	55	23.8	-1	0.87	0.5	0.4	0	54.6	55	0	153	154	0	26	26
2025	6	29	21	44	55	24.5	0	0.87	0.5	0.5	0	54.6	55.9	0	153	155	0	26	25
2025	6	29	21	54	55	23.8	-1.2	0.87	0.5	0.4	0	55	55.5	0	153	155	0	25	26
2025	6	29	22	4	55	23.3	0	0.87	0.5	0.5	0	55.5	55	0	154	154	0	25	26
2025	6	29	22	14	55	23	-0.4	0.87	0.5	0.4	0	55.5	55.5	0	154	155	0	25	26
2025	6	29	22	24	55	23.8	-1.4	0.87	0.5	0.5	0	55	55	0	153	154	0	25	26
2025	6	29	22	34	55	23.8	-1.6	0.87	0.5	0.5	0	55	55	0	153	154	0	25	26
2025	6	29	22	44	55	24	-0.5	0.87	0.5	0.5	0	55	55	0	153	154	0	25	26
2025	6	29	22	54	55	23.2	-0.8	0.87	0.5	0.5	0	55.5	55.9	0	153	154	0	24	24
2025	6	29	23	4	55	24.5	-0.5	0.87	0.5	0.4	0	54.6	55.5	0	153	154	0	26	25
2025	6	29	23	14	55	23.1	0	0.87	0.5	0.5	0	55.5	55.5	0	154	155	0	25	26
2025	6	29	23	24	55	24.5	-1.2	0.87	0.6	0.5	0	55.5	55.9	0	154	155	0	25	25
2025	6	29	23	34	55	22.9	-1	0.87	0.5	0.5	0	55	55.5	0	154	155	0	26	26
2025	6	29	23	44	55	23.4	-1.8	0.87	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	29	23	54	55	23.9	-1	0.869	0.5	0.4	0	55.5	55.5	0	154	155	0	25	26
2025	6	30	0	4	55	24	0.1	0.869	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	30	0	14	55	23.6	-0.7	0.869	0.6	0.5	0	55	55.5	0	154	155	0	26	26
2025	6	30	0	24	55	23.4	-0.7	0.869	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	30	0	34	55	22.4	-1.2	0.869	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	30	0	44	55	24.1	-0.7	0.869	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	30	0	54	55	23.3	-1.3	0.869	0.5	0.4	0	55.5	55.5	0	154	155	0	25	26
2025	6	30	1	4	55	24.3	-0.7	0.869	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	30	1	14	55	23.2	-0.9	0.869	0.5	0.4	0	55	55.9	0	154	156	0	26	26
2025	6	30	1	24	55	22.6	-0.7	0.869	0.5	0.5	0	55.5	56.3	0	155	156	0	26	25
2025	6	30	1	34	55	23.2	-0.5	0.869	0.5	0.5	0	55.5	55.9	0	155	156	0	26	26
2025	6	30	1	44	55	24	-0.8	0.869	0.5	0.4	0	55	55.5	0	154	155	0	26	26
2025	6	30	1	54	55	23.4	-1	0.869	0.5	0.5	0	55.5	56.3	0	154	156	0	25	25
2025	6	30	2	4	55	23.7	-1.2	0.869	0.6	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	30	2	14	55	23.6	-1.2	0.869	0.5	0.5	0	55.9	55.9	0	155	156	0	25	26
2025	6	30	2	24	55	24.1	-0.4	0.869	0.7	0.6	0	55.5	56.3	0	154	156	0	25	25
2025	6	30	2	34	55	23.5	-0.7	0.869	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	30	2	44	55	22.5	-0.5	0.869	0.5	0.5	0	55.9	55.9	0	155	156	0	25	26
2025	6	30	2	54	55	22.6	0	0.869	0.5	0.5	0	55.5	53.3	0	154	150	0	25	26
2025	6	30	3	4	55	21.9	-0.7	0.869	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	30	3	14	55	23.2	-2.1	0.869	0.5	0.4	0	55	55.5	0	154	155	0	26	26
2025	6	30	3	24	55	22.4	-0.8	0.87	0.5	0.4	0	55	55.5	0	153	155	0	25	26
2025	6	30	3	34	55	23.1	-1.3	0.87	0.5	0.5	0	55	55.5	0	153	155	0	25	26
2025	6	30	3	44	55	22.7	0	0.871	0.5	0.4	0	55	55.5	0	153	155	0	25	26
2025	6	30	3	54	55	24	-0.9	0.872	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	30	4	4	55	23.8	-0.7	0.874	0.5	0.4	0	54.6	55.5	0	153	154	0	26	25
2025	6	30	4	14	55	23.3	-1	0.874	0.6	0.5	0	55	55.5	0	153	154	0	25	25
2025	6	30	4	24	55	23.6	-1.1	0.875	0.5	0.5	0	55	55.5	0	154	155	0	26	26
2025	6	30	4	34	55	24.9	0.4	0.876	0.5	0.5	0	54.6	55.5	0	153	155	0	26	26
2025	6	30	4	44	55	23	-1.5	0.876	0.5	0.4	0	55.5	55.9	0	154	156	0	25	26
2025	6	30	4	54	55	25.1	-0.5	0.876	0.5	0.5	0	55	55.5	0	154	155	0	26	26
2025	6	30	5	4	55	23.6	-0.5	0.877	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	30	5	14	55	24.9	-2.1	0.877	0.5	0.4	0	55	55	0	154	155	0	26	27
2025	6	30	5	24	55	24.7	-0.9	0.877	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	30	5	34	55	23.2	-0.8	0.878	0.5	0.4	0	55.9	56.3	0	155	157	0	25	26
2025	6	30	5	44	55	24.2	-0.6	0.878	0.5	0.4	0	55.5	56.3	0	155	157	0	26	26
2025	6	30	5	54	55	24.4	-1.3	0.878	0.5	0.4	0	55	55.9	0	154	156	0	26	26
2025	6	30	6	4	55	23.6	-1	0.879	0.5	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	30	6	14	55	23.5	-0.5	0.879	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	30	6	24	55	23.9	-1.6	0.881	0.5	0.4	0	55.5	55.9	0	154	156	0	25	26
2025	6	30	6	34	55	24.3	-0.5	0.883	0.5	0.5	0	55	55.5	0	154	155	0	26	26
2025	6	30	6	44	55	24	-1.9	0.885	0.3	0.2	0	54.6	55.5	0	153	155	0	26	26
2025	6	30	6	54	55	24.3	-0.7	0.886	0.5	0.4	0	55	55.5	0	153	155	0	25	26
2025	6	30	7	4	55	24.8	-0.9	0.886	0.6	0.5	0	55	55.9	0	154	156	0	26	26
2025	6	30	7	14	55	24.5	-1.7	0.887	0.5	0.4	0	54.6	55.5	0	153	155	0	26	26
2025	6	30	7	24	55	24.5	-0.5	0.888	0.5	0.5	0	54.6	55	0	153	155	0	26	27
2025	6	30	7	34	55	24.7	-1.1	0.888	0.5	0.4	0	54.2	55.5	0	152	155	0	26	26
2025	6	30	7	44	55	24.1	-1.5	0.889	0.5	0.5	0	54.2	55	0	152	154	0	26	26
2025	6	30	7	54	55	24.3	-1	0.889	0.5	0.4	0	54.2	54.6	0	152	154	0	26	27
2025	6	30	8	4	55	23.6	-1.2	0.89	0.5	0.5	0	54.2	55	0	152	154	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	30	8	14	55	24.1	-1	0.891	0.5	0.4	0	53.8	55	0	151	154	0	26	26
2025	6	30	8	24	55	25.6	-1.2	0.891	0.5	0.5	0	54.2	55	0	151	154	0	25	26
2025	6	30	8	34	55	24.9	-2.1	0.894	0.6	0.5	0	53.8	54.6	0	151	153	0	26	26
2025	6	30	8	44	55	25.2	-2.1	0.896	0.4	0.3	0	53.3	54.6	0	150	153	0	26	26
2025	6	30	8	54	55	25	-1.4	0.897	0.5	0.5	0	53.3	54.6	0	150	153	0	26	26
2025	6	30	9	4	55	26.4	-1.3	0.898	0.5	0.4	0	53.8	53.8	0	150	152	0	25	27
2025	6	30	9	14	55	24.5	-0.4	0.899	0.5	0.4	0	53.3	54.2	0	150	152	0	26	26
2025	6	30	9	24	55	24.1	-0.3	0.899	0.4	0.3	0	53.3	54.2	0	150	152	0	26	26
2025	6	30	9	34	55	25.1	-1.3	0.9	0.5	0.5	0	53.3	54.2	0	150	151	0	26	25
2025	6	30	9	44	55	24.3	-2	0.901	0.5	0.5	0	52.9	53.8	0	149	151	0	26	26
2025	6	30	9	54	55	24.5	-1.4	0.901	0.5	0.4	0	52.9	53.8	0	149	151	0	26	26
2025	6	30	10	4	55	25.2	-1	0.902	0.4	0.3	0	52.9	53.8	0	149	151	0	26	26
2025	6	30	10	14	55	25.9	-1.1	0.903	0.5	0.4	0	52.5	53.8	0	148	151	0	26	26
2025	6	30	10	24	55	25.9	-2.8	0.904	0.5	0.4	0	52.5	53.8	0	148	151	0	26	26
2025	6	30	10	34	55	26.5	-1.4	0.904	0.5	0.5	0	52	52.9	0	148	150	0	27	27
2025	6	30	10	44	55	25.1	-0.8	0.906	0.6	0.5	0	52	52.9	0	147	150	0	26	27
2025	6	30	10	54	55	24.9	-1.3	0.909	0.6	0.5	0	52	52.9	0	147	149	0	26	26
2025	6	30	11	4	55	25.2	-1.5	0.911	0.5	0.4	0	51.6	52.5	0	146	148	0	26	26
2025	6	30	11	14	55	26.4	-1.1	0.912	0.5	0.4	0	51.6	52.5	0	146	148	0	26	26
2025	6	30	11	24	55	26	-0.5	0.911	0.5	0.5	0	52	52.9	0	146	148	0	25	25
2025	6	30	11	34	55	26	-1.7	0.912	0.4	0.3	0	52.5	53.3	0	148	150	0	26	26
2025	6	30	11	44	55	26.4	-1.2	0.913	0.5	0.4	0	52.5	53.3	0	148	150	0	26	26
2025	6	30	11	54	55	26.2	-1.4	0.913	0.6	0.5	0	52.5	53.8	0	148	151	0	26	26
2025	6	30	12	4	55	25.8	-0.8	0.915	0.4	0.3	0	52.5	53.3	0	148	150	0	26	26
2025	6	30	12	14	55	25.9	-1	0.916	0.4	0.3	0	52	53.3	0	147	150	0	26	26
2025	6	30	12	24	55	26.1	-1.4	0.916	0.5	0.4	0	52	53.3	0	147	150	0	26	26
2025	6	30	12	34	55	26.2	-0.6	0.919	0.5	0.4	0	52	53.8	0	147	150	0	26	25
2025	6	30	12	44	55	26.4	-2	0.918	0.5	0.4	0	52.5	52.9	0	147	149	0	25	26
2025	6	30	12	54	55	25.3	-1	0.919	0.5	0.5	0	52	52.9	0	146	149	0	25	26
2025	6	30	13	4	55	26.7	-1.3	0.92	0.5	0.5	0	51.6	52.9	0	146	149	0	26	26
2025	6	30	13	14	55	26.6	-0.5	0.92	0.4	0.3	0	52	52.9	0	146	149	0	25	26
2025	6	30	13	24	55	26.9	-1.5	0.922	0.5	0.4	0	51.6	52.9	0	145	148	0	25	25
2025	6	30	13	34	55	27.3	-1	0.922	0.5	0.4	0	51.6	52.5	0	145	148	0	25	26
2025	6	30	13	44	55	26.7	-0.8	0.924	0.5	0.5	0	51.6	52.9	0	146	149	0	26	26
2025	6	30	13	54	55	26.3	-0.4	0.924	0.5	0.4	0	52.5	53.8	0	147	150	0	25	25
2025	6	30	14	4	55	26.9	-1	0.925	0.5	0.5	0	52	53.3	0	147	150	0	26	26
2025	6	30	14	14	55	26.8	-1.2	0.926	0.5	0.4	0	52	52.9	0	146	149	0	25	26
2025	6	30	14	24	55	26	0	0.927	0.4	0.3	0	52	53.3	0	147	149	0	26	25
2025	6	30	14	34	55	27.6	-2.1	0.928	0.5	0.4	0	52	52.9	0	146	149	0	25	26
2025	6	30	14	44	55	26.5	-1.2	0.928	0.5	0.4	0	51.6	53.3	0	146	149	0	26	25
2025	6	30	14	54	55	27.3	-0.2	0.931	0.5	0.5	0	52	53.3	0	147	150	0	26	26
2025	6	30	15	4	55	27.6	-1.3	0.93	0.5	0.4	0	52	53.8	0	147	150	0	26	25
2025	6	30	15	14	55	26.4	-0.4	0.93	0.5	0.4	0	52.9	54.2	0	148	151	0	25	25
2025	6	30	15	24	55	27.4	-1.8	0.932	0.6	0.5	0	52.9	53.3	0	149	149	0	26	25
2025	6	30	15	34	55	28	0	0.933	0.5	0.4	0	53.3	53.8	0	149	150	0	25	25
2025	6	30	15	44	55	27.7	-1.7	0.932	0.5	0.4	0	53.8	53.3	0	149	150	0	24	26
2025	6	30	15	54	55	26.8	0	0.934	0.5	0.5	0	53.8	54.2	0	151	151	0	26	25
2025	6	30	16	4	55	26.6	-2	0.935	0.5	0.4	0	54.2	54.6	0	151	152	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	6	30	16	14	55	27.3	-0.5	0.937	0.5	0.5	0	54.6	54.6	0	152	152	0	25	25
2025	6	30	16	24	55	27.1	-0.5	0.937	0.5	0.4	0	54.6	55	0	152	153	0	25	25
2025	6	30	16	34	55	27.4	0.3	0.939	0.5	0.5	0	55	52.9	0	153	148	0	25	25
2025	6	30	16	44	55	27.3	-0.7	0.939	0.4	0.3	0	55	55	0	153	154	0	25	26
2025	6	30	16	54	55	27.7	-1.4	0.939	0.6	0.5	0	55	55.5	0	153	154	0	25	25
2025	6	30	17	4	55	28.1	-0.6	0.94	0.4	0.3	0	55.5	55.9	0	154	155	0	25	25
2025	6	30	17	14	55	27.5	-0.4	0.941	0.4	0.3	0	55.9	55.9	0	155	156	0	25	26
2025	6	30	17	24	55	28.2	-0.7	0.94	0.5	0.5	0	55.5	55.9	0	155	156	0	26	26
2025	6	30	17	34	55	28.1	-0.5	0.942	0.5	0.5	0	55.9	56.3	0	155	157	0	25	26
2025	6	30	17	44	55	28	-1	0.944	0.5	0.4	0	56.3	56.8	0	156	157	0	25	25
2025	6	30	17	54	55	28	-0.7	0.944	0.5	0.5	0	56.3	57.2	0	156	158	0	25	25
2025	6	30	18	4	55	28.3	-1.8	0.945	0.5	0.5	0	55.5	55.9	0	154	156	0	25	26
2025	6	30	18	14	55	28.3	-1.8	0.946	0.5	0.4	0	55.9	56.3	0	155	156	0	25	25
2025	6	30	18	24	55	27.3	-1.6	0.947	0.5	0.4	0	56.3	56.8	0	155	157	0	24	25
2025	6	30	18	34	55	28	-1	0.948	0.6	0.5	0	55.5	56.3	0	154	156	0	25	25
2025	6	30	18	44	55	28.6	-0.8	0.949	0.4	0.3	0	55.9	56.8	0	155	157	0	25	25
2025	6	30	18	54	55	27.9	-1.1	0.95	0.5	0.5	0	55.9	56.8	0	155	157	0	25	25
2025	6	30	19	4	55	27.8	-1.2	0.951	0.5	0.4	0	55.9	56.8	0	155	157	0	25	25
2025	6	30	19	14	55	28.4	-0.4	0.951	0.5	0.5	0	56.8	56.3	0	157	157	0	25	26
2025	6	30	19	24	55	28.7	-1.1	0.953	0.5	0.4	0	56.8	56.3	0	157	157	0	25	26
2025	6	30	19	34	55	29.2	-1.6	0.953	0.5	0.4	0	55.9	56.8	0	155	157	0	25	25
2025	6	30	19	44	55	28	-0.9	0.954	0.5	0.5	0	56.8	57.6	0	157	159	0	25	25
2025	6	30	19	54	55	28.7	-0.9	0.955	0.5	0.4	0	56.8	56.8	0	157	158	0	25	26
2025	6	30	20	4	55	28	-1.4	0.955	0.5	0.4	0	56.3	56.8	0	156	158	0	25	26
2025	6	30	20	14	55	29.4	-0.6	0.956	0.5	0.5	0	56.8	57.2	0	157	158	0	25	25
2025	6	30	20	24	55	28.6	-0.7	0.957	0.5	0.5	0	56.3	56.8	0	156	158	0	25	26
2025	6	30	20	34	55	28.8	-0.7	0.958	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2025	6	30	20	44	55	29.1	-0.4	0.959	0.5	0.5	0	56.3	57.2	0	156	158	0	25	25
2025	6	30	20	54	55	29.3	-0.7	0.961	0.5	0.4	0	56.3	56.8	0	156	158	0	25	26
2025	6	30	21	4	55	28.6	-0.5	0.961	0.5	0.4	0	55.9	57.2	0	156	158	0	26	25
2025	6	30	21	14	55	27.6	-0.2	0.962	0.5	0.5	0	56.3	57.2	0	156	158	0	25	25
2025	6	30	21	24	55	29.4	-1.6	0.963	0.5	0.5	0	55.9	56.8	0	156	158	0	26	26
2025	6	30	21	34	55	28.1	-0.4	0.964	0.5	0.4	0	55.9	56.8	0	156	158	0	26	26
2025	6	30	21	44	55	28.4	-1.5	0.963	0.5	0.4	0	56.3	56.8	0	156	158	0	25	26
2025	6	30	21	54	55	29.9	-1	0.965	0.5	0.5	0	56.3	56.8	0	156	157	0	25	25
2025	6	30	22	4	55	28	-0.5	0.965	0.5	0.4	0	56.3	56.8	0	156	158	0	25	26
2025	6	30	22	14	55	29.8	-0.4	0.966	0.5	0.5	0	56.3	56.3	0	156	157	0	25	26
2025	6	30	22	24	55	28.8	-0.4	0.966	0.4	0.3	0	56.3	57.2	0	156	158	0	25	25
2025	6	30	22	34	55	28.4	-0.9	0.967	0.5	0.4	0	56.3	56.8	0	156	158	0	25	26
2025	6	30	22	44	55	29.4	-0.7	0.968	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2025	6	30	22	54	55	29.2	-0.8	0.972	0.5	0.4	0	55.5	56.8	0	155	157	0	26	25
2025	6	30	23	4	55	29.4	-1.2	0.972	0.4	0.3	0	55.9	56.3	0	155	157	0	25	26
2025	6	30	23	14	55	28.9	-1.5	0.973	0.5	0.4	0	55.9	56.3	0	156	157	0	26	26
2025	6	30	23	24	55	28.7	-1.2	0.974	0.4	0.3	0	56.3	56.3	0	156	157	0	25	26
2025	6	30	23	34	55	29.6	0	0.975	0.5	0.5	0	55.9	56.3	0	156	157	0	26	26
2025	6	30	23	44	55	29.6	-1	0.975	0.5	0.4	0	55.9	55.9	0	155	156	0	25	26
2025	6	30	23	54	55	29.1	-1	0.975	0.4	0.3	0	55.5	55.9	0	155	156	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	1	0	8	10	25	0	0	0	0	0	0	0	23.15	0	0
2025	6	1	0	18	10	25	0	0	0	0	0	0	0	23.07	0	0
2025	6	1	0	28	10	25	0	0	0	0	0	0	0	22.99	0	0
2025	6	1	0	38	10	25	0	0	0	0	0	0	0	22.92	0	0
2025	6	1	0	48	10	25	0	0	0	0	0	0	0	22.86	0	0
2025	6	1	0	58	10	25	0	0	0	0	0	0	0	22.79	0	0
2025	6	1	1	8	10	25	0	0	0	0	0	0	0	22.73	0	0
2025	6	1	1	18	10	25	0	0	0	0	0	0	0	22.66	0	0
2025	6	1	1	28	10	26	0	0	0	0	0	0	0	22.6	0	0
2025	6	1	1	38	10	25	0	0	0	0	0	0	0	22.54	0	0
2025	6	1	1	48	10	25	0	0	0	0	0	0	0	22.48	0	0
2025	6	1	1	58	10	25	0	0	0	0	0	0	0	22.42	0	0
2025	6	1	2	8	10	26	0	0	0	0	0	0	0	22.36	0	0
2025	6	1	2	18	10	25	0	0	0	0	0	0	0	22.31	0	0
2025	6	1	2	28	10	25	0	0	0	0	0	0	0	22.25	0	0
2025	6	1	2	38	10	25	0	0	0	0	0	0	0	22.19	0	0
2025	6	1	2	48	10	25	0	0	0	0	0	0	0	22.13	0	0
2025	6	1	2	58	10	25	0	0	0	0	0	0	0	22.07	0	0
2025	6	1	3	8	10	25	0	0	0	0	0	0	0	22.01	0	0
2025	6	1	3	18	10	26	0	0	0	0	0	0	0	21.95	0	0
2025	6	1	3	28	10	26	0	0	0	0	0	0	0	21.89	0	0
2025	6	1	3	38	10	25	0	0	0	0	0	0	0	21.83	0	0
2025	6	1	3	48	10	25	0	0	0	0	0	0	0	21.77	0	0
2025	6	1	3	58	10	25	0	0	0	0	0	0	0	21.71	0	0
2025	6	1	4	8	10	25	0	0	0	0	0	0	0	21.65	0	0
2025	6	1	4	18	10	25	0	0	0	0	0	0	0	21.59	0	0
2025	6	1	4	28	10	26	0	0	0	0	0	0	0	21.54	0	0
2025	6	1	4	38	10	26	0	0	0	0	0	0	0	21.48	0	0
2025	6	1	4	48	10	26	0	0	0	0	0	0	0	21.43	0	0
2025	6	1	4	58	10	26	0	0	0	0	0	0	0	21.38	0	0
2025	6	1	5	8	10	25	0	0	0	0	0	0	0	21.33	0	0
2025	6	1	5	18	10	25	0	0	0	0	0	0	0	21.28	0	0
2025	6	1	5	28	10	25	0	0	0	0	0	0	0	21.24	0	0
2025	6	1	5	38	10	25	0	0	0	0	0	0	0	21.19	0	0
2025	6	1	5	48	10	25	0	0	0	0	0	0	0	21.15	0	0
2025	6	1	5	58	10	26	0	0	0	0	0	0	0	21.11	0	0
2025	6	1	6	8	10	25	0	0	0	0	0	0	0	21.07	0	0
2025	6	1	6	18	10	25	0	0	0	0	0	0	0	21.04	0	0
2025	6	1	6	28	10	25	0	0	0	0	0	0	0	21.01	0	0
2025	6	1	6	38	10	25	0	0	0	0	0	0	0	20.97	0	0
2025	6	1	6	48	10	25	0	0	0	0	0	0	0	20.95	0	0
2025	6	1	6	58	10	25	0	0	0	0	0	0	0	20.91	0	0
2025	6	1	7	8	10	26	0	0	0	0	0	0	0	20.89	0	0
2025	6	1	7	18	10	26	0	0	0	0	0	0	0	20.88	0	0
2025	6	1	7	28	10	25	0	0	0	0	0	0	0	20.87	0	0
2025	6	1	7	38	10	25	0	0	0	0	0	0	0	20.86	0	0
2025	6	1	7	48	10	25	0	0	0	0	0	0	0	20.86	0	0
2025	6	1	7	58	10	26	0	0	0	0	0	0	0	20.86	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	1	8	8	10	25	0	0	0	0	0	0	0	20.87	0	0
2025	6	1	8	18	10	26	0	0	0	0	0	0	0	20.88	0	0
2025	6	1	8	28	10	26	0	0	0	0	0	0	0	20.9	0	0
2025	6	1	8	38	10	24	0	0	0	0	0	0	0	20.93	0	0
2025	6	1	8	48	10	25	0	0	0	0	0	0	0	20.95	0	0
2025	6	1	8	58	10	25	0	0	0	0	0	0	0	20.98	0	0
2025	6	1	9	8	10	25	0	0	0	0	0	0	0	21.03	0	0
2025	6	1	9	18	10	25	0	0	0	0	0	0	0	21.09	0	0
2025	6	1	9	28	10	25	0	0	0	0	0	0	0	21.15	0	0
2025	6	1	9	38	10	25	0	0	0	0	0	0	0	21.22	0	0
2025	6	1	9	48	10	25	0	0	0	0	0	0	0	21.3	0	0
2025	6	1	9	58	10	25	0	0	0	0	0	0	0	21.38	0	0
2025	6	1	10	8	10	26	0	0	0	0	0	0	0	21.46	0	0
2025	6	1	10	18	10	26	0	0	0	0	0	0	0	21.56	0	0
2025	6	1	10	28	10	26	0	0	0	0	0	0	0	21.66	0	0
2025	6	1	10	38	10	25	0	0	0	0	0	0	0	21.76	0	0
2025	6	1	10	48	10	26	0	0	0	0	0	0	0	21.87	0	0
2025	6	1	10	58	10	25	0	0	0	0	0	0	0	21.98	0	0
2025	6	1	11	8	10	26	0	0	0	0	0	0	0	22.09	0	0
2025	6	1	11	18	10	25	0	0	0	0	0	0	0	22.21	0	0
2025	6	1	11	28	10	25	0	0	0	0	0	0	0	22.33	0	0
2025	6	1	11	38	10	25	0	0	0	0	0	0	0	22.45	0	0
2025	6	1	11	48	10	26	0	0	0	0	0	0	0	22.58	0	0
2025	6	1	11	58	10	25	0	0	0	0	0	0	0	22.71	0	0
2025	6	1	12	8	10	25	0	0	0	0	0	0	0	22.83	0	0
2025	6	1	12	18	10	26	0	0	0	0	0	0	0	22.96	0	0
2025	6	1	12	28	10	25	0	0	0	0	0	0	0	23.09	0	0
2025	6	1	12	38	10	25	0	0	0	0	0	0	0	23.21	0	0
2025	6	1	12	48	10	25	0	0	0	0	0	0	0	23.35	0	0
2025	6	1	12	58	10	25	0	0	0	0	0	0	0	23.47	0	0
2025	6	1	13	8	10	25	0	0	0	0	0	0	0	23.59	0	0
2025	6	1	13	18	10	25	0	0	0	0	0	0	0	23.71	0	0
2025	6	1	13	28	10	25	0	0	0	0	0	0	0	23.83	0	0
2025	6	1	13	38	10	24	0	0	0	0	0	0	0	23.94	0	0
2025	6	1	13	48	10	25	0	0	0	0	0	0	0	24.05	0	0
2025	6	1	13	58	10	25	0	0	0	0	0	0	0	24.16	0	0
2025	6	1	14	8	10	25	0	0	0	0	0	0	0	24.25	0	0
2025	6	1	14	18	10	25	0	0	0	0	0	0	0	24.34	0	0
2025	6	1	14	28	10	24	0	0	0	0	0	0	0	24.4	0	0
2025	6	1	14	38	10	25	0	0	0	0	0	0	0	24.47	0	0
2025	6	1	14	48	10	25	0	0	0	0	0	0	0	24.5	0	0
2025	6	1	14	58	10	25	0	0	0	0	0	0	0	24.52	0	0
2025	6	1	15	8	10	25	0	0	0	0	0	0	0	24.54	0	0
2025	6	1	15	18	10	25	0	0	0	0	0	0	0	24.55	0	0
2025	6	1	15	28	10	25	0	0	0	0	0	0	0	24.55	0	0
2025	6	1	15	38	10	25	0	0	0	0	0	0	0	24.55	0	0
2025	6	1	15	48	10	24	0	0	0	0	0	0	0	24.53	0	0
2025	6	1	15	58	10	25	0	0	0	0	0	0	0	24.5	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	1	16	8	10	24	0	0	0	0	0	0	0	24.46	0	0
2025	6	1	16	18	10	25	0	0	0	0	0	0	0	24.43	0	0
2025	6	1	16	28	10	25	0	0	0	0	0	0	0	24.39	0	0
2025	6	1	16	38	10	25	0	0	0	0	0	0	0	24.35	0	0
2025	6	1	16	48	10	24	0	0	0	0	0	0	0	24.33	0	0
2025	6	1	16	58	10	24	0	0	0	0	0	0	0	24.31	0	0
2025	6	1	17	8	10	25	0	0	0	0	0	0	0	24.3	0	0
2025	6	1	17	18	10	25	0	0	0	0	0	0	0	24.29	0	0
2025	6	1	17	28	10	26	0	0	0	0	0	0	0	24.27	0	0
2025	6	1	17	38	10	24	0	0	0	0	0	0	0	24.24	0	0
2025	6	1	17	48	10	25	0	0	0	0	0	0	0	24.21	0	0
2025	6	1	17	58	10	25	0	0	0	0	0	0	0	24.19	0	0
2025	6	1	18	8	10	25	0	0	0	0	0	0	0	24.17	0	0
2025	6	1	18	18	10	25	0	0	0	0	0	0	0	24.16	0	0
2025	6	1	18	28	10	24	0	0	0	0	0	0	0	24.14	0	0
2025	6	1	18	38	10	25	0	0	0	0	0	0	0	24.11	0	0
2025	6	1	18	48	10	25	0	0	0	0	0	0	0	24.07	0	0
2025	6	1	18	58	10	25	0	0	0	0	0	0	0	24.04	0	0
2025	6	1	19	8	10	25	0	0	0	0	0	0	0	24	0	0
2025	6	1	19	18	10	24	0	0	0	0	0	0	0	23.97	0	0
2025	6	1	19	28	10	25	0	0	0	0	0	0	0	23.93	0	0
2025	6	1	19	38	10	25	0	0	0	0	0	0	0	23.87	0	0
2025	6	1	19	48	10	24	0	0	0	0	0	0	0	23.81	0	0
2025	6	1	19	58	10	26	0	0	0	0	0	0	0	23.75	0	0
2025	6	1	20	8	10	25	0	0	0	0	0	0	0	23.69	0	0
2025	6	1	20	18	10	24	0	0	0	0	0	0	0	23.63	0	0
2025	6	1	20	28	10	25	0	0	0	0	0	0	0	23.58	0	0
2025	6	1	20	38	10	25	0	0	0	0	0	0	0	23.52	0	0
2025	6	1	20	48	10	25	0	0	0	0	0	0	0	23.45	0	0
2025	6	1	20	58	10	25	0	0	0	0	0	0	0	23.39	0	0
2025	6	1	21	8	10	25	0	0	0	0	0	0	0	23.32	0	0
2025	6	1	21	18	10	25	0	0	0	0	0	0	0	23.26	0	0
2025	6	1	21	28	10	25	0	0	0	0	0	0	0	23.2	0	0
2025	6	1	21	38	10	25	0	0	0	0	0	0	0	23.14	0	0
2025	6	1	21	48	10	26	0	0	0	0	0	0	0	23.07	0	0
2025	6	1	21	58	10	25	0	0	0	0	0	0	0	23.01	0	0
2025	6	1	22	8	10	25	0	0	0	0	0	0	0	22.94	0	0
2025	6	1	22	18	10	25	0	0	0	0	0	0	0	22.87	0	0
2025	6	1	22	28	10	25	0	0	0	0	0	0	0	22.81	0	0
2025	6	1	22	38	10	25	0	0	0	0	0	0	0	22.74	0	0
2025	6	1	22	48	10	25	0	0	0	0	0	0	0	22.68	0	0
2025	6	1	22	58	10	25	0	0	0	0	0	0	0	22.62	0	0
2025	6	1	23	8	10	25	0	0	0	0	0	0	0	22.56	0	0
2025	6	1	23	18	10	25	0	0	0	0	0	0	0	22.5	0	0
2025	6	1	23	28	10	25	0	0	0	0	0	0	0	22.45	0	0
2025	6	1	23	38	10	26	0	0	0	0	0	0	0	22.4	0	0
2025	6	1	23	48	10	25	0	0	0	0	0	0	0	22.34	0	0
2025	6	1	23	58	10	25	0	0	0	0	0	0	0	22.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	2	0	8	10	26	0	0	0	0	0	0	0	22.24	0	0
2025	6	2	0	18	10	25	0	0	0	0	0	0	0	22.18	0	0
2025	6	2	0	28	10	25	0	0	0	0	0	0	0	22.12	0	0
2025	6	2	0	38	10	26	0	0	0	0	0	0	0	22.07	0	0
2025	6	2	0	48	10	25	0	0	0	0	0	0	0	22.01	0	0
2025	6	2	0	58	10	25	0	0	0	0	0	0	0	21.96	0	0
2025	6	2	1	8	10	25	0	0	0	0	0	0	0	21.9	0	0
2025	6	2	1	18	10	25	0	0	0	0	0	0	0	21.86	0	0
2025	6	2	1	28	10	26	0	0	0	0	0	0	0	21.81	0	0
2025	6	2	1	38	10	26	0	0	0	0	0	0	0	21.76	0	0
2025	6	2	1	48	10	25	0	0	0	0	0	0	0	21.71	0	0
2025	6	2	1	58	10	26	0	0	0	0	0	0	0	21.66	0	0
2025	6	2	2	8	10	26	0	0	0	0	0	0	0	21.61	0	0
2025	6	2	2	18	10	25	0	0	0	0	0	0	0	21.56	0	0
2025	6	2	2	28	10	25	0	0	0	0	0	0	0	21.5	0	0
2025	6	2	2	38	10	25	0	0	0	0	0	0	0	21.46	0	0
2025	6	2	2	48	10	26	0	0	0	0	0	0	0	21.41	0	0
2025	6	2	2	58	10	25	0	0	0	0	0	0	0	21.36	0	0
2025	6	2	3	8	10	24	0	0	0	0	0	0	0	21.31	0	0
2025	6	2	3	18	10	25	0	0	0	0	0	0	0	21.25	0	0
2025	6	2	3	28	10	25	0	0	0	0	0	0	0	21.2	0	0
2025	6	2	3	38	10	25	0	0	0	0	0	0	0	21.15	0	0
2025	6	2	3	48	10	26	0	0	0	0	0	0	0	21.1	0	0
2025	6	2	3	58	10	25	0	0	0	0	0	0	0	21.04	0	0
2025	6	2	4	8	10	25	0	0	0	0	0	0	0	21	0	0
2025	6	2	4	18	10	26	0	0	0	0	0	0	0	20.96	0	0
2025	6	2	4	28	10	25	0	0	0	0	0	0	0	20.91	0	0
2025	6	2	4	38	10	26	0	0	0	0	0	0	0	20.87	0	0
2025	6	2	4	48	10	25	0	0	0	0	0	0	0	20.83	0	0
2025	6	2	4	58	10	26	0	0	0	0	0	0	0	20.79	0	0
2025	6	2	5	8	10	25	0	0	0	0	0	0	0	20.75	0	0
2025	6	2	5	18	10	25	0	0	0	0	0	0	0	20.71	0	0
2025	6	2	5	28	10	26	0	0	0	0	0	0	0	20.67	0	0
2025	6	2	5	38	10	25	0	0	0	0	0	0	0	20.63	0	0
2025	6	2	5	48	10	25	0	0	0	0	0	0	0	20.59	0	0
2025	6	2	5	58	10	25	0	0	0	0	0	0	0	20.55	0	0
2025	6	2	6	8	10	25	0	0	0	0	0	0	0	20.51	0	0
2025	6	2	6	18	10	25	0	0	0	0	0	0	0	20.47	0	0
2025	6	2	6	28	10	25	0	0	0	0	0	0	0	20.44	0	0
2025	6	2	6	38	10	25	0	0	0	0	0	0	0	20.4	0	0
2025	6	2	6	48	10	25	0	0	0	0	0	0	0	20.37	0	0
2025	6	2	6	58	10	26	0	0	0	0	0	0	0	20.35	0	0
2025	6	2	7	8	10	26	0	0	0	0	0	0	0	20.32	0	0
2025	6	2	7	18	10	25	0	0	0	0	0	0	0	20.31	0	0
2025	6	2	7	28	10	26	0	0	0	0	0	0	0	20.3	0	0
2025	6	2	7	38	10	26	0	0	0	0	0	0	0	20.29	0	0
2025	6	2	7	48	10	26	0	0	0	0	0	0	0	20.29	0	0
2025	6	2	7	58	10	26	0	0	0	0	0	0	0	20.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	2	8	8	10	26	0	0	0	0	0	0	0	20.31	0	0
2025	6	2	8	18	10	26	0	0	0	0	0	0	0	20.32	0	0
2025	6	2	8	28	10	25	0	0	0	0	0	0	0	20.34	0	0
2025	6	2	8	38	10	25	0	0	0	0	0	0	0	20.36	0	0
2025	6	2	8	48	10	26	0	0	0	0	0	0	0	20.4	0	0
2025	6	2	8	58	10	25	0	0	0	0	0	0	0	20.44	0	0
2025	6	2	9	8	10	26	0	0	0	0	0	0	0	20.48	0	0
2025	6	2	9	18	10	26	0	0	0	0	0	0	0	20.53	0	0
2025	6	2	9	28	10	25	0	0	0	0	0	0	0	20.58	0	0
2025	6	2	9	38	10	25	0	0	0	0	0	0	0	20.64	0	0
2025	6	2	9	48	10	26	0	0	0	0	0	0	0	20.71	0	0
2025	6	2	9	58	10	24	0	0	0	0	0	0	0	20.77	0	0
2025	6	2	10	8	10	25	0	0	0	0	0	0	0	20.85	0	0
2025	6	2	10	18	10	25	0	0	0	0	0	0	0	20.93	0	0
2025	6	2	10	28	10	26	0	0	0	0	0	0	0	21.01	0	0
2025	6	2	10	38	10	26	0	0	0	0	0	0	0	21.11	0	0
2025	6	2	10	48	10	25	0	0	0	0	0	0	0	21.2	0	0
2025	6	2	10	58	10	26	0	0	0	0	0	0	0	21.3	0	0
2025	6	2	11	8	10	26	0	0	0	0	0	0	0	21.4	0	0
2025	6	2	11	18	10	24	0	0	0	0	0	0	0	21.51	0	0
2025	6	2	11	28	10	25	0	0	0	0	0	0	0	21.61	0	0
2025	6	2	11	38	10	26	0	0	0	0	0	0	0	21.73	0	0
2025	6	2	11	48	10	25	0	0	0	0	0	0	0	21.85	0	0
2025	6	2	11	58	10	25	0	0	0	0	0	0	0	21.97	0	0
2025	6	2	12	8	10	26	0	0	0	0	0	0	0	22.08	0	0
2025	6	2	12	18	10	25	0	0	0	0	0	0	0	22.15	0	0
2025	6	2	12	28	10	25	0	0	0	0	0	0	0	22.23	0	0
2025	6	2	12	38	10	25	0	0	0	0	0	0	0	22.3	0	0
2025	6	2	12	48	10	26	0	0	0	0	0	0	0	22.35	0	0
2025	6	2	12	58	10	25	0	0	0	0	0	0	0	22.41	0	0
2025	6	2	13	8	10	25	0	0	0	0	0	0	0	22.46	0	0
2025	6	2	13	18	10	26	0	0	0	0	0	0	0	22.5	0	0
2025	6	2	13	28	10	25	0	0	0	0	0	0	0	22.54	0	0
2025	6	2	13	38	10	26	0	0	0	0	0	0	0	22.56	0	0
2025	6	2	13	48	10	25	0	0	0	0	0	0	0	22.57	0	0
2025	6	2	13	58	10	25	0	0	0	0	0	0	0	22.57	0	0
2025	6	2	14	8	10	24	0	0	0	0	0	0	0	22.57	0	0
2025	6	2	14	18	10	25	0	0	0	0	0	0	0	22.57	0	0
2025	6	2	14	28	10	25	0	0	0	0	0	0	0	22.58	0	0
2025	6	2	14	38	10	25	0	0	0	0	0	0	0	22.58	0	0
2025	6	2	14	48	10	25	0	0	0	0	0	0	0	22.57	0	0
2025	6	2	14	58	10	25	0	0	0	0	0	0	0	22.57	0	0
2025	6	2	15	8	10	25	0	0	0	0	0	0	0	22.57	0	0
2025	6	2	15	18	10	26	0	0	0	0	0	0	0	22.59	0	0
2025	6	2	15	28	10	25	0	0	0	0	0	0	0	22.61	0	0
2025	6	2	15	38	10	25	0	0	0	0	0	0	0	22.63	0	0
2025	6	2	15	48	10	25	0	0	0	0	0	0	0	22.64	0	0
2025	6	2	15	58	10	25	0	0	0	0	0	0	0	22.67	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	3	0	8	10	25	0	0	0	0	0	0	0	21.35	0	0
2025	6	3	0	18	10	25	0	0	0	0	0	0	0	21.3	0	0
2025	6	3	0	28	10	25	0	0	0	0	0	0	0	21.25	0	0
2025	6	3	0	38	10	25	0	0	0	0	0	0	0	21.21	0	0
2025	6	3	0	48	10	26	0	0	0	0	0	0	0	21.17	0	0
2025	6	3	0	58	10	25	0	0	0	0	0	0	0	21.12	0	0
2025	6	3	1	8	10	25	0	0	0	0	0	0	0	21.07	0	0
2025	6	3	1	18	10	25	0	0	0	0	0	0	0	21.02	0	0
2025	6	3	1	28	10	25	0	0	0	0	0	0	0	20.98	0	0
2025	6	3	1	38	10	25	0	0	0	0	0	0	0	20.92	0	0
2025	6	3	1	48	10	25	0	0	0	0	0	0	0	20.87	0	0
2025	6	3	1	58	10	25	0	0	0	0	0	0	0	20.82	0	0
2025	6	3	2	8	10	25	0	0	0	0	0	0	0	20.77	0	0
2025	6	3	2	18	10	25	0	0	0	0	0	0	0	20.71	0	0
2025	6	3	2	28	10	25	0	0	0	0	0	0	0	20.66	0	0
2025	6	3	2	38	10	25	0	0	0	0	0	0	0	20.61	0	0
2025	6	3	2	48	10	26	0	0	0	0	0	0	0	20.55	0	0
2025	6	3	2	58	10	25	0	0	0	0	0	0	0	20.5	0	0
2025	6	3	3	8	10	25	0	0	0	0	0	0	0	20.45	0	0
2025	6	3	3	18	10	25	0	0	0	0	0	0	0	20.41	0	0
2025	6	3	3	28	10	25	0	0	0	0	0	0	0	20.36	0	0
2025	6	3	3	38	10	25	0	0	0	0	0	0	0	20.31	0	0
2025	6	3	3	48	10	26	0	0	0	0	0	0	0	20.27	0	0
2025	6	3	3	58	10	25	0	0	0	0	0	0	0	20.23	0	0
2025	6	3	4	8	10	25	0	0	0	0	0	0	0	20.19	0	0
2025	6	3	4	18	10	25	0	0	0	0	0	0	0	20.15	0	0
2025	6	3	4	28	10	25	0	0	0	0	0	0	0	20.11	0	0
2025	6	3	4	38	10	25	0	0	0	0	0	0	0	20.07	0	0
2025	6	3	4	48	10	25	0	0	0	0	0	0	0	20.04	0	0
2025	6	3	4	58	10	26	0	0	0	0	0	0	0	20	0	0
2025	6	3	5	8	10	26	0	0	0	0	0	0	0	19.96	0	0
2025	6	3	5	18	10	25	0	0	0	0	0	0	0	19.92	0	0
2025	6	3	5	28	10	25	0	0	0	0	0	0	0	19.87	0	0
2025	6	3	5	38	10	26	0	0	0	0	0	0	0	19.84	0	0
2025	6	3	5	48	10	26	0	0	0	0	0	0	0	19.79	0	0
2025	6	3	5	58	10	25	0	0	0	0	0	0	0	19.75	0	0
2025	6	3	6	8	10	25	0	0	0	0	0	0	0	19.71	0	0
2025	6	3	6	18	10	25	0	0	0	0	0	0	0	19.67	0	0
2025	6	3	6	28	10	25	0	0	0	0	0	0	0	19.63	0	0
2025	6	3	6	38	10	25	0	0	0	0	0	0	0	19.59	0	0
2025	6	3	6	48	10	26	0	0	0	0	0	0	0	19.56	0	0
2025	6	3	6	58	10	25	0	0	0	0	0	0	0	19.53	0	0
2025	6	3	7	8	10	25	0	0	0	0	0	0	0	19.5	0	0
2025	6	3	7	18	10	26	0	0	0	0	0	0	0	19.48	0	0
2025	6	3	7	28	10	26	0	0	0	0	0	0	0	19.47	0	0
2025	6	3	7	38	10	26	0	0	0	0	0	0	0	19.45	0	0
2025	6	3	7	48	10	25	0	0	0	0	0	0	0	19.45	0	0
2025	6	3	7	58	10	26	0	0	0	0	0	0	0	19.46	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	3	8	8	10	26	0	0	0	0	0	0	0	19.46	0	0
2025	6	3	8	18	10	26	0	0	0	0	0	0	0	19.48	0	0
2025	6	3	8	28	10	26	0	0	0	0	0	0	0	19.5	0	0
2025	6	3	8	38	10	25	0	0	0	0	0	0	0	19.52	0	0
2025	6	3	8	48	10	25	0	0	0	0	0	0	0	19.56	0	0
2025	6	3	8	58	10	25	0	0	0	0	0	0	0	19.59	0	0
2025	6	3	9	8	10	25	0	0	0	0	0	0	0	19.64	0	0
2025	6	3	9	18	10	25	0	0	0	0	0	0	0	19.69	0	0
2025	6	3	9	28	10	26	0	0	0	0	0	0	0	19.74	0	0
2025	6	3	9	38	10	26	0	0	0	0	0	0	0	19.8	0	0
2025	6	3	9	48	10	26	0	0	0	0	0	0	0	19.86	0	0
2025	6	3	9	58	10	26	0	0	0	0	0	0	0	19.94	0	0
2025	6	3	10	8	10	26	0	0	0	0	0	0	0	20.01	0	0
2025	6	3	10	18	10	26	0	0	0	0	0	0	0	20.09	0	0
2025	6	3	10	28	10	26	0	0	0	0	0	0	0	20.18	0	0
2025	6	3	10	38	10	25	0	0	0	0	0	0	0	20.26	0	0
2025	6	3	10	48	10	26	0	0	0	0	0	0	0	20.36	0	0
2025	6	3	10	58	10	26	0	0	0	0	0	0	0	20.46	0	0
2025	6	3	11	8	10	26	0	0	0	0	0	0	0	20.56	0	0
2025	6	3	11	18	10	26	0	0	0	0	0	0	0	20.67	0	0
2025	6	3	11	28	10	26	0	0	0	0	0	0	0	20.78	0	0
2025	6	3	11	38	10	25	0	0	0	0	0	0	0	20.9	0	0
2025	6	3	11	48	10	26	0	0	0	0	0	0	0	21.01	0	0
2025	6	3	11	58	10	26	0	0	0	0	0	0	0	21.14	0	0
2025	6	3	12	8	10	26	0	0	0	0	0	0	0	21.27	0	0
2025	6	3	12	18	10	26	0	0	0	0	0	0	0	21.39	0	0
2025	6	3	12	28	10	26	0	0	0	0	0	0	0	21.52	0	0
2025	6	3	12	38	10	25	0	0	0	0	0	0	0	21.65	0	0
2025	6	3	12	48	10	25	0	0	0	0	0	0	0	21.79	0	0
2025	6	3	12	58	10	26	0	0	0	0	0	0	0	21.93	0	0
2025	6	3	13	8	10	25	0	0	0	0	0	0	0	22.06	0	0
2025	6	3	13	18	10	25	0	0	0	0	0	0	0	22.2	0	0
2025	6	3	13	28	10	25	0	0	0	0	0	0	0	22.33	0	0
2025	6	3	13	38	10	25	0	0	0	0	0	0	0	22.45	0	0
2025	6	3	13	48	10	25	0	0	0	0	0	0	0	22.58	0	0
2025	6	3	13	58	10	26	0	0	0	0	0	0	0	22.66	0	0
2025	6	3	14	8	10	25	0	0	0	0	0	0	0	22.69	0	0
2025	6	3	14	18	10	25	0	0	0	0	0	0	0	22.71	0	0
2025	6	3	14	28	10	25	0	0	0	0	0	0	0	22.73	0	0
2025	6	3	14	38	10	25	0	0	0	0	0	0	0	22.74	0	0
2025	6	3	14	48	10	26	0	0	0	0	0	0	0	22.76	0	0
2025	6	3	14	58	10	26	0	0	0	0	0	0	0	22.78	0	0
2025	6	3	15	8	10	25	0	0	0	0	0	0	0	22.78	0	0
2025	6	3	15	18	10	25	0	0	0	0	0	0	0	22.78	0	0
2025	6	3	15	28	10	25	0	0	0	0	0	0	0	22.76	0	0
2025	6	3	15	38	10	25	0	0	0	0	0	0	0	22.75	0	0
2025	6	3	15	48	10	25	0	0	0	0	0	0	0	22.74	0	0
2025	6	3	15	58	10	26	0	0	0	0	0	0	0	22.73	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	4	0	8	10	26	0	0	0	0	0	0	0	21.12	0	0
2025	6	4	0	18	10	25	0	0	0	0	0	0	0	21.07	0	0
2025	6	4	0	28	10	25	0	0	0	0	0	0	0	21.03	0	0
2025	6	4	0	38	10	25	0	0	0	0	0	0	0	20.99	0	0
2025	6	4	0	48	10	25	0	0	0	0	0	0	0	20.95	0	0
2025	6	4	0	58	10	25	0	0	0	0	0	0	0	20.91	0	0
2025	6	4	1	8	10	26	0	0	0	0	0	0	0	20.88	0	0
2025	6	4	1	18	10	26	0	0	0	0	0	0	0	20.84	0	0
2025	6	4	1	28	10	25	0	0	0	0	0	0	0	20.81	0	0
2025	6	4	1	38	10	26	0	0	0	0	0	0	0	20.77	0	0
2025	6	4	1	48	10	26	0	0	0	0	0	0	0	20.72	0	0
2025	6	4	1	58	10	25	0	0	0	0	0	0	0	20.68	0	0
2025	6	4	2	8	10	25	0	0	0	0	0	0	0	20.63	0	0
2025	6	4	2	18	10	26	0	0	0	0	0	0	0	20.59	0	0
2025	6	4	2	28	10	25	0	0	0	0	0	0	0	20.54	0	0
2025	6	4	2	38	10	26	0	0	0	0	0	0	0	20.49	0	0
2025	6	4	2	48	10	25	0	0	0	0	0	0	0	20.45	0	0
2025	6	4	2	58	10	25	0	0	0	0	0	0	0	20.41	0	0
2025	6	4	3	8	10	26	0	0	0	0	0	0	0	20.37	0	0
2025	6	4	3	18	10	26	0	0	0	0	0	0	0	20.33	0	0
2025	6	4	3	28	10	25	0	0	0	0	0	0	0	20.28	0	0
2025	6	4	3	38	10	26	0	0	0	0	0	0	0	20.25	0	0
2025	6	4	3	48	10	26	0	0	0	0	0	0	0	20.2	0	0
2025	6	4	3	58	10	25	0	0	0	0	0	0	0	20.17	0	0
2025	6	4	4	8	10	25	0	0	0	0	0	0	0	20.13	0	0
2025	6	4	4	18	10	26	0	0	0	0	0	0	0	20.09	0	0
2025	6	4	4	28	10	26	0	0	0	0	0	0	0	20.05	0	0
2025	6	4	4	38	10	26	0	0	0	0	0	0	0	20.02	0	0
2025	6	4	4	48	10	26	0	0	0	0	0	0	0	19.98	0	0
2025	6	4	4	58	10	26	0	0	0	0	0	0	0	19.94	0	0
2025	6	4	5	8	10	26	0	0	0	0	0	0	0	19.9	0	0
2025	6	4	5	18	10	26	0	0	0	0	0	0	0	19.86	0	0
2025	6	4	5	28	10	26	0	0	0	0	0	0	0	19.82	0	0
2025	6	4	5	38	10	25	0	0	0	0	0	0	0	19.78	0	0
2025	6	4	5	48	10	26	0	0	0	0	0	0	0	19.74	0	0
2025	6	4	5	58	10	25	0	0	0	0	0	0	0	19.69	0	0
2025	6	4	6	8	10	26	0	0	0	0	0	0	0	19.66	0	0
2025	6	4	6	18	10	26	0	0	0	0	0	0	0	19.62	0	0
2025	6	4	6	28	10	26	0	0	0	0	0	0	0	19.58	0	0
2025	6	4	6	38	10	25	0	0	0	0	0	0	0	19.54	0	0
2025	6	4	6	48	10	26	0	0	0	0	0	0	0	19.51	0	0
2025	6	4	6	58	10	26	0	0	0	0	0	0	0	19.48	0	0
2025	6	4	7	8	10	26	0	0	0	0	0	0	0	19.45	0	0
2025	6	4	7	18	10	26	0	0	0	0	0	0	0	19.43	0	0
2025	6	4	7	28	10	25	0	0	0	0	0	0	0	19.42	0	0
2025	6	4	7	38	10	25	0	0	0	0	0	0	0	19.41	0	0
2025	6	4	7	48	10	26	0	0	0	0	0	0	0	19.41	0	0
2025	6	4	7	58	10	25	0	0	0	0	0	0	0	19.41	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	4	8	8	10	26	0	0	0	0	0	0	0	19.41	0	0
2025	6	4	8	18	10	26	0	0	0	0	0	0	0	19.43	0	0
2025	6	4	8	28	10	26	0	0	0	0	0	0	0	19.44	0	0
2025	6	4	8	38	10	26	0	0	0	0	0	0	0	19.46	0	0
2025	6	4	8	48	10	25	0	0	0	0	0	0	0	19.48	0	0
2025	6	4	8	58	10	26	0	0	0	0	0	0	0	19.49	0	0
2025	6	4	9	8	10	26	0	0	0	0	0	0	0	19.52	0	0
2025	6	4	9	18	10	26	0	0	0	0	0	0	0	19.54	0	0
2025	6	4	9	28	10	25	0	0	0	0	0	0	0	19.57	0	0
2025	6	4	9	38	10	26	0	0	0	0	0	0	0	19.61	0	0
2025	6	4	9	48	10	26	0	0	0	0	0	0	0	19.65	0	0
2025	6	4	9	58	10	25	0	0	0	0	0	0	0	19.7	0	0
2025	6	4	10	8	10	26	0	0	0	0	0	0	0	19.75	0	0
2025	6	4	10	18	10	26	0	0	0	0	0	0	0	19.81	0	0
2025	6	4	10	28	10	25	0	0	0	0	0	0	0	19.88	0	0
2025	6	4	10	38	10	25	0	0	0	0	0	0	0	19.96	0	0
2025	6	4	10	48	10	26	0	0	0	0	0	0	0	20.04	0	0
2025	6	4	10	58	10	26	0	0	0	0	0	0	0	20.13	0	0
2025	6	4	11	8	10	26	0	0	0	0	0	0	0	20.22	0	0
2025	6	4	11	18	10	26	0	0	0	0	0	0	0	20.32	0	0
2025	6	4	11	28	10	26	0	0	0	0	0	0	0	20.42	0	0
2025	6	4	11	38	10	25	0	0	0	0	0	0	0	20.54	0	0
2025	6	4	11	48	10	25	0	0	0	0	0	0	0	20.65	0	0
2025	6	4	11	58	10	25	0	0	0	0	0	0	0	20.77	0	0
2025	6	4	12	8	10	25	0	0	0	0	0	0	0	20.89	0	0
2025	6	4	12	18	10	24	0	0	0	0	0	0	0	21.02	0	0
2025	6	4	12	28	10	25	0	0	0	0	0	0	0	21.14	0	0
2025	6	4	12	38	10	25	0	0	0	0	0	0	0	21.26	0	0
2025	6	4	12	48	10	26	0	0	0	0	0	0	0	21.38	0	0
2025	6	4	12	58	10	25	0	0	0	0	0	0	0	21.48	0	0
2025	6	4	13	8	10	25	0	0	0	0	0	0	0	21.56	0	0
2025	6	4	13	18	10	25	0	0	0	0	0	0	0	21.68	0	0
2025	6	4	13	28	10	25	0	0	0	0	0	0	0	21.8	0	0
2025	6	4	13	38	10	26	0	0	0	0	0	0	0	21.93	0	0
2025	6	4	13	48	10	25	0	0	0	0	0	0	0	22.05	0	0
2025	6	4	13	58	10	25	0	0	0	0	0	0	0	22.16	0	0
2025	6	4	14	8	10	25	0	0	0	0	0	0	0	22.28	0	0
2025	6	4	14	18	10	25	0	0	0	0	0	0	0	22.4	0	0
2025	6	4	14	28	10	25	0	0	0	0	0	0	0	22.49	0	0
2025	6	4	14	38	10	25	0	0	0	0	0	0	0	22.61	0	0
2025	6	4	14	48	10	25	0	0	0	0	0	0	0	22.72	0	0
2025	6	4	14	58	10	25	0	0	0	0	0	0	0	22.82	0	0
2025	6	4	15	8	10	26	0	0	0	0	0	0	0	22.88	0	0
2025	6	4	15	18	10	26	0	0	0	0	0	0	0	22.96	0	0
2025	6	4	15	28	10	25	0	0	0	0	0	0	0	23.07	0	0
2025	6	4	15	38	10	25	0	0	0	0	0	0	0	23.15	0	0
2025	6	4	15	48	10	25	0	0	0	0	0	0	0	23.23	0	0
2025	6	4	15	58	10	25	0	0	0	0	0	0	0	23.27	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	5	0	8	10	26	0	0	0	0	0	0	0	21.68	0	0
2025	6	5	0	18	10	25	0	0	0	0	0	0	0	21.63	0	0
2025	6	5	0	28	10	25	0	0	0	0	0	0	0	21.57	0	0
2025	6	5	0	38	10	26	0	0	0	0	0	0	0	21.51	0	0
2025	6	5	0	48	10	25	0	0	0	0	0	0	0	21.46	0	0
2025	6	5	0	58	10	25	0	0	0	0	0	0	0	21.4	0	0
2025	6	5	1	8	10	25	0	0	0	0	0	0	0	21.35	0	0
2025	6	5	1	18	10	25	0	0	0	0	0	0	0	21.29	0	0
2025	6	5	1	28	10	26	0	0	0	0	0	0	0	21.24	0	0
2025	6	5	1	38	10	26	0	0	0	0	0	0	0	21.17	0	0
2025	6	5	1	48	10	25	0	0	0	0	0	0	0	21.12	0	0
2025	6	5	1	58	10	26	0	0	0	0	0	0	0	21.06	0	0
2025	6	5	2	8	10	25	0	0	0	0	0	0	0	21.01	0	0
2025	6	5	2	18	10	25	0	0	0	0	0	0	0	20.96	0	0
2025	6	5	2	28	10	25	0	0	0	0	0	0	0	20.91	0	0
2025	6	5	2	38	10	26	0	0	0	0	0	0	0	20.85	0	0
2025	6	5	2	48	10	26	0	0	0	0	0	0	0	20.8	0	0
2025	6	5	2	58	10	26	0	0	0	0	0	0	0	20.74	0	0
2025	6	5	3	8	10	25	0	0	0	0	0	0	0	20.68	0	0
2025	6	5	3	18	10	26	0	0	0	0	0	0	0	20.63	0	0
2025	6	5	3	28	10	26	0	0	0	0	0	0	0	20.58	0	0
2025	6	5	3	38	10	25	0	0	0	0	0	0	0	20.54	0	0
2025	6	5	3	48	10	25	0	0	0	0	0	0	0	20.49	0	0
2025	6	5	3	58	10	26	0	0	0	0	0	0	0	20.44	0	0
2025	6	5	4	8	10	26	0	0	0	0	0	0	0	20.39	0	0
2025	6	5	4	18	10	26	0	0	0	0	0	0	0	20.34	0	0
2025	6	5	4	28	10	25	0	0	0	0	0	0	0	20.3	0	0
2025	6	5	4	38	10	26	0	0	0	0	0	0	0	20.25	0	0
2025	6	5	4	48	10	25	0	0	0	0	0	0	0	20.21	0	0
2025	6	5	4	58	10	25	0	0	0	0	0	0	0	20.16	0	0
2025	6	5	5	8	10	26	0	0	0	0	0	0	0	20.11	0	0
2025	6	5	5	18	10	25	0	0	0	0	0	0	0	20.06	0	0
2025	6	5	5	28	10	26	0	0	0	0	0	0	0	20.01	0	0
2025	6	5	5	38	10	26	0	0	0	0	0	0	0	19.97	0	0
2025	6	5	5	48	10	26	0	0	0	0	0	0	0	19.92	0	0
2025	6	5	5	58	10	25	0	0	0	0	0	0	0	19.88	0	0
2025	6	5	6	8	10	26	0	0	0	0	0	0	0	19.84	0	0
2025	6	5	6	18	10	26	0	0	0	0	0	0	0	19.81	0	0
2025	6	5	6	28	10	26	0	0	0	0	0	0	0	19.77	0	0
2025	6	5	6	38	10	25	0	0	0	0	0	0	0	19.73	0	0
2025	6	5	6	48	10	26	0	0	0	0	0	0	0	19.7	0	0
2025	6	5	6	58	10	26	0	0	0	0	0	0	0	19.67	0	0
2025	6	5	7	8	10	26	0	0	0	0	0	0	0	19.64	0	0
2025	6	5	7	18	10	25	0	0	0	0	0	0	0	19.62	0	0
2025	6	5	7	28	10	26	0	0	0	0	0	0	0	19.6	0	0
2025	6	5	7	38	10	26	0	0	0	0	0	0	0	19.59	0	0
2025	6	5	7	48	10	26	0	0	0	0	0	0	0	19.58	0	0
2025	6	5	7	58	10	26	0	0	0	0	0	0	0	19.59	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	5	8	8	10	25	0	0	0	0	0	0	0	19.59	0	0
2025	6	5	8	18	10	25	0	0	0	0	0	0	0	19.6	0	0
2025	6	5	8	28	10	26	0	0	0	0	0	0	0	19.62	0	0
2025	6	5	8	38	10	25	0	0	0	0	0	0	0	19.63	0	0
2025	6	5	8	48	10	25	0	0	0	0	0	0	0	19.66	0	0
2025	6	5	8	58	10	26	0	0	0	0	0	0	0	19.69	0	0
2025	6	5	9	8	10	26	0	0	0	0	0	0	0	19.72	0	0
2025	6	5	9	18	10	26	0	0	0	0	0	0	0	19.76	0	0
2025	6	5	9	28	10	26	0	0	0	0	0	0	0	19.81	0	0
2025	6	5	9	38	10	26	0	0	0	0	0	0	0	19.86	0	0
2025	6	5	9	48	10	26	0	0	0	0	0	0	0	19.91	0	0
2025	6	5	9	58	10	25	0	0	0	0	0	0	0	19.98	0	0
2025	6	5	10	8	10	26	0	0	0	0	0	0	0	20.04	0	0
2025	6	5	10	18	10	26	0	0	0	0	0	0	0	20.11	0	0
2025	6	5	10	28	10	25	0	0	0	0	0	0	0	20.18	0	0
2025	6	5	10	38	10	26	0	0	0	0	0	0	0	20.26	0	0
2025	6	5	10	48	10	26	0	0	0	0	0	0	0	20.34	0	0
2025	6	5	10	58	10	26	0	0	0	0	0	0	0	20.43	0	0
2025	6	5	11	8	10	25	0	0	0	0	0	0	0	20.52	0	0
2025	6	5	11	18	10	26	0	0	0	0	0	0	0	20.62	0	0
2025	6	5	11	28	10	26	0	0	0	0	0	0	0	20.72	0	0
2025	6	5	11	38	10	26	0	0	0	0	0	0	0	20.82	0	0
2025	6	5	11	48	10	26	0	0	0	0	0	0	0	20.93	0	0
2025	6	5	11	58	10	25	0	0	0	0	0	0	0	21.05	0	0
2025	6	5	12	8	10	25	0	0	0	0	0	0	0	21.16	0	0
2025	6	5	12	18	10	26	0	0	0	0	0	0	0	21.29	0	0
2025	6	5	12	28	10	26	0	0	0	0	0	0	0	21.41	0	0
2025	6	5	12	38	10	26	0	0	0	0	0	0	0	21.53	0	0
2025	6	5	12	48	10	25	0	0	0	0	0	0	0	21.66	0	0
2025	6	5	12	58	10	26	0	0	0	0	0	0	0	21.78	0	0
2025	6	5	13	8	10	25	0	0	0	0	0	0	0	21.91	0	0
2025	6	5	13	18	10	26	0	0	0	0	0	0	0	22.03	0	0
2025	6	5	13	28	10	25	0	0	0	0	0	0	0	22.15	0	0
2025	6	5	13	38	10	25	0	0	0	0	0	0	0	22.27	0	0
2025	6	5	13	48	10	26	0	0	0	0	0	0	0	22.38	0	0
2025	6	5	13	58	10	25	0	0	0	0	0	0	0	22.5	0	0
2025	6	5	14	8	10	25	0	0	0	0	0	0	0	22.61	0	0
2025	6	5	14	18	10	26	0	0	0	0	0	0	0	22.72	0	0
2025	6	5	14	28	10	26	0	0	0	0	0	0	0	22.82	0	0
2025	6	5	14	38	10	25	0	0	0	0	0	0	0	22.92	0	0
2025	6	5	14	48	10	25	0	0	0	0	0	0	0	23.02	0	0
2025	6	5	14	58	10	25	0	0	0	0	0	0	0	23.11	0	0
2025	6	5	15	8	10	25	0	0	0	0	0	0	0	23.2	0	0
2025	6	5	15	18	10	25	0	0	0	0	0	0	0	23.28	0	0
2025	6	5	15	28	10	25	0	0	0	0	0	0	0	23.34	0	0
2025	6	5	15	38	10	25	0	0	0	0	0	0	0	23.41	0	0
2025	6	5	15	48	10	25	0	0	0	0	0	0	0	23.46	0	0
2025	6	5	15	58	10	25	0	0	0	0	0	0	0	23.51	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	5	16	8	10	25	0	0	0	0	0	0	0	23.54	0	0
2025	6	5	16	18	10	25	0	0	0	0	0	0	0	23.55	0	0
2025	6	5	16	28	10	25	0	0	0	0	0	0	0	23.56	0	0
2025	6	5	16	38	10	25	0	0	0	0	0	0	0	23.56	0	0
2025	6	5	16	48	10	25	0	0	0	0	0	0	0	23.54	0	0
2025	6	5	16	58	10	25	0	0	0	0	0	0	0	23.53	0	0
2025	6	5	17	8	10	25	0	0	0	0	0	0	0	23.49	0	0
2025	6	5	17	18	10	25	0	0	0	0	0	0	0	23.46	0	0
2025	6	5	17	28	10	25	0	0	0	0	0	0	0	23.43	0	0
2025	6	5	17	38	10	25	0	0	0	0	0	0	0	23.4	0	0
2025	6	5	17	48	10	25	0	0	0	0	0	0	0	23.38	0	0
2025	6	5	17	58	10	25	0	0	0	0	0	0	0	23.36	0	0
2025	6	5	18	8	10	25	0	0	0	0	0	0	0	23.33	0	0
2025	6	5	18	18	10	25	0	0	0	0	0	0	0	23.3	0	0
2025	6	5	18	28	10	25	0	0	0	0	0	0	0	23.27	0	0
2025	6	5	18	38	10	25	0	0	0	0	0	0	0	23.24	0	0
2025	6	5	18	48	10	25	0	0	0	0	0	0	0	23.24	0	0
2025	6	5	18	58	10	25	0	0	0	0	0	0	0	23.22	0	0
2025	6	5	19	8	10	25	0	0	0	0	0	0	0	23.2	0	0
2025	6	5	19	18	10	25	0	0	0	0	0	0	0	23.18	0	0
2025	6	5	19	28	10	25	0	0	0	0	0	0	0	23.16	0	0
2025	6	5	19	38	10	25	0	0	0	0	0	0	0	23.13	0	0
2025	6	5	19	48	10	25	0	0	0	0	0	0	0	23.1	0	0
2025	6	5	19	58	10	25	0	0	0	0	0	0	0	23.07	0	0
2025	6	5	20	8	10	25	0	0	0	0	0	0	0	23.03	0	0
2025	6	5	20	18	10	25	0	0	0	0	0	0	0	22.99	0	0
2025	6	5	20	28	10	25	0	0	0	0	0	0	0	22.95	0	0
2025	6	5	20	38	10	24	0	0	0	0	0	0	0	22.91	0	0
2025	6	5	20	48	10	25	0	0	0	0	0	0	0	22.86	0	0
2025	6	5	20	58	10	25	0	0	0	0	0	0	0	22.81	0	0
2025	6	5	21	8	10	25	0	0	0	0	0	0	0	22.76	0	0
2025	6	5	21	18	10	25	0	0	0	0	0	0	0	22.7	0	0
2025	6	5	21	28	10	25	0	0	0	0	0	0	0	22.64	0	0
2025	6	5	21	38	10	25	0	0	0	0	0	0	0	22.58	0	0
2025	6	5	21	48	10	25	0	0	0	0	0	0	0	22.52	0	0
2025	6	5	21	58	10	25	0	0	0	0	0	0	0	22.45	0	0
2025	6	5	22	8	10	25	0	0	0	0	0	0	0	22.38	0	0
2025	6	5	22	18	10	25	0	0	0	0	0	0	0	22.32	0	0
2025	6	5	22	28	10	25	0	0	0	0	0	0	0	22.25	0	0
2025	6	5	22	38	10	25	0	0	0	0	0	0	0	22.19	0	0
2025	6	5	22	48	10	25	0	0	0	0	0	0	0	22.13	0	0
2025	6	5	22	58	10	25	0	0	0	0	0	0	0	22.06	0	0
2025	6	5	23	8	10	25	0	0	0	0	0	0	0	21.99	0	0
2025	6	5	23	18	10	25	0	0	0	0	0	0	0	21.94	0	0
2025	6	5	23	28	10	25	0	0	0	0	0	0	0	21.88	0	0
2025	6	5	23	38	10	25	0	0	0	0	0	0	0	21.84	0	0
2025	6	5	23	48	10	25	0	0	0	0	0	0	0	21.79	0	0
2025	6	5	23	58	10	25	0	0	0	0	0	0	0	21.74	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	6	0	8	10	25	0	0	0	0	0	0	0	21.69	0	0
2025	6	6	0	18	10	25	0	0	0	0	0	0	0	21.65	0	0
2025	6	6	0	28	10	26	0	0	0	0	0	0	0	21.61	0	0
2025	6	6	0	38	10	25	0	0	0	0	0	0	0	21.56	0	0
2025	6	6	0	48	10	25	0	0	0	0	0	0	0	21.51	0	0
2025	6	6	0	58	10	26	0	0	0	0	0	0	0	21.47	0	0
2025	6	6	1	8	10	25	0	0	0	0	0	0	0	21.41	0	0
2025	6	6	1	18	10	25	0	0	0	0	0	0	0	21.36	0	0
2025	6	6	1	28	10	26	0	0	0	0	0	0	0	21.31	0	0
2025	6	6	1	38	10	25	0	0	0	0	0	0	0	21.26	0	0
2025	6	6	1	48	10	25	0	0	0	0	0	0	0	21.21	0	0
2025	6	6	1	58	10	25	0	0	0	0	0	0	0	21.16	0	0
2025	6	6	2	8	10	25	0	0	0	0	0	0	0	21.12	0	0
2025	6	6	2	18	10	26	0	0	0	0	0	0	0	21.07	0	0
2025	6	6	2	28	10	25	0	0	0	0	0	0	0	21.01	0	0
2025	6	6	2	38	10	26	0	0	0	0	0	0	0	20.97	0	0
2025	6	6	2	48	10	25	0	0	0	0	0	0	0	20.93	0	0
2025	6	6	2	58	10	25	0	0	0	0	0	0	0	20.88	0	0
2025	6	6	3	8	10	25	0	0	0	0	0	0	0	20.82	0	0
2025	6	6	3	18	10	25	0	0	0	0	0	0	0	20.78	0	0
2025	6	6	3	28	10	25	0	0	0	0	0	0	0	20.73	0	0
2025	6	6	3	38	10	25	0	0	0	0	0	0	0	20.68	0	0
2025	6	6	3	48	10	26	0	0	0	0	0	0	0	20.62	0	0
2025	6	6	3	58	10	25	0	0	0	0	0	0	0	20.58	0	0
2025	6	6	4	8	10	25	0	0	0	0	0	0	0	20.52	0	0
2025	6	6	4	18	10	26	0	0	0	0	0	0	0	20.47	0	0
2025	6	6	4	28	10	25	0	0	0	0	0	0	0	20.43	0	0
2025	6	6	4	38	10	25	0	0	0	0	0	0	0	20.38	0	0
2025	6	6	4	48	10	25	0	0	0	0	0	0	0	20.34	0	0
2025	6	6	4	58	10	25	0	0	0	0	0	0	0	20.3	0	0
2025	6	6	5	8	10	26	0	0	0	0	0	0	0	20.25	0	0
2025	6	6	5	18	10	26	0	0	0	0	0	0	0	20.21	0	0
2025	6	6	5	28	10	26	0	0	0	0	0	0	0	20.18	0	0
2025	6	6	5	38	10	26	0	0	0	0	0	0	0	20.14	0	0
2025	6	6	5	48	10	25	0	0	0	0	0	0	0	20.11	0	0
2025	6	6	5	58	10	25	0	0	0	0	0	0	0	20.08	0	0
2025	6	6	6	8	10	25	0	0	0	0	0	0	0	20.05	0	0
2025	6	6	6	18	10	26	0	0	0	0	0	0	0	20.03	0	0
2025	6	6	6	28	10	26	0	0	0	0	0	0	0	20.01	0	0
2025	6	6	6	38	10	25	0	0	0	0	0	0	0	19.98	0	0
2025	6	6	6	48	10	26	0	0	0	0	0	0	0	19.97	0	0
2025	6	6	6	58	10	26	0	0	0	0	0	0	0	19.96	0	0
2025	6	6	7	8	10	26	0	0	0	0	0	0	0	19.95	0	0
2025	6	6	7	18	10	26	0	0	0	0	0	0	0	19.95	0	0
2025	6	6	7	28	10	25	0	0	0	0	0	0	0	19.95	0	0
2025	6	6	7	38	10	25	0	0	0	0	0	0	0	19.95	0	0
2025	6	6	7	48	10	26	0	0	0	0	0	0	0	19.96	0	0
2025	6	6	7	58	10	25	0	0	0	0	0	0	0	19.97	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	6	8	8	10	25	0	0	0	0	0	0	0	19.98	0	0
2025	6	6	8	18	10	25	0	0	0	0	0	0	0	19.99	0	0
2025	6	6	8	28	10	25	0	0	0	0	0	0	0	20.01	0	0
2025	6	6	8	38	10	26	0	0	0	0	0	0	0	20.04	0	0
2025	6	6	8	48	10	26	0	0	0	0	0	0	0	20.06	0	0
2025	6	6	8	58	10	26	0	0	0	0	0	0	0	20.1	0	0
2025	6	6	9	8	10	26	0	0	0	0	0	0	0	20.12	0	0
2025	6	6	9	18	10	25	0	0	0	0	0	0	0	20.16	0	0
2025	6	6	9	28	10	25	0	0	0	0	0	0	0	20.2	0	0
2025	6	6	9	38	10	25	0	0	0	0	0	0	0	20.24	0	0
2025	6	6	9	48	10	26	0	0	0	0	0	0	0	20.29	0	0
2025	6	6	9	58	10	26	0	0	0	0	0	0	0	20.34	0	0
2025	6	6	10	8	10	25	0	0	0	0	0	0	0	20.4	0	0
2025	6	6	10	18	10	25	0	0	0	0	0	0	0	20.46	0	0
2025	6	6	10	28	10	25	0	0	0	0	0	0	0	20.52	0	0
2025	6	6	10	38	10	25	0	0	0	0	0	0	0	20.6	0	0
2025	6	6	10	48	10	25	0	0	0	0	0	0	0	20.68	0	0
2025	6	6	10	58	10	25	0	0	0	0	0	0	0	20.76	0	0
2025	6	6	11	8	10	26	0	0	0	0	0	0	0	20.85	0	0
2025	6	6	11	18	10	25	0	0	0	0	0	0	0	20.94	0	0
2025	6	6	11	28	10	25	0	0	0	0	0	0	0	21.05	0	0
2025	6	6	11	38	10	25	0	0	0	0	0	0	0	21.15	0	0
2025	6	6	11	48	10	25	0	0	0	0	0	0	0	21.27	0	0
2025	6	6	11	58	10	26	0	0	0	0	0	0	0	21.38	0	0
2025	6	6	12	8	10	26	0	0	0	0	0	0	0	21.51	0	0
2025	6	6	12	18	10	25	0	0	0	0	0	0	0	21.63	0	0
2025	6	6	12	28	10	25	0	0	0	0	0	0	0	21.75	0	0
2025	6	6	12	38	10	25	0	0	0	0	0	0	0	21.89	0	0
2025	6	6	12	48	10	25	0	0	0	0	0	0	0	22.01	0	0
2025	6	6	12	58	10	25	0	0	0	0	0	0	0	22.14	0	0
2025	6	6	13	8	10	25	0	0	0	0	0	0	0	22.26	0	0
2025	6	6	13	18	10	25	0	0	0	0	0	0	0	22.39	0	0
2025	6	6	13	28	10	25	0	0	0	0	0	0	0	22.51	0	0
2025	6	6	13	38	10	25	0	0	0	0	0	0	0	22.63	0	0
2025	6	6	13	48	10	25	0	0	0	0	0	0	0	22.75	0	0
2025	6	6	13	58	10	26	0	0	0	0	0	0	0	22.86	0	0
2025	6	6	14	8	10	25	0	0	0	0	0	0	0	22.97	0	0
2025	6	6	14	18	10	25	0	0	0	0	0	0	0	23.09	0	0
2025	6	6	14	28	10	25	0	0	0	0	0	0	0	23.19	0	0
2025	6	6	14	38	10	25	0	0	0	0	0	0	0	23.3	0	0
2025	6	6	14	48	10	25	0	0	0	0	0	0	0	23.41	0	0
2025	6	6	14	58	10	26	0	0	0	0	0	0	0	23.51	0	0
2025	6	6	15	8	10	25	0	0	0	0	0	0	0	23.56	0	0
2025	6	6	15	18	10	25	0	0	0	0	0	0	0	23.61	0	0
2025	6	6	15	28	10	25	0	0	0	0	0	0	0	23.66	0	0
2025	6	6	15	38	10	24	0	0	0	0	0	0	0	23.71	0	0
2025	6	6	15	48	10	25	0	0	0	0	0	0	0	23.75	0	0
2025	6	6	15	58	10	25	0	0	0	0	0	0	0	23.79	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	7	0	8	10	25	0	0	0	0	0	0	0	22	0	0
2025	6	7	0	18	10	24	0	0	0	0	0	0	0	21.93	0	0
2025	6	7	0	28	10	25	0	0	0	0	0	0	0	21.87	0	0
2025	6	7	0	38	10	25	0	0	0	0	0	0	0	21.8	0	0
2025	6	7	0	48	10	26	0	0	0	0	0	0	0	21.73	0	0
2025	6	7	0	58	10	25	0	0	0	0	0	0	0	21.67	0	0
2025	6	7	1	8	10	25	0	0	0	0	0	0	0	21.61	0	0
2025	6	7	1	18	10	26	0	0	0	0	0	0	0	21.54	0	0
2025	6	7	1	28	10	25	0	0	0	0	0	0	0	21.48	0	0
2025	6	7	1	38	10	26	0	0	0	0	0	0	0	21.43	0	0
2025	6	7	1	48	10	26	0	0	0	0	0	0	0	21.37	0	0
2025	6	7	1	58	10	25	0	0	0	0	0	0	0	21.31	0	0
2025	6	7	2	8	10	25	0	0	0	0	0	0	0	21.26	0	0
2025	6	7	2	18	10	26	0	0	0	0	0	0	0	21.21	0	0
2025	6	7	2	28	10	25	0	0	0	0	0	0	0	21.15	0	0
2025	6	7	2	38	10	26	0	0	0	0	0	0	0	21.1	0	0
2025	6	7	2	48	10	26	0	0	0	0	0	0	0	21.04	0	0
2025	6	7	2	58	10	25	0	0	0	0	0	0	0	20.98	0	0
2025	6	7	3	8	10	26	0	0	0	0	0	0	0	20.92	0	0
2025	6	7	3	18	10	26	0	0	0	0	0	0	0	20.86	0	0
2025	6	7	3	28	10	25	0	0	0	0	0	0	0	20.8	0	0
2025	6	7	3	38	10	25	0	0	0	0	0	0	0	20.74	0	0
2025	6	7	3	48	10	26	0	0	0	0	0	0	0	20.68	0	0
2025	6	7	3	58	10	26	0	0	0	0	0	0	0	20.62	0	0
2025	6	7	4	8	10	25	0	0	0	0	0	0	0	20.56	0	0
2025	6	7	4	18	10	25	0	0	0	0	0	0	0	20.51	0	0
2025	6	7	4	28	10	26	0	0	0	0	0	0	0	20.45	0	0
2025	6	7	4	38	10	25	0	0	0	0	0	0	0	20.39	0	0
2025	6	7	4	48	10	26	0	0	0	0	0	0	0	20.33	0	0
2025	6	7	4	58	10	25	0	0	0	0	0	0	0	20.28	0	0
2025	6	7	5	8	10	25	0	0	0	0	0	0	0	20.23	0	0
2025	6	7	5	18	10	26	0	0	0	0	0	0	0	20.18	0	0
2025	6	7	5	28	10	25	0	0	0	0	0	0	0	20.13	0	0
2025	6	7	5	38	10	26	0	0	0	0	0	0	0	20.08	0	0
2025	6	7	5	48	10	26	0	0	0	0	0	0	0	20.03	0	0
2025	6	7	5	58	10	26	0	0	0	0	0	0	0	19.99	0	0
2025	6	7	6	8	10	25	0	0	0	0	0	0	0	19.94	0	0
2025	6	7	6	18	10	26	0	0	0	0	0	0	0	19.89	0	0
2025	6	7	6	28	10	26	0	0	0	0	0	0	0	19.85	0	0
2025	6	7	6	38	10	25	0	0	0	0	0	0	0	19.82	0	0
2025	6	7	6	48	10	25	0	0	0	0	0	0	0	19.77	0	0
2025	6	7	6	58	10	26	0	0	0	0	0	0	0	19.74	0	0
2025	6	7	7	8	10	26	0	0	0	0	0	0	0	19.71	0	0
2025	6	7	7	18	10	26	0	0	0	0	0	0	0	19.68	0	0
2025	6	7	7	28	10	27	0	0	0	0	0	0	0	19.67	0	0
2025	6	7	7	38	10	25	0	0	0	0	0	0	0	19.65	0	0
2025	6	7	7	48	10	26	0	0	0	0	0	0	0	19.63	0	0
2025	6	7	7	58	10	25	0	0	0	0	0	0	0	19.63	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	7	8	8	10	26	0	0	0	0	0	0	0	19.63	0	0
2025	6	7	8	18	10	26	0	0	0	0	0	0	0	19.63	0	0
2025	6	7	8	28	10	26	0	0	0	0	0	0	0	19.64	0	0
2025	6	7	8	38	10	25	0	0	0	0	0	0	0	19.66	0	0
2025	6	7	8	48	10	25	0	0	0	0	0	0	0	19.69	0	0
2025	6	7	8	58	10	26	0	0	0	0	0	0	0	19.73	0	0
2025	6	7	9	8	10	26	0	0	0	0	0	0	0	19.76	0	0
2025	6	7	9	18	10	26	0	0	0	0	0	0	0	19.8	0	0
2025	6	7	9	28	10	25	0	0	0	0	0	0	0	19.86	0	0
2025	6	7	9	38	10	26	0	0	0	0	0	0	0	19.92	0	0
2025	6	7	9	48	10	26	0	0	0	0	0	0	0	19.98	0	0
2025	6	7	9	58	10	25	0	0	0	0	0	0	0	20.05	0	0
2025	6	7	10	8	10	26	0	0	0	0	0	0	0	20.12	0	0
2025	6	7	10	18	10	26	0	0	0	0	0	0	0	20.2	0	0
2025	6	7	10	28	10	26	0	0	0	0	0	0	0	20.29	0	0
2025	6	7	10	38	10	26	0	0	0	0	0	0	0	20.37	0	0
2025	6	7	10	48	10	27	0	0	0	0	0	0	0	20.46	0	0
2025	6	7	10	58	10	25	0	0	0	0	0	0	0	20.57	0	0
2025	6	7	11	8	10	26	0	0	0	0	0	0	0	20.67	0	0
2025	6	7	11	18	10	25	0	0	0	0	0	0	0	20.78	0	0
2025	6	7	11	28	10	25	0	0	0	0	0	0	0	20.88	0	0
2025	6	7	11	38	10	26	0	0	0	0	0	0	0	20.99	0	0
2025	6	7	11	48	10	26	0	0	0	0	0	0	0	21.12	0	0
2025	6	7	11	58	10	25	0	0	0	0	0	0	0	21.23	0	0
2025	6	7	12	8	10	26	0	0	0	0	0	0	0	21.35	0	0
2025	6	7	12	18	10	25	0	0	0	0	0	0	0	21.49	0	0
2025	6	7	12	28	10	26	0	0	0	0	0	0	0	21.61	0	0
2025	6	7	12	38	10	26	0	0	0	0	0	0	0	21.74	0	0
2025	6	7	12	48	10	25	0	0	0	0	0	0	0	21.88	0	0
2025	6	7	12	58	10	25	0	0	0	0	0	0	0	22	0	0
2025	6	7	13	8	10	25	0	0	0	0	0	0	0	22.14	0	0
2025	6	7	13	18	10	25	0	0	0	0	0	0	0	22.27	0	0
2025	6	7	13	28	10	25	0	0	0	0	0	0	0	22.39	0	0
2025	6	7	13	38	10	24	0	0	0	0	0	0	0	22.52	0	0
2025	6	7	13	48	10	25	0	0	0	0	0	0	0	22.64	0	0
2025	6	7	13	58	10	25	0	0	0	0	0	0	0	22.76	0	0
2025	6	7	14	8	10	25	0	0	0	0	0	0	0	22.88	0	0
2025	6	7	14	18	10	25	0	0	0	0	0	0	0	22.99	0	0
2025	6	7	14	28	10	24	0	0	0	0	0	0	0	23.11	0	0
2025	6	7	14	38	10	25	0	0	0	0	0	0	0	23.22	0	0
2025	6	7	14	48	10	25	0	0	0	0	0	0	0	23.33	0	0
2025	6	7	14	58	10	25	0	0	0	0	0	0	0	23.43	0	0
2025	6	7	15	8	10	25	0	0	0	0	0	0	0	23.53	0	0
2025	6	7	15	18	10	25	0	0	0	0	0	0	0	23.63	0	0
2025	6	7	15	28	10	25	0	0	0	0	0	0	0	23.73	0	0
2025	6	7	15	38	10	25	0	0	0	0	0	0	0	23.81	0	0
2025	6	7	15	48	10	24	0	0	0	0	0	0	0	23.9	0	0
2025	6	7	15	58	10	26	0	0	0	0	0	0	0	23.97	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	7	16	8	10	25	0	0	0	0	0	0	0	24.05	0	0
2025	6	7	16	18	10	25	0	0	0	0	0	0	0	24.12	0	0
2025	6	7	16	28	10	25	0	0	0	0	0	0	0	24.18	0	0
2025	6	7	16	38	10	25	0	0	0	0	0	0	0	24.25	0	0
2025	6	7	16	48	10	25	0	0	0	0	0	0	0	24.3	0	0
2025	6	7	16	58	10	25	0	0	0	0	0	0	0	24.35	0	0
2025	6	7	17	8	10	25	0	0	0	0	0	0	0	24.39	0	0
2025	6	7	17	18	10	25	0	0	0	0	0	0	0	24.43	0	0
2025	6	7	17	28	10	25	0	0	0	0	0	0	0	24.46	0	0
2025	6	7	17	38	10	25	0	0	0	0	0	0	0	24.48	0	0
2025	6	7	17	48	10	24	0	0	0	0	0	0	0	24.5	0	0
2025	6	7	17	58	10	25	0	0	0	0	0	0	0	24.52	0	0
2025	6	7	18	8	10	24	0	0	0	0	0	0	0	24.53	0	0
2025	6	7	18	18	10	24	0	0	0	0	0	0	0	24.53	0	0
2025	6	7	18	28	10	25	0	0	0	0	0	0	0	24.52	0	0
2025	6	7	18	38	10	25	0	0	0	0	0	0	0	24.5	0	0
2025	6	7	18	48	10	25	0	0	0	0	0	0	0	24.48	0	0
2025	6	7	18	58	10	25	0	0	0	0	0	0	0	24.46	0	0
2025	6	7	19	8	10	24	0	0	0	0	0	0	0	24.43	0	0
2025	6	7	19	18	10	25	0	0	0	0	0	0	0	24.4	0	0
2025	6	7	19	28	10	24	0	0	0	0	0	0	0	24.37	0	0
2025	6	7	19	38	10	25	0	0	0	0	0	0	0	24.34	0	0
2025	6	7	19	48	10	25	0	0	0	0	0	0	0	24.29	0	0
2025	6	7	19	58	10	26	0	0	0	0	0	0	0	24.25	0	0
2025	6	7	20	8	10	25	0	0	0	0	0	0	0	24.21	0	0
2025	6	7	20	18	10	24	0	0	0	0	0	0	0	24.16	0	0
2025	6	7	20	28	10	25	0	0	0	0	0	0	0	24.12	0	0
2025	6	7	20	38	10	25	0	0	0	0	0	0	0	24.07	0	0
2025	6	7	20	48	10	25	0	0	0	0	0	0	0	24.02	0	0
2025	6	7	20	58	10	25	0	0	0	0	0	0	0	23.97	0	0
2025	6	7	21	8	10	25	0	0	0	0	0	0	0	23.91	0	0
2025	6	7	21	18	10	25	0	0	0	0	0	0	0	23.86	0	0
2025	6	7	21	28	10	25	0	0	0	0	0	0	0	23.8	0	0
2025	6	7	21	38	10	25	0	0	0	0	0	0	0	23.75	0	0
2025	6	7	21	48	10	25	0	0	0	0	0	0	0	23.68	0	0
2025	6	7	21	58	10	25	0	0	0	0	0	0	0	23.63	0	0
2025	6	7	22	8	10	25	0	0	0	0	0	0	0	23.56	0	0
2025	6	7	22	18	10	25	0	0	0	0	0	0	0	23.51	0	0
2025	6	7	22	28	10	25	0	0	0	0	0	0	0	23.44	0	0
2025	6	7	22	38	10	25	0	0	0	0	0	0	0	23.38	0	0
2025	6	7	22	48	10	25	0	0	0	0	0	0	0	23.32	0	0
2025	6	7	22	58	10	25	0	0	0	0	0	0	0	23.25	0	0
2025	6	7	23	8	10	24	0	0	0	0	0	0	0	23.19	0	0
2025	6	7	23	18	10	25	0	0	0	0	0	0	0	23.12	0	0
2025	6	7	23	28	10	25	0	0	0	0	0	0	0	23.06	0	0
2025	6	7	23	38	10	25	0	0	0	0	0	0	0	23	0	0
2025	6	7	23	48	10	25	0	0	0	0	0	0	0	22.93	0	0
2025	6	7	23	58	10	26	0	0	0	0	0	0	0	22.86	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	8	0	8	10	25	0	0	0	0	0	0	0	22.8	0	0
2025	6	8	0	18	10	25	0	0	0	0	0	0	0	22.73	0	0
2025	6	8	0	28	10	25	0	0	0	0	0	0	0	22.67	0	0
2025	6	8	0	38	10	25	0	0	0	0	0	0	0	22.61	0	0
2025	6	8	0	48	10	26	0	0	0	0	0	0	0	22.55	0	0
2025	6	8	0	58	10	25	0	0	0	0	0	0	0	22.49	0	0
2025	6	8	1	8	10	25	0	0	0	0	0	0	0	22.43	0	0
2025	6	8	1	18	10	25	0	0	0	0	0	0	0	22.38	0	0
2025	6	8	1	28	10	25	0	0	0	0	0	0	0	22.33	0	0
2025	6	8	1	38	10	25	0	0	0	0	0	0	0	22.28	0	0
2025	6	8	1	48	10	25	0	0	0	0	0	0	0	22.24	0	0
2025	6	8	1	58	10	25	0	0	0	0	0	0	0	22.19	0	0
2025	6	8	2	8	10	25	0	0	0	0	0	0	0	22.13	0	0
2025	6	8	2	18	10	25	0	0	0	0	0	0	0	22.09	0	0
2025	6	8	2	28	10	25	0	0	0	0	0	0	0	22.04	0	0
2025	6	8	2	38	10	25	0	0	0	0	0	0	0	22	0	0
2025	6	8	2	48	10	25	0	0	0	0	0	0	0	21.94	0	0
2025	6	8	2	58	10	25	0	0	0	0	0	0	0	21.89	0	0
2025	6	8	3	8	10	26	0	0	0	0	0	0	0	21.84	0	0
2025	6	8	3	18	10	25	0	0	0	0	0	0	0	21.79	0	0
2025	6	8	3	28	10	25	0	0	0	0	0	0	0	21.73	0	0
2025	6	8	3	38	10	25	0	0	0	0	0	0	0	21.68	0	0
2025	6	8	3	48	10	26	0	0	0	0	0	0	0	21.63	0	0
2025	6	8	3	58	10	25	0	0	0	0	0	0	0	21.58	0	0
2025	6	8	4	8	10	25	0	0	0	0	0	0	0	21.53	0	0
2025	6	8	4	18	10	26	0	0	0	0	0	0	0	21.47	0	0
2025	6	8	4	28	10	25	0	0	0	0	0	0	0	21.42	0	0
2025	6	8	4	38	10	26	0	0	0	0	0	0	0	21.37	0	0
2025	6	8	4	48	10	26	0	0	0	0	0	0	0	21.32	0	0
2025	6	8	4	58	10	25	0	0	0	0	0	0	0	21.27	0	0
2025	6	8	5	8	10	26	0	0	0	0	0	0	0	21.21	0	0
2025	6	8	5	18	10	26	0	0	0	0	0	0	0	21.16	0	0
2025	6	8	5	28	10	26	0	0	0	0	0	0	0	21.11	0	0
2025	6	8	5	38	10	26	0	0	0	0	0	0	0	21.07	0	0
2025	6	8	5	48	10	25	0	0	0	0	0	0	0	21.02	0	0
2025	6	8	5	58	10	26	0	0	0	0	0	0	0	20.97	0	0
2025	6	8	6	8	10	25	0	0	0	0	0	0	0	20.93	0	0
2025	6	8	6	18	10	25	0	0	0	0	0	0	0	20.88	0	0
2025	6	8	6	28	10	25	0	0	0	0	0	0	0	20.83	0	0
2025	6	8	6	38	10	26	0	0	0	0	0	0	0	20.79	0	0
2025	6	8	6	48	10	26	0	0	0	0	0	0	0	20.75	0	0
2025	6	8	6	58	10	25	0	0	0	0	0	0	0	20.72	0	0
2025	6	8	7	8	10	26	0	0	0	0	0	0	0	20.69	0	0
2025	6	8	7	18	10	25	0	0	0	0	0	0	0	20.67	0	0
2025	6	8	7	28	10	25	0	0	0	0	0	0	0	20.65	0	0
2025	6	8	7	38	10	26	0	0	0	0	0	0	0	20.65	0	0
2025	6	8	7	48	10	26	0	0	0	0	0	0	0	20.64	0	0
2025	6	8	7	58	10	25	0	0	0	0	0	0	0	20.65	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	8	8	8	10	25	0	0	0	0	0	0	0	20.66	0	0
2025	6	8	8	18	10	25	0	0	0	0	0	0	0	20.67	0	0
2025	6	8	8	28	10	26	0	0	0	0	0	0	0	20.69	0	0
2025	6	8	8	38	10	25	0	0	0	0	0	0	0	20.72	0	0
2025	6	8	8	48	10	25	0	0	0	0	0	0	0	20.76	0	0
2025	6	8	8	58	10	25	0	0	0	0	0	0	0	20.8	0	0
2025	6	8	9	8	10	25	0	0	0	0	0	0	0	20.84	0	0
2025	6	8	9	18	10	26	0	0	0	0	0	0	0	20.89	0	0
2025	6	8	9	28	10	25	0	0	0	0	0	0	0	20.94	0	0
2025	6	8	9	38	10	25	0	0	0	0	0	0	0	21	0	0
2025	6	8	9	48	10	25	0	0	0	0	0	0	0	21.07	0	0
2025	6	8	9	58	10	26	0	0	0	0	0	0	0	21.14	0	0
2025	6	8	10	8	10	25	0	0	0	0	0	0	0	21.22	0	0
2025	6	8	10	18	10	26	0	0	0	0	0	0	0	21.31	0	0
2025	6	8	10	28	10	26	0	0	0	0	0	0	0	21.4	0	0
2025	6	8	10	38	10	26	0	0	0	0	0	0	0	21.49	0	0
2025	6	8	10	48	10	25	0	0	0	0	0	0	0	21.58	0	0
2025	6	8	10	58	10	25	0	0	0	0	0	0	0	21.69	0	0
2025	6	8	11	8	10	25	0	0	0	0	0	0	0	21.8	0	0
2025	6	8	11	18	10	25	0	0	0	0	0	0	0	21.91	0	0
2025	6	8	11	28	10	25	0	0	0	0	0	0	0	22.03	0	0
2025	6	8	11	38	10	25	0	0	0	0	0	0	0	22.15	0	0
2025	6	8	11	48	10	25	0	0	0	0	0	0	0	22.26	0	0
2025	6	8	11	58	10	25	0	0	0	0	0	0	0	22.38	0	0
2025	6	8	12	8	10	25	0	0	0	0	0	0	0	22.5	0	0
2025	6	8	12	18	10	25	0	0	0	0	0	0	0	22.62	0	0
2025	6	8	12	28	10	25	0	0	0	0	0	0	0	22.74	0	0
2025	6	8	12	38	10	26	0	0	0	0	0	0	0	22.88	0	0
2025	6	8	12	48	10	25	0	0	0	0	0	0	0	23	0	0
2025	6	8	12	58	10	25	0	0	0	0	0	0	0	23.13	0	0
2025	6	8	13	8	10	25	0	0	0	0	0	0	0	23.27	0	0
2025	6	8	13	18	10	25	0	0	0	0	0	0	0	23.39	0	0
2025	6	8	13	28	10	25	0	0	0	0	0	0	0	23.51	0	0
2025	6	8	13	38	10	26	0	0	0	0	0	0	0	23.64	0	0
2025	6	8	13	48	10	25	0	0	0	0	0	0	0	23.77	0	0
2025	6	8	13	58	10	24	0	0	0	0	0	0	0	23.89	0	0
2025	6	8	14	8	10	25	0	0	0	0	0	0	0	24	0	0
2025	6	8	14	18	10	25	0	0	0	0	0	0	0	24.12	0	0
2025	6	8	14	28	10	24	0	0	0	0	0	0	0	24.24	0	0
2025	6	8	14	38	10	26	0	0	0	0	0	0	0	24.35	0	0
2025	6	8	14	48	10	25	0	0	0	0	0	0	0	24.44	0	0
2025	6	8	14	58	10	25	0	0	0	0	0	0	0	24.56	0	0
2025	6	8	15	8	10	25	0	0	0	0	0	0	0	24.66	0	0
2025	6	8	15	18	10	25	0	0	0	0	0	0	0	24.75	0	0
2025	6	8	15	28	10	24	0	0	0	0	0	0	0	24.86	0	0
2025	6	8	15	38	10	25	0	0	0	0	0	0	0	24.94	0	0
2025	6	8	15	48	10	24	0	0	0	0	0	0	0	25.02	0	0
2025	6	8	15	58	10	25	0	0	0	0	0	0	0	25.1	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	8	16	8	10	25	0	0	0	0	0	0	0	25.16	0	0
2025	6	8	16	18	10	26	0	0	0	0	0	0	0	25.22	0	0
2025	6	8	16	28	10	25	0	0	0	0	0	0	0	25.29	0	0
2025	6	8	16	38	10	25	0	0	0	0	0	0	0	25.34	0	0
2025	6	8	16	48	10	25	0	0	0	0	0	0	0	25.38	0	0
2025	6	8	16	58	10	25	0	0	0	0	0	0	0	25.41	0	0
2025	6	8	17	8	10	24	0	0	0	0	0	0	0	25.44	0	0
2025	6	8	17	18	10	24	0	0	0	0	0	0	0	25.46	0	0
2025	6	8	17	28	10	25	0	0	0	0	0	0	0	25.48	0	0
2025	6	8	17	38	10	24	0	0	0	0	0	0	0	25.49	0	0
2025	6	8	17	48	10	25	0	0	0	0	0	0	0	25.5	0	0
2025	6	8	17	58	10	25	0	0	0	0	0	0	0	25.5	0	0
2025	6	8	18	8	10	24	0	0	0	0	0	0	0	25.5	0	0
2025	6	8	18	18	10	24	0	0	0	0	0	0	0	25.5	0	0
2025	6	8	18	28	10	25	0	0	0	0	0	0	0	25.48	0	0
2025	6	8	18	38	10	25	0	0	0	0	0	0	0	25.47	0	0
2025	6	8	18	48	10	25	0	0	0	0	0	0	0	25.45	0	0
2025	6	8	18	58	10	25	0	0	0	0	0	0	0	25.43	0	0
2025	6	8	19	8	10	25	0	0	0	0	0	0	0	25.4	0	0
2025	6	8	19	18	10	24	0	0	0	0	0	0	0	25.36	0	0
2025	6	8	19	28	10	25	0	0	0	0	0	0	0	25.32	0	0
2025	6	8	19	38	10	26	0	0	0	0	0	0	0	25.27	0	0
2025	6	8	19	48	10	25	0	0	0	0	0	0	0	25.23	0	0
2025	6	8	19	58	10	25	0	0	0	0	0	0	0	25.17	0	0
2025	6	8	20	8	10	25	0	0	0	0	0	0	0	25.11	0	0
2025	6	8	20	18	10	25	0	0	0	0	0	0	0	25.05	0	0
2025	6	8	20	28	10	25	0	0	0	0	0	0	0	24.98	0	0
2025	6	8	20	38	10	25	0	0	0	0	0	0	0	24.91	0	0
2025	6	8	20	48	10	24	0	0	0	0	0	0	0	24.82	0	0
2025	6	8	20	58	10	25	0	0	0	0	0	0	0	24.73	0	0
2025	6	8	21	8	10	24	0	0	0	0	0	0	0	24.64	0	0
2025	6	8	21	18	10	24	0	0	0	0	0	0	0	24.56	0	0
2025	6	8	21	28	10	25	0	0	0	0	0	0	0	24.46	0	0
2025	6	8	21	38	10	25	0	0	0	0	0	0	0	24.37	0	0
2025	6	8	21	48	10	25	0	0	0	0	0	0	0	24.27	0	0
2025	6	8	21	58	10	25	0	0	0	0	0	0	0	24.17	0	0
2025	6	8	22	8	10	25	0	0	0	0	0	0	0	24.07	0	0
2025	6	8	22	18	10	25	0	0	0	0	0	0	0	23.96	0	0
2025	6	8	22	28	10	24	0	0	0	0	0	0	0	23.86	0	0
2025	6	8	22	38	10	25	0	0	0	0	0	0	0	23.77	0	0
2025	6	8	22	48	10	25	0	0	0	0	0	0	0	23.66	0	0
2025	6	8	22	58	10	25	0	0	0	0	0	0	0	23.57	0	0
2025	6	8	23	8	10	25	0	0	0	0	0	0	0	23.45	0	0
2025	6	8	23	18	10	26	0	0	0	0	0	0	0	23.35	0	0
2025	6	8	23	28	10	25	0	0	0	0	0	0	0	23.26	0	0
2025	6	8	23	38	10	25	0	0	0	0	0	0	0	23.17	0	0
2025	6	8	23	48	10	25	0	0	0	0	0	0	0	23.09	0	0
2025	6	8	23	58	10	25	0	0	0	0	0	0	0	23	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	9	0	8	10	25	0	0	0	0	0	0	0	22.92	0	0
2025	6	9	0	18	10	25	0	0	0	0	0	0	0	22.84	0	0
2025	6	9	0	28	10	25	0	0	0	0	0	0	0	22.76	0	0
2025	6	9	0	38	10	25	0	0	0	0	0	0	0	22.69	0	0
2025	6	9	0	48	10	25	0	0	0	0	0	0	0	22.62	0	0
2025	6	9	0	58	10	25	0	0	0	0	0	0	0	22.55	0	0
2025	6	9	1	8	10	26	0	0	0	0	0	0	0	22.49	0	0
2025	6	9	1	18	10	25	0	0	0	0	0	0	0	22.43	0	0
2025	6	9	1	28	10	25	0	0	0	0	0	0	0	22.37	0	0
2025	6	9	1	38	10	25	0	0	0	0	0	0	0	22.3	0	0
2025	6	9	1	48	10	24	0	0	0	0	0	0	0	22.25	0	0
2025	6	9	1	58	10	25	0	0	0	0	0	0	0	22.18	0	0
2025	6	9	2	8	10	25	0	0	0	0	0	0	0	22.12	0	0
2025	6	9	2	18	10	24	0	0	0	0	0	0	0	22.07	0	0
2025	6	9	2	28	10	25	0	0	0	0	0	0	0	22.02	0	0
2025	6	9	2	38	10	25	0	0	0	0	0	0	0	21.97	0	0
2025	6	9	2	48	10	25	0	0	0	0	0	0	0	21.92	0	0
2025	6	9	2	58	10	25	0	0	0	0	0	0	0	21.86	0	0
2025	6	9	3	8	10	26	0	0	0	0	0	0	0	21.82	0	0
2025	6	9	3	18	10	25	0	0	0	0	0	0	0	21.76	0	0
2025	6	9	3	28	10	26	0	0	0	0	0	0	0	21.68	0	0
2025	6	9	3	38	10	25	0	0	0	0	0	0	0	21.62	0	0
2025	6	9	3	48	10	25	0	0	0	0	0	0	0	21.57	0	0
2025	6	9	3	58	10	25	0	0	0	0	0	0	0	21.51	0	0
2025	6	9	4	8	10	25	0	0	0	0	0	0	0	21.46	0	0
2025	6	9	4	18	10	25	0	0	0	0	0	0	0	21.41	0	0
2025	6	9	4	28	10	24	0	0	0	0	0	0	0	21.35	0	0
2025	6	9	4	38	10	25	0	0	0	0	0	0	0	21.3	0	0
2025	6	9	4	48	10	26	0	0	0	0	0	0	0	21.26	0	0
2025	6	9	4	58	10	25	0	0	0	0	0	0	0	21.21	0	0
2025	6	9	5	8	10	25	0	0	0	0	0	0	0	21.16	0	0
2025	6	9	5	18	10	25	0	0	0	0	0	0	0	21.12	0	0
2025	6	9	5	28	10	26	0	0	0	0	0	0	0	21.07	0	0
2025	6	9	5	38	10	25	0	0	0	0	0	0	0	21.03	0	0
2025	6	9	5	48	10	25	0	0	0	0	0	0	0	20.98	0	0
2025	6	9	5	58	10	26	0	0	0	0	0	0	0	20.94	0	0
2025	6	9	6	8	10	25	0	0	0	0	0	0	0	20.91	0	0
2025	6	9	6	18	10	25	0	0	0	0	0	0	0	20.88	0	0
2025	6	9	6	28	10	26	0	0	0	0	0	0	0	20.84	0	0
2025	6	9	6	38	10	25	0	0	0	0	0	0	0	20.81	0	0
2025	6	9	6	48	10	26	0	0	0	0	0	0	0	20.77	0	0
2025	6	9	6	58	10	25	0	0	0	0	0	0	0	20.75	0	0
2025	6	9	7	8	10	26	0	0	0	0	0	0	0	20.73	0	0
2025	6	9	7	18	10	25	0	0	0	0	0	0	0	20.7	0	0
2025	6	9	7	28	10	26	0	0	0	0	0	0	0	20.69	0	0
2025	6	9	7	38	10	25	0	0	0	0	0	0	0	20.67	0	0
2025	6	9	7	48	10	25	0	0	0	0	0	0	0	20.66	0	0
2025	6	9	7	58	10	26	0	0	0	0	0	0	0	20.65	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	9	8	8	10	25	0	0	0	0	0	0	0	20.65	0	0
2025	6	9	8	18	10	25	0	0	0	0	0	0	0	20.66	0	0
2025	6	9	8	28	10	26	0	0	0	0	0	0	0	20.66	0	0
2025	6	9	8	38	10	25	0	0	0	0	0	0	0	20.68	0	0
2025	6	9	8	48	10	25	0	0	0	0	0	0	0	20.69	0	0
2025	6	9	8	58	10	25	0	0	0	0	0	0	0	20.72	0	0
2025	6	9	9	8	10	26	0	0	0	0	0	0	0	20.75	0	0
2025	6	9	9	18	10	26	0	0	0	0	0	0	0	20.79	0	0
2025	6	9	9	28	10	25	0	0	0	0	0	0	0	20.83	0	0
2025	6	9	9	38	10	26	0	0	0	0	0	0	0	20.88	0	0
2025	6	9	9	48	10	26	0	0	0	0	0	0	0	20.94	0	0
2025	6	9	9	58	10	25	0	0	0	0	0	0	0	21	0	0
2025	6	9	10	8	10	25	0	0	0	0	0	0	0	21.06	0	0
2025	6	9	10	18	10	26	0	0	0	0	0	0	0	21.14	0	0
2025	6	9	10	28	10	26	0	0	0	0	0	0	0	21.22	0	0
2025	6	9	10	38	10	25	0	0	0	0	0	0	0	21.32	0	0
2025	6	9	10	48	10	26	0	0	0	0	0	0	0	21.41	0	0
2025	6	9	10	58	10	26	0	0	0	0	0	0	0	21.51	0	0
2025	6	9	11	8	10	26	0	0	0	0	0	0	0	21.62	0	0
2025	6	9	11	18	10	25	0	0	0	0	0	0	0	21.74	0	0
2025	6	9	11	28	10	25	0	0	0	0	0	0	0	21.85	0	0
2025	6	9	11	38	10	26	0	0	0	0	0	0	0	21.97	0	0
2025	6	9	11	48	10	26	0	0	0	0	0	0	0	22.1	0	0
2025	6	9	11	58	10	25	0	0	0	0	0	0	0	22.22	0	0
2025	6	9	12	8	10	25	0	0	0	0	0	0	0	22.35	0	0
2025	6	9	12	18	10	25	0	0	0	0	0	0	0	22.5	0	0
2025	6	9	12	28	10	25	0	0	0	0	0	0	0	22.63	0	0
2025	6	9	12	38	10	25	0	0	0	0	0	0	0	22.77	0	0
2025	6	9	12	48	10	25	0	0	0	0	0	0	0	22.91	0	0
2025	6	9	12	58	10	25	0	0	0	0	0	0	0	23.05	0	0
2025	6	9	13	8	10	25	0	0	0	0	0	0	0	23.2	0	0
2025	6	9	13	18	10	25	0	0	0	0	0	0	0	23.33	0	0
2025	6	9	13	28	10	25	0	0	0	0	0	0	0	23.48	0	0
2025	6	9	13	38	10	25	0	0	0	0	0	0	0	23.62	0	0
2025	6	9	13	48	10	25	0	0	0	0	0	0	0	23.75	0	0
2025	6	9	13	58	10	25	0	0	0	0	0	0	0	23.89	0	0
2025	6	9	14	8	10	26	0	0	0	0	0	0	0	24.02	0	0
2025	6	9	14	18	10	25	0	0	0	0	0	0	0	24.14	0	0
2025	6	9	14	28	10	26	0	0	0	0	0	0	0	24.25	0	0
2025	6	9	14	38	10	25	0	0	0	0	0	0	0	24.37	0	0
2025	6	9	14	48	10	25	0	0	0	0	0	0	0	24.48	0	0
2025	6	9	14	58	10	25	0	0	0	0	0	0	0	24.59	0	0
2025	6	9	15	8	10	25	0	0	0	0	0	0	0	24.7	0	0
2025	6	9	15	18	10	25	0	0	0	0	0	0	0	24.79	0	0
2025	6	9	15	28	10	25	0	0	0	0	0	0	0	24.88	0	0
2025	6	9	15	38	10	25	0	0	0	0	0	0	0	24.97	0	0
2025	6	9	15	48	10	25	0	0	0	0	0	0	0	25.05	0	0
2025	6	9	15	58	10	25	0	0	0	0	0	0	0	25.13	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	11	0	8	10	25	0	0	0	0	0	0	0	24.48	0	0
2025	6	11	0	18	10	24	0	0	0	0	0	0	0	24.4	0	0
2025	6	11	0	28	10	25	0	0	0	0	0	0	0	24.31	0	0
2025	6	11	0	38	10	25	0	0	0	0	0	0	0	24.22	0	0
2025	6	11	0	48	10	25	0	0	0	0	0	0	0	24.14	0	0
2025	6	11	0	58	10	24	0	0	0	0	0	0	0	24.06	0	0
2025	6	11	1	8	10	25	0	0	0	0	0	0	0	23.97	0	0
2025	6	11	1	18	10	25	0	0	0	0	0	0	0	23.88	0	0
2025	6	11	1	28	10	25	0	0	0	0	0	0	0	23.8	0	0
2025	6	11	1	38	10	25	0	0	0	0	0	0	0	23.72	0	0
2025	6	11	1	48	10	25	0	0	0	0	0	0	0	23.63	0	0
2025	6	11	1	58	10	24	0	0	0	0	0	0	0	23.55	0	0
2025	6	11	2	8	10	25	0	0	0	0	0	0	0	23.46	0	0
2025	6	11	2	18	10	25	0	0	0	0	0	0	0	23.38	0	0
2025	6	11	2	28	10	25	0	0	0	0	0	0	0	23.3	0	0
2025	6	11	2	38	10	25	0	0	0	0	0	0	0	23.21	0	0
2025	6	11	2	48	10	25	0	0	0	0	0	0	0	23.13	0	0
2025	6	11	2	58	10	25	0	0	0	0	0	0	0	23.05	0	0
2025	6	11	3	8	10	25	0	0	0	0	0	0	0	22.97	0	0
2025	6	11	3	18	10	25	0	0	0	0	0	0	0	22.9	0	0
2025	6	11	3	28	10	25	0	0	0	0	0	0	0	22.82	0	0
2025	6	11	3	38	10	25	0	0	0	0	0	0	0	22.75	0	0
2025	6	11	3	48	10	25	0	0	0	0	0	0	0	22.68	0	0
2025	6	11	3	58	10	25	0	0	0	0	0	0	0	22.6	0	0
2025	6	11	4	8	10	25	0	0	0	0	0	0	0	22.52	0	0
2025	6	11	4	18	10	25	0	0	0	0	0	0	0	22.45	0	0
2025	6	11	4	28	10	24	0	0	0	0	0	0	0	22.37	0	0
2025	6	11	4	38	10	25	0	0	0	0	0	0	0	22.29	0	0
2025	6	11	4	48	10	26	0	0	0	0	0	0	0	22.23	0	0
2025	6	11	4	58	10	25	0	0	0	0	0	0	0	22.15	0	0
2025	6	11	5	8	10	25	0	0	0	0	0	0	0	22.09	0	0
2025	6	11	5	18	10	25	0	0	0	0	0	0	0	22.02	0	0
2025	6	11	5	28	10	26	0	0	0	0	0	0	0	21.96	0	0
2025	6	11	5	38	10	25	0	0	0	0	0	0	0	21.89	0	0
2025	6	11	5	48	10	25	0	0	0	0	0	0	0	21.83	0	0
2025	6	11	5	58	10	25	0	0	0	0	0	0	0	21.77	0	0
2025	6	11	6	8	10	25	0	0	0	0	0	0	0	21.71	0	0
2025	6	11	6	18	10	25	0	0	0	0	0	0	0	21.66	0	0
2025	6	11	6	28	10	25	0	0	0	0	0	0	0	21.61	0	0
2025	6	11	6	38	10	25	0	0	0	0	0	0	0	21.56	0	0
2025	6	11	6	48	10	25	0	0	0	0	0	0	0	21.52	0	0
2025	6	11	6	58	10	25	0	0	0	0	0	0	0	21.48	0	0
2025	6	11	7	8	10	25	0	0	0	0	0	0	0	21.45	0	0
2025	6	11	7	18	10	25	0	0	0	0	0	0	0	21.42	0	0
2025	6	11	7	28	10	26	0	0	0	0	0	0	0	21.4	0	0
2025	6	11	7	38	10	26	0	0	0	0	0	0	0	21.39	0	0
2025	6	11	7	48	10	25	0	0	0	0	0	0	0	21.38	0	0
2025	6	11	7	58	10	25	0	0	0	0	0	0	0	21.38	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	6	13	16	14	55	25	0	0	0	0	0	0	0	24.48	0	0
	2025	6	13	16	24	55	25	0	0	0	0	0	0	0	24.55	0	0
	2025	6	13	16	34	55	24	0	0	0	0	0	0	0	24.61	0	0
	2025	6	13	16	44	55	25	0	0	0	0	0	0	0	24.67	0	0
	2025	6	13	16	54	55	25	0	0	0	0	0	0	0	24.72	0	0
	2025	6	13	17	4	55	25	0	0	0	0	0	0	0	24.78	0	0
	2025	6	13	17	14	55	24	0	0	0	0	0	0	0	24.83	0	0
	2025	6	13	17	24	55	25	0	0	0	0	0	0	0	24.88	0	0
	2025	6	13	17	34	55	25	0	0	0	0	0	0	0	24.92	0	0
	2025	6	13	17	44	55	24	0	0	0	0	0	0	0	24.96	0	0
	2025	6	13	17	54	55	25	0	0	0	0	0	0	0	25	0	0
	2025	6	13	18	4	55	24	0	0	0	0	0	0	0	25.03	0	0
	2025	6	13	18	14	55	25	0	0	0	0	0	0	0	25.05	0	0
	2025	6	13	18	24	55	25	0	0	0	0	0	0	0	25.06	0	0
	2025	6	13	18	34	55	25	0	0	0	0	0	0	0	25.06	0	0
	2025	6	13	18	44	55	24	0	0	0	0	0	0	0	25.06	0	0
	2025	6	13	18	54	55	25	0	0	0	0	0	0	0	25.05	0	0
	2025	6	13	19	4	55	24	0	0	0	0	0	0	0	25.03	0	0
	2025	6	13	19	14	55	24	0	0	0	0	0	0	0	25.01	0	0
	2025	6	13	19	24	55	25	0	0	0	0	0	0	0	24.98	0	0
	2025	6	13	19	34	55	24	0	0	0	0	0	0	0	24.95	0	0
	2025	6	13	19	44	55	25	0	0	0	0	0	0	0	24.91	0	0
	2025	6	13	19	54	55	24	0	0	0	0	0	0	0	24.87	0	0
	2025	6	13	20	4	55	25	0	0	0	0	0	0	0	24.82	0	0
	2025	6	13	20	14	55	25	0	0	0	0	0	0	0	24.77	0	0
	2025	6	13	20	24	55	25	0	0	0	0	0	0	0	24.71	0	0
	2025	6	13	20	34	55	25	0	0	0	0	0	0	0	24.64	0	0
	2025	6	13	20	44	55	24	0	0	0	0	0	0	0	24.58	0	0
	2025	6	13	20	54	55	25	0	0	0	0	0	0	0	24.51	0	0
	2025	6	13	21	4	55	25	0	0	0	0	0	0	0	24.44	0	0
	2025	6	13	21	14	55	25	0	0	0	0	0	0	0	24.36	0	0
	2025	6	13	21	24	55	25	0	0	0	0	0	0	0	24.28	0	0
	2025	6	13	21	34	55	25	0	0	0	0	0	0	0	24.19	0	0
	2025	6	13	21	44	55	25	0	0	0	0	0	0	0	24.11	0	0
	2025	6	13	21	54	55	25	0	0	0	0	0	0	0	24.03	0	0
	2025	6	13	22	4	55	25	0	0	0	0	0	0	0	23.94	0	0
	2025	6	13	22	14	55	25	0	0	0	0	0	0	0	23.85	0	0
	2025	6	13	22	24	55	25	0	0	0	0	0	0	0	23.76	0	0
	2025	6	13	22	34	55	24	0	0	0	0	0	0	0	23.67	0	0
	2025	6	13	22	44	55	25	0	0	0	0	0	0	0	23.59	0	0
	2025	6	13	22	54	55	25	0	0	0	0	0	0	0	23.5	0	0
	2025	6	13	23	4	55	25	0	0	0	0	0	0	0	23.41	0	0
	2025	6	13	23	14	55	24	0	0	0	0	0	0	0	23.33	0	0
	2025	6	13	23	24	55	25	0	0	0	0	0	0	0	23.25	0	0
	2025	6	13	23	34	55	25	0	0	0	0	0	0	0	23.16	0	0
	2025	6	13	23	44	55	25	0	0	0	0	0	0	0	23.07	0	0
	2025	6	13	23	54	55	25	0	0	0	0	0	0	0	22.97	0	0
	2025	6	14	0	4	55	26	0	0	0	0	0	0	0	22.88	0	0

Mazourka (0354)

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	15	0	14	55	25	0	0	0	0	0	0	0	22.7	0	0
2025	6	15	0	24	55	25	0	0	0	0	0	0	0	22.62	0	0
2025	6	15	0	34	55	25	0	0	0	0	0	0	0	22.55	0	0
2025	6	15	0	44	55	25	0	0	0	0	0	0	0	22.48	0	0
2025	6	15	0	54	55	25	0	0	0	0	0	0	0	22.41	0	0
2025	6	15	1	4	55	25	0	0	0	0	0	0	0	22.33	0	0
2025	6	15	1	14	55	25	0	0	0	0	0	0	0	22.27	0	0
2025	6	15	1	24	55	25	0	0	0	0	0	0	0	22.19	0	0
2025	6	15	1	34	55	25	0	0	0	0	0	0	0	22.13	0	0
2025	6	15	1	44	55	25	0	0	0	0	0	0	0	22.07	0	0
2025	6	15	1	54	55	26	0	0	0	0	0	0	0	22	0	0
2025	6	15	2	4	55	26	0	0	0	0	0	0	0	21.93	0	0
2025	6	15	2	14	55	26	0	0	0	0	0	0	0	21.86	0	0
2025	6	15	2	24	55	25	0	0	0	0	0	0	0	21.78	0	0
2025	6	15	2	34	55	26	0	0	0	0	0	0	0	21.72	0	0
2025	6	15	2	44	55	26	0	0	0	0	0	0	0	21.65	0	0
2025	6	15	2	54	55	25	0	0	0	0	0	0	0	21.58	0	0
2025	6	15	3	4	55	25	0	0	0	0	0	0	0	21.51	0	0
2025	6	15	3	14	55	26	0	0	0	0	0	0	0	21.43	0	0
2025	6	15	3	24	55	25	0	0	0	0	0	0	0	21.36	0	0
2025	6	15	3	34	55	26	0	0	0	0	0	0	0	21.29	0	0
2025	6	15	3	44	55	26	0	0	0	0	0	0	0	21.21	0	0
2025	6	15	3	54	55	26	0	0	0	0	0	0	0	21.14	0	0
2025	6	15	4	4	55	25	0	0	0	0	0	0	0	21.07	0	0
2025	6	15	4	14	55	26	0	0	0	0	0	0	0	21	0	0
2025	6	15	4	24	55	26	0	0	0	0	0	0	0	20.93	0	0
2025	6	15	4	34	55	26	0	0	0	0	0	0	0	20.86	0	0
2025	6	15	4	44	55	26	0	0	0	0	0	0	0	20.78	0	0
2025	6	15	4	54	55	25	0	0	0	0	0	0	0	20.71	0	0
2025	6	15	5	4	55	26	0	0	0	0	0	0	0	20.64	0	0
2025	6	15	5	14	55	25	0	0	0	0	0	0	0	20.57	0	0
2025	6	15	5	24	55	26	0	0	0	0	0	0	0	20.5	0	0
2025	6	15	5	34	55	26	0	0	0	0	0	0	0	20.43	0	0
2025	6	15	5	44	55	26	0	0	0	0	0	0	0	20.36	0	0
2025	6	15	5	54	55	24	0	0	0	0	0	0	0	20.3	0	0
2025	6	15	6	4	55	25	0	0	0	0	0	0	0	20.23	0	0
2025	6	15	6	14	55	26	0	0	0	0	0	0	0	20.17	0	0
2025	6	15	6	24	55	26	0	0	0	0	0	0	0	20.12	0	0
2025	6	15	6	34	55	26	0	0	0	0	0	0	0	20.06	0	0
2025	6	15	6	44	55	25	0	0	0	0	0	0	0	20.01	0	0
2025	6	15	6	54	55	26	0	0	0	0	0	0	0	19.96	0	0
2025	6	15	7	4	55	26	0	0	0	0	0	0	0	19.93	0	0
2025	6	15	7	14	55	25	0	0	0	0	0	0	0	19.89	0	0
2025	6	15	7	24	55	26	0	0	0	0	0	0	0	19.86	0	0
2025	6	15	7	34	55	26	0	0	0	0	0	0	0	19.84	0	0
2025	6	15	7	44	55	25	0	0	0	0	0	0	0	19.82	0	0
2025	6	15	7	54	55	26	0	0	0	0	0	0	0	19.81	0	0
2025	6	15	8	4	55	26	0	0	0	0	0	0	0	19.81	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	15	8	14	55	25	0	0	0	0	0	0	0	19.83	0	0
2025	6	15	8	24	55	25	0	0	0	0	0	0	0	19.84	0	0
2025	6	15	8	34	55	27	0	0	0	0	0	0	0	19.87	0	0
2025	6	15	8	44	55	25	0	0	0	0	0	0	0	19.9	0	0
2025	6	15	8	54	55	26	0	0	0	0	0	0	0	19.94	0	0
2025	6	15	9	4	55	25	0	0	0	0	0	0	0	19.99	0	0
2025	6	15	9	14	55	25	0	0	0	0	0	0	0	20.05	0	0
2025	6	15	9	24	55	25	0	0	0	0	0	0	0	20.1	0	0
2025	6	15	9	34	55	26	0	0	0	0	0	0	0	20.17	0	0
2025	6	15	9	44	55	25	0	0	0	0	0	0	0	20.24	0	0
2025	6	15	9	54	55	25	0	0	0	0	0	0	0	20.31	0	0
2025	6	15	10	4	55	25	0	0	0	0	0	0	0	20.38	0	0
2025	6	15	10	14	55	25	0	0	0	0	0	0	0	20.47	0	0
2025	6	15	10	24	55	26	0	0	0	0	0	0	0	20.55	0	0
2025	6	15	10	34	55	26	0	0	0	0	0	0	0	20.64	0	0
2025	6	15	10	44	55	26	0	0	0	0	0	0	0	20.74	0	0
2025	6	15	10	54	55	25	0	0	0	0	0	0	0	20.84	0	0
2025	6	15	11	4	55	25	0	0	0	0	0	0	0	20.94	0	0
2025	6	15	11	14	55	26	0	0	0	0	0	0	0	21.04	0	0
2025	6	15	11	24	55	26	0	0	0	0	0	0	0	21.15	0	0
2025	6	15	11	34	55	26	0	0	0	0	0	0	0	21.27	0	0
2025	6	15	11	44	55	25	0	0	0	0	0	0	0	21.39	0	0
2025	6	15	11	54	55	25	0	0	0	0	0	0	0	21.51	0	0
2025	6	15	12	4	55	26	0	0	0	0	0	0	0	21.64	0	0
2025	6	15	12	14	55	25	0	0	0	0	0	0	0	21.76	0	0
2025	6	15	12	24	55	25	0	0	0	0	0	0	0	21.89	0	0
2025	6	15	12	34	55	25	0	0	0	0	0	0	0	22.02	0	0
2025	6	15	12	44	55	25	0	0	0	0	0	0	0	22.15	0	0
2025	6	15	12	54	55	26	0	0	0	0	0	0	0	22.28	0	0
2025	6	15	13	4	55	25	0	0	0	0	0	0	0	22.4	0	0
2025	6	15	13	14	55	25	0	0	0	0	0	0	0	22.53	0	0
2025	6	15	13	24	55	25	0	0	0	0	0	0	0	22.65	0	0
2025	6	15	13	34	55	25	0	0	0	0	0	0	0	22.78	0	0
2025	6	15	13	44	55	25	0	0	0	0	0	0	0	22.89	0	0
2025	6	15	13	54	55	25	0	0	0	0	0	0	0	23	0	0
2025	6	15	14	4	55	25	0	0	0	0	0	0	0	23.12	0	0
2025	6	15	14	14	55	25	0	0	0	0	0	0	0	23.23	0	0
2025	6	15	14	24	55	25	0	0	0	0	0	0	0	23.34	0	0
2025	6	15	14	34	55	25	0	0	0	0	0	0	0	23.44	0	0
2025	6	15	14	44	55	25	0	0	0	0	0	0	0	23.54	0	0
2025	6	15	14	54	55	25	0	0	0	0	0	0	0	23.65	0	0
2025	6	15	15	4	55	25	0	0	0	0	0	0	0	23.74	0	0
2025	6	15	15	14	55	25	0	0	0	0	0	0	0	23.83	0	0
2025	6	15	15	24	55	25	0	0	0	0	0	0	0	23.93	0	0
2025	6	15	15	34	55	25	0	0	0	0	0	0	0	24.01	0	0
2025	6	15	15	44	55	25	0	0	0	0	0	0	0	24.1	0	0
2025	6	15	15	54	55	26	0	0	0	0	0	0	0	24.19	0	0
2025	6	15	16	4	55	25	0	0	0	0	0	0	0	24.26	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	18	8	14	55	26	0	0	0	0	0	0	0	19.78	0	0
2025	6	18	8	24	55	26	0	0	0	0	0	0	0	19.8	0	0
2025	6	18	8	34	55	26	0	0	0	0	0	0	0	19.84	0	0
2025	6	18	8	44	55	25	0	0	0	0	0	0	0	19.88	0	0
2025	6	18	8	54	55	26	0	0	0	0	0	0	0	19.92	0	0
2025	6	18	9	4	55	26	0	0	0	0	0	0	0	19.96	0	0
2025	6	18	9	14	55	26	0	0	0	0	0	0	0	20.01	0	0
2025	6	18	9	24	55	26	0	0	0	0	0	0	0	20.07	0	0
2025	6	18	9	34	55	26	0	0	0	0	0	0	0	20.13	0	0
2025	6	18	9	44	55	26	0	0	0	0	0	0	0	20.19	0	0
2025	6	18	9	54	55	25	0	0	0	0	0	0	0	20.26	0	0
2025	6	18	10	4	55	26	0	0	0	0	0	0	0	20.33	0	0
2025	6	18	10	14	55	26	0	0	0	0	0	0	0	20.41	0	0
2025	6	18	10	24	55	25	0	0	0	0	0	0	0	20.49	0	0
2025	6	18	10	34	55	26	0	0	0	0	0	0	0	20.57	0	0
2025	6	18	10	44	55	25	0	0	0	0	0	0	0	20.66	0	0
2025	6	18	10	54	55	25	0	0	0	0	0	0	0	20.76	0	0
2025	6	18	11	4	55	25	0	0	0	0	0	0	0	20.85	0	0
2025	6	18	11	14	55	25	0	0	0	0	0	0	0	20.95	0	0
2025	6	18	11	24	55	26	0	0	0	0	0	0	0	21.06	0	0
2025	6	18	11	34	55	25	0	0	0	0	0	0	0	21.16	0	0
2025	6	18	11	44	55	25	0	0	0	0	0	0	0	21.27	0	0
2025	6	18	11	54	55	25	0	0	0	0	0	0	0	21.38	0	0
2025	6	18	12	4	55	26	0	0	0	0	0	0	0	21.49	0	0
2025	6	18	12	14	55	25	0	0	0	0	0	0	0	21.61	0	0
2025	6	18	12	24	55	26	0	0	0	0	0	0	0	21.72	0	0
2025	6	18	12	34	55	25	0	0	0	0	0	0	0	21.83	0	0
2025	6	18	12	44	55	25	0	0	0	0	0	0	0	21.94	0	0
2025	6	18	12	54	55	25	0	0	0	0	0	0	0	22.06	0	0
2025	6	18	13	4	55	25	0	0	0	0	0	0	0	22.16	0	0
2025	6	18	13	14	55	25	0	0	0	0	0	0	0	22.26	0	0
2025	6	18	13	24	55	25	0	0	0	0	0	0	0	22.37	0	0
2025	6	18	13	34	55	25	0	0	0	0	0	0	0	22.47	0	0
2025	6	18	13	44	55	25	0	0	0	0	0	0	0	22.57	0	0
2025	6	18	13	54	55	25	0	0	0	0	0	0	0	22.66	0	0
2025	6	18	14	4	55	25	0	0	0	0	0	0	0	22.75	0	0
2025	6	18	14	14	55	25	0	0	0	0	0	0	0	22.84	0	0
2025	6	18	14	24	55	25	0	0	0	0	0	0	0	22.93	0	0
2025	6	18	14	34	55	25	0	0	0	0	0	0	0	23.01	0	0
2025	6	18	14	44	55	25	0	0	0	0	0	0	0	23.08	0	0
2025	6	18	14	54	55	25	0	0	0	0	0	0	0	23.16	0	0
2025	6	18	15	4	55	26	0	0	0	0	0	0	0	23.23	0	0
2025	6	18	15	14	55	25	0	0	0	0	0	0	0	23.3	0	0
2025	6	18	15	24	55	25	0	0	0	0	0	0	0	23.37	0	0
2025	6	18	15	34	55	25	0	0	0	0	0	0	0	23.43	0	0
2025	6	18	15	44	55	25	0	0	0	0	0	0	0	23.49	0	0
2025	6	18	15	54	55	25	0	0	0	0	0	0	0	23.54	0	0
2025	6	18	16	4	55	25	0	0	0	0	0	0	0	23.59	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	20	0	14	55	25	0	0	0	0	0	0	0	22.55	0	0
2025	6	20	0	24	55	25	0	0	0	0	0	0	0	22.5	0	0
2025	6	20	0	34	55	25	0	0	0	0	0	0	0	22.46	0	0
2025	6	20	0	44	55	24	0	0	0	0	0	0	0	22.41	0	0
2025	6	20	0	54	55	25	0	0	0	0	0	0	0	22.37	0	0
2025	6	20	1	4	55	25	0	0	0	0	0	0	0	22.32	0	0
2025	6	20	1	14	55	25	0	0	0	0	0	0	0	22.28	0	0
2025	6	20	1	24	55	25	0	0	0	0	0	0	0	22.24	0	0
2025	6	20	1	34	55	24	0	0	0	0	0	0	0	22.19	0	0
2025	6	20	1	44	55	24	0	0	0	0	0	0	0	22.15	0	0
2025	6	20	1	54	55	25	0	0	0	0	0	0	0	22.11	0	0
2025	6	20	2	4	55	25	0	0	0	0	0	0	0	22.08	0	0
2025	6	20	2	14	55	25	0	0	0	0	0	0	0	22.04	0	0
2025	6	20	2	24	55	25	0	0	0	0	0	0	0	22	0	0
2025	6	20	2	34	55	25	0	0	0	0	0	0	0	21.96	0	0
2025	6	20	2	44	55	25	0	0	0	0	0	0	0	21.93	0	0
2025	6	20	2	54	55	26	0	0	0	0	0	0	0	21.89	0	0
2025	6	20	3	4	55	24	0	0	0	0	0	0	0	21.85	0	0
2025	6	20	3	14	55	25	0	0	0	0	0	0	0	21.81	0	0
2025	6	20	3	24	55	25	0	0	0	0	0	0	0	21.78	0	0
2025	6	20	3	34	55	25	0	0	0	0	0	0	0	21.75	0	0
2025	6	20	3	44	55	25	0	0	0	0	0	0	0	21.71	0	0
2025	6	20	3	54	55	25	0	0	0	0	0	0	0	21.67	0	0
2025	6	20	4	4	55	25	0	0	0	0	0	0	0	21.64	0	0
2025	6	20	4	14	55	25	0	0	0	0	0	0	0	21.61	0	0
2025	6	20	4	24	55	25	0	0	0	0	0	0	0	21.58	0	0
2025	6	20	4	34	55	25	0	0	0	0	0	0	0	21.55	0	0
2025	6	20	4	44	55	25	0	0	0	0	0	0	0	21.52	0	0
2025	6	20	4	54	55	25	0	0	0	0	0	0	0	21.5	0	0
2025	6	20	5	4	55	25	0	0	0	0	0	0	0	21.48	0	0
2025	6	20	5	14	55	26	0	0	0	0	0	0	0	21.45	0	0
2025	6	20	5	24	55	25	0	0	0	0	0	0	0	21.43	0	0
2025	6	20	5	34	55	26	0	0	0	0	0	0	0	21.4	0	0
2025	6	20	5	44	55	25	0	0	0	0	0	0	0	21.38	0	0
2025	6	20	5	54	55	26	0	0	0	0	0	0	0	21.35	0	0
2025	6	20	6	4	55	25	0	0	0	0	0	0	0	21.33	0	0
2025	6	20	6	14	55	26	0	0	0	0	0	0	0	21.32	0	0
2025	6	20	6	24	55	26	0	0	0	0	0	0	0	21.29	0	0
2025	6	20	6	34	55	25	0	0	0	0	0	0	0	21.28	0	0
2025	6	20	6	44	55	25	0	0	0	0	0	0	0	21.26	0	0
2025	6	20	6	54	55	25	0	0	0	0	0	0	0	21.25	0	0
2025	6	20	7	4	55	25	0	0	0	0	0	0	0	21.24	0	0
2025	6	20	7	14	55	25	0	0	0	0	0	0	0	21.23	0	0
2025	6	20	7	24	55	25	0	0	0	0	0	0	0	21.24	0	0
2025	6	20	7	34	55	25	0	0	0	0	0	0	0	21.24	0	0
2025	6	20	7	44	55	26	0	0	0	0	0	0	0	21.24	0	0
2025	6	20	7	54	55	26	0	0	0	0	0	0	0	21.26	0	0
2025	6	20	8	4	55	26	0	0	0	0	0	0	0	21.28	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	6	20	16	14	55	25	0	0	0	0	0	0	0	24.47	0	0
	2025	6	20	16	24	55	24	0	0	0	0	0	0	0	24.49	0	0
	2025	6	20	16	34	55	24	0	0	0	0	0	0	0	24.49	0	0
	2025	6	20	16	44	55	25	0	0	0	0	0	0	0	24.49	0	0
	2025	6	20	16	54	55	24	0	0	0	0	0	0	0	24.49	0	0
	2025	6	20	17	4	55	25	0	0	0	0	0	0	0	24.49	0	0
	2025	6	20	17	14	55	25	0	0	0	0	0	0	0	24.48	0	0
	2025	6	20	17	24	55	24	0	0	0	0	0	0	0	24.47	0	0
	2025	6	20	17	34	55	25	0	0	0	0	0	0	0	24.45	0	0
	2025	6	20	17	44	55	25	0	0	0	0	0	0	0	24.44	0	0
	2025	6	20	17	54	55	25	0	0	0	0	0	0	0	24.41	0	0
	2025	6	20	18	4	55	25	0	0	0	0	0	0	0	24.38	0	0
	2025	6	20	18	14	55	25	0	0	0	0	0	0	0	24.34	0	0
	2025	6	20	18	24	55	24	0	0	0	0	0	0	0	24.31	0	0
	2025	6	20	18	34	55	24	0	0	0	0	0	0	0	24.26	0	0
	2025	6	20	18	44	55	25	0	0	0	0	0	0	0	24.21	0	0
	2025	6	20	18	54	55	25	0	0	0	0	0	0	0	24.15	0	0
	2025	6	20	19	4	55	24	0	0	0	0	0	0	0	24.09	0	0
	2025	6	20	19	14	55	25	0	0	0	0	0	0	0	24.03	0	0
	2025	6	20	19	24	55	25	0	0	0	0	0	0	0	23.96	0	0
	2025	6	20	19	34	55	25	0	0	0	0	0	0	0	23.9	0	0
	2025	6	20	19	44	55	25	0	0	0	0	0	0	0	23.83	0	0
	2025	6	20	19	54	55	25	0	0	0	0	0	0	0	23.76	0	0
	2025	6	20	20	4	55	25	0	0	0	0	0	0	0	23.68	0	0
	2025	6	20	20	14	55	24	0	0	0	0	0	0	0	23.61	0	0
	2025	6	20	20	24	55	25	0	0	0	0	0	0	0	23.53	0	0
	2025	6	20	20	34	55	25	0	0	0	0	0	0	0	23.45	0	0
	2025	6	20	20	44	55	25	0	0	0	0	0	0	0	23.37	0	0
	2025	6	20	20	54	55	24	0	0	0	0	0	0	0	23.29	0	0
	2025	6	20	21	4	55	25	0	0	0	0	0	0	0	23.21	0	0
	2025	6	20	21	14	55	25	0	0	0	0	0	0	0	23.15	0	0
	2025	6	20	21	24	55	25	0	0	0	0	0	0	0	23.08	0	0
	2025	6	20	21	34	55	25	0	0	0	0	0	0	0	23.01	0	0
	2025	6	20	21	44	55	25	0	0	0	0	0	0	0	22.94	0	0
	2025	6	20	21	54	55	25	0	0	0	0	0	0	0	22.87	0	0
	2025	6	20	22	4	55	25	0	0	0	0	0	0	0	22.81	0	0
	2025	6	20	22	14	55	24	0	0	0	0	0	0	0	22.73	0	0
	2025	6	20	22	24	55	25	0	0	0	0	0	0	0	22.67	0	0
	2025	6	20	22	34	55	25	0	0	0	0	0	0	0	22.61	0	0
	2025	6	20	22	44	55	25	0	0	0	0	0	0	0	22.55	0	0
	2025	6	20	22	54	55	25	0	0	0	0	0	0	0	22.49	0	0
	2025	6	20	23	4	55	25	0	0	0	0	0	0	0	22.44	0	0
	2025	6	20	23	14	55	25	0	0	0	0	0	0	0	22.39	0	0
	2025	6	20	23	24	55	25	0	0	0	0	0	0	0	22.34	0	0
	2025	6	20	23	34	55	25	0	0	0	0	0	0	0	22.29	0	0
	2025	6	20	23	44	55	24	0	0	0	0	0	0	0	22.24	0	0
	2025	6	20	23	54	55	26	0	0	0	0	0	0	0	22.19	0	0
	2025	6	21	0	4	55	26	0	0	0	0	0	0	0	22.15	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	21	0	14	55	26	0	0	0	0	0	0	0	22.1	0	0
2025	6	21	0	24	55	25	0	0	0	0	0	0	0	22.05	0	0
2025	6	21	0	34	55	26	0	0	0	0	0	0	0	22.01	0	0
2025	6	21	0	44	55	25	0	0	0	0	0	0	0	21.97	0	0
2025	6	21	0	54	55	25	0	0	0	0	0	0	0	21.92	0	0
2025	6	21	1	4	55	25	0	0	0	0	0	0	0	21.86	0	0
2025	6	21	1	14	55	26	0	0	0	0	0	0	0	21.82	0	0
2025	6	21	1	24	55	25	0	0	0	0	0	0	0	21.77	0	0
2025	6	21	1	34	55	25	0	0	0	0	0	0	0	21.72	0	0
2025	6	21	1	44	55	25	0	0	0	0	0	0	0	21.67	0	0
2025	6	21	1	54	55	25	0	0	0	0	0	0	0	21.61	0	0
2025	6	21	2	4	55	25	0	0	0	0	0	0	0	21.57	0	0
2025	6	21	2	14	55	25	0	0	0	0	0	0	0	21.52	0	0
2025	6	21	2	24	55	25	0	0	0	0	0	0	0	21.47	0	0
2025	6	21	2	34	55	25	0	0	0	0	0	0	0	21.43	0	0
2025	6	21	2	44	55	25	0	0	0	0	0	0	0	21.39	0	0
2025	6	21	2	54	55	24	0	0	0	0	0	0	0	21.35	0	0
2025	6	21	3	4	55	25	0	0	0	0	0	0	0	21.31	0	0
2025	6	21	3	14	55	25	0	0	0	0	0	0	0	21.27	0	0
2025	6	21	3	24	55	25	0	0	0	0	0	0	0	21.22	0	0
2025	6	21	3	34	55	26	0	0	0	0	0	0	0	21.19	0	0
2025	6	21	3	44	55	25	0	0	0	0	0	0	0	21.15	0	0
2025	6	21	3	54	55	25	0	0	0	0	0	0	0	21.11	0	0
2025	6	21	4	4	55	26	0	0	0	0	0	0	0	21.07	0	0
2025	6	21	4	14	55	25	0	0	0	0	0	0	0	21.04	0	0
2025	6	21	4	24	55	25	0	0	0	0	0	0	0	21	0	0
2025	6	21	4	34	55	25	0	0	0	0	0	0	0	20.97	0	0
2025	6	21	4	44	55	25	0	0	0	0	0	0	0	20.94	0	0
2025	6	21	4	54	55	26	0	0	0	0	0	0	0	20.91	0	0
2025	6	21	5	4	55	26	0	0	0	0	0	0	0	20.88	0	0
2025	6	21	5	14	55	26	0	0	0	0	0	0	0	20.85	0	0
2025	6	21	5	24	55	25	0	0	0	0	0	0	0	20.83	0	0
2025	6	21	5	34	55	25	0	0	0	0	0	0	0	20.8	0	0
2025	6	21	5	44	55	25	0	0	0	0	0	0	0	20.77	0	0
2025	6	21	5	54	55	26	0	0	0	0	0	0	0	20.74	0	0
2025	6	21	6	4	55	25	0	0	0	0	0	0	0	20.71	0	0
2025	6	21	6	14	55	25	0	0	0	0	0	0	0	20.69	0	0
2025	6	21	6	24	55	26	0	0	0	0	0	0	0	20.66	0	0
2025	6	21	6	34	55	26	0	0	0	0	0	0	0	20.64	0	0
2025	6	21	6	44	55	25	0	0	0	0	0	0	0	20.62	0	0
2025	6	21	6	54	55	25	0	0	0	0	0	0	0	20.6	0	0
2025	6	21	7	4	55	26	0	0	0	0	0	0	0	20.59	0	0
2025	6	21	7	14	55	25	0	0	0	0	0	0	0	20.58	0	0
2025	6	21	7	24	55	25	0	0	0	0	0	0	0	20.58	0	0
2025	6	21	7	34	55	25	0	0	0	0	0	0	0	20.58	0	0
2025	6	21	7	44	55	26	0	0	0	0	0	0	0	20.58	0	0
2025	6	21	7	54	55	25	0	0	0	0	0	0	0	20.59	0	0
2025	6	21	8	4	55	26	0	0	0	0	0	0	0	20.6	0	0

Mazourka (0354)

	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	21	8	14	55	26	0	0	0	0	0	0	0	20.62	0	0
2025	6	21	8	24	55	26	0	0	0	0	0	0	0	20.64	0	0
2025	6	21	8	34	55	26	0	0	0	0	0	0	0	20.66	0	0
2025	6	21	8	44	55	26	0	0	0	0	0	0	0	20.69	0	0
2025	6	21	8	54	55	26	0	0	0	0	0	0	0	20.72	0	0
2025	6	21	9	4	55	25	0	0	0	0	0	0	0	20.76	0	0
2025	6	21	9	14	55	26	0	0	0	0	0	0	0	20.79	0	0
2025	6	21	9	24	55	25	0	0	0	0	0	0	0	20.82	0	0
2025	6	21	9	34	55	25	0	0	0	0	0	0	0	20.86	0	0
2025	6	21	9	44	55	25	0	0	0	0	0	0	0	20.91	0	0
2025	6	21	9	54	55	25	0	0	0	0	0	0	0	20.96	0	0
2025	6	21	10	4	55	25	0	0	0	0	0	0	0	21.01	0	0
2025	6	21	10	14	55	26	0	0	0	0	0	0	0	21.07	0	0
2025	6	21	10	24	55	26	0	0	0	0	0	0	0	21.12	0	0
2025	6	21	10	34	55	25	0	0	0	0	0	0	0	21.18	0	0
2025	6	21	10	44	55	26	0	0	0	0	0	0	0	21.25	0	0
2025	6	21	10	54	55	25	0	0	0	0	0	0	0	21.32	0	0
2025	6	21	11	4	55	26	0	0	0	0	0	0	0	21.39	0	0
2025	6	21	11	14	55	25	0	0	0	0	0	0	0	21.47	0	0
2025	6	21	11	24	55	26	0	0	0	0	0	0	0	21.54	0	0
2025	6	21	11	34	55	25	0	0	0	0	0	0	0	21.63	0	0
2025	6	21	11	44	55	25	0	0	0	0	0	0	0	21.71	0	0
2025	6	21	11	54	55	25	0	0	0	0	0	0	0	21.79	0	0
2025	6	21	12	4	55	26	0	0	0	0	0	0	0	21.88	0	0
2025	6	21	12	14	55	25	0	0	0	0	0	0	0	21.97	0	0
2025	6	21	12	24	55	25	0	0	0	0	0	0	0	22.06	0	0
2025	6	21	12	34	55	25	0	0	0	0	0	0	0	22.15	0	0
2025	6	21	12	44	55	26	0	0	0	0	0	0	0	22.24	0	0
2025	6	21	12	54	55	25	0	0	0	0	0	0	0	22.33	0	0
2025	6	21	13	4	55	26	0	0	0	0	0	0	0	22.42	0	0
2025	6	21	13	14	55	26	0	0	0	0	0	0	0	22.51	0	0
2025	6	21	13	24	55	25	0	0	0	0	0	0	0	22.6	0	0
2025	6	21	13	34	55	25	0	0	0	0	0	0	0	22.68	0	0
2025	6	21	13	44	55	24	0	0	0	0	0	0	0	22.77	0	0
2025	6	21	13	54	55	25	0	0	0	0	0	0	0	22.85	0	0
2025	6	21	14	4	55	25	0	0	0	0	0	0	0	22.92	0	0
2025	6	21	14	14	55	25	0	0	0	0	0	0	0	22.98	0	0
2025	6	21	14	24	55	25	0	0	0	0	0	0	0	23.05	0	0
2025	6	21	14	34	55	25	0	0	0	0	0	0	0	23.1	0	0
2025	6	21	14	44	55	25	0	0	0	0	0	0	0	23.15	0	0
2025	6	21	14	54	55	25	0	0	0	0	0	0	0	23.19	0	0
2025	6	21	15	4	55	25	0	0	0	0	0	0	0	23.23	0	0
2025	6	21	15	14	55	24	0	0	0	0	0	0	0	23.26	0	0
2025	6	21	15	24	55	25	0	0	0	0	0	0	0	23.29	0	0
2025	6	21	15	34	55	24	0	0	0	0	0	0	0	23.3	0	0
2025	6	21	15	44	55	24	0	0	0	0	0	0	0	23.3	0	0
2025	6	21	15	54	55	25	0	0	0	0	0	0	0	23.29	0	0
2025	6	21	16	4	55	25	0	0	0	0	0	0	0	23.26	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	6	21	16	14	55	24	0	0	0	0	0	0	0	23.23	0	0
	2025	6	21	16	24	55	25	0	0	0	0	0	0	0	23.21	0	0
	2025	6	21	16	34	55	25	0	0	0	0	0	0	0	23.17	0	0
	2025	6	21	16	44	55	25	0	0	0	0	0	0	0	23.13	0	0
	2025	6	21	16	54	55	25	0	0	0	0	0	0	0	23.08	0	0
	2025	6	21	17	4	55	25	0	0	0	0	0	0	0	23.03	0	0
	2025	6	21	17	14	55	25	0	0	0	0	0	0	0	22.98	0	0
	2025	6	21	17	24	55	25	0	0	0	0	0	0	0	22.93	0	0
	2025	6	21	17	34	55	25	0	0	0	0	0	0	0	22.89	0	0
	2025	6	21	17	44	55	25	0	0	0	0	0	0	0	22.84	0	0
	2025	6	21	17	54	55	26	0	0	0	0	0	0	0	22.78	0	0
	2025	6	21	18	4	55	25	0	0	0	0	0	0	0	22.73	0	0
	2025	6	21	18	14	55	25	0	0	0	0	0	0	0	22.68	0	0
	2025	6	21	18	24	55	25	0	0	0	0	0	0	0	22.62	0	0
	2025	6	21	18	34	55	25	0	0	0	0	0	0	0	22.57	0	0
	2025	6	21	18	44	55	25	0	0	0	0	0	0	0	22.51	0	0
	2025	6	21	18	54	55	25	0	0	0	0	0	0	0	22.46	0	0
	2025	6	21	19	4	55	25	0	0	0	0	0	0	0	22.38	0	0
	2025	6	21	19	14	55	25	0	0	0	0	0	0	0	22.3	0	0
	2025	6	21	19	24	55	24	0	0	0	0	0	0	0	22.21	0	0
	2025	6	21	19	34	55	25	0	0	0	0	0	0	0	22.12	0	0
	2025	6	21	19	44	55	25	0	0	0	0	0	0	0	22.04	0	0
	2025	6	21	19	54	55	25	0	0	0	0	0	0	0	21.94	0	0
	2025	6	21	20	4	55	24	0	0	0	0	0	0	0	21.85	0	0
	2025	6	21	20	14	55	26	0	0	0	0	0	0	0	21.75	0	0
	2025	6	21	20	24	55	25	0	0	0	0	0	0	0	21.66	0	0
	2025	6	21	20	34	55	25	0	0	0	0	0	0	0	21.56	0	0
	2025	6	21	20	44	55	25	0	0	0	0	0	0	0	21.46	0	0
	2025	6	21	20	54	55	26	0	0	0	0	0	0	0	21.36	0	0
	2025	6	21	21	4	55	25	0	0	0	0	0	0	0	21.26	0	0
	2025	6	21	21	14	55	25	0	0	0	0	0	0	0	21.16	0	0
	2025	6	21	21	24	55	25	0	0	0	0	0	0	0	21.06	0	0
	2025	6	21	21	34	55	25	0	0	0	0	0	0	0	20.96	0	0
	2025	6	21	21	44	55	25	0	0	0	0	0	0	0	20.86	0	0
	2025	6	21	21	54	55	25	0	0	0	0	0	0	0	20.75	0	0
	2025	6	21	22	4	55	25	0	0	0	0	0	0	0	20.65	0	0
	2025	6	21	22	14	55	26	0	0	0	0	0	0	0	20.55	0	0
	2025	6	21	22	24	55	25	0	0	0	0	0	0	0	20.45	0	0
	2025	6	21	22	34	55	26	0	0	0	0	0	0	0	20.35	0	0
	2025	6	21	22	44	55	25	0	0	0	0	0	0	0	20.26	0	0
	2025	6	21	22	54	55	26	0	0	0	0	0	0	0	20.16	0	0
	2025	6	21	23	4	55	25	0	0	0	0	0	0	0	20.05	0	0
	2025	6	21	23	14	55	25	0	0	0	0	0	0	0	19.96	0	0
	2025	6	21	23	24	55	25	0	0	0	0	0	0	0	19.87	0	0
	2025	6	21	23	34	55	25	0	0	0	0	0	0	0	19.78	0	0
	2025	6	21	23	44	55	26	0	0	0	0	0	0	0	19.68	0	0
	2025	6	21	23	54	55	26	0	0	0	0	0	0	0	19.6	0	0
	2025	6	22	0	4	55	25	0	0	0	0	0	0	0	19.52	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	23	0	14	55	26	0	0	0	0	0	0	0	19.15	0	0
2025	6	23	0	24	55	26	0	0	0	0	0	0	0	19.11	0	0
2025	6	23	0	34	55	26	0	0	0	0	0	0	0	19.06	0	0
2025	6	23	0	44	55	25	0	0	0	0	0	0	0	19.01	0	0
2025	6	23	0	54	55	25	0	0	0	0	0	0	0	18.96	0	0
2025	6	23	1	4	55	26	0	0	0	0	0	0	0	18.91	0	0
2025	6	23	1	14	55	26	0	0	0	0	0	0	0	18.87	0	0
2025	6	23	1	24	55	25	0	0	0	0	0	0	0	18.82	0	0
2025	6	23	1	34	55	26	0	0	0	0	0	0	0	18.77	0	0
2025	6	23	1	44	55	26	0	0	0	0	0	0	0	18.72	0	0
2025	6	23	1	54	55	26	0	0	0	0	0	0	0	18.68	0	0
2025	6	23	2	4	55	26	0	0	0	0	0	0	0	18.64	0	0
2025	6	23	2	14	55	25	0	0	0	0	0	0	0	18.59	0	0
2025	6	23	2	24	55	26	0	0	0	0	0	0	0	18.55	0	0
2025	6	23	2	34	55	27	0	0	0	0	0	0	0	18.5	0	0
2025	6	23	2	44	55	26	0	0	0	0	0	0	0	18.46	0	0
2025	6	23	2	54	55	26	0	0	0	0	0	0	0	18.41	0	0
2025	6	23	3	4	55	25	0	0	0	0	0	0	0	18.38	0	0
2025	6	23	3	14	55	26	0	0	0	0	0	0	0	18.33	0	0
2025	6	23	3	24	55	26	0	0	0	0	0	0	0	18.3	0	0
2025	6	23	3	34	55	26	0	0	0	0	0	0	0	18.26	0	0
2025	6	23	3	44	55	26	0	0	0	0	0	0	0	18.23	0	0
2025	6	23	3	54	55	25	0	0	0	0	0	0	0	18.19	0	0
2025	6	23	4	4	55	26	0	0	0	0	0	0	0	18.16	0	0
2025	6	23	4	14	55	25	0	0	0	0	0	0	0	18.13	0	0
2025	6	23	4	24	55	26	0	0	0	0	0	0	0	18.09	0	0
2025	6	23	4	34	55	27	0	0	0	0	0	0	0	18.06	0	0
2025	6	23	4	44	55	26	0	0	0	0	0	0	0	18.02	0	0
2025	6	23	4	54	55	26	0	0	0	0	0	0	0	18	0	0
2025	6	23	5	4	55	26	0	0	0	0	0	0	0	17.97	0	0
2025	6	23	5	14	55	26	0	0	0	0	0	0	0	17.94	0	0
2025	6	23	5	24	55	26	0	0	0	0	0	0	0	17.91	0	0
2025	6	23	5	34	55	26	0	0	0	0	0	0	0	17.88	0	0
2025	6	23	5	44	55	26	0	0	0	0	0	0	0	17.86	0	0
2025	6	23	5	54	55	26	0	0	0	0	0	0	0	17.83	0	0
2025	6	23	6	4	55	26	0	0	0	0	0	0	0	17.81	0	0
2025	6	23	6	14	55	26	0	0	0	0	0	0	0	17.79	0	0
2025	6	23	6	24	55	26	0	0	0	0	0	0	0	17.78	0	0
2025	6	23	6	34	55	26	0	0	0	0	0	0	0	17.76	0	0
2025	6	23	6	44	55	26	0	0	0	0	0	0	0	17.75	0	0
2025	6	23	6	54	55	26	0	0	0	0	0	0	0	17.75	0	0
2025	6	23	7	4	55	26	0	0	0	0	0	0	0	17.75	0	0
2025	6	23	7	14	55	26	0	0	0	0	0	0	0	17.75	0	0
2025	6	23	7	24	55	26	0	0	0	0	0	0	0	17.76	0	0
2025	6	23	7	34	55	26	0	0	0	0	0	0	0	17.76	0	0
2025	6	23	7	44	55	26	0	0	0	0	0	0	0	17.78	0	0
2025	6	23	7	54	55	27	0	0	0	0	0	0	0	17.8	0	0
2025	6	23	8	4	55	26	0	0	0	0	0	0	0	17.83	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	23	8	14	55	26	0	0	0	0	0	0	0	17.86	0	0
2025	6	23	8	24	55	26	0	0	0	0	0	0	0	17.89	0	0
2025	6	23	8	34	55	26	0	0	0	0	0	0	0	17.92	0	0
2025	6	23	8	44	55	26	0	0	0	0	0	0	0	17.96	0	0
2025	6	23	8	54	55	27	0	0	0	0	0	0	0	17.99	0	0
2025	6	23	9	4	55	26	0	0	0	0	0	0	0	18.03	0	0
2025	6	23	9	14	55	25	0	0	0	0	0	0	0	18.07	0	0
2025	6	23	9	24	55	26	0	0	0	0	0	0	0	18.12	0	0
2025	6	23	9	34	55	26	0	0	0	0	0	0	0	18.16	0	0
2025	6	23	9	44	55	26	0	0	0	0	0	0	0	18.22	0	0
2025	6	23	9	54	55	25	0	0	0	0	0	0	0	18.26	0	0
2025	6	23	10	4	55	25	0	0	0	0	0	0	0	18.32	0	0
2025	6	23	10	14	55	25	0	0	0	0	0	0	0	18.38	0	0
2025	6	23	10	24	55	26	0	0	0	0	0	0	0	18.45	0	0
2025	6	23	10	34	55	26	0	0	0	0	0	0	0	18.52	0	0
2025	6	23	10	44	55	26	0	0	0	0	0	0	0	18.6	0	0
2025	6	23	10	54	55	25	0	0	0	0	0	0	0	18.68	0	0
2025	6	23	11	4	55	26	0	0	0	0	0	0	0	18.76	0	0
2025	6	23	11	14	55	25	0	0	0	0	0	0	0	18.86	0	0
2025	6	23	11	24	55	26	0	0	0	0	0	0	0	18.96	0	0
2025	6	23	11	34	55	26	0	0	0	0	0	0	0	19.06	0	0
2025	6	23	11	44	55	26	0	0	0	0	0	0	0	19.17	0	0
2025	6	23	11	54	55	26	0	0	0	0	0	0	0	19.28	0	0
2025	6	23	12	4	55	26	0	0	0	0	0	0	0	19.4	0	0
2025	6	23	12	14	55	25	0	0	0	0	0	0	0	19.51	0	0
2025	6	23	12	24	55	26	0	0	0	0	0	0	0	19.62	0	0
2025	6	23	12	34	55	26	0	0	0	0	0	0	0	19.73	0	0
2025	6	23	12	44	55	25	0	0	0	0	0	0	0	19.85	0	0
2025	6	23	12	54	55	26	0	0	0	0	0	0	0	19.97	0	0
2025	6	23	13	4	55	26	0	0	0	0	0	0	0	20.08	0	0
2025	6	23	13	14	55	25	0	0	0	0	0	0	0	20.18	0	0
2025	6	23	13	24	55	25	0	0	0	0	0	0	0	20.3	0	0
2025	6	23	13	34	55	25	0	0	0	0	0	0	0	20.4	0	0
2025	6	23	13	44	55	26	0	0	0	0	0	0	0	20.5	0	0
2025	6	23	13	54	55	26	0	0	0	0	0	0	0	20.61	0	0
2025	6	23	14	4	55	26	0	0	0	0	0	0	0	20.7	0	0
2025	6	23	14	14	55	26	0	0	0	0	0	0	0	20.8	0	0
2025	6	23	14	24	55	25	0	0	0	0	0	0	0	20.9	0	0
2025	6	23	14	34	55	26	0	0	0	0	0	0	0	21	0	0
2025	6	23	14	44	55	25	0	0	0	0	0	0	0	21.08	0	0
2025	6	23	14	54	55	25	0	0	0	0	0	0	0	21.18	0	0
2025	6	23	15	4	55	26	0	0	0	0	0	0	0	21.26	0	0
2025	6	23	15	14	55	25	0	0	0	0	0	0	0	21.34	0	0
2025	6	23	15	24	55	25	0	0	0	0	0	0	0	21.42	0	0
2025	6	23	15	34	55	26	0	0	0	0	0	0	0	21.5	0	0
2025	6	23	15	44	55	24	0	0	0	0	0	0	0	21.57	0	0
2025	6	23	15	54	55	25	0	0	0	0	0	0	0	21.64	0	0
2025	6	23	16	4	55	26	0	0	0	0	0	0	0	21.68	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	6	23	16	14	55	25	0	0	0	0	0	0	0	21.74	0	0
	2025	6	23	16	24	55	25	0	0	0	0	0	0	0	21.77	0	0
	2025	6	23	16	34	55	25	0	0	0	0	0	0	0	21.81	0	0
	2025	6	23	16	44	55	25	0	0	0	0	0	0	0	21.84	0	0
	2025	6	23	16	54	55	25	0	0	0	0	0	0	0	21.86	0	0
	2025	6	23	17	4	55	25	0	0	0	0	0	0	0	21.88	0	0
	2025	6	23	17	14	55	26	0	0	0	0	0	0	0	21.89	0	0
	2025	6	23	17	24	55	25	0	0	0	0	0	0	0	21.9	0	0
	2025	6	23	17	34	55	26	0	0	0	0	0	0	0	21.9	0	0
	2025	6	23	17	44	55	26	0	0	0	0	0	0	0	21.9	0	0
	2025	6	23	17	54	55	25	0	0	0	0	0	0	0	21.9	0	0
	2025	6	23	18	4	55	25	0	0	0	0	0	0	0	21.9	0	0
	2025	6	23	18	14	55	26	0	0	0	0	0	0	0	21.89	0	0
	2025	6	23	18	24	55	25	0	0	0	0	0	0	0	21.89	0	0
	2025	6	23	18	34	55	25	0	0	0	0	0	0	0	21.88	0	0
	2025	6	23	18	44	55	25	0	0	0	0	0	0	0	21.87	0	0
	2025	6	23	18	54	55	26	0	0	0	0	0	0	0	21.85	0	0
	2025	6	23	19	4	55	25	0	0	0	0	0	0	0	21.84	0	0
	2025	6	23	19	14	55	25	0	0	0	0	0	0	0	21.81	0	0
	2025	6	23	19	24	55	25	0	0	0	0	0	0	0	21.78	0	0
	2025	6	23	19	34	55	26	0	0	0	0	0	0	0	21.75	0	0
	2025	6	23	19	44	55	25	0	0	0	0	0	0	0	21.71	0	0
	2025	6	23	19	54	55	25	0	0	0	0	0	0	0	21.67	0	0
	2025	6	23	20	4	55	26	0	0	0	0	0	0	0	21.63	0	0
	2025	6	23	20	14	55	26	0	0	0	0	0	0	0	21.59	0	0
	2025	6	23	20	24	55	25	0	0	0	0	0	0	0	21.54	0	0
	2025	6	23	20	34	55	25	0	0	0	0	0	0	0	21.49	0	0
	2025	6	23	20	44	55	25	0	0	0	0	0	0	0	21.44	0	0
	2025	6	23	20	54	55	25	0	0	0	0	0	0	0	21.39	0	0
	2025	6	23	21	4	55	25	0	0	0	0	0	0	0	21.33	0	0
	2025	6	23	21	14	55	26	0	0	0	0	0	0	0	21.27	0	0
	2025	6	23	21	24	55	24	0	0	0	0	0	0	0	21.21	0	0
	2025	6	23	21	34	55	25	0	0	0	0	0	0	0	21.16	0	0
	2025	6	23	21	44	55	25	0	0	0	0	0	0	0	21.09	0	0
	2025	6	23	21	54	55	26	0	0	0	0	0	0	0	21.03	0	0
	2025	6	23	22	4	55	26	0	0	0	0	0	0	0	20.96	0	0
	2025	6	23	22	14	55	25	0	0	0	0	0	0	0	20.9	0	0
	2025	6	23	22	24	55	25	0	0	0	0	0	0	0	20.83	0	0
	2025	6	23	22	34	55	25	0	0	0	0	0	0	0	20.76	0	0
	2025	6	23	22	44	55	25	0	0	0	0	0	0	0	20.69	0	0
	2025	6	23	22	54	55	25	0	0	0	0	0	0	0	20.62	0	0
	2025	6	23	23	4	55	26	0	0	0	0	0	0	0	20.55	0	0
	2025	6	23	23	14	55	26	0	0	0	0	0	0	0	20.48	0	0
	2025	6	23	23	24	55	25	0	0	0	0	0	0	0	20.41	0	0
	2025	6	23	23	34	55	26	0	0	0	0	0	0	0	20.33	0	0
	2025	6	23	23	44	55	26	0	0	0	0	0	0	0	20.26	0	0
	2025	6	23	23	54	55	26	0	0	0	0	0	0	0	20.19	0	0
	2025	6	24	0	4	55	25	0	0	0	0	0	0	0	20.12	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	24	16	14	55	25	0	0	0	0	0	0	0	21.58	0	0
2025	6	24	16	24	55	25	0	0	0	0	0	0	0	21.66	0	0
2025	6	24	16	34	55	25	0	0	0	0	0	0	0	21.74	0	0
2025	6	24	16	44	55	25	0	0	0	0	0	0	0	21.82	0	0
2025	6	24	16	54	55	25	0	0	0	0	0	0	0	21.89	0	0
2025	6	24	17	4	55	25	0	0	0	0	0	0	0	21.95	0	0
2025	6	24	17	14	55	24	0	0	0	0	0	0	0	22	0	0
2025	6	24	17	24	55	25	0	0	0	0	0	0	0	22.05	0	0
2025	6	24	17	34	55	25	0	0	0	0	0	0	0	22.09	0	0
2025	6	24	17	44	55	26	0	0	0	0	0	0	0	22.14	0	0
2025	6	24	17	54	55	24	0	0	0	0	0	0	0	22.16	0	0
2025	6	24	18	4	55	25	0	0	0	0	0	0	0	22.18	0	0
2025	6	24	18	14	55	26	0	0	0	0	0	0	0	22.2	0	0
2025	6	24	18	24	55	26	0	0	0	0	0	0	0	22.22	0	0
2025	6	24	18	34	55	26	0	0	0	0	0	0	0	22.23	0	0
2025	6	24	18	44	55	25	0	0	0	0	0	0	0	22.23	0	0
2025	6	24	18	54	55	25	0	0	0	0	0	0	0	22.23	0	0
2025	6	24	19	4	55	25	0	0	0	0	0	0	0	22.22	0	0
2025	6	24	19	14	55	26	0	0	0	0	0	0	0	22.21	0	0
2025	6	24	19	24	55	26	0	0	0	0	0	0	0	22.2	0	0
2025	6	24	19	34	55	25	0	0	0	0	0	0	0	22.18	0	0
2025	6	24	19	44	55	25	0	0	0	0	0	0	0	22.16	0	0
2025	6	24	19	54	55	25	0	0	0	0	0	0	0	22.13	0	0
2025	6	24	20	4	55	25	0	0	0	0	0	0	0	22.1	0	0
2025	6	24	20	14	55	25	0	0	0	0	0	0	0	22.05	0	0
2025	6	24	20	24	55	25	0	0	0	0	0	0	0	22.01	0	0
2025	6	24	20	34	55	25	0	0	0	0	0	0	0	21.97	0	0
2025	6	24	20	44	55	25	0	0	0	0	0	0	0	21.92	0	0
2025	6	24	20	54	55	25	0	0	0	0	0	0	0	21.87	0	0
2025	6	24	21	4	55	26	0	0	0	0	0	0	0	21.82	0	0
2025	6	24	21	14	55	25	0	0	0	0	0	0	0	21.76	0	0
2025	6	24	21	24	55	25	0	0	0	0	0	0	0	21.7	0	0
2025	6	24	21	34	55	25	0	0	0	0	0	0	0	21.63	0	0
2025	6	24	21	44	55	25	0	0	0	0	0	0	0	21.56	0	0
2025	6	24	21	54	55	25	0	0	0	0	0	0	0	21.5	0	0
2025	6	24	22	4	55	25	0	0	0	0	0	0	0	21.43	0	0
2025	6	24	22	14	55	25	0	0	0	0	0	0	0	21.36	0	0
2025	6	24	22	24	55	25	0	0	0	0	0	0	0	21.29	0	0
2025	6	24	22	34	55	25	0	0	0	0	0	0	0	21.23	0	0
2025	6	24	22	44	55	25	0	0	0	0	0	0	0	21.16	0	0
2025	6	24	22	54	55	26	0	0	0	0	0	0	0	21.1	0	0
2025	6	24	23	4	55	25	0	0	0	0	0	0	0	21.02	0	0
2025	6	24	23	14	55	26	0	0	0	0	0	0	0	20.97	0	0
2025	6	24	23	24	55	25	0	0	0	0	0	0	0	20.9	0	0
2025	6	24	23	34	55	25	0	0	0	0	0	0	0	20.84	0	0
2025	6	24	23	44	55	26	0	0	0	0	0	0	0	20.78	0	0
2025	6	24	23	54	55	26	0	0	0	0	0	0	0	20.72	0	0
2025	6	25	0	4	55	26	0	0	0	0	0	0	0	20.66	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	25	0	14	55	26	0	0	0	0	0	0	0	20.6	0	0
2025	6	25	0	24	55	26	0	0	0	0	0	0	0	20.54	0	0
2025	6	25	0	34	55	25	0	0	0	0	0	0	0	20.48	0	0
2025	6	25	0	44	55	25	0	0	0	0	0	0	0	20.43	0	0
2025	6	25	0	54	55	26	0	0	0	0	0	0	0	20.36	0	0
2025	6	25	1	4	55	25	0	0	0	0	0	0	0	20.3	0	0
2025	6	25	1	14	55	26	0	0	0	0	0	0	0	20.24	0	0
2025	6	25	1	24	55	26	0	0	0	0	0	0	0	20.17	0	0
2025	6	25	1	34	55	26	0	0	0	0	0	0	0	20.11	0	0
2025	6	25	1	44	55	26	0	0	0	0	0	0	0	20.04	0	0
2025	6	25	1	54	55	25	0	0	0	0	0	0	0	19.97	0	0
2025	6	25	2	4	55	25	0	0	0	0	0	0	0	19.9	0	0
2025	6	25	2	14	55	26	0	0	0	0	0	0	0	19.83	0	0
2025	6	25	2	24	55	26	0	0	0	0	0	0	0	19.76	0	0
2025	6	25	2	34	55	25	0	0	0	0	0	0	0	19.7	0	0
2025	6	25	2	44	55	26	0	0	0	0	0	0	0	19.63	0	0
2025	6	25	2	54	55	25	0	0	0	0	0	0	0	19.56	0	0
2025	6	25	3	4	55	25	0	0	0	0	0	0	0	19.49	0	0
2025	6	25	3	14	55	25	0	0	0	0	0	0	0	19.43	0	0
2025	6	25	3	24	55	25	0	0	0	0	0	0	0	19.36	0	0
2025	6	25	3	34	55	26	0	0	0	0	0	0	0	19.31	0	0
2025	6	25	3	44	55	26	0	0	0	0	0	0	0	19.25	0	0
2025	6	25	3	54	55	26	0	0	0	0	0	0	0	19.2	0	0
2025	6	25	4	4	55	26	0	0	0	0	0	0	0	19.14	0	0
2025	6	25	4	14	55	25	0	0	0	0	0	0	0	19.08	0	0
2025	6	25	4	24	55	26	0	0	0	0	0	0	0	19.03	0	0
2025	6	25	4	34	55	26	0	0	0	0	0	0	0	18.97	0	0
2025	6	25	4	44	55	26	0	0	0	0	0	0	0	18.91	0	0
2025	6	25	4	54	55	26	0	0	0	0	0	0	0	18.86	0	0
2025	6	25	5	4	55	25	0	0	0	0	0	0	0	18.81	0	0
2025	6	25	5	14	55	26	0	0	0	0	0	0	0	18.76	0	0
2025	6	25	5	24	55	26	0	0	0	0	0	0	0	18.71	0	0
2025	6	25	5	34	55	26	0	0	0	0	0	0	0	18.67	0	0
2025	6	25	5	44	55	26	0	0	0	0	0	0	0	18.62	0	0
2025	6	25	5	54	55	25	0	0	0	0	0	0	0	18.58	0	0
2025	6	25	6	4	55	26	0	0	0	0	0	0	0	18.53	0	0
2025	6	25	6	14	55	26	0	0	0	0	0	0	0	18.49	0	0
2025	6	25	6	24	55	26	0	0	0	0	0	0	0	18.45	0	0
2025	6	25	6	34	55	26	0	0	0	0	0	0	0	18.42	0	0
2025	6	25	6	44	55	26	0	0	0	0	0	0	0	18.39	0	0
2025	6	25	6	54	55	26	0	0	0	0	0	0	0	18.35	0	0
2025	6	25	7	4	55	25	0	0	0	0	0	0	0	18.34	0	0
2025	6	25	7	14	55	26	0	0	0	0	0	0	0	18.32	0	0
2025	6	25	7	24	55	26	0	0	0	0	0	0	0	18.31	0	0
2025	6	25	7	34	55	27	0	0	0	0	0	0	0	18.3	0	0
2025	6	25	7	44	55	26	0	0	0	0	0	0	0	18.3	0	0
2025	6	25	7	54	55	26	0	0	0	0	0	0	0	18.31	0	0
2025	6	25	8	4	55	25	0	0	0	0	0	0	0	18.32	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	25	8	14	55	26	0	0	0	0	0	0	0	18.34	0	0
2025	6	25	8	24	55	26	0	0	0	0	0	0	0	18.36	0	0
2025	6	25	8	34	55	26	0	0	0	0	0	0	0	18.4	0	0
2025	6	25	8	44	55	26	0	0	0	0	0	0	0	18.44	0	0
2025	6	25	8	54	55	26	0	0	0	0	0	0	0	18.48	0	0
2025	6	25	9	4	55	25	0	0	0	0	0	0	0	18.54	0	0
2025	6	25	9	14	55	26	0	0	0	0	0	0	0	18.6	0	0
2025	6	25	9	24	55	26	0	0	0	0	0	0	0	18.66	0	0
2025	6	25	9	34	55	25	0	0	0	0	0	0	0	18.72	0	0
2025	6	25	9	44	55	26	0	0	0	0	0	0	0	18.8	0	0
2025	6	25	9	54	55	25	0	0	0	0	0	0	0	18.88	0	0
2025	6	25	10	4	55	26	0	0	0	0	0	0	0	18.96	0	0
2025	6	25	10	14	55	26	0	0	0	0	0	0	0	19.05	0	0
2025	6	25	10	24	55	26	0	0	0	0	0	0	0	19.14	0	0
2025	6	25	10	34	55	26	0	0	0	0	0	0	0	19.23	0	0
2025	6	25	10	44	55	27	0	0	0	0	0	0	0	19.34	0	0
2025	6	25	10	54	55	26	0	0	0	0	0	0	0	19.45	0	0
2025	6	25	11	4	55	26	0	0	0	0	0	0	0	19.56	0	0
2025	6	25	11	14	55	26	0	0	0	0	0	0	0	19.67	0	0
2025	6	25	11	24	55	25	0	0	0	0	0	0	0	19.79	0	0
2025	6	25	11	34	55	26	0	0	0	0	0	0	0	19.91	0	0
2025	6	25	11	44	55	26	0	0	0	0	0	0	0	20.05	0	0
2025	6	25	11	54	55	25	0	0	0	0	0	0	0	20.18	0	0
2025	6	25	12	4	55	25	0	0	0	0	0	0	0	20.31	0	0
2025	6	25	12	14	55	26	0	0	0	0	0	0	0	20.45	0	0
2025	6	25	12	24	55	26	0	0	0	0	0	0	0	20.59	0	0
2025	6	25	12	34	55	26	0	0	0	0	0	0	0	20.73	0	0
2025	6	25	12	44	55	26	0	0	0	0	0	0	0	20.87	0	0
2025	6	25	12	54	55	25	0	0	0	0	0	0	0	21.01	0	0
2025	6	25	13	4	55	25	0	0	0	0	0	0	0	21.16	0	0
2025	6	25	13	14	55	26	0	0	0	0	0	0	0	21.31	0	0
2025	6	25	13	24	55	26	0	0	0	0	0	0	0	21.45	0	0
2025	6	25	13	34	55	25	0	0	0	0	0	0	0	21.59	0	0
2025	6	25	13	44	55	25	0	0	0	0	0	0	0	21.72	0	0
2025	6	25	13	54	55	25	0	0	0	0	0	0	0	21.85	0	0
2025	6	25	14	4	55	26	0	0	0	0	0	0	0	21.98	0	0
2025	6	25	14	14	55	25	0	0	0	0	0	0	0	22.12	0	0
2025	6	25	14	24	55	25	0	0	0	0	0	0	0	22.24	0	0
2025	6	25	14	34	55	26	0	0	0	0	0	0	0	22.36	0	0
2025	6	25	14	44	55	26	0	0	0	0	0	0	0	22.48	0	0
2025	6	25	14	54	55	25	0	0	0	0	0	0	0	22.59	0	0
2025	6	25	15	4	55	25	0	0	0	0	0	0	0	22.7	0	0
2025	6	25	15	14	55	25	0	0	0	0	0	0	0	22.8	0	0
2025	6	25	15	24	55	25	0	0	0	0	0	0	0	22.9	0	0
2025	6	25	15	34	55	25	0	0	0	0	0	0	0	22.99	0	0
2025	6	25	15	44	55	25	0	0	0	0	0	0	0	23.08	0	0
2025	6	25	15	54	55	25	0	0	0	0	0	0	0	23.16	0	0
2025	6	25	16	4	55	26	0	0	0	0	0	0	0	23.25	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	27	0	14	55	25	0	0	0	0	0	0	0	22.23	0	0
2025	6	27	0	24	55	24	0	0	0	0	0	0	0	22.17	0	0
2025	6	27	0	34	55	25	0	0	0	0	0	0	0	22.11	0	0
2025	6	27	0	44	55	25	0	0	0	0	0	0	0	22.05	0	0
2025	6	27	0	54	55	25	0	0	0	0	0	0	0	22	0	0
2025	6	27	1	4	55	25	0	0	0	0	0	0	0	21.94	0	0
2025	6	27	1	14	55	25	0	0	0	0	0	0	0	21.88	0	0
2025	6	27	1	24	55	25	0	0	0	0	0	0	0	21.83	0	0
2025	6	27	1	34	55	25	0	0	0	0	0	0	0	21.78	0	0
2025	6	27	1	44	55	25	0	0	0	0	0	0	0	21.72	0	0
2025	6	27	1	54	55	26	0	0	0	0	0	0	0	21.67	0	0
2025	6	27	2	4	55	25	0	0	0	0	0	0	0	21.62	0	0
2025	6	27	2	14	55	25	0	0	0	0	0	0	0	21.57	0	0
2025	6	27	2	24	55	26	0	0	0	0	0	0	0	21.52	0	0
2025	6	27	2	34	55	25	0	0	0	0	0	0	0	21.47	0	0
2025	6	27	2	44	55	25	0	0	0	0	0	0	0	21.42	0	0
2025	6	27	2	54	55	25	0	0	0	0	0	0	0	21.37	0	0
2025	6	27	3	4	55	25	0	0	0	0	0	0	0	21.32	0	0
2025	6	27	3	14	55	26	0	0	0	0	0	0	0	21.26	0	0
2025	6	27	3	24	55	25	0	0	0	0	0	0	0	21.21	0	0
2025	6	27	3	34	55	25	0	0	0	0	0	0	0	21.15	0	0
2025	6	27	3	44	55	25	0	0	0	0	0	0	0	21.1	0	0
2025	6	27	3	54	55	25	0	0	0	0	0	0	0	21.05	0	0
2025	6	27	4	4	55	25	0	0	0	0	0	0	0	20.99	0	0
2025	6	27	4	14	55	25	0	0	0	0	0	0	0	20.94	0	0
2025	6	27	4	24	55	25	0	0	0	0	0	0	0	20.89	0	0
2025	6	27	4	34	55	26	0	0	0	0	0	0	0	20.84	0	0
2025	6	27	4	44	55	26	0	0	0	0	0	0	0	20.79	0	0
2025	6	27	4	54	55	26	0	0	0	0	0	0	0	20.74	0	0
2025	6	27	5	4	55	25	0	0	0	0	0	0	0	20.7	0	0
2025	6	27	5	14	55	25	0	0	0	0	0	0	0	20.65	0	0
2025	6	27	5	24	55	26	0	0	0	0	0	0	0	20.6	0	0
2025	6	27	5	34	55	26	0	0	0	0	0	0	0	20.56	0	0
2025	6	27	5	44	55	25	0	0	0	0	0	0	0	20.51	0	0
2025	6	27	5	54	55	25	0	0	0	0	0	0	0	20.47	0	0
2025	6	27	6	4	55	25	0	0	0	0	0	0	0	20.43	0	0
2025	6	27	6	14	55	25	0	0	0	0	0	0	0	20.38	0	0
2025	6	27	6	24	55	26	0	0	0	0	0	0	0	20.34	0	0
2025	6	27	6	34	55	26	0	0	0	0	0	0	0	20.3	0	0
2025	6	27	6	44	55	26	0	0	0	0	0	0	0	20.27	0	0
2025	6	27	6	54	55	25	0	0	0	0	0	0	0	20.24	0	0
2025	6	27	7	4	55	25	0	0	0	0	0	0	0	20.22	0	0
2025	6	27	7	14	55	26	0	0	0	0	0	0	0	20.2	0	0
2025	6	27	7	24	55	25	0	0	0	0	0	0	0	20.19	0	0
2025	6	27	7	34	55	25	0	0	0	0	0	0	0	20.18	0	0
2025	6	27	7	44	55	26	0	0	0	0	0	0	0	20.17	0	0
2025	6	27	7	54	55	25	0	0	0	0	0	0	0	20.17	0	0
2025	6	27	8	4	55	26	0	0	0	0	0	0	0	20.17	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	28	0	14	55	25	0	0	0	0	0	0	0	22.51	0	0
2025	6	28	0	24	55	25	0	0	0	0	0	0	0	22.45	0	0
2025	6	28	0	34	55	25	0	0	0	0	0	0	0	22.38	0	0
2025	6	28	0	44	55	25	0	0	0	0	0	0	0	22.32	0	0
2025	6	28	0	54	55	26	0	0	0	0	0	0	0	22.27	0	0
2025	6	28	1	4	55	25	0	0	0	0	0	0	0	22.21	0	0
2025	6	28	1	14	55	25	0	0	0	0	0	0	0	22.15	0	0
2025	6	28	1	24	55	26	0	0	0	0	0	0	0	22.1	0	0
2025	6	28	1	34	55	25	0	0	0	0	0	0	0	22.04	0	0
2025	6	28	1	44	55	25	0	0	0	0	0	0	0	21.99	0	0
2025	6	28	1	54	55	25	0	0	0	0	0	0	0	21.93	0	0
2025	6	28	2	4	55	26	0	0	0	0	0	0	0	21.88	0	0
2025	6	28	2	14	55	25	0	0	0	0	0	0	0	21.82	0	0
2025	6	28	2	24	55	25	0	0	0	0	0	0	0	21.77	0	0
2025	6	28	2	34	55	25	0	0	0	0	0	0	0	21.72	0	0
2025	6	28	2	44	55	25	0	0	0	0	0	0	0	21.66	0	0
2025	6	28	2	54	55	25	0	0	0	0	0	0	0	21.61	0	0
2025	6	28	3	4	55	26	0	0	0	0	0	0	0	21.55	0	0
2025	6	28	3	14	55	26	0	0	0	0	0	0	0	21.5	0	0
2025	6	28	3	24	55	25	0	0	0	0	0	0	0	21.45	0	0
2025	6	28	3	34	55	25	0	0	0	0	0	0	0	21.39	0	0
2025	6	28	3	44	55	26	0	0	0	0	0	0	0	21.33	0	0
2025	6	28	3	54	55	25	0	0	0	0	0	0	0	21.27	0	0
2025	6	28	4	4	55	25	0	0	0	0	0	0	0	21.22	0	0
2025	6	28	4	14	55	25	0	0	0	0	0	0	0	21.16	0	0
2025	6	28	4	24	55	25	0	0	0	0	0	0	0	21.11	0	0
2025	6	28	4	34	55	25	0	0	0	0	0	0	0	21.05	0	0
2025	6	28	4	44	55	25	0	0	0	0	0	0	0	21	0	0
2025	6	28	4	54	55	26	0	0	0	0	0	0	0	20.93	0	0
2025	6	28	5	4	55	26	0	0	0	0	0	0	0	20.87	0	0
2025	6	28	5	14	55	25	0	0	0	0	0	0	0	20.83	0	0
2025	6	28	5	24	55	25	0	0	0	0	0	0	0	20.78	0	0
2025	6	28	5	34	55	25	0	0	0	0	0	0	0	20.73	0	0
2025	6	28	5	44	55	25	0	0	0	0	0	0	0	20.68	0	0
2025	6	28	5	54	55	25	0	0	0	0	0	0	0	20.63	0	0
2025	6	28	6	4	55	26	0	0	0	0	0	0	0	20.58	0	0
2025	6	28	6	14	55	26	0	0	0	0	0	0	0	20.53	0	0
2025	6	28	6	24	55	25	0	0	0	0	0	0	0	20.48	0	0
2025	6	28	6	34	55	25	0	0	0	0	0	0	0	20.44	0	0
2025	6	28	6	44	55	25	0	0	0	0	0	0	0	20.41	0	0
2025	6	28	6	54	55	25	0	0	0	0	0	0	0	20.37	0	0
2025	6	28	7	4	55	25	0	0	0	0	0	0	0	20.34	0	0
2025	6	28	7	14	55	25	0	0	0	0	0	0	0	20.32	0	0
2025	6	28	7	24	55	25	0	0	0	0	0	0	0	20.31	0	0
2025	6	28	7	34	55	25	0	0	0	0	0	0	0	20.29	0	0
2025	6	28	7	44	55	25	0	0	0	0	0	0	0	20.28	0	0
2025	6	28	7	54	55	25	0	0	0	0	0	0	0	20.28	0	0
2025	6	28	8	4	55	25	0	0	0	0	0	0	0	20.29	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	6	29	0	14	55	25	0	0	0	0	0	0	0	22.58	0	0
2025	6	29	0	24	55	25	0	0	0	0	0	0	0	22.52	0	0
2025	6	29	0	34	55	25	0	0	0	0	0	0	0	22.45	0	0
2025	6	29	0	44	55	26	0	0	0	0	0	0	0	22.37	0	0
2025	6	29	0	54	55	25	0	0	0	0	0	0	0	22.3	0	0
2025	6	29	1	4	55	25	0	0	0	0	0	0	0	22.23	0	0
2025	6	29	1	14	55	26	0	0	0	0	0	0	0	22.15	0	0
2025	6	29	1	24	55	25	0	0	0	0	0	0	0	22.08	0	0
2025	6	29	1	34	55	25	0	0	0	0	0	0	0	22	0	0
2025	6	29	1	44	55	25	0	0	0	0	0	0	0	21.93	0	0
2025	6	29	1	54	55	25	0	0	0	0	0	0	0	21.87	0	0
2025	6	29	2	4	55	25	0	0	0	0	0	0	0	21.8	0	0
2025	6	29	2	14	55	25	0	0	0	0	0	0	0	21.73	0	0
2025	6	29	2	24	55	26	0	0	0	0	0	0	0	21.66	0	0
2025	6	29	2	34	55	25	0	0	0	0	0	0	0	21.6	0	0
2025	6	29	2	44	55	25	0	0	0	0	0	0	0	21.53	0	0
2025	6	29	2	54	55	25	0	0	0	0	0	0	0	21.47	0	0
2025	6	29	3	4	55	26	0	0	0	0	0	0	0	21.4	0	0
2025	6	29	3	14	55	25	0	0	0	0	0	0	0	21.33	0	0
2025	6	29	3	24	55	25	0	0	0	0	0	0	0	21.26	0	0
2025	6	29	3	34	55	25	0	0	0	0	0	0	0	21.2	0	0
2025	6	29	3	44	55	25	0	0	0	0	0	0	0	21.14	0	0
2025	6	29	3	54	55	25	0	0	0	0	0	0	0	21.07	0	0
2025	6	29	4	4	55	26	0	0	0	0	0	0	0	21	0	0
2025	6	29	4	14	55	25	0	0	0	0	0	0	0	20.94	0	0
2025	6	29	4	24	55	25	0	0	0	0	0	0	0	20.88	0	0
2025	6	29	4	34	55	25	0	0	0	0	0	0	0	20.81	0	0
2025	6	29	4	44	55	26	0	0	0	0	0	0	0	20.75	0	0
2025	6	29	4	54	55	25	0	0	0	0	0	0	0	20.69	0	0
2025	6	29	5	4	55	26	0	0	0	0	0	0	0	20.63	0	0
2025	6	29	5	14	55	25	0	0	0	0	0	0	0	20.56	0	0
2025	6	29	5	24	55	25	0	0	0	0	0	0	0	20.5	0	0
2025	6	29	5	34	55	25	0	0	0	0	0	0	0	20.43	0	0
2025	6	29	5	44	55	25	0	0	0	0	0	0	0	20.37	0	0
2025	6	29	5	54	55	26	0	0	0	0	0	0	0	20.3	0	0
2025	6	29	6	4	55	26	0	0	0	0	0	0	0	20.24	0	0
2025	6	29	6	14	55	26	0	0	0	0	0	0	0	20.17	0	0
2025	6	29	6	24	55	26	0	0	0	0	0	0	0	20.12	0	0
2025	6	29	6	34	55	26	0	0	0	0	0	0	0	20.06	0	0
2025	6	29	6	44	55	26	0	0	0	0	0	0	0	20.01	0	0
2025	6	29	6	54	55	25	0	0	0	0	0	0	0	19.95	0	0
2025	6	29	7	4	55	25	0	0	0	0	0	0	0	19.91	0	0
2025	6	29	7	14	55	26	0	0	0	0	0	0	0	19.87	0	0
2025	6	29	7	24	55	26	0	0	0	0	0	0	0	19.84	0	0
2025	6	29	7	34	55	25	0	0	0	0	0	0	0	19.81	0	0
2025	6	29	7	44	55	26	0	0	0	0	0	0	0	19.78	0	0
2025	6	29	7	54	55	26	0	0	0	0	0	0	0	19.77	0	0
2025	6	29	8	4	55	26	0	0	0	0	0	0	0	19.76	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	1	0	8	10	12	0.1	0.9	26.01	91.8	6.0802	52.2741
2025	6	1	0	18	10	12	0.1	0.9	25.82	92	6.0802	51.8721
2025	6	1	0	28	10	12	0.1	0.9	25.9	90	6.0802	52.0732
2025	6	1	0	38	10	12	0.1	0.9	26.42	92.2	6.0802	53.0785
2025	6	1	0	48	10	12	0.1	0.9	26.1	88.9	6.0802	52.4754
2025	6	1	0	58	10	12	0.1	0.9	26.21	88.7	6.0802	52.6765
2025	6	1	1	8	10	12	0.1	0.9	26.53	92.8	6.0802	53.2797
2025	6	1	1	18	10	12	0.1	0.9	26.6	90	6.0741	53.4248
2025	6	1	1	28	10	12	0.1	0.9	26.3	90.9	6.0741	52.8223
2025	6	1	1	38	10	12	0.1	0.9	26.62	92.2	6.0741	53.4249
2025	6	1	1	48	10	12	0.1	0.9	26.02	92.4	6.0741	52.2198
2025	6	1	1	58	10	12	0.1	0.9	26.31	88.3	6.0741	52.8224
2025	6	1	2	8	10	12	0.1	0.9	25.41	91.6	6.0741	51.0148
2025	6	1	2	18	10	12	0.1	0.9	26.74	93.2	6.0741	53.6258
2025	6	1	2	28	10	12	0.1	0.9	26.9	91.1	6.0741	54.0276
2025	6	1	2	38	10	12	0.1	0.9	25.92	92	6.0741	52.0192
2025	6	1	2	48	10	12	0.1	0.9	25.22	92.5	6.0741	50.6133
2025	6	1	2	58	10	12	0.1	0.9	26.65	93.7	6.0802	53.4811
2025	6	1	3	8	10	12	0.1	0.9	25.9	90.4	6.0802	52.0738
2025	6	1	3	18	10	12	0.1	0.9	26.1	90.9	6.0802	52.4759
2025	6	1	3	28	10	12	0.1	0.9	25.61	91.3	6.0802	51.4707
2025	6	1	3	38	10	12	0.1	0.9	25.2	90	6.0802	50.6665
2025	6	1	3	48	10	12	0.1	0.9	27.13	92.7	6.0802	54.4866
2025	6	1	3	58	10	12	0.1	0.9	25.61	91.3	6.0802	51.4708
2025	6	1	4	8	10	11.8	0.1	0.9	26.4	90.9	6.0802	53.0793
2025	6	1	4	18	10	11.8	0.1	0.9	26.4	90.9	6.0802	53.0793
2025	6	1	4	28	10	11.8	0.1	0.9	26.51	91.7	6.0862	53.3362
2025	6	1	4	38	10	11.8	0.1	0.9	25.91	91.3	6.0862	52.1286
2025	6	1	4	48	10	11.8	0.1	0.9	26.42	92	6.0923	53.1906
2025	6	1	4	58	10	11.8	0.1	0.9	25.62	92.2	6.0923	51.5788
2025	6	1	5	8	10	11.8	0.1	0.9	25.31	91.8	6.0984	51.0276
2025	6	1	5	18	10	11.8	0.1	0.9	26.61	91.7	6.1045	53.7056
2025	6	1	5	28	10	11.8	0.1	0.9	26.31	91.3	6.1045	53.0999
2025	6	1	5	38	10	11.8	0.1	0.9	26.12	92.2	6.1045	52.6962
2025	6	1	5	48	10	11.8	0.1	0.9	27.41	91.3	6.1045	55.3209
2025	6	1	5	58	10	11.8	0.1	0.9	27.1	89.8	6.1045	54.7152
2025	6	1	6	8	10	11.8	0.1	0.9	25.6	89.8	6.1106	51.7406
2025	6	1	6	18	10	11.8	0.1	0.9	24.62	92.6	6.1106	49.7195
2025	6	1	6	28	10	11.8	0.1	0.9	26.74	93	6.1106	53.9639
2025	6	1	6	38	10	12	0.1	0.9	26.54	93	6.1106	53.5597
2025	6	1	6	48	10	12	0.1	0.9	26.3	91.1	6.1106	53.1555
2025	6	1	6	58	10	12.2	0.1	0.9	25.26	93.9	6.1167	50.9853
2025	6	1	7	8	10	12.2	0.1	0.9	25.8	90.9	6.1167	52.1993
2025	6	1	7	18	10	12.4	0.1	0.9	25.8	91.1	6.1167	52.1993
2025	6	1	7	28	10	12.4	0.1	0.9	25.82	92.2	6.1167	52.1993
2025	6	1	7	38	10	12.6	0.1	0.9	26.22	92.2	6.1167	53.0086
2025	6	1	7	48	10	12.4	0.1	0.9	25.7	90.9	6.1228	52.0511
2025	6	1	7	58	10	12.4	0.1	0.9	27.1	90.6	6.1228	54.8865

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	1	8	8	10	12.4	0.1	0.9	27.11	91.7	6.1228	54.8865
2025	6	1	8	18	10	12.6	0.1	0.9	26.87	94.1	6.1228	54.2789
2025	6	1	8	28	10	12.6	0.1	0.9	28.01	91.4	6.1228	56.7093
2025	6	1	8	38	10	12.6	0.1	0.9	27.24	92.9	6.1228	55.089
2025	6	1	8	48	10	12.6	0.1	0.9	26.74	93	6.1228	54.0763
2025	6	1	8	58	10	12.6	0.1	0.9	26.71	91.3	6.1289	54.1325
2025	6	1	9	8	10	12.8	0.1	0.9	27.01	91.9	6.1289	54.7407
2025	6	1	9	18	10	12.8	0.1	0.9	26.84	93	6.1289	54.3352
2025	6	1	9	28	10	12.8	0.1	0.9	26.3	89.8	6.1289	53.3214
2025	6	1	9	38	10	12.8	0.1	0.9	25.82	92.4	6.1289	52.3077
2025	6	1	9	48	10	12.8	0.1	0.9	26.11	91.8	6.135	52.9708
2025	6	1	9	58	10	12.8	0.1	0.9	26.61	91.7	6.135	53.9855
2025	6	1	10	8	10	12.8	0.1	0.9	26.23	92.6	6.135	53.1736
2025	6	1	10	18	10	12.8	0.1	0.9	26.66	93.9	6.1411	54.0414
2025	6	1	10	28	10	12.8	0.1	0.9	27.44	93.1	6.1411	55.6666
2025	6	1	10	38	10	12.8	0.1	0.9	27.43	92.7	6.1411	55.6666
2025	6	1	10	48	10	12.6	0.1	0.9	26.14	93.3	6.1411	53.0254
2025	6	1	10	58	10	12.8	0.1	0.9	26.57	94.1	6.1472	53.8937
2025	6	1	11	8	10	12.8	0.1	0.9	27.4	89.6	6.1472	55.724
2025	6	1	11	18	10	12.8	0.1	0.9	26.7	90.4	6.1533	54.3566
2025	6	1	11	28	10	12.8	0.1	0.9	27.25	93.6	6.1533	55.3744
2025	6	1	11	38	10	12.8	0.1	0.9	26.44	93	6.1533	53.7457
2025	6	1	11	48	10	12.8	0.1	0.9	26.72	92.4	6.1533	54.3563
2025	6	1	11	58	10	12.8	0.1	0.9	27.34	92.9	6.1594	55.6352
2025	6	1	12	8	10	12.8	0.1	0.9	27.5	90.2	6.1594	56.0427
2025	6	1	12	18	10	12.8	0.1	0.9	26.71	91.7	6.1655	54.4685
2025	6	1	12	28	10	13	0.1	0.9	26.5	91.1	6.1655	54.0604
2025	6	1	12	38	10	13	0.1	0.9	27.14	93	6.1716	55.3414
2025	6	1	12	48	10	13	0.1	0.9	26.21	91.3	6.1716	53.5034
2025	6	1	12	58	10	13	0.1	0.9	26.8	91.1	6.1838	54.8415
2025	6	1	13	8	10	13	0.1	0.9	27.72	92.1	6.1777	56.6248
2025	6	1	13	18	10	13	0.1	0.9	27.1	90.6	6.1838	55.4552
2025	6	1	13	28	10	12.8	0.1	0.9	27.2	91.1	6.1838	55.6598
2025	6	1	13	38	10	13	0.1	0.9	27.3	91	6.1777	55.8069
2025	6	1	13	48	10	13	0.1	0.9	27.8	90.4	6.1899	56.946
2025	6	1	13	58	10	13	0.1	0.9	26.1	89.3	6.1838	53.4086
2025	6	1	14	8	10	13	0.1	0.9	27.9	90	6.1899	57.1507
2025	6	1	14	18	10	13	0.1	0.9	28.62	92.2	6.196	58.6447
2025	6	1	14	28	10	13	0.1	0.9	26.7	90	6.196	54.7487
2025	6	1	14	38	10	13	0.1	0.9	27.71	91.4	6.196	56.7992
2025	6	1	14	48	10	13	0.1	0.9	27.4	91	6.2021	56.2417
2025	6	1	14	58	10	13	0.1	0.9	27.87	94.1	6.2082	57.1213
2025	6	1	15	8	10	13	0.1	0.9	26.8	89.8	6.2021	55.0101
2025	6	1	15	18	10	13	0.1	0.9	27.21	91.5	6.2143	55.9457
2025	6	1	15	28	10	13	0.1	0.9	28.25	93.4	6.2143	58.0025
2025	6	1	15	38	10	13	0.1	0.9	27.42	92.3	6.2265	56.4724
2025	6	1	15	48	10	12.8	0.1	0.9	27.93	92.5	6.2204	57.4442
2025	6	1	15	58	10	12.6	0.1	0.9	28.3	89.4	6.2265	58.3274

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	1	16	8	10	12.4	0.1	0.9	27.4	90.2	6.2326	56.5302
2025	6	1	16	18	10	12.4	0.1	0.9	26.2	91.1	6.2326	54.0544
2025	6	1	16	28	10	12.2	0.1	0.9	26.9	90.6	6.2326	55.4987
2025	6	1	16	38	10	12.2	0.1	0.9	26.3	89.1	6.2326	54.2608
2025	6	1	16	48	10	12.2	0.1	0.9	27.5	91	6.2386	56.7945
2025	6	1	16	58	10	12.4	0.1	0.9	27.71	91.4	6.2386	57.2076
2025	6	1	17	8	10	12.4	0.1	0.9	28.01	91.8	6.2386	57.8272
2025	6	1	17	18	10	12.4	0.1	0.9	28	90.8	6.2386	57.8272
2025	6	1	17	28	10	12.4	0.1	0.9	28.3	90.2	6.2447	58.5063
2025	6	1	17	38	10	12.4	0.1	0.9	27.41	91.3	6.2447	56.6457
2025	6	1	17	48	10	12.4	0.1	0.9	26.8	90.9	6.2447	55.4053
2025	6	1	17	58	10	12.2	0.1	0.9	26.82	92.1	6.2447	55.4053
2025	6	1	18	8	10	12.2	0.1	0.9	27.37	94	6.2508	56.4965
2025	6	1	18	18	10	12.2	0.1	0.9	28.31	91.2	6.2508	58.566
2025	6	1	18	28	10	12.2	0.1	0.9	28.11	91.6	6.2508	58.1521
2025	6	1	18	38	10	12.2	0.1	0.9	28.21	88.8	6.2508	58.3591
2025	6	1	18	48	10	12.2	0.1	0.9	26.9	90.6	6.2569	55.7255
2025	6	1	18	58	10	12.2	0.1	0.9	28.5	90.4	6.263	59.1
2025	6	1	19	8	10	12.2	0.1	0.9	27.64	92.9	6.2752	57.35
2025	6	1	19	18	10	12.2	0.1	0.9	27.8	91	6.2813	57.8241
2025	6	1	19	28	10	12	0.1	0.9	28.02	92	6.2813	58.2402
2025	6	1	19	38	10	12	0.1	0.9	28.1	90	6.2874	58.5074
2025	6	1	19	48	10	12	0.1	0.9	28.51	91.8	6.2874	59.3403
2025	6	1	19	58	10	12	0.1	0.9	28.11	91.2	6.2874	58.5075
2025	6	1	20	8	10	12	0.1	0.9	28.03	92.5	6.2935	58.3583
2025	6	1	20	18	10	12	0.1	0.9	28.01	91.4	6.2935	58.3583
2025	6	1	20	28	10	12	0.1	0.9	27.31	91.5	6.2935	56.8994
2025	6	1	20	38	10	12	0.1	0.9	27.8	90.4	6.2935	57.9415
2025	6	1	20	48	10	12	0.1	0.9	28	90.2	6.2996	58.4174
2025	6	1	20	58	10	12	0.1	0.9	28.3	91	6.2996	59.0433
2025	6	1	21	8	10	12	0.1	0.9	27.2	90.2	6.2996	56.7484
2025	6	1	21	18	10	12	0.1	0.9	28	90.8	6.2996	58.4175
2025	6	1	21	28	10	12	0.1	0.9	27.9	90	6.2996	58.2089
2025	6	1	21	38	10	12	0.1	0.9	29	89.4	6.2996	60.5039
2025	6	1	21	48	10	12	0.1	0.9	29.02	92	6.2996	60.504
2025	6	1	21	58	10	12	0.1	0.9	28.03	92.7	6.3057	58.4767
2025	6	1	22	8	10	12	0.1	0.9	28.02	92	6.3057	58.4767
2025	6	1	22	18	10	12	0.1	0.9	27.9	89.2	6.3057	58.2679
2025	6	1	22	28	10	12	0.1	0.9	28	90.6	6.3057	58.4768
2025	6	1	22	38	10	12	0.1	0.9	28.9	89	6.3118	60.4173
2025	6	1	22	48	10	12	0.1	0.9	28.72	92	6.3179	60.0597
2025	6	1	22	58	10	12	0.1	0.9	28	89.4	6.324	58.6539
2025	6	1	23	8	10	12	0.1	0.9	28.51	91.2	6.3362	59.8214
2025	6	1	23	18	10	12	0.1	0.9	28.2	89.8	6.3362	59.1917
2025	6	1	23	28	10	12	0.1	0.9	29.2	91	6.3423	61.3522
2025	6	1	23	38	10	12	0.1	0.9	29.72	91.9	6.3423	62.4028
2025	6	1	23	48	10	12	0.1	0.9	28	90.2	6.3423	58.831
2025	6	1	23	58	10	12	0.1	0.9	29.4	90.8	6.3423	61.7726

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	2	0	8	10	12	0.1	0.9	28.01	88.8	6.3484	58.89
2025	6	2	0	18	10	12	0.1	0.9	28.6	90.6	6.3484	60.152
2025	6	2	0	28	10	12	0.1	0.9	29.12	92	6.3484	61.2037
2025	6	2	0	38	10	12	0.1	0.9	28.81	91.2	6.3545	60.6334
2025	6	2	0	48	10	12	0.1	0.9	28.6	89.2	6.3545	60.2124
2025	6	2	0	58	10	12	0.1	0.9	28.7	90	6.3545	60.423
2025	6	2	1	8	10	12	0.1	0.9	28	90.6	6.3545	58.9493
2025	6	2	1	18	10	12	0.1	0.9	28.7	90	6.3545	60.423
2025	6	2	1	28	10	12	0.1	0.9	28.1	90.2	6.3545	59.1599
2025	6	2	1	38	10	12	0.1	0.9	29.02	92	6.3545	61.0547
2025	6	2	1	48	10	12	0.1	0.9	28.41	91.8	6.3545	59.7915
2025	6	2	1	58	10	12	0.1	0.9	29.9	90	6.3606	63.0126
2025	6	2	2	8	10	12	0.1	0.9	27.81	91.6	6.3606	58.587
2025	6	2	2	18	10	11.8	0.1	0.9	29.2	89	6.3606	61.5374
2025	6	2	2	28	10	11.8	0.1	0.9	29.41	91.2	6.3606	61.959
2025	6	2	2	38	10	11.8	0.1	0.9	28.4	91	6.3667	59.9114
2025	6	2	2	48	10	11.8	0.1	0.9	30.41	91.5	6.3667	64.1305
2025	6	2	2	58	10	11.8	0.1	0.9	28.5	90.8	6.3667	60.1224
2025	6	2	3	8	10	11.8	0.1	0.9	29.5	89.6	6.3728	62.2941
2025	6	2	3	18	10	11.8	0.1	0.9	29.71	91.2	6.3728	62.7165
2025	6	2	3	28	10	11.8	0.1	0.9	28.8	90	6.385	60.9374
2025	6	2	3	38	10	11.8	0.1	0.9	28.51	91.8	6.391	60.3627
2025	6	2	3	48	10	11.8	0.1	0.9	28.31	91.2	6.391	59.9392
2025	6	2	3	58	10	11.8	0.1	0.9	28.26	93.7	6.3971	59.7868
2025	6	2	4	8	10	11.8	0.1	0.9	29.42	92.1	6.3971	62.331
2025	6	2	4	18	10	11.8	0.1	0.9	29.7	90	6.3971	62.967
2025	6	2	4	28	10	11.8	0.1	0.9	28.85	93.4	6.3971	61.059
2025	6	2	4	38	10	11.8	0.1	0.9	28.5	91	6.4032	60.483
2025	6	2	4	48	10	11.8	0.1	0.9	30.61	91.7	6.4032	64.9397
2025	6	2	4	58	10	11.8	0.1	0.9	28.4	89.8	6.4032	60.2708
2025	6	2	5	8	10	11.8	0.1	0.9	28.54	93	6.4032	60.4831
2025	6	2	5	18	10	11.8	0.1	0.9	29.4	89.2	6.4032	62.3931
2025	6	2	5	28	10	11.8	0.1	0.9	29.5	89.2	6.4032	62.6054
2025	6	2	5	38	10	11.8	0.1	0.9	29.64	92.9	6.4093	62.88
2025	6	2	5	48	10	11.8	0.1	0.9	29.51	91.4	6.4093	62.6676
2025	6	2	5	58	10	11.8	0.1	0.9	28.41	91.6	6.4093	60.3309
2025	6	2	6	8	10	11.8	0.1	0.9	28.83	92.8	6.4093	61.1806
2025	6	2	6	18	10	11.8	0.1	0.9	29.02	92.2	6.4093	61.6055
2025	6	2	6	28	10	11.8	0.1	0.9	28.8	90.4	6.4093	61.1807
2025	6	2	6	38	10	12	0.1	0.9	28.6	90	6.4093	60.7558
2025	6	2	6	48	10	12	0.1	0.9	28.73	92.6	6.4093	60.9683
2025	6	2	6	58	10	12.2	0.1	0.9	30.53	92.4	6.4093	64.7921
2025	6	2	7	8	10	12.2	0.1	0.9	29.42	92.1	6.4093	62.4554
2025	6	2	7	18	10	12.2	0.1	0.9	29	89.2	6.4093	61.6056
2025	6	2	7	28	10	12.4	0.1	0.9	29.92	92.3	6.4154	63.5805
2025	6	2	7	38	10	12.4	0.1	0.9	30.71	91.7	6.4154	65.2817
2025	6	2	7	48	10	12.4	0.1	0.9	28.51	91.2	6.4154	60.6035
2025	6	2	7	58	10	12.6	0.1	0.9	29.4	90.2	6.4154	62.5173

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	2	8	8	10	12.6	0.1	0.9	28.9	90	6.4154	61.4541
2025	6	2	8	18	10	12.6	0.1	0.9	28.9	90.6	6.4154	61.4541
2025	6	2	8	28	10	12.6	0.1	0.9	29.02	92.2	6.4154	61.6667
2025	6	2	8	38	10	12.8	0.1	0.9	30.01	91.1	6.4154	63.7931
2025	6	2	8	48	10	12.8	0.1	0.9	27.7	91	6.4154	58.9023
2025	6	2	8	58	10	12.8	0.1	0.9	28.03	92.5	6.4154	59.5402
2025	6	2	9	8	10	12.8	0.1	0.9	28.82	92	6.4215	61.302
2025	6	2	9	18	10	12.8	0.1	0.9	29.14	93	6.4215	61.9405
2025	6	2	9	28	10	12.8	0.1	0.9	30.67	93.7	6.4215	65.1333
2025	6	2	9	38	10	12.8	0.1	0.9	29.32	92.3	6.4215	62.3662
2025	6	2	9	48	10	12.8	0.1	0.9	28.61	91.4	6.4215	60.8761
2025	6	2	9	58	10	12.8	0.1	0.9	27.7	90	6.4215	58.9604
2025	6	2	10	8	10	12.8	0.1	0.9	29.62	91.9	6.4215	63.0046
2025	6	2	10	18	10	12.8	0.1	0.9	29.3	90.8	6.4276	62.4277
2025	6	2	10	28	10	12.8	0.1	0.9	29.24	92.9	6.4276	62.2146
2025	6	2	10	38	10	12.8	0.1	0.9	30.12	92.1	6.4276	64.1321
2025	6	2	10	48	10	12.8	0.1	0.9	28.71	91.6	6.4276	61.1491
2025	6	2	10	58	10	12.8	0.1	0.9	29.41	91.2	6.4276	62.6405
2025	6	2	11	8	10	12.8	0.1	0.9	29.32	92.3	6.4276	62.4273
2025	6	2	11	18	10	12.8	0.1	0.9	29.2	90.4	6.4276	62.2142
2025	6	2	11	28	10	13	0.1	0.9	29.31	91.6	6.4276	62.4272
2025	6	2	11	38	10	13	0.1	0.9	29.21	91.4	6.4337	62.2756
2025	6	2	11	48	10	13.2	0.1	0.9	29.64	93.1	6.4337	63.1286
2025	6	2	11	58	10	13.2	0.1	0.9	29.52	91.9	6.4337	62.9152
2025	6	2	12	8	10	12.8	0.1	0.9	29	90	6.4337	61.8488
2025	6	2	12	18	10	13.2	0.1	0.9	28.61	91.2	6.4337	60.9956
2025	6	2	12	28	10	12.8	0.1	0.9	29.31	91.8	6.4337	62.4885
2025	6	2	12	38	10	12.8	0.1	0.9	29.6	90	6.4398	63.1906
2025	6	2	12	48	10	12.8	0.1	0.9	29.53	92.7	6.4398	62.9771
2025	6	2	12	58	10	12.6	0.1	0.9	29.53	92.5	6.4337	62.9149
2025	6	2	13	8	10	12.6	0.1	0.9	28.5	90.6	6.4398	60.8422
2025	6	2	13	18	10	12.8	0.1	0.9	29.74	92.9	6.4337	63.3414
2025	6	2	13	28	10	12.6	0.1	0.9	30.2	90.6	6.4398	64.4713
2025	6	2	13	38	10	12.6	0.1	0.9	30.02	92.1	6.4398	64.0444
2025	6	2	13	48	10	12.6	0.1	0.9	29.83	92.7	6.4398	63.6174
2025	6	2	13	58	10	12.6	0.1	0.9	30.2	90.8	6.4398	64.4713
2025	6	2	14	8	10	12.6	0.1	0.9	30	89.8	6.4398	64.0443
2025	6	2	14	18	10	12.6	0.1	0.9	29.62	92.3	6.4398	63.1904
2025	6	2	14	28	10	12.6	0.1	0.9	29.1	90.8	6.4398	62.123
2025	6	2	14	38	10	12.6	0.1	0.9	29.42	91.9	6.4459	62.8254
2025	6	2	14	48	10	12.6	0.1	0.9	29.1	91	6.4459	62.1843
2025	6	2	14	58	10	12.6	0.1	0.9	29.7	91	6.4459	63.4665
2025	6	2	15	8	10	12.8	0.1	0.9	30.7	90.6	6.4459	65.6034
2025	6	2	15	18	10	13.2	0.1	0.9	30.61	91.7	6.4459	65.3897
2025	6	2	15	28	10	12.8	0.1	0.9	30.92	92.2	6.4459	66.0308
2025	6	2	15	38	10	12.8	0.1	0.9	30.32	91.9	6.452	64.8125
2025	6	2	15	48	10	12.8	0.1	0.9	29.1	90	6.452	62.2456
2025	6	2	15	58	10	13	0.1	0.9	28.81	91.6	6.452	61.6039

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	2	16	8	10	13.4	0.1	0.9	29.62	91.9	6.452	63.3151
2025	6	2	16	18	10	13.4	0.1	0.9	29.61	91.7	6.452	63.3151
2025	6	2	16	28	10	13.4	0.1	0.9	29.4	90	6.452	62.8873
2025	6	2	16	38	10	13.4	0.1	0.9	29.4	91	6.4581	62.9492
2025	6	2	16	48	10	13.4	0.1	0.9	29.2	91	6.452	62.4594
2025	6	2	16	58	10	12.8	0.1	0.9	30.73	92.4	6.452	65.6679
2025	6	2	17	8	10	12.8	0.1	0.9	29.27	93.9	6.4581	62.5209
2025	6	2	17	18	10	12.4	0.1	0.9	29.41	91.4	6.4642	63.0111
2025	6	2	17	28	10	13	0.1	0.9	29.62	91.9	6.4581	63.3774
2025	6	2	17	38	10	12.4	0.1	0.9	29.9	90.4	6.4581	64.0197
2025	6	2	17	48	10	12.4	0.1	0.9	29.62	91.9	6.4581	63.3774
2025	6	2	17	58	10	13.2	0.1	0.9	29.53	92.5	6.4581	63.1632
2025	6	2	18	8	10	12.6	0.1	0.9	29.6	90.8	6.4581	63.3774
2025	6	2	18	18	10	12.4	0.1	0.9	29.33	92.7	6.4581	62.735
2025	6	2	18	28	10	12.4	0.1	0.9	29.51	91.2	6.4581	63.1632
2025	6	2	18	38	10	12.2	0.1	0.9	29.52	92.1	6.4581	63.1633
2025	6	2	18	48	10	12.2	0.1	0.9	28.4	90.4	6.4581	60.808
2025	6	2	18	58	10	12.2	0.1	0.9	31.21	91.7	6.4581	66.8032
2025	6	2	19	8	10	12.2	0.1	0.9	29.42	91.9	6.4581	62.9492
2025	6	2	19	18	10	12.2	0.1	0.9	29.42	91.9	6.4642	63.0112
2025	6	2	19	28	10	12	0.1	0.9	30.2	90.9	6.4642	64.7258
2025	6	2	19	38	10	12	0.1	0.9	30	90.2	6.4642	64.2972
2025	6	2	19	48	10	12	0.1	0.9	29.53	92.5	6.4703	63.2877
2025	6	2	19	58	10	12	0.1	0.9	29.8	90.4	6.4703	63.9314
2025	6	2	20	8	10	12	0.1	0.9	29.3	91	6.4764	62.9205
2025	6	2	20	18	10	12	0.1	0.9	30.5	90.8	6.4764	65.4975
2025	6	2	20	28	10	12	0.1	0.9	28.92	92.4	6.4825	62.1225
2025	6	2	20	38	10	12	0.1	0.9	29.62	92.1	6.4825	63.6272
2025	6	2	20	48	10	12	0.1	0.9	29.4	90	6.4825	63.1973
2025	6	2	20	58	10	12	0.1	0.9	30.1	91	6.4825	64.7021
2025	6	2	21	8	10	12	0.1	0.9	29.73	92.7	6.4886	63.9049
2025	6	2	21	18	10	12	0.1	0.9	29.9	90.8	6.4886	64.3352
2025	6	2	21	28	10	12	0.1	0.9	30.5	90.4	6.4886	65.6263
2025	6	2	21	38	10	12	0.1	0.9	30.31	91.5	6.4886	65.196
2025	6	2	21	48	10	12	0.1	0.9	29.7	90.8	6.4886	63.905
2025	6	2	21	58	10	12	0.1	0.9	29.7	90.4	6.4886	63.9051
2025	6	2	22	8	10	12	0.1	0.9	29.81	88.5	6.4886	64.1203
2025	6	2	22	18	10	12	0.1	0.9	28.92	92.4	6.4886	62.1838
2025	6	2	22	28	10	12	0.1	0.9	30.1	90.8	6.4886	64.7659
2025	6	2	22	38	10	12	0.1	0.9	30.61	91.1	6.4886	65.8418
2025	6	2	22	48	10	12	0.1	0.9	29.72	92.3	6.4947	63.9679
2025	6	2	22	58	10	12	0.1	0.9	29.4	91	6.4947	63.3218
2025	6	2	23	8	10	12	0.1	0.9	29.8	90.8	6.4886	64.1205
2025	6	2	23	18	10	12	0.1	0.9	30.31	91.5	6.4947	65.2602
2025	6	2	23	28	10	12	0.1	0.9	31.04	92.8	6.4947	66.7679
2025	6	2	23	38	10	12	0.1	0.9	29.82	91.9	6.4947	64.1834
2025	6	2	23	48	10	12	0.1	0.9	29.4	90.2	6.4947	63.3219
2025	6	2	23	58	10	12	0.1	0.9	29.91	91.1	6.4947	64.3988

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	3	0	8	10	12	0.1	0.9	30.2	90.9	6.4947	65.045
2025	6	3	0	18	10	12	0.1	0.9	29.7	90.4	6.4947	63.9682
2025	6	3	0	28	10	12	0.1	0.9	31.02	91.8	6.4947	66.7682
2025	6	3	0	38	10	12	0.1	0.9	30.32	92.3	6.4947	65.2605
2025	6	3	0	48	10	12	0.1	0.9	30.81	91.7	6.4947	66.3374
2025	6	3	0	58	10	12	0.1	0.9	28.6	90.8	6.4947	61.5991
2025	6	3	1	8	10	12	0.1	0.9	30.22	92.1	6.4947	65.0452
2025	6	3	1	18	10	12	0.1	0.9	28.92	92.2	6.4947	62.2453
2025	6	3	1	28	10	12	0.1	0.9	30.01	91.3	6.4947	64.6145
2025	6	3	1	38	10	12	0.1	0.9	29.7	90	6.4947	63.9684
2025	6	3	1	48	10	12	0.1	0.9	30.2	90	6.4947	65.0454
2025	6	3	1	58	10	12	0.1	0.9	29.1	91	6.4947	62.6762
2025	6	3	2	8	10	12	0.1	0.9	29.31	91.4	6.4947	63.107
2025	6	3	2	18	10	12	0.1	0.9	30	90	6.4947	64.6147
2025	6	3	2	28	10	11.8	0.1	0.9	30.7	89.8	6.4947	66.1225
2025	6	3	2	38	10	11.8	0.1	0.9	29.65	93.5	6.4947	63.7533
2025	6	3	2	48	10	11.8	0.1	0.9	29.6	91	6.4947	63.7533
2025	6	3	2	58	10	11.8	0.1	1	30.1	89.6	6.5008	64.8937
2025	6	3	3	8	10	11.8	0.1	1	29.72	92.1	6.5008	64.0314
2025	6	3	3	18	10	11.8	0.1	1	30	90.6	6.5008	64.6782
2025	6	3	3	28	10	11.8	0.1	1	29.6	89.6	6.5008	63.8159
2025	6	3	3	38	10	11.8	0.1	1	30.62	91.9	6.5008	65.9718
2025	6	3	3	48	10	11.8	0.1	1	31.31	91.3	6.5008	67.481
2025	6	3	3	58	10	11.8	0.1	1	29.7	90.2	6.5069	64.0942
2025	6	3	4	8	10	11.8	0.1	1	29.91	91.3	6.5069	64.5258
2025	6	3	4	18	10	11.8	0.1	1	29.71	91.2	6.513	64.1568
2025	6	3	4	28	10	11.8	0.1	1	29.91	91.7	6.513	64.5889
2025	6	3	4	38	10	11.8	0.1	1	30.4	90	6.5191	65.7331
2025	6	3	4	48	10	11.8	0.1	1	30.01	91.5	6.5191	64.8682
2025	6	3	4	58	10	11.8	0.1	1	29.11	91.8	6.5191	62.9222
2025	6	3	5	8	10	11.8	0.1	1	30.32	92.1	6.5252	65.5808
2025	6	3	5	18	10	11.8	0.1	1	29.71	91.4	6.5252	64.2822
2025	6	3	5	28	10	11.8	0.1	1	30.2	90.8	6.5252	65.3644
2025	6	3	5	38	10	11.8	0.1	1	30.2	89.1	6.5252	65.3644
2025	6	3	5	48	10	11.8	0.1	1	30.72	91.9	6.5252	66.4467
2025	6	3	5	58	10	11.8	0.1	1	29.71	91.5	6.5252	64.2823
2025	6	3	6	8	10	11.8	0.1	1	29.72	91.9	6.5252	64.2824
2025	6	3	6	18	10	11.8	0.1	1	30.1	90.6	6.5252	65.1481
2025	6	3	6	28	10	11.8	0.1	1	30.4	90.8	6.5252	65.7975
2025	6	3	6	38	10	12	0.1	1	30.1	90.4	6.5252	65.1482
2025	6	3	6	48	10	12	0.1	1	29.71	91.4	6.5313	64.3451
2025	6	3	6	58	10	12.2	0.1	1	29.65	93.3	6.5313	64.1284
2025	6	3	7	8	10	12.2	0.1	1	30.52	91.9	6.5313	66.0783
2025	6	3	7	18	10	12.2	0.1	1	30.61	91.1	6.5313	66.295
2025	6	3	7	28	10	12.4	0.1	1	30.81	91.5	6.5313	66.7283
2025	6	3	7	38	10	12.4	0.1	1	29.7	91	6.5313	64.3452
2025	6	3	7	48	10	12.4	0.1	1	31.6	90.5	6.5313	68.4615
2025	6	3	7	58	10	12.6	0.1	1	29.93	92.7	6.5313	64.7785

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	3	8	8	10	12.6	0.1	1	31.21	91.3	6.5313	67.5949
2025	6	3	8	18	10	12.6	0.1	1	30.21	91.3	6.5313	65.4284
2025	6	3	8	28	10	12.6	0.1	1	29.31	91.8	6.5313	63.4785
2025	6	3	8	38	10	12.8	0.1	1	29.7	91	6.5313	64.3451
2025	6	3	8	48	10	12.6	0.1	1	31.46	93.6	6.5313	68.0281
2025	6	3	8	58	10	12.8	0.1	1	30.32	91.9	6.5313	65.645
2025	6	3	9	8	10	12.8	0.1	1	30.74	92.8	6.5313	66.5115
2025	6	3	9	18	10	12.8	0.1	1	30.4	90.8	6.5313	65.8615
2025	6	3	9	28	10	13	0.1	1	30.03	92.5	6.5313	64.9949
2025	6	3	9	38	10	13	0.1	1	29.94	92.9	6.5313	64.7782
2025	6	3	9	48	10	13	0.1	1	29.71	91.7	6.5313	64.3448
2025	6	3	9	58	10	13	0.1	1	30.33	92.6	6.5313	65.6447
2025	6	3	10	8	10	12.8	0.1	1	30	90.6	6.5313	64.9947
2025	6	3	10	18	10	12.8	0.1	1	30.74	93	6.5313	66.5112
2025	6	3	10	28	10	12.8	0.1	1	30.4	90.9	6.5313	65.8611
2025	6	3	10	38	10	12.8	0.1	1	30.32	91.9	6.5313	65.6444
2025	6	3	10	48	10	12.8	0.1	1	30.4	90.8	6.5313	65.861
2025	6	3	10	58	10	12.6	0.1	1	30.01	91.5	6.5374	65.0576
2025	6	3	11	8	10	12.8	0.1	1	30.22	92.1	6.5313	65.4275
2025	6	3	11	18	10	12.8	0.1	1	30	91	6.5374	65.0574
2025	6	3	11	28	10	12.8	0.1	1	31	90.7	6.5252	67.0952
2025	6	3	11	38	10	12.8	0.1	1	30.04	92.9	6.5374	65.0572
2025	6	3	11	48	10	12.8	0.1	1	30.32	91.9	6.5313	65.6438
2025	6	3	11	58	10	12.8	0.1	1	30.2	90.6	6.5313	65.4271
2025	6	3	12	8	10	12.8	0.1	1	30.32	92.3	6.5252	65.5798
2025	6	3	12	18	10	12.6	0.1	1	30	90	6.5252	64.9304
2025	6	3	12	28	10	12.8	0.1	1	30.33	92.6	6.5191	65.5157
2025	6	3	12	38	10	12.8	0.1	1	30.6	90.6	6.5191	66.1643
2025	6	3	12	48	10	13	0.1	1	30.8	90.9	6.5191	66.5966
2025	6	3	12	58	10	13	0.1	1	30.01	91.5	6.5252	64.93
2025	6	3	13	8	10	13	0.1	1	26.33	87.2	6.5191	56.8664
2025	6	3	13	18	10	13	0.1	1	29.12	92	6.5191	62.9206
2025	6	3	13	28	10	13	0.1	1	27.95	93.5	6.5191	60.3258
2025	6	3	13	38	10	13	0.1	1	31.24	92.8	6.5252	67.5268
2025	6	3	13	48	10	12.8	0.1	1	30.61	91.7	6.5252	66.2281
2025	6	3	13	58	10	12.6	0.1	1	24.57	85.6	6.5191	52.9741
2025	6	3	14	8	10	12.4	0.1	1	22.45	121.7	-1	0
2025	6	3	14	18	10	12.4	0.1	1	30.03	92.5	6.5252	64.9294
2025	6	3	14	28	10	12.4	0.1	1	29.7	90.2	6.5313	64.3427
2025	6	3	14	38	10	12.4	0.1	1	29.1	89.6	6.5252	62.9815
2025	6	3	14	48	10	12.4	0.1	1	29.82	92.1	6.5252	64.4965
2025	6	3	14	58	10	12.4	0.1	1	30.4	90	6.5252	65.7951
2025	6	3	15	8	10	12.4	0.1	1	30.71	91.1	6.5252	66.4444
2025	6	3	15	18	10	12.6	0.1	1	30	90.6	6.5252	64.9294
2025	6	3	15	28	10	12.6	0.1	1	30.52	92.1	6.5252	66.0115
2025	6	3	15	38	10	12.4	0.1	1	30.73	92.6	6.5252	66.4444
2025	6	3	15	48	10	12.4	0.1	1	29.32	92.3	6.5252	63.4144
2025	6	3	15	58	10	12.6	0.1	1	30.53	92.4	6.5313	66.0758

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	3	16	8	10	12.6	0.1	1	30.5	89.4	6.5313	66.0758
2025	6	3	16	18	10	13	0.1	1	30.11	91.3	6.5313	65.2093
2025	6	3	16	28	10	13.2	0.1	1	30.33	92.5	6.5313	65.6426
2025	6	3	16	38	10	13	0.1	1	29.3	89.2	6.5374	63.5379
2025	6	3	16	48	10	12.6	0.1	1	30.81	91.7	6.5313	66.7258
2025	6	3	16	58	10	12.6	0.1	1	30.44	92.8	6.5374	65.9233
2025	6	3	17	8	10	12.6	0.1	1	31.11	91.3	6.5313	67.3757
2025	6	3	17	18	10	12.2	0.1	1	30.7	90.7	6.5374	66.5739
2025	6	3	17	28	10	12.4	0.1	1	30.2	90.2	6.5313	65.4259
2025	6	3	17	38	10	12.8	0.1	1	29.9	90	6.5374	64.8391
2025	6	3	17	48	10	12.2	0.1	1	30.22	92.3	6.5374	65.4896
2025	6	3	17	58	10	12.2	0.1	1	30.3	90.6	6.5374	65.7065
2025	6	3	18	8	10	12	0.1	1	30.7	89.6	6.5313	66.5092
2025	6	3	18	18	10	12	0.1	1	29.75	93.5	6.5313	64.3428
2025	6	3	18	28	10	12	0.1	1	29.22	92.2	6.5313	63.2596
2025	6	3	18	38	10	12.2	0.1	1	30.5	89.4	6.5313	66.076
2025	6	3	18	48	10	12.2	0.1	1	30.2	90.9	6.5374	65.4898
2025	6	3	18	58	10	12.2	0.1	1	30.63	92.6	6.5374	66.3572
2025	6	3	19	8	10	12	0.1	1	29.42	91.9	6.5374	63.755
2025	6	3	19	18	10	12	0.1	1	30.3	90.6	6.5374	65.7067
2025	6	3	19	28	10	12	0.1	1	31	90.9	6.5434	67.2901
2025	6	3	19	38	10	12	0.1	1	30.41	91.7	6.5374	65.9236
2025	6	3	19	48	10	12	0.1	1	30.11	91.5	6.5495	65.4
2025	6	3	19	58	10	12	0.1	1	30.1	90.4	6.5495	65.4
2025	6	3	20	8	10	12	0.1	1	30	90.8	6.5495	65.1828
2025	6	3	20	18	10	12	0.1	1	30.5	89.6	6.5495	66.2692
2025	6	3	20	28	10	12	0.1	1	30	90.6	6.5495	65.1828
2025	6	3	20	38	10	12	0.1	1	30.31	91.5	6.5495	65.8347
2025	6	3	20	48	10	12	0.1	1	31	90.9	6.5495	67.3557
2025	6	3	20	58	10	12	0.1	1	30.5	90.2	6.5495	66.2693
2025	6	3	21	8	10	12	0.1	1	30.41	91.7	6.5495	66.052
2025	6	3	21	18	10	12	0.1	1	29.6	90.2	6.5495	64.3139
2025	6	3	21	28	10	12	0.1	1	29.2	90.4	6.5495	63.4448
2025	6	3	21	38	10	12	0.1	1	29.71	91.7	6.5495	64.5312
2025	6	3	21	48	10	12	0.1	1	30.93	92.6	6.5495	67.1386
2025	6	3	21	58	10	12	0.1	1	30.21	91.7	6.5495	65.6177
2025	6	3	22	8	10	12	0.1	1	30.2	90.8	6.5495	65.6177
2025	6	3	22	18	10	12	0.1	1	30.21	91.3	6.5495	65.6177
2025	6	3	22	28	10	12	0.1	1	30.81	91.1	6.5495	66.9214
2025	6	3	22	38	10	12	0.1	1	30.71	91.7	6.5495	66.7042
2025	6	3	22	48	10	12	0.1	1	29.91	91.1	6.5495	64.966
2025	6	3	22	58	10	12	0.1	1	30.3	90.4	6.5495	65.8351
2025	6	3	23	8	10	12	0.1	1	29.8	90.8	6.5495	64.7488
2025	6	3	23	18	10	12	0.1	1	30.12	91.9	6.5495	65.4007
2025	6	3	23	28	10	12	0.1	1	28.91	91.2	6.5495	62.7933
2025	6	3	23	38	10	12	0.1	1	31.1	90.7	6.5495	67.5735
2025	6	3	23	48	10	12	0.1	1	30.1	90.2	6.5495	65.4007
2025	6	3	23	58	10	11.8	0.1	1	30.8	90.9	6.5495	66.9217

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	4	0	8	10	11.8	0.1	1	31.1	90.7	6.5495	67.5736
2025	6	4	0	18	10	11.8	0.1	1	30.9	90.9	6.5495	67.1391
2025	6	4	0	28	10	11.8	0.1	1	29.85	93.3	6.5495	64.7491
2025	6	4	0	38	10	11.8	0.1	1	30.6	90.7	6.5495	66.4873
2025	6	4	0	48	10	11.8	0.1	1	29.6	91	6.5495	64.3146
2025	6	4	0	58	10	11.8	0.1	1	30.5	90.4	6.5495	66.2701
2025	6	4	1	8	10	11.8	0.1	1	29.62	91.9	6.5495	64.3146
2025	6	4	1	18	10	11.8	0.1	1	29.11	91.6	6.5495	63.2282
2025	6	4	1	28	10	11.8	0.1	1	30.51	91.7	6.5495	66.2702
2025	6	4	1	38	10	11.8	0.1	1	29.92	91.9	6.5495	64.9665
2025	6	4	1	48	10	11.8	0.1	1	30.8	90.9	6.5495	66.9221
2025	6	4	1	58	10	11.8	0.1	1	30.71	91.7	6.5495	66.7048
2025	6	4	2	8	10	11.8	0.1	1	31.33	92.6	6.5495	68.0086
2025	6	4	2	18	10	11.8	0.1	1	30	90.8	6.5495	65.1839
2025	6	4	2	28	10	11.8	0.1	1	30.73	92.4	6.5495	66.7049
2025	6	4	2	38	10	11.8	0.1	1	30.9	89.1	6.5495	67.1395
2025	6	4	2	48	10	11.8	0.1	1	30.1	90	6.5495	65.4013
2025	6	4	2	58	10	11.8	0.1	1	30.7	90.2	6.5495	66.7051
2025	6	4	3	8	10	11.8	0.1	1	31.61	91.3	6.5495	68.6606
2025	6	4	3	18	10	11.8	0.1	1	29.4	91	6.5495	63.8805
2025	6	4	3	28	10	11.8	0.1	1	30.8	90	6.5495	66.9224
2025	6	4	3	38	10	11.8	0.1	1	30.8	90.9	6.5495	66.9225
2025	6	4	3	48	10	11.8	0.1	1	30.33	92.5	6.5495	65.8361
2025	6	4	3	58	10	11.8	0.1	1	31.61	91.3	6.5495	68.6608
2025	6	4	4	8	10	11.8	0.1	1	30	90	6.5495	65.1843
2025	6	4	4	18	10	11.8	0.1	1	30.81	91.1	6.5495	66.9226
2025	6	4	4	28	10	11.8	0.1	1	31.22	91.8	6.5495	67.7917
2025	6	4	4	38	10	11.8	0.1	1	30.31	91.1	6.5495	65.8362
2025	6	4	4	48	10	11.8	0.1	1	29.82	92.3	6.5495	64.7499
2025	6	4	4	58	10	11.8	0.1	1	30.23	92.5	6.5495	65.619
2025	6	4	5	8	10	11.8	0.1	1	30.71	91.7	6.5495	66.7055
2025	6	4	5	18	10	11.8	0.1	1	30.63	92.6	6.5495	66.4882
2025	6	4	5	28	10	11.8	0.1	1	28.43	92.4	6.5495	61.708
2025	6	4	5	38	10	11.8	0.1	1	30.32	91.9	6.5495	65.8364
2025	6	4	5	48	10	11.8	0.1	1	29.8	90.6	6.5495	64.7501
2025	6	4	5	58	10	11.8	0.1	1	31	90.7	6.5495	67.3575
2025	6	4	6	8	10	11.8	0.1	1	30.31	91.1	6.5495	65.8365
2025	6	4	6	18	10	11.8	0.1	1	29.62	92.1	6.5495	64.3156
2025	6	4	6	28	10	11.8	0.1	1	30.33	92.6	6.5495	65.8366
2025	6	4	6	38	10	12	0.1	1	31.03	92.6	6.5495	67.3576
2025	6	4	6	48	10	12	0.1	1	31.11	91.1	6.5495	67.5749
2025	6	4	6	58	10	12	0.1	1	31.52	92.2	6.5495	68.4441
2025	6	4	7	8	10	12	0.1	1	29.9	91	6.5495	64.9676
2025	6	4	7	18	10	12	0.1	1	30.21	91.3	6.5495	65.6194
2025	6	4	7	28	10	12	0.1	1	30.3	90.8	6.5434	65.7728
2025	6	4	7	38	10	12.2	0.1	1	30.81	91.5	6.5495	66.9231
2025	6	4	7	48	10	12.4	0.1	1	31.71	91.6	6.5434	68.8119
2025	6	4	7	58	10	12.6	0.1	1	30.52	91.9	6.5495	66.2713

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	4	8	8	10	12.8	0.1	1	30.53	92.4	6.5434	66.207
2025	6	4	8	18	10	12.8	0.1	1	30.43	92.6	6.5495	66.054
2025	6	4	8	28	10	12.8	0.1	1	30.96	93.7	6.5495	67.1404
2025	6	4	8	38	10	12.8	0.1	1	29.82	92.1	6.5434	64.6874
2025	6	4	8	48	10	12.8	0.1	1	31.01	91.5	6.5434	67.2923
2025	6	4	8	58	10	13	0.1	1	30.9	90	6.5495	67.1404
2025	6	4	9	8	10	12.8	0.1	1	31.02	92	6.5495	67.3576
2025	6	4	9	18	10	13	0.1	1	30.62	92.1	6.5434	66.424
2025	6	4	9	28	10	13.4	0.1	1	29.25	93.3	6.5434	63.3849
2025	6	4	9	38	10	13.2	0.1	1	29.93	92.7	6.5495	64.9674
2025	6	4	9	48	10	13.2	0.1	1	30.95	93.3	6.5434	67.0751
2025	6	4	9	58	10	13	0.1	1	31.31	91.5	6.5434	67.9433
2025	6	4	10	8	10	13.2	0.1	1	31.12	91.8	6.5434	67.5091
2025	6	4	10	18	10	13.2	0.1	1	30.95	93.1	6.5434	67.075
2025	6	4	10	28	10	13.2	0.1	1	30.9	90.4	6.5434	67.0749
2025	6	4	10	38	10	13	0.1	1	30.92	92.2	6.5434	67.0748
2025	6	4	10	48	10	13	0.1	1	29.8	89.2	6.5495	64.7498
2025	6	4	10	58	10	12.8	0.1	1	30.42	91.9	6.5495	66.0534
2025	6	4	11	8	10	13	0.1	1	30.3	90.8	6.5495	65.8361
2025	6	4	11	18	10	13.2	0.1	1	30.7	90.9	6.5495	66.7051
2025	6	4	11	28	10	13.2	0.1	1	30.86	93.5	6.5495	66.9223
2025	6	4	11	38	10	13.2	0.1	1	30.15	93.4	6.5495	65.4013
2025	6	4	11	48	10	13.2	0.1	1	30.82	91.9	6.5495	66.9221
2025	6	4	11	58	10	13.2	0.1	1	30	90.8	6.5495	65.1838
2025	6	4	12	8	10	13.2	0.1	1	29.7	90.2	6.5495	64.5319
2025	6	4	12	18	10	13.2	0.1	1	30.61	91.5	6.5434	66.4228
2025	6	4	12	28	10	13.2	0.1	1	32.22	92	6.5374	69.8279
2025	6	4	12	38	10	13.2	0.1	1	29.7	90.8	6.5495	64.5316
2025	6	4	12	48	10	13.2	0.1	1	29.84	93.1	6.5556	64.8116
2025	6	4	12	58	10	13.2	0.1	1	30.12	92.1	6.5495	65.4006
2025	6	4	13	8	10	13.2	0.1	1	30.36	93.6	6.5495	65.835
2025	6	4	13	18	10	13.2	0.1	1	30.8	89.8	6.5556	66.9863
2025	6	4	13	28	10	13.2	0.1	1	29.43	92.7	6.5556	63.9413
2025	6	4	13	38	10	13.2	0.1	1	31.43	92.4	6.5556	68.291
2025	6	4	13	48	10	13	0.1	1	31.1	90.2	6.5556	67.6384
2025	6	4	13	58	10	13	0.1	1	30.63	92.4	6.5556	66.5509
2025	6	4	14	8	10	13	0.1	1	30.02	91.9	6.5495	65.1827
2025	6	4	14	18	10	13	0.1	1	31.4	90.9	6.5556	68.2906
2025	6	4	14	28	10	13	0.1	1	30.65	93.2	6.5556	66.5507
2025	6	4	14	38	10	13	0.1	1	30.5	90.8	6.5556	66.3331
2025	6	4	14	48	10	13	0.1	1	31.1	90.7	6.5556	67.6379
2025	6	4	14	58	10	13	0.1	1	30.7	89.8	6.5556	66.7679
2025	6	4	15	8	10	13	0.1	1	30.3	90.2	6.5617	65.9618
2025	6	4	15	18	10	13	0.1	1	30.5	90.2	6.5617	66.3971
2025	6	4	15	28	10	13	0.1	1	30.42	92.3	6.5556	66.1153
2025	6	4	15	38	10	13	0.1	1	30.03	92.5	6.5617	65.3085
2025	6	4	15	48	10	13	0.1	1	29.6	89.6	6.5617	64.4377
2025	6	4	15	58	10	13	0.1	1	30.21	91.1	6.5617	65.7438

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	4	16	8	10	12.8	0.1	1	30.9	90.9	6.5617	67.2676
2025	6	4	16	18	10	13	0.1	1	30.7	90.2	6.5617	66.8322
2025	6	4	16	28	10	13	0.1	1	31	90	6.5678	67.5506
2025	6	4	16	38	10	13.2	0.1	0.9	30	91	6.5556	65.245
2025	6	4	16	48	10	13	0.1	1	31.1	90.4	6.5617	67.7028
2025	6	4	16	58	10	12.4	0.1	0.9	31.71	91.6	6.5556	68.9422
2025	6	4	17	8	10	12.4	0.1	1	30.83	92.6	6.5617	67.0497
2025	6	4	17	18	10	12.2	0.1	1	30.3	90	6.5617	65.9612
2025	6	4	17	28	10	12.2	0.1	0.9	30.41	91.1	6.5556	66.1148
2025	6	4	17	38	10	12.2	0.1	0.9	30.51	91.5	6.5556	66.3323
2025	6	4	17	48	10	12.2	0.1	0.9	29.9	90.8	6.5556	65.0274
2025	6	4	17	58	10	12.2	0.1	0.9	30.13	92.7	6.5495	65.399
2025	6	4	18	8	10	12.2	0.1	0.9	31.1	90	6.5556	67.6372
2025	6	4	18	18	10	12.2	0.1	0.9	30.21	91.5	6.5495	65.6163
2025	6	4	18	28	10	12.2	0.1	0.9	31	90	6.5495	67.3545
2025	6	4	18	38	10	12.2	0.1	0.9	29.61	91.4	6.5556	64.3751
2025	6	4	18	48	10	12	0.1	0.9	31.5	90.7	6.5495	68.4409
2025	6	4	18	58	10	12	0.1	0.9	29.72	91.9	6.5495	64.53
2025	6	4	19	8	10	12	0.1	0.9	30.71	91.7	6.5495	66.7028
2025	6	4	19	18	10	12	0.1	0.9	31.1	90.4	6.5434	67.5063
2025	6	4	19	28	10	12	0.1	0.9	30.43	92.6	6.5495	66.051
2025	6	4	19	38	10	12	0.1	0.9	30.5	90.2	6.5495	66.2683
2025	6	4	19	48	10	12	0.1	0.9	31.61	91.3	6.5434	68.5917
2025	6	4	19	58	10	12	0.1	0.9	30.2	90.8	6.5434	65.5529
2025	6	4	20	8	10	12	0.1	1	30.1	89.2	6.5434	65.3359
2025	6	4	20	18	10	12	0.1	1	30.1	90.4	6.5556	65.4628
2025	6	4	20	28	10	12	0.1	1	30.53	92.6	6.5556	66.3328
2025	6	4	20	38	10	12	0.1	1	30.1	89.6	6.5556	65.4629
2025	6	4	20	48	10	12	0.1	1	30.03	92.7	6.5556	65.2455
2025	6	4	20	58	10	12	0.1	1	30.8	90.9	6.5556	66.9854
2025	6	4	21	8	10	12	0.1	1	30.7	90.6	6.5556	66.768
2025	6	4	21	18	10	12	0.1	1	31.23	92.4	6.5556	67.8554
2025	6	4	21	28	10	12	0.1	1	30.3	90.6	6.5556	65.8981
2025	6	4	21	38	10	12	0.1	1	31.4	90.9	6.5556	68.2905
2025	6	4	21	48	10	12	0.1	1	30.71	91.7	6.5556	66.7681
2025	6	4	21	58	10	12	0.1	1	30.41	91.7	6.5556	66.1157
2025	6	4	22	8	10	12	0.1	1	30.12	92.3	6.5556	65.4633
2025	6	4	22	18	10	12	0.1	1	30.9	90.4	6.5495	67.1381
2025	6	4	22	28	10	12	0.1	1	31.91	91.3	6.5556	69.3781
2025	6	4	22	38	10	12	0.1	1	31.1	90.7	6.5556	67.6383
2025	6	4	22	48	10	12	0.1	1	30.3	89.8	6.5556	65.8985
2025	6	4	22	58	10	12	0.1	1	30.32	91.9	6.5556	65.8985
2025	6	4	23	8	10	12	0.1	1	30.84	93	6.5556	66.986
2025	6	4	23	18	10	12	0.1	1	30	89.8	6.5495	65.1829
2025	6	4	23	28	10	12	0.1	1	29.5	90.8	6.5495	64.0966
2025	6	4	23	38	10	12	0.1	1	30.72	91.9	6.5495	66.7039
2025	6	4	23	48	10	12	0.1	1	30.2	90.9	6.5495	65.6176
2025	6	4	23	58	10	12	0.1	1	31.2	90	6.5495	67.7904

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	5	0	8	10	11.8	0.1	1	31.4	90.2	6.5495	68.225
2025	6	5	0	18	10	11.8	0.1	1	30.8	90.7	6.5495	66.9214
2025	6	5	0	28	10	11.8	0.1	1	30.82	92	6.5495	66.9214
2025	6	5	0	38	10	11.8	0.1	1	30.5	90.4	6.5495	66.2696
2025	6	5	0	48	10	11.8	0.1	1	30.4	89.2	6.5495	66.0524
2025	6	5	0	58	10	11.8	0.1	1	31.3	89.3	6.5495	68.0079
2025	6	5	1	8	10	11.8	0.1	1	30.32	91.9	6.5495	65.8352
2025	6	5	1	18	10	11.8	0.1	1	29.32	92	6.5495	63.6625
2025	6	5	1	28	10	11.8	0.1	1	30.71	91.5	6.5495	66.7044
2025	6	5	1	38	10	11.8	0.1	1	30.2	90.9	6.5495	65.6181
2025	6	5	1	48	10	11.8	0.1	1	30.4	90.2	6.5495	66.0527
2025	6	5	1	58	10	11.8	0.1	1	30.22	92.3	6.5434	65.5545
2025	6	5	2	8	10	11.8	0.1	1	30.2	90.8	6.5434	65.5545
2025	6	5	2	18	10	11.8	0.1	1	29.2	89.6	6.5495	63.4454
2025	6	5	2	28	10	11.8	0.1	1	30.1	89	6.5434	65.3375
2025	6	5	2	38	10	11.8	0.1	1	30.61	91.3	6.5434	66.4229
2025	6	5	2	48	10	11.8	0.1	1	30.61	91.3	6.5434	66.423
2025	6	5	2	58	10	11.8	0.1	1	31.02	91.8	6.5434	67.2913
2025	6	5	3	8	10	11.8	0.1	1	29.93	92.7	6.5434	64.9036
2025	6	5	3	18	10	11.8	0.1	1	30.32	91.9	6.5434	65.7719
2025	6	5	3	28	10	11.8	0.1	1	29.61	91.4	6.5434	64.2524
2025	6	5	3	38	10	11.8	0.1	1	30.21	91.1	6.5434	65.5549
2025	6	5	3	48	10	11.8	0.1	1	30	90.8	6.5434	65.1208
2025	6	5	3	58	10	11.8	0.1	1	31.6	90	6.5434	68.5939
2025	6	5	4	8	10	11.8	0.1	1	29.62	91.9	6.5434	64.2526
2025	6	5	4	18	10	11.8	0.1	1	30	90	6.5434	65.1209
2025	6	5	4	28	10	11.8	0.1	1	30.31	91.5	6.5434	65.7721
2025	6	5	4	38	10	11.8	0.1	1	30.03	92.5	6.5434	65.121
2025	6	5	4	48	10	11.8	0.1	1	30.75	93.2	6.5434	66.6405
2025	6	5	4	58	10	11.8	0.1	1	30.22	91.9	6.5374	65.4915
2025	6	5	5	8	10	11.8	0.1	1	30.2	89.2	6.5374	65.4916
2025	6	5	5	18	10	11.8	0.1	1	31.01	91.1	6.5374	67.2265
2025	6	5	5	28	10	11.8	0.1	1	29.8	89.4	6.5374	64.6242
2025	6	5	5	38	10	11.8	0.1	1	31.34	92.9	6.5374	67.8771
2025	6	5	5	48	10	11.8	0.1	1	29.93	92.7	6.5374	64.8411
2025	6	5	5	58	10	11.8	0.1	1	29.51	91.6	6.5374	63.9737
2025	6	5	6	8	10	11.8	0.1	1	30.72	91.9	6.5374	66.5761
2025	6	5	6	18	10	11.8	0.1	1	30.1	90	6.5313	65.2115
2025	6	5	6	28	10	11.8	0.1	1	31.01	91.1	6.5313	67.1614
2025	6	5	6	38	10	11.8	0.1	1	29.93	92.7	6.5313	64.7782
2025	6	5	6	48	10	12	0.1	1	29.41	91.8	6.5313	63.695
2025	6	5	6	58	10	12	0.1	1	29.4	90.4	6.5313	63.695
2025	6	5	7	8	10	12.2	0.1	1	29.91	91.7	6.5313	64.7783
2025	6	5	7	18	10	12.4	0.1	1	31.03	92.6	6.5313	67.1615
2025	6	5	7	28	10	12.4	0.1	1	31.21	91.7	6.5313	67.5948
2025	6	5	7	38	10	12.4	0.1	1	30.12	92.3	6.5252	65.1482
2025	6	5	7	48	10	12.4	0.1	1	29.57	94.1	6.5252	63.8496
2025	6	5	7	58	10	12.4	0.1	1	31.06	93.7	6.5252	67.0962

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	5	8	8	10	12.6	0.1	1	29.32	92.2	6.5252	63.4167
2025	6	5	8	18	10	12.6	0.1	1	30.12	91.9	6.5252	65.1482
2025	6	5	8	28	10	12.6	0.1	1	30.65	93.4	6.5252	66.2304
2025	6	5	8	38	10	12.6	0.1	1	29.92	92.3	6.5252	64.7153
2025	6	5	8	48	10	12.6	0.1	1	31	90	6.5191	67.0308
2025	6	5	8	58	10	12.6	0.1	1	30.2	90.8	6.5191	65.3009
2025	6	5	9	8	10	12.6	0.1	1	30	90.8	6.513	64.8052
2025	6	5	9	18	10	12.8	0.1	1	30.72	91.9	6.513	66.3173
2025	6	5	9	28	10	13	0.1	1	30.42	91.9	6.5069	65.6051
2025	6	5	9	38	10	12.8	0.1	1	30.8	90.9	6.5008	66.4034
2025	6	5	9	48	10	12.8	0.1	1	29.43	92.7	6.5008	63.385
2025	6	5	9	58	10	12.8	0.1	0.9	30.22	91.9	6.4947	65.0461
2025	6	5	10	8	10	13	0.1	0.9	30	90.8	6.4947	64.6153
2025	6	5	10	18	10	12.6	0.1	0.9	29.63	92.7	6.4947	63.7537
2025	6	5	10	28	10	12.6	0.1	0.9	30.04	93.1	6.4947	64.6152
2025	6	5	10	38	10	12.6	0.1	0.9	29.42	91.9	6.4947	63.3228
2025	6	5	10	48	10	12.6	0.1	0.9	30.26	93.6	6.4886	64.9821
2025	6	5	10	58	10	12.6	0.1	0.9	30.62	92.2	6.4886	65.8428
2025	6	5	11	8	10	12.6	0.1	0.9	30.42	91.9	6.4886	65.4123
2025	6	5	11	18	10	12.6	0.1	0.9	30.21	91.1	6.4886	64.9819
2025	6	5	11	28	10	12.8	0.1	0.9	29.01	91.8	6.4886	62.3998
2025	6	5	11	38	10	12.8	0.1	0.9	29.92	91.9	6.4886	64.3363
2025	6	5	11	48	10	12.8	0.1	0.9	29.21	91.8	6.4886	62.83
2025	6	5	11	58	10	12.8	0.1	0.9	30.2	90.8	6.4886	64.9816
2025	6	5	12	8	10	12.8	0.1	0.9	30.27	94	6.4886	64.9815
2025	6	5	12	18	10	12.8	0.1	0.9	30.81	91.7	6.4886	66.2724
2025	6	5	12	28	10	12.8	0.1	0.9	30.14	93	6.4886	64.7662
2025	6	5	12	38	10	12.8	0.1	0.9	30.01	91.3	6.4886	64.5509
2025	6	5	12	48	10	12.8	0.1	0.9	29.63	92.7	6.4886	63.6901
2025	6	5	12	58	10	12.8	0.1	0.9	29.51	91.4	6.4825	63.4127
2025	6	5	13	8	10	12.8	0.1	0.9	29.7	91	6.4886	63.9051
2025	6	5	13	18	10	12.8	0.1	0.9	30.4	90.8	6.4825	65.3471
2025	6	5	13	28	10	12.8	0.1	0.9	29.74	92.9	6.4764	63.7797
2025	6	5	13	38	10	12.8	0.1	0.9	30.21	91.7	6.4825	64.917
2025	6	5	13	48	10	12.8	0.1	0.9	30.52	91.9	6.4825	65.5618
2025	6	5	13	58	10	12.8	0.1	0.9	28.7	90	6.4825	61.6925
2025	6	5	14	8	10	12.8	0.1	0.9	30.8	90.6	6.4764	66.1416
2025	6	5	14	18	10	12.8	0.1	0.9	28.9	91	6.4703	62.0005
2025	6	5	14	28	10	12.8	0.1	0.9	30.32	91.9	6.4703	65.0039
2025	6	5	14	38	10	12.8	0.1	0.9	29.2	90.2	6.4764	62.7055
2025	6	5	14	48	10	12.8	0.1	0.9	30.3	90.8	6.4825	65.1315
2025	6	5	14	58	10	12.8	0.1	0.9	30.01	91.1	6.4703	64.3601
2025	6	5	15	8	10	12.8	0.1	0.9	30.3	90.4	6.4764	65.0675
2025	6	5	15	18	10	12.8	0.1	0.9	29.82	92.3	6.4703	63.9309
2025	6	5	15	28	10	12.8	0.1	0.9	30.71	91.5	6.4703	65.8616
2025	6	5	15	38	10	12.8	0.1	0.9	30.1	90	6.4642	64.511
2025	6	5	15	48	10	12.8	0.1	0.9	30.5	90.4	6.4703	65.4325
2025	6	5	15	58	10	12.8	0.1	0.9	29.61	91.4	6.4642	63.4393

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	5	16	8	10	12.4	0.1	0.9	29.8	90.4	6.4581	63.8051
2025	6	5	16	18	10	12.2	0.1	0.9	29.5	90.2	6.4642	63.2249
2025	6	5	16	28	10	12.2	0.1	0.9	29.42	92.1	6.4642	63.0106
2025	6	5	16	38	10	12.2	0.1	0.9	29.41	91.2	6.4642	63.0106
2025	6	5	16	48	10	12.2	0.1	0.9	30.43	92.6	6.4642	65.1538
2025	6	5	16	58	10	12.2	0.1	0.9	30.4	90.2	6.4642	65.1538
2025	6	5	17	8	10	12	0.1	0.9	29.41	88.4	6.4581	62.9487
2025	6	5	17	18	10	12	0.1	0.9	29.9	90.8	6.4581	64.0193
2025	6	5	17	28	10	12	0.1	0.9	29.64	92.9	6.4642	63.4393
2025	6	5	17	38	10	12	0.1	0.9	29.51	91.4	6.4642	63.225
2025	6	5	17	48	10	12	0.1	0.9	30.61	91.3	6.4642	65.5826
2025	6	5	17	58	10	12	0.1	0.9	30.4	90	6.4642	65.154
2025	6	5	18	8	10	12	0.1	0.9	29.6	90.4	6.4581	63.377
2025	6	5	18	18	10	12	0.1	0.9	29.7	91	6.4642	63.6537
2025	6	5	18	28	10	12	0.1	0.9	29.41	91.2	6.4581	62.9488
2025	6	5	18	38	10	12	0.1	0.9	29.8	90.8	6.4581	63.8053
2025	6	5	18	48	10	12	0.1	0.9	30.4	89.6	6.4642	65.154
2025	6	5	18	58	10	12	0.1	0.9	28.53	92.6	6.4581	61.0219
2025	6	5	19	8	10	12	0.1	0.9	29.51	91.2	6.4581	63.163
2025	6	5	19	18	10	12	0.1	0.9	29.7	90.2	6.4642	63.6538
2025	6	5	19	28	10	12	0.1	0.9	30.4	89.4	6.4581	65.09
2025	6	5	19	38	10	12	0.1	0.9	29.4	89.4	6.4581	62.9489
2025	6	5	19	48	10	12	0.1	0.9	29.4	90.8	6.4581	62.949
2025	6	5	19	58	10	12	0.1	0.9	29.41	91.2	6.4581	62.949
2025	6	5	20	8	10	11.8	0.1	0.9	29.51	91.2	6.4642	63.2253
2025	6	5	20	18	10	11.8	0.1	0.9	29.93	92.7	6.4642	64.0826
2025	6	5	20	28	10	11.8	0.1	0.9	30.2	90	6.4642	64.7256
2025	6	5	20	38	10	11.8	0.1	0.9	30	90.6	6.4642	64.297
2025	6	5	20	48	10	11.8	0.1	0.9	29.4	90.8	6.4703	63.073
2025	6	5	20	58	10	11.8	0.1	0.9	28.82	92.2	6.4703	61.7859
2025	6	5	21	8	10	11.8	0.1	0.9	30.71	91.7	6.4703	65.8621
2025	6	5	21	18	10	11.8	0.1	0.9	29.41	91.4	6.4703	63.0732
2025	6	5	21	28	10	11.8	0.1	0.9	30.5	90.6	6.4703	65.4331
2025	6	5	21	38	10	11.8	0.1	0.9	29.8	89.6	6.4764	63.9942
2025	6	5	21	48	10	11.8	0.1	0.9	28.8	90.2	6.4764	61.8468
2025	6	5	21	58	10	11.8	0.1	0.9	29.32	92.2	6.4825	62.9823
2025	6	5	22	8	10	11.8	0.1	0.9	29.71	91.7	6.4825	63.8422
2025	6	5	22	18	10	11.8	0.1	0.9	29.21	91.8	6.4825	62.7674
2025	6	5	22	28	10	11.8	0.1	0.9	29.6	89.2	6.4825	63.6273
2025	6	5	22	38	10	11.8	0.1	0.9	29.5	91	6.4825	63.4124
2025	6	5	22	48	10	11.8	0.1	0.9	29	90.6	6.4825	62.3377
2025	6	5	22	58	10	11.8	0.1	0.9	30.52	92.3	6.4825	65.5621
2025	6	5	23	8	10	11.8	0.1	0.9	29.91	91.7	6.4825	64.2724
2025	6	5	23	18	10	11.8	0.1	0.9	30.91	88.3	6.4825	66.422
2025	6	5	23	28	10	11.8	0.1	0.9	28.71	91.4	6.4825	61.693
2025	6	5	23	38	10	11.8	0.1	0.9	29.56	93.7	6.4825	63.4127
2025	6	5	23	48	10	11.8	0.1	0.9	29.7	91	6.4825	63.8426
2025	6	5	23	58	10	11.8	0.1	0.9	28.61	91.6	6.4825	61.4781

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	6	0	8	10	11.8	0.1	0.9	31.8	90.7	6.4825	68.3568
2025	6	6	0	18	10	11.8	0.1	0.9	30.1	90.2	6.4825	64.7025
2025	6	6	0	28	10	11.8	0.1	0.9	30.2	90.8	6.4825	64.9175
2025	6	6	0	38	10	11.8	0.1	0.9	29.7	91	6.4825	63.8428
2025	6	6	0	48	10	11.8	0.1	0.9	30.7	90.9	6.4825	65.9924
2025	6	6	0	58	10	11.8	0.1	0.9	30	90	6.4825	64.4877
2025	6	6	1	8	10	11.8	0.1	0.9	30.31	91.7	6.4825	65.1326
2025	6	6	1	18	10	11.8	0.1	0.9	29.3	91	6.4825	62.9831
2025	6	6	1	28	10	11.8	0.1	0.9	29.8	91	6.4886	64.1207
2025	6	6	1	38	10	11.8	0.1	0.9	29.7	90.8	6.4886	63.9056
2025	6	6	1	48	10	11.8	0.1	0.9	31.02	92.2	6.4825	66.6375
2025	6	6	1	58	10	11.8	0.1	0.9	29.21	91.8	6.4825	62.7683
2025	6	6	2	8	10	11.8	0.1	0.9	29.1	91	6.4886	62.6147
2025	6	6	2	18	10	11.8	0.1	0.9	30.02	91.9	6.4825	64.488
2025	6	6	2	28	10	11.8	0.1	0.9	30.14	93	6.4886	64.7665
2025	6	6	2	38	10	11.8	0.1	0.9	28.7	90.8	6.4886	61.7541
2025	6	6	2	48	10	11.8	0.1	0.9	29.5	91	6.4886	63.4755
2025	6	6	2	58	10	11.8	0.1	0.9	31.02	92.2	6.4886	66.7031
2025	6	6	3	8	10	11.8	0.1	0.9	30.13	92.7	6.4886	64.7666
2025	6	6	3	18	10	11.8	0.1	0.9	29.72	91.9	6.4886	63.9059
2025	6	6	3	28	10	11.8	0.1	0.9	29.6	91	6.4825	63.6284
2025	6	6	3	38	10	11.8	0.1	0.9	30.02	92.3	6.4886	64.5515
2025	6	6	3	48	10	11.8	0.1	0.9	30.5	90.8	6.4886	65.6274
2025	6	6	3	58	10	11.8	0.1	0.9	29.51	91.4	6.4825	63.4136
2025	6	6	4	8	10	11.8	0.1	0.9	30.2	90.6	6.4886	64.982
2025	6	6	4	18	10	11.8	0.1	0.9	31.21	91.5	6.4886	67.1338
2025	6	6	4	28	10	11.6	0.1	0.9	29.4	90	6.4886	63.2607
2025	6	6	4	38	10	11.6	0.1	0.9	30.61	91.7	6.4886	65.8428
2025	6	6	4	48	10	11.6	0.1	0.9	29.73	92.5	6.4886	63.9063
2025	6	6	4	58	10	11.6	0.1	0.9	30.4	90	6.4886	65.4125
2025	6	6	5	8	10	11.6	0.1	0.9	29.22	92.2	6.4886	62.8305
2025	6	6	5	18	10	11.6	0.1	0.9	29.95	93.4	6.4886	64.3367
2025	6	6	5	28	10	11.6	0.1	0.9	29.81	91.3	6.4886	64.1216
2025	6	6	5	38	10	11.6	0.1	0.9	30.7	90.2	6.4886	66.0582
2025	6	6	5	48	10	11.6	0.1	0.9	29.93	92.7	6.4886	64.3368
2025	6	6	5	58	10	11.6	0.1	0.9	29.84	93.1	6.4886	64.1217
2025	6	6	6	8	10	11.6	0.1	0.9	29.92	92.3	6.4886	64.3369
2025	6	6	6	18	10	11.6	0.1	0.9	29.13	92.8	6.4886	62.6155
2025	6	6	6	28	10	11.8	0.1	0.9	29.8	89.4	6.4886	64.1217
2025	6	6	6	38	10	11.8	0.1	0.9	29.33	92.7	6.4886	63.0459
2025	6	6	6	48	10	11.8	0.1	0.9	29.8	91	6.4886	64.1217
2025	6	6	6	58	10	11.8	0.1	0.9	30.81	91.7	6.4886	66.2735
2025	6	6	7	8	10	12	0.1	0.9	30.6	90.7	6.4886	65.8431
2025	6	6	7	18	10	12.2	0.1	0.9	29.41	91.4	6.4886	63.2611
2025	6	6	7	28	10	12.4	0.1	0.9	29.91	91.7	6.4886	64.3369
2025	6	6	7	38	10	12.4	0.1	0.9	29.01	91.2	6.4886	62.4004
2025	6	6	7	48	10	12.4	0.1	0.9	29.61	91.4	6.4886	63.6914
2025	6	6	7	58	10	12.4	0.1	0.9	29.31	91.4	6.4886	63.0459

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	6	8	8	10	12.6	0.1	0.9	30.81	91.1	6.4886	66.2735
2025	6	6	8	18	10	12.6	0.1	0.9	29.72	92.1	6.4886	63.9066
2025	6	6	8	28	10	12.6	0.1	0.9	29.93	92.7	6.4886	64.3369
2025	6	6	8	38	10	12.6	0.1	0.9	30.61	91.7	6.4886	65.8431
2025	6	6	8	48	10	12.6	0.1	0.9	30.02	91.9	6.4886	64.552
2025	6	6	8	58	10	12.6	0.1	0.9	29.92	92.3	6.4886	64.3368
2025	6	6	9	8	10	12.6	0.1	0.9	28.9	90	6.4886	62.1851
2025	6	6	9	18	10	12.6	0.1	0.9	30.4	90	6.4886	65.4126
2025	6	6	9	28	10	12.8	0.1	0.9	29.9	90	6.4886	64.3367
2025	6	6	9	38	10	12.8	0.1	0.9	29.3	91	6.4886	63.0457
2025	6	6	9	48	10	12.8	0.1	0.9	31.23	92.4	6.4886	67.1339
2025	6	6	9	58	10	12.8	0.1	0.9	30.81	91.3	6.4886	66.2732
2025	6	6	10	8	10	12.8	0.1	0.9	29.01	91.2	6.4886	62.4
2025	6	6	10	18	10	12.8	0.1	0.9	30.1	94.6	6.4886	64.5517
2025	6	6	10	28	10	12.6	0.1	0.9	29.63	92.7	6.4886	63.691
2025	6	6	10	38	10	12.6	0.1	0.9	31.38	94	6.4886	67.3488
2025	6	6	10	48	10	12.6	0.1	0.9	30.2	90.6	6.4947	65.0455
2025	6	6	10	58	10	12.6	0.1	0.9	30.3	90.9	6.4947	65.2609
2025	6	6	11	8	10	12.6	0.1	0.9	29.62	91.9	6.4886	63.6907
2025	6	6	11	18	10	12.6	0.1	0.9	31.03	92.4	6.4886	66.7031
2025	6	6	11	28	10	12.8	0.1	0.9	29.61	91.5	6.4947	63.753
2025	6	6	11	38	10	12.8	0.1	0.9	29.71	91.2	6.4947	63.9683
2025	6	6	11	48	10	12.8	0.1	0.9	28.6	89.8	6.4947	61.599
2025	6	6	11	58	10	13	0.1	0.9	30.6	90.7	6.4947	65.9065
2025	6	6	12	8	10	13	0.1	0.9	30.04	92.9	6.4947	64.6141
2025	6	6	12	18	10	13	0.1	0.9	29.41	91.6	6.4947	63.3218
2025	6	6	12	28	10	13	0.1	0.9	29.4	90.6	6.4947	63.3217
2025	6	6	12	38	10	13	0.1	0.9	29.4	91	6.4947	63.3216
2025	6	6	12	48	10	13	0.1	0.9	29.6	91	6.4947	63.7523
2025	6	6	12	58	10	13	0.1	0.9	29.51	91.7	6.4947	63.5368
2025	6	6	13	8	10	13	0.1	0.9	31.22	92.2	6.4947	67.1981
2025	6	6	13	18	10	13	0.1	0.9	30.05	93.4	6.4947	64.6135
2025	6	6	13	28	10	13	0.1	0.9	30.7	90.2	6.4947	66.121
2025	6	6	13	38	10	13	0.1	0.9	29.01	91.6	6.4947	62.4595
2025	6	6	13	48	10	13	0.1	0.9	30.81	91.3	6.4886	66.2713
2025	6	6	13	58	10	13	0.1	0.9	30.03	92.5	6.4947	64.6131
2025	6	6	14	8	10	13	0.1	0.9	29.73	92.5	6.4886	63.9043
2025	6	6	14	18	10	13	0.1	0.9	30.81	91.5	6.4886	66.2711
2025	6	6	14	28	10	13	0.1	0.9	29.32	92	6.4886	63.0435
2025	6	6	14	38	10	13	0.1	0.9	30.4	90	6.4764	65.2821
2025	6	6	14	48	10	13	0.1	0.9	30.82	92.2	6.4886	66.2708
2025	6	6	14	58	10	13	0.1	0.9	29.65	93.3	6.4947	63.7512
2025	6	6	15	8	10	13	0.1	0.9	30.5	90.8	6.4825	65.561
2025	6	6	15	18	10	13	0.1	0.9	30.5	90	6.4825	65.5609
2025	6	6	15	28	10	13	0.1	0.9	30.44	93	6.4825	65.3459
2025	6	6	15	38	10	13	0.1	0.9	28.9	90.2	6.4947	62.2434
2025	6	6	15	48	10	13	0.1	0.9	31.1	90.9	6.4825	66.8506
2025	6	6	15	58	10	13	0.1	0.9	30.2	90.6	6.4825	64.9159

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	6	16	8	10	13.2	0.1	0.9	31.41	91.1	6.4825	67.4954
2025	6	6	16	18	10	12.4	0.1	0.9	30.32	91.9	6.4764	65.067
2025	6	6	16	28	10	13	0.1	0.9	31	90.9	6.4825	66.6355
2025	6	6	16	38	10	13	0.1	0.9	29.6	90.8	6.4825	63.6262
2025	6	6	16	48	10	13	0.1	0.9	30.4	90.6	6.4764	65.2817
2025	6	6	16	58	10	12.4	0.1	0.9	30.1	91	6.4703	64.574
2025	6	6	17	8	10	12.2	0.1	0.9	30.41	91.5	6.4825	65.3458
2025	6	6	17	18	10	12.2	0.1	0.9	29.42	92.1	6.4764	63.1343
2025	6	6	17	28	10	12	0.1	0.9	29.5	90	6.4764	63.349
2025	6	6	17	38	10	12	0.1	0.9	29.72	92.1	6.4764	63.7785
2025	6	6	17	48	10	12	0.1	0.9	30.1	89.2	6.4764	64.6375
2025	6	6	17	58	10	12	0.1	0.9	30.6	90.7	6.4764	65.7112
2025	6	6	18	8	10	12	0.1	0.9	29.82	91.9	6.4764	63.9933
2025	6	6	18	18	10	12	0.1	0.9	30.1	91	6.4764	64.6375
2025	6	6	18	28	10	12	0.1	0.9	30.1	90.8	6.4764	64.6375
2025	6	6	18	38	10	12	0.1	0.9	29.71	91.5	6.4764	63.7786
2025	6	6	18	48	10	12	0.1	0.9	29.72	92.1	6.4703	63.716
2025	6	6	18	58	10	12	0.1	0.9	30.4	90.6	6.4703	65.2177
2025	6	6	19	8	10	12	0.1	0.9	31.2	90	6.4764	66.9998
2025	6	6	19	18	10	12	0.1	0.9	29.71	91.5	6.4764	63.7786
2025	6	6	19	28	10	12	0.1	0.9	29.62	92.1	6.4703	63.5015
2025	6	6	19	38	10	12	0.1	0.9	29.52	91.9	6.4703	63.287
2025	6	6	19	48	10	12	0.1	0.9	29.23	92.7	6.4703	62.6435
2025	6	6	19	58	10	12	0.1	0.9	30.9	90.6	6.4764	66.3556
2025	6	6	20	8	10	12	0.1	0.9	30.01	91.1	6.4764	64.423
2025	6	6	20	18	10	12	0.1	0.9	30.2	90.2	6.4764	64.8525
2025	6	6	20	28	10	12	0.1	0.9	31	90.9	6.4703	66.5052
2025	6	6	20	38	10	12	0.1	0.9	29.3	91	6.4703	62.8581
2025	6	6	20	48	10	12	0.1	0.9	29.7	90.6	6.4703	63.7163
2025	6	6	20	58	10	12	0.1	0.9	29.7	90.2	6.4764	63.7789
2025	6	6	21	8	10	12	0.1	0.9	29.9	90.6	6.4764	64.2085
2025	6	6	21	18	10	12	0.1	0.9	29.5	90.2	6.4764	63.3495
2025	6	6	21	28	10	11.8	0.1	0.9	29.1	90.8	6.4764	62.4906
2025	6	6	21	38	10	11.8	0.1	0.9	30.1	89.2	6.4764	64.6381
2025	6	6	21	48	10	11.8	0.1	0.9	30.61	91.7	6.4764	65.7119
2025	6	6	21	58	10	11.8	0.1	0.9	29.81	88.8	6.4764	63.994
2025	6	6	22	8	10	11.8	0.1	0.9	30.4	90.9	6.4764	65.2825
2025	6	6	22	18	10	11.8	0.1	0.9	29.3	91	6.4764	62.9203
2025	6	6	22	28	10	11.8	0.1	0.9	31.1	90.7	6.4764	66.7858
2025	6	6	22	38	10	11.8	0.1	0.9	30.23	92.5	6.4764	64.8531
2025	6	6	22	48	10	11.8	0.1	0.9	30.94	92.8	6.4764	66.3564
2025	6	6	22	58	10	11.8	0.1	0.9	29.51	91.2	6.4825	63.4122
2025	6	6	23	8	10	11.8	0.1	0.9	29.62	91.9	6.4825	63.6272
2025	6	6	23	18	10	11.8	0.1	0.9	29.61	91.7	6.4764	63.5649
2025	6	6	23	28	10	11.8	0.1	0.9	30.13	92.7	6.4764	64.6386
2025	6	6	23	38	10	11.8	0.1	0.9	29.9	91	6.4825	64.2722
2025	6	6	23	48	10	11.8	0.1	0.9	30.61	91.7	6.4764	65.7125
2025	6	6	23	58	10	11.8	0.1	0.9	30.3	90.8	6.4764	65.0683

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	7	0	8	10	11.8	0.1	0.9	29.4	89.6	6.4764	63.1356
2025	6	7	0	18	10	11.8	0.1	0.9	31.3	90.7	6.4825	67.2818
2025	6	7	0	28	10	11.8	0.1	0.9	29.5	89.4	6.4764	63.3505
2025	6	7	0	38	10	11.6	0.1	0.9	29.32	92.2	6.4764	62.921
2025	6	7	0	48	10	11.6	0.1	0.9	29.6	90.6	6.4764	63.5653
2025	6	7	0	58	10	11.6	0.1	0.9	30.84	93	6.4764	66.1423
2025	6	7	1	8	10	11.8	0.1	0.9	30.1	90	6.4764	64.6391
2025	6	7	1	18	10	11.6	0.1	0.9	30.8	90.9	6.4764	66.1424
2025	6	7	1	28	10	11.6	0.1	0.9	30.04	92.9	6.4764	64.4245
2025	6	7	1	38	10	11.6	0.1	0.9	30.2	90.9	6.4764	64.854
2025	6	7	1	48	10	11.6	0.1	0.9	28.91	91.4	6.4764	62.0623
2025	6	7	1	58	10	11.6	0.1	0.9	29.9	89.4	6.4764	64.2099
2025	6	7	2	8	10	11.6	0.1	0.9	29.9	90.8	6.4764	64.2099
2025	6	7	2	18	10	11.6	0.1	0.9	28.81	91.4	6.4764	61.8477
2025	6	7	2	28	10	11.6	0.1	0.9	29.21	91.8	6.4764	62.7067
2025	6	7	2	38	10	11.6	0.1	0.9	30.32	91.9	6.4764	65.069
2025	6	7	2	48	10	11.6	0.1	0.9	29.41	91.8	6.4764	63.1363
2025	6	7	2	58	10	11.6	0.1	0.9	30.6	90.4	6.4764	65.7134
2025	6	7	3	8	10	11.6	0.1	0.9	29.73	92.7	6.4764	63.7807
2025	6	7	3	18	10	11.6	0.1	0.9	30.21	91.1	6.4764	64.8544
2025	6	7	3	28	10	11.6	0.1	0.9	29.54	92.9	6.4764	63.3512
2025	6	7	3	38	10	11.6	0.1	0.9	30.3	90.8	6.4764	65.0693
2025	6	7	3	48	10	11.6	0.1	0.9	29.81	91.3	6.4764	63.9956
2025	6	7	3	58	10	11.6	0.1	0.9	29.82	92.3	6.4764	63.9956
2025	6	7	4	8	10	11.6	0.1	0.9	29.82	91.9	6.4764	63.9957
2025	6	7	4	18	10	11.6	0.1	0.9	29.2	91	6.4764	62.7072
2025	6	7	4	28	10	11.6	0.1	0.9	30.05	93.4	6.4764	64.4253
2025	6	7	4	38	10	11.6	0.1	0.9	29.92	91.9	6.4764	64.2106
2025	6	7	4	48	10	11.6	0.1	0.9	30.5	90.8	6.4764	65.4991
2025	6	7	4	58	10	11.6	0.1	0.9	30.02	91.9	6.4764	64.4254
2025	6	7	5	8	10	11.6	0.1	0.9	29.7	90.8	6.4764	63.7812
2025	6	7	5	18	10	11.6	0.1	0.9	29.11	91.4	6.4764	62.4927
2025	6	7	5	28	10	11.6	0.1	0.9	29.12	92.4	6.4764	62.4927
2025	6	7	5	38	10	11.6	0.1	0.9	29.4	91	6.4764	63.137
2025	6	7	5	48	10	11.6	0.1	0.9	30.31	91.5	6.4764	65.0698
2025	6	7	5	58	10	11.6	0.1	0.9	28.83	92.6	6.4764	61.8486
2025	6	7	6	8	10	11.6	0.1	0.9	30.01	91.1	6.4764	64.4257
2025	6	7	6	18	10	11.6	0.1	0.9	29.85	93.5	6.4703	63.9334
2025	6	7	6	28	10	11.6	0.1	0.9	28.9	89	6.4764	62.0635
2025	6	7	6	38	10	11.8	0.1	0.9	29.53	92.5	6.4703	63.2898
2025	6	7	6	48	10	12	0.1	0.9	29.21	91.6	6.4703	62.6462
2025	6	7	6	58	10	12	0.1	0.9	30.15	93.4	6.4703	64.5771
2025	6	7	7	8	10	12	0.1	0.9	29.22	92.4	6.4703	62.6463
2025	6	7	7	18	10	12.2	0.1	0.9	29.72	92.1	6.4703	63.719
2025	6	7	7	28	10	12.2	0.1	0.9	29.84	93.1	6.4703	63.9336
2025	6	7	7	38	10	12.4	0.1	0.9	30.63	92.6	6.4703	65.6499
2025	6	7	7	48	10	12.4	0.1	0.9	29.2	91	6.4703	62.6463
2025	6	7	7	58	10	12.4	0.1	0.9	30.81	91.7	6.4703	66.079

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	7	8	8	10	12.4	0.1	0.9	30.14	92.9	6.4703	64.5772
2025	6	7	8	18	10	12.6	0.1	0.9	30.6	90.4	6.4703	65.6499
2025	6	7	8	28	10	12.6	0.1	0.9	29.44	92.9	6.4703	63.0754
2025	6	7	8	38	10	12.6	0.1	0.9	30.17	94	6.4703	64.5772
2025	6	7	8	48	10	12.6	0.1	0.9	29.31	91.8	6.4703	62.8608
2025	6	7	8	58	10	12.6	0.1	0.9	29.75	93.5	6.4703	63.719
2025	6	7	9	8	10	12.6	0.1	0.9	30.33	92.5	6.4703	65.0062
2025	6	7	9	18	10	12.8	0.1	0.9	29.11	91.4	6.4703	62.4317
2025	6	7	9	28	10	12.8	0.1	0.9	30.1	90.8	6.4703	64.577
2025	6	7	9	38	10	12.8	0.1	0.9	30.71	91.7	6.4703	65.8642
2025	6	7	9	48	10	12.8	0.1	0.9	29.7	90.6	6.4703	63.7188
2025	6	7	9	58	10	12.8	0.1	0.9	28.41	91.2	6.4703	60.9297
2025	6	7	10	8	10	12.8	0.1	0.9	30.31	91.5	6.4764	65.0698
2025	6	7	10	18	10	12.8	0.1	0.9	29.81	91.7	6.4764	63.996
2025	6	7	10	28	10	12.6	0.1	0.9	29.48	94.3	6.4764	63.1369
2025	6	7	10	38	10	12.6	0.1	0.9	29.5	89.8	6.4764	63.3516
2025	6	7	10	48	10	12.6	0.1	0.9	30.24	93	6.4764	64.8548
2025	6	7	10	58	10	12.6	0.1	0.9	29.2	89.4	6.4764	62.7072
2025	6	7	11	8	10	12.6	0.1	0.9	28.8	91	6.4764	61.8481
2025	6	7	11	18	10	12.6	0.1	0.9	30.52	92.3	6.4764	65.4988
2025	6	7	11	28	10	12.6	0.1	0.9	29.6	90.2	6.4764	63.5659
2025	6	7	11	38	10	12.8	0.1	0.9	29.5	89.2	6.4764	63.3511
2025	6	7	11	48	10	12.8	0.1	0.9	29.41	91.2	6.4764	63.1363
2025	6	7	11	58	10	12.8	0.1	0.9	29.8	90.4	6.4703	63.9324
2025	6	7	12	8	10	12.8	0.1	0.9	30.44	93	6.4581	65.0914
2025	6	7	12	18	10	12.8	0.1	0.9	29.11	91.2	6.4703	62.4304
2025	6	7	12	28	10	12.8	0.1	0.9	29.41	91.8	6.4642	63.012
2025	6	7	12	38	10	13	0.1	0.9	30.81	91.1	6.4703	66.0774
2025	6	7	12	48	10	13	0.1	0.9	29.91	91.3	6.4703	64.1464
2025	6	7	12	58	10	12.8	0.1	0.9	29.71	91.4	6.4642	63.6547
2025	6	7	13	8	10	12.8	0.1	0.9	30.7	90.7	6.4642	65.7978
2025	6	7	13	18	10	12.8	0.1	0.9	29.6	90.6	6.4642	63.4402
2025	6	7	13	28	10	12.8	0.1	0.9	29.91	91.3	6.4642	64.083
2025	6	7	13	38	10	13	0.1	0.9	30.22	91.9	6.4581	64.6623
2025	6	7	13	48	10	13	0.1	0.9	29.74	93.1	6.4581	63.5916
2025	6	7	13	58	10	13	0.1	0.9	29.9	91	6.4581	64.0198
2025	6	7	14	8	10	13	0.1	0.9	29.82	91.9	6.4581	63.8056
2025	6	7	14	18	10	13	0.1	0.9	29.5	91	6.4581	63.1631
2025	6	7	14	28	10	12.8	0.1	0.9	31.03	92.6	6.4581	66.3747
2025	6	7	14	38	10	12.8	0.1	0.9	29.2	90.2	6.4581	62.5207
2025	6	7	14	48	10	12.8	0.1	0.9	30.11	91.3	6.452	64.3842
2025	6	7	14	58	10	12.8	0.1	0.9	29.71	91.5	6.4581	63.5911
2025	6	7	15	8	10	12.8	0.1	0.9	24.6	90.9	6.4581	52.6713
2025	6	7	15	18	10	12.8	0.1	0.9	31.5	90.9	6.4581	67.4449
2025	6	7	15	28	10	12.4	0.1	0.9	26.9	90.6	6.4581	57.5958
2025	6	7	15	38	10	12.6	0.1	0.9	29.6	91	6.4581	63.3767
2025	6	7	15	48	10	12.8	0.1	0.9	30.11	91.3	6.4581	64.4472
2025	6	7	15	58	10	12.8	0.1	0.9	28.8	90.8	6.4581	61.6637

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	7	16	8	10	12.8	0.1	0.9	28.74	93	6.4581	61.4495
2025	6	7	16	18	10	12.8	0.1	0.9	29.31	91.4	6.4581	62.7341
2025	6	7	16	28	10	12.8	0.1	0.9	31.06	93.5	6.4581	66.374
2025	6	7	16	38	10	12.8	0.1	0.9	31.52	92.2	6.4581	67.4445
2025	6	7	16	48	10	12.8	0.1	0.9	30.05	93.2	6.4581	64.2328
2025	6	7	16	58	10	12.8	0.1	0.9	29.61	91.2	6.4581	63.3763
2025	6	7	17	8	10	12.8	0.1	0.9	29.9	90.8	6.4581	64.0186
2025	6	7	17	18	10	12.8	0.1	0.9	29.8	90.6	6.4581	63.8045
2025	6	7	17	28	10	12.8	0.1	0.9	30.4	90.8	6.4581	65.0891
2025	6	7	17	38	10	12.8	0.1	0.9	29.6	90.2	6.4581	63.3762
2025	6	7	17	48	10	12.8	0.1	0.9	29.44	93.1	6.4581	62.948
2025	6	7	17	58	10	12.6	0.1	0.9	29.61	91.5	6.4581	63.3762
2025	6	7	18	8	10	12.4	0.1	0.9	30	90	6.4642	64.2959
2025	6	7	18	18	10	12.2	0.1	0.9	29.3	90	6.4581	62.7339
2025	6	7	18	28	10	12.2	0.1	0.9	29.21	91.8	6.4642	62.5813
2025	6	7	18	38	10	12	0.1	0.9	29.2	91	6.4581	62.5198
2025	6	7	18	48	10	12	0.1	0.9	30.4	89.2	6.4581	65.0891
2025	6	7	18	58	10	12	0.1	0.9	29.41	91.4	6.4581	62.948
2025	6	7	19	8	10	12	0.1	0.9	29.61	91.7	6.4581	63.3763
2025	6	7	19	18	10	12	0.1	0.9	29.8	90.6	6.4581	63.8045
2025	6	7	19	28	10	12	0.1	0.9	29.67	94.1	6.4642	63.4387
2025	6	7	19	38	10	12	0.1	0.9	30.8	90.7	6.4642	66.0105
2025	6	7	19	48	10	12	0.1	0.9	29.9	90	6.4642	64.0817
2025	6	7	19	58	10	12	0.1	0.9	29.82	87.9	6.4642	63.8674
2025	6	7	20	8	10	12	0.1	0.9	28.8	90.4	6.4642	61.7242
2025	6	7	20	18	10	12	0.1	0.9	29.81	91.7	6.4642	63.8675
2025	6	7	20	28	10	12	0.1	0.9	30.4	90.6	6.4642	65.1534
2025	6	7	20	38	10	12	0.1	0.9	30.2	90.9	6.4642	64.7248
2025	6	7	20	48	10	12	0.1	0.9	28.6	89.8	6.4642	61.2957
2025	6	7	20	58	10	12	0.1	0.9	30.91	91.7	6.4642	66.2251
2025	6	7	21	8	10	12	0.1	0.9	29.82	91.9	6.4642	63.8676
2025	6	7	21	18	10	12	0.1	0.9	30.2	90.6	6.4642	64.725
2025	6	7	21	28	10	12	0.1	0.9	30.2	90	6.4642	64.725
2025	6	7	21	38	10	12	0.1	0.9	30.51	91.3	6.4703	65.4323
2025	6	7	21	48	10	12	0.1	0.9	30.41	91.5	6.4703	65.2178
2025	6	7	21	58	10	12	0.1	0.9	29.3	91	6.4703	62.858
2025	6	7	22	8	10	12	0.1	0.9	29.13	92.8	6.4703	62.429
2025	6	7	22	18	10	12	0.1	0.9	30	90.8	6.4764	64.423
2025	6	7	22	28	10	11.8	0.1	0.9	31.14	92.8	6.4764	66.7852
2025	6	7	22	38	10	11.8	0.1	0.9	29.61	91.7	6.4825	63.6265
2025	6	7	22	48	10	11.8	0.1	0.9	30.2	90.6	6.4825	64.9163
2025	6	7	22	58	10	11.8	0.1	0.9	30.91	91.5	6.4825	66.421
2025	6	7	23	8	10	11.8	0.1	0.9	28.9	90.6	6.4886	62.1829
2025	6	7	23	18	10	11.8	0.1	0.9	30.16	93.6	6.4886	64.7649
2025	6	7	23	28	10	11.8	0.1	0.9	31.23	92.6	6.4886	67.1318
2025	6	7	23	38	10	11.8	0.1	0.9	29.91	91.3	6.4886	64.3347
2025	6	7	23	48	10	11.8	0.1	0.9	29.9	90.4	6.4886	64.3347
2025	6	7	23	58	10	11.8	0.1	0.9	30.3	90.6	6.4886	65.1954

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	8	0	8	10	11.8	0.1	0.9	31.21	91.7	6.4886	67.132
2025	6	8	0	18	10	11.8	0.1	0.9	30.03	92.5	6.4886	64.55
2025	6	8	0	28	10	11.8	0.1	0.9	29.73	92.5	6.4947	63.9672
2025	6	8	0	38	10	11.8	0.1	0.9	29.9	90.8	6.4947	64.3979
2025	6	8	0	48	10	11.8	0.1	0.9	30.62	91.9	6.4947	65.9056
2025	6	8	0	58	10	11.8	0.1	0.9	29.71	91.2	6.4947	63.9673
2025	6	8	1	8	10	11.8	0.1	0.9	30.13	92.7	6.4947	64.8288
2025	6	8	1	18	10	11.8	0.1	0.9	29.33	92.7	6.4947	63.1059
2025	6	8	1	28	10	11.8	0.1	0.9	30.62	92.1	6.4947	65.9058
2025	6	8	1	38	10	11.8	0.1	0.9	29.61	91.2	6.4947	63.7521
2025	6	8	1	48	10	11.8	0.1	0.9	29.21	91.4	6.4947	62.8906
2025	6	8	1	58	10	11.8	0.1	0.9	29.63	92.7	6.4947	63.7521
2025	6	8	2	8	10	11.8	0.1	0.9	29.4	90.4	6.4947	63.3214
2025	6	8	2	18	10	11.8	0.1	0.9	29.6	90	6.4947	63.7522
2025	6	8	2	28	10	11.8	0.1	0.9	29.8	90.8	6.4947	64.183
2025	6	8	2	38	10	11.8	0.1	0.9	30.51	91.5	6.4947	65.6907
2025	6	8	2	48	10	11.8	0.1	0.9	29.63	92.5	6.4947	63.7523
2025	6	8	2	58	10	11.8	0.1	0.9	30.8	90.6	6.4947	66.3369
2025	6	8	3	8	10	11.8	0.1	0.9	30.4	90.9	6.4947	65.4754
2025	6	8	3	18	10	11.8	0.1	0.9	30.43	92.6	6.4947	65.4754
2025	6	8	3	28	10	11.8	0.1	0.9	29.3	90	6.4947	63.1063
2025	6	8	3	38	10	11.8	0.1	0.9	28.32	92	6.4947	60.9526
2025	6	8	3	48	10	11.8	0.1	0.9	30.53	92.6	6.4947	65.691
2025	6	8	3	58	10	11.8	0.1	0.9	29.6	90.6	6.4947	63.7526
2025	6	8	4	8	10	11.8	0.1	0.9	29.9	89.8	6.4947	64.3987
2025	6	8	4	18	10	11.8	0.1	0.9	30.8	90.6	6.4947	66.3372
2025	6	8	4	28	10	11.8	0.1	0.9	29.71	91.7	6.4947	63.9681
2025	6	8	4	38	10	11.8	0.1	0.9	30.1	90.6	6.4947	64.8296
2025	6	8	4	48	10	11.8	0.1	0.9	29.5	90.4	6.4947	63.5374
2025	6	8	4	58	10	11.8	0.1	0.9	30.53	92.6	6.4947	65.6912
2025	6	8	5	8	10	11.8	0.1	0.9	30.23	92.5	6.4947	65.0451
2025	6	8	5	18	10	11.8	0.1	0.9	30.91	91.5	6.4886	66.4877
2025	6	8	5	28	10	11.8	0.1	0.9	30.7	90.6	6.4947	66.1221
2025	6	8	5	38	10	11.6	0.1	0.9	30.31	91.3	6.4886	65.1968
2025	6	8	5	48	10	11.8	0.1	0.9	29.1	90.6	6.4886	62.6147
2025	6	8	5	58	10	11.8	0.1	0.9	30.2	90.8	6.4886	64.9817
2025	6	8	6	8	10	11.8	0.1	0.9	30.13	92.5	6.4886	64.7665
2025	6	8	6	18	10	11.8	0.1	0.9	30.01	91.7	6.4886	64.5514
2025	6	8	6	28	10	11.8	0.1	0.9	29.7	90.4	6.4886	63.9059
2025	6	8	6	38	10	11.8	0.1	0.9	30.61	91.1	6.4886	65.8425
2025	6	8	6	48	10	12	0.1	0.9	29.62	92.1	6.4886	63.6908
2025	6	8	6	58	10	12	0.1	0.9	30.44	93	6.4886	65.4122
2025	6	8	7	8	10	12	0.1	0.9	29.91	91.1	6.4886	64.3364
2025	6	8	7	18	10	12	0.1	0.9	29.81	91.7	6.4886	64.1212
2025	6	8	7	28	10	12.2	0.1	0.9	30.1	90.4	6.4886	64.7667
2025	6	8	7	38	10	12.2	0.1	0.9	30.21	91.1	6.4886	64.9819
2025	6	8	7	48	10	12.2	0.1	0.9	29.13	92.8	6.4825	62.5537
2025	6	8	7	58	10	12.4	0.1	0.9	29.13	92.6	6.4825	62.5537

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	8	8	8	10	12.4	0.1	0.9	29.6	90.8	6.4825	63.6285
2025	6	8	8	18	10	12.4	0.1	0.9	29.7	90.6	6.4825	63.8434
2025	6	8	8	28	10	12.6	0.1	0.9	30.83	92.6	6.4825	66.208
2025	6	8	8	38	10	12.6	0.1	0.9	29.62	92.3	6.4825	63.6284
2025	6	8	8	48	10	12.6	0.1	0.9	30.11	91.3	6.4825	64.7032
2025	6	8	8	58	10	12.6	0.1	0.9	30.03	92.5	6.4825	64.4882
2025	6	8	9	8	10	12.6	0.1	0.9	30.72	92.1	6.4825	65.9929
2025	6	8	9	18	10	12.6	0.1	0.9	30.11	91.1	6.4764	64.6397
2025	6	8	9	28	10	12.8	0.1	0.9	29.81	91.7	6.4764	63.9954
2025	6	8	9	38	10	12.8	0.1	0.9	30.21	88.9	6.4764	64.8543
2025	6	8	9	48	10	12.8	0.1	0.9	30.32	91.9	6.4703	65.0052
2025	6	8	9	58	10	12.8	0.1	0.9	30.1	90.8	6.4703	64.576
2025	6	8	10	8	10	12.8	0.1	0.9	30.46	93.6	6.4642	65.1555
2025	6	8	10	18	10	12.6	0.1	0.9	29.53	92.7	6.4642	63.2265
2025	6	8	10	28	10	12.6	0.1	0.9	30.1	90.2	6.4459	64.3221
2025	6	8	10	38	10	12.6	0.1	0.9	30.86	93.5	6.4398	65.753
2025	6	8	10	48	10	12.6	0.1	0.9	29.43	92.5	6.4398	62.7642
2025	6	8	10	58	10	12.6	0.1	0.9	30.4	90	6.4337	64.8349
2025	6	8	11	8	10	12.6	0.1	0.9	29.43	92.5	6.4337	62.7021
2025	6	8	11	18	10	12.6	0.1	0.9	30.11	91.5	6.4337	64.1949
2025	6	8	11	28	10	12.6	0.1	0.9	29.86	93.6	6.4276	63.4922
2025	6	8	11	38	10	12.6	0.1	0.9	29.16	93.5	6.4276	62.0007
2025	6	8	11	48	10	12.6	0.1	0.9	29.12	92.4	6.4276	62.0006
2025	6	8	11	58	10	12.8	0.1	0.9	29.41	91.4	6.4215	62.5778
2025	6	8	12	8	10	12.8	0.1	0.9	30.42	92.3	6.4154	64.6421
2025	6	8	12	18	10	12.8	0.1	0.9	28.52	92	6.4093	60.5418
2025	6	8	12	28	10	12.8	0.1	0.9	28.72	92.2	6.4032	60.9061
2025	6	8	12	38	10	12.8	0.1	0.9	30.01	91.5	6.391	63.5384
2025	6	8	12	48	10	12.8	0.1	0.9	28.82	92.4	6.391	60.9968
2025	6	8	12	58	10	12.8	0.1	0.9	29.9	90	6.3789	63.2005
2025	6	8	13	8	10	12.8	0.1	0.9	29.73	92.7	6.3789	62.7776
2025	6	8	13	18	10	12.6	0.1	0.9	28.54	93	6.3728	60.181
2025	6	8	13	28	10	12.8	0.1	0.9	29.12	92	6.3728	61.4479
2025	6	8	13	38	10	12.8	0.1	0.9	28.9	90	6.3728	61.0255
2025	6	8	13	48	10	12.8	0.1	0.9	28.3	89	6.3667	59.6988
2025	6	8	13	58	10	12.8	0.1	0.9	29.3	91	6.3667	61.8083
2025	6	8	14	8	10	12.8	0.1	0.9	28.32	92	6.3606	59.6391
2025	6	8	14	18	10	12.8	0.1	0.9	28.81	91.8	6.3606	60.6927
2025	6	8	14	28	10	12.6	0.1	0.9	29.3	90.6	6.3362	61.4994
2025	6	8	14	38	10	12.6	0.1	0.9	29.61	91.5	6.3301	62.0667
2025	6	8	14	48	10	12.6	0.1	0.9	29.41	91.6	6.324	61.5853
2025	6	8	14	58	10	12.6	0.1	0.9	28.91	91.4	6.3179	60.477
2025	6	8	15	8	10	12.6	0.1	0.9	28.7	90.4	6.3118	59.9979
2025	6	8	15	18	10	12.6	0.1	0.9	28.4	90.8	6.3118	59.3707
2025	6	8	15	28	10	12.4	0.1	0.9	28.73	92.4	6.3057	59.9374
2025	6	8	15	38	10	12.6	0.1	0.9	28.3	90.8	6.3057	59.1019
2025	6	8	15	48	10	12.6	0.1	0.9	28.94	93	6.2996	60.2941
2025	6	8	15	58	10	12.6	0.1	0.9	27.4	90	6.2935	57.1069

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	8	16	8	10	12.6	0.1	0.9	27.91	91.4	6.2813	58.0314
2025	6	8	16	18	10	12.6	0.1	0.9	27.6	89.2	6.2691	57.2911
2025	6	8	16	28	10	12.6	0.1	0.9	27.7	91	6.2691	57.4986
2025	6	8	16	38	10	12.6	0.1	0.9	28.6	90.2	6.263	59.3066
2025	6	8	16	48	10	12.6	0.1	0.9	27.7	90	6.2569	57.3819
2025	6	8	16	58	10	12.6	0.1	0.9	29.32	92	6.2508	60.6347
2025	6	8	17	8	10	12.6	0.1	0.9	27.9	89.6	6.2447	57.6787
2025	6	8	17	18	10	12.6	0.1	0.9	28.32	92.2	6.2386	58.446
2025	6	8	17	28	10	12.8	0.1	0.9	26.72	91.9	6.2386	55.1416
2025	6	8	17	38	10	12.8	0.1	0.9	27.4	90.8	6.2265	56.4719
2025	6	8	17	48	10	12.8	0.1	0.9	29.12	92.4	6.2204	59.9143
2025	6	8	17	58	10	12.8	0.1	0.9	27.02	92.1	6.2143	55.5337
2025	6	8	18	8	10	12.8	0.1	0.9	27.22	92.3	6.2021	55.8306
2025	6	8	18	18	10	12.4	0.1	0.9	27.71	91.4	6.196	56.7985
2025	6	8	18	28	10	12.2	0.1	0.9	27.9	89.6	6.1899	57.1499
2025	6	8	18	38	10	12.2	0.1	0.9	27.96	93.9	6.1838	57.0912
2025	6	8	18	48	10	12	0.1	0.9	28.1	89.2	6.1838	57.5004
2025	6	8	18	58	10	12	0.1	0.9	27.1	91.1	6.1777	55.3971
2025	6	8	19	8	10	12	0.1	0.9	28.08	94.3	6.1777	57.2369
2025	6	8	19	18	10	12	0.1	0.9	27.62	92.1	6.1716	56.3611
2025	6	8	19	28	10	12	0.1	0.9	26.74	93.2	6.1716	54.5233
2025	6	8	19	38	10	12	0.1	0.9	28.1	90.8	6.1655	57.3231
2025	6	8	19	48	10	12	0.1	0.9	28.2	91	6.1655	57.5271
2025	6	8	19	58	10	12	0.1	0.9	26.64	93.2	6.1594	54.2072
2025	6	8	20	8	10	12	0.1	0.9	27.92	92.1	6.1533	56.7977
2025	6	8	20	18	10	12	0.1	0.9	28.64	93.2	6.1472	58.1626
2025	6	8	20	28	10	12	0.1	0.9	26.5	90	6.135	53.7803
2025	6	8	20	38	10	12	0.1	0.9	26.5	90	6.135	53.7804
2025	6	8	20	48	10	12	0.1	0.9	27.54	92.9	6.1228	55.6941
2025	6	8	20	58	10	12	0.1	0.9	27.41	91.5	6.1167	55.434
2025	6	8	21	8	10	12	0.1	0.9	26.9	89.4	6.1167	54.4225
2025	6	8	21	18	10	12	0.1	0.9	26.11	91.3	6.1045	52.6941
2025	6	8	21	28	10	12	0.1	0.9	25.4	91.1	6.1045	51.2809
2025	6	8	21	38	10	12	0.1	0.9	26.5	91.1	6.0984	53.446
2025	6	8	21	48	10	11.8	0.1	0.9	27.73	92.5	6.0984	55.8663
2025	6	8	21	58	10	11.8	0.1	0.9	26.91	91.7	6.0923	54.1962
2025	6	8	22	8	10	11.8	0.1	0.9	25.95	93.5	6.0923	52.1816
2025	6	8	22	18	10	11.8	0.1	0.9	26.04	93.3	6.0862	52.3284
2025	6	8	22	28	10	11.8	0.1	0.9	26.13	92.9	6.0862	52.5297
2025	6	8	22	38	10	11.8	0.1	0.9	27.72	92.1	6.0802	55.6917
2025	6	8	22	48	10	11.8	0.1	0.9	27.8	90.8	6.0802	55.8928
2025	6	8	22	58	10	11.8	0.1	0.9	26.6	89.1	6.0741	53.4242
2025	6	8	23	8	10	11.8	0.1	0.9	26	91.1	6.068	52.1645
2025	6	8	23	18	10	11.8	0.1	0.9	25.8	91.1	6.068	51.7633
2025	6	8	23	28	10	11.8	0.1	0.9	25.01	88.4	6.068	50.1583
2025	6	8	23	38	10	11.8	0.1	0.9	26.41	91.7	6.0619	52.9117
2025	6	8	23	48	10	11.8	0.1	0.9	25.4	90.2	6.0558	50.854
2025	6	8	23	58	10	11.8	0.1	0.9	25.5	90.7	6.0558	51.0543

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	9	0	8	10	11.8	0.1	0.9	26.4	91.1	6.0497	52.8007
2025	6	9	0	18	10	11.8	0.1	0.9	26.92	92.1	6.0497	53.8008
2025	6	9	0	28	10	11.8	0.1	0.9	25.81	91.3	6.0436	51.5465
2025	6	9	0	38	10	11.8	0.1	0.9	25.84	93.1	6.0436	51.5465
2025	6	9	0	48	10	11.8	0.1	0.9	26.1	91.1	6.0314	52.0361
2025	6	9	0	58	10	11.8	0.1	0.9	24.61	91.2	6.0314	49.0455
2025	6	9	1	8	10	11.8	0.1	0.9	25.72	92.2	6.0253	51.1846
2025	6	9	1	18	10	11.8	0.1	0.9	25.53	92.9	6.0192	50.7326
2025	6	9	1	28	10	11.8	0.1	0.9	25.6	91.1	6.0131	50.8778
2025	6	9	1	38	10	11.8	0.1	0.9	25.1	90	6.0131	49.8841
2025	6	9	1	48	10	11.8	0.1	0.9	26.1	90.2	6.007	51.8166
2025	6	9	1	58	10	11.8	0.1	0.9	25.51	91.3	6.007	50.6255
2025	6	9	2	8	10	11.8	0.1	0.9	26.3	90	6.007	52.2138
2025	6	9	2	18	10	11.8	0.1	0.9	24.6	90.9	6.007	48.8388
2025	6	9	2	28	10	11.8	0.1	0.9	25.61	91.3	6.0009	50.7702
2025	6	9	2	38	10	11.8	0.1	0.9	26	90.7	6.0009	51.5636
2025	6	9	2	48	10	11.8	0.1	0.9	25.24	93.4	6.0009	49.977
2025	6	9	2	58	10	11.8	0.1	0.9	25.42	92.3	5.9948	50.3203
2025	6	9	3	8	10	11.8	0.1	0.9	26.11	91.3	5.9948	51.7071
2025	6	9	3	18	10	11.8	0.1	0.9	25.54	93.4	5.9948	50.5184
2025	6	9	3	28	10	11.8	0.1	0.9	25.21	91.6	5.9948	49.9241
2025	6	9	3	38	10	11.8	0.1	0.9	25.52	92	5.9887	50.4649
2025	6	9	3	48	10	11.8	0.1	0.9	26.2	90.9	5.9887	51.8502
2025	6	9	3	58	10	11.8	0.1	0.9	25.96	94	5.9887	51.2565
2025	6	9	4	8	10	11.8	0.1	0.9	24.1	89.8	5.9887	47.6943
2025	6	9	4	18	10	11.8	0.1	0.9	25.11	91.4	5.9887	49.6734
2025	6	9	4	28	10	11.8	0.1	0.9	25.11	91.8	5.9826	49.6206
2025	6	9	4	38	10	11.8	0.1	0.9	25.52	92.2	5.9826	50.4114
2025	6	9	4	48	10	11.8	0.1	0.9	25.7	90.9	5.9826	50.8068
2025	6	9	4	58	10	11.8	0.1	0.9	25.9	90.9	5.9826	51.2022
2025	6	9	5	8	10	11.8	0.1	0.9	25.9	89.1	5.9826	51.2022
2025	6	9	5	18	10	11.8	0.1	0.9	25.3	91.1	5.9826	50.0161
2025	6	9	5	28	10	11.8	0.1	0.9	26.31	91.3	5.9765	51.9377
2025	6	9	5	38	10	11.8	0.1	0.9	24.82	92.5	5.9765	48.9755
2025	6	9	5	48	10	11.8	0.1	0.9	25.86	94	5.9765	50.9504
2025	6	9	5	58	10	11.8	0.1	0.9	26.02	92	5.9765	51.3454
2025	6	9	6	8	10	11.8	0.1	0.9	25.61	91.3	5.9765	50.5555
2025	6	9	6	18	10	11.8	0.1	0.9	25.7	90.4	5.9704	50.6989
2025	6	9	6	28	10	11.8	0.1	0.9	25.2	91.1	5.9704	49.7126
2025	6	9	6	38	10	11.8	0.1	0.9	26.3	90	5.9704	51.8826
2025	6	9	6	48	10	12	0.1	0.9	25.53	92.7	5.9643	50.2508
2025	6	9	6	58	10	12	0.1	0.9	25.1	91.1	5.9643	49.4625
2025	6	9	7	8	10	12	0.1	0.9	25.6	90.9	5.9643	50.4479
2025	6	9	7	18	10	12.2	0.1	0.9	26.2	90	5.9643	51.6302
2025	6	9	7	28	10	12.2	0.1	0.9	25.24	93.4	5.9582	49.6066
2025	6	9	7	38	10	12.2	0.1	0.9	25.23	92.7	5.9521	49.5536
2025	6	9	7	48	10	12.2	0.1	0.9	25.71	91.6	5.9582	50.5909
2025	6	9	7	58	10	12.2	0.1	0.9	25.9	90.2	5.946	50.8756

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	9	8	8	10	12.4	0.1	0.9	25.73	92.7	5.9399	50.4287
2025	6	9	8	18	10	12.4	0.1	0.9	24.2	89.8	5.9338	47.4345
2025	6	9	8	28	10	12.4	0.1	0.9	25.32	95.7	5.9338	49.3946
2025	6	9	8	38	10	12.6	0.1	0.9	25.8	90	5.9278	50.5164
2025	6	9	8	48	10	12.6	0.1	0.9	25.34	93.2	5.9278	49.5373
2025	6	9	8	58	10	12.6	0.1	0.9	25.01	91.6	5.9217	48.8973
2025	6	9	9	8	10	12.6	0.1	0.9	24.65	93.7	5.9217	48.115
2025	6	9	9	18	10	12.6	0.1	0.9	24.63	93	5.9217	48.1149
2025	6	9	9	28	10	12.8	0.1	0.9	25.61	91.8	5.9156	50.017
2025	6	9	9	38	10	12.8	0.1	0.9	24.02	92.4	5.9156	46.8909
2025	6	9	9	48	10	12.8	0.1	0.9	24.82	92.5	5.9156	48.4539
2025	6	9	9	58	10	12.8	0.1	0.9	25.94	93.1	5.9156	50.603
2025	6	9	10	8	10	12.8	0.1	0.9	24.22	92.4	5.9095	47.2306
2025	6	9	10	18	10	12.6	0.1	0.9	24.9	90.9	5.9095	48.5967
2025	6	9	10	28	10	12.6	0.1	0.9	23.81	91.9	5.9095	46.4499
2025	6	9	10	38	10	12.6	0.1	0.9	24.3	89.1	5.9095	47.4256
2025	6	9	10	48	10	12.6	0.1	0.9	24.5	90	5.9095	47.8159
2025	6	9	10	58	10	12.6	0.1	0.9	24.3	90.7	5.9095	47.4255
2025	6	9	11	8	10	12.6	0.1	0.9	25.64	93.4	5.9095	49.9626
2025	6	9	11	18	10	12.6	0.1	0.9	25.53	92.7	5.9034	49.7137
2025	6	9	11	28	10	12.6	0.1	0.9	24.71	91.6	5.9034	48.154
2025	6	9	11	38	10	12.6	0.1	0.9	23.92	92.2	5.8973	46.544
2025	6	9	11	48	10	12.8	0.1	0.9	24.72	92.3	5.8912	48.05
2025	6	9	11	58	10	12.8	0.1	0.9	25	90.7	5.8912	48.6335
2025	6	9	12	8	10	12.8	0.1	0.8	25.3	91.1	5.8851	49.1638
2025	6	9	12	18	10	12.8	0.1	0.8	24.11	91.2	5.879	46.7812
2025	6	9	12	28	10	12.8	0.1	0.8	24.44	96.1	5.8729	47.1182
2025	6	9	12	38	10	12.8	0.1	0.8	24.92	92.1	5.8668	48.2292
2025	6	9	12	48	10	12.8	0.1	0.8	24.64	93.3	5.8668	47.648
2025	6	9	12	58	10	12.8	0.1	0.8	24.82	92.3	5.8668	48.0353
2025	6	9	13	8	10	12.6	0.1	0.8	23.93	92.9	5.8668	46.292
2025	6	9	13	18	10	12.6	0.1	0.8	24.14	93.3	5.8668	46.6793
2025	6	9	13	28	10	12.8	0.1	0.8	24.72	92.3	5.8668	47.8414
2025	6	9	13	38	10	13	0.1	0.8	25.02	92.1	5.8668	48.4224
2025	6	9	13	48	10	12.8	0.1	0.8	23.68	94.8	5.8668	45.7107
2025	6	9	13	58	10	12.8	0.1	0.8	23.72	92.4	5.8668	45.9043
2025	6	9	14	8	10	12.6	0.1	0.8	24.25	93.8	5.8607	46.8218
2025	6	9	14	18	10	12.6	0.1	0.8	24.02	92.4	5.8668	46.4852
2025	6	9	14	28	10	12.6	0.1	0.8	24.72	92.3	5.8668	47.841
2025	6	9	14	38	10	12.6	0.1	0.8	23.82	92.2	5.8607	46.0477
2025	6	9	14	48	10	12.6	0.1	0.8	24.6	90.7	5.8607	47.5954
2025	6	9	14	58	10	12.6	0.1	0.8	22.91	88.5	5.8607	44.3063
2025	6	9	15	8	10	12.6	0.1	0.8	24.57	94.4	5.8607	47.4018
2025	6	9	15	18	10	12.6	0.1	0.8	23.81	91.7	5.8485	45.9473
2025	6	9	15	28	10	12.4	0.1	0.8	24.8	90.7	5.8546	47.93
2025	6	9	15	38	10	12.4	0.1	0.8	23.95	93.8	5.8485	46.1403
2025	6	9	15	48	10	12.6	0.1	0.8	24.9	90	5.8485	48.0708
2025	6	9	15	58	10	12.6	0.1	0.8	23.9	90.5	5.8424	46.09

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	9	16	8	10	12.6	0.1	0.8	24.5	90.7	5.8424	47.247
2025	6	9	16	18	10	12.6	0.1	0.8	24.31	91.2	5.8424	46.8613
2025	6	9	16	28	10	12.6	0.1	0.8	23.71	91.2	5.8363	45.6543
2025	6	9	16	38	10	12.6	0.1	0.8	23.51	91.9	5.8302	45.2196
2025	6	9	16	48	10	12.6	0.1	0.8	24.31	91.4	5.8241	46.7079
2025	6	9	16	58	10	12.6	0.1	0.8	24.52	92.6	5.8241	47.0923
2025	6	9	17	8	10	12.6	0.1	0.8	23.91	91.2	5.8241	45.939
2025	6	9	17	18	10	12.6	0.1	0.8	24.65	93.7	5.8241	47.2844
2025	6	9	17	28	10	12.4	0.1	0.8	23.11	91.7	5.8241	44.4012
2025	6	9	17	38	10	12.4	0.1	0.8	24.11	91.2	5.818	46.2727
2025	6	9	17	48	10	12	0.1	0.8	24.4	90	5.818	46.8487
2025	6	9	17	58	10	12	0.1	0.8	24.61	91.2	5.818	47.2327
2025	6	9	18	8	10	12	0.1	0.8	23.71	91.7	5.818	45.5047
2025	6	9	18	18	10	12	0.1	0.8	23.41	91.2	5.818	44.9287
2025	6	9	18	28	10	12	0.1	0.8	23.1	90.7	5.818	44.3526
2025	6	9	18	38	10	12	0.1	0.8	23.61	91.2	5.818	45.3127
2025	6	9	18	48	10	12	0.1	0.8	23.21	91.2	5.818	44.5447
2025	6	9	18	58	10	12	0.1	0.8	23.9	90	5.8119	45.8384
2025	6	9	19	8	10	12	0.1	0.8	24.72	92.1	5.8119	47.3728
2025	6	9	19	18	10	12	0.1	0.8	24.42	92.1	5.8119	46.7974
2025	6	9	19	28	10	12	0.1	0.8	24.21	91.7	5.8119	46.4139
2025	6	9	19	38	10	12	0.1	0.8	24.22	92.4	5.8119	46.4139
2025	6	9	19	48	10	12	0.1	0.8	24.55	93.5	5.8119	46.9893
2025	6	9	19	58	10	12	0.1	0.8	23.4	90	5.8119	44.8796
2025	6	9	20	8	10	12	0.1	0.8	23.51	88.3	5.8058	45.022
2025	6	9	20	18	10	12	0.1	0.8	24	91	5.8058	45.9799
2025	6	9	20	28	10	12	0.1	0.8	23.51	88.8	5.8058	45.022
2025	6	9	20	38	10	12	0.1	0.8	23.3	90.7	5.8058	44.6389
2025	6	9	20	48	10	12	0.1	0.8	24.15	93.8	5.8058	46.1716
2025	6	9	20	58	10	12	0.1	0.8	24.9	90.5	5.8058	47.7043
2025	6	9	21	8	10	12	0.1	0.8	23.5	90	5.8058	45.0221
2025	6	9	21	18	10	12	0.1	0.8	23.82	92.4	5.8058	45.5969
2025	6	9	21	28	10	12	0.1	0.8	24.9	90	5.7997	47.652
2025	6	9	21	38	10	12	0.1	0.8	23.7	90	5.7997	45.3556
2025	6	9	21	48	10	11.8	0.1	0.8	23	90	5.7997	44.016
2025	6	9	21	58	10	11.8	0.1	0.8	24	89.5	5.7997	45.9298
2025	6	9	22	8	10	11.8	0.1	0.8	24.45	93.8	5.7997	46.6953
2025	6	9	22	18	10	12	0.1	0.8	24.01	91.2	5.7997	45.9298
2025	6	9	22	28	10	12	0.1	0.8	24.31	91.2	5.7997	46.504
2025	6	9	22	38	10	12	0.1	0.8	22.7	89.7	5.7997	43.442
2025	6	9	22	48	10	12	0.1	0.8	23.2	89.5	5.7997	44.399
2025	6	9	22	58	10	12	0.1	0.8	24	90	5.7997	45.93
2025	6	9	23	8	10	12	0.1	0.8	24.71	91.2	5.7997	47.2697
2025	6	9	23	18	10	12	0.1	0.8	23.83	92.9	5.7936	45.4973
2025	6	9	23	28	10	12	0.1	0.8	23.2	90.7	5.7936	44.3503
2025	6	9	23	38	10	12	0.1	0.8	24.2	90.9	5.7936	46.262
2025	6	9	23	48	10	11.8	0.1	0.8	23	90	5.7936	43.9681
2025	6	9	23	58	10	11.8	0.1	0.8	24.3	89.5	5.7936	46.4533

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	10	0	8	10	11.8	0.1	0.8	22.57	94.6	5.7936	43.0123
2025	6	10	0	18	10	11.8	0.1	0.8	23.65	93.6	5.7936	45.1152
2025	6	10	0	28	10	11.8	0.1	0.8	22.73	92.8	5.7936	43.3947
2025	6	10	0	38	10	11.8	0.1	0.8	24	90.5	5.7936	45.8799
2025	6	10	0	48	10	11.8	0.1	0.8	23.44	93.2	5.7936	44.7329
2025	6	10	0	58	10	11.8	0.1	0.8	23.4	90.7	5.7936	44.733
2025	6	10	1	8	10	11.8	0.1	0.8	23.56	94.1	5.7936	44.9242
2025	6	10	1	18	10	11.8	0.1	0.8	22.74	93.3	5.7936	43.3949
2025	6	10	1	28	10	11.8	0.1	0.8	23.41	91.5	5.7875	44.6839
2025	6	10	1	38	10	11.8	0.1	0.8	24.1	91	5.7875	46.0206
2025	6	10	1	48	10	11.8	0.1	0.8	23.55	93.7	5.7875	44.8749
2025	6	10	1	58	10	11.8	0.1	0.8	24.15	93.8	5.7875	46.0207
2025	6	10	2	8	10	11.8	0.1	0.8	22.9	90.5	5.7875	43.7292
2025	6	10	2	18	10	11.8	0.1	0.8	24.9	89.3	5.7875	47.5484
2025	6	10	2	28	10	11.8	0.1	0.8	24.21	91.9	5.7875	46.2117
2025	6	10	2	38	10	11.8	0.1	0.8	23.8	90.5	5.7875	45.4479
2025	6	10	2	48	10	11.8	0.1	0.8	23.4	90.5	5.7875	44.6841
2025	6	10	2	58	10	11.8	0.1	0.8	23.2	90.7	5.7875	44.3022
2025	6	10	3	8	10	11.8	0.1	0.8	23.21	92	5.7875	44.3023
2025	6	10	3	18	10	11.8	0.1	0.8	25.3	90	5.7875	48.3124
2025	6	10	3	28	10	11.8	0.1	0.8	24.62	92.1	5.7875	46.9757
2025	6	10	3	38	10	11.8	0.1	0.8	21.92	92.4	5.7875	41.8199
2025	6	10	3	48	10	11.8	0.1	0.8	22.6	90	5.7875	43.1566
2025	6	10	3	58	10	11.8	0.1	0.8	23.76	94.1	5.7814	45.2074
2025	6	10	4	8	10	11.8	0.1	0.8	23.85	93.8	5.7814	45.3982
2025	6	10	4	18	10	11.8	0.1	0.8	23.7	90.7	5.7814	45.2074
2025	6	10	4	28	10	11.8	0.1	0.8	23.21	91.5	5.7814	44.2537
2025	6	10	4	38	10	11.8	0.1	0.8	22.31	91.3	5.7814	42.537
2025	6	10	4	48	10	11.8	0.1	0.8	24.25	93.8	5.7814	46.1613
2025	6	10	4	58	10	11.8	0.1	0.8	23.55	93.7	5.7814	44.826
2025	6	10	5	8	10	11.8	0.1	0.8	23.22	92.5	5.7814	44.2538
2025	6	10	5	18	10	11.8	0.1	0.8	23.31	91.2	5.7814	44.4446
2025	6	10	5	28	10	11.8	0.1	0.8	23.71	91.7	5.7814	45.2076
2025	6	10	5	38	10	11.8	0.1	0.8	24.33	93.1	5.7814	46.3521
2025	6	10	5	48	10	11.8	0.1	0.8	22.42	92.3	5.7814	42.7279
2025	6	10	5	58	10	11.8	0.1	0.8	24.7	90.5	5.7814	47.1152
2025	6	10	6	8	10	11.8	0.1	0.8	22.52	92.5	5.7814	42.9187
2025	6	10	6	18	10	11.8	0.1	0.8	23.5	89.8	5.7814	44.8262
2025	6	10	6	28	10	11.8	0.1	0.8	23.01	91.5	5.7814	43.8725
2025	6	10	6	38	10	11.8	0.1	0.8	23.72	92.4	5.7814	45.2078
2025	6	10	6	48	10	12	0.1	0.8	25.2	90.9	5.7814	48.069
2025	6	10	6	58	10	12	0.1	0.8	24.48	94.7	5.7814	46.543
2025	6	10	7	8	10	12	0.1	0.8	23.62	92.4	5.7814	45.017
2025	6	10	7	18	10	12.2	0.1	0.8	23.51	91.7	5.7754	44.7769
2025	6	10	7	28	10	12.2	0.1	0.8	24	90.2	5.7754	45.7296
2025	6	10	7	38	10	12.2	0.1	0.8	23.51	91.7	5.7754	44.7769
2025	6	10	7	48	10	12.2	0.1	0.8	23.81	91.9	5.7754	45.3485
2025	6	10	7	58	10	12.4	0.1	0.8	22.53	93.1	5.7754	42.8715

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	10	8	8	10	12.4	0.1	0.8	23.71	91.2	5.7754	45.158
2025	6	10	8	18	10	12.4	0.1	0.8	23.51	91.7	5.7754	44.7769
2025	6	10	8	28	10	12.4	0.1	0.8	23.31	91.2	5.7754	44.3958
2025	6	10	8	38	10	12.4	0.1	0.8	22.32	92.6	5.7754	42.4904
2025	6	10	8	48	10	12.6	0.1	0.8	23.06	94	5.7754	43.8241
2025	6	10	8	58	10	12.6	0.1	0.8	22.61	91.3	5.7754	43.0619
2025	6	10	9	8	10	12.6	0.1	0.8	24.13	92.6	5.7754	45.92
2025	6	10	9	18	10	12.6	0.1	0.8	22.7	91	5.7754	43.2524
2025	6	10	9	28	10	12.6	0.1	0.8	24.2	90.5	5.7754	46.1105
2025	6	10	9	38	10	12.6	0.1	0.8	22.72	92.5	5.7754	43.2523
2025	6	10	9	48	10	12.6	0.1	0.8	22.67	94.6	5.7754	43.0617
2025	6	10	9	58	10	12.6	0.1	0.8	24.13	92.9	5.7754	45.9198
2025	6	10	10	8	10	12.6	0.1	0.8	23.81	91.2	5.7754	45.3481
2025	6	10	10	18	10	12.6	0.1	0.8	23.55	93.9	5.7754	44.7764
2025	6	10	10	28	10	12.6	0.1	0.8	22.36	94.1	5.7754	42.4899
2025	6	10	10	38	10	12.4	0.1	0.8	23.12	92.5	5.7754	44.0142
2025	6	10	10	48	10	12.4	0.1	0.8	23.4	90.5	5.7754	44.5857
2025	6	10	10	58	10	12.4	0.1	0.8	23.14	93.5	5.7754	44.0141
2025	6	10	11	8	10	12.4	0.1	0.8	21.63	93.2	5.7693	41.1105
2025	6	10	11	18	10	12.4	0.1	0.8	24.6	90.5	5.7693	46.8203
2025	6	10	11	28	10	12.4	0.1	0.8	22.98	94.7	5.7693	43.5846
2025	6	10	11	38	10	12.6	0.1	0.8	23.51	91.9	5.7693	44.7265
2025	6	10	11	48	10	12.6	0.1	0.8	22.44	93.6	5.7632	42.5858
2025	6	10	11	58	10	12.6	0.1	0.8	23.62	92.4	5.7571	44.8175
2025	6	10	12	8	10	12.6	0.1	0.8	23.01	91.7	5.7632	43.7263
2025	6	10	12	18	10	12.6	0.1	0.8	23.3	91	5.7571	44.2476
2025	6	10	12	28	10	12.6	0.1	0.8	22.61	91.8	5.751	42.8707
2025	6	10	12	38	10	12.6	0.1	0.8	21.56	94.3	5.751	40.784
2025	6	10	12	48	10	12.6	0.1	0.8	16.07	84.6	5.7449	30.3172
2025	6	10	12	58	10	12.6	0.1	0.8	22.69	95.1	5.751	42.8705
2025	6	10	13	8	10	12.6	0.1	0.8	24.42	92.3	5.751	46.2849
2025	6	10	13	18	10	12.6	0.1	0.8	23.33	92.9	5.7449	44.1493
2025	6	10	13	28	10	12.4	0.1	0.8	24	90	5.7449	45.4756
2025	6	10	13	38	10	12.6	0.1	0.8	24.71	91.2	5.7449	46.8019
2025	6	10	13	48	10	12.6	0.1	0.8	22.54	93.6	5.7449	42.6332
2025	6	10	13	58	10	12.6	0.1	0.8	18.38	84.7	5.7449	34.675
2025	6	10	14	8	10	12.6	0.1	0.8	19.52	87.4	5.7449	36.9487
2025	6	10	14	18	10	12.6	0.1	0.8	23.51	91.7	5.7449	44.5279
2025	6	10	14	28	10	12.4	0.1	0.8	23.4	89.5	5.7388	44.2892
2025	6	10	14	38	10	12.4	0.1	0.8	23.27	96.9	5.7388	43.7213
2025	6	10	14	48	10	12.6	0.1	0.8	24.2	90.2	5.7449	45.8541
2025	6	10	14	58	10	12.6	0.1	0.8	24.2	89.1	5.7388	45.8032
2025	6	10	15	8	10	12.6	0.1	0.8	12.9	91.3	5.7388	24.4157
2025	6	10	15	18	10	12.6	0.1	0.8	23.41	88.3	5.7388	44.2889
2025	6	10	15	28	10	12.4	0.1	0.8	23.42	92.2	5.7388	44.2889
2025	6	10	15	38	10	12.4	0.1	0.8	22.92	92.3	5.7388	43.3425
2025	6	10	15	48	10	12.6	0.1	0.8	24.6	90.5	5.7388	46.56
2025	6	10	15	58	10	12.6	0.1	0.8	23.6	91	5.7388	44.6673

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	10	16	8	10	12.6	0.1	0.8	23.22	92.5	5.7388	43.9102
2025	6	10	16	18	10	12.6	0.1	0.8	22.72	92.5	5.7388	42.9639
2025	6	10	16	28	10	12.6	0.1	0.8	23.01	91.5	5.7327	43.4833
2025	6	10	16	38	10	12.6	0.1	0.8	23.31	91.7	5.7388	44.0994
2025	6	10	16	48	10	12.6	0.1	0.8	22.51	92	5.7327	42.538
2025	6	10	16	58	10	12.6	0.1	0.8	23.01	91.2	5.7388	43.5316
2025	6	10	17	8	10	12.6	0.1	0.8	22.24	93.6	5.7327	41.9707
2025	6	10	17	18	10	12.6	0.1	0.8	22.6	91	5.7327	42.727
2025	6	10	17	28	10	12.6	0.1	0.8	21.3	90.8	5.7266	40.2245
2025	6	10	17	38	10	12.6	0.1	0.8	22.92	92.3	5.7266	43.246
2025	6	10	17	48	10	12.4	0.1	0.8	22.2	90.8	5.7266	41.9241
2025	6	10	17	58	10	12.4	0.1	0.8	23.4	90.5	5.7266	44.1902
2025	6	10	18	8	10	12.2	0.1	0.8	21.8	89.7	5.7327	41.2145
2025	6	10	18	18	10	12.2	0.1	0.8	23.41	91.7	5.7327	44.2394
2025	6	10	18	28	10	12	0.1	0.8	23.71	88.8	5.7327	44.8066
2025	6	10	18	38	10	12	0.1	0.8	23	90.2	5.7266	43.4349
2025	6	10	18	48	10	12	0.1	0.8	22.7	90.3	5.7266	42.8683
2025	6	10	18	58	10	12	0.1	0.8	22.2	90.3	5.7327	41.9708
2025	6	10	19	8	10	12	0.1	0.8	23.04	93.2	5.7266	43.4349
2025	6	10	19	18	10	12	0.1	0.8	22.31	88.7	5.7266	42.113
2025	6	10	19	28	10	12	0.1	0.8	23.61	91.2	5.7266	44.568
2025	6	10	19	38	10	12	0.1	0.8	22.91	91.8	5.7266	43.2461
2025	6	10	19	48	10	12	0.1	0.8	22.91	91.3	5.7266	43.2461
2025	6	10	19	58	10	12	0.1	0.8	23.12	92.5	5.7266	43.6239
2025	6	10	20	8	10	12	0.1	0.8	22.4	90.5	5.7205	42.2549
2025	6	10	20	18	10	12	0.1	0.8	21.93	92.9	5.7205	41.3117
2025	6	10	20	28	10	12	0.1	0.8	22.01	91.8	5.7266	41.5466
2025	6	10	20	38	10	12	0.1	0.8	22.6	89.5	5.7205	42.6322
2025	6	10	20	48	10	12	0.1	0.8	22.9	89.5	5.7205	43.1982
2025	6	10	20	58	10	12	0.1	0.8	22.9	90	5.7205	43.1982
2025	6	10	21	8	10	12	0.1	0.8	22.71	88.2	5.7205	42.821
2025	6	10	21	18	10	12	0.1	0.8	22.9	90	5.7205	43.1983
2025	6	10	21	28	10	12	0.1	0.8	22.4	89.5	5.7205	42.2551
2025	6	10	21	38	10	12	0.1	0.8	22.54	93.6	5.7205	42.4438
2025	6	10	21	48	10	11.8	0.1	0.8	24.41	91.2	5.7205	46.028
2025	6	10	21	58	10	11.8	0.1	0.8	23.31	91.5	5.7205	43.953
2025	6	10	22	8	10	11.8	0.1	0.8	23.4	90	5.7205	44.1416
2025	6	10	22	18	10	11.8	0.1	0.8	23.12	92.5	5.7205	43.5758
2025	6	10	22	28	10	11.8	0.1	0.8	22.9	90	5.7205	43.1985
2025	6	10	22	38	10	11.8	0.1	0.8	21.93	92.9	5.7205	41.3122
2025	6	10	22	48	10	11.8	0.1	0.8	22.41	91.8	5.7205	42.2554
2025	6	10	22	58	10	11.8	0.1	0.8	22.91	92	5.7205	43.1986
2025	6	10	23	8	10	11.8	0.1	0.8	23.08	94.7	5.7205	43.3873
2025	6	10	23	18	10	11.8	0.1	0.8	23.61	91.2	5.7205	44.5192
2025	6	10	23	28	10	11.8	0.1	0.8	23.43	92.7	5.7205	44.142
2025	6	10	23	38	10	11.8	0.1	0.8	21.4	90.3	5.7144	40.3242
2025	6	10	23	48	10	11.8	0.1	0.8	21.41	92.1	5.7205	40.3692
2025	6	10	23	58	10	11.8	0.1	0.8	23	89.5	5.7205	43.3875

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	11	0	8	10	11.8	0.1	0.8	21.7	90	5.7205	40.9352
2025	6	11	0	18	10	11.8	0.1	0.8	23.3	90	5.7144	43.9046
2025	6	11	0	28	10	11.8	0.1	0.8	23.21	91.2	5.7144	43.7162
2025	6	11	0	38	10	11.8	0.1	0.8	21.69	95.3	5.7144	40.7013
2025	6	11	0	48	10	11.8	0.1	0.8	22.2	90	5.7144	41.8319
2025	6	11	0	58	10	11.8	0.1	0.8	22.4	90.8	5.7144	42.2088
2025	6	11	1	8	10	11.8	0.1	0.8	22.1	90	5.7144	41.6436
2025	6	11	1	18	10	11.8	0.1	0.8	22.6	90.3	5.7144	42.5858
2025	6	11	1	28	10	11.8	0.1	0.8	20.91	88.4	5.7144	39.3825
2025	6	11	1	38	10	11.8	0.1	0.8	21.5	91.1	5.7144	40.5131
2025	6	11	1	48	10	11.8	0.1	0.8	23.51	91.2	5.7144	44.2818
2025	6	11	1	58	10	11.8	0.1	0.8	22.6	90	5.7144	42.586
2025	6	11	2	8	10	11.8	0.1	0.8	22.92	87.7	5.7144	43.1513
2025	6	11	2	18	10	11.8	0.1	0.8	23.2	90.2	5.7144	43.7167
2025	6	11	2	28	10	11.8	0.1	0.8	22.61	91.8	5.7144	42.5861
2025	6	11	2	38	10	11.8	0.1	0.8	22.01	91.6	5.7144	41.4555
2025	6	11	2	48	10	11.8	0.1	0.8	22.21	91.3	5.7144	41.8324
2025	6	11	2	58	10	11.8	0.1	0.8	22.52	92.5	5.7144	42.3978
2025	6	11	3	8	10	11.8	0.1	0.8	22.56	94.1	5.7144	42.3978
2025	6	11	3	18	10	11.8	0.1	0.8	23.63	92.9	5.7144	44.4706
2025	6	11	3	28	10	11.8	0.1	0.8	22.8	90.5	5.7144	42.9632
2025	6	11	3	38	10	11.8	0.1	0.8	22.8	90.3	5.7144	42.9632
2025	6	11	3	48	10	11.8	0.1	0.8	22.7	89.2	5.7144	42.7748
2025	6	11	3	58	10	11.8	0.1	0.8	22.71	91.8	5.7144	42.7749
2025	6	11	4	8	10	11.8	0.1	0.8	22.31	91.3	5.7144	42.0212
2025	6	11	4	18	10	11.8	0.1	0.8	23.32	92.5	5.7144	43.9056
2025	6	11	4	28	10	11.8	0.1	0.8	22.81	91.3	5.7144	42.9634
2025	6	11	4	38	10	11.8	0.1	0.8	22.2	91	5.7144	41.8329
2025	6	11	4	48	10	11.8	0.1	0.8	23.11	91.2	5.7144	43.5288
2025	6	11	4	58	10	11.8	0.1	0.8	22.81	91.3	5.7083	42.9156
2025	6	11	5	8	10	11.8	0.1	0.8	22.3	90	5.7144	42.0214
2025	6	11	5	18	10	11.8	0.1	0.8	23.51	91.2	5.7144	44.2827
2025	6	11	5	28	10	11.6	0.1	0.8	23.14	93.5	5.7144	43.529
2025	6	11	5	38	10	11.6	0.1	0.8	23.33	92.7	5.7144	43.9059
2025	6	11	5	48	10	11.6	0.1	0.8	22.54	93.3	5.7144	42.3984
2025	6	11	5	58	10	11.6	0.1	0.8	23.52	92.4	5.7144	44.2828
2025	6	11	6	8	10	11.6	0.1	0.8	22.03	93.1	5.7144	41.4563
2025	6	11	6	18	10	11.8	0.1	0.8	23.41	91.7	5.7144	44.0944
2025	6	11	6	28	10	11.8	0.1	0.8	23.02	92.2	5.7083	43.2924
2025	6	11	6	38	10	11.8	0.1	0.8	23.61	91.9	5.7144	44.4714
2025	6	11	6	48	10	12	0.1	0.8	22.31	91.3	5.7144	42.0217
2025	6	11	6	58	10	12	0.1	0.8	21.7	90	5.7144	40.8911
2025	6	11	7	8	10	12.2	0.1	0.8	23.11	91.2	5.7144	43.5292
2025	6	11	7	18	10	12.2	0.1	0.8	23.62	92.4	5.7144	44.4714
2025	6	11	7	28	10	12.4	0.1	0.8	22.02	92.6	5.7144	41.4564
2025	6	11	7	38	10	12.6	0.1	0.8	22.11	91.3	5.7144	41.6449
2025	6	11	7	48	10	12.6	0.1	0.8	22.81	92	5.7144	42.964
2025	6	11	7	58	10	12.6	0.1	0.8	22.82	92.5	5.7144	42.964

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	11	8	8	10	12.6	0.1	0.8	22.71	91.3	5.7144	42.7755
2025	6	11	8	18	10	12.8	0.1	0.8	23.22	92.2	5.7144	43.7177
2025	6	11	8	28	10	12.8	0.1	0.8	22.89	95	5.7144	42.9639
2025	6	11	8	38	10	12.8	0.1	0.8	21.53	93.2	5.7144	40.5142
2025	6	11	8	48	10	13	0.1	0.8	23.5	90.7	5.7144	44.283
2025	6	11	8	58	10	12.8	0.1	0.8	22.22	92.6	5.7144	41.8333
2025	6	11	9	8	10	12.8	0.1	0.8	21.93	93.1	5.7144	41.2679
2025	6	11	9	18	10	13	0.1	0.8	23.1	90.7	5.7144	43.5292
2025	6	11	9	28	10	13	0.1	0.8	22	90.3	5.7144	41.4563
2025	6	11	9	38	10	13	0.1	0.8	23.5	89.5	5.7144	44.2828
2025	6	11	9	48	10	12.8	0.1	0.8	21.64	93.4	5.7144	40.7025
2025	6	11	9	58	10	13	0.1	0.8	24.01	91.4	5.7144	45.2249
2025	6	11	10	8	10	12.8	0.1	0.8	21.91	91.3	5.7144	41.2677
2025	6	11	10	18	10	12.8	0.1	0.8	22.23	92.8	5.7144	41.833
2025	6	11	10	28	10	12.8	0.1	0.8	22.61	91.3	5.7144	42.5867
2025	6	11	10	38	10	12.6	0.1	0.8	23.4	89.5	5.7144	44.0941
2025	6	11	10	48	10	12.6	0.1	0.8	22.5	90	5.7083	42.3508
2025	6	11	10	58	10	12.6	0.1	0.8	22.71	91.8	5.7144	42.7749
2025	6	11	11	8	10	12.6	0.1	0.8	22.31	91.3	5.7144	42.0211
2025	6	11	11	18	10	12.6	0.1	0.8	24.02	92.4	5.7144	45.2245
2025	6	11	11	28	10	12.6	0.1	0.8	22.9	90.3	5.7144	43.1516
2025	6	11	11	38	10	12.8	0.1	0.8	22.91	91.3	5.7144	43.1516
2025	6	11	11	48	10	12.8	0.1	0.8	22.36	94.1	5.7144	42.0209
2025	6	11	11	58	10	12.8	0.1	0.8	22.43	93.1	5.7144	42.2092
2025	6	11	12	8	10	12.8	0.1	0.8	22.46	94.1	5.7144	42.2092
2025	6	11	12	18	10	12.8	0.1	0.8	21.73	92.9	5.7144	40.8901
2025	6	11	12	28	10	12.8	0.1	0.8	23.15	93.7	5.7205	43.5766
2025	6	11	12	38	10	12.8	0.1	0.8	23.11	91.2	5.7144	43.528
2025	6	11	12	48	10	12.8	0.1	0.8	22.44	93.3	5.7144	42.2089
2025	6	11	12	58	10	12.8	0.1	0.8	22.8	90.5	5.7205	43.0105
2025	6	11	13	8	10	12.6	0.1	0.8	22.4	89.7	5.7205	42.2558
2025	6	11	13	24	55	12.8	0.1	0.8	22.41	91.3	5.7144	42.2086
2025	6	11	13	34	55	12.8	0.1	0.8	23.15	93.7	5.7205	43.5761
2025	6	11	13	44	55	13	0.1	0.8	22.52	92.5	5.7144	42.3969
2025	6	11	13	54	55	13	0.1	0.8	22.33	93.1	5.7144	42.02
2025	6	11	14	4	55	13	0.1	0.8	22.65	93.8	5.7144	42.5852
2025	6	11	14	14	55	13	0.1	0.8	22.28	94.9	5.7144	41.8314
2025	6	11	14	24	55	13	0.1	0.8	22.4	89	5.7144	42.2082
2025	6	11	14	34	55	12.8	0.1	0.8	21.37	94.6	5.7144	40.1355
2025	6	11	14	44	55	13	0.1	0.8	22.8	90.3	5.7083	42.9139
2025	6	11	14	54	55	13	0.1	0.8	22.51	91.3	5.7144	42.3965
2025	6	11	15	4	55	12.8	0.1	0.8	23.01	92	5.7083	43.2903
2025	6	11	15	14	55	12.8	0.1	0.8	22.93	93	5.7144	43.1502
2025	6	11	15	24	55	12.6	0.1	0.8	22.81	91.3	5.7083	42.9138
2025	6	11	15	34	55	12.4	0.1	0.8	22.28	97.2	5.7144	41.6426
2025	6	11	15	44	55	12.8	0.1	0.8	23.5	90.7	5.7144	44.2806
2025	6	11	15	54	55	12.8	0.1	0.8	23.6	90	5.7022	44.3698
2025	6	11	16	4	55	12.8	0.1	0.8	22.6	91	5.7083	42.5372

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	11	16	14	55	12.8	0.1	0.8	22.21	91.8	5.7022	41.7376
2025	6	11	16	24	55	12.8	0.1	0.8	22.52	92.5	5.6961	42.2543
2025	6	11	16	34	55	12.8	0.1	0.8	21.51	91.3	5.6961	40.3763
2025	6	11	16	44	55	12.8	0.1	0.8	22.6	91	5.6961	42.4421
2025	6	11	16	54	55	12.8	0.1	0.8	23.35	93.7	5.69	43.7077
2025	6	11	17	4	55	12.8	0.1	0.8	22.41	91.3	5.69	42.0194
2025	6	11	17	14	55	12.8	0.1	0.8	22.6	91	5.69	42.3946
2025	6	11	17	24	55	12.8	0.1	0.8	23.84	93.4	5.69	44.6456
2025	6	11	17	34	55	12.8	0.1	0.8	22.11	92.1	5.69	41.4566
2025	6	11	17	44	55	13	0.1	0.8	22.4	90	5.6839	41.9723
2025	6	11	17	54	55	12.8	0.1	0.8	23.21	91.5	5.6839	43.4713
2025	6	11	18	4	55	12.4	0.1	0.8	22.31	91.5	5.6839	41.785
2025	6	11	18	14	55	12.4	0.1	0.8	21.02	92.2	5.6839	39.3491
2025	6	11	18	24	55	12.2	0.1	0.8	23.3	89.3	5.6839	43.6588
2025	6	11	18	34	55	12.2	0.1	0.8	22.31	92.1	5.6778	41.7381
2025	6	11	18	44	55	12.2	0.1	0.8	22.8	89.2	5.6778	42.674
2025	6	11	18	54	55	12.2	0.1	0.8	22.61	92	5.6778	42.2997
2025	6	11	19	4	55	12.2	0.1	0.8	21.91	91.8	5.6778	40.9896
2025	6	11	19	14	55	12.2	0.1	0.8	21.21	88.6	5.6778	39.6794
2025	6	11	19	24	55	12.2	0.1	0.8	21.92	92.4	5.6717	40.9436
2025	6	11	19	34	55	12	0.1	0.8	22.8	90.8	5.6717	42.6263
2025	6	11	19	44	55	12	0.1	0.8	23.41	91.7	5.6717	43.7481
2025	6	11	19	54	55	12	0.1	0.8	22.1	90.8	5.6717	41.3176
2025	6	11	20	4	55	12	0.1	0.8	23.8	89.3	5.6717	44.496
2025	6	11	20	14	55	12	0.1	0.8	22.4	89.5	5.6717	41.8786
2025	6	11	20	24	55	12	0.1	0.8	22.6	90	5.6717	42.2525
2025	6	11	20	34	55	12	0.1	0.8	21.81	92.1	5.6717	40.7569
2025	6	11	20	44	55	12	0.1	0.8	22.72	92.3	5.6717	42.4396
2025	6	11	20	54	55	12	0.1	0.8	22.21	91.3	5.6717	41.5048
2025	6	11	21	4	55	12	0.1	0.8	21.91	92.1	5.6717	40.944
2025	6	11	21	14	55	12	0.1	0.8	22.53	93.1	5.6717	42.0658
2025	6	11	21	24	55	12	0.1	0.8	22	90	5.6717	41.131
2025	6	11	21	34	55	12	0.1	0.8	23.21	95.7	5.6717	43.1876
2025	6	11	21	44	55	12	0.1	0.8	21.21	91.4	5.6717	39.6354
2025	6	11	21	54	55	12	0.1	0.8	23.4	89.8	5.6717	43.7486
2025	6	11	22	4	55	12	0.1	0.8	22.41	92	5.6656	41.832
2025	6	11	22	14	55	12	0.1	0.8	23.17	94.5	5.6717	43.1878
2025	6	11	22	24	55	12	0.1	0.8	22.41	91.3	5.6717	41.8791
2025	6	11	22	34	55	12	0.1	0.8	23.38	94.7	5.6656	43.5128
2025	6	11	22	44	55	12	0.1	0.8	22.3	89.5	5.6656	41.6454
2025	6	11	22	54	55	12	0.1	0.8	21.62	92.7	5.6717	40.3835
2025	6	11	23	4	55	12	0.1	0.8	23.26	93.9	5.6656	43.3262
2025	6	11	23	14	55	12	0.1	0.8	22.41	92	5.6656	41.8322
2025	6	11	23	24	55	12	0.1	0.8	21.4	90.3	5.6717	40.0097
2025	6	11	23	34	55	12	0.1	0.8	22.7	90	5.6717	42.4403
2025	6	11	23	44	55	12	0.1	0.8	22	90.3	5.6717	41.1316
2025	6	11	23	54	55	12	0.1	0.8	22.21	91.3	5.6717	41.5056
2025	6	12	0	4	55	12	0.1	0.8	21.83	93.2	5.6717	40.7577

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	12	0	14	55	12	0.1	0.8	22.42	92.6	5.6778	41.9266
2025	6	12	0	24	55	12	0.1	0.8	23.52	92.2	5.6778	43.9856
2025	6	12	0	34	55	12	0.1	0.8	23.01	91.2	5.6778	43.0497
2025	6	12	0	44	55	12	0.1	0.8	21.9	90.5	5.6839	41.0369
2025	6	12	0	54	55	12	0.1	0.8	22.5	90.8	5.6839	42.1612
2025	6	12	1	4	55	12	0.1	0.8	22.4	91	5.6839	41.9739
2025	6	12	1	14	55	12	0.1	0.8	22.71	91.5	5.69	42.5838
2025	6	12	1	24	55	12	0.1	0.8	21.9	90.3	5.6839	41.0371
2025	6	12	1	34	55	12	0.1	0.8	21.4	90	5.6839	40.1002
2025	6	12	1	44	55	12	0.1	0.8	22.33	92.8	5.6839	41.7867
2025	6	12	1	54	55	12	0.1	0.8	22.73	92.8	5.69	42.584
2025	6	12	2	4	55	12	0.1	0.8	22.61	91.8	5.69	42.3964
2025	6	12	2	14	55	12	0.1	0.8	21.75	93.7	5.69	40.7081
2025	6	12	2	24	55	11.8	0.1	0.8	21.8	89.7	5.69	40.8957
2025	6	12	2	34	55	11.8	0.1	0.8	22.95	93.7	5.69	42.9593
2025	6	12	2	44	55	11.8	0.1	0.8	22.42	92.6	5.69	42.0213
2025	6	12	2	54	55	11.8	0.1	0.8	22.24	93.6	5.69	41.6462
2025	6	12	3	4	55	11.8	0.1	0.8	21.84	93.4	5.69	40.8959
2025	6	12	3	14	55	11.8	0.1	0.8	23	89	5.6961	43.1954
2025	6	12	3	24	55	11.8	0.1	0.8	22.23	92.8	5.6961	41.693
2025	6	12	3	34	55	11.8	0.1	0.8	23.55	93.7	5.6961	44.1345
2025	6	12	3	44	55	11.8	0.1	0.8	23.2	89	5.6961	43.5711
2025	6	12	3	54	55	11.8	0.1	0.8	22.42	92.6	5.6961	42.0687
2025	6	12	4	4	55	11.8	0.1	0.8	22.22	92.3	5.6961	41.6931
2025	6	12	4	14	55	11.8	0.1	0.8	23.2	91	5.6961	43.5712
2025	6	12	4	24	55	11.8	0.1	0.8	21.12	92.7	5.6961	39.6273
2025	6	12	4	34	55	11.8	0.1	0.8	22.33	92.8	5.6961	41.881
2025	6	12	4	44	55	11.8	0.1	0.8	22.52	92.5	5.6961	42.2567
2025	6	12	4	54	55	11.8	0.1	0.8	21.81	92.1	5.6961	40.942
2025	6	12	5	4	55	11.8	0.1	0.8	22.7	90.5	5.6961	42.6323
2025	6	12	5	14	55	11.8	0.1	0.8	22.02	92.3	5.6961	41.3177
2025	6	12	5	24	55	11.8	0.1	0.8	22.93	92.8	5.6961	43.008
2025	6	12	5	34	55	11.8	0.1	0.8	21.7	90	5.6961	40.7544
2025	6	12	5	44	55	11.8	0.1	0.8	22	90.5	5.6961	41.3178
2025	6	12	5	54	55	11.8	0.1	0.8	22.4	90.3	5.6961	42.0691
2025	6	12	6	4	55	11.8	0.1	0.8	22.51	91.8	5.6961	42.2569
2025	6	12	6	14	55	11.8	0.1	0.8	21.81	91.3	5.6961	40.9423
2025	6	12	6	24	55	11.8	0.1	0.8	21.49	95.3	5.6961	40.1911
2025	6	12	6	34	55	12	0.1	0.8	22.51	91.3	5.6961	42.257
2025	6	12	6	44	55	12	0.1	0.8	22.72	92.5	5.7022	42.6804
2025	6	12	6	54	55	12.2	0.1	0.8	22.92	92.5	5.7022	43.0564
2025	6	12	7	4	55	12.2	0.1	0.8	22.86	94.3	5.7022	42.8684
2025	6	12	7	14	55	12.4	0.1	0.8	22.76	94.3	5.7022	42.6804
2025	6	12	7	24	55	12.4	0.1	0.8	23.01	91.2	5.7022	43.2445
2025	6	12	7	34	55	12.4	0.1	0.8	22.54	93.6	5.7083	42.3517
2025	6	12	7	44	55	12.4	0.1	0.8	23.33	92.9	5.7083	43.8576
2025	6	12	7	54	55	12.4	0.1	0.8	21.71	92.1	5.7083	40.8459
2025	6	12	8	4	55	12.6	0.1	0.8	23.85	93.6	5.7083	44.7987

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	12	8	14	55	12.6	0.1	0.8	21.9	90.3	5.7083	41.2224
2025	6	12	8	24	55	12.6	0.1	0.8	22.81	91.8	5.7144	42.9643
2025	6	12	8	34	55	12.6	0.1	0.8	22.59	95.1	5.7205	42.4463
2025	6	12	8	44	55	12.6	0.1	0.8	23.2	90.5	5.7327	43.8644
2025	6	12	8	54	55	12.8	0.1	0.8	22.82	92.5	5.7327	43.1081
2025	6	12	9	4	55	12.8	0.1	0.8	22.3	91	5.7388	42.2096
2025	6	12	9	14	55	12.8	0.1	0.8	22.65	93.8	5.7388	42.7774
2025	6	12	9	24	55	12.8	0.1	0.8	22.43	92.8	5.7388	42.3988
2025	6	12	9	34	55	13	0.1	0.8	23.31	91.2	5.7449	44.1513
2025	6	12	9	44	55	13.2	0.1	0.8	22.84	93.3	5.7449	43.2038
2025	6	12	9	54	55	13.6	0.1	0.8	23.91	91.9	5.751	45.3384
2025	6	12	10	4	55	13.4	0.1	0.8	22.36	94.1	5.751	42.3031
2025	6	12	10	14	55	13.2	0.1	0.8	21.33	93	5.751	40.4061
2025	6	12	10	24	55	12.8	0.1	0.8	22.78	94.8	5.751	43.0618
2025	6	12	10	34	55	12.6	0.1	0.8	23.1	90.7	5.7571	43.8691
2025	6	12	10	44	55	12.6	0.1	0.8	23.01	91.2	5.7571	43.6792
2025	6	12	10	54	55	12.8	0.1	0.8	23.61	91.2	5.7571	44.8186
2025	6	12	11	4	55	12.8	0.1	0.8	23.51	91.2	5.7571	44.6286
2025	6	12	11	14	55	12.8	0.1	0.8	23.3	89.3	5.7632	44.2977
2025	6	12	11	24	55	12.8	0.1	0.8	23.65	93.6	5.7632	44.868
2025	6	12	11	34	55	12.8	0.1	0.8	22.18	94.9	5.7632	42.0161
2025	6	12	11	44	55	12.8	0.1	0.8	23.02	92.5	5.7693	43.7755
2025	6	12	11	54	55	12.8	0.1	0.8	23.54	93.2	5.7693	44.727
2025	6	12	12	4	55	13	0.1	0.8	22.81	95.5	5.7693	43.2043
2025	6	12	12	14	55	12.8	0.1	0.8	23.64	93.4	5.7693	44.9172
2025	6	12	12	24	55	13	0.1	0.8	23.42	92.4	5.7754	44.5857
2025	6	12	12	34	55	13	0.1	0.8	22.1	91	5.7754	42.1086
2025	6	12	12	44	55	13	0.1	0.8	23.7	90.7	5.7754	45.1571
2025	6	12	12	54	55	13	0.1	0.8	23.41	92	5.7814	44.6347
2025	6	12	13	4	55	13	0.1	0.8	23.52	92.4	5.7814	44.8253
2025	6	12	13	14	55	12.8	0.1	0.8	22.8	90	5.7814	43.49
2025	6	12	13	24	55	13	0.1	0.8	22.46	94.3	5.7875	42.7741
2025	6	12	13	34	55	13	0.1	0.8	22.75	93.8	5.7875	43.3469
2025	6	12	13	44	55	13	0.1	0.8	23.11	91.7	5.7875	44.1106
2025	6	12	13	54	55	13	0.1	0.8	24	90	5.7875	45.8292
2025	6	12	14	4	55	13	0.1	0.8	23.71	91.9	5.7875	45.2562
2025	6	12	14	14	55	13	0.1	0.8	24.11	91.4	5.7875	46.02
2025	6	12	14	24	55	13	0.1	0.8	23.71	91.2	5.7936	45.3059
2025	6	12	14	34	55	13	0.1	0.8	23.8	90.5	5.7936	45.4971
2025	6	12	14	44	55	13	0.1	0.8	23.83	92.6	5.7936	45.497
2025	6	12	14	54	55	13	0.1	0.8	23.2	89	5.7997	44.3988
2025	6	12	15	4	55	13	0.1	0.8	23.31	92	5.7997	44.5901
2025	6	12	15	14	55	13	0.1	0.8	23.9	90.7	5.7997	45.7383
2025	6	12	15	24	55	12.6	0.1	0.8	23.4	91	5.7997	44.7814
2025	6	12	15	34	55	12.6	0.1	0.8	25	91.1	5.7997	47.8433
2025	6	12	15	44	55	13	0.1	0.8	21.94	93.4	5.7997	41.9107
2025	6	12	15	54	55	13	0.1	0.8	22.1	89.7	5.8058	42.3399
2025	6	12	16	4	55	13	0.1	0.8	24.21	91.7	5.8058	46.3631

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	12	16	14	55	12.8	0.1	0.8	23.72	92.2	5.8058	45.4051
2025	6	12	16	24	55	12.8	0.1	0.8	23.9	91	5.8058	45.7883
2025	6	12	16	34	55	13	0.1	0.8	23.5	90.5	5.8119	45.0713
2025	6	12	16	44	55	13	0.1	0.8	24.35	93.8	5.8119	46.6057
2025	6	12	16	54	55	13	0.1	0.8	22.11	92.1	5.8119	42.3862
2025	6	12	17	4	55	13	0.1	0.8	23.2	90	5.8119	44.4959
2025	6	12	17	14	55	12.8	0.1	0.8	23.8	90.7	5.8119	45.6466
2025	6	12	17	24	55	12.8	0.1	0.8	23.65	93.6	5.8119	45.263
2025	6	12	17	34	55	12.8	0.1	0.8	23.61	91.5	5.818	45.3126
2025	6	12	17	44	55	12.8	0.1	0.8	24.11	91.2	5.818	46.2726
2025	6	12	17	54	55	12.6	0.1	0.8	24.6	90.9	5.818	47.2326
2025	6	12	18	4	55	12.4	0.1	0.8	24.81	91.2	5.818	47.6166
2025	6	12	18	14	55	12.4	0.1	0.8	22.81	91.3	5.818	43.7766
2025	6	12	18	24	55	12.2	0.1	0.8	22.85	93.8	5.818	43.7766
2025	6	12	18	34	55	12.2	0.1	0.8	23.1	89.3	5.8241	44.4011
2025	6	12	18	44	55	12.2	0.1	0.8	23.81	91.4	5.8241	45.7466
2025	6	12	18	54	55	12.2	0.1	0.8	23.13	92.7	5.818	44.3526
2025	6	12	19	4	55	12.2	0.1	0.8	24.2	90.9	5.818	46.4646
2025	6	12	19	14	55	12.2	0.1	0.8	23.42	92.2	5.818	44.9286
2025	6	12	19	24	55	12.2	0.1	0.8	24.21	88.6	5.8241	46.5156
2025	6	12	19	34	55	12.2	0.1	0.8	24.11	91.2	5.8241	46.3234
2025	6	12	19	44	55	12	0.1	0.8	24.03	92.6	5.8241	46.1312
2025	6	12	19	54	55	12	0.1	0.8	23.51	88.8	5.8241	45.1702
2025	6	12	20	4	55	12	0.1	0.8	24.44	93.3	5.8241	46.9001
2025	6	12	20	14	55	12	0.1	0.8	24.92	92.3	5.8302	47.9136
2025	6	12	20	24	55	12	0.1	0.8	24.2	90.9	5.8241	46.5158
2025	6	12	20	34	55	12	0.1	0.8	23.9	90.7	5.8302	45.9894
2025	6	12	20	44	55	12	0.1	0.8	24.61	91.9	5.8363	47.3882
2025	6	12	20	54	55	12	0.1	0.8	23.41	91.2	5.8424	45.1258
2025	6	12	21	4	55	12	0.1	0.8	23.7	89.5	5.8363	45.6545
2025	6	12	21	14	55	12	0.1	0.8	23.91	91.2	5.8485	46.1404
2025	6	12	21	24	55	12	0.1	0.8	23.21	91.2	5.8485	44.789
2025	6	12	21	34	55	12	0.1	0.8	25.2	91.1	5.8546	48.7032
2025	6	12	21	44	55	12	0.1	0.8	25	91.1	5.8546	48.3167
2025	6	12	21	54	55	12	0.1	0.8	23.1	89	5.8546	44.6447
2025	6	12	22	4	55	12	0.1	0.8	23.31	91.7	5.8546	45.0313
2025	6	12	22	14	55	12	0.1	0.8	24.31	91.9	5.8607	47.0151
2025	6	12	22	24	55	12	0.1	0.8	24.02	92.4	5.8607	46.4347
2025	6	12	22	34	55	12	0.1	0.8	23.92	87.8	5.8607	46.2413
2025	6	12	22	44	55	12	0.1	0.8	24.2	89.5	5.8607	46.8218
2025	6	12	22	54	55	12	0.1	0.8	24.9	90	5.8607	48.1762
2025	6	12	23	4	55	12	0.1	0.8	24.12	92.4	5.8607	46.6284
2025	6	12	23	14	55	12	0.1	0.8	23.9	90.2	5.8607	46.2415
2025	6	12	23	24	55	12	0.1	0.8	23.54	93.2	5.8607	45.4676
2025	6	12	23	34	55	12	0.1	0.8	23.53	92.7	5.8607	45.4677
2025	6	12	23	44	55	12	0.1	0.8	25.03	92.7	5.8607	48.3699
2025	6	12	23	54	55	12	0.1	0.8	23.68	94.6	5.8607	45.6613
2025	6	13	0	4	55	12	0.1	0.8	24	90	5.8607	46.4352

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	13	0	14	55	12	0.1	0.8	24	89.3	5.8607	46.4353
2025	6	13	0	24	55	12	0.1	0.8	24.4	89.1	5.8607	47.2092
2025	6	13	0	34	55	12	0.1	0.8	24.11	91.7	5.8607	46.6288
2025	6	13	0	44	55	12	0.1	0.8	24.91	91.2	5.8607	48.1767
2025	6	13	0	54	55	12	0.1	0.8	25.11	91.6	5.8607	48.5638
2025	6	13	1	4	55	12	0.1	0.8	24.22	92.4	5.8607	46.8225
2025	6	13	1	14	55	12	0.1	0.8	24.31	91.2	5.8607	47.016
2025	6	13	1	24	55	12	0.1	0.8	25	90.2	5.8607	48.3704
2025	6	13	1	34	55	12	0.1	0.8	23.7	89.3	5.8607	45.8552
2025	6	13	1	44	55	12	0.1	0.8	23.51	91.5	5.8607	45.4683
2025	6	13	1	54	55	12	0.1	0.8	25.63	92.7	5.8668	49.5853
2025	6	13	2	4	55	12	0.1	0.8	25.3	90	5.8607	48.9511
2025	6	13	2	14	55	12	0.1	0.8	25.01	91.4	5.8607	48.3707
2025	6	13	2	24	55	12	0.1	0.8	23.84	93.1	5.8607	46.0489
2025	6	13	2	34	55	12	0.1	0.8	24.52	92.3	5.8607	47.4034
2025	6	13	2	44	55	11.8	0.1	0.8	24.01	91.9	5.8668	46.4865
2025	6	13	2	54	55	11.8	0.1	0.8	24.14	93.3	5.8668	46.6802
2025	6	13	3	4	55	11.8	0.1	0.8	24.31	91.9	5.8668	47.0677
2025	6	13	3	14	55	11.8	0.1	0.8	24.01	91.4	5.8668	46.4866
2025	6	13	3	24	55	11.8	0.1	0.8	24.9	90	5.8668	48.23
2025	6	13	3	34	55	11.8	0.1	0.8	23.3	89	5.8729	45.1799
2025	6	13	3	44	55	11.8	0.1	0.8	24.51	91.6	5.8729	47.5068
2025	6	13	3	54	55	11.8	0.1	0.8	23.92	92.4	5.879	46.3937
2025	6	13	4	4	55	11.8	0.1	0.8	25.2	91.1	5.8729	48.8643
2025	6	13	4	14	55	11.8	0.1	0.8	24.82	92.3	5.8851	48.193
2025	6	13	4	24	55	11.8	0.1	0.8	23.61	91.5	5.8851	45.8612
2025	6	13	4	34	55	11.8	0.1	0.8	25	89.5	5.8851	48.5818
2025	6	13	4	44	55	11.8	0.1	0.8	25.23	92.7	5.879	48.9175
2025	6	13	4	54	55	11.8	0.1	0.8	25.01	88.4	5.8851	48.5819
2025	6	13	5	4	55	11.8	0.1	0.9	24.51	91.6	5.8912	47.6618
2025	6	13	5	14	55	11.8	0.1	0.9	24.04	96.2	5.8912	46.4946
2025	6	13	5	24	55	11.8	0.1	0.9	24.41	91.2	5.8912	47.4674
2025	6	13	5	34	55	11.8	0.1	0.9	24.01	91.7	5.8912	46.6893
2025	6	13	5	44	55	11.8	0.1	0.9	25.21	95.5	5.8912	48.8292
2025	6	13	5	54	55	11.8	0.1	0.9	24.14	93.1	5.8912	46.8839
2025	6	13	6	4	55	11.8	0.1	0.9	23.61	91.7	5.8912	45.9112
2025	6	13	6	14	55	11.8	0.1	0.9	24.6	90.5	5.8912	47.8567
2025	6	13	6	24	55	11.8	0.1	0.9	24.12	92.4	5.8912	46.884
2025	6	13	6	34	55	12	0.1	0.9	25.32	92.3	5.8912	49.2185
2025	6	13	6	44	55	12	0.1	0.9	24.33	92.8	5.8912	47.2731
2025	6	13	6	54	55	12.2	0.1	0.9	24.6	90.9	5.8912	47.8568
2025	6	13	7	4	55	12.2	0.1	0.9	24.37	94.5	5.8912	47.2732
2025	6	13	7	14	55	12.2	0.1	0.9	24.94	93.2	5.8912	48.4405
2025	6	13	7	24	55	12.4	0.1	0.9	24.42	92.3	5.8973	47.5191
2025	6	13	7	34	55	12.4	0.1	0.9	25.52	92.5	5.8973	49.6614
2025	6	13	7	44	55	12.4	0.1	0.9	23.8	90.5	5.8973	46.3506
2025	6	13	7	54	55	12.4	0.1	0.9	24.04	93.3	5.8973	46.7401
2025	6	13	8	4	55	12.6	0.1	0.9	24.81	91.6	5.8973	48.2981

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	13	8	14	55	12.6	0.1	0.9	24.77	94.2	5.8973	48.1034
2025	6	13	8	24	55	12.6	0.1	0.9	24.22	92.6	5.8973	47.1296
2025	6	13	8	34	55	12.6	0.1	0.9	24.72	92.3	5.8973	48.1033
2025	6	13	8	44	55	13.2	0.1	0.9	24.44	93.3	5.9034	47.5704
2025	6	13	8	54	55	13.4	0.1	0.9	25.04	93.2	5.9034	48.7401
2025	6	13	9	4	55	13.4	0.1	0.9	23.61	91.2	5.9034	46.0107
2025	6	13	9	14	55	13.6	0.1	0.9	24.5	90.9	5.9034	47.7653
2025	6	13	9	24	55	12.8	0.1	0.9	25.41	91.8	5.9095	49.5733
2025	6	13	9	34	55	12.8	0.1	0.9	25.64	93.4	5.9095	49.9636
2025	6	13	9	44	55	12.8	0.1	0.9	24.54	93.3	5.9095	47.8167
2025	6	13	9	54	55	12.8	0.1	0.9	24.13	92.9	5.9095	47.0359
2025	6	13	10	4	55	12.8	0.1	0.9	25.26	94.1	5.9156	49.2358
2025	6	13	10	14	55	12.8	0.1	0.9	24.52	92.3	5.9156	47.868
2025	6	13	10	24	55	12.8	0.1	0.9	25.24	93.4	5.9156	49.2356
2025	6	13	10	34	55	12.6	0.1	0.9	25.13	93	5.9156	49.0402
2025	6	13	10	44	55	12.6	0.1	0.9	24.94	93.2	5.9217	48.7017
2025	6	13	10	54	55	12.6	0.1	0.9	25.04	93.4	5.9217	48.8973
2025	6	13	11	4	55	12.6	0.1	0.9	25.02	92.1	5.9278	48.9498
2025	6	13	11	14	55	12.6	0.1	0.9	25.33	92.7	5.9278	49.5371
2025	6	13	11	24	55	12.6	0.1	0.9	24.62	92.6	5.9278	48.1664
2025	6	13	11	34	55	12.6	0.1	0.9	24.85	93.7	5.9278	48.5579
2025	6	13	11	44	55	12.8	0.1	0.9	24.54	93.3	5.9338	48.022
2025	6	13	11	54	55	12.8	0.1	0.9	23.78	94.6	5.9399	46.5037
2025	6	13	12	4	55	12.8	0.1	0.9	24.61	91.4	5.9399	48.2696
2025	6	13	12	14	55	12.8	0.1	0.9	25.63	92.7	5.946	50.2856
2025	6	13	12	24	55	12.8	0.1	0.9	26.24	93.1	5.9521	51.5192
2025	6	13	12	34	55	12.8	0.1	0.9	25.5	90.9	5.9521	50.1426
2025	6	13	12	44	55	12.8	0.1	0.9	25.5	90.9	5.9521	50.1425
2025	6	13	12	54	55	12.8	0.1	0.9	25.6	90.9	5.9643	50.4468
2025	6	13	13	4	55	12.6	0.1	0.9	24.73	93	5.9643	48.6732
2025	6	13	13	14	55	12.6	0.1	0.9	24.5	90	5.9643	48.279
2025	6	13	13	24	55	12.6	0.1	0.9	24.86	93.9	5.9704	48.9223
2025	6	13	13	34	55	12.8	0.1	0.9	25.69	94.9	5.9704	50.5004
2025	6	13	13	44	55	13	0.1	0.9	25.4	90.7	5.9704	50.1058
2025	6	13	13	54	55	13.2	0.1	0.9	25.9	91.1	5.9704	51.092
2025	6	13	14	4	55	13	0.1	0.9	24.9	90.7	5.9765	49.1717
2025	6	13	14	14	55	13	0.1	0.9	26	90.9	5.9826	51.3986
2025	6	13	14	24	55	12.8	0.1	0.9	24.1	91	5.9765	47.5918
2025	6	13	14	34	55	12.6	0.1	0.9	24.8	90.9	5.9887	49.0784
2025	6	13	14	44	55	13	0.1	0.9	26.61	91.7	5.9887	52.6405
2025	6	13	14	54	55	13	0.1	0.9	26	91.1	5.9887	51.453
2025	6	13	15	4	55	13	0.1	0.9	25.76	94	5.9887	50.8593
2025	6	13	15	14	55	13	0.1	0.9	25.24	93.4	5.9948	49.9228
2025	6	13	15	24	55	12.6	0.1	0.9	25.9	90.2	5.9948	51.3095
2025	6	13	15	34	55	12.4	0.1	0.9	25.14	93.4	6.0009	49.7774
2025	6	13	15	44	55	13	0.1	0.9	25.9	90.2	6.0009	51.3639
2025	6	13	15	54	55	13	0.1	0.9	25.62	92.2	6.007	50.8228
2025	6	13	16	4	55	13	0.1	0.9	25.72	95.6	6.007	50.8227

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	13	16	14	55	13	0.1	0.9	25.61	91.3	6.007	50.8227
2025	6	13	16	24	55	13	0.1	0.9	26.02	92	6.0131	51.6714
2025	6	13	16	34	55	13	0.1	0.9	26.92	92.1	6.0131	53.46
2025	6	13	16	44	55	13	0.1	0.9	26	90	6.0192	51.7261
2025	6	13	16	54	55	12.8	0.1	0.9	25.31	91.4	6.0192	50.3334
2025	6	13	17	4	55	12.8	0.1	0.9	26.11	91.8	6.0192	51.925
2025	6	13	17	14	55	12.8	0.1	0.9	26.53	92.8	6.0253	52.7765
2025	6	13	17	24	55	12.8	0.1	0.9	25.5	91.1	6.0253	50.7849
2025	6	13	17	34	55	12.8	0.1	0.9	24.9	90	6.0253	49.5899
2025	6	13	17	44	55	12.8	0.1	0.9	24.51	91.9	6.0314	48.8448
2025	6	13	17	54	55	12.6	0.1	0.9	26.4	90	6.0314	52.6328
2025	6	13	18	4	55	12.4	0.1	0.9	25.4	90	6.0314	50.6391
2025	6	13	18	14	55	12.2	0.1	0.9	24.91	88.8	6.0375	49.6947
2025	6	13	18	24	55	12.2	0.1	0.9	25.5	91.1	6.0375	50.8921
2025	6	13	18	34	55	12.2	0.1	0.9	25.6	90	6.0375	51.0917
2025	6	13	18	44	55	12.2	0.1	0.9	25.77	94.2	6.0436	51.3454
2025	6	13	18	54	55	12.2	0.1	0.9	26.4	90.9	6.0436	52.7439
2025	6	13	19	4	55	12.2	0.1	0.9	25.5	90.7	6.0558	51.0531
2025	6	13	19	14	55	12	0.1	0.9	25.2	90.5	6.0619	50.5055
2025	6	13	19	24	55	12	0.1	0.9	25.51	91.3	6.068	51.1605
2025	6	13	19	34	55	12	0.1	0.9	25.76	93.8	6.0741	51.6158
2025	6	13	19	44	55	12	0.1	0.9	25.81	91.8	6.0741	51.8167
2025	6	13	19	54	55	12	0.1	0.9	25.7	90.9	6.0802	51.67
2025	6	13	20	4	55	12	0.1	0.9	25.62	92.5	6.0802	51.469
2025	6	13	20	14	55	12	0.1	0.9	26.23	92.6	6.0862	52.7304
2025	6	13	20	24	55	12	0.1	0.9	26.31	88.3	6.0862	52.9317
2025	6	13	20	34	55	12	0.1	0.9	26.72	88.1	6.0862	53.7368
2025	6	13	20	44	55	12	0.1	0.9	25.3	89.8	6.0862	50.9192
2025	6	13	20	54	55	12	0.1	0.9	26.8	90.2	6.0923	53.9946
2025	6	13	21	4	55	12	0.1	0.9	26.2	90	6.0862	52.7306
2025	6	13	21	14	55	12	0.1	0.9	25.64	93.4	6.0923	51.577
2025	6	13	21	24	55	12	0.1	0.9	26.61	91.7	6.0923	53.5918
2025	6	13	21	34	55	12	0.1	0.9	26.01	91.5	6.0923	52.383
2025	6	13	21	44	55	12	0.1	0.9	26	91.1	6.0923	52.383
2025	6	13	21	54	55	12	0.1	0.9	27.1	90.6	6.0923	54.5993
2025	6	13	22	4	55	12	0.1	0.9	25.7	90.7	6.0984	51.8328
2025	6	13	22	14	55	12	0.1	0.9	26	90	6.0984	52.4379
2025	6	13	22	24	55	12	0.1	0.9	26.12	92.2	6.0984	52.6396
2025	6	13	22	34	55	12	0.1	0.9	26.41	91.7	6.1045	53.3003
2025	6	13	22	44	55	12	0.1	0.9	26.5	90.4	6.1106	53.558
2025	6	13	22	54	55	12	0.1	0.9	26.5	89.4	6.1167	53.6139
2025	6	13	23	4	55	12	0.1	0.9	26.9	90.2	6.1289	54.5364
2025	6	13	23	14	55	12	0.1	0.9	25.9	90	6.1289	52.5091
2025	6	13	23	24	55	12	0.1	0.9	27.72	92.1	6.135	56.2168
2025	6	13	23	34	55	12	0.1	0.9	26.64	93.2	6.135	53.9844
2025	6	13	23	44	55	12	0.1	0.9	26.7	91.1	6.1411	54.2436
2025	6	13	23	54	55	12	0.1	0.9	26.8	91.1	6.1411	54.4468
2025	6	14	0	4	55	12	0.1	0.9	26.5	90	6.1411	53.8374

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	14	0	14	55	12	0.1	0.9	27.4	90.8	6.1411	55.6659
2025	6	14	0	24	55	12	0.1	0.9	25.6	89.6	6.1411	52.0091
2025	6	14	0	34	55	12	0.1	0.9	26.3	90.7	6.1411	53.4312
2025	6	14	0	44	55	12	0.1	0.9	27.52	92.3	6.1472	55.9271
2025	6	14	0	54	55	12	0.1	0.9	26.61	91.5	6.1472	54.0968
2025	6	14	1	4	55	11.8	0.1	0.9	26.21	91.7	6.1472	53.2834
2025	6	14	1	14	55	11.8	0.1	0.9	26.81	91.7	6.1472	54.5037
2025	6	14	1	24	55	11.8	0.1	0.9	28.63	92.8	6.1472	58.1644
2025	6	14	1	34	55	11.8	0.1	0.9	26.75	93.4	6.1472	54.3004
2025	6	14	1	44	55	11.8	0.1	0.9	27.7	89.6	6.1533	56.3925
2025	6	14	1	54	55	11.8	0.1	0.9	27.01	91.3	6.1533	54.9674
2025	6	14	2	4	55	11.8	0.1	0.9	26	89.8	6.1533	52.9317
2025	6	14	2	14	55	11.8	0.1	0.9	27.59	94.6	6.1594	56.0434
2025	6	14	2	24	55	11.8	0.1	0.9	26.6	90	6.1594	54.2093
2025	6	14	2	34	55	11.8	0.1	0.9	27	89.6	6.1716	55.1382
2025	6	14	2	44	55	11.8	0.1	0.9	26.31	91.3	6.1838	53.8195
2025	6	14	2	54	55	11.8	0.1	0.9	26.1	90.2	6.1838	53.4102
2025	6	14	3	4	55	11.8	0.1	0.9	27.3	90.2	6.1838	55.8659
2025	6	14	3	14	55	11.8	0.1	0.9	27.9	90.6	6.1899	57.1525
2025	6	14	3	24	55	11.8	0.1	0.9	27.71	91.9	6.1899	56.7429
2025	6	14	3	34	55	11.8	0.1	0.9	27.42	92.1	6.1899	56.1284
2025	6	14	3	44	55	11.8	0.1	0.9	28.12	92.2	6.1899	57.5624
2025	6	14	3	54	55	11.8	0.1	0.9	27	89.6	6.1899	55.3091
2025	6	14	4	4	55	11.8	0.1	0.9	26.45	93.5	6.196	54.1356
2025	6	14	4	14	55	11.8	0.1	0.9	27.2	90.4	6.196	55.7761
2025	6	14	4	24	55	11.8	0.1	0.9	25.7	90.4	6.196	52.7003
2025	6	14	4	34	55	11.8	0.1	0.9	27.4	91	6.196	56.1863
2025	6	14	4	44	55	11.8	0.1	0.9	27.7	91	6.196	56.8016
2025	6	14	4	54	55	11.8	0.1	0.9	27.61	91.7	6.196	56.5965
2025	6	14	5	4	55	11.8	0.1	0.9	27.6	90.2	6.196	56.5966
2025	6	14	5	14	55	11.8	0.1	0.9	27.63	92.5	6.196	56.5966
2025	6	14	5	24	55	11.8	0.1	0.9	27.8	90.4	6.2021	57.0653
2025	6	14	5	34	55	11.8	0.1	0.9	26.71	91.3	6.2021	54.8074
2025	6	14	5	44	55	11.8	0.1	0.9	26.33	92.6	6.2021	53.9863
2025	6	14	5	54	55	11.8	0.1	0.9	27.6	91	6.2021	56.6549
2025	6	14	6	4	55	11.8	0.1	0.9	27.81	91.9	6.2021	57.0655
2025	6	14	6	14	55	11.8	0.1	0.9	27.4	90	6.2082	56.3021
2025	6	14	6	24	55	11.8	0.1	0.9	28.22	92.2	6.2082	57.946
2025	6	14	6	34	55	11.8	0.1	0.9	27.92	92.3	6.2082	57.3296
2025	6	14	6	44	55	12	0.1	0.9	27.73	92.7	6.2143	56.977
2025	6	14	6	54	55	12.2	0.1	0.9	27.65	93.5	6.2265	56.8876
2025	6	14	7	4	55	12.2	0.1	0.9	27.5	91	6.2386	56.7973
2025	6	14	7	14	55	12.2	0.1	0.9	27.12	92.1	6.2447	56.0283
2025	6	14	7	24	55	12.2	0.1	0.9	27.9	91	6.2447	57.6823
2025	6	14	7	34	55	12.2	0.1	0.9	27.5	90.6	6.2447	56.8553
2025	6	14	7	44	55	12.2	0.1	0.9	27.8	90	6.2447	57.4755
2025	6	14	7	54	55	12.6	0.1	0.9	28.31	91.4	6.2508	58.5689
2025	6	14	8	4	55	12.6	0.1	0.9	27.9	90.2	6.2447	57.6823

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	14	8	14	55	12.8	0.1	0.9	28.63	92.4	6.2508	59.1897
2025	6	14	8	24	55	12.6	0.1	0.9	27.22	92.1	6.2508	56.2924
2025	6	14	8	34	55	12.6	0.1	0.9	28	90.8	6.2508	57.948
2025	6	14	8	44	55	12.6	0.1	0.9	28.72	92	6.2508	59.3967
2025	6	14	8	54	55	12.6	0.1	0.9	27.92	92.1	6.2508	57.741
2025	6	14	9	4	55	12.8	0.1	0.9	28.43	92.6	6.2508	58.7758
2025	6	14	9	14	55	12.8	0.1	0.9	28.2	90.8	6.2508	58.3618
2025	6	14	9	24	55	13.2	0.1	0.9	28.91	91.8	6.2508	59.8105
2025	6	14	9	34	55	13.2	0.1	0.9	27.14	93	6.2569	56.1423
2025	6	14	9	44	55	13.2	0.1	0.9	27.72	92.3	6.2569	57.3853
2025	6	14	9	54	55	13.2	0.1	0.9	28.61	91.8	6.2569	59.2497
2025	6	14	10	4	55	13.2	0.1	0.9	27.52	92.1	6.2569	56.9708
2025	6	14	10	14	55	13	0.1	0.9	28.42	92.2	6.2569	58.8353
2025	6	14	10	24	55	12.6	0.1	0.9	28.12	92	6.263	58.2729
2025	6	14	10	34	55	12.6	0.1	0.9	28.02	92	6.263	58.0655
2025	6	14	10	44	55	12.6	0.1	0.9	28.23	92.6	6.2569	58.4207
2025	6	14	10	54	55	12.6	0.1	0.9	27.91	91.6	6.2691	57.9167
2025	6	14	11	4	55	12.6	0.1	0.9	26.71	91.3	6.263	55.3694
2025	6	14	11	14	55	12.6	0.1	0.9	28.99	94.6	6.2691	59.9924
2025	6	14	11	24	55	12.6	0.1	0.9	29.22	92.4	6.2691	60.6151
2025	6	14	11	34	55	12.6	0.1	0.9	27.34	92.9	6.2691	56.6709
2025	6	14	11	44	55	12.6	0.1	0.9	28.6	90.6	6.2691	59.3694
2025	6	14	11	54	55	12.6	0.1	0.9	29.4	90.6	6.2752	61.0919
2025	6	14	12	4	55	12.6	0.1	0.9	28.12	92.2	6.2752	58.3905
2025	6	14	12	14	55	12.6	0.1	0.9	27.83	92.7	6.2752	57.767
2025	6	14	12	24	55	12.6	0.1	0.9	27.62	92.3	6.2813	57.4095
2025	6	14	12	34	55	12.6	0.1	0.9	28.7	90	6.2813	59.6974
2025	6	14	12	44	55	12.6	0.1	0.9	28.2	94.9	6.2813	58.4493
2025	6	14	12	54	55	12.6	0.1	0.9	29.2	90	6.2813	60.7373
2025	6	14	13	4	55	12.6	0.1	0.9	28.3	90.2	6.2874	58.9247
2025	6	14	13	14	55	12.6	0.1	0.9	28.4	90.8	6.2874	59.1329
2025	6	14	13	24	55	12.6	0.1	0.9	29	90	6.2874	60.3821
2025	6	14	13	34	55	12.6	0.1	0.9	28	90.6	6.2935	58.3588
2025	6	14	13	44	55	12.8	0.1	0.9	27.6	90.8	6.2935	57.525
2025	6	14	13	54	55	13	0.1	0.9	28.62	92	6.2935	59.6092
2025	6	14	14	4	55	12.8	0.1	0.9	28.64	93	6.2935	59.6091
2025	6	14	14	14	55	12.8	0.1	0.9	28.7	89.4	6.2996	59.8779
2025	6	14	14	24	55	12.6	0.1	0.9	28.21	91.2	6.2996	58.8347
2025	6	14	14	34	55	12.6	0.1	0.9	27.2	90.6	6.3057	56.8056
2025	6	14	14	44	55	12.6	0.1	0.9	29.2	90.2	6.2996	60.9209
2025	6	14	14	54	55	12.8	0.1	0.9	28.4	90.8	6.3057	59.3116
2025	6	14	15	4	55	12.8	0.1	0.9	28.21	91.8	6.3118	58.9532
2025	6	14	15	14	55	12.8	0.1	0.9	28.72	92	6.3118	59.9984
2025	6	14	15	24	55	12.4	0.1	0.9	28.43	92.6	6.3118	59.3712
2025	6	14	15	34	55	12.4	0.1	0.9	29.71	91.7	6.3179	62.1514
2025	6	14	15	44	55	12.4	0.1	0.9	28.82	92	6.324	60.3286
2025	6	14	15	54	55	12.6	0.1	0.9	29.01	91.4	6.324	60.7475
2025	6	14	16	4	55	12.8	0.1	0.9	27.5	91	6.324	57.6054

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	14	16	14	55	12.6	0.1	0.9	28.8	91	6.324	60.3285
2025	6	14	16	24	55	12.6	0.1	0.9	28.71	91.8	6.324	60.119
2025	6	14	16	34	55	12.6	0.1	0.9	29.8	89.8	6.3301	62.4859
2025	6	14	16	44	55	12.6	0.1	0.9	29.42	91.9	6.324	61.5852
2025	6	14	16	54	55	12.8	0.1	0.9	28.5	90	6.3301	59.76
2025	6	14	17	4	55	12.8	0.1	0.9	28.7	90.4	6.3362	60.2398
2025	6	14	17	14	55	12.8	0.1	0.9	28.2	91	6.3362	59.1903
2025	6	14	17	24	55	12.8	0.1	0.9	28.41	91.4	6.3423	59.6699
2025	6	14	17	34	55	12.8	0.1	0.9	28.4	90.8	6.3423	59.6699
2025	6	14	17	44	55	12.8	0.1	0.9	29.2	90	6.3545	61.4737
2025	6	14	17	54	55	12.6	0.1	0.9	28.71	91.8	6.3545	60.4211
2025	6	14	18	4	55	12.4	0.1	0.9	28.4	89.4	6.3606	59.8493
2025	6	14	18	14	55	12.2	0.1	0.9	28.7	90	6.3606	60.4815
2025	6	14	18	24	55	12.2	0.1	0.9	29.31	91.6	6.3667	61.8077
2025	6	14	18	34	55	12.2	0.1	0.9	28.71	91.4	6.3728	60.6025
2025	6	14	18	44	55	12	0.1	0.9	28.6	90.6	6.3728	60.3913
2025	6	14	18	54	55	12	0.1	0.9	28	90	6.3789	59.1834
2025	6	14	19	4	55	12	0.1	0.9	29.43	92.7	6.3789	62.1426
2025	6	14	19	14	55	12	0.1	0.9	29.3	90.6	6.3789	61.9312
2025	6	14	19	24	55	12	0.1	0.9	29	90.4	6.3789	61.2971
2025	6	14	19	34	55	12	0.1	0.9	29.8	90.6	6.3789	62.9881
2025	6	14	19	44	55	12	0.1	0.9	30.2	90.8	6.385	63.8972
2025	6	14	19	54	55	12	0.1	0.9	29.71	91.7	6.385	62.8394
2025	6	14	20	4	55	12	0.1	0.9	29.8	91	6.385	63.051
2025	6	14	20	14	55	12	0.1	0.9	29.9	90.8	6.385	63.2626
2025	6	14	20	24	55	12	0.1	0.9	29.81	91.5	6.385	63.0511
2025	6	14	20	34	55	12	0.1	0.9	29.52	92.3	6.391	62.4785
2025	6	14	20	44	55	12	0.1	0.9	28.32	92	6.391	59.937
2025	6	14	20	54	55	12	0.1	0.9	28.9	90.8	6.3971	61.2687
2025	6	14	21	4	55	12	0.1	0.9	28.8	89.6	6.3971	61.0568
2025	6	14	21	14	55	12	0.1	0.9	28.31	91.8	6.4032	60.0564
2025	6	14	21	24	55	12	0.1	0.9	29.2	91	6.4093	62.0279
2025	6	14	21	34	55	12	0.1	0.9	28	90.8	6.4215	59.5969
2025	6	14	21	44	55	12	0.1	0.9	29.11	91.6	6.4215	61.9382
2025	6	14	21	54	55	12	0.1	0.9	29.51	91.7	6.4276	62.8518
2025	6	14	22	4	55	12	0.1	0.9	29.3	90	6.4276	62.4258
2025	6	14	22	14	55	12	0.1	0.9	29.6	90	6.4337	63.1274
2025	6	14	22	24	55	12	0.1	0.9	29.3	90.4	6.4337	62.4876
2025	6	14	22	34	55	12	0.1	0.9	29.51	91.2	6.4398	62.9763
2025	6	14	22	44	55	12	0.1	0.9	29.2	89.8	6.4398	62.336
2025	6	14	22	54	55	12	0.1	0.9	30	89.6	6.4398	64.0438
2025	6	14	23	4	55	11.8	0.1	0.9	29	90.8	6.4398	61.9091
2025	6	14	23	14	55	11.8	0.1	0.9	28.9	89.6	6.4398	61.6957
2025	6	14	23	24	55	11.8	0.1	0.9	28.72	92.2	6.4398	61.2688
2025	6	14	23	34	55	11.8	0.1	0.9	29.81	91.2	6.4398	63.6171
2025	6	14	23	44	55	11.8	0.1	0.9	29.3	90.6	6.4459	62.6115
2025	6	14	23	54	55	11.8	0.1	0.9	29.51	91.6	6.4459	63.0389
2025	6	15	0	4	55	11.8	0.1	0.9	28.7	90.8	6.4459	61.3294

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	15	0	14	55	11.8	0.1	0.9	29.41	91.4	6.4459	62.8253
2025	6	15	0	24	55	11.8	0.1	0.9	29.22	88	6.452	62.4595
2025	6	15	0	34	55	11.8	0.1	0.9	28.4	90	6.452	60.7484
2025	6	15	0	44	55	11.8	0.1	0.9	29.7	89.4	6.452	63.5292
2025	6	15	0	54	55	11.8	0.1	0.9	31.1	90.7	6.4581	66.5894
2025	6	15	1	4	55	11.8	0.1	0.9	29.1	90	6.4764	62.4911
2025	6	15	1	14	55	11.8	0.1	0.9	30.51	91.5	6.4825	65.5619
2025	6	15	1	24	55	11.8	0.1	0.9	29.1	90.2	6.4825	62.5526
2025	6	15	1	34	55	11.8	0.1	0.9	29.42	91.9	6.4825	63.1975
2025	6	15	1	44	55	11.8	0.1	0.9	29.7	90.8	6.4886	63.905
2025	6	15	1	54	55	11.8	0.1	0.9	30.5	90	6.4886	65.6264
2025	6	15	2	4	55	11.8	0.1	0.9	30.12	91.9	6.4886	64.7658
2025	6	15	2	14	55	11.8	0.1	0.9	29.51	91.7	6.4947	63.537
2025	6	15	2	24	55	11.8	0.1	0.9	29.41	91.8	6.4947	63.3217
2025	6	15	2	34	55	11.8	0.1	0.9	30.11	91.1	6.4947	64.8294
2025	6	15	2	44	55	11.8	0.1	0.9	28.9	90.2	6.4947	62.2449
2025	6	15	2	54	55	11.8	0.1	0.9	29.4	91	6.4947	63.3218
2025	6	15	3	4	55	11.8	0.1	0.9	30.2	90.8	6.4947	65.0449
2025	6	15	3	14	55	11.8	0.1	0.9	30.2	89.1	6.4947	65.045
2025	6	15	3	24	55	11.8	0.1	0.9	30	89.2	6.4947	64.6143
2025	6	15	3	34	55	11.8	0.1	0.9	30.01	91.7	6.4947	64.6143
2025	6	15	3	44	55	11.8	0.1	1	30.01	91.3	6.5008	64.6776
2025	6	15	3	54	55	11.8	0.1	1	29.72	91.9	6.5008	64.0309
2025	6	15	4	4	55	11.8	0.1	1	30.2	90.9	6.5008	65.1089
2025	6	15	4	14	55	11.8	0.1	1	29.61	88.8	6.5069	63.8778
2025	6	15	4	24	55	11.8	0.1	1	29.62	91.9	6.5069	63.8778
2025	6	15	4	34	55	11.8	0.1	1	30.11	91.3	6.513	65.0203
2025	6	15	4	44	55	11.8	0.1	1	30.05	93.4	6.5252	64.9308
2025	6	15	4	54	55	11.8	0.1	1	29.6	89.2	6.5313	64.1275
2025	6	15	5	4	55	11.8	0.1	1	29.8	89.6	6.5374	64.6237
2025	6	15	5	14	55	11.8	0.1	1	30.8	90.9	6.5374	66.7924
2025	6	15	5	24	55	11.8	0.1	1	30.9	90.7	6.5374	67.0093
2025	6	15	5	34	55	11.8	0.1	1	29.7	90.6	6.5434	64.4696
2025	6	15	5	44	55	11.8	0.1	1	30.42	92.1	6.5434	65.9892
2025	6	15	5	54	55	11.8	0.1	1	29.9	90.4	6.5434	64.9039
2025	6	15	6	4	55	11.8	0.1	1	30.71	91.1	6.5434	66.6405
2025	6	15	6	14	55	11.8	0.1	1	30.81	91.7	6.5495	66.9225
2025	6	15	6	24	55	11.8	0.1	1	30.21	91.1	6.5495	65.6189
2025	6	15	6	34	55	11.8	0.1	1	30.62	91.9	6.5495	66.488
2025	6	15	6	44	55	12	0.1	1	31.13	92.6	6.5495	67.5745
2025	6	15	6	54	55	12	0.1	1	30.3	90	6.5495	65.8363
2025	6	15	7	4	55	12.2	0.1	1	30.39	94.5	6.5495	65.8363
2025	6	15	7	14	55	12.2	0.1	1	31.01	91.1	6.5495	67.3573
2025	6	15	7	24	55	12.2	0.1	1	30.43	92.6	6.5495	66.0536
2025	6	15	7	34	55	12.2	0.1	1	29.31	91.8	6.5556	63.7253
2025	6	15	7	44	55	12.4	0.1	1	31.3	90.2	6.5556	68.0752
2025	6	15	7	54	55	12.4	0.1	1	31.53	92.5	6.5556	68.5102
2025	6	15	8	4	55	12.4	0.1	1	30.64	93	6.5556	66.5527

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	15	8	14	55	12.6	0.1	1	31.01	88.9	6.5617	67.488
2025	6	15	8	24	55	12.6	0.1	1	31.32	91.8	6.5617	68.1411
2025	6	15	8	34	55	12.6	0.1	1	31.12	92	6.5617	67.7057
2025	6	15	8	44	55	12.6	0.1	1	31.11	91.3	6.5617	67.7057
2025	6	15	8	54	55	12.6	0.1	1	30.68	94.1	6.5678	66.6816
2025	6	15	9	4	55	12.6	0.1	1	30.32	92.1	6.5678	66.0279
2025	6	15	9	14	55	12.8	0.1	1	29.52	91.9	6.5739	64.3467
2025	6	15	9	24	55	12.8	0.1	1	30.3	90.8	6.5739	66.0917
2025	6	15	9	34	55	12.8	0.1	1	30.9	90	6.5739	67.4004
2025	6	15	9	44	55	12.8	0.1	1	29.71	91.5	6.58	64.8454
2025	6	15	9	54	55	12.8	0.1	1	29.72	92.1	6.58	64.8454
2025	6	15	10	4	55	12.8	0.1	1	31	90.2	6.5922	67.8144
2025	6	15	10	14	55	12.8	0.1	1	31	90.2	6.5922	67.8143
2025	6	15	10	24	55	12.6	0.1	1	30.6	90.4	6.5983	67.0037
2025	6	15	10	34	55	12.6	0.1	1	30.04	93.1	6.5983	65.6898
2025	6	15	10	44	55	12.6	0.1	1	30.63	92.6	6.5922	66.9391
2025	6	15	10	54	55	12.6	0.1	1	31.2	89.8	6.5983	68.3173
2025	6	15	11	4	55	12.4	0.1	1	30.93	92.6	6.6044	67.7255
2025	6	15	11	14	55	12.6	0.1	1	31.8	90.7	6.6044	69.698
2025	6	15	11	24	55	12.6	0.1	1	30.6	90.2	6.6105	67.1323
2025	6	15	11	34	55	12.6	0.1	1	31	90	6.6105	68.0097
2025	6	15	11	44	55	12.6	0.1	1	30.5	90.4	6.6166	66.977
2025	6	15	11	54	55	12.6	0.1	1	29.8	90.8	6.6166	65.4398
2025	6	15	12	4	55	12.6	0.1	1	30.6	90.2	6.6105	67.1319
2025	6	15	12	14	55	12.6	0.1	1	30.91	91.1	6.6166	67.8551
2025	6	15	12	24	55	12.6	0.1	1	32.1	90	6.6227	70.5578
2025	6	15	12	34	55	12.6	0.1	1	31.8	90.7	6.6227	69.8983
2025	6	15	12	44	55	12.6	0.1	1	31.1	90.6	6.6105	68.2284
2025	6	15	12	54	55	12.6	0.1	1	30.9	90.4	6.6227	67.9199
2025	6	15	13	4	55	12.6	0.1	1	31.72	92.2	6.6227	69.6782
2025	6	15	13	14	55	12.6	0.1	1	30.74	93	6.6288	67.5448
2025	6	15	13	24	55	12.6	0.1	1	30.2	90.9	6.6288	66.4446
2025	6	15	13	34	55	12.6	0.1	1	32.2	90.2	6.6288	70.8448
2025	6	15	13	44	55	12.8	0.1	1	31.33	92.6	6.6349	68.9306
2025	6	15	13	54	55	12.8	0.1	1	33.21	91.4	6.6288	73.0448
2025	6	15	14	4	55	12.8	0.1	1	31.91	91.3	6.641	70.319
2025	6	15	14	14	55	12.6	0.1	1	31.3	90	6.641	68.9964
2025	6	15	14	24	55	12.6	0.1	1	31.5	90.7	6.641	69.4371
2025	6	15	14	34	55	12.4	0.1	1	32.2	90.5	6.641	70.9801
2025	6	15	14	44	55	12.6	0.1	1	31.2	89.3	6.6471	68.8415
2025	6	15	14	54	55	12.6	0.1	1	31.4	89.8	6.6532	69.3489
2025	6	15	15	4	55	12.8	0.1	1	31.1	89.6	6.6593	68.7518
2025	6	15	15	14	55	12.6	0.1	1	30.5	90.8	6.6532	67.3611
2025	6	15	15	24	55	12.4	0.1	1	32.1	90	6.6593	70.9624
2025	6	15	15	34	55	12.4	0.1	1	30.9	89.8	6.6593	68.3095
2025	6	15	15	44	55	12.4	0.1	1	31.7	90	6.6654	70.1448
2025	6	15	15	54	55	12.6	0.1	1	31.6	90.5	6.6654	69.9235
2025	6	15	16	4	55	12.6	0.1	1	30.81	91.3	6.6715	68.2181

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	15	16	14	55	12.6	0.1	1	32.1	90.5	6.6715	71.0974
2025	6	15	16	24	55	12.6	0.1	1	31.4	89.3	6.6715	69.547
2025	6	15	16	34	55	12.6	0.1	1	30	90.4	6.6715	66.4461
2025	6	15	16	44	55	12.6	0.1	1	30.8	90	6.6776	68.2829
2025	6	15	16	54	55	12.6	0.1	1	32.31	91.6	6.6776	71.6083
2025	6	15	17	4	55	12.6	0.1	1	32.8	90.9	6.6776	72.7168
2025	6	15	17	14	55	12.6	0.1	1	31	90.7	6.6776	68.7262
2025	6	15	17	24	55	12.8	0.1	1	31.3	89.8	6.6837	69.4573
2025	6	15	17	34	55	12.8	0.1	1	31.91	91.3	6.6837	70.7887
2025	6	15	17	44	55	12.8	0.1	1	32.7	90	6.6837	72.564
2025	6	15	17	54	55	12.6	0.1	1	31.42	92.2	6.6837	69.6791
2025	6	15	18	4	55	12.4	0.1	1	30.42	87.9	6.6898	67.5242
2025	6	15	18	14	55	12.2	0.1	1	32.41	91.6	6.6898	71.9666
2025	6	15	18	24	55	12.2	0.1	1	31.5	90	6.6898	69.9675
2025	6	15	18	34	55	12.2	0.1	1	30.8	90.2	6.6958	68.4776
2025	6	15	18	44	55	12.2	0.1	1	32.9	90.2	6.6958	73.1466
2025	6	15	18	54	55	12	0.1	1	31.9	89.5	6.7019	70.9906
2025	6	15	19	4	55	12	0.1	1	31.6	89.8	6.7141	70.4563
2025	6	15	19	14	55	12	0.1	1	31.1	90.2	6.7202	69.4071
2025	6	15	19	24	55	12	0.1	1	31.4	90.5	6.7263	70.1428
2025	6	15	19	34	55	12	0.1	1	31.1	89.3	6.7263	69.4727
2025	6	15	19	44	55	12	0.1	1	32.7	90.2	6.7324	73.1159
2025	6	15	19	54	55	12	0.1	1	32.3	90.9	6.7324	72.2215
2025	6	15	20	4	55	12	0.1	1	31.71	88.7	6.7324	70.88
2025	6	15	20	14	55	12	0.1	1	31.81	88.7	6.7385	71.1707
2025	6	15	20	24	55	12	0.1	1	32.3	89.3	6.7385	72.2898
2025	6	15	20	34	55	12	0.1	1	32.6	89.3	6.7385	72.9613
2025	6	15	20	44	55	12	0.1	1	31.91	91.4	6.7385	71.3947
2025	6	15	20	54	55	12	0.1	1	32.6	89.5	6.7446	73.0301
2025	6	15	21	4	55	12	0.1	1	31.5	90	6.7446	70.566
2025	6	15	21	14	55	12	0.1	1	32.1	89.3	6.7446	71.9101
2025	6	15	21	24	55	12	0.1	1	32.42	88.1	6.7446	72.5823
2025	6	15	21	34	55	12	0.1	1	32.41	91.4	6.7507	72.6506
2025	6	15	21	44	55	12	0.1	1	32.9	90.2	6.7507	73.7718
2025	6	15	21	54	55	12	0.1	1	31.5	90.7	6.7507	70.6327
2025	6	15	22	4	55	12	0.1	1	33.4	90.2	6.7568	74.9636
2025	6	15	22	14	55	12	0.1	1	32.3	90.9	6.7629	72.5629
2025	6	15	22	24	55	12	0.1	1	33.11	91.6	6.7751	74.4998
2025	6	15	22	34	55	12	0.1	1	32.1	90	6.7873	72.3845
2025	6	15	22	44	55	12	0.1	1	33.31	91	6.7873	75.0905
2025	6	15	22	54	55	12	0.1	1	31.5	89.8	6.7934	71.0981
2025	6	15	23	4	55	11.8	0.1	1	32.4	90.4	6.7934	73.1295
2025	6	15	23	14	55	11.8	0.1	1	32.3	89.8	6.7934	72.9039
2025	6	15	23	24	55	11.8	0.1	1	32.6	90	6.7995	73.6498
2025	6	15	23	34	55	11.8	0.1	1	32.77	93.7	6.7995	73.8758
2025	6	15	23	44	55	11.8	0.1	1	32.1	89.6	6.7995	72.5203
2025	6	15	23	54	55	11.8	0.1	1	34	89.5	6.7995	76.8129
2025	6	16	0	4	55	11.8	0.1	1	32.51	91.4	6.8056	73.4927

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	16	0	14	55	11.8	0.1	1	33.5	90.7	6.8056	75.754
2025	6	16	0	24	55	11.8	0.1	1	32.92	91.7	6.8056	74.3973
2025	6	16	0	34	55	11.8	0.1	1	33.4	89.1	6.8117	75.5985
2025	6	16	0	44	55	11.8	0.1	1	32.1	90.9	6.8117	72.6561
2025	6	16	0	54	55	11.8	0.1	1	32.2	90	6.8178	72.9504
2025	6	16	1	4	55	11.8	0.1	1	33.4	90.7	6.8239	75.7396
2025	6	16	1	14	55	11.8	0.1	1	32	90.7	6.8361	72.7
2025	6	16	1	24	55	11.8	0.1	1	32.41	91.2	6.8421	73.6771
2025	6	16	1	34	55	11.8	0.1	1	33.33	92.4	6.8482	75.794
2025	6	16	1	44	55	11.8	0.1	1	32.41	88.6	6.8482	73.7456
2025	6	16	1	54	55	11.8	0.1	1	32.5	90	6.8543	74.0418
2025	6	16	2	4	55	11.8	0.1	1	33.13	92.4	6.8543	75.4088
2025	6	16	2	14	55	11.8	0.1	1	32.8	90.7	6.8604	74.7946
2025	6	16	2	24	55	11.8	0.1	1	32.91	91.4	6.8604	75.0227
2025	6	16	2	34	55	11.8	0.1	1	33.3	90.7	6.8604	75.9349
2025	6	16	2	44	55	11.8	0.1	1	32.7	90.4	6.8604	74.5667
2025	6	16	2	54	55	11.8	0.1	1	32.7	90.4	6.8604	74.5668
2025	6	16	3	4	55	11.8	0.1	1	33.9	90.2	6.8665	77.3748
2025	6	16	3	14	55	11.8	0.1	1	33.42	91.9	6.8665	76.2336
2025	6	16	3	24	55	11.8	0.1	1	33.41	91.5	6.8726	76.3041
2025	6	16	3	34	55	11.8	0.1	1	33	90	6.8726	75.3904
2025	6	16	3	44	55	11.8	0.1	1	33.9	90.5	6.8848	77.5896
2025	6	16	3	54	55	11.8	0.1	1	33.41	91.2	6.8909	76.5158
2025	6	16	4	4	55	11.8	0.1	1	33.41	91.4	6.9031	76.6568
2025	6	16	4	14	55	11.8	0.1	1	33.7	90	6.9031	77.3454
2025	6	16	4	24	55	11.8	0.1	1	33.81	91.5	6.9092	77.6462
2025	6	16	4	34	55	11.8	0.1	1	33.8	90.5	6.9092	77.6463
2025	6	16	4	44	55	11.8	0.1	1	32.93	92.4	6.9153	75.6483
2025	6	16	4	54	55	11.8	0.1	1	33.3	90	6.9153	76.5681
2025	6	16	5	4	55	11.8	0.1	1	32.7	90.2	6.9153	75.1885
2025	6	16	5	14	55	11.6	0.1	1	32.8	90.9	6.9153	75.4185
2025	6	16	5	24	55	11.6	0.1	1	34.11	91.5	6.9214	78.4797
2025	6	16	5	34	55	11.6	0.1	1	34.1	89.3	6.9214	78.4797
2025	6	16	5	44	55	11.6	0.1	1	33.9	90	6.9214	78.0195
2025	6	16	5	54	55	11.6	0.1	1	33.53	92.4	6.9275	77.1696
2025	6	16	6	4	55	11.6	0.1	1	34.1	90	6.9275	78.5518
2025	6	16	6	14	55	11.6	0.1	1	33.62	91.9	6.9275	77.4001
2025	6	16	6	24	55	11.6	0.1	1	32.81	89	6.9336	75.6265
2025	6	16	6	34	55	11.8	0.1	1	33	90.7	6.9397	76.1573
2025	6	16	6	44	55	12	0.1	1	33.2	90	6.9519	76.759
2025	6	16	6	54	55	12	0.1	1	33.93	92.4	6.958	78.449
2025	6	16	7	4	55	12	0.1	1	33.71	91.2	6.9641	78.0573
2025	6	16	7	14	55	12	0.1	1	34.41	91.5	6.9641	79.6787
2025	6	16	7	24	55	12.2	0.1	1	33.93	92.5	6.9702	78.5922
2025	6	16	7	34	55	12.2	0.1	1	34.01	91.3	6.9702	78.824
2025	6	16	7	44	55	12.2	0.1	1	33.3	90	6.9763	77.2715
2025	6	16	7	54	55	12.4	0.1	1	33.9	90.3	6.9763	78.6637
2025	6	16	8	4	55	12.6	0.1	1	34.31	91.5	6.9763	79.5919

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	16	8	14	55	12.8	0.1	1	33.7	90	6.9824	78.2708
2025	6	16	8	24	55	12.8	0.1	1	33.9	90.7	6.9824	78.7352
2025	6	16	8	34	55	12.8	0.1	1	34.11	91.3	6.9824	79.1998
2025	6	16	8	44	55	12.8	0.1	1	33.71	91.5	6.9885	78.3418
2025	6	16	8	54	55	13	0.1	1	34.2	90.8	6.9885	79.5041
2025	6	16	9	4	55	12.8	0.1	1	34.11	91	6.9885	79.2716
2025	6	16	9	14	55	12.8	0.1	1	33.9	90.7	6.9885	78.8066
2025	6	16	9	24	55	12.8	0.1	1	34.02	91.9	6.9945	79.1108
2025	6	16	9	34	55	12.8	0.1	1	33.73	92.2	6.9945	78.4127
2025	6	16	9	44	55	12.8	0.1	1	34.5	90	7.0006	80.3469
2025	6	16	9	54	55	12.8	0.1	1	34.62	91.8	7.0006	80.5798
2025	6	16	10	4	55	12.8	0.1	1	34.3	90	7.0006	79.881
2025	6	16	10	14	55	12.8	0.1	1	34.1	90	7.0067	79.4871
2025	6	16	10	24	55	12.6	0.1	1	33.7	90.7	7.0067	78.5547
2025	6	16	10	34	55	12.6	0.1	1	33.71	91.4	7.0128	78.6257
2025	6	16	10	44	55	12.6	0.1	1	34.71	91.5	7.0128	80.9588
2025	6	16	10	54	55	12.6	0.1	1	34.5	90	7.0189	80.5649
2025	6	16	11	4	55	12.4	0.1	1	33.5	90.7	7.025	78.3003
2025	6	16	11	14	55	12.4	0.1	1	34.94	92.8	7.0311	81.6461
2025	6	16	11	24	55	12.6	0.1	1	33.41	91.5	7.0372	78.2074
2025	6	16	11	34	55	12.6	0.1	1	33.51	91.7	7.0433	78.5122
2025	6	16	11	44	55	12.6	0.1	1	35.22	92.1	7.0433	82.4962
2025	6	16	11	54	55	12.6	0.1	1	34.41	91.5	7.0494	80.6938
2025	6	16	12	4	55	12.6	0.1	1	34.1	90.7	7.0555	80.062
2025	6	16	12	14	55	12.6	0.1	1	34.21	91.5	7.0555	80.2967
2025	6	16	12	24	55	12.6	0.1	1	34.6	90.7	7.0616	81.3087
2025	6	16	12	34	55	12.6	0.1	1	34.21	91	7.0677	80.4408
2025	6	16	12	44	55	12.6	0.1	1	34.5	90.7	7.0677	81.1463
2025	6	16	12	54	55	12.6	0.1	1	34.32	92	7.0677	80.6758
2025	6	16	13	4	55	12.6	0.1	1	35.31	91.1	7.0738	83.1023
2025	6	16	13	14	55	12.6	0.1	1	35.7	90.3	7.0738	84.0438
2025	6	16	13	24	55	12.4	0.1	1	34.8	90.5	7.0738	81.925
2025	6	16	13	34	55	12.6	0.1	1	34.7	90.3	7.0799	81.7627
2025	6	16	13	44	55	12.8	0.1	1	34.7	90	7.086	81.8359
2025	6	16	13	54	55	12.8	0.1	1	34.31	91	7.086	80.8924
2025	6	16	14	4	55	12.8	0.1	1	35.21	91.6	7.086	83.0149
2025	6	16	14	14	55	12.6	0.1	1	36.3	90.5	7.0921	85.6856
2025	6	16	14	24	55	12.6	0.1	1	34.8	89.8	7.0921	82.1448
2025	6	16	14	34	55	12.4	0.1	1	35.4	90.6	7.0921	83.561
2025	6	16	14	44	55	12.6	0.1	1	35	89.5	7.0921	82.6168
2025	6	16	14	54	55	12.6	0.1	1	35.7	90	7.0982	84.3444
2025	6	16	15	4	55	12.8	0.1	1	35.3	90	7.0982	83.3993
2025	6	16	15	14	55	12.6	0.1	1	34.4	90.3	7.1043	81.3456
2025	6	16	15	24	55	12.4	0.1	1	35.9	90.3	7.1043	84.8926
2025	6	16	15	34	55	12.4	0.1	1	34.91	91.5	7.1043	82.5278
2025	6	16	15	44	55	12.4	0.1	1	36.6	89.2	7.1043	86.5478
2025	6	16	15	54	55	12.6	0.1	1	34.4	89.8	7.1104	81.4181
2025	6	16	16	4	55	12.8	0.1	1	35.7	90.2	7.1104	84.4949

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	16	16	14	55	12.6	0.1	1	35.3	90	7.1104	83.5481
2025	6	16	16	24	55	12.6	0.1	1	35.31	91.5	7.1165	83.6227
2025	6	16	16	34	55	12.6	0.1	1	34.6	89.3	7.1165	81.9644
2025	6	16	16	44	55	12.8	0.1	1	34.8	90	7.1165	82.4382
2025	6	16	16	54	55	13	0.1	1	35.4	90.5	7.1226	83.9343
2025	6	16	17	4	55	13	0.1	1	35.9	89.7	7.1226	85.1198
2025	6	16	17	14	55	13	0.1	1	35.91	91.1	7.1226	85.1198
2025	6	16	17	24	55	13	0.1	1	34.6	90	7.1287	82.1105
2025	6	16	17	34	55	13	0.1	1	35	90.5	7.1287	83.0598
2025	6	16	17	44	55	13	0.1	1	36.51	91.3	7.1348	86.6966
2025	6	16	17	54	55	12.6	0.1	1	35	89.8	7.1348	83.1337
2025	6	16	18	4	55	12.4	0.1	1	35.6	90.3	7.1409	84.634
2025	6	16	18	14	55	12.4	0.1	1	35	89.8	7.147	83.2815
2025	6	16	18	24	55	12.2	0.1	1	35.7	89.5	7.1591	85.098
2025	6	16	18	34	55	12.2	0.1	1	35.2	89.5	7.1591	83.9061
2025	6	16	18	44	55	12.2	0.1	1	36.5	90.9	7.1591	87.005
2025	6	16	18	54	55	12.2	0.1	1	34.7	90.2	7.1652	82.7876
2025	6	16	19	4	55	12	0.1	1	35.9	90.3	7.1652	85.6506
2025	6	16	19	14	55	12	0.1	1	35.4	89.7	7.1652	84.4577
2025	6	16	19	24	55	12	0.1	1.1	35.7	90.5	7.1713	85.2489
2025	6	16	19	34	55	12	0.1	1.1	36.92	91.9	7.1713	88.1145
2025	6	16	19	44	55	12	0.1	1.1	36.11	91.6	7.1713	86.2042
2025	6	16	19	54	55	12	0.1	1.1	36.4	90	7.1713	86.9206
2025	6	16	20	4	55	12	0.1	1.1	36.3	90.2	7.1713	86.6819
2025	6	16	20	14	55	12	0.1	1.1	35.9	89.7	7.1774	85.8026
2025	6	16	20	24	55	12	0.1	1.1	35.2	90.8	7.1774	84.1296
2025	6	16	20	34	55	12	0.1	1.1	37.51	91.4	7.1774	89.6267
2025	6	16	20	44	55	12	0.1	1.1	35.72	88.1	7.1835	85.4001
2025	6	16	20	54	55	12	0.1	1.1	35.3	90.2	7.1835	84.4433
2025	6	16	21	4	55	12	0.1	1.1	36.9	90.9	7.1896	88.3487
2025	6	16	21	14	55	12	0.1	1.1	36.6	90.6	7.2018	87.7851
2025	6	16	21	24	55	12	0.1	1.1	34.5	89.3	7.2079	82.8212
2025	6	16	21	34	55	12	0.1	1.1	35.92	91.8	7.214	86.2579
2025	6	16	21	44	55	12	0.1	1.1	36.5	90.8	7.2201	87.7767
2025	6	16	21	54	55	12	0.1	1.1	36.6	90.5	7.2201	88.0172
2025	6	16	22	4	55	12	0.1	1.1	36.1	90.6	7.2262	86.8911
2025	6	16	22	14	55	12	0.1	1.1	36.2	90	7.2262	87.1319
2025	6	16	22	24	55	12	0.1	1.1	35.3	90.5	7.2262	84.9657
2025	6	16	22	34	55	12	0.1	1.1	35.7	90	7.2323	86.0039
2025	6	16	22	44	55	12	0.1	1.1	35.8	90.8	7.2323	86.2449
2025	6	16	22	54	55	12	0.1	1.1	36.52	91.7	7.2323	87.9313
2025	6	16	23	4	55	12	0.1	1.1	36.4	90.9	7.2323	87.6904
2025	6	16	23	14	55	12	0.1	1.1	37.2	90.5	7.2323	89.6177
2025	6	16	23	24	55	12	0.1	1.1	36.51	91.1	7.2384	88.0085
2025	6	16	23	34	55	12	0.1	1.1	37.6	90.3	7.2384	90.6609
2025	6	16	23	44	55	12	0.1	1.1	36.51	91.1	7.2445	88.0857
2025	6	16	23	54	55	12	0.1	1.1	36.3	90.3	7.2445	87.6031
2025	6	17	0	4	55	12	0.1	1.1	36.3	90.3	7.2506	87.6799

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	17	0	14	55	12	0.1	1.1	36.8	90.6	7.2689	89.1208
2025	6	17	0	24	55	11.8	0.1	1.1	36.4	90.2	7.275	88.229
2025	6	17	0	34	55	11.8	0.1	1.1	35.71	91	7.275	86.5324
2025	6	17	0	44	55	11.8	0.1	1.1	36.34	92.5	7.2811	88.0634
2025	6	17	0	54	55	11.8	0.1	1.1	36.61	91.1	7.2872	88.8686
2025	6	17	1	4	55	11.8	0.1	1.1	36.82	91.7	7.2872	89.3543
2025	6	17	1	14	55	11.8	0.1	1.1	36.2	90.6	7.2872	87.8975
2025	6	17	1	24	55	11.8	0.1	1.1	36.8	90.2	7.2872	89.3544
2025	6	17	1	34	55	11.8	0.1	1.1	37.82	92	7.2933	91.8624
2025	6	17	1	44	55	11.8	0.1	1.1	37.5	90	7.2933	91.1334
2025	6	17	1	54	55	11.8	0.1	1.1	35.7	90	7.2933	86.759
2025	6	17	2	4	55	11.8	0.1	1.1	36.7	90.3	7.2933	89.1893
2025	6	17	2	14	55	11.8	0.1	1.1	36.6	89.4	7.2994	89.0237
2025	6	17	2	24	55	11.8	0.1	1.1	37.8	90.8	7.2994	91.9426
2025	6	17	2	34	55	11.8	0.1	1.1	37.31	91.2	7.3054	90.8052
2025	6	17	2	44	55	11.8	0.1	1.1	37.73	92.4	7.3115	91.8587
2025	6	17	2	54	55	11.8	0.1	1.1	37.01	91.2	7.3237	90.3095
2025	6	17	3	4	55	11.8	0.1	1.1	36.4	90.6	7.3298	88.9219
2025	6	17	3	14	55	11.8	0.1	1.1	38.13	92.1	7.3359	93.1554
2025	6	17	3	24	55	11.8	0.1	1.1	36.71	91.6	7.342	89.81
2025	6	17	3	34	55	11.8	0.1	1.1	36.5	89.7	7.342	89.3206
2025	6	17	3	44	55	11.8	0.1	1.1	37.8	90	7.3481	92.5818
2025	6	17	3	54	55	11.8	0.1	1.1	36.81	91.2	7.3481	90.1326
2025	6	17	4	4	55	11.8	0.1	1.1	36.5	89.2	7.3481	89.3978
2025	6	17	4	14	55	11.8	0.1	1.1	37.8	90	7.3481	92.5819
2025	6	17	4	24	55	11.8	0.1	1.1	36.71	91.1	7.3542	89.9653
2025	6	17	4	34	55	11.8	0.1	1.1	37.61	91.2	7.3542	92.1716
2025	6	17	4	44	55	11.8	0.1	1.1	36.8	90.8	7.3542	90.2105
2025	6	17	4	54	55	11.8	0.1	1.1	36.81	91.2	7.3603	90.2883
2025	6	17	5	4	55	11.8	0.1	1.1	37.1	90.2	7.3603	91.0244
2025	6	17	5	14	55	11.8	0.1	1.1	38	90.8	7.3664	93.3128
2025	6	17	5	24	55	11.8	0.1	1.1	36.93	92.5	7.3664	90.6117
2025	6	17	5	34	55	11.8	0.1	1.1	37.24	92.6	7.3725	91.427
2025	6	17	5	44	55	11.8	0.1	1.1	37.72	91.7	7.3847	92.8152
2025	6	17	5	54	55	11.8	0.1	1.1	37.1	90	7.3969	91.4949
2025	6	17	6	4	55	11.8	0.1	1.1	37.51	91.4	7.3969	92.4813
2025	6	17	6	14	55	11.8	0.1	1.1	37.7	90.9	7.403	93.0543
2025	6	17	6	24	55	11.8	0.1	1.1	37.8	90.5	7.403	93.3011
2025	6	17	6	34	55	11.8	0.1	1.1	37.7	90.9	7.4091	93.134
2025	6	17	6	44	55	12	0.1	1.1	37.42	91.7	7.4091	92.3929
2025	6	17	6	54	55	12	0.1	1.1	37	90.6	7.4152	91.4829
2025	6	17	7	4	55	12	0.1	1.1	37.3	89.7	7.4152	92.2247
2025	6	17	7	14	55	12	0.1	1.1	38.03	92.1	7.4152	93.9555
2025	6	17	7	24	55	12.2	0.1	1.1	37.7	90.6	7.4152	93.2137
2025	6	17	7	34	55	12.2	0.1	1.1	38.01	91.4	7.4152	93.9555
2025	6	17	7	44	55	12.2	0.1	1.1	37.72	91.8	7.4213	93.2934
2025	6	17	7	54	55	12.4	0.1	1.1	37.41	91.5	7.4213	92.551
2025	6	17	8	4	55	12.4	0.1	1.1	36.3	89.7	7.4213	89.8289

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	17	8	14	55	12.6	0.1	1.1	36.1	90	7.4274	89.4103
2025	6	17	8	24	55	12.6	0.1	1.1	37.73	92.4	7.4274	93.373
2025	6	17	8	34	55	12.6	0.1	1.1	37.52	91.7	7.4335	92.9569
2025	6	17	8	44	55	12.6	0.1	1.1	38.02	91.7	7.4335	94.1963
2025	6	17	8	54	55	13.2	0.1	1.1	38.01	91.2	7.4396	94.2766
2025	6	17	9	4	55	13.4	0.1	1.1	38.52	91.6	7.4457	95.5984
2025	6	17	9	14	55	13.4	0.1	1.1	38.72	91.8	7.4518	96.1768
2025	6	17	9	24	55	13	0.1	1.1	36.6	90.3	7.4578	91.0352
2025	6	17	9	34	55	13	0.1	1.1	39.3	90.4	7.4639	97.8339
2025	6	17	9	44	55	13	0.1	1.1	37.41	91.2	7.4639	93.104
2025	6	17	9	54	55	13	0.1	1.1	38.1	90.8	7.47	94.9271
2025	6	17	10	4	55	13	0.1	1.1	37.8	90.3	7.4761	94.2595
2025	6	17	10	14	55	13	0.1	1.1	38.52	91.8	7.47	95.9236
2025	6	17	10	24	55	13	0.1	1.1	37.9	90.6	7.4761	94.5088
2025	6	17	10	34	55	13	0.1	1.1	37.3	90.3	7.4822	93.0913
2025	6	17	10	44	55	13	0.1	1.1	38.8	90.6	7.4822	96.8349
2025	6	17	10	54	55	13	0.1	1.1	38.41	91	7.4883	95.9177
2025	6	17	11	4	55	13	0.1	1.1	37.1	90.8	7.4883	92.6704
2025	6	17	11	14	55	12.6	0.1	1.1	38.42	91.6	7.4944	95.9987
2025	6	17	11	24	55	12.6	0.1	1.1	38.81	91	7.4944	96.9986
2025	6	17	11	34	55	12.8	0.1	1.1	37.2	90.6	7.4944	92.9986
2025	6	17	11	44	55	12.8	0.1	1.1	37.81	91.2	7.5005	94.5784
2025	6	17	11	54	55	12.8	0.1	1.1	39.02	91.8	7.5005	97.5807
2025	6	17	12	4	55	12.8	0.1	1.1	38	89.2	7.5005	95.0786
2025	6	17	12	14	55	12.8	0.1	1.1	38.31	91.5	7.5066	95.91
2025	6	17	12	24	55	12.8	0.1	1.1	37.9	90.9	7.5066	94.9083
2025	6	17	12	34	55	12.8	0.1	1.1	38.1	90.2	7.5066	95.409
2025	6	17	12	44	55	12.8	0.1	1.1	38.7	89.4	7.5127	96.9932
2025	6	17	12	54	55	12.8	0.1	1.1	38.7	90.7	7.5127	96.9931
2025	6	17	13	4	55	12.6	0.1	1.1	36.9	90.6	7.5188	92.5597
2025	6	17	13	14	55	12.6	0.1	1.1	39.62	92	7.5188	99.3322
2025	6	17	13	24	55	12.6	0.1	1.1	38.3	90.1	7.5188	96.0712
2025	6	17	13	34	55	12.8	0.1	1.1	38.51	91.3	7.5188	96.5728
2025	6	17	13	44	55	13	0.1	1.1	39.16	93.1	7.5249	98.1603
2025	6	17	13	54	55	12.8	0.1	1.1	38.6	90.3	7.5249	96.905
2025	6	17	14	4	55	12.8	0.1	1.1	38.7	90.9	7.531	97.2377
2025	6	17	14	14	55	12.8	0.1	1.1	38.41	91.5	7.531	96.4838
2025	6	17	14	24	55	12.8	0.1	1.1	38.11	91.1	7.5371	95.8105
2025	6	17	14	34	55	12.6	0.1	1.1	39.21	91.5	7.5371	98.5766
2025	6	17	14	44	55	12.8	0.1	1.1	38.23	92.1	7.5432	96.1425
2025	6	17	14	54	55	12.8	0.1	1.1	38.3	90.6	7.5432	96.3941
2025	6	17	15	4	55	12.8	0.1	1.1	40.11	91.1	7.5432	100.9243
2025	6	17	15	14	55	12.8	0.1	1.1	39.34	92.5	7.5493	98.9938
2025	6	17	15	24	55	12.6	0.1	1.1	38.6	90.4	7.5493	97.2305
2025	6	17	15	34	55	12.4	0.1	1.1	38.64	92.5	7.5615	97.3936
2025	6	17	15	44	55	12.8	0.1	1.1	39.01	91.3	7.5676	98.4852
2025	6	17	15	54	55	12.8	0.1	1.1	38.7	90.6	7.5737	97.8094
2025	6	17	16	4	55	12.8	0.1	1.1	39.11	91.2	7.5798	98.9029

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	17	16	14	55	12.8	0.1	1.1	39.22	92	7.5859	99.2387
2025	6	17	16	24	55	12.6	0.1	1.1	39.54	92.5	7.5859	99.9981
2025	6	17	16	34	55	12.6	0.1	1.1	39.6	90.6	7.592	100.3349
2025	6	17	16	44	55	12.6	0.1	1.1	40.02	92	7.592	101.3484
2025	6	17	16	54	55	12.6	0.1	1.1	40.01	91.4	7.5981	101.4329
2025	6	17	17	4	55	12.6	0.1	1.1	39.1	90.9	7.5981	99.1506
2025	6	17	17	14	55	12.6	0.1	1.1	39.6	90.9	7.5981	100.4185
2025	6	17	17	24	55	12.6	0.1	1.1	38.6	90.6	7.6041	97.9642
2025	6	17	17	34	55	12.6	0.1	1.1	39.81	91.3	7.6041	101.0097
2025	6	17	17	44	55	12.6	0.1	1.1	39.25	92.8	7.6102	99.5698
2025	6	17	17	54	55	12.6	0.1	1.1	39.51	91.2	7.6102	100.3318
2025	6	17	18	4	55	12.4	0.1	1.1	40.8	90.3	7.6102	103.6338
2025	6	17	18	14	55	12.2	0.1	1.1	40.13	92.1	7.6102	101.8558
2025	6	17	18	24	55	12.2	0.1	1.1	39.4	90.6	7.6163	100.1611
2025	6	17	18	34	55	12.2	0.1	1.1	39.3	90.7	7.6163	99.9069
2025	6	17	18	44	55	12.2	0.1	1.1	40.22	91.9	7.6163	102.1948
2025	6	17	18	54	55	12	0.1	1.1	38.7	90.3	7.6224	98.4634
2025	6	17	19	4	55	12	0.1	1.1	39.6	90.4	7.6224	100.7533
2025	6	17	19	14	55	12	0.1	1.1	40	90	7.6285	101.8556
2025	6	17	19	24	55	12	0.1	1.1	38.92	91.6	7.6285	99.0546
2025	6	17	19	34	55	12	0.1	1.1	38.9	90.1	7.6407	99.219
2025	6	17	19	44	55	12	0.1	1.1	39.2	90.4	7.6468	100.0671
2025	6	17	19	54	55	12	0.1	1.1	40.2	90.4	7.659	102.7899
2025	6	17	20	4	55	12	0.1	1.1	40.4	90.9	7.659	103.3013
2025	6	17	20	14	55	12	0.1	1.1	40.7	90.8	7.6651	104.1545
2025	6	17	20	24	55	12	0.1	1.1	39.5	90.7	7.6651	101.0837
2025	6	17	20	34	55	12	0.1	1.1	40.3	90	7.6712	103.2162
2025	6	17	20	44	55	12	0.1	1.1	39.51	91.3	7.6712	101.1673
2025	6	17	20	54	55	12	0.1	1.1	39.41	91.5	7.6773	100.9945
2025	6	17	21	4	55	12	0.1	1.1	39.2	89.6	7.6773	100.4819
2025	6	17	21	14	55	12	0.1	1.1	39.72	91.9	7.6773	101.7636
2025	6	17	21	24	55	12	0.1	1.1	40.2	90.9	7.6773	103.0453
2025	6	17	21	34	55	12	0.1	1.1	39.3	89.4	7.6834	100.8215
2025	6	17	21	44	55	12	0.1	1.1	40.04	92.4	7.6834	102.6174
2025	6	17	21	54	55	12	0.1	1.1	40.52	91.7	7.6895	103.9858
2025	6	17	22	4	55	12	0.1	1.1	41	90.1	7.6895	105.2696
2025	6	17	22	14	55	12	0.1	1.1	40.9	90.7	7.6895	105.013
2025	6	17	22	24	55	12	0.1	1.1	39.91	91.4	7.7017	102.6142
2025	6	17	22	34	55	12	0.1	1.1	39.32	91.9	7.7139	101.2374
2025	6	17	22	44	55	12	0.1	1.1	40.7	90.3	7.72	104.9299
2025	6	17	22	54	55	12	0.1	1.1	40.2	90.6	7.72	103.6409
2025	6	17	23	4	55	12	0.1	1.1	39.61	91.3	7.7261	102.1779
2025	6	17	23	14	55	11.8	0.1	1.1	40.3	90.4	7.7261	103.9841
2025	6	17	23	24	55	11.8	0.1	1.1	40.21	91.4	7.7261	103.7261
2025	6	17	23	34	55	11.8	0.1	1.1	40.5	90.7	7.7322	104.5859
2025	6	17	23	44	55	11.8	0.1	1.1	41.22	91.9	7.7322	106.3937
2025	6	17	23	54	55	11.8	0.1	1.1	39.81	91.4	7.7322	102.7784
2025	6	18	0	4	55	11.8	0.1	1.1	40.6	90	7.7322	104.8444

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	18	0	14	55	11.8	0.1	1.2	40.61	91.1	7.7322	104.8445
2025	6	18	0	24	55	11.8	0.1	1.2	40.21	91	7.7383	103.8966
2025	6	18	0	34	55	11.8	0.1	1.2	40.32	91.7	7.7383	104.1551
2025	6	18	0	44	55	11.8	0.1	1.2	39.3	90.7	7.7383	101.5707
2025	6	18	0	54	55	11.8	0.1	1.2	40.93	92.2	7.7444	105.7924
2025	6	18	1	4	55	11.8	0.1	1.2	40.92	91.7	7.7444	105.7925
2025	6	18	1	14	55	11.8	0.1	1.2	40.65	93	7.7505	105.1025
2025	6	18	1	24	55	11.8	0.1	1.2	40.71	91.5	7.7626	105.5335
2025	6	18	1	34	55	11.8	0.1	1.2	40.31	91.1	7.7748	104.6669
2025	6	18	1	44	55	11.8	0.1	1.2	39.3	90.3	7.7748	102.0697
2025	6	18	1	54	55	11.8	0.1	1.2	40.72	91.7	7.7809	105.792
2025	6	18	2	4	55	11.8	0.1	1.2	39.5	90.9	7.7809	102.6729
2025	6	18	2	14	55	11.8	0.1	1.2	41.61	91.1	7.787	108.2195
2025	6	18	2	24	55	11.8	0.1	1.2	40.2	89.6	7.787	104.5775
2025	6	18	2	34	55	11.8	0.1	1.2	40.5	90.8	7.787	105.358
2025	6	18	2	44	55	11.8	0.1	1.2	40.61	91.3	7.7931	105.7041
2025	6	18	2	54	55	11.8	0.1	1.2	40.9	90.7	7.7931	106.4852
2025	6	18	3	4	55	11.8	0.1	1.2	41.2	90	7.7931	107.2664
2025	6	18	3	14	55	11.8	0.1	1.2	41.8	89.5	7.7931	108.8285
2025	6	18	3	24	55	11.8	0.1	1.2	40.7	90.7	7.7992	106.0508
2025	6	18	3	34	55	11.8	0.1	1.2	40.5	90.4	7.7992	105.5297
2025	6	18	3	44	55	11.8	0.1	1.2	41.72	91.6	7.8053	108.7448
2025	6	18	3	54	55	11.8	0.1	1.2	40.83	92.2	7.8114	106.4841
2025	6	18	4	4	55	11.8	0.1	1.2	40.4	90.6	7.8236	105.6111
2025	6	18	4	14	55	11.8	0.1	1.2	41.51	91.1	7.8297	108.5744
2025	6	18	4	24	55	11.8	0.1	1.2	41.61	91.1	7.8358	108.9241
2025	6	18	4	34	55	11.8	0.1	1.2	40.1	89.6	7.8358	104.9966
2025	6	18	4	44	55	11.8	0.1	1.2	41.52	91.7	7.8419	108.7501
2025	6	18	4	54	55	11.8	0.1	1.2	40.6	90.6	7.8419	106.3917
2025	6	18	5	4	55	11.8	0.1	1.2	41.7	90.5	7.848	109.3625
2025	6	18	5	14	55	11.8	0.1	1.2	41.93	92.2	7.848	109.8871
2025	6	18	5	24	55	11.8	0.1	1.2	41.8	90.3	7.848	109.6249
2025	6	18	5	34	55	11.8	0.1	1.2	41.4	90	7.848	108.5759
2025	6	18	5	44	55	11.8	0.1	1.2	40.8	90.6	7.8541	107.0886
2025	6	18	5	54	55	11.8	0.1	1.2	41.61	91.1	7.8541	109.1885
2025	6	18	6	4	55	11.8	0.1	1.2	41.1	89.9	7.8541	107.8761
2025	6	18	6	14	55	11.8	0.1	1.2	41.71	91.1	7.8602	109.5392
2025	6	18	6	24	55	11.8	0.1	1.2	40.4	90.1	7.8602	106.1244
2025	6	18	6	34	55	11.8	0.1	1.2	42.31	91.1	7.8663	111.2049
2025	6	18	6	44	55	11.8	0.1	1.2	42.61	91.5	7.8663	111.9936
2025	6	18	6	54	55	12	0.1	1.2	40.92	92	7.8785	107.6974
2025	6	18	7	4	55	12	0.1	1.2	41.41	91.4	7.8846	109.1016
2025	6	18	7	14	55	12.2	0.1	1.2	41.82	91.6	7.8907	110.2441
2025	6	18	7	24	55	12.4	0.1	1.2	41.21	91.1	7.9029	108.836
2025	6	18	7	34	55	12.4	0.1	1.2	41.91	91.1	7.9029	110.6851
2025	6	18	7	44	55	12.4	0.1	1.2	41.31	91	7.909	109.1875
2025	6	18	7	54	55	12.4	0.1	1.2	42	90.5	7.909	111.0381
2025	6	18	8	4	55	12.6	0.1	1.2	41.21	91.1	7.915	109.0102

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	18	8	14	55	12.6	0.1	1.2	43.04	92.5	7.915	113.7728
2025	6	18	8	24	55	12.6	0.1	1.2	41.8	90.5	7.915	110.5977
2025	6	18	8	34	55	12.6	0.1	1.2	43.24	92.4	7.9211	114.3933
2025	6	18	8	44	55	12.6	0.1	1.2	41.9	90.8	7.9211	110.9508
2025	6	18	8	54	55	12.6	0.1	1.2	42.03	92.2	7.9211	111.2156
2025	6	18	9	4	55	13.2	0.1	1.2	41.62	91.7	7.9272	110.2443
2025	6	18	9	14	55	13.2	0.1	1.2	42.01	91.2	7.9272	111.3043
2025	6	18	9	24	55	13.4	0.1	1.2	40.7	90.4	7.9272	107.8591
2025	6	18	9	34	55	13.4	0.1	1.2	42.81	91.2	7.9333	113.5148
2025	6	18	9	44	55	13.2	0.1	1.2	42.41	91.1	7.9333	112.4538
2025	6	18	9	54	55	13	0.1	1.2	41.02	91.7	7.9394	108.8274
2025	6	18	10	4	55	13.2	0.1	1.2	41.4	90.1	7.9394	109.889
2025	6	18	10	14	55	13.2	0.1	1.2	42.15	92.7	7.9455	111.836
2025	6	18	10	24	55	12.6	0.1	1.2	42.4	90.5	7.9455	112.6329
2025	6	18	10	34	55	12.6	0.1	1.2	42.2	90.5	7.9516	112.1908
2025	6	18	10	44	55	12.6	0.1	1.2	42.9	90.4	7.9577	114.1424
2025	6	18	10	54	55	12.4	0.1	1.2	42.31	91.1	7.9699	112.7248
2025	6	18	11	4	55	12.4	0.1	1.2	42.31	90.9	7.9699	112.7247
2025	6	18	11	14	55	12.4	0.1	1.2	42.31	91.4	7.976	112.8141
2025	6	18	11	24	55	12.4	0.1	1.2	41.02	91.7	7.9821	109.4336
2025	6	18	11	34	55	12.4	0.1	1.2	42.02	91.6	7.9882	112.1915
2025	6	18	11	44	55	12.6	0.1	1.2	41.61	91.1	7.9943	111.2109
2025	6	18	11	54	55	12.6	0.1	1.2	41.31	91.4	7.9943	110.4087
2025	6	18	12	4	55	12.6	0.1	1.2	42.42	91.8	8.0004	113.439
2025	6	18	12	14	55	12.6	0.1	1.2	42.21	91	8.0004	112.9038
2025	6	18	12	24	55	12.6	0.1	1.2	42.53	92.3	8.0065	113.7962
2025	6	18	12	34	55	12.6	0.1	1.2	42	90.5	8.0065	112.4573
2025	6	18	12	44	55	12.6	0.1	1.2	42.91	90.9	8.0126	114.9577
2025	6	18	12	54	55	12.4	0.1	1.2	41.91	91.5	8.0126	112.2779
2025	6	18	13	4	55	12.4	0.1	1.2	43.3	90.4	8.0126	116.0293
2025	6	18	13	14	55	12.4	0.1	1.2	43.21	91.2	8.0187	115.8527
2025	6	18	13	24	55	12.4	0.1	1.2	42.81	91.3	8.0248	114.8703
2025	6	18	13	34	55	12.4	0.1	1.2	42.61	91.3	8.0248	114.3335
2025	6	18	13	44	55	12.6	0.1	1.2	43.03	92.3	8.0248	115.4069
2025	6	18	13	54	55	12.6	0.1	1.2	43.02	91.7	8.0309	115.4978
2025	6	18	14	4	55	12.6	0.1	1.2	43.21	91.2	8.037	116.1263
2025	6	18	14	14	55	12.6	0.1	1.2	42.9	90.5	8.037	115.3198
2025	6	18	14	24	55	12.4	0.1	1.2	42.75	92.7	8.037	114.782
2025	6	18	14	34	55	12.4	0.1	1.2	42.12	91.6	8.037	113.1691
2025	6	18	14	44	55	12.4	0.1	1.2	43.3	90.7	8.0431	116.4863
2025	6	18	14	54	55	12.6	0.1	1.2	43.83	92.1	8.0431	117.8314
2025	6	18	15	4	55	12.6	0.1	1.2	43.4	90.1	8.0492	116.847
2025	6	18	15	14	55	12.6	0.1	1.2	43.83	92	8.0492	117.9239
2025	6	18	15	24	55	12.4	0.1	1.2	42.71	90.9	8.0553	115.0526
2025	6	18	15	34	55	12.4	0.1	1.2	42.61	91.1	8.0613	114.8732
2025	6	18	15	44	55	12.4	0.1	1.2	43.6	90.5	8.0613	117.5697
2025	6	18	15	54	55	12.6	0.1	1.2	43.22	91.7	8.0613	116.491
2025	6	18	16	4	55	12.6	0.1	1.2	42.61	91.1	8.0613	114.873

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	18	16	14	55	12.6	0.1	1.2	43.12	91.6	8.0674	116.3125
2025	6	18	16	24	55	12.4	0.1	1.2	43.01	91.5	8.0674	116.0425
2025	6	18	16	34	55	12.6	0.1	1.2	42.31	91.2	8.0796	114.3324
2025	6	18	16	44	55	12.6	0.1	1.2	43.52	91.8	8.0857	117.6679
2025	6	18	16	54	55	12.6	0.1	1.2	43.8	90.7	8.0857	118.4794
2025	6	18	17	4	55	12.8	0.1	1.2	43.02	91.6	8.0979	116.4973
2025	6	18	17	14	55	12.6	0.1	1.2	42.9	90.7	8.0979	116.2264
2025	6	18	17	24	55	12.6	0.1	1.2	42.65	92.7	8.104	115.5037
2025	6	18	17	34	55	12.6	0.1	1.2	42.71	91.2	8.1101	115.8652
2025	6	18	17	44	55	12.6	0.1	1.2	42.3	90	8.1101	114.7798
2025	6	18	17	54	55	12.4	0.1	1.2	42.91	91.1	8.1162	116.4987
2025	6	18	18	4	55	12.4	0.1	1.2	43	90.8	8.1162	116.7702
2025	6	18	18	14	55	12.4	0.1	1.2	43.61	91.2	8.1223	118.4919
2025	6	18	18	24	55	12.2	0.1	1.2	43.11	91.2	8.1223	117.1331
2025	6	18	18	34	55	12.2	0.1	1.2	43.73	92	8.1223	118.7637
2025	6	18	18	44	55	12.2	0.1	1.2	43.1	90	8.1223	117.1331
2025	6	18	18	54	55	12.2	0.1	1.2	43.8	90	8.1284	119.1282
2025	6	18	19	4	55	12.2	0.1	1.2	43.8	90.8	8.1284	119.1282
2025	6	18	19	14	55	12	0.1	1.2	43.8	90.4	8.1345	119.221
2025	6	18	19	24	55	12	0.1	1.2	44.7	90.8	8.1345	121.6707
2025	6	18	19	34	55	12	0.1	1.2	44.21	91.2	8.1406	120.4033
2025	6	18	19	44	55	12	0.1	1.2	43.7	90.5	8.1528	119.2263
2025	6	18	19	54	55	12	0.1	1.2	43.93	92.1	8.1589	119.8649
2025	6	18	20	4	55	12	0.1	1.2	44.11	91	8.165	120.5044
2025	6	18	20	14	55	12	0.1	1.2	44.32	91.7	8.1711	121.1447
2025	6	18	20	24	55	12	0.1	1.2	43.41	91.1	8.1772	118.7754
2025	6	18	20	34	55	12	0.1	1.2	44.32	91.6	8.1772	121.2386
2025	6	18	20	44	55	12	0.1	1.2	43.3	90	8.1711	118.4102
2025	6	18	20	54	55	12	0.1	1.2	43.91	91.2	8.1772	120.144
2025	6	18	21	4	55	12	0.1	1.2	43.3	90.5	8.1833	118.5936
2025	6	18	21	14	55	12	0.1	1.2	44.1	90.5	8.1894	120.8781
2025	6	18	21	24	55	12	0.1	1.2	43.4	90.4	8.1894	118.9595
2025	6	18	21	34	55	12	0.1	1.2	43.81	91.3	8.1894	120.0559
2025	6	18	21	44	55	12	0.1	1.2	44.81	90.9	8.1955	122.8918
2025	6	18	21	54	55	12	0.1	1.2	44.3	90	8.1955	121.5203
2025	6	18	22	4	55	12	0.1	1.2	44.31	90.9	8.1955	121.5204
2025	6	18	22	14	55	12	0.1	1.2	44.71	91.2	8.2016	122.7123
2025	6	18	22	24	55	12	0.1	1.2	45.2	90.5	8.2016	124.0849
2025	6	18	22	34	55	12	0.1	1.2	45	90.5	8.2137	123.7264
2025	6	18	22	44	55	12	0.1	1.2	44.5	90.8	8.2198	122.446
2025	6	18	22	54	55	12	0.1	1.2	45.9	90.5	8.232	126.4926
2025	6	18	23	4	55	12	0.1	1.2	43.2	90.5	8.232	119.0519
2025	6	18	23	14	55	12	0.1	1.2	43.8	90.3	8.2381	120.7981
2025	6	18	23	24	55	12	0.1	1.2	44.5	90.8	8.2381	122.7287
2025	6	18	23	34	55	12	0.1	1.2	44.3	90.8	8.2442	122.271
2025	6	18	23	44	55	12	0.1	1.2	45.9	90.1	8.2442	126.6871
2025	6	18	23	54	55	12	0.1	1.2	44.8	89.2	8.2442	123.6511
2025	6	19	0	4	55	11.8	0.1	1.2	44	90.8	8.2442	121.4431

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	19	0	14	55	11.8	0.1	1.2	44.9	89.6	8.2503	124.0222
2025	6	19	0	24	55	11.8	0.1	1.2	44.52	91.5	8.2503	122.9174
2025	6	19	0	34	55	11.8	0.1	1.2	44.9	90.3	8.2503	124.0223
2025	6	19	0	44	55	11.8	0.1	1.2	45.3	90.5	8.2564	125.2232
2025	6	19	0	54	55	11.8	0.1	1.2	44.6	90.4	8.2564	123.2882
2025	6	19	1	4	55	11.8	0.1	1.2	44.51	91.3	8.2564	123.0118
2025	6	19	1	14	55	11.8	0.1	1.2	44.6	90.5	8.2625	123.3827
2025	6	19	1	24	55	11.8	0.1	1.2	45	90	8.2625	124.4893
2025	6	19	1	34	55	11.8	0.1	1.2	44.9	90.8	8.2686	124.3078
2025	6	19	1	44	55	11.8	0.1	1.2	44.8	90.5	8.2747	124.1258
2025	6	19	1	54	55	11.8	0.1	1.2	45.41	91.4	8.2869	125.9805
2025	6	19	2	4	55	11.8	0.1	1.2	45.31	90.9	8.293	125.7989
2025	6	19	2	14	55	11.8	0.1	1.2	45.6	90.6	8.2991	126.7286
2025	6	19	2	24	55	11.8	0.1	1.2	45.1	90.8	8.2991	125.3391
2025	6	19	2	34	55	11.8	0.1	1.2	44.71	91	8.3052	124.3221
2025	6	19	2	44	55	11.8	0.1	1.2	44.62	91.5	8.3052	124.044
2025	6	19	2	54	55	11.8	0.1	1.2	45.41	91.1	8.3052	126.269
2025	6	19	3	4	55	11.8	0.1	1.2	45.91	91	8.3113	127.7569
2025	6	19	3	14	55	11.8	0.1	1.2	44.4	90.4	8.3113	123.5819
2025	6	19	3	24	55	11.8	0.1	1.2	45.8	90	8.3113	127.4786
2025	6	19	3	34	55	11.8	0.1	1.2	44.92	91.5	8.3113	124.9736
2025	6	19	3	44	55	11.8	0.1	1.2	45.51	91.4	8.3174	126.7401
2025	6	19	3	54	55	11.8	0.1	1.2	44.51	91	8.3174	123.9546
2025	6	19	4	4	55	11.8	0.1	1.2	45.7	90	8.3235	127.394
2025	6	19	4	14	55	11.8	0.1	1.2	44.8	90	8.3235	124.8852
2025	6	19	4	24	55	11.8	0.1	1.2	45.41	90.9	8.3296	126.6539
2025	6	19	4	34	55	11.8	0.1	1.2	44.91	91.3	8.3296	125.2591
2025	6	19	4	44	55	11.8	0.1	1.2	44.7	90.5	8.3418	124.8905
2025	6	19	4	54	55	11.8	0.1	1.2	46.1	90.2	8.3479	128.8997
2025	6	19	5	4	55	11.8	0.1	1.2	45.6	90	8.354	127.5982
2025	6	19	5	14	55	11.8	0.1	1.3	46.4	90.7	8.3601	129.9351
2025	6	19	5	24	55	11.8	0.1	1.3	46.1	90.4	8.3601	129.095
2025	6	19	5	34	55	11.8	0.1	1.3	45.4	90.5	8.3662	127.231
2025	6	19	5	44	55	11.8	0.1	1.3	44.5	90.8	8.3662	124.7088
2025	6	19	5	54	55	11.8	0.1	1.3	46.11	91.1	8.3662	129.1928
2025	6	19	6	4	55	11.8	0.1	1.3	46.2	90	8.3722	129.5708
2025	6	19	6	14	55	11.8	0.1	1.3	44.8	90.4	8.3722	125.6445
2025	6	19	6	24	55	11.8	0.1	1.3	44.6	89.4	8.3722	125.0836
2025	6	19	6	34	55	11.8	0.1	1.3	45.9	90.6	8.3783	128.8268
2025	6	19	6	44	55	12	0.1	1.3	45.4	90.3	8.3783	127.4235
2025	6	19	6	54	55	12	0.1	1.3	45.91	91	8.3783	128.8268
2025	6	19	7	4	55	12.2	0.1	1.3	45.1	90.5	8.3844	126.677
2025	6	19	7	14	55	12.2	0.1	1.3	45.8	90.8	8.3844	128.6432
2025	6	19	7	24	55	12.4	0.1	1.3	45.11	90.9	8.3844	126.677
2025	6	19	7	34	55	12.4	0.1	1.3	45.61	91	8.3905	128.178
2025	6	19	7	44	55	12.4	0.1	1.3	46.8	90.5	8.3966	131.6502
2025	6	19	7	54	55	12.4	0.1	1.3	46.7	90.6	8.4027	131.4677
2025	6	19	8	4	55	12.4	0.1	1.3	46.1	90.4	8.4149	129.9738

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	19	8	14	55	12.6	0.1	1.3	45.02	91.5	8.421	126.9678
2025	6	19	8	24	55	12.6	0.1	1.3	46.31	91.1	8.4271	130.7337
2025	6	19	8	34	55	12.6	0.1	1.3	46.8	90.6	8.4332	132.2446
2025	6	19	8	44	55	12.6	0.1	1.3	46.02	91.5	8.4332	129.984
2025	6	19	8	54	55	12.6	0.1	1.3	46.22	91.6	8.4332	130.5491
2025	6	19	9	4	55	12.8	0.1	1.3	45.6	90.5	8.4393	128.9501
2025	6	19	9	14	55	12.8	0.1	1.3	46.5	89.8	8.4393	131.4951
2025	6	19	9	24	55	12.8	0.1	1.3	45.8	89.9	8.4454	129.6125
2025	6	19	9	34	55	13.2	0.1	1.3	46.01	90.9	8.4454	130.1785
2025	6	19	9	44	55	13.4	0.1	1.3	45.81	91	8.4454	129.6124
2025	6	19	9	54	55	13.4	0.1	1.3	46.91	91.3	8.4515	132.8246
2025	6	19	10	4	55	13.2	0.1	1.3	46.21	90.9	8.4515	130.842
2025	6	19	10	14	55	13	0.1	1.3	44.8	90.6	8.4576	126.9719
2025	6	19	10	24	55	12.6	0.1	1.3	45.71	91.4	8.4576	129.5226
2025	6	19	10	34	55	12.6	0.1	1.3	46.61	91	8.4576	132.0733
2025	6	19	10	44	55	12.6	0.1	1.3	46.4	90.5	8.4637	131.6046
2025	6	19	10	54	55	12.4	0.1	1.3	46.1	89.8	8.4637	130.7536
2025	6	19	11	4	55	12.4	0.1	1.3	46.31	91	8.4637	131.3207
2025	6	19	11	14	55	12.4	0.1	1.3	46.1	90.2	8.4698	130.851
2025	6	19	11	24	55	12.4	0.1	1.3	45.7	90.1	8.4698	129.7155
2025	6	19	11	34	55	12.4	0.1	1.3	46.8	90.7	8.4759	132.9368
2025	6	19	11	44	55	12.4	0.1	1.3	46.81	90.9	8.4759	132.9366
2025	6	19	11	54	55	12.6	0.1	1.3	46.12	91.9	8.482	131.0458
2025	6	19	12	4	55	12.6	0.1	1.3	45.84	92.4	8.482	130.1929
2025	6	19	12	14	55	12.6	0.1	1.3	46.14	92.4	8.4881	131.1432
2025	6	19	12	24	55	12.6	0.1	1.3	45.8	90.5	8.4881	130.2897
2025	6	19	12	34	55	12.6	0.1	1.3	45.91	91.1	8.4942	130.6712
2025	6	19	12	44	55	12.6	0.1	1.3	46.41	90.9	8.4942	132.0945
2025	6	19	12	54	55	12.6	0.1	1.3	46.32	91.6	8.5003	131.9078
2025	6	19	13	4	55	12.6	0.1	1.3	45.71	91.4	8.5003	130.1983
2025	6	19	13	14	55	12.4	0.1	1.3	45.8	90.4	8.5064	130.5801
2025	6	19	13	24	55	12.4	0.1	1.3	46.5	90.2	8.5125	132.6743
2025	6	19	13	34	55	12.6	0.1	1.3	45.7	90	8.5186	130.4884
2025	6	19	13	44	55	12.6	0.1	1.3	46.41	91	8.5246	132.5853
2025	6	19	13	54	55	12.8	0.1	1.3	46.8	89.9	8.5307	133.8273
2025	6	19	14	4	55	12.6	0.1	1.3	47.12	91.5	8.5368	134.7848
2025	6	19	14	14	55	12.6	0.1	1.3	47.22	91.6	8.5368	135.0709
2025	6	19	14	24	55	12.6	0.1	1.3	47.42	91.6	8.5368	135.6431
2025	6	19	14	34	55	12.4	0.1	1.3	46.3	90	8.5429	132.5932
2025	6	19	14	44	55	12.6	0.1	1.3	47.51	91.3	8.5429	136.0297
2025	6	19	14	54	55	12.6	0.1	1.3	46.4	90.1	8.549	132.9778
2025	6	19	15	4	55	12.6	0.1	1.3	46.3	90.6	8.5551	132.7891
2025	6	19	15	14	55	12.6	0.1	1.3	46.51	90.9	8.5612	133.4612
2025	6	19	15	24	55	12.4	0.1	1.3	47	89.5	8.5612	134.8961
2025	6	19	15	34	55	12.4	0.1	1.3	47.1	90.5	8.5612	135.1831
2025	6	19	15	44	55	12.4	0.1	1.3	46.92	91.5	8.5612	134.609
2025	6	19	15	54	55	12.6	0.1	1.3	47	90.7	8.5673	134.9956
2025	6	19	16	4	55	12.6	0.1	1.3	46.11	91	8.5673	132.4105

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	19	16	14	55	12.6	0.1	1.3	47.7	89.9	8.5673	137.006
2025	6	19	16	24	55	12.4	0.1	1.3	47.91	90.8	8.5673	137.5804
2025	6	19	16	34	55	12.6	0.1	1.3	46.1	90.5	8.5734	132.508
2025	6	19	16	44	55	12.6	0.1	1.3	47	90.5	8.5734	135.0949
2025	6	19	16	54	55	12.6	0.1	1.3	46.1	90.4	8.5734	132.5079
2025	6	19	17	4	55	12.8	0.1	1.3	47.81	91	8.5734	137.3943
2025	6	19	17	14	55	12.6	0.1	1.3	46.6	90.2	8.5795	134.0438
2025	6	19	17	24	55	12.6	0.1	1.3	46.2	90.1	8.5795	132.8932
2025	6	19	17	34	55	12.6	0.1	1.3	47.01	91	8.5795	135.1944
2025	6	19	17	44	55	12.6	0.1	1.3	47.4	89.4	8.5795	136.3449
2025	6	19	17	54	55	12.4	0.1	1.3	48.1	90.2	8.5856	138.4604
2025	6	19	18	4	55	12.4	0.1	1.3	46.91	91.3	8.5856	135.0061
2025	6	19	18	14	55	12.2	0.1	1.3	47.2	89.9	8.5917	135.9697
2025	6	19	18	24	55	12.2	0.1	1.3	47	90.5	8.5978	135.4931
2025	6	19	18	34	55	12.2	0.1	1.3	48	90	8.5978	138.376
2025	6	19	18	44	55	12.2	0.1	1.3	47.7	90	8.61	137.7132
2025	6	19	18	54	55	12.2	0.1	1.3	47.22	88.3	8.61	136.2697
2025	6	19	19	4	55	12	0.1	1.3	47.51	90.8	8.6161	137.2365
2025	6	19	19	14	55	12	0.1	1.3	48	90.1	8.6222	138.7829
2025	6	19	19	24	55	12	0.1	1.3	47.6	89.6	8.6222	137.6264
2025	6	19	19	34	55	12	0.1	1.3	48.7	90.5	8.6222	140.8069
2025	6	19	19	44	55	12	0.1	1.3	47.3	90.7	8.6283	136.8593
2025	6	19	19	54	55	12	0.1	1.3	47.6	90.5	8.6283	137.7274
2025	6	19	20	4	55	12	0.1	1.3	47.5	90.2	8.6283	137.4382
2025	6	19	20	14	55	12	0.1	1.3	47.9	90.7	8.6344	138.6971
2025	6	19	20	24	55	12	0.1	1.3	47.8	90.4	8.6344	138.4076
2025	6	19	20	34	55	12	0.1	1.3	48.11	91	8.6344	139.2763
2025	6	19	20	44	55	12	0.1	1.3	47.2	90.6	8.6344	136.6704
2025	6	19	20	54	55	12	0.1	1.3	46.9	89.8	8.6344	135.8018
2025	6	19	21	4	55	12	0.1	1.3	48.1	89.8	8.6405	139.3784
2025	6	19	21	14	55	12	0.1	1.3	48.2	90.7	8.6405	139.6683
2025	6	19	21	24	55	12	0.1	1.3	47.3	90	8.6405	137.0604
2025	6	19	21	34	55	12	0.1	1.3	47.3	90	8.6405	137.0605
2025	6	19	21	44	55	12	0.1	1.3	48.6	89.8	8.6466	140.9305
2025	6	19	21	54	55	12	0.1	1.3	47.6	90	8.6466	138.0308
2025	6	19	22	4	55	12	0.1	1.3	48	90.5	8.6527	139.2925
2025	6	19	22	14	55	12	0.1	1.3	47.2	90.6	8.6588	137.071
2025	6	19	22	24	55	12	0.1	1.3	47.3	90	8.6649	137.4617
2025	6	19	22	34	55	12	0.1	1.3	47.81	90.8	8.6709	139.0161
2025	6	19	22	44	55	12	0.1	1.3	47.61	91	8.677	138.5354
2025	6	19	22	54	55	12	0.1	1.3	47.71	91.1	8.677	138.8265
2025	6	19	23	4	55	12	0.1	1.3	46.7	90.5	8.6831	136.0151
2025	6	19	23	14	55	12	0.1	1.3	47.8	89.5	8.6831	139.2189
2025	6	19	23	24	55	12	0.1	1.3	47.8	89.8	8.6831	139.219
2025	6	19	23	34	55	12	0.1	1.3	47.71	91	8.6831	138.9278
2025	6	19	23	44	55	12	0.1	1.3	48.6	90.7	8.6892	141.6521
2025	6	19	23	54	55	12	0.1	1.3	47.8	90.5	8.6892	139.3205
2025	6	20	0	4	55	12	0.1	1.3	48.41	91.4	8.6892	141.0694

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	20	0	14	55	12	0.1	1.3	48.4	90.7	8.6892	141.0694
2025	6	20	0	24	55	12	0.1	1.3	48	90.6	8.6892	139.9036
2025	6	20	0	34	55	11.8	0.1	1.3	47.7	89.8	8.6892	139.0293
2025	6	20	0	44	55	11.8	0.1	1.3	47.6	90	8.6892	138.7379
2025	6	20	0	54	55	11.8	0.1	1.3	48.5	89.8	8.6892	141.3611
2025	6	20	1	4	55	11.8	0.1	1.3	48.01	90.8	8.6953	140.0056
2025	6	20	1	14	55	11.8	0.1	1.3	47.8	90.4	8.6953	139.4222
2025	6	20	1	24	55	11.8	0.1	1.3	47.5	90.1	8.6953	138.5473
2025	6	20	1	34	55	11.8	0.1	1.3	48.4	90.5	8.6953	141.1724
2025	6	20	1	44	55	11.8	0.1	1.3	48.61	90.8	8.7014	141.8588
2025	6	20	1	54	55	11.8	0.1	1.3	48.61	90.9	8.7075	141.9618
2025	6	20	2	4	55	11.8	0.1	1.3	47.1	90.5	8.7136	137.6801
2025	6	20	2	14	55	11.8	0.1	1.3	48.31	90.9	8.7197	141.2903
2025	6	20	2	24	55	11.8	0.1	1.3	48.4	90.7	8.7258	141.6854
2025	6	20	2	34	55	11.8	0.1	1.3	48.5	90.5	8.7319	142.081
2025	6	20	2	44	55	11.8	0.1	1.3	48.8	90.2	8.7319	142.9599
2025	6	20	2	54	55	11.8	0.1	1.3	49.3	90.6	8.7319	144.4247
2025	6	20	3	4	55	11.8	0.1	1.3	47.6	90.1	8.738	139.5454
2025	6	20	3	14	55	11.8	0.1	1.3	48.1	90.5	8.738	141.0113
2025	6	20	3	24	55	11.8	0.1	1.3	48.9	90	8.738	143.3566
2025	6	20	3	34	55	11.8	0.1	1.3	48.41	91.3	8.738	141.8908
2025	6	20	3	44	55	11.8	0.1	1.3	49.5	90.5	8.738	145.1157
2025	6	20	3	54	55	11.8	0.1	1.3	48.6	90.6	8.738	142.4773
2025	6	20	4	4	55	11.8	0.1	1.3	48.41	91.4	8.7441	141.9935
2025	6	20	4	14	55	11.8	0.1	1.3	48.5	90	8.7441	142.287
2025	6	20	4	24	55	11.8	0.1	1.3	48	90.5	8.7441	140.8201
2025	6	20	4	34	55	11.8	0.1	1.3	49.1	90.4	8.7441	144.0473
2025	6	20	4	44	55	11.8	0.1	1.3	48.21	91.1	8.7441	141.407
2025	6	20	4	54	55	11.8	0.1	1.3	48.8	90.5	8.7441	143.1672
2025	6	20	5	4	55	11.8	0.1	1.3	49.4	90.5	8.7441	144.9275
2025	6	20	5	14	55	11.8	0.1	1.3	48.92	91.5	8.7441	143.4607
2025	6	20	5	24	55	11.8	0.1	1.3	48.91	91.2	8.7502	143.5643
2025	6	20	5	34	55	11.8	0.1	1.3	48	90.5	8.7502	140.9221
2025	6	20	5	44	55	11.8	0.1	1.3	47.71	91.1	8.7502	140.0413
2025	6	20	5	54	55	11.8	0.1	1.3	48.81	90.8	8.7502	143.2708
2025	6	20	6	4	55	11.8	0.1	1.3	48.51	91.3	8.7502	142.3901
2025	6	20	6	14	55	11.8	0.1	1.3	47.7	90.7	8.7563	140.1425
2025	6	20	6	24	55	11.8	0.1	1.3	47.7	89.6	8.7563	140.1425
2025	6	20	6	34	55	11.8	0.1	1.3	48.51	91.4	8.7563	142.4929
2025	6	20	6	44	55	12	0.1	1.3	48.2	90	8.7563	141.6116
2025	6	20	6	54	55	12	0.1	1.3	48.3	90.5	8.7624	142.0077
2025	6	20	7	4	55	12	0.1	1.3	47.11	90.9	8.7685	138.5794
2025	6	20	7	14	55	12	0.1	1.3	47.61	91	8.7685	140.0505
2025	6	20	7	24	55	12.2	0.1	1.3	49.01	91.1	8.7685	144.1696
2025	6	20	7	34	55	12.2	0.1	1.3	48.12	91.5	8.7746	141.6235
2025	6	20	7	44	55	12.2	0.1	1.3	48.2	90	8.7746	141.918
2025	6	20	7	54	55	12.4	0.1	1.3	48.72	91.5	8.7807	143.4933
2025	6	20	8	4	55	12.4	0.1	1.3	48.9	89.8	8.7807	144.0826

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	20	8	14	55	12.4	0.1	1.3	48.6	90.5	8.7807	143.1986
2025	6	20	8	24	55	12.4	0.1	1.3	48.6	90.7	8.7807	143.1986
2025	6	20	8	34	55	12.6	0.1	1.3	48.6	90.7	8.7868	143.3015
2025	6	20	8	44	55	12.6	0.1	1.3	47.6	90.2	8.7868	140.3529
2025	6	20	8	54	55	12.6	0.1	1.3	49.4	90.7	8.7868	145.6603
2025	6	20	9	4	55	12.6	0.1	1.3	49.4	90.5	8.7868	145.6602
2025	6	20	9	14	55	12.6	0.1	1.3	48.81	91.4	8.7868	143.891
2025	6	20	9	24	55	12.6	0.1	1.3	48	90	8.7868	141.5321
2025	6	20	9	34	55	12.6	0.1	1.3	48.81	91.1	8.7868	143.8909
2025	6	20	9	44	55	12.8	0.1	1.3	48.1	90	8.7807	141.7249
2025	6	20	9	54	55	12.8	0.1	1.3	49	90.5	8.7868	144.4804
2025	6	20	10	4	55	12.6	0.1	1.3	48.1	89.9	8.7868	141.8266
2025	6	20	10	14	55	12.6	0.1	1.3	48.11	91.2	8.7807	141.7247
2025	6	20	10	24	55	12.6	0.1	1.3	49.5	90.5	8.7807	145.8496
2025	6	20	10	34	55	12.6	0.1	1.3	48.91	91.1	8.7807	144.0816
2025	6	20	10	44	55	12.6	0.1	1.3	49.01	91.3	8.7807	144.3762
2025	6	20	10	54	55	12.4	0.1	1.3	48.1	90.5	8.7746	141.6224
2025	6	20	11	4	55	12.4	0.1	1.3	48.61	91.1	8.7746	143.0944
2025	6	20	11	14	55	12.4	0.1	1.3	49.2	90.5	8.7746	144.8609
2025	6	20	11	24	55	12.4	0.1	1.3	49.02	91.5	8.7746	144.2719
2025	6	20	11	34	55	12.6	0.1	1.3	49	90	8.7746	144.2719
2025	6	20	11	44	55	12.6	0.1	1.3	48.41	91.3	8.7746	142.5051
2025	6	20	11	54	55	12.6	0.1	1.3	48.61	91.4	8.7746	143.0939
2025	6	20	12	4	55	12.6	0.1	1.3	48.9	90.2	8.7746	143.9771
2025	6	20	12	14	55	12.6	0.1	1.3	48.71	91.3	8.7746	143.3881
2025	6	20	12	24	55	12.6	0.1	1.3	48.2	90.5	8.7746	141.9158
2025	6	20	12	34	55	12.6	0.1	1.3	48.32	91.7	8.7746	142.2101
2025	6	20	12	44	55	12.6	0.1	1.3	48.01	91	8.7746	141.3267
2025	6	20	12	54	55	12.6	0.1	1.3	48.11	91.3	8.7746	141.621
2025	6	20	13	4	55	12.6	0.1	1.3	48.2	90.5	8.7746	141.9153
2025	6	20	13	14	55	12.4	0.1	1.3	48.91	90.9	8.7746	143.9762
2025	6	20	13	24	55	12.4	0.1	1.3	48.5	90.1	8.7746	142.7984
2025	6	20	13	34	55	12.6	0.1	1.3	48.81	91.2	8.7746	143.6816
2025	6	20	13	44	55	12.6	0.1	1.3	48.4	90.1	8.7746	142.5037
2025	6	20	13	54	55	12.8	0.1	1.3	48.01	91.2	8.7746	141.3259
2025	6	20	14	4	55	12.8	0.1	1.3	48.3	90.6	8.7746	142.2091
2025	6	20	14	14	55	12.6	0.1	1.3	48.2	90.6	8.7746	141.9145
2025	6	20	14	24	55	12.6	0.1	1.3	49.1	90.8	8.7746	144.5643
2025	6	20	14	34	55	12.4	0.1	1.3	48.2	89.4	8.7746	141.9143
2025	6	20	14	44	55	12.6	0.1	1.3	47.41	91	8.7807	139.6592
2025	6	20	14	54	55	12.6	0.1	1.3	47.7	90.6	8.7746	140.442
2025	6	20	15	4	55	12.8	0.1	1.3	48.31	91.3	8.7746	142.2085
2025	6	20	15	14	55	12.6	0.1	1.3	49	90.5	8.7746	144.2694
2025	6	20	15	24	55	12.4	0.1	1.3	49.1	90.8	8.7746	144.5637
2025	6	20	15	34	55	12.4	0.1	1.3	47.9	89.8	8.7746	141.0305
2025	6	20	15	44	55	12.4	0.1	1.3	48.1	90	8.7685	141.5174
2025	6	20	15	54	55	12.6	0.1	1.3	48.2	89.8	8.7685	141.8116
2025	6	20	16	4	55	12.8	0.1	1.3	47.9	90.2	8.7685	140.9289

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	20	16	14	55	12.6	0.1	1.3	48.8	90	8.7624	143.4734
2025	6	20	16	24	55	12.6	0.1	1.3	49.3	90.8	8.7624	144.9434
2025	6	20	16	34	55	12.6	0.1	1.3	48.41	91.2	8.7563	142.1948
2025	6	20	16	44	55	12.6	0.1	1.3	48.8	90.5	8.7563	143.37
2025	6	20	16	54	55	12.8	0.1	1.3	48.3	90.5	8.7563	141.901
2025	6	20	17	4	55	13	0.1	1.3	48.5	90	8.7685	142.6942
2025	6	20	17	14	55	12.8	0.1	1.3	49.1	90.5	8.7563	144.2514
2025	6	20	17	24	55	12.8	0.1	1.3	48.61	91.1	8.7502	142.6795
2025	6	20	17	34	55	12.6	0.1	1.3	47.8	89.4	8.7502	140.3309
2025	6	20	17	44	55	12.6	0.1	1.3	48.8	90.5	8.7563	143.3701
2025	6	20	17	54	55	12.4	0.1	1.3	48.8	90.7	8.7502	143.2667
2025	6	20	18	4	55	12.4	0.1	1.3	48.5	90.6	8.738	142.1805
2025	6	20	18	14	55	12.4	0.1	1.3	47.8	90.7	8.738	140.1284
2025	6	20	18	24	55	12.2	0.1	1.3	47.9	90	8.7502	140.6246
2025	6	20	18	34	55	12.2	0.1	1.3	49.21	91.2	8.738	144.2327
2025	6	20	18	44	55	12.2	0.1	1.3	48.81	90.8	8.7441	143.1636
2025	6	20	18	54	55	12.2	0.1	1.3	49.7	90.1	8.7319	145.5934
2025	6	20	19	4	55	12	0.1	1.3	48.1	90.5	8.7319	140.9064
2025	6	20	19	14	55	12	0.1	1.3	48.3	90.5	8.7319	141.4923
2025	6	20	19	24	55	12	0.1	1.3	47.9	90.2	8.7258	140.2191
2025	6	20	19	34	55	12	0.1	1.3	48.7	90	8.738	142.7674
2025	6	20	19	44	55	12	0.1	1.3	48.5	90.5	8.738	142.1812
2025	6	20	19	54	55	12	0.1	1.3	48.6	90.5	8.738	142.4744
2025	6	20	20	4	55	12	0.1	1.3	47.5	90.2	8.7258	139.0486
2025	6	20	20	14	55	12	0.1	1.3	47.61	91.1	8.7319	139.4422
2025	6	20	20	24	55	12	0.1	1.3	48.4	90.5	8.7319	141.7859
2025	6	20	20	34	55	12	0.1	1.3	48.4	90.5	8.7258	141.6835
2025	6	20	20	44	55	12	0.1	1.3	48.2	90.1	8.7258	141.0981
2025	6	20	20	54	55	12	0.1	1.3	48.42	91.8	8.7197	141.5812
2025	6	20	21	4	55	12	0.1	1.3	47.61	91.1	8.7197	139.2411
2025	6	20	21	14	55	12	0.1	1.3	49	90.7	8.7136	143.2326
2025	6	20	21	24	55	12	0.1	1.3	48.7	89.8	8.7136	142.3558
2025	6	20	21	34	55	12	0.1	1.3	48.2	90.7	8.7136	140.8943
2025	6	20	21	44	55	12	0.1	1.3	48.2	90.1	8.7136	140.8944
2025	6	20	21	54	55	12	0.1	1.3	47.9	90.5	8.7075	139.9161
2025	6	20	22	4	55	12	0.1	1.3	47.8	90	8.7075	139.6241
2025	6	20	22	14	55	12	0.1	1.3	48.3	90.4	8.7075	141.0847
2025	6	20	22	24	55	12	0.1	1.3	47.5	90.5	8.7014	138.6473
2025	6	20	22	34	55	12	0.1	1.3	47.91	91	8.7014	139.815
2025	6	20	22	44	55	12	0.1	1.3	48.61	91.1	8.7014	141.8583
2025	6	20	22	54	55	12	0.1	1.3	48.8	90.6	8.7014	142.4421
2025	6	20	23	4	55	12	0.1	1.3	48.5	89.8	8.6953	141.4638
2025	6	20	23	14	55	12	0.1	1.3	48.4	90.4	8.6953	141.1722
2025	6	20	23	24	55	12	0.1	1.3	48	90.5	8.6953	140.0055
2025	6	20	23	34	55	12	0.1	1.3	48	90.4	8.6953	140.0056
2025	6	20	23	44	55	12	0.1	1.3	46.9	89.4	8.6953	136.7972
2025	6	20	23	54	55	12	0.1	1.3	46.9	90.2	8.6892	136.6979
2025	6	21	0	4	55	12	0.1	1.3	48.5	90.2	8.6892	141.3614

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	21	0	14	55	12	0.1	1.3	48.11	90.8	8.6892	140.1956
2025	6	21	0	24	55	12	0.1	1.3	48.01	91	8.6892	139.9042
2025	6	21	0	34	55	12	0.1	1.3	47.01	91.3	8.6831	136.89
2025	6	21	0	44	55	11.8	0.1	1.3	47.7	90	8.6831	138.9289
2025	6	21	0	54	55	11.8	0.1	1.3	47.4	90.1	8.6831	138.0552
2025	6	21	1	4	55	11.8	0.1	1.3	47.8	90	8.6831	139.2203
2025	6	21	1	14	55	11.8	0.1	1.3	48.51	91.1	8.6831	141.2591
2025	6	21	1	24	55	11.8	0.1	1.3	48.2	90.1	8.677	140.2833
2025	6	21	1	34	55	11.8	0.1	1.3	48.21	91.3	8.677	140.2834
2025	6	21	1	44	55	11.8	0.1	1.3	47.61	91	8.677	138.5372
2025	6	21	1	54	55	11.8	0.1	1.3	47.9	89.9	8.677	139.4104
2025	6	21	2	4	55	11.8	0.1	1.3	47.31	91	8.677	137.6642
2025	6	21	2	14	55	11.8	0.1	1.3	48.2	89.6	8.6709	140.1815
2025	6	21	2	24	55	11.8	0.1	1.3	46.8	89.8	8.6709	136.11
2025	6	21	2	34	55	11.8	0.1	1.3	47.7	90.4	8.6709	138.7275
2025	6	21	2	44	55	11.8	0.1	1.3	48.01	91.3	8.6709	139.6001
2025	6	21	2	54	55	11.8	0.1	1.3	47.61	90.8	8.6649	138.3359
2025	6	21	3	4	55	11.8	0.1	1.3	47.4	90.5	8.6649	137.7548
2025	6	21	3	14	55	11.8	0.1	1.3	47.5	90.4	8.6649	138.0454
2025	6	21	3	24	55	11.8	0.1	1.3	47.1	90.4	8.6649	136.883
2025	6	21	3	34	55	11.8	0.1	1.3	47.41	90.8	8.6649	137.7549
2025	6	21	3	44	55	11.8	0.1	1.3	47.6	90.5	8.6588	138.2354
2025	6	21	3	54	55	11.8	0.1	1.3	47.6	90.2	8.6588	138.2354
2025	6	21	4	4	55	11.8	0.1	1.3	48.01	90.8	8.6588	139.3971
2025	6	21	4	14	55	11.8	0.1	1.3	47.12	91.6	8.6588	136.7835
2025	6	21	4	24	55	11.8	0.1	1.3	47.41	91.2	8.6527	137.5544
2025	6	21	4	34	55	11.8	0.1	1.3	47.41	91.2	8.6527	137.5544
2025	6	21	4	44	55	11.8	0.1	1.3	47	90.4	8.6527	136.3936
2025	6	21	4	54	55	11.8	0.1	1.3	46.9	90.7	8.6527	136.1035
2025	6	21	5	4	55	11.8	0.1	1.3	46.9	90	8.6466	136.0042
2025	6	21	5	14	55	11.8	0.1	1.3	46.6	90	8.6466	135.1342
2025	6	21	5	24	55	11.8	0.1	1.3	46.7	90.7	8.6466	135.4243
2025	6	21	5	34	55	11.8	0.1	1.3	47.4	90.6	8.6405	137.3538
2025	6	21	5	44	55	11.8	0.1	1.3	48.6	90.7	8.6405	140.8312
2025	6	21	5	54	55	11.8	0.1	1.3	48.01	90.8	8.6344	138.9908
2025	6	21	6	4	55	11.8	0.1	1.3	47.71	91.2	8.6344	138.1222
2025	6	21	6	14	55	11.8	0.1	1.3	47.1	90.6	8.6344	136.3849
2025	6	21	6	24	55	11.8	0.1	1.3	47	90.5	8.6283	135.9958
2025	6	21	6	34	55	11.8	0.1	1.3	46.9	90.5	8.6161	135.5078
2025	6	21	6	44	55	12	0.1	1.3	47.81	91.1	8.61	138.0069
2025	6	21	6	54	55	12	0.1	1.3	47.61	91.3	8.6039	137.3287
2025	6	21	7	4	55	12.2	0.1	1.3	47.6	90.4	8.6039	137.3287
2025	6	21	7	14	55	12.2	0.1	1.3	47.3	90	8.5978	136.363
2025	6	21	7	24	55	12.4	0.1	1.3	47.02	91.5	8.5978	135.4981
2025	6	21	7	34	55	12.4	0.1	1.3	46.6	90	8.5917	134.2462
2025	6	21	7	44	55	12.6	0.1	1.3	47.21	90.8	8.5917	135.9747
2025	6	21	7	54	55	12.6	0.1	1.3	46	90.2	8.5917	132.5177
2025	6	21	8	4	55	12.6	0.1	1.3	46.1	90.6	8.5917	132.8058

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	21	8	14	55	12.6	0.1	1.3	46.8	90.2	8.5856	134.7232
2025	6	21	8	24	55	12.8	0.1	1.3	46.7	90.7	8.5856	134.4353
2025	6	21	8	34	55	13.2	0.1	1.3	46.71	91.1	8.5856	134.4353
2025	6	21	8	44	55	13.2	0.1	1.3	46.5	90.6	8.5856	133.8595
2025	6	21	8	54	55	13.2	0.1	1.3	46.3	90.6	8.5795	133.1856
2025	6	21	9	4	55	13.4	0.1	1.3	47.33	92.2	8.5795	136.0622
2025	6	21	9	14	55	13.6	0.1	1.3	46.4	90.7	8.5795	133.4732
2025	6	21	9	24	55	12.8	0.1	1.3	46.81	91.2	8.5795	134.6238
2025	6	21	9	34	55	13	0.1	1.3	47.5	90.4	8.5734	136.5367
2025	6	21	9	44	55	13	0.1	1.3	47.71	91.1	8.5673	137.0105
2025	6	21	9	54	55	13	0.1	1.3	46.81	91.3	8.5673	134.4254
2025	6	21	10	4	55	12.8	0.1	1.3	46.11	91	8.5612	132.317
2025	6	21	10	14	55	12.8	0.1	1.3	47.3	90.5	8.5551	135.661
2025	6	21	10	24	55	12.8	0.1	1.3	47.51	91.3	8.5429	136.0333
2025	6	21	10	34	55	12.6	0.1	1.3	47.1	90	8.5368	134.788
2025	6	21	10	44	55	12.6	0.1	1.3	46.41	91	8.5368	132.7847
2025	6	21	10	54	55	12.6	0.1	1.3	46	90	8.5307	131.5424
2025	6	21	11	4	55	12.6	0.1	1.3	46.91	90.9	8.5307	134.116
2025	6	21	11	14	55	12.6	0.1	1.3	46.4	90	8.5246	132.5878
2025	6	21	11	24	55	12.6	0.1	1.3	46.7	90.6	8.5246	133.445
2025	6	21	11	34	55	12.6	0.1	1.3	46.1	90	8.5246	131.7303
2025	6	21	11	44	55	12.6	0.1	1.3	46.5	89.9	8.5246	132.8732
2025	6	21	11	54	55	12.6	0.1	1.3	46.31	90.9	8.5186	132.2036
2025	6	21	12	4	55	12.6	0.1	1.3	46.63	92	8.5186	133.0601
2025	6	21	12	14	55	12.6	0.1	1.3	46.21	91	8.5186	131.9178
2025	6	21	12	24	55	12.6	0.1	1.3	46.32	91.6	8.5125	132.1052
2025	6	21	12	34	55	12.6	0.1	1.3	46.72	91.8	8.5003	133.0486
2025	6	21	12	44	55	12.6	0.1	1.3	45.81	90.9	8.4881	130.2903
2025	6	21	12	54	55	12.6	0.1	1.3	45.5	90.3	8.4881	129.4368
2025	6	21	13	4	55	12.6	0.1	1.3	46.5	90.7	8.482	132.183
2025	6	21	13	14	55	12.6	0.1	1.3	46.31	90.9	8.4759	131.5163
2025	6	21	13	24	55	12.6	0.1	1.3	46.8	90.6	8.4759	132.9364
2025	6	21	13	34	55	12.6	0.1	1.3	46.41	90.9	8.4759	131.8001
2025	6	21	13	44	55	13	0.1	1.3	47.3	90.6	8.4698	134.2563
2025	6	21	13	54	55	13.2	0.1	1.3	45.91	91	8.4698	130.2824
2025	6	21	14	4	55	12.8	0.1	1.3	46.1	89.9	8.4698	130.8501
2025	6	21	14	14	55	12.8	0.1	1.3	46.4	90	8.4698	131.7015
2025	6	21	14	24	55	12.6	0.1	1.3	46.81	91.1	8.4637	132.7376
2025	6	21	14	34	55	12.6	0.1	1.3	45.92	91.5	8.4576	130.0877
2025	6	21	14	44	55	12.6	0.1	1.3	46.71	91	8.4576	132.355
2025	6	21	14	54	55	12.8	0.1	1.3	46.4	89.3	8.4454	131.3082
2025	6	21	15	4	55	13	0.1	1.3	47.51	91	8.4332	134.2199
2025	6	21	15	14	55	12.8	0.1	1.3	45.7	89.7	8.4271	129.0368
2025	6	21	15	24	55	12.6	0.1	1.3	46	90.4	8.4271	129.8839
2025	6	21	15	34	55	12.4	0.1	1.3	45.3	89.2	8.4271	127.9074
2025	6	21	15	44	55	12.6	0.1	1.3	46.8	90.1	8.421	132.0436
2025	6	21	15	54	55	13.2	0.1	1.3	46.51	91	8.4149	131.0987
2025	6	21	16	4	55	13.4	0.1	1.3	45.6	90.5	8.4088	128.4648

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	21	16	14	55	13	0.1	1.3	46.1	90	8.4088	129.8735
2025	6	21	16	24	55	13	0.1	1.3	46.3	90	8.4027	130.3389
2025	6	21	16	34	55	13.2	0.1	1.3	46.7	90.5	8.3966	131.3661
2025	6	21	16	44	55	13.4	0.1	1.3	44.8	90	8.3905	125.9266
2025	6	21	16	54	55	13.4	0.1	1.3	46.01	91.4	8.3905	129.2997
2025	6	21	17	4	55	13.4	0.1	1.2	45.5	90.8	8.3844	127.798
2025	6	21	17	14	55	13.4	0.1	1.2	45.51	91.4	8.3844	127.7981
2025	6	21	17	24	55	13.4	0.1	1.2	45.31	91	8.3844	127.2364
2025	6	21	17	34	55	13.4	0.1	1.2	45.6	90.1	8.3783	127.9825
2025	6	21	17	44	55	13.4	0.1	1.2	44.6	90.3	8.3722	125.0815
2025	6	21	17	54	55	13	0.1	1.2	45.6	90.5	8.3662	127.7896
2025	6	21	18	4	55	12.6	0.1	1.2	45.2	90	8.3662	126.6686
2025	6	21	18	14	55	12.4	0.1	1.2	45.41	90.9	8.354	127.0369
2025	6	21	18	24	55	12.2	0.1	1.2	45.9	90.4	8.354	128.4361
2025	6	21	18	34	55	12.2	0.1	1.2	45.7	90.5	8.3479	127.7798
2025	6	21	18	44	55	12.2	0.1	1.2	45	90.6	8.3357	125.632
2025	6	21	18	54	55	12	0.1	1.2	45.5	90	8.3357	127.028
2025	6	21	19	4	55	12	0.1	1.2	46.5	90.6	8.3418	129.9184
2025	6	21	19	14	55	12	0.1	1.2	44.3	90.1	8.3357	123.678
2025	6	21	19	24	55	12	0.1	1.2	45.2	90	8.3235	125.9994
2025	6	21	19	34	55	12	0.1	1.2	46	90	8.3235	128.2296
2025	6	21	19	44	55	12	0.1	1.2	45.91	91	8.3235	127.9509
2025	6	21	19	54	55	12	0.1	1.2	44.8	90.3	8.3174	124.7899
2025	6	21	20	4	55	12	0.1	1.2	44.5	90.5	8.3113	123.8601
2025	6	21	20	14	55	12	0.1	1.2	45.4	90.1	8.3113	126.3653
2025	6	21	20	24	55	12	0.1	1.2	45.51	91	8.3113	126.6437
2025	6	21	20	34	55	12	0.1	1.2	44.7	90.8	8.2991	124.2279
2025	6	21	20	44	55	12	0.1	1.2	45.21	88.6	8.2991	125.6176
2025	6	21	20	54	55	12	0.1	1.2	43.6	90.8	8.293	121.0788
2025	6	21	21	4	55	12	0.1	1.2	44.9	90	8.2869	124.594
2025	6	21	21	14	55	12	0.1	1.2	44.7	90.5	8.2869	124.0391
2025	6	21	21	24	55	12	0.1	1.2	45.3	90.8	8.2808	125.6083
2025	6	21	21	34	55	12	0.1	1.2	45.5	90.5	8.2747	126.0667
2025	6	21	21	44	55	12	0.1	1.2	43.81	91.4	8.2686	121.2639
2025	6	21	21	54	55	12	0.1	1.2	45	89.6	8.2625	124.4911
2025	6	21	22	4	55	12	0.1	1.2	44.41	91	8.2625	122.8313
2025	6	21	22	14	55	12	0.1	1.2	45.7	90	8.2564	126.3312
2025	6	21	22	24	55	12	0.1	1.2	44.11	91.4	8.2503	121.8149
2025	6	21	22	34	55	12	0.1	1.2	45	90.5	8.2503	124.3011
2025	6	21	22	44	55	12	0.1	1.2	42.6	89.6	8.2442	117.5816
2025	6	21	22	54	55	12	0.1	1.2	44.8	90.3	8.2381	123.5592
2025	6	21	23	4	55	12	0.1	1.2	45.5	90.5	8.2381	125.49
2025	6	21	23	14	55	12	0.1	1.2	44.1	90.4	8.2259	121.4422
2025	6	21	23	24	55	12	0.1	1.2	43.4	90.7	8.2259	119.5147
2025	6	21	23	34	55	12	0.1	1.2	44.12	91.8	8.2198	121.3491
2025	6	21	23	44	55	11.8	0.1	1.2	44.1	90.6	8.2137	121.2559
2025	6	21	23	54	55	11.8	0.1	1.2	44.12	91.6	8.2137	121.256
2025	6	22	0	4	55	11.8	0.1	1.2	43.8	90.7	8.2077	120.3385

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	22	0	14	55	11.8	0.1	1.2	44.4	90.4	8.2016	121.8931
2025	6	22	0	24	55	11.8	0.1	1.2	44.01	91.2	8.2016	120.7951
2025	6	22	0	34	55	11.8	0.1	1.2	45	90.1	8.1955	123.4453
2025	6	22	0	44	55	11.8	0.1	1.2	44.3	89.9	8.1955	121.5251
2025	6	22	0	54	55	11.8	0.1	1.2	44.22	91.7	8.1894	121.1573
2025	6	22	1	4	55	11.8	0.1	1.2	44.71	90.9	8.1894	122.528
2025	6	22	1	14	55	11.8	0.1	1.2	43.5	90.5	8.1833	119.1467
2025	6	22	1	24	55	11.8	0.1	1.2	44.91	91.1	8.1772	122.8864
2025	6	22	1	34	55	11.8	0.1	1.2	43	89.2	8.1772	117.6864
2025	6	22	1	44	55	11.8	0.1	1.2	44	89.9	8.1711	120.3302
2025	6	22	1	54	55	11.8	0.1	1.2	44.01	91.4	8.165	120.2372
2025	6	22	2	4	55	11.8	0.1	1.2	43.82	91.8	8.1528	119.5054
2025	6	22	2	14	55	11.8	0.1	1.2	43.31	91.5	8.1467	118.0496
2025	6	22	2	24	55	11.8	0.1	1.2	42.7	90.5	8.1406	116.3235
2025	6	22	2	34	55	11.8	0.1	1.2	43.9	90.8	8.1345	119.4997
2025	6	22	2	44	55	11.8	0.1	1.2	43.91	91.2	8.1284	119.4069
2025	6	22	2	54	55	11.8	0.1	1.2	43.91	91.2	8.1284	119.407
2025	6	22	3	4	55	11.8	0.1	1.2	43.61	91.2	8.1223	118.4988
2025	6	22	3	14	55	11.8	0.1	1.2	43.6	90.8	8.1223	118.4989
2025	6	22	3	24	55	11.8	0.1	1.2	43.24	92.5	8.1162	117.3204
2025	6	22	3	34	55	11.8	0.1	1.2	43.4	90.5	8.1101	117.7718
2025	6	22	3	44	55	11.8	0.1	1.2	42.61	91.2	8.1101	115.6009
2025	6	22	3	54	55	11.8	0.1	1.2	42.61	91.3	8.104	115.5108
2025	6	22	4	4	55	11.8	0.1	1.2	44.12	91.8	8.104	119.5782
2025	6	22	4	14	55	11.8	0.1	1.2	43.21	90.9	8.104	117.1378
2025	6	22	4	24	55	11.8	0.1	1.2	43.6	90.4	8.0979	118.1302
2025	6	22	4	34	55	11.8	0.1	1.2	43.4	90.5	8.0979	117.5884
2025	6	22	4	44	55	11.8	0.1	1.2	42.8	90.1	8.0918	115.8722
2025	6	22	4	54	55	11.8	0.1	1.2	43.25	92.8	8.0918	116.9552
2025	6	22	5	4	55	11.8	0.1	1.2	42.61	90.9	8.0857	115.2407
2025	6	22	5	14	55	11.8	0.1	1.2	42.81	91.5	8.0796	115.6912
2025	6	22	5	24	55	11.8	0.1	1.2	43.31	91.5	8.0796	117.0428
2025	6	22	5	34	55	11.8	0.1	1.2	43.81	91	8.0735	118.3017
2025	6	22	5	44	55	11.8	0.1	1.2	42.8	90.7	8.0674	115.5102
2025	6	22	5	54	55	11.8	0.1	1.2	43.01	91.1	8.0613	115.959
2025	6	22	6	4	55	11.8	0.1	1.2	42.7	90.7	8.0492	114.9694
2025	6	22	6	14	55	11.8	0.1	1.2	43.2	90.7	8.0431	116.2242
2025	6	22	6	24	55	11.8	0.1	1.2	42.71	91.5	8.037	114.7887
2025	6	22	6	34	55	11.8	0.1	1.2	42.73	92.3	8.037	114.7888
2025	6	22	6	44	55	12	0.1	1.2	44.23	91.9	8.0309	118.7277
2025	6	22	6	54	55	12	0.1	1.2	43.51	90.9	8.0309	116.8474
2025	6	22	7	4	55	12.2	0.1	1.2	42.42	91.6	8.0248	113.803
2025	6	22	7	14	55	12.4	0.1	1.2	43.11	91.1	8.0248	115.6818
2025	6	22	7	24	55	12.4	0.1	1.2	42.51	91.3	8.0248	114.0714
2025	6	22	7	34	55	12.6	0.1	1.2	42.11	91.5	8.0187	112.9088
2025	6	22	7	44	55	12.6	0.1	1.2	42.87	93.2	8.0187	114.7861
2025	6	22	7	54	55	12.6	0.1	1.2	43.33	92	8.0126	116.0354
2025	6	22	8	4	55	12.8	0.1	1.2	41.51	91.5	8.0126	111.2118

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	22	8	14	55	12.8	0.1	1.2	43.63	92	8.0065	116.7471
2025	6	22	8	24	55	12.8	0.1	1.2	41.9	89.3	8.0065	112.1951
2025	6	22	8	34	55	13	0.1	1.2	42.7	90.5	7.9943	114.1565
2025	6	22	8	44	55	13	0.1	1.2	42.9	90.8	7.9882	114.6004
2025	6	22	8	54	55	13.4	0.1	1.2	42.12	91.6	7.976	112.2852
2025	6	22	9	4	55	13.4	0.1	1.2	42.7	90	7.9699	113.7951
2025	6	22	9	14	55	13.4	0.1	1.2	42.21	91.1	7.9638	112.3733
2025	6	22	9	24	55	13.4	0.1	1.2	42.03	92	7.9638	111.8406
2025	6	22	9	34	55	13.4	0.1	1.2	42.4	90	7.9577	112.816
2025	6	22	9	44	55	13.4	0.1	1.2	42.03	92	7.9577	111.7517
2025	6	22	9	54	55	13.4	0.1	1.2	40.71	91.5	7.9577	108.2926
2025	6	22	10	4	55	13.4	0.1	1.2	42.91	91.2	7.9516	114.0555
2025	6	22	10	14	55	13.2	0.1	1.2	42	90.5	7.9516	111.6626
2025	6	22	10	24	55	13.2	0.1	1.2	41.7	90.4	7.9516	110.8649
2025	6	22	10	34	55	12.8	0.1	1.2	41	90.1	7.9455	108.9171
2025	6	22	10	44	55	12.8	0.1	1.2	41.8	90.1	7.9394	110.9538
2025	6	22	10	54	55	12.6	0.1	1.2	43.21	91.1	7.9394	114.6699
2025	6	22	11	4	55	12.6	0.1	1.2	41.51	91	7.9272	109.9817
2025	6	22	11	14	55	12.6	0.1	1.2	42.03	92	7.915	111.129
2025	6	22	11	24	55	12.6	0.1	1.2	42.32	91.6	7.909	111.8332
2025	6	22	11	34	55	12.6	0.1	1.2	40.92	91.7	7.9029	108.0453
2025	6	22	11	44	55	12.6	0.1	1.2	41.13	92.2	7.9029	108.5735
2025	6	22	11	54	55	12.6	0.1	1.2	41.2	90.4	7.9029	108.8375
2025	6	22	12	4	55	12.6	0.1	1.2	41.6	90.4	7.8968	109.8061
2025	6	22	12	14	55	12.6	0.1	1.2	41.62	91.7	7.8968	109.806
2025	6	22	12	24	55	12.6	0.1	1.2	41.81	91	7.8968	110.3338
2025	6	22	12	34	55	12.6	0.1	1.2	42.51	91.5	7.8907	112.0915
2025	6	22	12	44	55	12.6	0.1	1.2	40.71	91.4	7.8907	107.344
2025	6	22	12	54	55	12.6	0.1	1.2	41.2	90.4	7.8846	108.5754
2025	6	22	13	4	55	12.6	0.1	1.2	41.1	90	7.8785	108.2249
2025	6	22	13	14	55	12.6	0.1	1.2	41.25	92.8	7.8663	108.3138
2025	6	22	13	24	55	12.6	0.1	1.2	41.2	90.4	7.8541	108.1394
2025	6	22	13	34	55	13	0.1	1.2	40.41	91.6	7.8541	106.0395
2025	6	22	13	44	55	13.2	0.1	1.2	41.61	91.4	7.848	109.1011
2025	6	22	13	54	55	13.2	0.1	1.2	40.41	91.1	7.848	105.9538
2025	6	22	14	4	55	13	0.1	1.2	41.32	91.7	7.848	108.3141
2025	6	22	14	14	55	12.8	0.1	1.2	41.11	91.4	7.8419	107.7025
2025	6	22	14	24	55	12.6	0.1	1.2	40.8	90.7	7.8419	106.9163
2025	6	22	14	34	55	12.6	0.1	1.2	41	90.6	7.8419	107.4403
2025	6	22	14	44	55	12.8	0.1	1.2	41.81	91	7.8358	109.4482
2025	6	22	14	54	55	13.4	0.1	1.2	42.2	89.6	7.8358	110.4955
2025	6	22	15	4	55	13.4	0.1	1.2	41.52	91.7	7.8236	108.487
2025	6	22	15	14	55	12.8	0.1	1.2	41.35	92.8	7.8175	107.8767
2025	6	22	15	24	55	12.6	0.1	1.2	41.11	91	7.8114	107.2673
2025	6	22	15	34	55	12.4	0.1	1.2	40.81	91	7.7992	106.3117
2025	6	22	15	44	55	12.6	0.1	1.2	40.9	90.6	7.7931	106.4857
2025	6	22	15	54	55	13.2	0.1	1.2	40.33	92.3	7.7931	104.9235
2025	6	22	16	4	55	13.2	0.1	1.2	39.93	92.2	7.7931	103.8821

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	22	16	14	55	13.2	0.1	1.2	40.25	92.8	7.7931	104.6631
2025	6	22	16	24	55	13.2	0.1	1.2	40.91	91.1	7.787	106.399
2025	6	22	16	34	55	13.2	0.1	1.2	40.7	90.3	7.7809	105.7926
2025	6	22	16	44	55	13.2	0.1	1.2	40.9	90.7	7.7809	106.3125
2025	6	22	16	54	55	13.2	0.1	1.2	41.31	91.2	7.7809	107.3521
2025	6	22	17	4	55	13.2	0.1	1.2	40.13	92.1	7.7748	104.1482
2025	6	22	17	14	55	13.2	0.1	1.2	40.21	91.4	7.7687	104.3228
2025	6	22	17	24	55	13.2	0.1	1.2	39.7	89.7	7.7687	103.0253
2025	6	22	17	34	55	13	0.1	1.2	41.2	90.3	7.7626	106.8308
2025	6	22	17	44	55	13	0.1	1.2	39.41	91.2	7.7626	102.1634
2025	6	22	17	54	55	13	0.1	1.2	40.72	91.8	7.7505	105.3622
2025	6	22	18	4	55	12.6	0.1	1.2	41.01	91.1	7.7444	106.0521
2025	6	22	18	14	55	12.4	0.1	1.2	40.02	91.7	7.7383	103.3809
2025	6	22	18	24	55	12.2	0.1	1.2	39.01	91.2	7.7322	100.7139
2025	6	22	18	34	55	12.2	0.1	1.2	39.51	91.3	7.7322	102.0051
2025	6	22	18	44	55	12.2	0.1	1.2	40.3	90.9	7.7261	103.9859
2025	6	22	18	54	55	12.2	0.1	1.2	40.41	91	7.7261	104.2439
2025	6	22	19	4	55	12.2	0.1	1.2	40.61	91.6	7.72	104.6742
2025	6	22	19	14	55	12	0.1	1.2	40.6	90.8	7.72	104.6742
2025	6	22	19	24	55	12	0.1	1.1	39.11	91	7.7139	100.7243
2025	6	22	19	34	55	12	0.1	1.1	39.61	91.2	7.7139	102.0124
2025	6	22	19	44	55	12	0.1	1.1	39.92	91.7	7.7078	102.7009
2025	6	22	19	54	55	12	0.1	1.1	40.2	90.6	7.7078	103.4731
2025	6	22	20	4	55	12	0.1	1.1	39.82	91.6	7.7078	102.4436
2025	6	22	20	14	55	12	0.1	1.1	40.01	91.3	7.7078	102.9584
2025	6	22	20	24	55	12	0.1	1.1	39.4	90.6	7.7017	101.3308
2025	6	22	20	34	55	12	0.1	1.1	39.9	90	7.7017	102.6168
2025	6	22	20	44	55	12	0.1	1.1	40.52	91.8	7.6956	104.0743
2025	6	22	20	54	55	12	0.1	1.1	39.32	92	7.6956	100.9906
2025	6	22	21	4	55	12	0.1	1.1	39.8	89.9	7.6895	102.1914
2025	6	22	21	14	55	12	0.1	1.1	40.32	91.7	7.6895	103.4753
2025	6	22	21	24	55	12	0.1	1.1	40.2	90.6	7.6834	103.1336
2025	6	22	21	34	55	12	0.1	1.1	39.91	91.1	7.6773	102.2796
2025	6	22	21	44	55	12	0.1	1.1	39	90.6	7.6712	99.8901
2025	6	22	21	54	55	12	0.1	1.1	39.71	91	7.6651	101.5992
2025	6	22	22	4	55	12	0.1	1.1	38.71	91.5	7.6529	98.8764
2025	6	22	22	14	55	12	0.1	1.1	38.63	92.1	7.6468	98.5394
2025	6	22	22	24	55	12	0.1	1.1	39.81	91	7.6468	101.6028
2025	6	22	22	34	55	12	0.1	1.1	39.51	91.2	7.6407	100.7535
2025	6	22	22	44	55	12	0.1	1.1	38.4	90.7	7.6346	97.8666
2025	6	22	22	54	55	12	0.1	1.1	39.12	91.6	7.6346	99.6507
2025	6	22	23	4	55	12	0.1	1.1	39.4	90.4	7.6346	100.4153
2025	6	22	23	14	55	12	0.1	1.1	39.41	91.2	7.6285	100.3321
2025	6	22	23	24	55	12	0.1	1.1	38.4	90	7.6285	97.7856
2025	6	22	23	34	55	12	0.1	1.1	38.9	90.6	7.6224	98.9767
2025	6	22	23	44	55	12	0.1	1.1	39.21	91.3	7.6224	99.74
2025	6	22	23	54	55	11.8	0.1	1.1	39	90	7.6163	99.1488
2025	6	23	0	4	55	11.8	0.1	1.1	39.2	90.9	7.6163	99.6573

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	23	0	14	55	11.8	0.1	1.1	39.51	91	7.6163	100.42
2025	6	23	0	24	55	11.8	0.1	1.1	39	90	7.6102	99.0665
2025	6	23	0	34	55	11.8	0.1	1.1	38.7	89.7	7.6102	98.3045
2025	6	23	0	44	55	11.8	0.1	1.1	38.8	90.3	7.6041	98.4765
2025	6	23	0	54	55	11.8	0.1	1.1	38.9	90.4	7.5981	98.6482
2025	6	23	1	4	55	11.8	0.1	1.1	38.61	91.2	7.592	97.8058
2025	6	23	1	14	55	11.8	0.1	1.1	39.82	91.9	7.5859	100.7624
2025	6	23	1	24	55	11.8	0.1	1.1	38.7	90.9	7.5737	97.8139
2025	6	23	1	34	55	11.8	0.1	1.1	38.3	90	7.5615	96.6411
2025	6	23	1	44	55	11.8	0.1	1.1	38.61	91	7.5615	97.3981
2025	6	23	1	54	55	11.8	0.1	1.1	38.51	91.2	7.5554	97.0645
2025	6	23	2	4	55	11.8	0.1	1.1	38.9	90.4	7.5493	97.9907
2025	6	23	2	14	55	11.8	0.1	1.1	38.02	91.7	7.5493	95.7237
2025	6	23	2	24	55	11.8	0.1	1.1	38.4	90	7.5432	96.6501
2025	6	23	2	34	55	11.8	0.1	1.1	39.24	92.5	7.5432	98.6637
2025	6	23	2	44	55	11.8	0.1	1.1	37.31	91.5	7.5371	93.8028
2025	6	23	2	54	55	11.8	0.1	1.1	38.4	90.7	7.5371	96.5692
2025	6	23	3	4	55	11.8	0.1	1.1	40.53	92.1	7.531	101.7647
2025	6	23	3	14	55	11.8	0.1	1.1	38.5	90.6	7.531	96.7393
2025	6	23	3	24	55	11.8	0.1	1.1	38.71	91.3	7.5249	97.1601
2025	6	23	3	34	55	11.8	0.1	1.1	37.9	90.6	7.5249	95.1517
2025	6	23	3	44	55	11.8	0.1	1.1	39.12	91.8	7.5188	98.0818
2025	6	23	3	54	55	11.8	0.1	1.1	39	90.1	7.5127	97.7486
2025	6	23	4	4	55	11.8	0.1	1.1	37.91	91.2	7.5127	94.9916
2025	6	23	4	14	55	11.8	0.1	1.1	37.5	90.9	7.5005	93.8306
2025	6	23	4	24	55	11.8	0.1	1.1	39.2	90.3	7.4883	97.9186
2025	6	23	4	34	55	11.8	0.1	1.1	38.64	92.5	7.4761	96.2567
2025	6	23	4	44	55	11.8	0.1	1.1	37.21	88.9	7.4761	92.7656
2025	6	23	4	54	55	11.8	0.1	1.1	39.4	90.7	7.47	98.1685
2025	6	23	5	4	55	11.8	0.1	1.1	38.22	91.8	7.4639	95.0979
2025	6	23	5	14	55	11.8	0.1	1.1	37.9	90.6	7.4639	94.3511
2025	6	23	5	24	55	11.6	0.1	1.1	37.14	92.6	7.4578	92.2811
2025	6	23	5	34	55	11.6	0.1	1.1	37.01	91.4	7.4578	92.0324
2025	6	23	5	44	55	11.6	0.1	1.1	37.83	92.1	7.4518	93.9425
2025	6	23	5	54	55	11.6	0.1	1.1	37.73	92.4	7.4518	93.694
2025	6	23	6	4	55	11.6	0.1	1.1	37.71	91.2	7.4518	93.694
2025	6	23	6	14	55	11.8	0.1	1.1	38.12	92	7.4457	94.6076
2025	6	23	6	24	55	11.8	0.1	1.1	37.4	90.6	7.4396	92.7904
2025	6	23	6	34	55	11.8	0.1	1.1	37.72	91.8	7.4335	93.4551
2025	6	23	6	44	55	12	0.1	1.1	37.91	91.5	7.4274	93.8708
2025	6	23	6	54	55	12	0.1	1.1	37.62	91.8	7.4152	92.9688
2025	6	23	7	4	55	12.2	0.1	1.1	37.51	91.2	7.403	92.5631
2025	6	23	7	14	55	12.2	0.1	1.1	36.4	90.3	7.3969	89.771
2025	6	23	7	24	55	12.4	0.1	1.1	37.23	92.2	7.3969	91.744
2025	6	23	7	34	55	12.4	0.1	1.1	37.4	90.8	7.3908	92.1582
2025	6	23	7	44	55	12.6	0.1	1.1	36.31	91.1	7.3908	89.4477
2025	6	23	7	54	55	12.6	0.1	1.1	37.12	92	7.3847	91.3406
2025	6	23	8	4	55	12.8	0.1	1.1	37.18	93.7	7.3847	91.3405

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	23	8	14	55	12.8	0.1	1.1	37.41	91.1	7.3786	92.0001
2025	6	23	8	24	55	12.6	0.1	1.1	36.51	91.4	7.3786	89.7861
2025	6	23	8	34	55	12.6	0.1	1.1	36.22	91.7	7.3725	88.9717
2025	6	23	8	44	55	12.6	0.1	1.1	38.64	92.5	7.3664	94.7887
2025	6	23	8	54	55	12.6	0.1	1.1	37.31	91.1	7.3603	91.5175
2025	6	23	9	4	55	12.8	0.1	1.1	38.23	92.1	7.3481	93.5643
2025	6	23	9	14	55	12.8	0.1	1.1	37.4	90.6	7.3359	91.4468
2025	6	23	9	24	55	12.8	0.1	1.1	36.44	92.5	7.3298	88.9247
2025	6	23	9	34	55	13	0.1	1.1	36.9	89.5	7.3298	90.1462
2025	6	23	9	44	55	13	0.1	1.1	35.93	92.2	7.3237	87.6273
2025	6	23	9	54	55	13.4	0.1	1.1	36.3	90.8	7.3176	88.5269
2025	6	23	10	4	55	13.4	0.1	1.1	36.9	90.6	7.3176	89.9901
2025	6	23	10	14	55	13	0.1	1.1	37.61	91.2	7.3176	91.6972
2025	6	23	10	24	55	12.8	0.1	1.1	35.6	90.2	7.3176	86.8196
2025	6	23	10	34	55	12.8	0.1	1.1	35.5	89.7	7.3115	86.5006
2025	6	23	10	44	55	12.8	0.1	1.1	36.82	91.9	7.3115	89.6682
2025	6	23	10	54	55	12.6	0.1	1.1	35.6	90.8	7.2994	86.5937
2025	6	23	11	4	55	12.6	0.1	1.1	37.3	89.5	7.2872	90.5712
2025	6	23	11	14	55	12.6	0.1	1.1	37.3	90.3	7.2872	90.5711
2025	6	23	11	24	55	12.6	0.1	1.1	37.31	91.4	7.275	90.4134
2025	6	23	11	34	55	12.8	0.1	1.1	37.54	92.7	7.2689	90.8189
2025	6	23	11	44	55	12.8	0.1	1.1	37.21	91.5	7.2689	90.0922
2025	6	23	11	54	55	12.8	0.1	1.1	35.8	90.6	7.2628	86.6259
2025	6	23	12	4	55	12.8	0.1	1.1	35.21	91.3	7.2628	85.174
2025	6	23	12	14	55	12.8	0.1	1.1	37.2	89.5	7.2628	90.0133
2025	6	23	12	24	55	12.8	0.1	1.1	36.1	90	7.2567	87.2752
2025	6	23	12	34	55	12.8	0.1	1.1	35.22	91.8	7.2567	85.0993
2025	6	23	12	44	55	12.8	0.1	1.1	37.31	91.2	7.2506	90.0973
2025	6	23	12	54	55	12.8	0.1	1.1	35.62	91.8	7.2384	85.8405
2025	6	23	13	4	55	12.6	0.1	1.1	36.71	91.4	7.2323	88.4153
2025	6	23	13	14	55	12.6	0.1	1.1	36.22	91.7	7.2262	87.1342
2025	6	23	13	24	55	12.8	0.1	1.1	35.81	91.3	7.2201	86.0956
2025	6	23	13	34	55	13	0.1	1.1	35.4	90.6	7.214	85.0588
2025	6	23	13	44	55	13.6	0.1	1.1	35.01	91.1	7.214	84.0976
2025	6	23	13	54	55	13.2	0.1	1.1	35.13	92.3	7.2079	84.2636
2025	6	23	14	4	55	13	0.1	1.1	35.3	89.8	7.2079	84.7437
2025	6	23	14	14	55	13	0.1	1.1	36.4	90.5	7.2079	87.3843
2025	6	23	14	24	55	12.8	0.1	1.1	36.02	91.8	7.2018	86.3479
2025	6	23	14	34	55	12.8	0.1	1.1	35.31	91.5	7.1957	84.5943
2025	6	23	14	44	55	13	0.1	1.1	34.92	92	7.1957	83.6357
2025	6	23	14	54	55	13	0.1	1.1	34.8	89.2	7.1835	83.2489
2025	6	23	15	4	55	13	0.1	1.1	35.3	89.7	7.1774	84.3704
2025	6	23	15	14	55	12.8	0.1	1.1	35.81	91.6	7.1713	85.4898
2025	6	23	15	24	55	12.8	0.1	1.1	34.7	90.7	7.1652	82.7897
2025	6	23	15	34	55	12.8	0.1	1.1	35.4	89.5	7.1591	84.385
2025	6	23	15	44	55	12.8	0.1	1.1	35.54	92.6	7.153	84.5483
2025	6	23	15	54	55	12.8	0.1	1.1	35.52	92.1	7.153	84.5483
2025	6	23	16	4	55	12.8	0.1	1.1	35.5	90.5	7.153	84.5482

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	23	16	14	55	12.8	0.1	1.1	35.41	91.5	7.147	84.2353
2025	6	23	16	24	55	12.8	0.1	1.1	35.1	90.8	7.147	83.5214
2025	6	23	16	34	55	13	0.1	1.1	34.22	92.2	7.147	81.3798
2025	6	23	16	44	55	13	0.1	1.1	35.52	91.8	7.1409	84.3981
2025	6	23	16	54	55	13	0.1	1.1	35	90.3	7.1409	83.2094
2025	6	23	17	4	55	13	0.1	1.1	34.41	91.3	7.1348	81.7103
2025	6	23	17	14	55	12.6	0.1	1.1	34.6	89.7	7.1348	82.1854
2025	6	23	17	24	55	12.4	0.1	1.1	35.31	91.1	7.1287	83.7735
2025	6	23	17	34	55	12.4	0.1	1.1	33.8	90	7.1226	80.1424
2025	6	23	17	44	55	12.6	0.1	1.1	34.6	90.3	7.1104	81.8932
2025	6	23	17	54	55	12.8	0.1	1	34.8	89.3	7.0982	82.2196
2025	6	23	18	4	55	12.4	0.1	1	35.5	90	7.0982	83.8734
2025	6	23	18	14	55	12.2	0.1	1	35.01	91.1	7.0921	82.6182
2025	6	23	18	24	55	12.2	0.1	1	33.8	90.7	7.0921	79.7856
2025	6	23	18	34	55	12.2	0.1	1	34.1	90.5	7.086	80.4218
2025	6	23	18	44	55	12.2	0.1	1	34.7	90	7.086	81.8368
2025	6	23	18	54	55	12.2	0.1	1	34.43	92.3	7.0799	81.0567
2025	6	23	19	4	55	12	0.1	1	33.62	88.1	7.0799	79.1717
2025	6	23	19	14	55	12	0.1	1	34.81	91.6	7.0799	81.9993
2025	6	23	19	24	55	12	0.1	1	34.6	90.7	7.0738	81.455
2025	6	23	19	34	55	12	0.1	1	34.1	90.5	7.0738	80.2779
2025	6	23	19	44	55	12	0.1	1	34.11	91.5	7.0738	80.278
2025	6	23	19	54	55	12	0.1	1	34.51	91.7	7.0677	81.1468
2025	6	23	20	4	55	12	0.1	1	33.91	91.5	7.0677	79.7356
2025	6	23	20	14	55	12	0.1	1	33.62	91.9	7.0616	78.9591
2025	6	23	20	24	55	12	0.1	1	33.32	91.7	7.0555	78.1839
2025	6	23	20	34	55	12	0.1	1	34.1	89.8	7.0555	80.0622
2025	6	23	20	44	55	12	0.1	1	34.5	90	7.0494	80.9285
2025	6	23	20	54	55	12	0.1	1	34	90.3	7.0433	79.684
2025	6	23	21	4	55	12	0.1	1	33.51	91.5	7.0311	78.3708
2025	6	23	21	14	55	12	0.1	1	33.6	89.1	7.025	78.5338
2025	6	23	21	24	55	12	0.1	1	34.42	92	7.0189	80.3311
2025	6	23	21	34	55	12	0.1	1	33.81	91.2	7.0128	78.8587
2025	6	23	21	44	55	12	0.1	1	34.13	92.4	7.0128	79.5587
2025	6	23	21	54	55	12	0.1	1	34.5	90.5	7.0067	80.4192
2025	6	23	22	4	55	12	0.1	1	33.6	90.7	7.0067	78.3213
2025	6	23	22	14	55	12	0.1	1	32.72	91.9	7.0006	76.1545
2025	6	23	22	24	55	11.8	0.1	1	34.2	90.5	7.0006	79.6479
2025	6	23	22	34	55	11.8	0.1	1	34.2	90.8	6.9945	79.5757
2025	6	23	22	44	55	11.8	0.1	1	34.3	89.8	6.9945	79.8085
2025	6	23	22	54	55	11.8	0.1	1	32.9	90	6.9945	76.551
2025	6	23	23	4	55	11.8	0.1	1	33.51	91.5	6.9885	77.8765
2025	6	23	23	14	55	11.8	0.1	1	34.21	91.7	6.9885	79.5038
2025	6	23	23	24	55	11.8	0.1	1	33.02	91.9	6.9885	76.7142
2025	6	23	23	34	55	11.8	0.1	1	33.1	90	6.9824	76.8769
2025	6	23	23	44	55	11.8	0.1	1	34.21	91.3	6.9824	79.4318
2025	6	23	23	54	55	11.8	0.1	1	33.12	91.7	6.9763	76.8072
2025	6	24	0	4	55	11.8	0.1	1	35.12	91.8	6.9763	81.4482

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	24	0	14	55	11.8	0.1	1	33.3	90.2	6.9702	77.2011
2025	6	24	0	24	55	11.8	0.1	1	33.5	90.7	6.9702	77.6649
2025	6	24	0	34	55	11.8	0.1	1	33.73	92.2	6.9641	78.0575
2025	6	24	0	44	55	11.8	0.1	1	33.9	90.8	6.9641	78.5208
2025	6	24	0	54	55	11.8	0.1	1	33	90.9	6.958	76.3666
2025	6	24	1	4	55	11.8	0.1	1	33.41	91.2	6.958	77.2923
2025	6	24	1	14	55	11.8	0.1	1	33.06	93.5	6.9519	76.297
2025	6	24	1	24	55	11.8	0.1	1	33.01	91.6	6.9397	76.1578
2025	6	24	1	34	55	11.8	0.1	1	33.31	91.2	6.9336	76.7799
2025	6	24	1	44	55	11.8	0.1	1	33.31	91.5	6.9214	76.6395
2025	6	24	1	54	55	11.8	0.1	1	32.7	90.7	6.9214	75.2586
2025	6	24	2	4	55	11.8	0.1	1	32.6	90	6.9153	74.9597
2025	6	24	2	14	55	11.8	0.1	1	33.1	89.3	6.9153	76.1095
2025	6	24	2	24	55	11.8	0.1	1	33.51	91.5	6.9092	76.9586
2025	6	24	2	34	55	11.8	0.1	1	32.82	92.1	6.9092	75.3505
2025	6	24	2	44	55	11.8	0.1	1	32.71	91.2	6.9031	75.0519
2025	6	24	2	54	55	11.8	0.1	1	32.8	90.3	6.9031	75.2814
2025	6	24	3	4	55	11.8	0.1	1	32.7	90.7	6.9031	75.052
2025	6	24	3	14	55	11.8	0.1	1	33.5	90.9	6.897	76.8175
2025	6	24	3	24	55	11.8	0.1	1	33.21	91.6	6.897	76.1296
2025	6	24	3	34	55	11.8	0.1	1	33.31	91.2	6.897	76.359
2025	6	24	3	44	55	11.8	0.1	1	33.43	92.2	6.8909	76.5178
2025	6	24	3	54	55	11.8	0.1	1	32.41	91.1	6.8909	74.2269
2025	6	24	4	4	55	11.8	0.1	1	33.03	92.3	6.8909	75.6015
2025	6	24	4	14	55	11.8	0.1	1	33.84	92.9	6.8909	77.4344
2025	6	24	4	24	55	11.8	0.1	1	32.65	93.2	6.8848	74.6165
2025	6	24	4	34	55	11.8	0.1	1	33.2	90.5	6.8848	75.9898
2025	6	24	4	44	55	11.8	0.1	1	33.1	90.3	6.8848	75.761
2025	6	24	4	54	55	11.6	0.1	1	33.3	90.7	6.8787	76.1485
2025	6	24	5	4	55	11.6	0.1	1	32.71	91.1	6.8787	74.7765
2025	6	24	5	14	55	11.6	0.1	1	31.61	91.3	6.8726	72.1945
2025	6	24	5	24	55	11.6	0.1	1	32.31	91.1	6.8726	73.7938
2025	6	24	5	34	55	11.6	0.1	1	32.12	92.1	6.8665	73.2691
2025	6	24	5	44	55	11.6	0.1	1	31.53	92.5	6.8665	71.8997
2025	6	24	5	54	55	11.6	0.1	1	31.51	91.6	6.8604	71.8332
2025	6	24	6	4	55	11.6	0.1	1	32.13	92.3	6.8604	73.2015
2025	6	24	6	14	55	11.6	0.1	1	31.43	92.6	6.8543	71.539
2025	6	24	6	24	55	11.6	0.1	1	32.84	93	6.8421	74.5903
2025	6	24	6	34	55	11.8	0.1	1	31.91	91.6	6.83	72.409
2025	6	24	6	44	55	11.8	0.1	1	32.2	90.7	6.83	73.09
2025	6	24	6	54	55	12	0.1	1	32.81	91	6.83	74.452
2025	6	24	7	4	55	12	0.1	1	32.4	89.6	6.8239	73.4757
2025	6	24	7	14	55	12.2	0.1	1	31.8	90.7	6.8239	72.1151
2025	6	24	7	24	55	12.2	0.1	1	32.6	90.2	6.8178	73.8605
2025	6	24	7	34	55	12.4	0.1	1	31.83	92.3	6.8178	72.048
2025	6	24	7	44	55	12.4	0.1	1	32.01	91.4	6.8178	72.5011
2025	6	24	7	54	55	12.4	0.1	1	32.6	90	6.8117	73.7918
2025	6	24	8	4	55	12.4	0.1	1	30.83	92.4	6.8117	69.7174

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	24	8	14	55	12.4	0.1	1	32.31	91.6	6.8117	73.1127
2025	6	24	8	24	55	12.4	0.1	1	31.33	92.4	6.8117	70.8491
2025	6	24	8	34	55	12.4	0.1	1	31.95	93.2	6.8056	72.14
2025	6	24	8	44	55	12.6	0.1	1	32.61	91.2	6.8056	73.723
2025	6	24	8	54	55	12.6	0.1	1	31.2	90.2	6.8056	70.5569
2025	6	24	9	4	55	12.4	0.1	1	32.23	92.3	6.8056	72.8184
2025	6	24	9	14	55	13	0.1	1	32.43	92.3	6.7995	73.2023
2025	6	24	9	24	55	12.6	0.1	1	32	90	6.7995	72.2985
2025	6	24	9	34	55	12.4	0.1	1	32.67	93.7	6.7934	73.5853
2025	6	24	9	44	55	12.6	0.1	1	31.21	91.5	6.7934	70.4252
2025	6	24	9	54	55	12.6	0.1	1	32.01	91.1	6.7873	72.1634
2025	6	24	10	4	55	12.6	0.1	1	31.8	89.3	6.7812	71.6453
2025	6	24	10	14	55	13	0.1	1	31.73	92.5	6.7629	71.2194
2025	6	24	10	24	55	12.6	0.1	1	32.24	92.8	6.7629	72.3427
2025	6	24	10	34	55	12.6	0.1	1	32.1	90.7	6.7568	72.0503
2025	6	24	10	44	55	12.6	0.1	1	31.9	90.4	6.7568	71.6013
2025	6	24	10	54	55	12.6	0.1	1	31.53	92.5	6.7507	70.637
2025	6	24	11	4	55	13	0.1	1	31.21	91.7	6.7507	69.9642
2025	6	24	11	14	55	13.2	0.1	1	31.1	90.7	6.7507	69.7399
2025	6	24	11	24	55	12.8	0.1	1	31.3	90.9	6.7446	70.1223
2025	6	24	11	34	55	12.8	0.1	1	31.22	92	6.7446	69.8982
2025	6	24	11	44	55	12.8	0.1	1	30.7	90.9	6.7446	68.7779
2025	6	24	11	54	55	12.8	0.1	1	31.61	91.5	6.7385	70.7274
2025	6	24	12	4	55	12.8	0.1	1	31.03	92.4	6.7385	69.3844
2025	6	24	12	14	55	12.8	0.1	1	31.85	93.2	6.7324	71.1078
2025	6	24	12	24	55	12.8	0.1	1	31.42	92	6.7202	70.0808
2025	6	24	12	34	55	12.8	0.1	1	30.91	91.1	6.7141	68.8996
2025	6	24	12	44	55	12.8	0.1	1	31.4	89.6	6.7019	69.8819
2025	6	24	12	54	55	12.8	0.1	1	31.41	91.6	6.7019	69.8818
2025	6	24	13	4	55	12.8	0.1	1	30.81	91.5	6.6958	68.4814
2025	6	24	13	14	55	12.8	0.1	1	30.2	89.2	6.6958	67.1472
2025	6	24	13	24	55	13	0.1	1	31.82	92	6.6958	70.7046
2025	6	24	13	34	55	13	0.1	1	29.64	92.9	6.6958	65.813
2025	6	24	13	44	55	13	0.1	1	30.1	90.4	6.6898	66.8611
2025	6	24	13	54	55	13	0.1	1	31.41	91.3	6.6898	69.7487
2025	6	24	14	4	55	13	0.1	1	30.9	90.2	6.6837	68.5728
2025	6	24	14	14	55	13	0.1	1	31.01	91.1	6.6837	68.7947
2025	6	24	14	24	55	13	0.1	1	30.9	90.9	6.6837	68.5727
2025	6	24	14	34	55	12.8	0.1	1	31.21	91.1	6.6776	69.1726
2025	6	24	14	44	55	12.8	0.1	1	29.9	90.2	6.6593	66.1011
2025	6	24	14	54	55	13	0.1	1	31.15	93.1	6.6532	68.6884
2025	6	24	15	4	55	13	0.1	1	30.71	91.1	6.6471	67.7401
2025	6	24	15	14	55	12.8	0.1	1	30.41	91.1	6.6471	67.0781
2025	6	24	15	24	55	12.8	0.1	1	30.3	90	6.641	66.7935
2025	6	24	15	34	55	12.8	0.1	1	30.82	91.9	6.641	67.8957
2025	6	24	15	44	55	12.8	0.1	1	31.01	91.3	6.641	68.3365
2025	6	24	15	54	55	12.8	0.1	1	29.94	92.9	6.6349	65.8485
2025	6	24	16	4	55	12.8	0.1	1	29.67	94.1	6.6349	65.1878

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	24	16	14	55	12.8	0.1	1	29	90	6.6349	63.8664
2025	6	24	16	24	55	12.8	0.1	1	29.6	89.2	6.6288	65.1253
2025	6	24	16	34	55	12.8	0.1	1	29.77	93.9	6.6288	65.3452
2025	6	24	16	44	55	12.8	0.1	1	30.95	93.3	6.6227	67.9202
2025	6	24	16	54	55	12.8	0.1	1	29.11	91.4	6.6227	63.9637
2025	6	24	17	4	55	12.8	0.1	1	30.9	90.4	6.6105	67.7898
2025	6	24	17	14	55	12.8	0.1	1	30.01	91.1	6.5983	65.6888
2025	6	24	17	24	55	12.8	0.1	1	30.32	91.9	6.5922	66.2818
2025	6	24	17	34	55	12.8	0.1	1	30.51	91.1	6.5861	66.655
2025	6	24	17	44	55	12.8	0.1	1	32.61	91.4	6.58	71.1756
2025	6	24	17	54	55	12.8	0.1	1	28.5	90.8	6.58	62.224
2025	6	24	18	4	55	12.4	0.1	1	29.92	92.3	6.5861	65.3437
2025	6	24	18	14	55	12.2	0.1	1	29.9	91	6.58	65.2806
2025	6	24	18	24	55	12	0.1	1	28.31	88.8	6.5739	61.7277
2025	6	24	18	34	55	12	0.1	1	30.71	91.7	6.5739	66.9625
2025	6	24	18	44	55	12	0.1	1	30.2	89.2	6.5739	65.8719
2025	6	24	18	54	55	12	0.1	1	29.4	90.8	6.5739	64.127
2025	6	24	19	4	55	12	0.1	1	30.04	93.1	6.5739	65.4357
2025	6	24	19	14	55	12	0.1	1	30.51	91.1	6.5678	66.462
2025	6	24	19	24	55	12	0.1	1	29	90.2	6.5678	63.1934
2025	6	24	19	34	55	12	0.1	1	30.61	91.1	6.5678	66.6799
2025	6	24	19	44	55	12	0.1	1	29.5	91	6.5617	64.2207
2025	6	24	19	54	55	11.8	0.1	1	29.91	91.3	6.5617	65.0916
2025	6	24	20	4	55	11.8	0.1	1	30	91	6.5556	65.246
2025	6	24	20	14	55	12	0.1	1	30.31	91.1	6.5556	65.8985
2025	6	24	20	24	55	12	0.1	1	30.3	90.6	6.5495	65.8347
2025	6	24	20	34	55	12	0.1	1	29.32	92.2	6.5434	63.6002
2025	6	24	20	44	55	12	0.1	1	28.9	90.8	6.5374	62.6711
2025	6	24	20	54	55	11.8	0.1	1	28.9	90.4	6.5252	62.5493
2025	6	24	21	4	55	12	0.1	1	30.7	90.4	6.5252	66.4451
2025	6	24	21	14	55	12	0.1	1	29.18	94.1	6.5191	62.9209
2025	6	24	21	24	55	11.8	0.1	1	30	90.8	6.513	64.8037
2025	6	24	21	34	55	11.8	0.1	1	30.1	90.2	6.513	65.0198
2025	6	24	21	44	55	11.8	0.1	1	29.2	90	6.513	63.0757
2025	6	24	21	54	55	11.8	0.1	1	28.91	91.2	6.5069	62.3668
2025	6	24	22	4	55	11.8	0.1	1	29.52	91.9	6.5069	63.6616
2025	6	24	22	14	55	11.8	0.1	1	29.3	90.6	6.5069	63.2301
2025	6	24	22	24	55	11.8	0.1	1	29.7	91	6.5008	64.0308
2025	6	24	22	34	55	11.8	0.1	1	30.2	90.9	6.5008	65.1088
2025	6	24	22	44	55	11.8	0.1	1	29.61	91.2	6.5008	63.8153
2025	6	24	22	54	55	11.8	0.1	0.9	29.8	90.8	6.4947	64.1837
2025	6	24	23	4	55	11.8	0.1	0.9	29.1	89.4	6.4947	62.6761
2025	6	24	23	14	55	11.8	0.1	0.9	28.2	90.8	6.4947	60.7377
2025	6	24	23	24	55	11.8	0.1	0.9	28.7	90.8	6.4886	61.7541
2025	6	24	23	34	55	11.8	0.1	0.9	30.02	92.3	6.4886	64.5514
2025	6	24	23	44	55	11.8	0.1	0.9	29.52	92.3	6.4886	63.4756
2025	6	24	23	54	55	11.8	0.1	0.9	29.6	91	6.4825	63.6284
2025	6	25	0	4	55	11.8	0.1	0.9	29.5	90.4	6.4825	63.4135

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	25	0	14	55	11.8	0.1	0.9	28.82	92	6.4825	61.9088
2025	6	25	0	24	55	11.8	0.1	0.9	28.83	92.8	6.4825	61.9089
2025	6	25	0	34	55	11.8	0.1	0.9	28.31	91.8	6.4764	60.7745
2025	6	25	0	44	55	11.8	0.1	0.9	28.9	89.2	6.4764	62.063
2025	6	25	0	54	55	11.8	0.1	0.9	29.4	90.6	6.4764	63.1368
2025	6	25	1	4	55	11.8	0.1	0.9	29.31	91.8	6.4703	62.8604
2025	6	25	1	14	55	11.8	0.1	0.9	29.01	91.8	6.4703	62.2168
2025	6	25	1	24	55	11.8	0.1	0.9	28.9	90.2	6.4703	62.0023
2025	6	25	1	34	55	11.8	0.1	0.9	28.82	92	6.4642	61.7271
2025	6	25	1	44	55	11.8	0.1	0.9	29.4	90	6.4642	63.0132
2025	6	25	1	54	55	11.8	0.1	0.9	27.9	90	6.4642	59.7982
2025	6	25	2	4	55	11.8	0.1	0.9	28.6	89.6	6.4642	61.2986
2025	6	25	2	14	55	11.8	0.1	0.9	28.5	90.2	6.4581	61.0243
2025	6	25	2	24	55	11.8	0.1	0.9	28.33	92.6	6.4581	60.5961
2025	6	25	2	34	55	11.8	0.1	0.9	28.8	90.8	6.4581	61.6667
2025	6	25	2	44	55	11.8	0.1	0.9	28.7	90.8	6.452	61.3922
2025	6	25	2	54	55	11.8	0.1	0.9	29.31	91.8	6.452	62.6757
2025	6	25	3	4	55	11.8	0.1	0.9	29.01	91.6	6.4459	61.9729
2025	6	25	3	14	55	11.8	0.1	0.9	28.21	91.8	6.4459	60.2634
2025	6	25	3	24	55	11.6	0.1	0.9	29.23	92.5	6.4398	62.3389
2025	6	25	3	34	55	11.6	0.1	0.9	28.92	92	6.4398	61.6984
2025	6	25	3	44	55	11.6	0.1	0.9	29.02	92.2	6.4337	61.8509
2025	6	25	3	54	55	11.6	0.1	0.9	28.82	92.2	6.4337	61.4244
2025	6	25	4	4	55	11.6	0.1	0.9	28.91	91.4	6.4276	61.5768
2025	6	25	4	14	55	11.6	0.1	0.9	28.12	92	6.4215	59.8131
2025	6	25	4	24	55	11.6	0.1	0.9	29.02	92	6.4154	61.6677
2025	6	25	4	34	55	11.6	0.1	0.9	28.2	91	6.4154	59.9666
2025	6	25	4	44	55	11.6	0.1	0.9	28.9	91	6.4093	61.3943
2025	6	25	4	54	55	11.6	0.1	0.9	28.51	91.8	6.4093	60.5445
2025	6	25	5	4	55	11.6	0.1	0.9	28.11	91.6	6.4093	59.6948
2025	6	25	5	14	55	11.6	0.1	0.9	28.61	91.6	6.4093	60.7571
2025	6	25	5	24	55	11.6	0.1	0.9	29.33	92.5	6.4032	62.1824
2025	6	25	5	34	55	11.6	0.1	0.9	29.46	93.5	6.4032	62.3947
2025	6	25	5	44	55	11.6	0.1	0.9	28.42	92.2	6.3971	60.2126
2025	6	25	5	54	55	11.6	0.1	0.9	28.8	90.6	6.3971	61.0607
2025	6	25	6	4	55	11.6	0.1	0.9	28.05	93.5	6.3971	59.3646
2025	6	25	6	14	55	11.6	0.1	0.9	28.91	91.4	6.3971	61.2728
2025	6	25	6	24	55	11.6	0.1	0.9	27.98	94.3	6.3971	59.1527
2025	6	25	6	34	55	11.8	0.1	0.9	28.15	93.3	6.391	59.5175
2025	6	25	6	44	55	11.8	0.1	0.9	28.6	90.2	6.391	60.5766
2025	6	25	6	54	55	11.8	0.1	0.9	28.78	94.2	6.391	60.7884
2025	6	25	7	4	55	12	0.1	0.9	28.33	92.4	6.391	59.9412
2025	6	25	7	14	55	12.2	0.1	0.9	28.73	92.6	6.385	60.728
2025	6	25	7	24	55	12.2	0.1	0.9	28.33	92.4	6.385	59.8816
2025	6	25	7	34	55	12.2	0.1	0.9	29.11	91.6	6.385	61.5744
2025	6	25	7	44	55	12.4	0.1	0.9	28	90	6.385	59.2468
2025	6	25	7	54	55	12.4	0.1	0.9	27.96	93.7	6.385	59.0352
2025	6	25	8	4	55	12.4	0.1	0.9	28.8	90.4	6.385	60.9396

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	25	8	14	55	12.4	0.1	0.9	28.13	92.6	6.385	59.4584
2025	6	25	8	24	55	12.6	0.1	0.9	28.61	91.8	6.3789	60.4561
2025	6	25	8	34	55	12.6	0.1	0.9	28.3	91	6.3789	59.8219
2025	6	25	8	44	55	12.6	0.1	0.9	29.21	91.8	6.3789	61.7243
2025	6	25	8	54	55	12.6	0.1	0.9	28.31	91.6	6.3789	59.8218
2025	6	25	9	4	55	12.6	0.1	0.9	28.63	92.6	6.3789	60.4559
2025	6	25	9	14	55	12.8	0.1	0.9	27.41	91.9	6.3789	57.9193
2025	6	25	9	24	55	12.8	0.1	0.9	27.91	91.8	6.3728	58.9174
2025	6	25	9	34	55	12.8	0.1	0.9	28.31	91.8	6.3728	59.762
2025	6	25	9	44	55	13	0.1	0.9	27.4	90.8	6.3728	57.8614
2025	6	25	9	54	55	13	0.1	0.9	27.64	92.9	6.3667	58.2255
2025	6	25	10	4	55	13	0.1	0.9	27.93	92.5	6.3667	58.8584
2025	6	25	10	14	55	13.2	0.1	0.9	27.91	91.4	6.3606	58.7995
2025	6	25	10	24	55	12.8	0.1	0.9	27.21	91.3	6.3484	57.2096
2025	6	25	10	34	55	12.6	0.1	0.9	29.11	91.8	6.3423	61.1445
2025	6	25	10	44	55	12.6	0.1	0.9	28.16	93.9	6.3423	59.0432
2025	6	25	10	54	55	12.6	0.1	0.9	28.61	91.8	6.3362	60.0335
2025	6	25	11	4	55	12.4	0.1	0.9	28.01	91.2	6.3362	58.774
2025	6	25	11	14	55	12.4	0.1	0.9	28.3	90.4	6.3362	59.4036
2025	6	25	11	24	55	12.4	0.1	0.9	27.3	90	6.3362	57.3044
2025	6	25	11	34	55	12.6	0.1	0.9	28.72	92	6.3362	60.243
2025	6	25	11	44	55	12.4	0.1	0.9	28.62	92	6.3362	60.033
2025	6	25	11	54	55	12.4	0.1	0.9	27.2	90.6	6.3362	57.0943
2025	6	25	12	4	55	12.6	0.1	0.9	29.23	92.7	6.3362	61.2923
2025	6	25	12	14	55	12.4	0.1	0.9	28.4	90.8	6.3301	59.5531
2025	6	25	12	24	55	12.4	0.1	0.9	27.51	91.9	6.3301	57.6658
2025	6	25	12	34	55	12.4	0.1	0.9	27.51	91.5	6.324	57.6077
2025	6	25	12	44	55	12.4	0.1	0.9	28	90.4	6.324	58.6551
2025	6	25	12	54	55	12.4	0.1	0.9	28.63	92.6	6.324	59.9118
2025	6	25	13	4	55	12.4	0.1	0.9	27.82	92.3	6.324	58.2359
2025	6	25	13	14	55	12.4	0.1	0.9	27.14	93	6.324	56.7694
2025	6	25	13	24	55	12.4	0.1	0.9	27.95	93.5	6.3179	58.3864
2025	6	25	13	34	55	12.4	0.1	0.9	26.3	90.7	6.3057	54.9272
2025	6	25	13	44	55	12.6	0.1	0.9	27.15	93.4	6.3057	56.5979
2025	6	25	13	54	55	12.8	0.1	0.9	28.73	92.4	6.2996	59.8789
2025	6	25	14	4	55	12.6	0.1	0.9	28.7	90.8	6.2935	59.8184
2025	6	25	14	14	55	12.6	0.1	0.9	27.81	91.2	6.2935	57.9425
2025	6	25	14	24	55	12.4	0.1	0.9	27.2	89.4	6.2935	56.6918
2025	6	25	14	34	55	12.4	0.1	0.9	28.51	91.2	6.2935	59.4013
2025	6	25	14	44	55	12.4	0.1	0.9	27.4	90.8	6.2874	57.0508
2025	6	25	14	54	55	12.6	0.1	0.9	27.62	92.1	6.2874	57.4672
2025	6	25	15	4	55	12.8	0.1	0.9	27.12	92.1	6.2874	56.426
2025	6	25	15	14	55	12.6	0.1	0.9	28.05	93.3	6.2874	58.2999
2025	6	25	15	24	55	12.4	0.1	0.9	27.11	91.5	6.2874	56.4259
2025	6	25	15	34	55	12.4	0.1	0.9	27.64	92.9	6.2813	57.4088
2025	6	25	15	44	55	12.4	0.1	0.9	28.3	91	6.2874	58.9243
2025	6	25	15	54	55	12.6	0.1	0.9	26.51	91.3	6.2813	55.1206
2025	6	25	16	4	55	13	0.1	0.9	28.1	90.8	6.2813	58.4486

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	25	16	14	55	12.8	0.1	0.9	28.4	89.8	6.2752	59.0127
2025	6	25	16	24	55	12.8	0.1	0.9	27.93	92.7	6.2752	57.9738
2025	6	25	16	34	55	13	0.1	0.9	27.4	90.2	6.2752	56.9347
2025	6	25	16	44	55	13	0.1	0.9	27.11	91.9	6.2691	56.2543
2025	6	25	16	54	55	13	0.1	0.9	27.41	91.3	6.2569	56.7616
2025	6	25	17	4	55	13	0.1	0.9	28.12	92	6.2508	58.1525
2025	6	25	17	14	55	13	0.1	0.9	27.5	90.8	6.2508	56.9108
2025	6	25	17	24	55	12.8	0.1	0.9	27.71	91.7	6.2447	57.2663
2025	6	25	17	34	55	12.8	0.1	0.9	27.52	92.1	6.2447	56.8528
2025	6	25	17	44	55	12.8	0.1	0.9	28.22	92	6.2447	58.2999
2025	6	25	17	54	55	12.8	0.1	0.9	27.83	92.5	6.2386	57.4144
2025	6	25	18	4	55	12.4	0.1	0.9	27.01	91.5	6.2386	55.7622
2025	6	25	18	14	55	12.2	0.1	0.9	27.9	90.6	6.2386	57.6209
2025	6	25	18	24	55	12.2	0.1	0.9	27.31	91.9	6.2386	56.3818
2025	6	25	18	34	55	12.2	0.1	0.9	26.92	92.3	6.2326	55.499
2025	6	25	18	44	55	12	0.1	0.9	27.61	91.7	6.2326	56.9432
2025	6	25	18	54	55	12	0.1	0.9	27.44	92.9	6.2326	56.5306
2025	6	25	19	4	55	12	0.1	0.9	26.51	91.5	6.2326	54.6738
2025	6	25	19	14	55	12	0.1	0.9	27.5	91	6.2326	56.7369
2025	6	25	19	24	55	12	0.1	0.9	27.31	91.9	6.2326	56.3243
2025	6	25	19	34	55	12	0.1	0.9	27.12	92.1	6.2265	55.8546
2025	6	25	19	44	55	12	0.1	0.9	27.33	92.5	6.2265	56.2669
2025	6	25	19	54	55	12	0.1	0.9	27.11	91.5	6.2265	55.8547
2025	6	25	20	4	55	12	0.1	0.9	26.42	92.2	6.2265	54.412
2025	6	25	20	14	55	12	0.1	0.9	26.32	92	6.2265	54.2059
2025	6	25	20	24	55	12	0.1	0.9	27.1	90	6.2265	55.8548
2025	6	25	20	34	55	11.8	0.1	0.9	27.5	90	6.2204	56.6213
2025	6	25	20	44	55	11.8	0.1	0.9	26.1	90.4	6.2204	53.7388
2025	6	25	20	54	55	11.8	0.1	0.9	25.54	93.4	6.2204	52.5035
2025	6	25	21	4	55	11.8	0.1	0.9	27.35	93.6	6.2143	56.1522
2025	6	25	21	14	55	11.8	0.1	0.9	26.71	91.7	6.2082	54.8619
2025	6	25	21	24	55	11.8	0.1	0.9	28.11	91.4	6.2082	57.7386
2025	6	25	21	34	55	11.8	0.1	0.9	26.6	90	6.2082	54.6565
2025	6	25	21	44	55	11.8	0.1	0.9	27.21	91.3	6.2143	55.9467
2025	6	25	21	54	55	11.8	0.1	0.9	27.92	92.1	6.2082	57.3278
2025	6	25	22	4	55	11.8	0.1	0.9	26.8	88.9	6.2082	55.0676
2025	6	25	22	14	55	11.8	0.1	0.9	27.71	91.2	6.2082	56.9169
2025	6	25	22	24	55	11.8	0.1	0.9	27.41	91.5	6.2082	56.3005
2025	6	25	22	34	55	11.8	0.1	0.9	28.2	90.8	6.2021	57.885
2025	6	25	22	44	55	11.8	0.1	0.9	27.4	91	6.2021	56.2429
2025	6	25	22	54	55	11.8	0.1	0.9	26.2	90.4	6.2021	53.7798
2025	6	25	23	4	55	11.8	0.1	0.9	26.63	92.6	6.2021	54.6009
2025	6	25	23	14	55	11.8	0.1	0.9	26.73	92.8	6.2021	54.8062
2025	6	25	23	24	55	11.8	0.1	0.9	27.13	92.5	6.2021	55.6273
2025	6	25	23	34	55	11.8	0.1	0.9	26.7	90.9	6.196	54.75
2025	6	25	23	44	55	11.8	0.1	0.9	28.11	91.8	6.196	57.6209
2025	6	25	23	54	55	11.8	0.1	0.9	26.79	94.7	6.196	54.7501
2025	6	26	0	4	55	11.8	0.1	0.9	26.3	90.9	6.196	53.93

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	26	0	14	55	11.8	0.1	0.9	27.4	90.8	6.196	56.1856
2025	6	26	0	24	55	11.8	0.1	0.9	25.94	93.3	6.196	53.1098
2025	6	26	0	34	55	11.8	0.1	0.9	25.52	92.2	6.1899	52.2359
2025	6	26	0	44	55	11.8	0.1	0.9	27.11	91.7	6.1899	55.5135
2025	6	26	0	54	55	11.8	0.1	0.9	26.21	91.5	6.1899	53.6699
2025	6	26	1	4	55	11.8	0.1	0.9	26.6	90.2	6.1899	54.4894
2025	6	26	1	14	55	11.8	0.1	0.9	25.9	90.9	6.1899	53.0555
2025	6	26	1	24	55	11.8	0.1	0.9	26.51	91.5	6.1838	54.2288
2025	6	26	1	34	55	11.8	0.1	0.9	25.81	91.3	6.1838	52.7964
2025	6	26	1	44	55	11.8	0.1	0.9	25.5	90	6.1838	52.1825
2025	6	26	1	54	55	11.8	0.1	0.9	26.46	93.9	6.1838	54.0243
2025	6	26	2	4	55	11.8	0.1	0.9	25.7	90.4	6.1838	52.5919
2025	6	26	2	14	55	11.8	0.1	0.9	26.42	92	6.1838	54.0244
2025	6	26	2	24	55	11.8	0.1	0.9	25.9	90.7	6.1838	53.0012
2025	6	26	2	34	55	11.8	0.1	0.9	25.96	94	6.1777	52.9467
2025	6	26	2	44	55	11.8	0.1	0.9	26.85	93.6	6.1777	54.7866
2025	6	26	2	54	55	11.8	0.1	0.9	27.43	92.7	6.1777	56.0132
2025	6	26	3	4	55	11.8	0.1	0.9	26.5	90.9	6.1777	54.1734
2025	6	26	3	14	55	11.8	0.1	0.9	26.13	92.9	6.1777	53.3557
2025	6	26	3	24	55	11.8	0.1	0.9	26.91	91.7	6.1716	54.9346
2025	6	26	3	34	55	11.6	0.1	0.9	26.4	90.7	6.1777	53.9691
2025	6	26	3	44	55	11.6	0.1	0.9	26.84	93.2	6.1716	54.7304
2025	6	26	3	54	55	11.6	0.1	0.9	26.5	89.6	6.1716	54.1178
2025	6	26	4	4	55	11.6	0.1	0.9	25.91	91.8	6.1716	52.8925
2025	6	26	4	14	55	11.6	0.1	0.9	25.4	90.7	6.1716	51.8715
2025	6	26	4	24	55	11.6	0.1	0.9	27.01	91.9	6.1716	55.139
2025	6	26	4	34	55	11.6	0.1	0.9	26.52	91.9	6.1655	54.0622
2025	6	26	4	44	55	11.6	0.1	0.9	25.42	92.3	6.1655	51.8181
2025	6	26	4	54	55	11.6	0.1	0.9	25.91	91.3	6.1655	52.8382
2025	6	26	5	4	55	11.6	0.1	0.9	26.21	91.3	6.1655	53.4503
2025	6	26	5	14	55	11.6	0.1	0.9	25.6	88.9	6.1655	52.2262
2025	6	26	5	24	55	11.6	0.1	0.9	26.4	90.7	6.1594	53.8028
2025	6	26	5	34	55	11.6	0.1	0.9	26.03	92.6	6.1655	53.0423
2025	6	26	5	44	55	11.6	0.1	0.9	26.76	93.9	6.1594	54.4142
2025	6	26	5	54	55	11.6	0.1	0.9	26.52	92.2	6.1594	54.0067
2025	6	26	6	4	55	11.6	0.1	0.9	25.6	91.1	6.1594	52.1725
2025	6	26	6	14	55	11.6	0.1	0.9	25.04	93.2	6.1533	50.8971
2025	6	26	6	24	55	11.6	0.1	0.9	26.21	91.3	6.1533	53.3402
2025	6	26	6	34	55	11.8	0.1	0.9	25.9	89.6	6.1533	52.7295
2025	6	26	6	44	55	11.8	0.1	0.9	26.02	92.4	6.1472	52.8784
2025	6	26	6	54	55	11.8	0.1	0.9	26.7	90.2	6.1472	54.302
2025	6	26	7	4	55	12	0.1	0.9	26.33	92.6	6.1411	53.4332
2025	6	26	7	14	55	12	0.1	0.9	26.34	93	6.1411	53.4332
2025	6	26	7	24	55	12.2	0.1	0.9	25.8	90	6.1411	52.4174
2025	6	26	7	34	55	12.2	0.1	0.9	26.31	91.5	6.1411	53.4332
2025	6	26	7	44	55	12.2	0.1	0.9	26.34	93	6.135	53.3779
2025	6	26	7	54	55	12.4	0.1	0.9	26.65	93.7	6.135	53.9867
2025	6	26	8	4	55	12.4	0.1	0.9	25.82	92.2	6.1289	52.3088

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	26	8	14	55	12.4	0.1	0.9	25.21	91.8	6.1289	51.0923
2025	6	26	8	24	55	12.4	0.1	0.9	25.61	91.6	6.1289	51.9032
2025	6	26	8	34	55	12.4	0.1	0.9	26.51	91.7	6.1289	53.7279
2025	6	26	8	44	55	12.6	0.1	0.9	25.81	91.6	6.1289	52.3087
2025	6	26	8	54	55	12.6	0.1	0.9	25.44	93.4	6.1289	51.4977
2025	6	26	9	4	55	12.6	0.1	0.9	25.62	92.2	6.1289	51.9031
2025	6	26	9	14	55	12.6	0.1	0.9	25.72	92.2	6.1289	52.1059
2025	6	26	9	24	55	12.6	0.1	0.9	26.7	89.8	6.1228	54.0771
2025	6	26	9	34	55	12.8	0.1	0.9	25.2	90.2	6.1228	51.039
2025	6	26	9	44	55	12.8	0.1	0.9	25.62	92.2	6.1228	51.8491
2025	6	26	9	54	55	12.8	0.1	0.9	25.84	93.1	6.1228	52.2541
2025	6	26	10	4	55	12.6	0.1	0.9	26.57	94.1	6.1228	53.6718
2025	6	26	10	14	55	12.6	0.1	0.9	25.71	91.8	6.1228	52.0514
2025	6	26	10	24	55	12.6	0.1	0.9	27.31	91.9	6.1228	55.2919
2025	6	26	10	34	55	12.6	0.1	0.9	26.14	93.3	6.1228	52.8615
2025	6	26	10	44	55	12.4	0.1	0.9	26.92	92.1	6.1228	54.4817
2025	6	26	10	54	55	12.4	0.1	0.9	25.72	92.5	6.1228	52.0512
2025	6	26	11	4	55	12.4	0.1	0.9	25.83	92.7	6.1228	52.2537
2025	6	26	11	14	55	12.4	0.1	0.9	26.71	91.3	6.1228	54.0764
2025	6	26	11	24	55	12.4	0.1	0.9	25.72	92	6.1167	51.9969
2025	6	26	11	34	55	12.4	0.1	0.9	26.45	93.5	6.1228	53.4686
2025	6	26	11	44	55	12.4	0.1	0.9	25.8	90.9	6.1228	52.2534
2025	6	26	11	54	55	12.4	0.1	0.9	26.63	92.8	6.1167	53.8175
2025	6	26	12	4	55	12.4	0.1	0.9	26.07	94.2	6.1167	52.6035
2025	6	26	12	14	55	12.4	0.1	0.9	25.9	90.4	6.1106	52.3466
2025	6	26	12	24	55	12.4	0.1	0.9	26.62	92.2	6.1167	53.8173
2025	6	26	12	34	55	12.4	0.1	0.9	25.69	94.7	6.1106	51.7401
2025	6	26	12	44	55	12.4	0.1	0.9	26.41	91.5	6.1106	53.3569
2025	6	26	12	54	55	12.4	0.1	0.9	25.81	91.3	6.1106	52.1442
2025	6	26	13	4	55	12.4	0.1	0.9	24.72	92.3	6.1045	49.869
2025	6	26	13	14	55	12.4	0.1	0.9	26.31	91.3	6.1106	53.1546
2025	6	26	13	24	55	12.4	0.1	0.9	26.95	93.6	6.0984	54.2539
2025	6	26	13	34	55	12.4	0.1	0.9	26.81	91.7	6.1045	54.1086
2025	6	26	13	44	55	12.6	0.1	0.9	27.04	93.2	6.1106	54.5691
2025	6	26	13	54	55	12.6	0.1	0.9	25.4	90.9	6.1045	51.2819
2025	6	26	14	4	55	12.6	0.1	0.9	26.03	92.9	6.0984	52.4385
2025	6	26	14	14	55	12.6	0.1	0.9	26.3	90	6.1045	53.0989
2025	6	26	14	24	55	12.4	0.1	0.9	25.4	91.1	6.1045	51.2817
2025	6	26	14	34	55	12.4	0.1	0.9	25.84	93.1	6.0984	52.035
2025	6	26	14	44	55	12.4	0.1	0.9	25.43	92.9	6.0984	51.2282
2025	6	26	14	54	55	12.6	0.1	0.9	26.9	90.6	6.0984	54.2534
2025	6	26	15	4	55	12.6	0.1	0.9	25.7	90.2	6.0923	51.779
2025	6	26	15	14	55	12.6	0.1	0.9	25.1	91.1	6.0923	50.5701
2025	6	26	15	24	55	12.4	0.1	0.9	25.6	90.4	6.0923	51.5775
2025	6	26	15	34	55	12.2	0.1	0.9	26.2	90	6.0984	52.8414
2025	6	26	15	44	55	12.4	0.1	0.9	25.92	92.4	6.0862	52.1273
2025	6	26	15	54	55	12.6	0.1	0.9	25.73	92.9	6.0923	51.7788
2025	6	26	16	4	55	12.8	0.1	0.9	25.34	93.4	6.0862	50.9197

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	26	16	14	55	12.4	0.1	0.9	25.8	89.1	6.0802	51.8717
2025	6	26	16	24	55	12.4	0.1	0.9	26.9	90.2	6.0862	54.1398
2025	6	26	16	34	55	12.4	0.1	0.9	25.2	90.7	6.0862	50.7183
2025	6	26	16	44	55	12.6	0.1	0.9	25.8	90.9	6.0862	51.9259
2025	6	26	16	54	55	12.8	0.1	0.9	25.41	91.4	6.0802	51.0673
2025	6	26	17	4	55	12.8	0.1	0.9	25.74	93.1	6.0802	51.6705
2025	6	26	17	14	55	12.8	0.1	0.9	24.61	91.9	6.0802	49.4589
2025	6	26	17	24	55	12.8	0.1	0.9	24.22	92.4	6.0802	48.6547
2025	6	26	17	34	55	12.8	0.1	0.9	25.4	91.1	6.0741	51.0139
2025	6	26	17	44	55	12.8	0.1	0.9	25.8	90.9	6.0802	51.8715
2025	6	26	17	54	55	12.6	0.1	0.9	25.9	90.9	6.0741	52.0181
2025	6	26	18	4	55	12.4	0.1	0.9	25.3	90.9	6.0741	50.813
2025	6	26	18	14	55	12.2	0.1	0.9	25.4	89.3	6.0741	51.0139
2025	6	26	18	24	55	12.2	0.1	0.9	26	90.4	6.0741	52.2189
2025	6	26	18	34	55	12	0.1	0.9	25.61	91.3	6.068	51.3617
2025	6	26	18	44	55	12	0.1	0.9	25.2	91.1	6.068	50.5592
2025	6	26	18	54	55	12	0.1	0.9	25.6	90.7	6.068	51.3617
2025	6	26	19	4	55	12	0.1	0.9	25.4	91.1	6.068	50.9605
2025	6	26	19	14	55	12	0.1	0.9	25.62	92.2	6.068	51.3618
2025	6	26	19	24	55	12	0.1	0.9	26.42	92.4	6.068	52.9668
2025	6	26	19	34	55	12	0.1	0.9	26.21	91.5	6.0619	52.5105
2025	6	26	19	44	55	12	0.1	0.9	25.1	90	6.068	50.3587
2025	6	26	19	54	55	12	0.1	0.9	25.13	93	6.068	50.3587
2025	6	26	20	4	55	11.8	0.1	0.9	25.7	90	6.068	51.5625
2025	6	26	20	14	55	11.8	0.1	0.9	25.12	92.1	6.068	50.3587
2025	6	26	20	24	55	12	0.1	0.9	25.6	90.2	6.068	51.3619
2025	6	26	20	34	55	12	0.1	0.9	25.22	92.3	6.068	50.5594
2025	6	26	20	44	55	11.8	0.1	0.9	25.7	89.8	6.068	51.5626
2025	6	26	20	54	55	11.8	0.1	0.9	24.57	94.2	6.068	49.1551
2025	6	26	21	4	55	11.8	0.1	0.9	23.82	92.2	6.0619	47.7006
2025	6	26	21	14	55	11.8	0.1	0.9	25.41	91.8	6.0619	50.9074
2025	6	26	21	24	55	11.8	0.1	0.9	24.8	90	6.0619	49.7049
2025	6	26	21	34	55	11.8	0.1	0.9	26.71	91.3	6.0619	53.5129
2025	6	26	21	44	55	11.8	0.1	0.9	25.5	90	6.0619	51.1079
2025	6	26	21	54	55	11.8	0.1	0.9	26	89.1	6.0619	52.11
2025	6	26	22	4	55	11.8	0.1	0.9	25.32	92.3	6.0558	50.6539
2025	6	26	22	14	55	11.8	0.1	0.9	25.6	89.6	6.0619	51.3084
2025	6	26	22	24	55	11.8	0.1	0.9	24.35	93.8	6.0558	48.6518
2025	6	26	22	34	55	11.8	0.1	0.9	24.91	91.8	6.0558	49.8531
2025	6	26	22	44	55	11.8	0.1	0.9	23.7	89.3	6.0558	47.4506
2025	6	26	22	54	55	11.8	0.1	0.9	24.42	92.3	6.0558	48.8521
2025	6	26	23	4	55	11.8	0.1	0.9	25.22	92.3	6.0558	50.4539
2025	6	26	23	14	55	11.8	0.1	0.9	25.6	90.9	6.0558	51.2547
2025	6	26	23	24	55	11.8	0.1	0.9	24.21	91.2	6.0558	48.4518
2025	6	26	23	34	55	11.8	0.1	0.9	25.8	90.9	6.0497	51.6009
2025	6	26	23	44	55	11.8	0.1	0.9	25.51	95.4	6.0497	50.801
2025	6	26	23	54	55	11.8	0.1	0.9	25.1	90	6.0497	50.201
2025	6	27	0	4	55	11.8	0.1	0.9	25.17	94.3	6.0497	50.201

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	27	0	14	55	11.8	0.1	0.9	25.4	90.5	6.0497	50.8011
2025	6	27	0	24	55	11.8	0.1	0.9	25.2	90.7	6.0497	50.4011
2025	6	27	0	34	55	11.8	0.1	0.9	25.1	90	6.0497	50.2011
2025	6	27	0	44	55	11.8	0.1	0.9	24.03	92.6	6.0497	48.0011
2025	6	27	0	54	55	11.8	0.1	0.9	25.3	91.1	6.0497	50.6012
2025	6	27	1	4	55	11.8	0.1	0.9	24.6	90.7	6.0436	49.1494
2025	6	27	1	14	55	11.8	0.1	0.9	25.62	92	6.0436	51.1474
2025	6	27	1	24	55	11.8	0.1	0.9	25.2	89.5	6.0436	50.3483
2025	6	27	1	34	55	11.8	0.1	0.9	25.51	91.6	6.0436	50.9477
2025	6	27	1	44	55	11.8	0.1	0.9	25.53	92.9	6.0436	50.9477
2025	6	27	1	54	55	11.8	0.1	0.9	24.8	89.8	6.0436	49.5492
2025	6	27	2	4	55	11.8	0.1	0.9	25.5	90.9	6.0436	50.9478
2025	6	27	2	14	55	11.8	0.1	0.9	24.3	90	6.0436	48.5503
2025	6	27	2	24	55	11.8	0.1	0.9	24.62	92.3	6.0436	49.1497
2025	6	27	2	34	55	11.8	0.1	0.9	25.42	92.3	6.0436	50.7481
2025	6	27	2	44	55	11.8	0.1	0.9	25.4	90.9	6.0436	50.7481
2025	6	27	2	54	55	11.8	0.1	0.9	25.33	92.9	6.0436	50.5483
2025	6	27	3	4	55	11.8	0.1	0.9	24.9	90.9	6.0436	49.7492
2025	6	27	3	14	55	11.6	0.1	0.9	25.4	91.1	6.0375	50.6948
2025	6	27	3	24	55	11.6	0.1	0.9	26	89.6	6.0375	51.8923
2025	6	27	3	34	55	11.6	0.1	0.9	25.1	90.2	6.0375	50.0961
2025	6	27	3	44	55	11.6	0.1	0.9	24.91	91.2	6.0375	49.6969
2025	6	27	3	54	55	11.6	0.1	0.9	25.31	91.4	6.0375	50.4953
2025	6	27	4	4	55	11.6	0.1	0.9	25.91	91.8	6.0375	51.6929
2025	6	27	4	14	55	11.6	0.1	0.9	25.2	90	6.0375	50.2958
2025	6	27	4	24	55	11.6	0.1	0.9	25.2	91.1	6.0375	50.2958
2025	6	27	4	34	55	11.6	0.1	0.9	24.3	90.5	6.0375	48.4996
2025	6	27	4	44	55	11.6	0.1	0.9	24.52	92.3	6.0375	48.8988
2025	6	27	4	54	55	11.6	0.1	0.9	25.34	93.4	6.0375	50.4955
2025	6	27	5	4	55	11.6	0.1	0.9	24.32	92.4	6.0375	48.4996
2025	6	27	5	14	55	11.6	0.1	0.9	25.23	93	6.0375	50.296
2025	6	27	5	24	55	11.6	0.1	0.9	23.6	90.7	6.0375	47.1026
2025	6	27	5	34	55	11.6	0.1	0.9	25.2	91.1	6.0375	50.296
2025	6	27	5	44	55	11.6	0.1	0.9	26.1	89.6	6.0375	52.0923
2025	6	27	5	54	55	11.6	0.1	0.9	25.44	93.2	6.0375	50.6952
2025	6	27	6	4	55	11.6	0.1	0.9	25.72	92.5	6.0375	51.294
2025	6	27	6	14	55	11.6	0.1	0.9	25.71	91.8	6.0375	51.2941
2025	6	27	6	24	55	11.6	0.1	0.9	23.52	92.4	6.0375	46.9032
2025	6	27	6	34	55	11.8	0.1	0.9	26.11	91.3	6.0375	52.0925
2025	6	27	6	44	55	11.8	0.1	0.9	24.5	90.9	6.0375	48.8991
2025	6	27	6	54	55	11.8	0.1	0.9	25.1	91.1	6.0375	50.0966
2025	6	27	7	4	55	11.8	0.1	0.9	23.82	92.2	6.0375	47.502
2025	6	27	7	14	55	12	0.1	0.9	23.93	92.6	6.0375	47.7016
2025	6	27	7	24	55	12	0.1	0.9	24.31	91.7	6.0375	48.5
2025	6	27	7	34	55	12	0.1	0.9	23.8	90.5	6.0375	47.502
2025	6	27	7	44	55	12.2	0.1	0.9	25.6	90	6.0375	51.0946
2025	6	27	7	54	55	12.2	0.1	0.9	25.34	93.4	6.0375	50.4958
2025	6	27	8	4	55	12.4	0.1	0.9	24.55	93.7	6.0314	48.8476

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	27	8	14	55	12.4	0.1	0.9	24.54	93.3	6.0314	48.8476
2025	6	27	8	24	55	12.4	0.1	0.9	25.91	91.8	6.0314	51.6389
2025	6	27	8	34	55	12.4	0.1	0.9	24.62	92.6	6.0314	49.0469
2025	6	27	8	44	55	12.4	0.1	0.9	25.52	92.2	6.0314	50.8413
2025	6	27	8	54	55	12.6	0.1	0.9	25.21	91.4	6.0314	50.2431
2025	6	27	9	4	55	12.6	0.1	0.9	24.71	91.4	6.0314	49.2462
2025	6	27	9	14	55	12.6	0.1	0.9	25.14	93.4	6.0314	50.0437
2025	6	27	9	24	55	12.6	0.1	0.9	25.12	92.3	6.0314	50.0437
2025	6	27	9	34	55	12.8	0.1	0.9	25.21	91.8	6.0314	50.243
2025	6	27	9	44	55	12.8	0.1	0.9	25.6	90.9	6.0253	50.9866
2025	6	27	9	54	55	12.6	0.1	0.9	24.84	93.2	6.0253	49.3932
2025	6	27	10	4	55	12.6	0.1	0.9	24.71	91.6	6.0314	49.246
2025	6	27	10	14	55	12.6	0.1	0.9	25.53	92.7	6.0314	50.8409
2025	6	27	10	24	55	12.6	0.1	0.9	25.2	90.5	6.0253	50.1897
2025	6	27	10	34	55	12.6	0.1	0.9	24.52	92.3	6.0192	48.7439
2025	6	27	10	44	55	12.4	0.1	0.9	24.26	94	6.0253	48.198
2025	6	27	10	54	55	12.4	0.1	0.9	24.43	93	6.0192	48.5449
2025	6	27	11	4	55	12.4	0.1	0.9	24.82	92.5	6.0192	49.3406
2025	6	27	11	14	55	12.4	0.1	0.9	24.02	92.1	6.0131	47.6984
2025	6	27	11	24	55	12.4	0.1	0.9	25.92	92	6.0192	51.529
2025	6	27	11	34	55	12.4	0.1	0.9	24.95	93.4	6.0192	49.5394
2025	6	27	11	44	55	12.4	0.1	0.9	26.45	93.7	6.0131	52.4681
2025	6	27	11	54	55	12.4	0.1	0.9	24.61	91.9	6.0131	48.8906
2025	6	27	12	4	55	12.4	0.1	0.9	24.73	92.8	6.0131	49.0893
2025	6	27	12	14	55	12.4	0.1	0.9	25.44	93.2	6.0131	50.4804
2025	6	27	12	24	55	12.4	0.1	0.9	24.82	92.5	6.0192	49.3401
2025	6	27	12	34	55	12.4	0.1	0.9	25.35	93.6	6.007	50.2283
2025	6	27	12	44	55	12.4	0.1	0.9	25.71	91.6	6.0131	51.0765
2025	6	27	12	54	55	12.4	0.1	0.9	25.11	91.6	6.0131	49.8839
2025	6	27	13	4	55	12.4	0.1	0.9	25.72	92.2	6.007	51.0223
2025	6	27	13	14	55	12.4	0.1	0.9	25.22	92.3	6.007	50.0295
2025	6	27	13	24	55	12.4	0.1	0.9	24.91	91.2	6.0131	49.4863
2025	6	27	13	34	55	12.4	0.1	0.9	25.22	92.3	6.007	50.0294
2025	6	27	13	44	55	12.6	0.1	0.9	25.02	92.5	6.007	49.6323
2025	6	27	13	54	55	12.8	0.1	0.9	25.23	93	6.007	50.0293
2025	6	27	14	4	55	12.6	0.1	0.9	25.7	90.2	6.0131	51.076
2025	6	27	14	14	55	12.6	0.1	0.9	25.1	90.9	6.0131	49.8835
2025	6	27	14	24	55	12.4	0.1	0.9	24.71	91.2	6.007	49.0365
2025	6	27	14	34	55	12.4	0.1	0.9	24.13	92.6	6.007	47.8453
2025	6	27	14	44	55	12.4	0.1	0.9	25.02	92.1	6.007	49.632
2025	6	27	14	54	55	12.6	0.1	0.9	24.9	89.3	6.007	49.4334
2025	6	27	15	4	55	12.8	0.1	0.9	25.62	92	6.007	50.8231
2025	6	27	15	14	55	12.6	0.1	0.9	25.53	92.7	6.007	50.6245
2025	6	27	15	24	55	12.4	0.1	0.9	24.3	90.9	6.0009	48.191
2025	6	27	15	34	55	12.2	0.1	0.9	25.2	90.5	6.0009	49.9758
2025	6	27	15	44	55	12.4	0.1	0.9	24.65	93.5	5.9948	48.7341
2025	6	27	15	54	55	12.6	0.1	0.9	24.72	92.3	6.0009	48.9842
2025	6	27	16	4	55	12.8	0.1	0.9	24.75	93.5	6.0009	48.9842

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	27	16	14	55	12.4	0.1	0.9	24.75	93.5	5.9948	48.9322
2025	6	27	16	24	55	12.4	0.1	0.9	25.32	92	5.9948	50.1208
2025	6	27	16	34	55	12.6	0.1	0.9	26.11	91.3	5.9948	51.7056
2025	6	27	16	44	55	12.6	0.1	0.9	25.32	92.5	5.9948	50.1207
2025	6	27	16	54	55	12.8	0.1	0.9	25.68	94.5	5.9887	50.6612
2025	6	27	17	4	55	12.8	0.1	0.9	24.35	93.5	5.9948	48.1396
2025	6	27	17	14	55	12.8	0.1	0.9	24.1	90.2	5.9948	47.7434
2025	6	27	17	24	55	12.8	0.1	0.9	24.5	89.1	5.9948	48.5358
2025	6	27	17	34	55	12.8	0.1	0.9	25.1	90.7	5.9887	49.6717
2025	6	27	17	44	55	12.8	0.1	0.9	25.7	90.9	5.9887	50.859
2025	6	27	17	54	55	12.6	0.1	0.9	25.4	90.9	5.9826	50.2119
2025	6	27	18	4	55	12.4	0.1	0.9	25.01	91.6	5.9887	49.4738
2025	6	27	18	14	55	12.2	0.1	0.9	25.3	91.1	5.9887	50.0674
2025	6	27	18	24	55	12.2	0.1	0.9	24.42	92.3	5.9826	48.2351
2025	6	27	18	34	55	12	0.1	0.9	25.5	90	5.9826	50.4096
2025	6	27	18	44	55	12	0.1	0.9	24.72	92.1	5.9765	48.7762
2025	6	27	18	54	55	12	0.1	0.9	24.41	91.2	5.9826	48.2351
2025	6	27	19	4	55	12	0.1	0.9	24.92	92.5	5.9765	49.1712
2025	6	27	19	14	55	12	0.1	0.9	24.8	90.9	5.9704	48.9215
2025	6	27	19	24	55	12	0.1	0.9	24.02	92.4	5.9765	47.3939
2025	6	27	19	34	55	12	0.1	0.9	24.9	90.7	5.9704	49.1188
2025	6	27	19	44	55	12	0.1	0.9	24.31	91.2	5.9704	47.9353
2025	6	27	19	54	55	12	0.1	0.9	24.71	91.2	5.9704	48.7244
2025	6	27	20	4	55	12	0.1	0.9	25.91	91.3	5.9704	51.0916
2025	6	27	20	14	55	12	0.1	0.9	24.02	92.4	5.9643	47.2931
2025	6	27	20	24	55	12	0.1	0.9	25.02	92.1	5.9643	49.2637
2025	6	27	20	34	55	12	0.1	0.9	25.41	91.4	5.9643	50.0519
2025	6	27	20	44	55	12	0.1	0.9	24.35	93.8	5.9643	47.8843
2025	6	27	20	54	55	12	0.1	0.9	24.02	92.4	5.9582	47.2427
2025	6	27	21	4	55	11.8	0.1	0.9	24.81	91.6	5.9582	48.8175
2025	6	27	21	14	55	11.8	0.1	0.9	24.11	91.2	5.9582	47.4396
2025	6	27	21	24	55	11.8	0.1	0.9	24.22	92.4	5.9582	47.6365
2025	6	27	21	34	55	11.8	0.1	0.9	24.62	92.3	5.9582	48.4239
2025	6	27	21	44	55	11.8	0.1	0.9	23.5	89	5.9582	46.2586
2025	6	27	21	54	55	11.8	0.1	0.9	24	90.5	5.9582	47.2429
2025	6	27	22	4	55	11.8	0.1	0.9	24.77	94.2	5.9582	48.6208
2025	6	27	22	14	55	11.8	0.1	0.9	25.02	92.1	5.9582	49.2114
2025	6	27	22	24	55	11.8	0.1	0.9	25.41	91.6	5.9521	49.9454
2025	6	27	22	34	55	11.8	0.1	0.9	23.91	91.2	5.9521	46.9959
2025	6	27	22	44	55	11.8	0.1	0.9	24.63	92.8	5.9521	48.3724
2025	6	27	22	54	55	11.8	0.1	0.9	24.21	91.2	5.9521	47.5859
2025	6	27	23	4	55	11.8	0.1	0.9	24.32	92.1	5.9521	47.7825
2025	6	27	23	14	55	11.8	0.1	0.9	23.4	90.5	5.9521	46.0128
2025	6	27	23	24	55	11.8	0.1	0.9	23.9	91	5.9521	46.9961
2025	6	27	23	34	55	11.8	0.1	0.9	25.81	91.3	5.9521	50.7322
2025	6	27	23	44	55	11.8	0.1	0.9	24.61	91.2	5.9521	48.3726
2025	6	27	23	54	55	11.8	0.1	0.9	25.03	93	5.9521	49.1592
2025	6	28	0	4	55	11.8	0.1	0.9	24.31	91.2	5.9521	47.7827

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	28	0	14	55	11.8	0.1	0.9	25.62	92	5.9521	50.3391
2025	6	28	0	24	55	11.8	0.1	0.9	24.34	93.3	5.9521	47.7828
2025	6	28	0	34	55	11.8	0.1	0.9	24.51	91.9	5.9521	48.1761
2025	6	28	0	44	55	11.8	0.1	0.9	24.76	93.9	5.9521	48.5694
2025	6	28	0	54	55	11.8	0.1	0.9	23.84	93.1	5.9521	46.7997
2025	6	28	1	4	55	11.8	0.1	0.9	24.9	90.9	5.9521	48.9628
2025	6	28	1	14	55	11.8	0.1	0.9	24.61	91.2	5.9521	48.3729
2025	6	28	1	24	55	11.8	0.1	0.9	24.63	92.8	5.9521	48.3729
2025	6	28	1	34	55	11.8	0.1	0.9	24.63	92.8	5.9521	48.373
2025	6	28	1	44	55	11.8	0.1	0.9	25.2	90.5	5.9521	49.5528
2025	6	28	1	54	55	11.8	0.1	0.9	23.52	92.4	5.9582	46.2594
2025	6	28	2	4	55	11.8	0.1	0.9	24.74	93.2	5.9582	48.6216
2025	6	28	2	14	55	11.8	0.1	0.9	24.41	91.2	5.9582	48.0311
2025	6	28	2	24	55	11.8	0.1	0.9	24.14	93.3	5.9582	47.4406
2025	6	28	2	34	55	11.8	0.1	0.9	24.21	91.7	5.9643	47.6884
2025	6	28	2	44	55	11.8	0.1	0.9	24.44	93.3	5.9643	48.0826
2025	6	28	2	54	55	11.8	0.1	0.9	24.52	92.3	5.9643	48.2797
2025	6	28	3	4	55	11.8	0.1	0.9	25.51	91.3	5.9643	50.2503
2025	6	28	3	14	55	11.8	0.1	0.9	23.72	92.4	5.9582	46.6534
2025	6	28	3	24	55	11.8	0.1	0.9	25.42	92.3	5.9643	50.0533
2025	6	28	3	34	55	11.6	0.1	0.9	25.01	91.6	5.9643	49.2651
2025	6	28	3	44	55	11.6	0.1	0.9	23.32	92.5	5.9643	45.9151
2025	6	28	3	54	55	11.6	0.1	0.9	24.2	89.1	5.9582	47.6378
2025	6	28	4	4	55	11.6	0.1	0.9	24.45	93.8	5.9643	48.0828
2025	6	28	4	14	55	11.6	0.1	0.9	24.7	90	5.9643	48.674
2025	6	28	4	24	55	11.6	0.1	0.9	24.11	91.9	5.9643	47.4917
2025	6	28	4	34	55	11.6	0.1	0.9	23.72	92.4	5.9643	46.7035
2025	6	28	4	44	55	11.6	0.1	0.9	23.82	92.4	5.9643	46.9006
2025	6	28	4	54	55	11.6	0.1	0.9	24.32	92.4	5.9643	47.8859
2025	6	28	5	4	55	11.6	0.1	0.9	22.83	93	5.9643	44.93
2025	6	28	5	14	55	11.6	0.1	0.9	24.5	90	5.9643	48.2801
2025	6	28	5	24	55	11.6	0.1	0.9	24.1	90.7	5.9643	47.4919
2025	6	28	5	34	55	11.6	0.1	0.9	24.06	94.1	5.9643	47.2949
2025	6	28	5	44	55	11.6	0.1	0.9	25.38	94.5	5.9643	49.8567
2025	6	28	5	54	55	11.6	0.1	0.9	23.5	90	5.9582	46.2602
2025	6	28	6	4	55	11.6	0.1	0.9	23.74	93.1	5.9582	46.6539
2025	6	28	6	14	55	11.6	0.1	0.9	23.21	91.5	5.9582	45.6697
2025	6	28	6	24	55	11.6	0.1	0.9	24.93	93	5.9582	49.0162
2025	6	28	6	34	55	11.8	0.1	0.9	24.22	92.1	5.9582	47.6382
2025	6	28	6	44	55	11.8	0.1	0.9	24.6	90	5.9582	48.4257
2025	6	28	6	54	55	11.8	0.1	0.9	24.42	92.3	5.9582	48.032
2025	6	28	7	4	55	12	0.1	0.9	25.11	91.8	5.9582	49.41
2025	6	28	7	14	55	12	0.1	0.9	24.8	90	5.9582	48.8194
2025	6	28	7	24	55	12	0.1	0.9	25.06	96.4	5.9582	49.0163
2025	6	28	7	34	55	12	0.1	0.9	23.51	91.7	5.9582	46.2604
2025	6	28	7	44	55	12.2	0.1	0.9	23.2	89.3	5.9582	45.6698
2025	6	28	7	54	55	12.2	0.1	0.9	23.31	91.2	5.9582	45.8667
2025	6	28	8	4	55	12.2	0.1	0.9	24.43	93	5.9582	48.032

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	28	8	14	55	12.4	0.1	0.9	24.61	91.2	5.9582	48.4257
2025	6	28	8	24	55	12.4	0.1	0.9	24.42	92.3	5.9582	48.032
2025	6	28	8	34	55	12.4	0.1	0.9	24.7	90.7	5.9582	48.6226
2025	6	28	8	44	55	12.4	0.1	0.9	25.66	93.8	5.9582	50.3942
2025	6	28	8	54	55	12.4	0.1	0.9	24.1	95.2	5.9582	47.2446
2025	6	28	9	4	55	12.6	0.1	0.9	24.02	92.4	5.9582	47.2445
2025	6	28	9	14	55	12.6	0.1	0.9	23.4	90.2	5.9582	46.0634
2025	6	28	9	24	55	12.6	0.1	0.9	23.41	91.5	5.9582	46.0634
2025	6	28	9	34	55	12.6	0.1	0.9	23.7	90	5.9582	46.6539
2025	6	28	9	44	55	12.6	0.1	0.9	23.5	91	5.9582	46.2601
2025	6	28	9	54	55	12.6	0.1	0.9	24.5	89.5	5.9582	48.2286
2025	6	28	10	4	55	12.6	0.1	0.9	24.3	90.9	5.9582	47.8348
2025	6	28	10	14	55	12.6	0.1	0.9	24.02	92.4	5.946	47.1432
2025	6	28	10	24	55	12.6	0.1	0.9	24.32	92.6	5.946	47.7325
2025	6	28	10	34	55	12.4	0.1	0.9	24.36	94	5.9582	47.8347
2025	6	28	10	44	55	12.4	0.1	0.9	25.2	90.9	5.9521	49.5532
2025	6	28	10	54	55	12.4	0.1	0.9	23.61	91.9	5.946	46.3573
2025	6	28	11	4	55	12.4	0.1	0.9	24.51	91.4	5.946	48.1251
2025	6	28	11	14	55	12.4	0.1	0.9	24.25	93.5	5.9399	47.4848
2025	6	28	11	24	55	12.4	0.1	0.9	24.82	92.3	5.9399	48.6621
2025	6	28	11	34	55	12.4	0.1	0.9	23.31	91.2	5.946	45.7677
2025	6	28	11	44	55	12.4	0.1	0.9	24.3	90.2	5.9399	47.6808
2025	6	28	11	54	55	12.4	0.1	0.9	24.91	91.6	5.9399	48.8581
2025	6	28	12	4	55	12.4	0.1	0.9	24.42	92.1	5.9399	47.8769
2025	6	28	12	14	55	12.4	0.1	0.9	24.21	91.2	5.9399	47.4844
2025	6	28	12	24	55	12.4	0.1	0.9	24.42	92.3	5.9399	47.8768
2025	6	28	12	34	55	12.4	0.1	0.9	24.65	93.5	5.9399	48.2691
2025	6	28	12	44	55	12.4	0.1	0.9	24.52	92.3	5.9399	48.0728
2025	6	28	12	54	55	12.4	0.1	0.9	25.32	92.3	5.9399	49.6425
2025	6	28	13	4	55	12.4	0.1	0.9	25.2	90.2	5.946	49.4992
2025	6	28	13	14	55	12.4	0.1	0.9	23.83	92.9	5.946	46.7492
2025	6	28	13	24	55	12.4	0.1	0.9	23.86	94.1	5.9399	46.699
2025	6	28	13	34	55	12.4	0.1	0.9	25.62	92	5.946	50.2847
2025	6	28	13	44	55	12.6	0.1	0.9	24.3	90	5.946	47.7311
2025	6	28	13	54	55	12.6	0.1	0.9	23.56	94.1	5.9399	46.1102
2025	6	28	14	4	55	12.6	0.1	0.9	24.21	91.4	5.946	47.5346
2025	6	28	14	14	55	12.6	0.1	0.9	24.62	92.3	5.9399	48.2684
2025	6	28	14	24	55	12.4	0.1	0.9	23.73	92.7	5.9399	46.5025
2025	6	28	14	34	55	12.4	0.1	0.9	24.65	93.7	5.9399	48.2683
2025	6	28	14	44	55	12.4	0.1	0.8	24.2	90.2	5.9399	47.4834
2025	6	28	14	54	55	12.6	0.1	0.8	24.2	90.5	5.946	47.5343
2025	6	28	15	4	55	12.6	0.1	0.8	24.27	94.3	5.9399	47.4833
2025	6	28	15	14	55	12.6	0.1	0.8	24.71	91.2	5.9399	48.4644
2025	6	28	15	24	55	12.4	0.1	0.8	24.61	91.4	5.9399	48.2681
2025	6	28	15	34	55	12.2	0.1	0.8	24.31	91.7	5.9399	47.6794
2025	6	28	15	44	55	12.4	0.1	0.8	24.43	93	5.9338	47.8243
2025	6	28	15	54	55	12.4	0.1	0.8	24.81	91.2	5.9399	48.6604
2025	6	28	16	4	55	12.6	0.1	0.8	24.32	92.6	5.9399	47.6793

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	28	16	14	55	12.4	0.1	0.8	25.42	92.3	5.9338	49.7842
2025	6	28	16	24	55	12.4	0.1	0.8	23.84	93.4	5.9278	46.5981
2025	6	28	16	34	55	12.4	0.1	0.8	24	91	5.9278	46.9896
2025	6	28	16	44	55	12.6	0.1	0.8	23.81	91.2	5.9399	46.6982
2025	6	28	16	54	55	12.8	0.1	0.8	23.92	92.2	5.9338	46.8441
2025	6	28	17	4	55	12.8	0.1	0.8	24.32	92.4	5.9338	47.6281
2025	6	28	17	14	55	12.8	0.1	0.8	24.51	91.6	5.9278	47.9685
2025	6	28	17	24	55	12.8	0.1	0.8	23.42	92.2	5.9278	45.8148
2025	6	28	17	34	55	12.8	0.1	0.8	24.62	92.6	5.9278	48.1643
2025	6	28	17	44	55	12.8	0.1	0.8	23.8	90.7	5.9278	46.598
2025	6	28	17	54	55	12.6	0.1	0.8	24.02	92.1	5.9217	46.9391
2025	6	28	18	4	55	12.4	0.1	0.8	22.9	90.8	5.9217	44.7877
2025	6	28	18	14	55	12.2	0.1	0.8	24.21	88.8	5.9217	47.3303
2025	6	28	18	24	55	12.2	0.1	0.8	24.01	91.7	5.9156	46.8886
2025	6	28	18	34	55	12	0.1	0.8	24.42	92.3	5.9217	47.7215
2025	6	28	18	44	55	12	0.1	0.8	23.64	93.2	5.9217	46.1568
2025	6	28	18	54	55	12	0.1	0.8	23.51	91.2	5.9156	45.9119
2025	6	28	19	4	55	12	0.1	0.8	24.54	93.3	5.9156	47.8656
2025	6	28	19	14	55	12	0.1	0.8	24.41	91.9	5.9156	47.6702
2025	6	28	19	24	55	12	0.1	0.8	23.81	91.9	5.9095	46.448
2025	6	28	19	34	55	12	0.1	0.8	24.1	90.2	5.9156	47.0842
2025	6	28	19	44	55	12	0.1	0.8	23.91	91.9	5.9095	46.6432
2025	6	28	19	54	55	12	0.1	0.8	24.41	91.9	5.9095	47.619
2025	6	28	20	4	55	12	0.1	0.8	24.21	91.7	5.9095	47.2287
2025	6	28	20	14	55	12	0.1	0.8	23.82	92.4	5.9095	46.4481
2025	6	28	20	24	55	12	0.1	0.8	25.37	94.3	5.9095	49.3756
2025	6	28	20	34	55	12	0.1	0.8	24.1	90.7	5.9095	47.0337
2025	6	28	20	44	55	12	0.1	0.8	23.7	90.7	5.9095	46.2531
2025	6	28	20	54	55	12	0.1	0.8	24.6	90.2	5.9034	47.9578
2025	6	28	21	4	55	12	0.1	0.9	24	90	5.9034	46.7882
2025	6	28	21	14	55	11.8	0.1	0.9	23.7	90.2	5.9034	46.2033
2025	6	28	21	24	55	11.8	0.1	0.9	24.47	94.2	5.9034	47.568
2025	6	28	21	34	55	11.8	0.1	0.9	24.22	92.6	5.9034	47.1782
2025	6	28	21	44	55	11.8	0.1	0.9	24.1	90.7	5.9034	46.9833
2025	6	28	21	54	55	11.8	0.1	0.9	24.2	90.7	5.9034	47.1783
2025	6	28	22	4	55	11.8	0.1	0.9	24.02	92.4	5.9034	46.7884
2025	6	28	22	14	55	11.8	0.1	0.9	22.8	89.5	5.9034	44.449
2025	6	28	22	24	55	11.8	0.1	0.9	23.53	92.7	5.8973	45.7643
2025	6	28	22	34	55	11.8	0.1	0.9	24.51	91.4	5.9034	47.7633
2025	6	28	22	44	55	11.8	0.1	0.9	23.7	90.7	5.9034	46.2037
2025	6	28	22	54	55	11.8	0.1	0.9	24.51	91.6	5.9095	47.8149
2025	6	28	23	4	55	11.8	0.1	0.9	24.3	89.1	5.9095	47.4246
2025	6	28	23	14	55	11.8	0.1	0.9	24.42	92.6	5.9095	47.6198
2025	6	28	23	24	55	11.8	0.1	0.9	22.7	89.7	5.9095	44.3021
2025	6	28	23	34	55	11.8	0.1	0.9	24.91	91.6	5.9095	48.5957
2025	6	28	23	44	55	11.8	0.1	0.9	23.42	92.2	5.9095	45.6683
2025	6	28	23	54	55	11.8	0.1	0.9	24.5	90.7	5.9095	47.8152
2025	6	29	0	4	55	11.8	0.1	0.9	23.6	90.5	5.9095	46.0587

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	29	0	14	55	11.8	0.1	0.9	23.4	89	5.9095	45.6684
2025	6	29	0	24	55	11.8	0.1	0.9	23.42	92.4	5.9095	45.6685
2025	6	29	0	34	55	11.8	0.1	0.9	24.8	90	5.9095	48.4008
2025	6	29	0	44	55	11.8	0.1	0.9	23.6	89.5	5.9034	46.0092
2025	6	29	0	54	55	11.8	0.1	0.9	24.22	92.4	5.9095	47.2299
2025	6	29	1	4	55	11.8	0.1	0.9	24.25	93.5	5.9034	47.179
2025	6	29	1	14	55	11.8	0.1	0.9	23.6	90	5.9034	46.0094
2025	6	29	1	24	55	11.8	0.1	0.9	23.72	92.2	5.9034	46.2044
2025	6	29	1	34	55	11.8	0.1	0.9	23.72	92.4	5.9034	46.2044
2025	6	29	1	44	55	11.8	0.1	0.9	24.61	91.6	5.9034	47.959
2025	6	29	1	54	55	11.8	0.1	0.9	23.95	93.6	5.9034	46.5944
2025	6	29	2	4	55	11.8	0.1	0.9	23.31	91.2	5.9034	45.4247
2025	6	29	2	14	55	11.8	0.1	0.9	24.6	90.9	5.9034	47.9591
2025	6	29	2	24	55	11.8	0.1	0.9	23.12	92.5	5.9034	45.0348
2025	6	29	2	34	55	11.6	0.1	0.9	23.51	91.2	5.9034	45.8147
2025	6	29	2	44	55	11.8	0.1	0.9	24.2	90.9	5.9034	47.1794
2025	6	29	2	54	55	11.6	0.1	0.9	23.45	93.7	5.9034	45.6198
2025	6	29	3	4	55	11.6	0.1	0.9	23.81	91.4	5.9034	46.3997
2025	6	29	3	14	55	11.6	0.1	0.9	22.7	91	5.9034	44.2552
2025	6	29	3	24	55	11.6	0.1	0.9	24.65	93.7	5.9034	47.9594
2025	6	29	3	34	55	11.6	0.1	0.9	23	91	5.9034	44.8401
2025	6	29	3	44	55	11.6	0.1	0.9	23.11	91.2	5.9034	45.0351
2025	6	29	3	54	55	11.6	0.1	0.9	25.81	91.8	5.8973	50.2448
2025	6	29	4	4	55	11.6	0.1	0.9	24.21	91.7	5.9034	47.1797
2025	6	29	4	14	55	11.6	0.1	0.9	23.94	93.1	5.9034	46.5949
2025	6	29	4	24	55	11.6	0.1	0.9	23.72	92.4	5.9034	46.205
2025	6	29	4	34	55	11.6	0.1	0.9	24.71	91.6	5.9034	48.1547
2025	6	29	4	44	55	11.6	0.1	0.9	23.7	91	5.8973	46.1552
2025	6	29	4	54	55	11.6	0.1	0.9	23.81	91.2	5.8973	46.35
2025	6	29	5	4	55	11.6	0.1	0.9	23.22	92.2	5.8973	45.1816
2025	6	29	5	14	55	11.6	0.1	0.9	23.51	91.7	5.8973	45.7659
2025	6	29	5	24	55	11.6	0.1	0.9	23.11	91.5	5.8973	44.9869
2025	6	29	5	34	55	11.6	0.1	0.9	23.22	92.5	5.8973	45.1817
2025	6	29	5	44	55	11.6	0.1	0.9	23.71	88.5	5.8973	46.1555
2025	6	29	5	54	55	11.6	0.1	0.9	23	90	5.8973	44.7923
2025	6	29	6	4	55	11.6	0.1	0.9	23.31	91.2	5.8973	45.3765
2025	6	29	6	14	55	11.6	0.1	0.9	24.25	93.5	5.8973	47.1293
2025	6	29	6	24	55	11.6	0.1	0.9	23.62	92.2	5.8973	45.9609
2025	6	29	6	34	55	11.8	0.1	0.9	23.45	93.9	5.8973	45.5714
2025	6	29	6	44	55	11.8	0.1	0.9	24.12	92.4	5.8973	46.9347
2025	6	29	6	54	55	11.8	0.1	0.9	24.51	91.6	5.8912	47.6622
2025	6	29	7	4	55	11.8	0.1	0.9	24.82	92.1	5.8973	48.298
2025	6	29	7	14	55	11.8	0.1	0.9	24.08	94.5	5.8973	46.74
2025	6	29	7	24	55	12	0.1	0.9	24	91	5.8973	46.74
2025	6	29	7	34	55	12.2	0.1	0.9	23.52	92.2	5.8912	45.7169
2025	6	29	7	44	55	12.4	0.1	0.9	24.05	93.8	5.8973	46.7401
2025	6	29	7	54	55	12.4	0.1	0.9	23.21	91.5	5.8912	45.1333
2025	6	29	8	4	55	12.4	0.1	0.9	23.62	92.4	5.8912	45.9114

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	29	8	14	55	12.4	0.1	0.9	23.82	95.8	5.8912	46.106
2025	6	29	8	24	55	12.4	0.1	0.9	23.09	95	5.8912	44.7442
2025	6	29	8	34	55	12.4	0.1	0.9	23.7	90.7	5.8912	46.106
2025	6	29	8	44	55	12.6	0.1	0.9	23.4	95.4	5.8973	45.3768
2025	6	29	8	54	55	12.8	0.1	0.9	23.01	91.5	5.8973	44.7925
2025	6	29	9	4	55	12.6	0.1	0.9	23.5	90	5.8973	45.7662
2025	6	29	9	14	55	12.6	0.1	0.9	23.95	93.8	5.8973	46.5452
2025	6	29	9	24	55	12.6	0.1	0.9	24.35	93.5	5.8973	47.3242
2025	6	29	9	34	55	12.6	0.1	0.9	23.36	94.2	5.8973	45.3766
2025	6	29	9	44	55	12.6	0.1	0.9	23.62	92.4	5.8973	45.9608
2025	6	29	9	54	55	12.6	0.1	0.9	24.27	94.5	5.8973	47.1293
2025	6	29	10	4	55	12.6	0.1	0.9	24.08	94.5	5.8973	46.7397
2025	6	29	10	14	55	12.6	0.1	0.9	23.91	91.9	5.8973	46.545
2025	6	29	10	24	55	12.6	0.1	0.9	24.2	90.5	5.8973	47.1291
2025	6	29	10	34	55	12.4	0.1	0.9	24.61	91.9	5.8973	47.9081
2025	6	29	10	44	55	12.4	0.1	0.9	23.74	93.1	5.8973	46.1553
2025	6	29	10	54	55	12.4	0.1	0.9	23.39	94.9	5.8973	45.3762
2025	6	29	11	4	55	12.4	0.1	0.9	23.13	92.7	5.8973	44.9867
2025	6	29	11	14	55	12.2	0.1	0.9	23.22	92.2	5.8973	45.1814
2025	6	29	11	24	55	12.4	0.1	0.9	24.72	92.3	5.8973	48.1025
2025	6	29	11	34	55	12.4	0.1	0.9	24.4	95.2	5.8973	47.3234
2025	6	29	11	44	55	12.4	0.1	0.9	22.94	93.5	5.8973	44.5969
2025	6	29	11	54	55	12.4	0.1	0.9	24.52	92.3	5.8973	47.7128
2025	6	29	12	4	55	12.4	0.1	0.9	23.21	91.7	5.8973	45.181
2025	6	29	12	14	55	12.4	0.1	0.9	23.93	92.9	5.8973	46.5442
2025	6	29	12	24	55	12.4	0.1	0.9	23.92	92.2	5.8973	46.5441
2025	6	29	12	34	55	12.4	0.1	0.9	23.63	92.7	5.8973	45.9598
2025	6	29	12	44	55	12.4	0.1	0.9	25.22	92.3	5.8973	49.0756
2025	6	29	12	54	55	12.4	0.1	0.9	23.62	92.4	5.8973	45.9596
2025	6	29	13	4	55	12.4	0.1	0.9	25	91.1	5.8973	48.686
2025	6	29	13	14	55	12.4	0.1	0.9	24.35	93.5	5.8973	47.3227
2025	6	29	13	24	55	12.2	0.1	0.9	23.45	93.7	5.8973	45.5699
2025	6	29	13	34	55	12.4	0.1	0.9	23.93	92.9	5.8912	46.4933
2025	6	29	13	44	55	12.4	0.1	0.9	24.12	92.1	5.8973	46.933
2025	6	29	13	54	55	12.6	0.1	0.9	23.8	91	5.8973	46.3487
2025	6	29	14	4	55	12.6	0.1	0.9	24.11	91.2	5.8912	46.8821
2025	6	29	14	14	55	12.4	0.1	0.9	22.8	89	5.8912	44.3531
2025	6	29	14	24	55	12.4	0.1	0.8	23.5	89.5	5.8851	45.6654
2025	6	29	14	34	55	12.2	0.1	0.9	24.8	90.9	5.8912	48.2436
2025	6	29	14	44	55	12.4	0.1	0.9	24.13	92.6	5.8912	46.8819
2025	6	29	14	54	55	12.4	0.1	0.8	23.52	92.2	5.8851	45.6652
2025	6	29	15	4	55	12.6	0.1	0.8	23.43	92.7	5.8851	45.4708
2025	6	29	15	14	55	12.4	0.1	0.8	23.61	91.9	5.8851	45.8594
2025	6	29	15	24	55	12.4	0.1	0.8	23.85	93.8	5.8851	46.248
2025	6	29	15	34	55	12.2	0.1	0.8	23	90.5	5.879	44.645
2025	6	29	15	44	55	12.2	0.1	0.8	23.81	91.7	5.8851	46.2479
2025	6	29	15	54	55	12.4	0.1	0.8	23.71	91.7	5.8851	46.0536
2025	6	29	16	4	55	12.4	0.1	0.8	23.4	90.7	5.8851	45.4706

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	29	16	14	55	12.4	0.1	0.8	23.76	94.1	5.8851	46.0535
2025	6	29	16	24	55	12.4	0.1	0.8	23.6	90	5.8851	45.8591
2025	6	29	16	34	55	12.4	0.1	0.8	23.13	92.7	5.8851	44.8875
2025	6	29	16	44	55	12.6	0.1	0.8	23.31	91.2	5.8851	45.2761
2025	6	29	16	54	55	12.6	0.1	0.8	24.2	90	5.8851	47.025
2025	6	29	17	4	55	12.8	0.1	0.8	24.38	94.7	5.879	47.1682
2025	6	29	17	14	55	12.6	0.1	0.8	22.7	89.5	5.879	44.0624
2025	6	29	17	24	55	12.6	0.1	0.8	24.02	92.1	5.879	46.5858
2025	6	29	17	34	55	12.6	0.1	0.8	23.62	92.4	5.879	45.8094
2025	6	29	17	44	55	12.6	0.1	0.8	24.23	92.8	5.879	46.974
2025	6	29	17	54	55	12.4	0.1	0.8	23.52	92.4	5.879	45.6153
2025	6	29	18	4	55	12.4	0.1	0.8	23.64	86.8	5.879	45.8094
2025	6	29	18	14	55	12.2	0.1	0.8	23.43	92.9	5.879	45.4211
2025	6	29	18	24	55	12.2	0.1	0.8	23.5	90	5.8729	45.5658
2025	6	29	18	34	55	12	0.1	0.8	23.61	91.2	5.8729	45.7597
2025	6	29	18	44	55	12	0.1	0.8	22.8	90.3	5.8729	44.2086
2025	6	29	18	54	55	12	0.1	0.8	23.7	91	5.8729	45.9537
2025	6	29	19	4	55	12	0.1	0.8	23.86	94.1	5.8729	46.1476
2025	6	29	19	14	55	12	0.1	0.8	23.63	92.7	5.8729	45.7598
2025	6	29	19	24	55	12	0.1	0.8	24.51	91.6	5.8729	47.5049
2025	6	29	19	34	55	11.8	0.1	0.8	24.2	90.9	5.8668	46.8723
2025	6	29	19	44	55	11.8	0.1	0.8	23.31	92	5.8668	45.1292
2025	6	29	19	54	55	11.8	0.1	0.8	23.81	91.7	5.8668	46.0976
2025	6	29	20	4	55	11.8	0.1	0.8	24.31	91.2	5.8668	47.0661
2025	6	29	20	14	55	11.8	0.1	0.8	23.41	91.5	5.8668	45.3229
2025	6	29	20	24	55	11.8	0.1	0.8	24.42	92.3	5.8668	47.2598
2025	6	29	20	34	55	11.8	0.1	0.8	23.39	95.2	5.8668	45.1293
2025	6	29	20	44	55	11.8	0.1	0.8	24.41	91.9	5.8668	47.2599
2025	6	29	20	54	55	11.8	0.1	0.8	23.76	94.1	5.8668	45.9041
2025	6	29	21	4	55	11.8	0.1	0.8	23.52	92.2	5.8668	45.5168
2025	6	29	21	14	55	11.8	0.1	0.8	23.63	92.9	5.8668	45.7105
2025	6	29	21	24	55	11.8	0.1	0.8	24.2	90.5	5.8668	46.8727
2025	6	29	21	34	55	11.8	0.1	0.8	23.82	92.4	5.8607	46.0479
2025	6	29	21	44	55	11.8	0.1	0.8	24.5	90	5.8607	47.4023
2025	6	29	21	54	55	11.8	0.1	0.8	23.83	92.9	5.8607	46.048
2025	6	29	22	4	55	11.8	0.1	0.8	23.3	90	5.8607	45.0806
2025	6	29	22	14	55	11.8	0.1	0.8	23	91	5.8607	44.5002
2025	6	29	22	24	55	11.8	0.1	0.8	23.84	93.4	5.8607	46.0481
2025	6	29	22	34	55	11.8	0.1	0.8	23.85	93.8	5.8607	46.0481
2025	6	29	22	44	55	11.8	0.1	0.8	24.01	91.2	5.8607	46.4351
2025	6	29	22	54	55	11.8	0.1	0.8	23.21	92	5.8607	44.8873
2025	6	29	23	4	55	11.8	0.1	0.8	24.51	91.2	5.8607	47.4026
2025	6	29	23	14	55	11.8	0.1	0.8	23.1	90	5.8607	44.6939
2025	6	29	23	24	55	11.8	0.1	0.8	24.53	92.8	5.8607	47.4027
2025	6	29	23	34	55	11.8	0.1	0.8	22.92	92.5	5.8607	44.307
2025	6	29	23	44	55	11.8	0.1	0.8	23.47	94.4	5.8607	45.2745
2025	6	29	23	54	55	11.8	0.1	0.8	23.92	92.4	5.8546	46.1917
2025	6	30	0	4	55	11.8	0.1	0.8	24	89.8	5.8546	46.385

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	30	0	14	55	11.8	0.1	0.8	23.61	91.7	5.8546	45.6119
2025	6	30	0	24	55	11.8	0.1	0.8	23.41	91.7	5.8546	45.2254
2025	6	30	0	34	55	11.8	0.1	0.8	22.43	93.1	5.8546	43.2928
2025	6	30	0	44	55	11.8	0.1	0.8	24.11	91.7	5.8546	46.5784
2025	6	30	0	54	55	11.6	0.1	0.8	23.34	93.2	5.8546	45.0323
2025	6	30	1	4	55	11.6	0.1	0.8	24.31	91.7	5.8546	46.965
2025	6	30	1	14	55	11.6	0.1	0.8	23.22	92.2	5.8546	44.8391
2025	6	30	1	24	55	11.6	0.1	0.8	22.61	91.8	5.8546	43.6795
2025	6	30	1	34	55	11.6	0.1	0.8	23.21	91.2	5.8546	44.8392
2025	6	30	1	44	55	11.6	0.1	0.8	24.01	91.9	5.8546	46.3854
2025	6	30	1	54	55	11.6	0.1	0.8	23.42	92.4	5.8546	45.2258
2025	6	30	2	4	55	11.6	0.1	0.8	23.73	92.9	5.8546	45.8056
2025	6	30	2	14	55	11.6	0.1	0.8	23.63	92.9	5.8546	45.6124
2025	6	30	2	24	55	11.6	0.1	0.8	24.1	91	5.8546	46.5788
2025	6	30	2	34	55	11.6	0.1	0.8	23.51	91.7	5.8546	45.4192
2025	6	30	2	44	55	11.6	0.1	0.8	22.51	91.3	5.8546	43.4865
2025	6	30	2	54	55	11.6	0.1	0.8	22.6	90	5.8546	43.6798
2025	6	30	3	4	55	11.6	0.1	0.8	21.91	91.8	5.8546	42.3269
2025	6	30	3	14	55	11.6	0.1	0.8	23.29	95.2	5.8546	44.8395
2025	6	30	3	24	55	10.6	0.1	0.8	22.41	92	5.8607	43.3405
2025	6	30	3	34	55	10.6	0.1	0.8	23.14	93.2	5.8607	44.6949
2025	6	30	3	44	55	10.6	0.1	0.8	22.7	90	5.8668	43.9688
2025	6	30	3	54	55	10.6	0.1	0.8	24.02	92.1	5.8729	46.5373
2025	6	30	4	4	55	10.6	0.1	0.8	23.81	91.7	5.8851	46.2497
2025	6	30	4	14	55	10.6	0.1	0.8	23.32	92.5	5.8851	45.2781
2025	6	30	4	24	55	11.6	0.1	0.9	23.63	92.7	5.8912	45.9107
2025	6	30	4	34	55	11.6	0.1	0.9	24.9	89.1	5.8973	48.4921
2025	6	30	4	44	55	11.6	0.1	0.9	23.05	93.7	5.8973	44.792
2025	6	30	4	54	55	11.6	0.1	0.9	25.1	91.1	5.8973	48.8817
2025	6	30	5	4	55	11.6	0.1	0.9	23.61	91.2	5.9034	46.0102
2025	6	30	5	14	55	11.6	0.1	0.9	24.99	94.8	5.9034	48.5447
2025	6	30	5	24	55	11.6	0.1	0.9	24.72	92.1	5.9034	48.1548
2025	6	30	5	34	55	11.6	0.1	0.9	23.21	92	5.9095	45.2792
2025	6	30	5	44	55	11.6	0.1	0.9	24.21	91.4	5.9095	47.2309
2025	6	30	5	54	55	11.6	0.1	0.9	24.43	93	5.9095	47.6213
2025	6	30	6	4	55	11.6	0.1	0.9	23.62	92.4	5.9156	46.1096
2025	6	30	6	14	55	11.6	0.1	0.9	23.51	91.2	5.9156	45.9143
2025	6	30	6	24	55	11.6	0.1	0.9	23.95	93.8	5.9278	46.7964
2025	6	30	6	34	55	11.8	0.1	0.9	24.31	91.2	5.9399	47.6819
2025	6	30	6	44	55	11.8	0.1	0.9	24.08	94.5	5.9521	47.1942
2025	6	30	6	54	55	11.8	0.1	0.9	24.31	91.7	5.9582	47.8353
2025	6	30	7	4	55	12	0.1	0.9	24.82	92.1	5.9582	48.8196
2025	6	30	7	14	55	12.2	0.1	0.9	24.56	94	5.9643	48.2806
2025	6	30	7	24	55	12.2	0.1	0.9	24.51	91.2	5.9704	48.3321
2025	6	30	7	34	55	12.4	0.1	0.9	24.72	92.5	5.9704	48.7267
2025	6	30	7	44	55	12.4	0.1	0.9	24.15	93.6	5.9765	47.5938
2025	6	30	7	54	55	12.4	0.1	0.9	24.32	92.4	5.9765	47.9887
2025	6	30	8	4	55	12.6	0.1	0.9	23.63	92.9	5.9826	46.656

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	30	8	14	55	12.6	0.1	0.9	24.12	92.4	5.9887	47.6952
2025	6	30	8	24	55	12.6	0.1	0.9	25.63	92.7	5.9887	50.6637
2025	6	30	8	34	55	12.6	0.1	0.9	24.99	94.8	6.007	49.4356
2025	6	30	8	44	55	12.8	0.1	0.9	25.29	94.8	6.0192	50.1372
2025	6	30	8	54	55	12.8	0.1	0.9	25.04	93.2	6.0253	49.7919
2025	6	30	9	4	55	12.6	0.1	0.9	26.43	92.8	6.0314	52.6358
2025	6	30	9	14	55	12.6	0.1	0.9	24.5	90.9	6.0375	48.8991
2025	6	30	9	24	55	12.8	0.1	0.9	24.1	90.7	6.0375	48.1007
2025	6	30	9	34	55	12.8	0.1	0.9	25.13	93	6.0436	50.1494
2025	6	30	9	44	55	12.8	0.1	0.9	24.38	94.7	6.0497	48.6021
2025	6	30	9	54	55	12.8	0.1	0.9	24.54	93.3	6.0497	49.0021
2025	6	30	10	4	55	12.8	0.1	0.9	25.22	92.3	6.0558	50.4551
2025	6	30	10	14	55	12.6	0.1	0.9	25.92	92.4	6.0619	51.9111
2025	6	30	10	24	55	12.6	0.1	0.9	26.05	96.2	6.068	51.9655
2025	6	30	10	34	55	12.6	0.1	0.9	26.54	93	6.068	53.1693
2025	6	30	10	44	55	12.4	0.1	0.9	25.11	91.8	6.0802	50.466
2025	6	30	10	54	55	12.4	0.1	0.9	24.93	93	6.0984	50.221
2025	6	30	11	4	55	12.4	0.1	0.9	25.24	93.4	6.1106	50.9321
2025	6	30	11	14	55	12.4	0.1	0.9	26.42	92.4	6.1167	53.4129
2025	6	30	11	24	55	12.4	0.1	0.9	26	91.1	6.1106	52.5489
2025	6	30	11	34	55	12.4	0.1	0.9	26.06	93.7	6.1167	52.6035
2025	6	30	11	44	55	12.4	0.1	0.9	26.43	92.6	6.1228	53.4683
2025	6	30	11	54	55	12.6	0.1	0.9	26.24	93.1	6.1228	53.0632
2025	6	30	12	4	55	12.6	0.1	0.9	25.81	91.8	6.135	52.3616
2025	6	30	12	14	55	12.6	0.1	0.9	25.92	92.2	6.1411	52.619
2025	6	30	12	24	55	12.6	0.1	0.9	26.14	93.1	6.1411	53.0253
2025	6	30	12	34	55	12.6	0.1	0.9	26.21	91.3	6.1594	53.3938
2025	6	30	12	44	55	12.6	0.1	0.9	26.48	94.3	6.1533	53.7458
2025	6	30	12	54	55	12.6	0.1	0.9	25.32	92.3	6.1594	51.5595
2025	6	30	13	4	55	12.4	0.1	0.9	26.73	92.8	6.1655	54.4688
2025	6	30	13	14	55	12.4	0.1	0.9	26.6	91.1	6.1655	54.2647
2025	6	30	13	24	55	12.4	0.1	0.9	26.94	93.2	6.1777	54.9899
2025	6	30	13	34	55	12.4	0.1	0.9	27.32	92.1	6.1777	55.8075
2025	6	30	13	44	55	12.8	0.1	0.9	26.71	91.7	6.1899	54.6933
2025	6	30	13	54	55	13	0.1	0.9	26.3	90.9	6.1899	53.8739
2025	6	30	14	4	55	13	0.1	0.9	26.92	92.1	6.196	55.1595
2025	6	30	14	14	55	12.6	0.1	0.9	26.83	92.6	6.2021	55.0108
2025	6	30	14	24	55	12.6	0.1	0.9	26	90	6.2082	53.4234
2025	6	30	14	34	55	12.4	0.1	0.9	27.68	94.4	6.2143	56.7691
2025	6	30	14	44	55	12.6	0.1	0.9	26.53	92.6	6.2143	54.5065
2025	6	30	14	54	55	13	0.1	0.9	27.3	90.4	6.2326	56.3244
2025	6	30	15	4	55	13	0.1	0.9	27.63	92.7	6.2265	56.8851
2025	6	30	15	14	55	13	0.1	0.9	26.4	90.9	6.2265	54.4118
2025	6	30	15	24	55	12.4	0.1	0.9	27.46	93.8	6.2386	56.5882
2025	6	30	15	34	55	12.2	0.1	0.9	28	90	6.2447	57.8863
2025	6	30	15	44	55	12.4	0.1	0.9	27.75	93.5	6.2386	57.2077
2025	6	30	15	54	55	13	0.1	0.9	26.8	90	6.2508	55.4618
2025	6	30	16	4	55	13	0.1	0.9	26.68	94.3	6.2569	55.1039

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	6	30	16	14	55	13	0.1	0.9	27.3	91	6.2691	56.669
2025	6	30	16	24	55	13	0.1	0.9	27.1	91.1	6.2691	56.2538
2025	6	30	16	34	55	13	0.1	0.9	27.4	89.4	6.2813	56.992
2025	6	30	16	44	55	13	0.1	0.9	27.31	91.5	6.2813	56.7839
2025	6	30	16	54	55	13	0.1	0.9	27.74	92.9	6.2813	57.6159
2025	6	30	17	4	55	13	0.1	0.9	28.11	91.2	6.2874	58.5071
2025	6	30	17	14	55	13	0.1	0.9	27.5	90.8	6.2935	57.3157
2025	6	30	17	24	55	13	0.1	0.9	28.21	91.4	6.2874	58.7153
2025	6	30	17	34	55	13	0.1	0.9	28.1	91	6.2996	58.6255
2025	6	30	17	44	55	13	0.1	0.9	28.02	92	6.3118	58.5348
2025	6	30	17	54	55	12.8	0.1	0.9	28.01	91.4	6.3118	58.5348
2025	6	30	18	4	55	12.4	0.1	0.9	28.36	93.6	6.3179	59.2216
2025	6	30	18	14	55	12.2	0.1	0.9	28.36	93.6	6.324	59.2812
2025	6	30	18	24	55	12.2	0.1	0.9	27.35	93.4	6.3301	57.244
2025	6	30	18	34	55	12	0.1	0.9	28.02	92	6.3362	58.7708
2025	6	30	18	44	55	12	0.1	0.9	28.61	91.6	6.3423	60.0904
2025	6	30	18	54	55	12	0.1	0.9	27.92	92.3	6.3484	58.6785
2025	6	30	19	4	55	12	0.1	0.9	27.83	92.5	6.3545	58.5267
2025	6	30	19	14	55	12	0.1	0.9	28.4	90.8	6.3545	59.7899
2025	6	30	19	24	55	12	0.1	0.9	28.72	92.2	6.3667	60.5425
2025	6	30	19	34	55	12	0.1	0.9	29.24	93.1	6.3667	61.5973
2025	6	30	19	44	55	12	0.1	0.9	28.01	91.8	6.3728	59.1249
2025	6	30	19	54	55	12	0.1	0.9	28.71	91.8	6.3789	60.6635
2025	6	30	20	4	55	12	0.1	0.9	28.03	92.9	6.3789	59.184
2025	6	30	20	14	55	12	0.1	0.9	29.41	91.2	6.385	62.2052
2025	6	30	20	24	55	12	0.1	0.9	28.61	91.4	6.391	60.5728
2025	6	30	20	34	55	12	0.1	0.9	28.81	91.4	6.3971	61.0571
2025	6	30	20	44	55	12	0.1	0.9	29.1	90.8	6.4032	61.7545
2025	6	30	20	54	55	12	0.1	0.9	29.31	91.4	6.4154	62.3024
2025	6	30	21	4	55	12	0.1	0.9	28.6	91	6.4154	60.814
2025	6	30	21	14	55	11.8	0.1	0.9	27.6	90.4	6.4215	58.7459
2025	6	30	21	24	55	11.8	0.1	0.9	29.44	93.1	6.4276	62.6391
2025	6	30	21	34	55	11.8	0.1	0.9	28.1	90.8	6.4337	59.9286
2025	6	30	21	44	55	11.8	0.1	0.9	28.44	93	6.4276	60.5087
2025	6	30	21	54	55	11.8	0.1	0.9	29.92	91.9	6.4398	63.8306
2025	6	30	22	4	55	11.8	0.1	0.9	28	91	6.4398	59.7745
2025	6	30	22	14	55	11.8	0.1	0.9	29.8	90.8	6.4459	63.68
2025	6	30	22	24	55	11.8	0.1	0.9	28.8	90.8	6.4459	61.5432
2025	6	30	22	34	55	11.8	0.1	0.9	28.41	91.8	6.452	60.7483
2025	6	30	22	44	55	11.8	0.1	0.9	29.41	91.4	6.4581	62.9493
2025	6	30	22	54	55	11.8	0.1	0.9	29.21	91.6	6.4825	62.7673
2025	6	30	23	4	55	11.8	0.1	0.9	29.42	92.3	6.4825	63.1973
2025	6	30	23	14	55	11.8	0.1	0.9	28.94	93	6.4886	62.1834
2025	6	30	23	24	55	11.8	0.1	0.9	28.73	92.4	6.4947	61.8136
2025	6	30	23	34	55	11.8	0.1	1	29.6	90	6.5008	63.8145
2025	6	30	23	44	55	11.8	0.1	1	29.62	91.9	6.5008	63.8145
2025	6	30	23	54	55	11.8	0.1	1	29.12	92	6.5008	62.7366

Locust Ditch Return
Station 0215

Date	Flow (cfs)
6/1/2025	0
6/2/2025	0
6/3/2025	0
6/4/2025	0
6/5/2025	0
6/6/2025	0
6/7/2025	0
6/8/2025	0
6/9/2025	0
6/10/2025	0
6/11/2025	0
6/12/2025	0
6/13/2025	0
6/14/2025	0
6/15/2025	0
6/16/2025	0
6/17/2025	0
6/18/2025	3
6/19/2025	4
6/20/2025	4
6/21/2025	4
6/22/2025	5
6/23/2025	5
6/24/2025	5
6/25/2025	6
6/26/2025	6
6/27/2025	6
6/28/2025	3
6/29/2025	0
6/30/2025	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/1/2025	12:00:00 AM	0
6/1/2025	12:15:00 AM	0
6/1/2025	12:30:00 AM	0
6/1/2025	12:45:00 AM	0
6/1/2025	1:00:00 AM	0
6/1/2025	1:15:00 AM	0
6/1/2025	1:30:00 AM	0
6/1/2025	1:45:00 AM	0
6/1/2025	2:00:00 AM	0
6/1/2025	2:15:00 AM	0
6/1/2025	2:30:00 AM	0
6/1/2025	2:45:00 AM	0
6/1/2025	3:00:00 AM	0
6/1/2025	3:15:00 AM	0
6/1/2025	3:30:00 AM	0
6/1/2025	3:45:00 AM	0
6/1/2025	4:00:00 AM	0
6/1/2025	4:15:00 AM	0
6/1/2025	4:30:00 AM	0
6/1/2025	4:45:00 AM	0
6/1/2025	5:00:00 AM	0
6/1/2025	5:15:00 AM	0
6/1/2025	5:30:00 AM	0
6/1/2025	5:45:00 AM	0
6/1/2025	6:00:00 AM	0
6/1/2025	6:15:00 AM	0
6/1/2025	6:30:00 AM	0
6/1/2025	6:45:00 AM	0
6/1/2025	7:00:00 AM	0
6/1/2025	7:15:00 AM	0
6/1/2025	7:30:00 AM	0
6/1/2025	7:45:00 AM	0
6/1/2025	8:00:00 AM	0
6/1/2025	8:15:00 AM	0
6/1/2025	8:30:00 AM	0
6/1/2025	8:45:00 AM	0
6/1/2025	9:00:00 AM	0
6/1/2025	9:15:00 AM	0
6/1/2025	9:30:00 AM	0
6/1/2025	9:45:00 AM	0
6/1/2025	10:00:00 AM	0
6/1/2025	10:15:00 AM	0
6/1/2025	10:30:00 AM	0
6/1/2025	10:45:00 AM	0
6/1/2025	11:00:00 AM	0
6/1/2025	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/1/2025	11:30:00 AM	0
6/1/2025	11:45:00 AM	0
6/1/2025	12:00:00 PM	0
6/1/2025	12:15:00 PM	0
6/1/2025	12:30:00 PM	0
6/1/2025	12:45:00 PM	0
6/1/2025	1:00:00 PM	0
6/1/2025	1:15:00 PM	0
6/1/2025	1:30:00 PM	0
6/1/2025	1:45:00 PM	0
6/1/2025	2:00:00 PM	0
6/1/2025	2:15:00 PM	0
6/1/2025	2:30:00 PM	0
6/1/2025	2:45:00 PM	0
6/1/2025	3:00:00 PM	0
6/1/2025	3:15:00 PM	0
6/1/2025	3:30:00 PM	0
6/1/2025	3:45:00 PM	0
6/1/2025	4:00:00 PM	0
6/1/2025	4:15:00 PM	0
6/1/2025	4:30:00 PM	0
6/1/2025	4:45:00 PM	0
6/1/2025	5:00:00 PM	0
6/1/2025	5:15:00 PM	0
6/1/2025	5:30:00 PM	0
6/1/2025	5:45:00 PM	0
6/1/2025	6:00:00 PM	0
6/1/2025	6:15:00 PM	0
6/1/2025	6:30:00 PM	0
6/1/2025	6:45:00 PM	0
6/1/2025	7:00:00 PM	0
6/1/2025	7:15:00 PM	0
6/1/2025	7:30:00 PM	0
6/1/2025	7:45:00 PM	0
6/1/2025	8:00:00 PM	0
6/1/2025	8:15:00 PM	0
6/1/2025	8:30:00 PM	0
6/1/2025	8:45:00 PM	0
6/1/2025	9:00:00 PM	0
6/1/2025	9:15:00 PM	0
6/1/2025	9:30:00 PM	0
6/1/2025	9:45:00 PM	0
6/1/2025	10:00:00 PM	0
6/1/2025	10:15:00 PM	0
6/1/2025	10:30:00 PM	0
6/1/2025	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/1/2025	11:00:00 PM	0
6/1/2025	11:15:00 PM	0
6/1/2025	11:30:00 PM	0
6/1/2025	11:45:00 PM	0
6/2/2025	12:00:00 AM	0
6/2/2025	12:15:00 AM	0
6/2/2025	12:30:00 AM	0
6/2/2025	12:45:00 AM	0
6/2/2025	1:00:00 AM	0
6/2/2025	1:15:00 AM	0
6/2/2025	1:30:00 AM	0
6/2/2025	1:45:00 AM	0
6/2/2025	2:00:00 AM	0
6/2/2025	2:15:00 AM	0
6/2/2025	2:30:00 AM	0
6/2/2025	2:45:00 AM	0
6/2/2025	3:00:00 AM	0
6/2/2025	3:15:00 AM	0
6/2/2025	3:30:00 AM	0
6/2/2025	3:45:00 AM	0
6/2/2025	4:00:00 AM	0
6/2/2025	4:15:00 AM	0
6/2/2025	4:30:00 AM	0
6/2/2025	4:45:00 AM	0
6/2/2025	5:00:00 AM	0
6/2/2025	5:15:00 AM	0
6/2/2025	5:30:00 AM	0
6/2/2025	5:45:00 AM	0
6/2/2025	6:00:00 AM	0
6/2/2025	6:15:00 AM	0
6/2/2025	6:30:00 AM	0
6/2/2025	6:45:00 AM	0
6/2/2025	7:00:00 AM	0
6/2/2025	7:15:00 AM	0
6/2/2025	7:30:00 AM	0
6/2/2025	7:45:00 AM	0
6/2/2025	8:00:00 AM	0
6/2/2025	8:15:00 AM	0
6/2/2025	8:30:00 AM	0
6/2/2025	8:45:00 AM	0
6/2/2025	9:00:00 AM	0
6/2/2025	9:15:00 AM	0
6/2/2025	9:30:00 AM	0
6/2/2025	9:45:00 AM	0
6/2/2025	10:00:00 AM	0
6/2/2025	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/2/2025	10:30:00 AM	0
6/2/2025	10:45:00 AM	0
6/2/2025	11:00:00 AM	0
6/2/2025	11:15:00 AM	0
6/2/2025	11:30:00 AM	0
6/2/2025	11:45:00 AM	0
6/2/2025	12:00:00 PM	0
6/2/2025	12:15:00 PM	0
6/2/2025	12:30:00 PM	0
6/2/2025	12:45:00 PM	0
6/2/2025	1:00:00 PM	0
6/2/2025	1:15:00 PM	0
6/2/2025	1:30:00 PM	0
6/2/2025	1:45:00 PM	0
6/2/2025	2:00:00 PM	0
6/2/2025	2:15:00 PM	0
6/2/2025	2:30:00 PM	0
6/2/2025	2:45:00 PM	0
6/2/2025	3:00:00 PM	0
6/2/2025	3:15:00 PM	0
6/2/2025	3:30:00 PM	0
6/2/2025	3:45:00 PM	0
6/2/2025	4:00:00 PM	0
6/2/2025	4:15:00 PM	0
6/2/2025	4:30:00 PM	0
6/2/2025	4:45:00 PM	0
6/2/2025	5:00:00 PM	0
6/2/2025	5:15:00 PM	0
6/2/2025	5:30:00 PM	0
6/2/2025	5:45:00 PM	0
6/2/2025	6:00:00 PM	0
6/2/2025	6:15:00 PM	0
6/2/2025	6:30:00 PM	0
6/2/2025	6:45:00 PM	0
6/2/2025	7:00:00 PM	0
6/2/2025	7:15:00 PM	0
6/2/2025	7:30:00 PM	0
6/2/2025	7:45:00 PM	0
6/2/2025	8:00:00 PM	0
6/2/2025	8:15:00 PM	0
6/2/2025	8:30:00 PM	0
6/2/2025	8:45:00 PM	0
6/2/2025	9:00:00 PM	0
6/2/2025	9:15:00 PM	0
6/2/2025	9:30:00 PM	0
6/2/2025	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/2/2025	10:00:00 PM	0
6/2/2025	10:15:00 PM	0
6/2/2025	10:30:00 PM	0
6/2/2025	10:45:00 PM	0
6/2/2025	11:00:00 PM	0
6/2/2025	11:15:00 PM	0
6/2/2025	11:30:00 PM	0
6/2/2025	11:45:00 PM	0
6/3/2025	12:00:00 AM	0
6/3/2025	12:15:00 AM	0
6/3/2025	12:30:00 AM	0
6/3/2025	12:45:00 AM	0
6/3/2025	1:00:00 AM	0
6/3/2025	1:15:00 AM	0
6/3/2025	1:30:00 AM	0
6/3/2025	1:45:00 AM	0
6/3/2025	2:00:00 AM	0
6/3/2025	2:15:00 AM	0
6/3/2025	2:30:00 AM	0
6/3/2025	2:45:00 AM	0
6/3/2025	3:00:00 AM	0
6/3/2025	3:15:00 AM	0
6/3/2025	3:30:00 AM	0
6/3/2025	3:45:00 AM	0
6/3/2025	4:00:00 AM	0
6/3/2025	4:15:00 AM	0
6/3/2025	4:30:00 AM	0
6/3/2025	4:45:00 AM	0
6/3/2025	5:00:00 AM	0
6/3/2025	5:15:00 AM	0
6/3/2025	5:30:00 AM	0
6/3/2025	5:45:00 AM	0
6/3/2025	6:00:00 AM	0
6/3/2025	6:15:00 AM	0
6/3/2025	6:30:00 AM	0
6/3/2025	6:45:00 AM	0
6/3/2025	7:00:00 AM	0
6/3/2025	7:15:00 AM	0
6/3/2025	7:30:00 AM	0
6/3/2025	7:45:00 AM	0
6/3/2025	8:00:00 AM	0
6/3/2025	8:15:00 AM	0
6/3/2025	8:30:00 AM	0
6/3/2025	8:45:00 AM	0
6/3/2025	9:00:00 AM	0
6/3/2025	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/3/2025	9:30:00 AM	0
6/3/2025	9:45:00 AM	0
6/3/2025	10:00:00 AM	0
6/3/2025	10:15:00 AM	0
6/3/2025	10:30:00 AM	0
6/3/2025	10:45:00 AM	0
6/3/2025	11:00:00 AM	0
6/3/2025	11:15:00 AM	0
6/3/2025	11:30:00 AM	0
6/3/2025	11:45:00 AM	0
6/3/2025	12:00:00 PM	0
6/3/2025	12:15:00 PM	0
6/3/2025	12:30:00 PM	0
6/3/2025	12:45:00 PM	0
6/3/2025	1:00:00 PM	0
6/3/2025	1:15:00 PM	0
6/3/2025	1:30:00 PM	0
6/3/2025	1:45:00 PM	0
6/3/2025	2:00:00 PM	0
6/3/2025	2:15:00 PM	0
6/3/2025	2:30:00 PM	0
6/3/2025	2:45:00 PM	0
6/3/2025	3:00:00 PM	0
6/3/2025	3:15:00 PM	0
6/3/2025	3:30:00 PM	0
6/3/2025	3:45:00 PM	0
6/3/2025	4:00:00 PM	0
6/3/2025	4:15:00 PM	0
6/3/2025	4:30:00 PM	0
6/3/2025	4:45:00 PM	0
6/3/2025	5:00:00 PM	0
6/3/2025	5:15:00 PM	0
6/3/2025	5:30:00 PM	0
6/3/2025	5:45:00 PM	0
6/3/2025	6:00:00 PM	0
6/3/2025	6:15:00 PM	0
6/3/2025	6:30:00 PM	0
6/3/2025	6:45:00 PM	0
6/3/2025	7:00:00 PM	0
6/3/2025	7:15:00 PM	0
6/3/2025	7:30:00 PM	0
6/3/2025	7:45:00 PM	0
6/3/2025	8:00:00 PM	0
6/3/2025	8:15:00 PM	0
6/3/2025	8:30:00 PM	0
6/3/2025	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/3/2025	9:00:00 PM	0
6/3/2025	9:15:00 PM	0
6/3/2025	9:30:00 PM	0
6/3/2025	9:45:00 PM	0
6/3/2025	10:00:00 PM	0
6/3/2025	10:15:00 PM	0
6/3/2025	10:30:00 PM	0
6/3/2025	10:45:00 PM	0
6/3/2025	11:00:00 PM	0
6/3/2025	11:15:00 PM	0
6/3/2025	11:30:00 PM	0
6/3/2025	11:45:00 PM	0
6/4/2025	12:00:00 AM	0
6/4/2025	12:15:00 AM	0
6/4/2025	12:30:00 AM	0
6/4/2025	12:45:00 AM	0
6/4/2025	1:00:00 AM	0
6/4/2025	1:15:00 AM	0
6/4/2025	1:30:00 AM	0
6/4/2025	1:45:00 AM	0
6/4/2025	2:00:00 AM	0
6/4/2025	2:15:00 AM	0
6/4/2025	2:30:00 AM	0
6/4/2025	2:45:00 AM	0
6/4/2025	3:00:00 AM	0
6/4/2025	3:15:00 AM	0
6/4/2025	3:30:00 AM	0
6/4/2025	3:45:00 AM	0
6/4/2025	4:00:00 AM	0
6/4/2025	4:15:00 AM	0
6/4/2025	4:30:00 AM	0
6/4/2025	4:45:00 AM	0
6/4/2025	5:00:00 AM	0
6/4/2025	5:15:00 AM	0
6/4/2025	5:30:00 AM	0
6/4/2025	5:45:00 AM	0
6/4/2025	6:00:00 AM	0
6/4/2025	6:15:00 AM	0
6/4/2025	6:30:00 AM	0
6/4/2025	6:45:00 AM	0
6/4/2025	7:00:00 AM	0
6/4/2025	7:15:00 AM	0
6/4/2025	7:30:00 AM	0
6/4/2025	7:45:00 AM	0
6/4/2025	8:00:00 AM	0
6/4/2025	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/4/2025	8:30:00 AM	0
6/4/2025	8:45:00 AM	0
6/4/2025	9:00:00 AM	0
6/4/2025	9:15:00 AM	0
6/4/2025	9:30:00 AM	0
6/4/2025	9:45:00 AM	0
6/4/2025	10:00:00 AM	0
6/4/2025	10:15:00 AM	0
6/4/2025	10:30:00 AM	0
6/4/2025	10:45:00 AM	0
6/4/2025	11:00:00 AM	0
6/4/2025	11:15:00 AM	0
6/4/2025	11:30:00 AM	0
6/4/2025	11:45:00 AM	0
6/4/2025	12:00:00 PM	0
6/4/2025	12:15:00 PM	0
6/4/2025	12:30:00 PM	0
6/4/2025	12:45:00 PM	0
6/4/2025	1:00:00 PM	0
6/4/2025	1:15:00 PM	0
6/4/2025	1:30:00 PM	0
6/4/2025	1:45:00 PM	0
6/4/2025	2:00:00 PM	0
6/4/2025	2:15:00 PM	0
6/4/2025	2:30:00 PM	0
6/4/2025	2:45:00 PM	0
6/4/2025	3:00:00 PM	0
6/4/2025	3:15:00 PM	0
6/4/2025	3:30:00 PM	0
6/4/2025	3:45:00 PM	0
6/4/2025	4:00:00 PM	0
6/4/2025	4:15:00 PM	0
6/4/2025	4:30:00 PM	0
6/4/2025	4:45:00 PM	0
6/4/2025	5:00:00 PM	0
6/4/2025	5:15:00 PM	0
6/4/2025	5:30:00 PM	0
6/4/2025	5:45:00 PM	0
6/4/2025	6:00:00 PM	0
6/4/2025	6:15:00 PM	0
6/4/2025	6:30:00 PM	0
6/4/2025	6:45:00 PM	0
6/4/2025	7:00:00 PM	0
6/4/2025	7:15:00 PM	0
6/4/2025	7:30:00 PM	0
6/4/2025	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/4/2025	8:00:00 PM	0
6/4/2025	8:15:00 PM	0
6/4/2025	8:30:00 PM	0
6/4/2025	8:45:00 PM	0
6/4/2025	9:00:00 PM	0
6/4/2025	9:15:00 PM	0
6/4/2025	9:30:00 PM	0
6/4/2025	9:45:00 PM	0
6/4/2025	10:00:00 PM	0
6/4/2025	10:15:00 PM	0
6/4/2025	10:30:00 PM	0
6/4/2025	10:45:00 PM	0
6/4/2025	11:00:00 PM	0
6/4/2025	11:15:00 PM	0
6/4/2025	11:30:00 PM	0
6/4/2025	11:45:00 PM	0
6/5/2025	12:00:00 AM	0
6/5/2025	12:15:00 AM	0
6/5/2025	12:30:00 AM	0
6/5/2025	12:45:00 AM	0
6/5/2025	1:00:00 AM	0
6/5/2025	1:15:00 AM	0
6/5/2025	1:30:00 AM	0
6/5/2025	1:45:00 AM	0
6/5/2025	2:00:00 AM	0
6/5/2025	2:15:00 AM	0
6/5/2025	2:30:00 AM	0
6/5/2025	2:45:00 AM	0
6/5/2025	3:00:00 AM	0
6/5/2025	3:15:00 AM	0
6/5/2025	3:30:00 AM	0
6/5/2025	3:45:00 AM	0
6/5/2025	4:00:00 AM	0
6/5/2025	4:15:00 AM	0
6/5/2025	4:30:00 AM	0
6/5/2025	4:45:00 AM	0
6/5/2025	5:00:00 AM	0
6/5/2025	5:15:00 AM	0
6/5/2025	5:30:00 AM	0
6/5/2025	5:45:00 AM	0
6/5/2025	6:00:00 AM	0
6/5/2025	6:15:00 AM	0
6/5/2025	6:30:00 AM	0
6/5/2025	6:45:00 AM	0
6/5/2025	7:00:00 AM	0
6/5/2025	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/5/2025	7:30:00 AM	0
6/5/2025	7:45:00 AM	0
6/5/2025	8:00:00 AM	0
6/5/2025	8:15:00 AM	0
6/5/2025	8:30:00 AM	0
6/5/2025	8:45:00 AM	0
6/5/2025	9:00:00 AM	0
6/5/2025	9:15:00 AM	0
6/5/2025	9:30:00 AM	0
6/5/2025	9:45:00 AM	0
6/5/2025	10:00:00 AM	0
6/5/2025	10:15:00 AM	0
6/5/2025	10:30:00 AM	0
6/5/2025	10:45:00 AM	0
6/5/2025	11:00:00 AM	0
6/5/2025	11:15:00 AM	0
6/5/2025	11:30:00 AM	0
6/5/2025	11:45:00 AM	0
6/5/2025	12:00:00 PM	0
6/5/2025	12:15:00 PM	0
6/5/2025	12:30:00 PM	0
6/5/2025	12:45:00 PM	0
6/5/2025	1:00:00 PM	0
6/5/2025	1:15:00 PM	0
6/5/2025	1:30:00 PM	0
6/5/2025	1:45:00 PM	0
6/5/2025	2:00:00 PM	0
6/5/2025	2:15:00 PM	0
6/5/2025	2:30:00 PM	0
6/5/2025	2:45:00 PM	0
6/5/2025	3:00:00 PM	0
6/5/2025	3:15:00 PM	0
6/5/2025	3:30:00 PM	0
6/5/2025	3:45:00 PM	0
6/5/2025	4:00:00 PM	0
6/5/2025	4:15:00 PM	0
6/5/2025	4:30:00 PM	0
6/5/2025	4:45:00 PM	0
6/5/2025	5:00:00 PM	0
6/5/2025	5:15:00 PM	0
6/5/2025	5:30:00 PM	0
6/5/2025	5:45:00 PM	0
6/5/2025	6:00:00 PM	0
6/5/2025	6:15:00 PM	0
6/5/2025	6:30:00 PM	0
6/5/2025	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/5/2025	7:00:00 PM	0
6/5/2025	7:15:00 PM	0
6/5/2025	7:30:00 PM	0
6/5/2025	7:45:00 PM	0
6/5/2025	8:00:00 PM	0
6/5/2025	8:15:00 PM	0
6/5/2025	8:30:00 PM	0
6/5/2025	8:45:00 PM	0
6/5/2025	9:00:00 PM	0
6/5/2025	9:15:00 PM	0
6/5/2025	9:30:00 PM	0
6/5/2025	9:45:00 PM	0
6/5/2025	10:00:00 PM	0
6/5/2025	10:15:00 PM	0
6/5/2025	10:30:00 PM	0
6/5/2025	10:45:00 PM	0
6/5/2025	11:00:00 PM	0
6/5/2025	11:15:00 PM	0
6/5/2025	11:30:00 PM	0
6/5/2025	11:45:00 PM	0
6/6/2025	12:00:00 AM	0
6/6/2025	12:15:00 AM	0
6/6/2025	12:30:00 AM	0
6/6/2025	12:45:00 AM	0
6/6/2025	1:00:00 AM	0
6/6/2025	1:15:00 AM	0
6/6/2025	1:30:00 AM	0
6/6/2025	1:45:00 AM	0
6/6/2025	2:00:00 AM	0
6/6/2025	2:15:00 AM	0
6/6/2025	2:30:00 AM	0
6/6/2025	2:45:00 AM	0
6/6/2025	3:00:00 AM	0
6/6/2025	3:15:00 AM	0
6/6/2025	3:30:00 AM	0
6/6/2025	3:45:00 AM	0
6/6/2025	4:00:00 AM	0
6/6/2025	4:15:00 AM	0
6/6/2025	4:30:00 AM	0
6/6/2025	4:45:00 AM	0
6/6/2025	5:00:00 AM	0
6/6/2025	5:15:00 AM	0
6/6/2025	5:30:00 AM	0
6/6/2025	5:45:00 AM	0
6/6/2025	6:00:00 AM	0
6/6/2025	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/6/2025	6:30:00 AM	0
6/6/2025	6:45:00 AM	0
6/6/2025	7:00:00 AM	0
6/6/2025	7:15:00 AM	0
6/6/2025	7:30:00 AM	0
6/6/2025	7:45:00 AM	0
6/6/2025	8:00:00 AM	0
6/6/2025	8:15:00 AM	0
6/6/2025	8:30:00 AM	0
6/6/2025	8:45:00 AM	0
6/6/2025	9:00:00 AM	0
6/6/2025	9:15:00 AM	0
6/6/2025	9:30:00 AM	0
6/6/2025	9:45:00 AM	0
6/6/2025	10:00:00 AM	0
6/6/2025	10:15:00 AM	0
6/6/2025	10:30:00 AM	0
6/6/2025	10:45:00 AM	0
6/6/2025	11:00:00 AM	0
6/6/2025	11:15:00 AM	0
6/6/2025	11:30:00 AM	0
6/6/2025	11:45:00 AM	0
6/6/2025	12:00:00 PM	0
6/6/2025	12:15:00 PM	0
6/6/2025	12:30:00 PM	0
6/6/2025	12:45:00 PM	0
6/6/2025	1:00:00 PM	0
6/6/2025	1:15:00 PM	0
6/6/2025	1:30:00 PM	0
6/6/2025	1:45:00 PM	0
6/6/2025	2:00:00 PM	0
6/6/2025	2:15:00 PM	0
6/6/2025	2:30:00 PM	0
6/6/2025	2:45:00 PM	0
6/6/2025	3:00:00 PM	0
6/6/2025	3:15:00 PM	0
6/6/2025	3:30:00 PM	0
6/6/2025	3:45:00 PM	0
6/6/2025	4:00:00 PM	0
6/6/2025	4:15:00 PM	0
6/6/2025	4:30:00 PM	0
6/6/2025	4:45:00 PM	0
6/6/2025	5:00:00 PM	0
6/6/2025	5:15:00 PM	0
6/6/2025	5:30:00 PM	0
6/6/2025	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/6/2025	6:00:00 PM	0
6/6/2025	6:15:00 PM	0
6/6/2025	6:30:00 PM	0
6/6/2025	6:45:00 PM	0
6/6/2025	7:00:00 PM	0
6/6/2025	7:15:00 PM	0
6/6/2025	7:30:00 PM	0
6/6/2025	7:45:00 PM	0
6/6/2025	8:00:00 PM	0
6/6/2025	8:15:00 PM	0
6/6/2025	8:30:00 PM	0
6/6/2025	8:45:00 PM	0
6/6/2025	9:00:00 PM	0
6/6/2025	9:15:00 PM	0
6/6/2025	9:30:00 PM	0
6/6/2025	9:45:00 PM	0
6/6/2025	10:00:00 PM	0
6/6/2025	10:15:00 PM	0
6/6/2025	10:30:00 PM	0
6/6/2025	10:45:00 PM	0
6/6/2025	11:00:00 PM	0
6/6/2025	11:15:00 PM	0
6/6/2025	11:30:00 PM	0
6/6/2025	11:45:00 PM	0
6/7/2025	12:00:00 AM	0
6/7/2025	12:15:00 AM	0
6/7/2025	12:30:00 AM	0
6/7/2025	12:45:00 AM	0
6/7/2025	1:00:00 AM	0
6/7/2025	1:15:00 AM	0
6/7/2025	1:30:00 AM	0
6/7/2025	1:45:00 AM	0
6/7/2025	2:00:00 AM	0
6/7/2025	2:15:00 AM	0
6/7/2025	2:30:00 AM	0
6/7/2025	2:45:00 AM	0
6/7/2025	3:00:00 AM	0
6/7/2025	3:15:00 AM	0
6/7/2025	3:30:00 AM	0
6/7/2025	3:45:00 AM	0
6/7/2025	4:00:00 AM	0
6/7/2025	4:15:00 AM	0
6/7/2025	4:30:00 AM	0
6/7/2025	4:45:00 AM	0
6/7/2025	5:00:00 AM	0
6/7/2025	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/7/2025	5:30:00 AM	0
6/7/2025	5:45:00 AM	0
6/7/2025	6:00:00 AM	0
6/7/2025	6:15:00 AM	0
6/7/2025	6:30:00 AM	0
6/7/2025	6:45:00 AM	0
6/7/2025	7:00:00 AM	0
6/7/2025	7:15:00 AM	0
6/7/2025	7:30:00 AM	0
6/7/2025	7:45:00 AM	0
6/7/2025	8:00:00 AM	0
6/7/2025	8:15:00 AM	0
6/7/2025	8:30:00 AM	0
6/7/2025	8:45:00 AM	0
6/7/2025	9:00:00 AM	0
6/7/2025	9:15:00 AM	0
6/7/2025	9:30:00 AM	0
6/7/2025	9:45:00 AM	0
6/7/2025	10:00:00 AM	0
6/7/2025	10:15:00 AM	0
6/7/2025	10:30:00 AM	0
6/7/2025	10:45:00 AM	0
6/7/2025	11:00:00 AM	0
6/7/2025	11:15:00 AM	0
6/7/2025	11:30:00 AM	0
6/7/2025	11:45:00 AM	0
6/7/2025	12:00:00 PM	0
6/7/2025	12:15:00 PM	0
6/7/2025	12:30:00 PM	0
6/7/2025	12:45:00 PM	0
6/7/2025	1:00:00 PM	0
6/7/2025	1:15:00 PM	0
6/7/2025	1:30:00 PM	0
6/7/2025	1:45:00 PM	0
6/7/2025	2:00:00 PM	0
6/7/2025	2:15:00 PM	0
6/7/2025	2:30:00 PM	0
6/7/2025	2:45:00 PM	0
6/7/2025	3:00:00 PM	0
6/7/2025	3:15:00 PM	0
6/7/2025	3:30:00 PM	0
6/7/2025	3:45:00 PM	0
6/7/2025	4:00:00 PM	0
6/7/2025	4:15:00 PM	0
6/7/2025	4:30:00 PM	0
6/7/2025	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/7/2025	5:00:00 PM	0
6/7/2025	5:15:00 PM	0
6/7/2025	5:30:00 PM	0
6/7/2025	5:45:00 PM	0
6/7/2025	6:00:00 PM	0
6/7/2025	6:15:00 PM	0
6/7/2025	6:30:00 PM	0
6/7/2025	6:45:00 PM	0
6/7/2025	7:00:00 PM	0
6/7/2025	7:15:00 PM	0
6/7/2025	7:30:00 PM	0
6/7/2025	7:45:00 PM	0
6/7/2025	8:00:00 PM	0
6/7/2025	8:15:00 PM	0
6/7/2025	8:30:00 PM	0
6/7/2025	8:45:00 PM	0
6/7/2025	9:00:00 PM	0
6/7/2025	9:15:00 PM	0
6/7/2025	9:30:00 PM	0
6/7/2025	9:45:00 PM	0
6/7/2025	10:00:00 PM	0
6/7/2025	10:15:00 PM	0
6/7/2025	10:30:00 PM	0
6/7/2025	10:45:00 PM	0
6/7/2025	11:00:00 PM	0
6/7/2025	11:15:00 PM	0
6/7/2025	11:30:00 PM	0
6/7/2025	11:45:00 PM	0
6/8/2025	12:00:00 AM	0
6/8/2025	12:15:00 AM	0
6/8/2025	12:30:00 AM	0
6/8/2025	12:45:00 AM	0
6/8/2025	1:00:00 AM	0
6/8/2025	1:15:00 AM	0
6/8/2025	1:30:00 AM	0
6/8/2025	1:45:00 AM	0
6/8/2025	2:00:00 AM	0
6/8/2025	2:15:00 AM	0
6/8/2025	2:30:00 AM	0
6/8/2025	2:45:00 AM	0
6/8/2025	3:00:00 AM	0
6/8/2025	3:15:00 AM	0
6/8/2025	3:30:00 AM	0
6/8/2025	3:45:00 AM	0
6/8/2025	4:00:00 AM	0
6/8/2025	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/8/2025	4:30:00 AM	0
6/8/2025	4:45:00 AM	0
6/8/2025	5:00:00 AM	0
6/8/2025	5:15:00 AM	0
6/8/2025	5:30:00 AM	0
6/8/2025	5:45:00 AM	0
6/8/2025	6:00:00 AM	0
6/8/2025	6:15:00 AM	0
6/8/2025	6:30:00 AM	0
6/8/2025	6:45:00 AM	0
6/8/2025	7:00:00 AM	0
6/8/2025	7:15:00 AM	0
6/8/2025	7:30:00 AM	0
6/8/2025	7:45:00 AM	0
6/8/2025	8:00:00 AM	0
6/8/2025	8:15:00 AM	0
6/8/2025	8:30:00 AM	0
6/8/2025	8:45:00 AM	0
6/8/2025	9:00:00 AM	0
6/8/2025	9:15:00 AM	0
6/8/2025	9:30:00 AM	0
6/8/2025	9:45:00 AM	0
6/8/2025	10:00:00 AM	0
6/8/2025	10:15:00 AM	0
6/8/2025	10:30:00 AM	0
6/8/2025	10:45:00 AM	0
6/8/2025	11:00:00 AM	0
6/8/2025	11:15:00 AM	0
6/8/2025	11:30:00 AM	0
6/8/2025	11:45:00 AM	0
6/8/2025	12:00:00 PM	0
6/8/2025	12:15:00 PM	0
6/8/2025	12:30:00 PM	0
6/8/2025	12:45:00 PM	0
6/8/2025	1:00:00 PM	0
6/8/2025	1:15:00 PM	0
6/8/2025	1:30:00 PM	0
6/8/2025	1:45:00 PM	0
6/8/2025	2:00:00 PM	0
6/8/2025	2:15:00 PM	0
6/8/2025	2:30:00 PM	0
6/8/2025	2:45:00 PM	0
6/8/2025	3:00:00 PM	0
6/8/2025	3:15:00 PM	0
6/8/2025	3:30:00 PM	0
6/8/2025	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/8/2025	4:00:00 PM	0
6/8/2025	4:15:00 PM	0
6/8/2025	4:30:00 PM	0
6/8/2025	4:45:00 PM	0
6/8/2025	5:00:00 PM	0
6/8/2025	5:15:00 PM	0
6/8/2025	5:30:00 PM	0
6/8/2025	5:45:00 PM	0
6/8/2025	6:00:00 PM	0
6/8/2025	6:15:00 PM	0
6/8/2025	6:30:00 PM	0
6/8/2025	6:45:00 PM	0
6/8/2025	7:00:00 PM	0
6/8/2025	7:15:00 PM	0
6/8/2025	7:30:00 PM	0
6/8/2025	7:45:00 PM	0
6/8/2025	8:00:00 PM	0
6/8/2025	8:15:00 PM	0
6/8/2025	8:30:00 PM	0
6/8/2025	8:45:00 PM	0
6/8/2025	9:00:00 PM	0
6/8/2025	9:15:00 PM	0
6/8/2025	9:30:00 PM	0
6/8/2025	9:45:00 PM	0
6/8/2025	10:00:00 PM	0
6/8/2025	10:15:00 PM	0
6/8/2025	10:30:00 PM	0
6/8/2025	10:45:00 PM	0
6/8/2025	11:00:00 PM	0
6/8/2025	11:15:00 PM	0
6/8/2025	11:30:00 PM	0
6/8/2025	11:45:00 PM	0
6/9/2025	12:00:00 AM	0
6/9/2025	12:15:00 AM	0
6/9/2025	12:30:00 AM	0
6/9/2025	12:45:00 AM	0
6/9/2025	1:00:00 AM	0
6/9/2025	1:15:00 AM	0
6/9/2025	1:30:00 AM	0
6/9/2025	1:45:00 AM	0
6/9/2025	2:00:00 AM	0
6/9/2025	2:15:00 AM	0
6/9/2025	2:30:00 AM	0
6/9/2025	2:45:00 AM	0
6/9/2025	3:00:00 AM	0
6/9/2025	3:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/9/2025	3:30:00 AM	0
6/9/2025	3:45:00 AM	0
6/9/2025	4:00:00 AM	0
6/9/2025	4:15:00 AM	0
6/9/2025	4:30:00 AM	0
6/9/2025	4:45:00 AM	0
6/9/2025	5:00:00 AM	0
6/9/2025	5:15:00 AM	0
6/9/2025	5:30:00 AM	0
6/9/2025	5:45:00 AM	0
6/9/2025	6:00:00 AM	0
6/9/2025	6:15:00 AM	0
6/9/2025	6:30:00 AM	0
6/9/2025	6:45:00 AM	0
6/9/2025	7:00:00 AM	0
6/9/2025	7:15:00 AM	0
6/9/2025	7:30:00 AM	0
6/9/2025	7:45:00 AM	0
6/9/2025	8:00:00 AM	0
6/9/2025	8:15:00 AM	0
6/9/2025	8:30:00 AM	0
6/9/2025	8:45:00 AM	0
6/9/2025	9:00:00 AM	0
6/9/2025	9:15:00 AM	0
6/9/2025	9:30:00 AM	0
6/9/2025	9:45:00 AM	0
6/9/2025	10:00:00 AM	0
6/9/2025	10:15:00 AM	0
6/9/2025	10:30:00 AM	0
6/9/2025	10:45:00 AM	0
6/9/2025	11:00:00 AM	0
6/9/2025	11:15:00 AM	0
6/9/2025	11:30:00 AM	0
6/9/2025	11:45:00 AM	0
6/9/2025	12:00:00 PM	0
6/9/2025	12:15:00 PM	0
6/9/2025	12:30:00 PM	0
6/9/2025	12:45:00 PM	0
6/9/2025	1:00:00 PM	0
6/9/2025	1:15:00 PM	0
6/9/2025	1:30:00 PM	0
6/9/2025	1:45:00 PM	0
6/9/2025	2:00:00 PM	0
6/9/2025	2:15:00 PM	0
6/9/2025	2:30:00 PM	0
6/9/2025	2:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/9/2025	3:00:00 PM	0
6/9/2025	3:15:00 PM	0
6/9/2025	3:30:00 PM	0
6/9/2025	3:45:00 PM	0
6/9/2025	4:00:00 PM	0
6/9/2025	4:15:00 PM	0
6/9/2025	4:30:00 PM	0
6/9/2025	4:45:00 PM	0
6/9/2025	5:00:00 PM	0
6/9/2025	5:15:00 PM	0
6/9/2025	5:30:00 PM	0
6/9/2025	5:45:00 PM	0
6/9/2025	6:00:00 PM	0
6/9/2025	6:15:00 PM	0
6/9/2025	6:30:00 PM	0
6/9/2025	6:45:00 PM	0
6/9/2025	7:00:00 PM	0
6/9/2025	7:15:00 PM	0
6/9/2025	7:30:00 PM	0
6/9/2025	7:45:00 PM	0
6/9/2025	8:00:00 PM	0
6/9/2025	8:15:00 PM	0
6/9/2025	8:30:00 PM	0
6/9/2025	8:45:00 PM	0
6/9/2025	9:00:00 PM	0
6/9/2025	9:15:00 PM	0
6/9/2025	9:30:00 PM	0
6/9/2025	9:45:00 PM	0
6/9/2025	10:00:00 PM	0
6/9/2025	10:15:00 PM	0
6/9/2025	10:30:00 PM	0
6/9/2025	10:45:00 PM	0
6/9/2025	11:00:00 PM	0
6/9/2025	11:15:00 PM	0
6/9/2025	11:30:00 PM	0
6/9/2025	11:45:00 PM	0
6/10/2025	12:00:00 AM	0
6/10/2025	12:15:00 AM	0
6/10/2025	12:30:00 AM	0
6/10/2025	12:45:00 AM	0
6/10/2025	1:00:00 AM	0
6/10/2025	1:15:00 AM	0
6/10/2025	1:30:00 AM	0
6/10/2025	1:45:00 AM	0
6/10/2025	2:00:00 AM	0
6/10/2025	2:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/10/2025	2:30:00 AM	0
6/10/2025	2:45:00 AM	0
6/10/2025	3:00:00 AM	0
6/10/2025	3:15:00 AM	0
6/10/2025	3:30:00 AM	0
6/10/2025	3:45:00 AM	0
6/10/2025	4:00:00 AM	0
6/10/2025	4:15:00 AM	0
6/10/2025	4:30:00 AM	0
6/10/2025	4:45:00 AM	0
6/10/2025	5:00:00 AM	0
6/10/2025	5:15:00 AM	0
6/10/2025	5:30:00 AM	0
6/10/2025	5:45:00 AM	0
6/10/2025	6:00:00 AM	0
6/10/2025	6:15:00 AM	0
6/10/2025	6:30:00 AM	0
6/10/2025	6:45:00 AM	0
6/10/2025	7:00:00 AM	0
6/10/2025	7:15:00 AM	0
6/10/2025	7:30:00 AM	0
6/10/2025	7:45:00 AM	0
6/10/2025	8:00:00 AM	0
6/10/2025	8:15:00 AM	0
6/10/2025	8:30:00 AM	0
6/10/2025	8:45:00 AM	0
6/10/2025	9:00:00 AM	0
6/10/2025	9:15:00 AM	0
6/10/2025	9:30:00 AM	0
6/10/2025	9:45:00 AM	0
6/10/2025	10:00:00 AM	0
6/10/2025	10:15:00 AM	0
6/10/2025	10:30:00 AM	0
6/10/2025	10:45:00 AM	0
6/10/2025	11:00:00 AM	0
6/10/2025	11:15:00 AM	0
6/10/2025	11:30:00 AM	0
6/10/2025	11:45:00 AM	0
6/10/2025	12:00:00 PM	0
6/10/2025	12:15:00 PM	0
6/10/2025	12:30:00 PM	0
6/10/2025	12:45:00 PM	0
6/10/2025	1:00:00 PM	0
6/10/2025	1:15:00 PM	0
6/10/2025	1:30:00 PM	0
6/10/2025	1:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/10/2025	2:00:00 PM	0
6/10/2025	2:15:00 PM	0
6/10/2025	2:30:00 PM	0
6/10/2025	2:45:00 PM	0
6/10/2025	3:00:00 PM	0
6/10/2025	3:15:00 PM	0
6/10/2025	3:30:00 PM	0
6/10/2025	3:45:00 PM	0
6/10/2025	4:00:00 PM	0
6/10/2025	4:15:00 PM	0
6/10/2025	4:30:00 PM	0
6/10/2025	4:45:00 PM	0
6/10/2025	5:00:00 PM	0
6/10/2025	5:15:00 PM	0
6/10/2025	5:30:00 PM	0
6/10/2025	5:45:00 PM	0
6/10/2025	6:00:00 PM	0
6/10/2025	6:15:00 PM	0
6/10/2025	6:30:00 PM	0
6/10/2025	6:45:00 PM	0
6/10/2025	7:00:00 PM	0
6/10/2025	7:15:00 PM	0
6/10/2025	7:30:00 PM	0
6/10/2025	7:45:00 PM	0
6/10/2025	8:00:00 PM	0
6/10/2025	8:15:00 PM	0
6/10/2025	8:30:00 PM	0
6/10/2025	8:45:00 PM	0
6/10/2025	9:00:00 PM	0
6/10/2025	9:15:00 PM	0
6/10/2025	9:30:00 PM	0
6/10/2025	9:45:00 PM	0
6/10/2025	10:00:00 PM	0
6/10/2025	10:15:00 PM	0
6/10/2025	10:30:00 PM	0
6/10/2025	10:45:00 PM	0
6/10/2025	11:00:00 PM	0
6/10/2025	11:15:00 PM	0
6/10/2025	11:30:00 PM	0
6/10/2025	11:45:00 PM	0
6/11/2025	12:00:00 AM	0
6/11/2025	12:15:00 AM	0
6/11/2025	12:30:00 AM	0
6/11/2025	12:45:00 AM	0
6/11/2025	1:00:00 AM	0
6/11/2025	1:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/11/2025	1:30:00 AM	0
6/11/2025	1:45:00 AM	0
6/11/2025	2:00:00 AM	0
6/11/2025	2:15:00 AM	0
6/11/2025	2:30:00 AM	0
6/11/2025	2:45:00 AM	0
6/11/2025	3:00:00 AM	0
6/11/2025	3:15:00 AM	0
6/11/2025	3:30:00 AM	0
6/11/2025	3:45:00 AM	0
6/11/2025	4:00:00 AM	0
6/11/2025	4:15:00 AM	0
6/11/2025	4:30:00 AM	0
6/11/2025	4:45:00 AM	0
6/11/2025	5:00:00 AM	0
6/11/2025	5:15:00 AM	0
6/11/2025	5:30:00 AM	0
6/11/2025	5:45:00 AM	0
6/11/2025	6:00:00 AM	0
6/11/2025	6:15:00 AM	0
6/11/2025	6:30:00 AM	0
6/11/2025	6:45:00 AM	0
6/11/2025	7:00:00 AM	0
6/11/2025	7:15:00 AM	0
6/11/2025	7:30:00 AM	0
6/11/2025	7:45:00 AM	0
6/11/2025	8:00:00 AM	0
6/11/2025	8:15:00 AM	0
6/11/2025	8:30:00 AM	0
6/11/2025	8:45:00 AM	0
6/11/2025	9:00:00 AM	0
6/11/2025	9:15:00 AM	0
6/11/2025	9:30:00 AM	0
6/11/2025	9:45:00 AM	0
6/11/2025	10:00:00 AM	0
6/11/2025	10:15:00 AM	0
6/11/2025	10:30:00 AM	0
6/11/2025	10:45:00 AM	0
6/11/2025	11:00:00 AM	0
6/11/2025	11:15:00 AM	0
6/11/2025	11:30:00 AM	0
6/11/2025	11:45:00 AM	0
6/11/2025	12:00:00 PM	0
6/11/2025	12:15:00 PM	0
6/11/2025	12:30:00 PM	0
6/11/2025	12:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/11/2025	1:00:00 PM	0
6/11/2025	1:15:00 PM	0
6/11/2025	1:30:00 PM	0
6/11/2025	1:45:00 PM	0
6/11/2025	2:00:00 PM	0
6/11/2025	2:15:00 PM	0
6/11/2025	2:30:00 PM	0
6/11/2025	2:45:00 PM	0
6/11/2025	3:00:00 PM	0
6/11/2025	3:15:00 PM	0
6/11/2025	3:30:00 PM	0
6/11/2025	3:45:00 PM	0
6/11/2025	4:00:00 PM	0
6/11/2025	4:15:00 PM	0
6/11/2025	4:30:00 PM	0
6/11/2025	4:45:00 PM	0
6/11/2025	5:00:00 PM	0
6/11/2025	5:15:00 PM	0
6/11/2025	5:30:00 PM	0
6/11/2025	5:45:00 PM	0
6/11/2025	6:00:00 PM	0
6/11/2025	6:15:00 PM	0
6/11/2025	6:30:00 PM	0
6/11/2025	6:45:00 PM	0
6/11/2025	7:00:00 PM	0
6/11/2025	7:15:00 PM	0
6/11/2025	7:30:00 PM	0
6/11/2025	7:45:00 PM	0
6/11/2025	8:00:00 PM	0
6/11/2025	8:15:00 PM	0
6/11/2025	8:30:00 PM	0
6/11/2025	8:45:00 PM	0
6/11/2025	9:00:00 PM	0
6/11/2025	9:15:00 PM	0
6/11/2025	9:30:00 PM	0
6/11/2025	9:45:00 PM	0
6/11/2025	10:00:00 PM	0
6/11/2025	10:15:00 PM	0
6/11/2025	10:30:00 PM	0
6/11/2025	10:45:00 PM	0
6/11/2025	11:00:00 PM	0
6/11/2025	11:15:00 PM	0
6/11/2025	11:30:00 PM	0
6/11/2025	11:45:00 PM	0
6/12/2025	12:00:00 AM	0
6/12/2025	12:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/12/2025	12:30:00 AM	0
6/12/2025	12:45:00 AM	0
6/12/2025	1:00:00 AM	0
6/12/2025	1:15:00 AM	0
6/12/2025	1:30:00 AM	0
6/12/2025	1:45:00 AM	0
6/12/2025	2:00:00 AM	0
6/12/2025	2:15:00 AM	0
6/12/2025	2:30:00 AM	0
6/12/2025	2:45:00 AM	0
6/12/2025	3:00:00 AM	0
6/12/2025	3:15:00 AM	0
6/12/2025	3:30:00 AM	0
6/12/2025	3:45:00 AM	0
6/12/2025	4:00:00 AM	0
6/12/2025	4:15:00 AM	0
6/12/2025	4:30:00 AM	0
6/12/2025	4:45:00 AM	0
6/12/2025	5:00:00 AM	0
6/12/2025	5:15:00 AM	0
6/12/2025	5:30:00 AM	0
6/12/2025	5:45:00 AM	0
6/12/2025	6:00:00 AM	0
6/12/2025	6:15:00 AM	0
6/12/2025	6:30:00 AM	0
6/12/2025	6:45:00 AM	0
6/12/2025	7:00:00 AM	0
6/12/2025	7:15:00 AM	0
6/12/2025	7:30:00 AM	0
6/12/2025	7:45:00 AM	0
6/12/2025	8:00:00 AM	0
6/12/2025	8:15:00 AM	0
6/12/2025	8:30:00 AM	0
6/12/2025	8:45:00 AM	0
6/12/2025	9:00:00 AM	0
6/12/2025	9:15:00 AM	0
6/12/2025	9:30:00 AM	0
6/12/2025	9:45:00 AM	0
6/12/2025	10:00:00 AM	0
6/12/2025	10:15:00 AM	0
6/12/2025	10:30:00 AM	0
6/12/2025	10:45:00 AM	0
6/12/2025	11:00:00 AM	0
6/12/2025	11:15:00 AM	0
6/12/2025	11:30:00 AM	0
6/12/2025	11:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/12/2025	12:00:00 PM	0
6/12/2025	12:15:00 PM	0
6/12/2025	12:30:00 PM	0
6/12/2025	12:45:00 PM	0
6/12/2025	1:00:00 PM	0
6/12/2025	1:15:00 PM	0
6/12/2025	1:30:00 PM	0
6/12/2025	1:45:00 PM	0
6/12/2025	2:00:00 PM	0
6/12/2025	2:15:00 PM	0
6/12/2025	2:30:00 PM	0
6/12/2025	2:45:00 PM	0
6/12/2025	3:00:00 PM	0
6/12/2025	3:15:00 PM	0
6/12/2025	3:30:00 PM	0
6/12/2025	3:45:00 PM	0
6/12/2025	4:00:00 PM	0
6/12/2025	4:15:00 PM	0
6/12/2025	4:30:00 PM	0
6/12/2025	4:45:00 PM	0
6/12/2025	5:00:00 PM	0
6/12/2025	5:15:00 PM	0
6/12/2025	5:30:00 PM	0
6/12/2025	5:45:00 PM	0
6/12/2025	6:00:00 PM	0
6/12/2025	6:15:00 PM	0
6/12/2025	6:30:00 PM	0
6/12/2025	6:45:00 PM	0
6/12/2025	7:00:00 PM	0
6/12/2025	7:15:00 PM	0
6/12/2025	7:30:00 PM	0
6/12/2025	7:45:00 PM	0
6/12/2025	8:00:00 PM	0
6/12/2025	8:15:00 PM	0
6/12/2025	8:30:00 PM	0
6/12/2025	8:45:00 PM	0
6/12/2025	9:00:00 PM	0
6/12/2025	9:15:00 PM	0
6/12/2025	9:30:00 PM	0
6/12/2025	9:45:00 PM	0
6/12/2025	10:00:00 PM	0
6/12/2025	10:15:00 PM	0
6/12/2025	10:30:00 PM	0
6/12/2025	10:45:00 PM	0
6/12/2025	11:00:00 PM	0
6/12/2025	11:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/12/2025	11:30:00 PM	0
6/12/2025	11:45:00 PM	0
6/13/2025	12:00:00 AM	0
6/13/2025	12:15:00 AM	0
6/13/2025	12:30:00 AM	0
6/13/2025	12:45:00 AM	0
6/13/2025	1:00:00 AM	0
6/13/2025	1:15:00 AM	0
6/13/2025	1:30:00 AM	0
6/13/2025	1:45:00 AM	0
6/13/2025	2:00:00 AM	0
6/13/2025	2:15:00 AM	0
6/13/2025	2:30:00 AM	0
6/13/2025	2:45:00 AM	0
6/13/2025	3:00:00 AM	0
6/13/2025	3:15:00 AM	0
6/13/2025	3:30:00 AM	0
6/13/2025	3:45:00 AM	0
6/13/2025	4:00:00 AM	0
6/13/2025	4:15:00 AM	0
6/13/2025	4:30:00 AM	0
6/13/2025	4:45:00 AM	0
6/13/2025	5:00:00 AM	0
6/13/2025	5:15:00 AM	0
6/13/2025	5:30:00 AM	0
6/13/2025	5:45:00 AM	0
6/13/2025	6:00:00 AM	0
6/13/2025	6:15:00 AM	0
6/13/2025	6:30:00 AM	0
6/13/2025	6:45:00 AM	0
6/13/2025	7:00:00 AM	0
6/13/2025	7:15:00 AM	0
6/13/2025	7:30:00 AM	0
6/13/2025	7:45:00 AM	0
6/13/2025	8:00:00 AM	0
6/13/2025	8:15:00 AM	0
6/13/2025	8:30:00 AM	0
6/13/2025	8:45:00 AM	0
6/13/2025	9:00:00 AM	0
6/13/2025	9:15:00 AM	0
6/13/2025	9:30:00 AM	0
6/13/2025	9:45:00 AM	0
6/13/2025	10:00:00 AM	0
6/13/2025	10:15:00 AM	0
6/13/2025	10:30:00 AM	0
6/13/2025	10:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/13/2025	11:00:00 AM	0
6/13/2025	11:15:00 AM	0
6/13/2025	11:30:00 AM	0
6/13/2025	11:45:00 AM	0
6/13/2025	12:00:00 PM	0
6/13/2025	12:15:00 PM	0
6/13/2025	12:30:00 PM	0
6/13/2025	12:45:00 PM	0
6/13/2025	1:00:00 PM	0
6/13/2025	1:15:00 PM	0
6/13/2025	1:30:00 PM	0
6/13/2025	1:45:00 PM	0
6/13/2025	2:00:00 PM	0
6/13/2025	2:15:00 PM	0
6/13/2025	2:30:00 PM	0
6/13/2025	2:45:00 PM	0
6/13/2025	3:00:00 PM	0
6/13/2025	3:15:00 PM	0
6/13/2025	3:30:00 PM	0
6/13/2025	3:45:00 PM	0
6/13/2025	4:00:00 PM	0
6/13/2025	4:15:00 PM	0
6/13/2025	4:30:00 PM	0
6/13/2025	4:45:00 PM	0
6/13/2025	5:00:00 PM	0
6/13/2025	5:15:00 PM	0
6/13/2025	5:30:00 PM	0
6/13/2025	5:45:00 PM	0
6/13/2025	6:00:00 PM	0
6/13/2025	6:15:00 PM	0
6/13/2025	6:30:00 PM	0
6/13/2025	6:45:00 PM	0
6/13/2025	7:00:00 PM	0
6/13/2025	7:15:00 PM	0
6/13/2025	7:30:00 PM	0
6/13/2025	7:45:00 PM	0
6/13/2025	8:00:00 PM	0
6/13/2025	8:15:00 PM	0
6/13/2025	8:30:00 PM	0
6/13/2025	8:45:00 PM	0
6/13/2025	9:00:00 PM	0
6/13/2025	9:15:00 PM	0
6/13/2025	9:30:00 PM	0
6/13/2025	9:45:00 PM	0
6/13/2025	10:00:00 PM	0
6/13/2025	10:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/13/2025	10:30:00 PM	0
6/13/2025	10:45:00 PM	0
6/13/2025	11:00:00 PM	0
6/13/2025	11:15:00 PM	0
6/13/2025	11:30:00 PM	0
6/13/2025	11:45:00 PM	0
6/14/2025	12:00:00 AM	0
6/14/2025	12:15:00 AM	0
6/14/2025	12:30:00 AM	0
6/14/2025	12:45:00 AM	0
6/14/2025	1:00:00 AM	0
6/14/2025	1:15:00 AM	0
6/14/2025	1:30:00 AM	0
6/14/2025	1:45:00 AM	0
6/14/2025	2:00:00 AM	0
6/14/2025	2:15:00 AM	0
6/14/2025	2:30:00 AM	0
6/14/2025	2:45:00 AM	0
6/14/2025	3:00:00 AM	0
6/14/2025	3:15:00 AM	0
6/14/2025	3:30:00 AM	0
6/14/2025	3:45:00 AM	0
6/14/2025	4:00:00 AM	0
6/14/2025	4:15:00 AM	0
6/14/2025	4:30:00 AM	0
6/14/2025	4:45:00 AM	0
6/14/2025	5:00:00 AM	0
6/14/2025	5:15:00 AM	0
6/14/2025	5:30:00 AM	0
6/14/2025	5:45:00 AM	0
6/14/2025	6:00:00 AM	0
6/14/2025	6:15:00 AM	0
6/14/2025	6:30:00 AM	0
6/14/2025	6:45:00 AM	0
6/14/2025	7:00:00 AM	0
6/14/2025	7:15:00 AM	0
6/14/2025	7:30:00 AM	0
6/14/2025	7:45:00 AM	0
6/14/2025	8:00:00 AM	0
6/14/2025	8:15:00 AM	0
6/14/2025	8:30:00 AM	0
6/14/2025	8:45:00 AM	0
6/14/2025	9:00:00 AM	0
6/14/2025	9:15:00 AM	0
6/14/2025	9:30:00 AM	0
6/14/2025	9:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/14/2025	10:00:00 AM	0
6/14/2025	10:15:00 AM	0
6/14/2025	10:30:00 AM	0
6/14/2025	10:45:00 AM	0
6/14/2025	11:00:00 AM	0
6/14/2025	11:15:00 AM	0
6/14/2025	11:30:00 AM	0
6/14/2025	11:45:00 AM	0
6/14/2025	12:00:00 PM	0
6/14/2025	12:15:00 PM	0
6/14/2025	12:30:00 PM	0
6/14/2025	12:45:00 PM	0
6/14/2025	1:00:00 PM	0
6/14/2025	1:15:00 PM	0
6/14/2025	1:30:00 PM	0
6/14/2025	1:45:00 PM	0
6/14/2025	2:00:00 PM	0
6/14/2025	2:15:00 PM	0
6/14/2025	2:30:00 PM	0
6/14/2025	2:45:00 PM	0
6/14/2025	3:00:00 PM	0
6/14/2025	3:15:00 PM	0
6/14/2025	3:30:00 PM	0
6/14/2025	3:45:00 PM	0
6/14/2025	4:00:00 PM	0
6/14/2025	4:15:00 PM	0
6/14/2025	4:30:00 PM	0
6/14/2025	4:45:00 PM	0
6/14/2025	5:00:00 PM	0
6/14/2025	5:15:00 PM	0
6/14/2025	5:30:00 PM	0
6/14/2025	5:45:00 PM	0
6/14/2025	6:00:00 PM	0
6/14/2025	6:15:00 PM	0
6/14/2025	6:30:00 PM	0
6/14/2025	6:45:00 PM	0
6/14/2025	7:00:00 PM	0
6/14/2025	7:15:00 PM	0
6/14/2025	7:30:00 PM	0
6/14/2025	7:45:00 PM	0
6/14/2025	8:00:00 PM	0
6/14/2025	8:15:00 PM	0
6/14/2025	8:30:00 PM	0
6/14/2025	8:45:00 PM	0
6/14/2025	9:00:00 PM	0
6/14/2025	9:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/14/2025	9:30:00 PM	0
6/14/2025	9:45:00 PM	0
6/14/2025	10:00:00 PM	0
6/14/2025	10:15:00 PM	0
6/14/2025	10:30:00 PM	0
6/14/2025	10:45:00 PM	0
6/14/2025	11:00:00 PM	0
6/14/2025	11:15:00 PM	0
6/14/2025	11:30:00 PM	0
6/14/2025	11:45:00 PM	0
6/15/2025	12:00:00 AM	0
6/15/2025	12:15:00 AM	0
6/15/2025	12:30:00 AM	0
6/15/2025	12:45:00 AM	0
6/15/2025	1:00:00 AM	0
6/15/2025	1:15:00 AM	0
6/15/2025	1:30:00 AM	0
6/15/2025	1:45:00 AM	0
6/15/2025	2:00:00 AM	0
6/15/2025	2:15:00 AM	0
6/15/2025	2:30:00 AM	0
6/15/2025	2:45:00 AM	0
6/15/2025	3:00:00 AM	0
6/15/2025	3:15:00 AM	0
6/15/2025	3:30:00 AM	0
6/15/2025	3:45:00 AM	0
6/15/2025	4:00:00 AM	0
6/15/2025	4:15:00 AM	0
6/15/2025	4:30:00 AM	0
6/15/2025	4:45:00 AM	0
6/15/2025	5:00:00 AM	0
6/15/2025	5:15:00 AM	0
6/15/2025	5:30:00 AM	0
6/15/2025	5:45:00 AM	0
6/15/2025	6:00:00 AM	0
6/15/2025	6:15:00 AM	0
6/15/2025	6:30:00 AM	0
6/15/2025	6:45:00 AM	0
6/15/2025	7:00:00 AM	0
6/15/2025	7:15:00 AM	0
6/15/2025	7:30:00 AM	0
6/15/2025	7:45:00 AM	0
6/15/2025	8:00:00 AM	0
6/15/2025	8:15:00 AM	0
6/15/2025	8:30:00 AM	0
6/15/2025	8:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/15/2025	9:00:00 AM	0
6/15/2025	9:15:00 AM	0
6/15/2025	9:30:00 AM	0
6/15/2025	9:45:00 AM	0
6/15/2025	10:00:00 AM	0
6/15/2025	10:15:00 AM	0
6/15/2025	10:30:00 AM	0
6/15/2025	10:45:00 AM	0
6/15/2025	11:00:00 AM	0
6/15/2025	11:15:00 AM	0
6/15/2025	11:30:00 AM	0
6/15/2025	11:45:00 AM	0
6/15/2025	12:00:00 PM	0
6/15/2025	12:15:00 PM	0
6/15/2025	12:30:00 PM	0
6/15/2025	12:45:00 PM	0
6/15/2025	1:00:00 PM	0
6/15/2025	1:15:00 PM	0
6/15/2025	1:30:00 PM	0
6/15/2025	1:45:00 PM	0
6/15/2025	2:00:00 PM	0
6/15/2025	2:15:00 PM	0
6/15/2025	2:30:00 PM	0
6/15/2025	2:45:00 PM	0
6/15/2025	3:00:00 PM	0
6/15/2025	3:15:00 PM	0
6/15/2025	3:30:00 PM	0
6/15/2025	3:45:00 PM	0
6/15/2025	4:00:00 PM	0
6/15/2025	4:15:00 PM	0
6/15/2025	4:30:00 PM	0
6/15/2025	4:45:00 PM	0
6/15/2025	5:00:00 PM	0
6/15/2025	5:15:00 PM	0
6/15/2025	5:30:00 PM	0
6/15/2025	5:45:00 PM	0
6/15/2025	6:00:00 PM	0
6/15/2025	6:15:00 PM	0
6/15/2025	6:30:00 PM	0
6/15/2025	6:45:00 PM	0
6/15/2025	7:00:00 PM	0
6/15/2025	7:15:00 PM	0
6/15/2025	7:30:00 PM	0
6/15/2025	7:45:00 PM	0
6/15/2025	8:00:00 PM	0
6/15/2025	8:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/15/2025	8:30:00 PM	0
6/15/2025	8:45:00 PM	0
6/15/2025	9:00:00 PM	0
6/15/2025	9:15:00 PM	0
6/15/2025	9:30:00 PM	0
6/15/2025	9:45:00 PM	0
6/15/2025	10:00:00 PM	0
6/15/2025	10:15:00 PM	0
6/15/2025	10:30:00 PM	0
6/15/2025	10:45:00 PM	0
6/15/2025	11:00:00 PM	0
6/15/2025	11:15:00 PM	0
6/15/2025	11:30:00 PM	0
6/15/2025	11:45:00 PM	0
6/16/2025	12:00:00 AM	0
6/16/2025	12:15:00 AM	0
6/16/2025	12:30:00 AM	0
6/16/2025	12:45:00 AM	0
6/16/2025	1:00:00 AM	0
6/16/2025	1:15:00 AM	0
6/16/2025	1:30:00 AM	0
6/16/2025	1:45:00 AM	0
6/16/2025	2:00:00 AM	0
6/16/2025	2:15:00 AM	0
6/16/2025	2:30:00 AM	0
6/16/2025	2:45:00 AM	0
6/16/2025	3:00:00 AM	0
6/16/2025	3:15:00 AM	0
6/16/2025	3:30:00 AM	0
6/16/2025	3:45:00 AM	0
6/16/2025	4:00:00 AM	0
6/16/2025	4:15:00 AM	0
6/16/2025	4:30:00 AM	0
6/16/2025	4:45:00 AM	0
6/16/2025	5:00:00 AM	0
6/16/2025	5:15:00 AM	0
6/16/2025	5:30:00 AM	0
6/16/2025	5:45:00 AM	0
6/16/2025	6:00:00 AM	0
6/16/2025	6:15:00 AM	0
6/16/2025	6:30:00 AM	0
6/16/2025	6:45:00 AM	0
6/16/2025	7:00:00 AM	0
6/16/2025	7:15:00 AM	0
6/16/2025	7:30:00 AM	0
6/16/2025	7:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/16/2025	8:00:00 AM	0
6/16/2025	8:15:00 AM	0
6/16/2025	8:30:00 AM	0
6/16/2025	8:45:00 AM	0
6/16/2025	9:00:00 AM	0
6/16/2025	9:15:00 AM	0
6/16/2025	9:30:00 AM	0
6/16/2025	9:45:00 AM	0
6/16/2025	10:00:00 AM	0
6/16/2025	10:15:00 AM	0
6/16/2025	10:30:00 AM	0
6/16/2025	10:45:00 AM	0
6/16/2025	11:00:00 AM	0
6/16/2025	11:15:00 AM	0
6/16/2025	11:30:00 AM	0
6/16/2025	11:45:00 AM	0
6/16/2025	12:00:00 PM	0
6/16/2025	12:15:00 PM	0
6/16/2025	12:30:00 PM	0
6/16/2025	12:45:00 PM	0
6/16/2025	1:00:00 PM	0
6/16/2025	1:15:00 PM	0
6/16/2025	1:30:00 PM	0
6/16/2025	1:45:00 PM	0
6/16/2025	2:00:00 PM	0
6/16/2025	2:15:00 PM	0
6/16/2025	2:30:00 PM	0
6/16/2025	2:45:00 PM	0
6/16/2025	3:00:00 PM	0
6/16/2025	3:15:00 PM	0
6/16/2025	3:30:00 PM	0
6/16/2025	3:45:00 PM	0
6/16/2025	4:00:00 PM	0
6/16/2025	4:15:00 PM	0
6/16/2025	4:30:00 PM	0
6/16/2025	4:45:00 PM	0
6/16/2025	5:00:00 PM	0
6/16/2025	5:15:00 PM	0
6/16/2025	5:30:00 PM	0
6/16/2025	5:45:00 PM	0
6/16/2025	6:00:00 PM	0
6/16/2025	6:15:00 PM	0
6/16/2025	6:30:00 PM	0
6/16/2025	6:45:00 PM	0
6/16/2025	7:00:00 PM	0
6/16/2025	7:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/16/2025	7:30:00 PM	0
6/16/2025	7:45:00 PM	0
6/16/2025	8:00:00 PM	0
6/16/2025	8:15:00 PM	0
6/16/2025	8:30:00 PM	0
6/16/2025	8:45:00 PM	0
6/16/2025	9:00:00 PM	0
6/16/2025	9:15:00 PM	0
6/16/2025	9:30:00 PM	0
6/16/2025	9:45:00 PM	0
6/16/2025	10:00:00 PM	0
6/16/2025	10:15:00 PM	0
6/16/2025	10:30:00 PM	0
6/16/2025	10:45:00 PM	0
6/16/2025	11:00:00 PM	0
6/16/2025	11:15:00 PM	0
6/16/2025	11:30:00 PM	0
6/16/2025	11:45:00 PM	0
6/17/2025	12:00:00 AM	0
6/17/2025	12:15:00 AM	0
6/17/2025	12:30:00 AM	0
6/17/2025	12:45:00 AM	0
6/17/2025	1:00:00 AM	0
6/17/2025	1:15:00 AM	0
6/17/2025	1:30:00 AM	0
6/17/2025	1:45:00 AM	0
6/17/2025	2:00:00 AM	0
6/17/2025	2:15:00 AM	0
6/17/2025	2:30:00 AM	0
6/17/2025	2:45:00 AM	0
6/17/2025	3:00:00 AM	0
6/17/2025	3:15:00 AM	0
6/17/2025	3:30:00 AM	0
6/17/2025	3:45:00 AM	0
6/17/2025	4:00:00 AM	0
6/17/2025	4:15:00 AM	0
6/17/2025	4:30:00 AM	0
6/17/2025	4:45:00 AM	0
6/17/2025	5:00:00 AM	0
6/17/2025	5:15:00 AM	0
6/17/2025	5:30:00 AM	0
6/17/2025	5:45:00 AM	0
6/17/2025	6:00:00 AM	0
6/17/2025	6:15:00 AM	0
6/17/2025	6:30:00 AM	0
6/17/2025	6:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/17/2025	7:00:00 AM	0
6/17/2025	7:15:00 AM	0
6/17/2025	7:30:00 AM	0
6/17/2025	7:45:00 AM	0
6/17/2025	8:00:00 AM	0
6/17/2025	8:15:00 AM	0
6/17/2025	8:30:00 AM	0
6/17/2025	8:45:00 AM	0
6/17/2025	9:00:00 AM	0
6/17/2025	9:15:00 AM	0
6/17/2025	9:30:00 AM	0
6/17/2025	9:45:00 AM	0
6/17/2025	10:00:00 AM	0
6/17/2025	10:15:00 AM	0
6/17/2025	10:30:00 AM	0
6/17/2025	10:45:00 AM	0
6/17/2025	11:00:00 AM	0
6/17/2025	11:15:00 AM	0
6/17/2025	11:30:00 AM	0
6/17/2025	11:45:00 AM	0
6/17/2025	12:00:00 PM	0
6/17/2025	12:15:00 PM	0
6/17/2025	12:30:00 PM	0
6/17/2025	12:45:00 PM	0
6/17/2025	1:00:00 PM	0
6/17/2025	1:15:00 PM	0
6/17/2025	1:30:00 PM	0
6/17/2025	1:45:00 PM	0
6/17/2025	2:00:00 PM	0
6/17/2025	2:15:00 PM	0
6/17/2025	2:30:00 PM	0
6/17/2025	2:45:00 PM	0
6/17/2025	3:00:00 PM	0
6/17/2025	3:15:00 PM	0
6/17/2025	3:30:00 PM	0
6/17/2025	3:45:00 PM	0
6/17/2025	4:00:00 PM	0
6/17/2025	4:15:00 PM	0
6/17/2025	4:30:00 PM	0
6/17/2025	4:45:00 PM	0
6/17/2025	5:00:00 PM	0
6/17/2025	5:15:00 PM	0
6/17/2025	5:30:00 PM	0
6/17/2025	5:45:00 PM	0
6/17/2025	6:00:00 PM	0
6/17/2025	6:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/17/2025	6:30:00 PM	0
6/17/2025	6:45:00 PM	0
6/17/2025	7:00:00 PM	0
6/17/2025	7:15:00 PM	0
6/17/2025	7:30:00 PM	0
6/17/2025	7:45:00 PM	0
6/17/2025	8:00:00 PM	0
6/17/2025	8:15:00 PM	0
6/17/2025	8:30:00 PM	0
6/17/2025	8:45:00 PM	0
6/17/2025	9:00:00 PM	0
6/17/2025	9:15:00 PM	0
6/17/2025	9:30:00 PM	0
6/17/2025	9:45:00 PM	0
6/17/2025	10:00:00 PM	0
6/17/2025	10:15:00 PM	0
6/17/2025	10:30:00 PM	0
6/17/2025	10:45:00 PM	0
6/17/2025	11:00:00 PM	0
6/17/2025	11:15:00 PM	0
6/17/2025	11:30:00 PM	0
6/17/2025	11:45:00 PM	0
6/18/2025	12:00:00 AM	0
6/18/2025	12:15:00 AM	0
6/18/2025	12:30:00 AM	0
6/18/2025	12:45:00 AM	0
6/18/2025	1:00:00 AM	0
6/18/2025	1:15:00 AM	0
6/18/2025	1:30:00 AM	0
6/18/2025	1:45:00 AM	0
6/18/2025	2:00:00 AM	0
6/18/2025	2:15:00 AM	0
6/18/2025	2:30:00 AM	0
6/18/2025	2:45:00 AM	0
6/18/2025	3:00:00 AM	0
6/18/2025	3:15:00 AM	0
6/18/2025	3:30:00 AM	0
6/18/2025	3:45:00 AM	0
6/18/2025	4:00:00 AM	0
6/18/2025	4:15:00 AM	0
6/18/2025	4:30:00 AM	0
6/18/2025	4:45:00 AM	0
6/18/2025	5:00:00 AM	0
6/18/2025	5:15:00 AM	0
6/18/2025	5:30:00 AM	0
6/18/2025	5:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/18/2025	6:00:00 AM	0
6/18/2025	6:15:00 AM	0
6/18/2025	6:30:00 AM	0
6/18/2025	6:45:00 AM	0
6/18/2025	7:00:00 AM	0
6/18/2025	7:15:00 AM	0
6/18/2025	7:30:00 AM	0
6/18/2025	7:45:00 AM	0
6/18/2025	8:00:00 AM	0
6/18/2025	8:15:00 AM	0
6/18/2025	8:30:00 AM	0
6/18/2025	8:45:00 AM	0
6/18/2025	9:00:00 AM	0
6/18/2025	9:15:00 AM	0
6/18/2025	9:30:00 AM	0
6/18/2025	9:45:00 AM	0
6/18/2025	10:00:00 AM	0
6/18/2025	10:15:00 AM	0.44
6/18/2025	10:30:00 AM	0.44
6/18/2025	10:45:00 AM	0.44
6/18/2025	11:00:00 AM	0.44
6/18/2025	11:15:00 AM	0.44
6/18/2025	11:30:00 AM	0.44
6/18/2025	11:45:00 AM	0.44
6/18/2025	12:00:00 PM	0.44
6/18/2025	12:15:00 PM	0.44
6/18/2025	12:30:00 PM	0.44
6/18/2025	12:45:00 PM	0.44
6/18/2025	1:00:00 PM	0.44
6/18/2025	1:15:00 PM	0.44
6/18/2025	1:30:00 PM	0.44
6/18/2025	1:45:00 PM	0.44
6/18/2025	2:00:00 PM	0.44
6/18/2025	2:15:00 PM	0.44
6/18/2025	2:30:00 PM	0.44
6/18/2025	2:45:00 PM	0.44
6/18/2025	3:00:00 PM	0.44
6/18/2025	3:15:00 PM	0.44
6/18/2025	3:30:00 PM	0.44
6/18/2025	3:45:00 PM	0.43
6/18/2025	4:00:00 PM	0.42
6/18/2025	4:15:00 PM	0.42
6/18/2025	4:30:00 PM	0.41
6/18/2025	4:45:00 PM	0.41
6/18/2025	5:00:00 PM	0.41
6/18/2025	5:15:00 PM	0.4

Locust Ditch Return Gage

DATE	TIME	GAGE
6/18/2025	5:30:00 PM	0.4
6/18/2025	5:45:00 PM	0.4
6/18/2025	6:00:00 PM	0.4
6/18/2025	6:15:00 PM	0.4
6/18/2025	6:30:00 PM	0.4
6/18/2025	6:45:00 PM	0.39
6/18/2025	7:00:00 PM	0.38
6/18/2025	7:15:00 PM	0.39
6/18/2025	7:30:00 PM	0.39
6/18/2025	7:45:00 PM	0.38
6/18/2025	8:00:00 PM	0.38
6/18/2025	8:15:00 PM	0.38
6/18/2025	8:30:00 PM	0.37
6/18/2025	8:45:00 PM	0.38
6/18/2025	9:00:00 PM	0.37
6/18/2025	9:15:00 PM	0.37
6/18/2025	9:30:00 PM	0.37
6/18/2025	9:45:00 PM	0.37
6/18/2025	10:00:00 PM	0.37
6/18/2025	10:15:00 PM	0.37
6/18/2025	10:30:00 PM	0.36
6/18/2025	10:45:00 PM	0.36
6/18/2025	11:00:00 PM	0.37
6/18/2025	11:15:00 PM	0.36
6/18/2025	11:30:00 PM	0.36
6/18/2025	11:45:00 PM	0.36
6/19/2025	12:00:00 AM	0.36
6/19/2025	12:15:00 AM	0.36
6/19/2025	12:30:00 AM	0.36
6/19/2025	12:45:00 AM	0.36
6/19/2025	1:00:00 AM	0.35
6/19/2025	1:15:00 AM	0.35
6/19/2025	1:30:00 AM	0.35
6/19/2025	1:45:00 AM	0.35
6/19/2025	2:00:00 AM	0.35
6/19/2025	2:15:00 AM	0.35
6/19/2025	2:30:00 AM	0.35
6/19/2025	2:45:00 AM	0.35
6/19/2025	3:00:00 AM	0.35
6/19/2025	3:15:00 AM	0.35
6/19/2025	3:30:00 AM	0.35
6/19/2025	3:45:00 AM	0.35
6/19/2025	4:00:00 AM	0.34
6/19/2025	4:15:00 AM	0.34
6/19/2025	4:30:00 AM	0.34
6/19/2025	4:45:00 AM	0.35

Locust Ditch Return Gage

DATE	TIME	GAGE
6/19/2025	5:00:00 AM	0.34
6/19/2025	5:15:00 AM	0.34
6/19/2025	5:30:00 AM	0.34
6/19/2025	5:45:00 AM	0.34
6/19/2025	6:00:00 AM	0.34
6/19/2025	6:15:00 AM	0.34
6/19/2025	6:30:00 AM	0.35
6/19/2025	6:45:00 AM	0.34
6/19/2025	7:00:00 AM	0.34
6/19/2025	7:15:00 AM	0.34
6/19/2025	7:30:00 AM	0.34
6/19/2025	7:45:00 AM	0.34
6/19/2025	8:00:00 AM	0.34
6/19/2025	8:15:00 AM	0.33
6/19/2025	8:30:00 AM	0.33
6/19/2025	8:45:00 AM	0.33
6/19/2025	9:00:00 AM	0.33
6/19/2025	9:15:00 AM	0.34
6/19/2025	9:30:00 AM	0.34
6/19/2025	9:45:00 AM	0.36
6/19/2025	10:00:00 AM	0.39
6/19/2025	10:15:00 AM	0.41
6/19/2025	10:30:00 AM	0.41
6/19/2025	10:45:00 AM	0.42
6/19/2025	11:00:00 AM	0.42
6/19/2025	11:15:00 AM	0.41
6/19/2025	11:30:00 AM	0.42
6/19/2025	11:45:00 AM	0.42
6/19/2025	12:00:00 PM	0.41
6/19/2025	12:15:00 PM	0.41
6/19/2025	12:30:00 PM	0.41
6/19/2025	12:45:00 PM	0.43
6/19/2025	1:00:00 PM	0.42
6/19/2025	1:15:00 PM	0.41
6/19/2025	1:30:00 PM	0.41
6/19/2025	1:45:00 PM	0.41
6/19/2025	2:00:00 PM	0.41
6/19/2025	2:15:00 PM	0.41
6/19/2025	2:30:00 PM	0.41
6/19/2025	2:45:00 PM	0.41
6/19/2025	3:00:00 PM	0.41
6/19/2025	3:15:00 PM	0.4
6/19/2025	3:30:00 PM	0.41
6/19/2025	3:45:00 PM	0.41
6/19/2025	4:00:00 PM	0.4
6/19/2025	4:15:00 PM	0.41

Locust Ditch Return Gage

DATE	TIME	GAGE
6/19/2025	4:30:00 PM	0.41
6/19/2025	4:45:00 PM	0.4
6/19/2025	5:00:00 PM	0.4
6/19/2025	5:15:00 PM	0.41
6/19/2025	5:30:00 PM	0.4
6/19/2025	5:45:00 PM	0.4
6/19/2025	6:00:00 PM	0.4
6/19/2025	6:15:00 PM	0.4
6/19/2025	6:30:00 PM	0.4
6/19/2025	6:45:00 PM	0.4
6/19/2025	7:00:00 PM	0.4
6/19/2025	7:15:00 PM	0.41
6/19/2025	7:30:00 PM	0.4
6/19/2025	7:45:00 PM	0.41
6/19/2025	8:00:00 PM	0.4
6/19/2025	8:15:00 PM	0.4
6/19/2025	8:30:00 PM	0.4
6/19/2025	8:45:00 PM	0.4
6/19/2025	9:00:00 PM	0.4
6/19/2025	9:15:00 PM	0.4
6/19/2025	9:30:00 PM	0.4
6/19/2025	9:45:00 PM	0.41
6/19/2025	10:00:00 PM	0.4
6/19/2025	10:15:00 PM	0.41
6/19/2025	10:30:00 PM	0.4
6/19/2025	10:45:00 PM	0.4
6/19/2025	11:00:00 PM	0.4
6/19/2025	11:15:00 PM	0.4
6/19/2025	11:30:00 PM	0.4
6/19/2025	11:45:00 PM	0.4
6/20/2025	12:00:00 AM	0.41
6/20/2025	12:15:00 AM	0.41
6/20/2025	12:30:00 AM	0.4
6/20/2025	12:45:00 AM	0.4
6/20/2025	1:00:00 AM	0.4
6/20/2025	1:15:00 AM	0.4
6/20/2025	1:30:00 AM	0.39
6/20/2025	1:45:00 AM	0.39
6/20/2025	2:00:00 AM	0.4
6/20/2025	2:15:00 AM	0.39
6/20/2025	2:30:00 AM	0.39
6/20/2025	2:45:00 AM	0.39
6/20/2025	3:00:00 AM	0.39
6/20/2025	3:15:00 AM	0.39
6/20/2025	3:30:00 AM	0.39
6/20/2025	3:45:00 AM	0.39

Locust Ditch Return Gage

DATE	TIME	GAGE
6/20/2025	4:00:00 AM	0.39
6/20/2025	4:15:00 AM	0.39
6/20/2025	4:30:00 AM	0.39
6/20/2025	4:45:00 AM	0.39
6/20/2025	5:00:00 AM	0.39
6/20/2025	5:15:00 AM	0.39
6/20/2025	5:30:00 AM	0.39
6/20/2025	5:45:00 AM	0.39
6/20/2025	6:00:00 AM	0.39
6/20/2025	6:15:00 AM	0.39
6/20/2025	6:30:00 AM	0.39
6/20/2025	6:45:00 AM	0.39
6/20/2025	7:00:00 AM	0.39
6/20/2025	7:15:00 AM	0.39
6/20/2025	7:30:00 AM	0.39
6/20/2025	7:45:00 AM	0.39
6/20/2025	8:00:00 AM	0.39
6/20/2025	8:15:00 AM	0.39
6/20/2025	8:30:00 AM	0.39
6/20/2025	8:45:00 AM	0.39
6/20/2025	9:00:00 AM	0.39
6/20/2025	9:15:00 AM	0.39
6/20/2025	9:30:00 AM	0.39
6/20/2025	9:45:00 AM	0.39
6/20/2025	10:00:00 AM	0.39
6/20/2025	10:15:00 AM	0.39
6/20/2025	10:30:00 AM	0.39
6/20/2025	10:45:00 AM	0.39
6/20/2025	11:00:00 AM	0.39
6/20/2025	11:15:00 AM	0.39
6/20/2025	11:30:00 AM	0.39
6/20/2025	11:45:00 AM	0.39
6/20/2025	12:00:00 PM	0.39
6/20/2025	12:15:00 PM	0.39
6/20/2025	12:30:00 PM	0.39
6/20/2025	12:45:00 PM	0.39
6/20/2025	1:00:00 PM	0.39
6/20/2025	1:15:00 PM	0.38
6/20/2025	1:30:00 PM	0.39
6/20/2025	1:45:00 PM	0.38
6/20/2025	2:00:00 PM	0.38
6/20/2025	2:15:00 PM	0.38
6/20/2025	2:30:00 PM	0.38
6/20/2025	2:45:00 PM	0.39
6/20/2025	3:00:00 PM	0.39
6/20/2025	3:15:00 PM	0.39

Locust Ditch Return Gage

DATE	TIME	GAGE
6/20/2025	3:30:00 PM	0.39
6/20/2025	3:45:00 PM	0.4
6/20/2025	4:00:00 PM	0.4
6/20/2025	4:15:00 PM	0.4
6/20/2025	4:30:00 PM	0.39
6/20/2025	4:45:00 PM	0.4
6/20/2025	5:00:00 PM	0.4
6/20/2025	5:15:00 PM	0.4
6/20/2025	5:30:00 PM	0.4
6/20/2025	5:45:00 PM	0.4
6/20/2025	6:00:00 PM	0.4
6/20/2025	6:15:00 PM	0.4
6/20/2025	6:30:00 PM	0.4
6/20/2025	6:45:00 PM	0.4
6/20/2025	7:00:00 PM	0.4
6/20/2025	7:15:00 PM	0.4
6/20/2025	7:30:00 PM	0.4
6/20/2025	7:45:00 PM	0.4
6/20/2025	8:00:00 PM	0.39
6/20/2025	8:15:00 PM	0.4
6/20/2025	8:30:00 PM	0.4
6/20/2025	8:45:00 PM	0.4
6/20/2025	9:00:00 PM	0.4
6/20/2025	9:15:00 PM	0.4
6/20/2025	9:30:00 PM	0.4
6/20/2025	9:45:00 PM	0.4
6/20/2025	10:00:00 PM	0.4
6/20/2025	10:15:00 PM	0.4
6/20/2025	10:30:00 PM	0.4
6/20/2025	10:45:00 PM	0.4
6/20/2025	11:00:00 PM	0.4
6/20/2025	11:15:00 PM	0.4
6/20/2025	11:30:00 PM	0.4
6/20/2025	11:45:00 PM	0.4
6/21/2025	12:00:00 AM	0.4
6/21/2025	12:15:00 AM	0.4
6/21/2025	12:30:00 AM	0.4
6/21/2025	12:45:00 AM	0.4
6/21/2025	1:00:00 AM	0.4
6/21/2025	1:15:00 AM	0.41
6/21/2025	1:30:00 AM	0.4
6/21/2025	1:45:00 AM	0.4
6/21/2025	2:00:00 AM	0.4
6/21/2025	2:15:00 AM	0.4
6/21/2025	2:30:00 AM	0.4
6/21/2025	2:45:00 AM	0.4

Locust Ditch Return Gage

DATE	TIME	GAGE
6/21/2025	3:00:00 AM	0.41
6/21/2025	3:15:00 AM	0.4
6/21/2025	3:30:00 AM	0.4
6/21/2025	3:45:00 AM	0.4
6/21/2025	4:00:00 AM	0.41
6/21/2025	4:15:00 AM	0.4
6/21/2025	4:30:00 AM	0.4
6/21/2025	4:45:00 AM	0.41
6/21/2025	5:00:00 AM	0.41
6/21/2025	5:15:00 AM	0.41
6/21/2025	5:30:00 AM	0.41
6/21/2025	5:45:00 AM	0.4
6/21/2025	6:00:00 AM	0.4
6/21/2025	6:15:00 AM	0.41
6/21/2025	6:30:00 AM	0.4
6/21/2025	6:45:00 AM	0.4
6/21/2025	7:00:00 AM	0.4
6/21/2025	7:15:00 AM	0.4
6/21/2025	7:30:00 AM	0.4
6/21/2025	7:45:00 AM	0.4
6/21/2025	8:00:00 AM	0.4
6/21/2025	8:15:00 AM	0.41
6/21/2025	8:30:00 AM	0.4
6/21/2025	8:45:00 AM	0.4
6/21/2025	9:00:00 AM	0.4
6/21/2025	9:15:00 AM	0.41
6/21/2025	9:30:00 AM	0.4
6/21/2025	9:45:00 AM	0.4
6/21/2025	10:00:00 AM	0.41
6/21/2025	10:15:00 AM	0.41
6/21/2025	10:30:00 AM	0.42
6/21/2025	10:45:00 AM	0.42
6/21/2025	11:00:00 AM	0.43
6/21/2025	11:15:00 AM	0.43
6/21/2025	11:30:00 AM	0.43
6/21/2025	11:45:00 AM	0.43
6/21/2025	12:00:00 PM	0.43
6/21/2025	12:15:00 PM	0.43
6/21/2025	12:30:00 PM	0.44
6/21/2025	12:45:00 PM	0.43
6/21/2025	1:00:00 PM	0.43
6/21/2025	1:15:00 PM	0.43
6/21/2025	1:30:00 PM	0.43
6/21/2025	1:45:00 PM	0.43
6/21/2025	2:00:00 PM	0.43
6/21/2025	2:15:00 PM	0.44

Locust Ditch Return Gage

DATE	TIME	GAGE
6/21/2025	2:30:00 PM	0.43
6/21/2025	2:45:00 PM	0.44
6/21/2025	3:00:00 PM	0.43
6/21/2025	3:15:00 PM	0.43
6/21/2025	3:30:00 PM	0.43
6/21/2025	3:45:00 PM	0.43
6/21/2025	4:00:00 PM	0.43
6/21/2025	4:15:00 PM	0.43
6/21/2025	4:30:00 PM	0.43
6/21/2025	4:45:00 PM	0.43
6/21/2025	5:00:00 PM	0.43
6/21/2025	5:15:00 PM	0.43
6/21/2025	5:30:00 PM	0.43
6/21/2025	5:45:00 PM	0.42
6/21/2025	6:00:00 PM	0.43
6/21/2025	6:15:00 PM	0.43
6/21/2025	6:30:00 PM	0.43
6/21/2025	6:45:00 PM	0.43
6/21/2025	7:00:00 PM	0.43
6/21/2025	7:15:00 PM	0.41
6/21/2025	7:30:00 PM	0.39
6/21/2025	7:45:00 PM	0.39
6/21/2025	8:00:00 PM	0.4
6/21/2025	8:15:00 PM	0.4
6/21/2025	8:30:00 PM	0.4
6/21/2025	8:45:00 PM	0.41
6/21/2025	9:00:00 PM	0.42
6/21/2025	9:15:00 PM	0.42
6/21/2025	9:30:00 PM	0.42
6/21/2025	9:45:00 PM	0.42
6/21/2025	10:00:00 PM	0.42
6/21/2025	10:15:00 PM	0.42
6/21/2025	10:30:00 PM	0.42
6/21/2025	10:45:00 PM	0.42
6/21/2025	11:00:00 PM	0.42
6/21/2025	11:15:00 PM	0.42
6/21/2025	11:30:00 PM	0.42
6/21/2025	11:45:00 PM	0.42
6/22/2025	12:00:00 AM	0.42
6/22/2025	12:15:00 AM	0.42
6/22/2025	12:30:00 AM	0.42
6/22/2025	12:45:00 AM	0.42
6/22/2025	1:00:00 AM	0.42
6/22/2025	1:15:00 AM	0.42
6/22/2025	1:30:00 AM	0.42
6/22/2025	1:45:00 AM	0.42

Locust Ditch Return Gage

DATE	TIME	GAGE
6/22/2025	2:00:00 AM	0.42
6/22/2025	2:15:00 AM	0.42
6/22/2025	2:30:00 AM	0.42
6/22/2025	2:45:00 AM	0.42
6/22/2025	3:00:00 AM	0.42
6/22/2025	3:15:00 AM	0.42
6/22/2025	3:30:00 AM	0.42
6/22/2025	3:45:00 AM	0.42
6/22/2025	4:00:00 AM	0.42
6/22/2025	4:15:00 AM	0.42
6/22/2025	4:30:00 AM	0.42
6/22/2025	4:45:00 AM	0.43
6/22/2025	5:00:00 AM	0.43
6/22/2025	5:15:00 AM	0.43
6/22/2025	5:30:00 AM	0.43
6/22/2025	5:45:00 AM	0.42
6/22/2025	6:00:00 AM	0.43
6/22/2025	6:15:00 AM	0.42
6/22/2025	6:30:00 AM	0.43
6/22/2025	6:45:00 AM	0.43
6/22/2025	7:00:00 AM	0.42
6/22/2025	7:15:00 AM	0.43
6/22/2025	7:30:00 AM	0.42
6/22/2025	7:45:00 AM	0.43
6/22/2025	8:00:00 AM	0.43
6/22/2025	8:15:00 AM	0.43
6/22/2025	8:30:00 AM	0.43
6/22/2025	8:45:00 AM	0.42
6/22/2025	9:00:00 AM	0.43
6/22/2025	9:15:00 AM	0.43
6/22/2025	9:30:00 AM	0.42
6/22/2025	9:45:00 AM	0.43
6/22/2025	10:00:00 AM	0.43
6/22/2025	10:15:00 AM	0.43
6/22/2025	10:30:00 AM	0.43
6/22/2025	10:45:00 AM	0.43
6/22/2025	11:00:00 AM	0.43
6/22/2025	11:15:00 AM	0.44
6/22/2025	11:30:00 AM	0.43
6/22/2025	11:45:00 AM	0.43
6/22/2025	12:00:00 PM	0.43
6/22/2025	12:15:00 PM	0.43
6/22/2025	12:30:00 PM	0.43
6/22/2025	12:45:00 PM	0.43
6/22/2025	1:00:00 PM	0.44
6/22/2025	1:15:00 PM	0.43

Locust Ditch Return Gage

DATE	TIME	GAGE
6/22/2025	1:30:00 PM	0.44
6/22/2025	1:45:00 PM	0.44
6/22/2025	2:00:00 PM	0.43
6/22/2025	2:15:00 PM	0.44
6/22/2025	2:30:00 PM	0.44
6/22/2025	2:45:00 PM	0.44
6/22/2025	3:00:00 PM	0.43
6/22/2025	3:15:00 PM	0.43
6/22/2025	3:30:00 PM	0.44
6/22/2025	3:45:00 PM	0.44
6/22/2025	4:00:00 PM	0.44
6/22/2025	4:15:00 PM	0.43
6/22/2025	4:30:00 PM	0.44
6/22/2025	4:45:00 PM	0.44
6/22/2025	5:00:00 PM	0.44
6/22/2025	5:15:00 PM	0.43
6/22/2025	5:30:00 PM	0.44
6/22/2025	5:45:00 PM	0.44
6/22/2025	6:00:00 PM	0.44
6/22/2025	6:15:00 PM	0.44
6/22/2025	6:30:00 PM	0.44
6/22/2025	6:45:00 PM	0.44
6/22/2025	7:00:00 PM	0.44
6/22/2025	7:15:00 PM	0.44
6/22/2025	7:30:00 PM	0.44
6/22/2025	7:45:00 PM	0.44
6/22/2025	8:00:00 PM	0.44
6/22/2025	8:15:00 PM	0.44
6/22/2025	8:30:00 PM	0.44
6/22/2025	8:45:00 PM	0.44
6/22/2025	9:00:00 PM	0.44
6/22/2025	9:15:00 PM	0.43
6/22/2025	9:30:00 PM	0.44
6/22/2025	9:45:00 PM	0.44
6/22/2025	10:00:00 PM	0.44
6/22/2025	10:15:00 PM	0.44
6/22/2025	10:30:00 PM	0.44
6/22/2025	10:45:00 PM	0.44
6/22/2025	11:00:00 PM	0.45
6/22/2025	11:15:00 PM	0.44
6/22/2025	11:30:00 PM	0.45
6/22/2025	11:45:00 PM	0.44
6/23/2025	12:00:00 AM	0.44
6/23/2025	12:15:00 AM	0.44
6/23/2025	12:30:00 AM	0.44
6/23/2025	12:45:00 AM	0.45

Locust Ditch Return Gage

DATE	TIME	GAGE
6/23/2025	1:00:00 AM	0.45
6/23/2025	1:15:00 AM	0.45
6/23/2025	1:30:00 AM	0.45
6/23/2025	1:45:00 AM	0.44
6/23/2025	2:00:00 AM	0.44
6/23/2025	2:15:00 AM	0.44
6/23/2025	2:30:00 AM	0.45
6/23/2025	2:45:00 AM	0.45
6/23/2025	3:00:00 AM	0.44
6/23/2025	3:15:00 AM	0.44
6/23/2025	3:30:00 AM	0.44
6/23/2025	3:45:00 AM	0.44
6/23/2025	4:00:00 AM	0.44
6/23/2025	4:15:00 AM	0.44
6/23/2025	4:30:00 AM	0.44
6/23/2025	4:45:00 AM	0.44
6/23/2025	5:00:00 AM	0.44
6/23/2025	5:15:00 AM	0.44
6/23/2025	5:30:00 AM	0.44
6/23/2025	5:45:00 AM	0.44
6/23/2025	6:00:00 AM	0.44
6/23/2025	6:15:00 AM	0.45
6/23/2025	6:30:00 AM	0.45
6/23/2025	6:45:00 AM	0.45
6/23/2025	7:00:00 AM	0.45
6/23/2025	7:15:00 AM	0.45
6/23/2025	7:30:00 AM	0.44
6/23/2025	7:45:00 AM	0.45
6/23/2025	8:00:00 AM	0.44
6/23/2025	8:15:00 AM	0.44
6/23/2025	8:30:00 AM	0.44
6/23/2025	8:45:00 AM	0.44
6/23/2025	9:00:00 AM	0.44
6/23/2025	9:15:00 AM	0.44
6/23/2025	9:30:00 AM	0.44
6/23/2025	9:45:00 AM	0.44
6/23/2025	10:00:00 AM	0.44
6/23/2025	10:15:00 AM	0.43
6/23/2025	10:30:00 AM	0.43
6/23/2025	10:45:00 AM	0.43
6/23/2025	11:00:00 AM	0.43
6/23/2025	11:15:00 AM	0.43
6/23/2025	11:30:00 AM	0.44
6/23/2025	11:45:00 AM	0.44
6/23/2025	12:00:00 PM	0.43
6/23/2025	12:15:00 PM	0.42

Locust Ditch Return Gage

DATE	TIME	GAGE
6/23/2025	12:30:00 PM	0.43
6/23/2025	12:45:00 PM	0.43
6/23/2025	1:00:00 PM	0.42
6/23/2025	1:15:00 PM	0.43
6/23/2025	1:30:00 PM	0.43
6/23/2025	1:45:00 PM	0.43
6/23/2025	2:00:00 PM	0.42
6/23/2025	2:15:00 PM	0.42
6/23/2025	2:30:00 PM	0.43
6/23/2025	2:45:00 PM	0.42
6/23/2025	3:00:00 PM	0.43
6/23/2025	3:15:00 PM	0.43
6/23/2025	3:30:00 PM	0.43
6/23/2025	3:45:00 PM	0.42
6/23/2025	4:00:00 PM	0.42
6/23/2025	4:15:00 PM	0.43
6/23/2025	4:30:00 PM	0.42
6/23/2025	4:45:00 PM	0.43
6/23/2025	5:00:00 PM	0.42
6/23/2025	5:15:00 PM	0.42
6/23/2025	5:30:00 PM	0.43
6/23/2025	5:45:00 PM	0.42
6/23/2025	6:00:00 PM	0.42
6/23/2025	6:15:00 PM	0.42
6/23/2025	6:30:00 PM	0.43
6/23/2025	6:45:00 PM	0.43
6/23/2025	7:00:00 PM	0.43
6/23/2025	7:15:00 PM	0.43
6/23/2025	7:30:00 PM	0.43
6/23/2025	7:45:00 PM	0.42
6/23/2025	8:00:00 PM	0.42
6/23/2025	8:15:00 PM	0.43
6/23/2025	8:30:00 PM	0.43
6/23/2025	8:45:00 PM	0.42
6/23/2025	9:00:00 PM	0.42
6/23/2025	9:15:00 PM	0.42
6/23/2025	9:30:00 PM	0.43
6/23/2025	9:45:00 PM	0.42
6/23/2025	10:00:00 PM	0.43
6/23/2025	10:15:00 PM	0.42
6/23/2025	10:30:00 PM	0.42
6/23/2025	10:45:00 PM	0.42
6/23/2025	11:00:00 PM	0.42
6/23/2025	11:15:00 PM	0.42
6/23/2025	11:30:00 PM	0.42
6/23/2025	11:45:00 PM	0.42

Locust Ditch Return Gage

DATE	TIME	GAGE
6/24/2025	12:00:00 AM	0.42
6/24/2025	12:15:00 AM	0.41
6/24/2025	12:30:00 AM	0.42
6/24/2025	12:45:00 AM	0.41
6/24/2025	1:00:00 AM	0.42
6/24/2025	1:15:00 AM	0.42
6/24/2025	1:30:00 AM	0.41
6/24/2025	1:45:00 AM	0.42
6/24/2025	2:00:00 AM	0.42
6/24/2025	2:15:00 AM	0.42
6/24/2025	2:30:00 AM	0.42
6/24/2025	2:45:00 AM	0.42
6/24/2025	3:00:00 AM	0.42
6/24/2025	3:15:00 AM	0.42
6/24/2025	3:30:00 AM	0.42
6/24/2025	3:45:00 AM	0.41
6/24/2025	4:00:00 AM	0.42
6/24/2025	4:15:00 AM	0.42
6/24/2025	4:30:00 AM	0.42
6/24/2025	4:45:00 AM	0.42
6/24/2025	5:00:00 AM	0.42
6/24/2025	5:15:00 AM	0.42
6/24/2025	5:30:00 AM	0.42
6/24/2025	5:45:00 AM	0.42
6/24/2025	6:00:00 AM	0.42
6/24/2025	6:15:00 AM	0.42
6/24/2025	6:30:00 AM	0.42
6/24/2025	6:45:00 AM	0.42
6/24/2025	7:00:00 AM	0.41
6/24/2025	7:15:00 AM	0.42
6/24/2025	7:30:00 AM	0.42
6/24/2025	7:45:00 AM	0.41
6/24/2025	8:00:00 AM	0.42
6/24/2025	8:15:00 AM	0.42
6/24/2025	8:30:00 AM	0.42
6/24/2025	8:45:00 AM	0.49
6/24/2025	9:00:00 AM	0.51
6/24/2025	9:15:00 AM	0.49
6/24/2025	9:30:00 AM	0.47
6/24/2025	9:45:00 AM	0.47
6/24/2025	10:00:00 AM	0.47
6/24/2025	10:15:00 AM	0.47
6/24/2025	10:30:00 AM	0.48
6/24/2025	10:45:00 AM	0.47
6/24/2025	11:00:00 AM	0.48
6/24/2025	11:15:00 AM	0.47

Locust Ditch Return Gage

DATE	TIME	GAGE
6/24/2025	11:30:00 AM	0.47
6/24/2025	11:45:00 AM	0.48
6/24/2025	12:00:00 PM	0.48
6/24/2025	12:15:00 PM	0.48
6/24/2025	12:30:00 PM	0.48
6/24/2025	12:45:00 PM	0.47
6/24/2025	1:00:00 PM	0.47
6/24/2025	1:15:00 PM	0.47
6/24/2025	1:30:00 PM	0.48
6/24/2025	1:45:00 PM	0.48
6/24/2025	2:00:00 PM	0.48
6/24/2025	2:15:00 PM	0.47
6/24/2025	2:30:00 PM	0.47
6/24/2025	2:45:00 PM	0.48
6/24/2025	3:00:00 PM	0.47
6/24/2025	3:15:00 PM	0.48
6/24/2025	3:30:00 PM	0.47
6/24/2025	3:45:00 PM	0.48
6/24/2025	4:00:00 PM	0.47
6/24/2025	4:15:00 PM	0.47
6/24/2025	4:30:00 PM	0.48
6/24/2025	4:45:00 PM	0.48
6/24/2025	5:00:00 PM	0.48
6/24/2025	5:15:00 PM	0.47
6/24/2025	5:30:00 PM	0.48
6/24/2025	5:45:00 PM	0.47
6/24/2025	6:00:00 PM	0.47
6/24/2025	6:15:00 PM	0.47
6/24/2025	6:30:00 PM	0.48
6/24/2025	6:45:00 PM	0.47
6/24/2025	7:00:00 PM	0.48
6/24/2025	7:15:00 PM	0.47
6/24/2025	7:30:00 PM	0.48
6/24/2025	7:45:00 PM	0.47
6/24/2025	8:00:00 PM	0.47
6/24/2025	8:15:00 PM	0.47
6/24/2025	8:30:00 PM	0.48
6/24/2025	8:45:00 PM	0.48
6/24/2025	9:00:00 PM	0.48
6/24/2025	9:15:00 PM	0.47
6/24/2025	9:30:00 PM	0.48
6/24/2025	9:45:00 PM	0.47
6/24/2025	10:00:00 PM	0.47
6/24/2025	10:15:00 PM	0.47
6/24/2025	10:30:00 PM	0.48
6/24/2025	10:45:00 PM	0.48

Locust Ditch Return Gage

DATE	TIME	GAGE
6/24/2025	11:00:00 PM	0.47
6/24/2025	11:15:00 PM	0.48
6/24/2025	11:30:00 PM	0.48
6/24/2025	11:45:00 PM	0.48
6/25/2025	12:00:00 AM	0.48
6/25/2025	12:15:00 AM	0.48
6/25/2025	12:30:00 AM	0.48
6/25/2025	12:45:00 AM	0.47
6/25/2025	1:00:00 AM	0.47
6/25/2025	1:15:00 AM	0.47
6/25/2025	1:30:00 AM	0.48
6/25/2025	1:45:00 AM	0.47
6/25/2025	2:00:00 AM	0.47
6/25/2025	2:15:00 AM	0.48
6/25/2025	2:30:00 AM	0.47
6/25/2025	2:45:00 AM	0.47
6/25/2025	3:00:00 AM	0.47
6/25/2025	3:15:00 AM	0.48
6/25/2025	3:30:00 AM	0.47
6/25/2025	3:45:00 AM	0.48
6/25/2025	4:00:00 AM	0.47
6/25/2025	4:15:00 AM	0.48
6/25/2025	4:30:00 AM	0.47
6/25/2025	4:45:00 AM	0.47
6/25/2025	5:00:00 AM	0.47
6/25/2025	5:15:00 AM	0.47
6/25/2025	5:30:00 AM	0.47
6/25/2025	5:45:00 AM	0.47
6/25/2025	6:00:00 AM	0.47
6/25/2025	6:15:00 AM	0.47
6/25/2025	6:30:00 AM	0.48
6/25/2025	6:45:00 AM	0.48
6/25/2025	7:00:00 AM	0.48
6/25/2025	7:15:00 AM	0.47
6/25/2025	7:30:00 AM	0.47
6/25/2025	7:45:00 AM	0.48
6/25/2025	8:00:00 AM	0.48
6/25/2025	8:15:00 AM	0.47
6/25/2025	8:30:00 AM	0.48
6/25/2025	8:45:00 AM	0.47
6/25/2025	9:00:00 AM	0.48
6/25/2025	9:15:00 AM	0.48
6/25/2025	9:30:00 AM	0.47
6/25/2025	9:45:00 AM	0.48
6/25/2025	10:00:00 AM	0.48
6/25/2025	10:15:00 AM	0.47

Locust Ditch Return Gage

DATE	TIME	GAGE
6/25/2025	10:30:00 AM	0.47
6/25/2025	10:45:00 AM	0.47
6/25/2025	11:00:00 AM	0.48
6/25/2025	11:15:00 AM	0.47
6/25/2025	11:30:00 AM	0.48
6/25/2025	11:45:00 AM	0.47
6/25/2025	12:00:00 PM	0.47
6/25/2025	12:15:00 PM	0.47
6/25/2025	12:30:00 PM	0.48
6/25/2025	12:45:00 PM	0.48
6/25/2025	1:00:00 PM	0.47
6/25/2025	1:15:00 PM	0.47
6/25/2025	1:30:00 PM	0.47
6/25/2025	1:45:00 PM	0.48
6/25/2025	2:00:00 PM	0.48
6/25/2025	2:15:00 PM	0.47
6/25/2025	2:30:00 PM	0.47
6/25/2025	2:45:00 PM	0.47
6/25/2025	3:00:00 PM	0.47
6/25/2025	3:15:00 PM	0.47
6/25/2025	3:30:00 PM	0.48
6/25/2025	3:45:00 PM	0.48
6/25/2025	4:00:00 PM	0.48
6/25/2025	4:15:00 PM	0.48
6/25/2025	4:30:00 PM	0.48
6/25/2025	4:45:00 PM	0.47
6/25/2025	5:00:00 PM	0.48
6/25/2025	5:15:00 PM	0.47
6/25/2025	5:30:00 PM	0.47
6/25/2025	5:45:00 PM	0.47
6/25/2025	6:00:00 PM	0.48
6/25/2025	6:15:00 PM	0.48
6/25/2025	6:30:00 PM	0.47
6/25/2025	6:45:00 PM	0.47
6/25/2025	7:00:00 PM	0.48
6/25/2025	7:15:00 PM	0.47
6/25/2025	7:30:00 PM	0.48
6/25/2025	7:45:00 PM	0.48
6/25/2025	8:00:00 PM	0.47
6/25/2025	8:15:00 PM	0.48
6/25/2025	8:30:00 PM	0.47
6/25/2025	8:45:00 PM	0.48
6/25/2025	9:00:00 PM	0.48
6/25/2025	9:15:00 PM	0.47
6/25/2025	9:30:00 PM	0.48
6/25/2025	9:45:00 PM	0.48

Locust Ditch Return Gage

DATE	TIME	GAGE
6/25/2025	10:00:00 PM	0.48
6/25/2025	10:15:00 PM	0.47
6/25/2025	10:30:00 PM	0.48
6/25/2025	10:45:00 PM	0.48
6/25/2025	11:00:00 PM	0.47
6/25/2025	11:15:00 PM	0.48
6/25/2025	11:30:00 PM	0.47
6/25/2025	11:45:00 PM	0.47
6/26/2025	12:00:00 AM	0.47
6/26/2025	12:15:00 AM	0.47
6/26/2025	12:30:00 AM	0.48
6/26/2025	12:45:00 AM	0.48
6/26/2025	1:00:00 AM	0.48
6/26/2025	1:15:00 AM	0.47
6/26/2025	1:30:00 AM	0.47
6/26/2025	1:45:00 AM	0.48
6/26/2025	2:00:00 AM	0.47
6/26/2025	2:15:00 AM	0.48
6/26/2025	2:30:00 AM	0.48
6/26/2025	2:45:00 AM	0.48
6/26/2025	3:00:00 AM	0.48
6/26/2025	3:15:00 AM	0.47
6/26/2025	3:30:00 AM	0.47
6/26/2025	3:45:00 AM	0.48
6/26/2025	4:00:00 AM	0.47
6/26/2025	4:15:00 AM	0.47
6/26/2025	4:30:00 AM	0.47
6/26/2025	4:45:00 AM	0.48
6/26/2025	5:00:00 AM	0.48
6/26/2025	5:15:00 AM	0.48
6/26/2025	5:30:00 AM	0.48
6/26/2025	5:45:00 AM	0.48
6/26/2025	6:00:00 AM	0.47
6/26/2025	6:15:00 AM	0.47
6/26/2025	6:30:00 AM	0.48
6/26/2025	6:45:00 AM	0.48
6/26/2025	7:00:00 AM	0.48
6/26/2025	7:15:00 AM	0.48
6/26/2025	7:30:00 AM	0.47
6/26/2025	7:45:00 AM	0.47
6/26/2025	8:00:00 AM	0.48
6/26/2025	8:15:00 AM	0.48
6/26/2025	8:30:00 AM	0.48
6/26/2025	8:45:00 AM	0.47
6/26/2025	9:00:00 AM	0.47
6/26/2025	9:15:00 AM	0.48

Locust Ditch Return Gage

DATE	TIME	GAGE
6/26/2025	9:30:00 AM	0.48
6/26/2025	9:45:00 AM	0.47
6/26/2025	10:00:00 AM	0.47
6/26/2025	10:15:00 AM	0.47
6/26/2025	10:30:00 AM	0.47
6/26/2025	10:45:00 AM	0.47
6/26/2025	11:00:00 AM	0.48
6/26/2025	11:15:00 AM	0.48
6/26/2025	11:30:00 AM	0.47
6/26/2025	11:45:00 AM	0.47
6/26/2025	12:00:00 PM	0.47
6/26/2025	12:15:00 PM	0.47
6/26/2025	12:30:00 PM	0.47
6/26/2025	12:45:00 PM	0.47
6/26/2025	1:00:00 PM	0.47
6/26/2025	1:15:00 PM	0.47
6/26/2025	1:30:00 PM	0.47
6/26/2025	1:45:00 PM	0.47
6/26/2025	2:00:00 PM	0.48
6/26/2025	2:15:00 PM	0.48
6/26/2025	2:30:00 PM	0.47
6/26/2025	2:45:00 PM	0.47
6/26/2025	3:00:00 PM	0.47
6/26/2025	3:15:00 PM	0.47
6/26/2025	3:30:00 PM	0.47
6/26/2025	3:45:00 PM	0.47
6/26/2025	4:00:00 PM	0.47
6/26/2025	4:15:00 PM	0.47
6/26/2025	4:30:00 PM	0.48
6/26/2025	4:45:00 PM	0.47
6/26/2025	5:00:00 PM	0.47
6/26/2025	5:15:00 PM	0.47
6/26/2025	5:30:00 PM	0.47
6/26/2025	5:45:00 PM	0.47
6/26/2025	6:00:00 PM	0.47
6/26/2025	6:15:00 PM	0.47
6/26/2025	6:30:00 PM	0.47
6/26/2025	6:45:00 PM	0.47
6/26/2025	7:00:00 PM	0.48
6/26/2025	7:15:00 PM	0.48
6/26/2025	7:30:00 PM	0.48
6/26/2025	7:45:00 PM	0.48
6/26/2025	8:00:00 PM	0.48
6/26/2025	8:15:00 PM	0.48
6/26/2025	8:30:00 PM	0.48
6/26/2025	8:45:00 PM	0.48

Locust Ditch Return Gage

DATE	TIME	GAGE
6/26/2025	9:00:00 PM	0.48
6/26/2025	9:15:00 PM	0.48
6/26/2025	9:30:00 PM	0.48
6/26/2025	9:45:00 PM	0.48
6/26/2025	10:00:00 PM	0.48
6/26/2025	10:15:00 PM	0.48
6/26/2025	10:30:00 PM	0.48
6/26/2025	10:45:00 PM	0.48
6/26/2025	11:00:00 PM	0.48
6/26/2025	11:15:00 PM	0.48
6/26/2025	11:30:00 PM	0.48
6/26/2025	11:45:00 PM	0.48
6/27/2025	12:00:00 AM	0.48
6/27/2025	12:15:00 AM	0.48
6/27/2025	12:30:00 AM	0.48
6/27/2025	12:45:00 AM	0.48
6/27/2025	1:00:00 AM	0.48
6/27/2025	1:15:00 AM	0.48
6/27/2025	1:30:00 AM	0.48
6/27/2025	1:45:00 AM	0.48
6/27/2025	2:00:00 AM	0.48
6/27/2025	2:15:00 AM	0.48
6/27/2025	2:30:00 AM	0.48
6/27/2025	2:45:00 AM	0.48
6/27/2025	3:00:00 AM	0.48
6/27/2025	3:15:00 AM	0.48
6/27/2025	3:30:00 AM	0.48
6/27/2025	3:45:00 AM	0.48
6/27/2025	4:00:00 AM	0.49
6/27/2025	4:15:00 AM	0.48
6/27/2025	4:30:00 AM	0.48
6/27/2025	4:45:00 AM	0.48
6/27/2025	5:00:00 AM	0.48
6/27/2025	5:15:00 AM	0.48
6/27/2025	5:30:00 AM	0.48
6/27/2025	5:45:00 AM	0.48
6/27/2025	6:00:00 AM	0.48
6/27/2025	6:15:00 AM	0.48
6/27/2025	6:30:00 AM	0.48
6/27/2025	6:45:00 AM	0.48
6/27/2025	7:00:00 AM	0.48
6/27/2025	7:15:00 AM	0.48
6/27/2025	7:30:00 AM	0.49
6/27/2025	7:45:00 AM	0.48
6/27/2025	8:00:00 AM	0.49
6/27/2025	8:15:00 AM	0.48

Locust Ditch Return Gage

DATE	TIME	GAGE
6/27/2025	8:30:00 AM	0.49
6/27/2025	8:45:00 AM	0.49
6/27/2025	9:00:00 AM	0.49
6/27/2025	9:15:00 AM	0.49
6/27/2025	9:30:00 AM	0.48
6/27/2025	9:45:00 AM	0.49
6/27/2025	10:00:00 AM	0.49
6/27/2025	10:15:00 AM	0.48
6/27/2025	10:30:00 AM	0.48
6/27/2025	10:45:00 AM	0.49
6/27/2025	11:00:00 AM	0.49
6/27/2025	11:15:00 AM	0.49
6/27/2025	11:30:00 AM	0.48
6/27/2025	11:45:00 AM	0.49
6/27/2025	12:00:00 PM	0.48
6/27/2025	12:15:00 PM	0.48
6/27/2025	12:30:00 PM	0.48
6/27/2025	12:45:00 PM	0.48
6/27/2025	1:00:00 PM	0.49
6/27/2025	1:15:00 PM	0.48
6/27/2025	1:30:00 PM	0.48
6/27/2025	1:45:00 PM	0.48
6/27/2025	2:00:00 PM	0.48
6/27/2025	2:15:00 PM	0.48
6/27/2025	2:30:00 PM	0.49
6/27/2025	2:45:00 PM	0.48
6/27/2025	3:00:00 PM	0.48
6/27/2025	3:15:00 PM	0.48
6/27/2025	3:30:00 PM	0.48
6/27/2025	3:45:00 PM	0.48
6/27/2025	4:00:00 PM	0.48
6/27/2025	4:15:00 PM	0.48
6/27/2025	4:30:00 PM	0.48
6/27/2025	4:45:00 PM	0.48
6/27/2025	5:00:00 PM	0.48
6/27/2025	5:15:00 PM	0.48
6/27/2025	5:30:00 PM	0.49
6/27/2025	5:45:00 PM	0.48
6/27/2025	6:00:00 PM	0.48
6/27/2025	6:15:00 PM	0.48
6/27/2025	6:30:00 PM	0.48
6/27/2025	6:45:00 PM	0.48
6/27/2025	7:00:00 PM	0.48
6/27/2025	7:15:00 PM	0.48
6/27/2025	7:30:00 PM	0.48
6/27/2025	7:45:00 PM	0.48

Locust Ditch Return Gage

DATE	TIME	GAGE
6/27/2025	8:00:00 PM	0.48
6/27/2025	8:15:00 PM	0.48
6/27/2025	8:30:00 PM	0.48
6/27/2025	8:45:00 PM	0.48
6/27/2025	9:00:00 PM	0.48
6/27/2025	9:15:00 PM	0.48
6/27/2025	9:30:00 PM	0.48
6/27/2025	9:45:00 PM	0.48
6/27/2025	10:00:00 PM	0.48
6/27/2025	10:15:00 PM	0.48
6/27/2025	10:30:00 PM	0.48
6/27/2025	10:45:00 PM	0.48
6/27/2025	11:00:00 PM	0.48
6/27/2025	11:15:00 PM	0.48
6/27/2025	11:30:00 PM	0.47
6/27/2025	11:45:00 PM	0.47
6/28/2025	12:00:00 AM	0.47
6/28/2025	12:15:00 AM	0.47
6/28/2025	12:30:00 AM	0.48
6/28/2025	12:45:00 AM	0.47
6/28/2025	1:00:00 AM	0.48
6/28/2025	1:15:00 AM	0.47
6/28/2025	1:30:00 AM	0.47
6/28/2025	1:45:00 AM	0.47
6/28/2025	2:00:00 AM	0.47
6/28/2025	2:15:00 AM	0.47
6/28/2025	2:30:00 AM	0.47
6/28/2025	2:45:00 AM	0.48
6/28/2025	3:00:00 AM	0.47
6/28/2025	3:15:00 AM	0.48
6/28/2025	3:30:00 AM	0.48
6/28/2025	3:45:00 AM	0.48
6/28/2025	4:00:00 AM	0.48
6/28/2025	4:15:00 AM	0.47
6/28/2025	4:30:00 AM	0.48
6/28/2025	4:45:00 AM	0.47
6/28/2025	5:00:00 AM	0.47
6/28/2025	5:15:00 AM	0.47
6/28/2025	5:30:00 AM	0.47
6/28/2025	5:45:00 AM	0.48
6/28/2025	6:00:00 AM	0.48
6/28/2025	6:15:00 AM	0.48
6/28/2025	6:30:00 AM	0.48
6/28/2025	6:45:00 AM	0.47
6/28/2025	7:00:00 AM	0.48
6/28/2025	7:15:00 AM	0.47

Locust Ditch Return Gage

DATE	TIME	GAGE
6/28/2025	7:30:00 AM	0.48
6/28/2025	7:45:00 AM	0.47
6/28/2025	8:00:00 AM	0.48
6/28/2025	8:15:00 AM	0.47
6/28/2025	8:30:00 AM	0.47
6/28/2025	8:45:00 AM	0.48
6/28/2025	9:00:00 AM	0.47
6/28/2025	9:15:00 AM	0.47
6/28/2025	9:30:00 AM	0.48
6/28/2025	9:45:00 AM	0.47
6/28/2025	10:00:00 AM	0.47
6/28/2025	10:15:00 AM	0.43
6/28/2025	10:30:00 AM	0.34
6/28/2025	10:45:00 AM	0.26
6/28/2025	11:00:00 AM	0.21
6/28/2025	11:15:00 AM	0.18
6/28/2025	11:30:00 AM	0.16
6/28/2025	11:45:00 AM	0.14
6/28/2025	12:00:00 PM	0.13
6/28/2025	12:15:00 PM	0.12
6/28/2025	12:30:00 PM	0.11
6/28/2025	12:45:00 PM	0.11
6/28/2025	1:00:00 PM	0.1
6/28/2025	1:15:00 PM	0.1
6/28/2025	1:30:00 PM	0.09
6/28/2025	1:45:00 PM	0.09
6/28/2025	2:00:00 PM	0.08
6/28/2025	2:15:00 PM	0.08
6/28/2025	2:30:00 PM	0.08
6/28/2025	2:45:00 PM	0.07
6/28/2025	3:00:00 PM	0.07
6/28/2025	3:15:00 PM	0.07
6/28/2025	3:30:00 PM	0.07
6/28/2025	3:45:00 PM	0.07
6/28/2025	4:00:00 PM	0.07
6/28/2025	4:15:00 PM	0.06
6/28/2025	4:30:00 PM	0.06
6/28/2025	4:45:00 PM	0.06
6/28/2025	5:00:00 PM	0.06
6/28/2025	5:15:00 PM	0.06
6/28/2025	5:30:00 PM	0.06
6/28/2025	5:45:00 PM	0.06
6/28/2025	6:00:00 PM	0.06
6/28/2025	6:15:00 PM	0.06
6/28/2025	6:30:00 PM	0.05
6/28/2025	6:45:00 PM	0.05

Locust Ditch Return Gage

DATE	TIME	GAGE
6/28/2025	7:00:00 PM	0.05
6/28/2025	7:15:00 PM	0.05
6/28/2025	7:30:00 PM	0.05
6/28/2025	7:45:00 PM	0.05
6/28/2025	8:00:00 PM	0.05
6/28/2025	8:15:00 PM	0.05
6/28/2025	8:30:00 PM	0.05
6/28/2025	8:45:00 PM	0.05
6/28/2025	9:00:00 PM	0.05
6/28/2025	9:15:00 PM	0.05
6/28/2025	9:30:00 PM	0.05
6/28/2025	9:45:00 PM	0.05
6/28/2025	10:00:00 PM	0.05
6/28/2025	10:15:00 PM	0.04
6/28/2025	10:30:00 PM	0.04
6/28/2025	10:45:00 PM	0.04
6/28/2025	11:00:00 PM	0.04
6/28/2025	11:15:00 PM	0.04
6/28/2025	11:30:00 PM	0.04
6/28/2025	11:45:00 PM	0.04
6/29/2025	12:00:00 AM	0.04
6/29/2025	12:15:00 AM	0.04
6/29/2025	12:30:00 AM	0.04
6/29/2025	12:45:00 AM	0.04
6/29/2025	1:00:00 AM	0.04
6/29/2025	1:15:00 AM	0.04
6/29/2025	1:30:00 AM	0.04
6/29/2025	1:45:00 AM	0.04
6/29/2025	2:00:00 AM	0.04
6/29/2025	2:15:00 AM	0.04
6/29/2025	2:30:00 AM	0.04
6/29/2025	2:45:00 AM	0.04
6/29/2025	3:00:00 AM	0.03
6/29/2025	3:15:00 AM	0.04
6/29/2025	3:30:00 AM	0.04
6/29/2025	3:45:00 AM	0.04
6/29/2025	4:00:00 AM	0.03
6/29/2025	4:15:00 AM	0.03
6/29/2025	4:30:00 AM	0.03
6/29/2025	4:45:00 AM	0.03
6/29/2025	5:00:00 AM	0.03
6/29/2025	5:15:00 AM	0.03
6/29/2025	5:30:00 AM	0.03
6/29/2025	5:45:00 AM	0.03
6/29/2025	6:00:00 AM	0.03
6/29/2025	6:15:00 AM	0.03

Locust Ditch Return Gage

DATE	TIME	GAGE
6/29/2025	6:30:00 AM	0.03
6/29/2025	6:45:00 AM	0.03
6/29/2025	7:00:00 AM	0.03
6/29/2025	7:15:00 AM	0.03
6/29/2025	7:30:00 AM	0.03
6/29/2025	7:45:00 AM	0.03
6/29/2025	8:00:00 AM	0.03
6/29/2025	8:15:00 AM	0.03
6/29/2025	8:30:00 AM	0.03
6/29/2025	8:45:00 AM	0.03
6/29/2025	9:00:00 AM	0.03
6/29/2025	9:15:00 AM	0.03
6/29/2025	9:30:00 AM	0.03
6/29/2025	9:45:00 AM	0.03
6/29/2025	10:00:00 AM	0.03
6/29/2025	10:15:00 AM	0.03
6/29/2025	10:30:00 AM	0.03
6/29/2025	10:45:00 AM	0.03
6/29/2025	11:00:00 AM	0.03
6/29/2025	11:15:00 AM	0.03
6/29/2025	11:30:00 AM	0.03
6/29/2025	11:45:00 AM	0.03
6/29/2025	12:00:00 PM	0.03
6/29/2025	12:15:00 PM	0.03
6/29/2025	12:30:00 PM	0.03
6/29/2025	12:45:00 PM	0.03
6/29/2025	1:00:00 PM	0.03
6/29/2025	1:15:00 PM	0.03
6/29/2025	1:30:00 PM	0.03
6/29/2025	1:45:00 PM	0.03
6/29/2025	2:00:00 PM	0.03
6/29/2025	2:15:00 PM	0.03
6/29/2025	2:30:00 PM	0.03
6/29/2025	2:45:00 PM	0.03
6/29/2025	3:00:00 PM	0.03
6/29/2025	3:15:00 PM	0.03
6/29/2025	3:30:00 PM	0.02
6/29/2025	3:45:00 PM	0.03
6/29/2025	4:00:00 PM	0.03
6/29/2025	4:15:00 PM	0.02
6/29/2025	4:30:00 PM	0.02
6/29/2025	4:45:00 PM	0.02
6/29/2025	5:00:00 PM	0.02
6/29/2025	5:15:00 PM	0.02
6/29/2025	5:30:00 PM	0.02
6/29/2025	5:45:00 PM	0.02

Locust Ditch Return Gage

DATE	TIME	GAGE
6/29/2025	6:00:00 PM	0.02
6/29/2025	6:15:00 PM	0.02
6/29/2025	6:30:00 PM	0.02
6/29/2025	6:45:00 PM	0.02
6/29/2025	7:00:00 PM	0.02
6/29/2025	7:15:00 PM	0.02
6/29/2025	7:30:00 PM	0.02
6/29/2025	7:45:00 PM	0.02
6/29/2025	8:00:00 PM	0.02
6/29/2025	8:15:00 PM	0.02
6/29/2025	8:30:00 PM	0.02
6/29/2025	8:45:00 PM	0.02
6/29/2025	9:00:00 PM	0.02
6/29/2025	9:15:00 PM	0.03
6/29/2025	9:30:00 PM	0.03
6/29/2025	9:45:00 PM	0.03
6/29/2025	10:00:00 PM	0.03
6/29/2025	10:15:00 PM	0.03
6/29/2025	10:30:00 PM	0.03
6/29/2025	10:45:00 PM	0.03
6/29/2025	11:00:00 PM	0.03
6/29/2025	11:15:00 PM	0.03
6/29/2025	11:30:00 PM	0.03
6/29/2025	11:45:00 PM	0.03
6/30/2025	12:00:00 AM	0.03
6/30/2025	12:15:00 AM	0.03
6/30/2025	12:30:00 AM	0.03
6/30/2025	12:45:00 AM	0.03
6/30/2025	1:00:00 AM	0.03
6/30/2025	1:15:00 AM	0.03
6/30/2025	1:30:00 AM	0.03
6/30/2025	1:45:00 AM	0.03
6/30/2025	2:00:00 AM	0.03
6/30/2025	2:15:00 AM	0.03
6/30/2025	2:30:00 AM	0.03
6/30/2025	2:45:00 AM	0.03
6/30/2025	3:00:00 AM	0.03
6/30/2025	3:15:00 AM	0.03
6/30/2025	3:30:00 AM	0.03
6/30/2025	3:45:00 AM	0.03
6/30/2025	4:00:00 AM	0.03
6/30/2025	4:15:00 AM	0.03
6/30/2025	4:30:00 AM	0.03
6/30/2025	4:45:00 AM	0.03
6/30/2025	5:00:00 AM	0.03
6/30/2025	5:15:00 AM	0.02

Locust Ditch Return Gage

DATE	TIME	GAGE
6/30/2025	5:30:00 AM	0.03
6/30/2025	5:45:00 AM	0.03
6/30/2025	6:00:00 AM	0.03
6/30/2025	6:15:00 AM	0.03
6/30/2025	6:30:00 AM	0.03
6/30/2025	6:45:00 AM	0.03
6/30/2025	7:00:00 AM	0.03
6/30/2025	7:15:00 AM	0.03
6/30/2025	7:30:00 AM	0.03
6/30/2025	7:45:00 AM	0.03
6/30/2025	8:00:00 AM	0.03
6/30/2025	8:15:00 AM	0.03
6/30/2025	8:30:00 AM	0.03
6/30/2025	8:45:00 AM	0.03
6/30/2025	9:00:00 AM	0.03
6/30/2025	9:15:00 AM	0.03
6/30/2025	9:30:00 AM	0.03
6/30/2025	9:45:00 AM	0.03
6/30/2025	10:00:00 AM	0.03
6/30/2025	10:15:00 AM	0.02
6/30/2025	10:30:00 AM	0.02
6/30/2025	10:45:00 AM	0.02
6/30/2025	11:00:00 AM	0.02
6/30/2025	11:15:00 AM	0.02
6/30/2025	11:30:00 AM	0.02
6/30/2025	11:45:00 AM	0.02
6/30/2025	12:00:00 PM	0.02
6/30/2025	12:15:00 PM	0.02
6/30/2025	12:30:00 PM	0.02
6/30/2025	12:45:00 PM	0.02
6/30/2025	1:00:00 PM	0.01
6/30/2025	1:15:00 PM	0.01
6/30/2025	1:30:00 PM	0.01
6/30/2025	1:45:00 PM	0.01
6/30/2025	2:00:00 PM	0.01
6/30/2025	2:15:00 PM	0
6/30/2025	2:30:00 PM	0
6/30/2025	2:45:00 PM	0
6/30/2025	3:00:00 PM	0
6/30/2025	3:15:00 PM	0
6/30/2025	3:30:00 PM	0
6/30/2025	3:45:00 PM	0
6/30/2025	4:00:00 PM	0
6/30/2025	4:15:00 PM	0
6/30/2025	4:30:00 PM	0
6/30/2025	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
6/30/2025	5:00:00 PM	0
6/30/2025	5:15:00 PM	0
6/30/2025	5:30:00 PM	0
6/30/2025	5:45:00 PM	0
6/30/2025	6:00:00 PM	0
6/30/2025	6:15:00 PM	0
6/30/2025	6:30:00 PM	0
6/30/2025	6:45:00 PM	0
6/30/2025	7:00:00 PM	0
6/30/2025	7:15:00 PM	0
6/30/2025	7:30:00 PM	0
6/30/2025	7:45:00 PM	0
6/30/2025	8:00:00 PM	0
6/30/2025	8:15:00 PM	0
6/30/2025	8:30:00 PM	0
6/30/2025	8:45:00 PM	0
6/30/2025	9:00:00 PM	0
6/30/2025	9:15:00 PM	0
6/30/2025	9:30:00 PM	0
6/30/2025	9:45:00 PM	0
6/30/2025	10:00:00 PM	0
6/30/2025	10:15:00 PM	0
6/30/2025	10:30:00 PM	0
6/30/2025	10:45:00 PM	0
6/30/2025	11:00:00 PM	0
6/30/2025	11:15:00 PM	0
6/30/2025	11:30:00 PM	0
6/30/2025	11:45:00 PM	0

Georges Ditch Return

Station 0217

Date	Flow (cfs)
6/1/2025	0.27
6/2/2025	0.14
6/3/2025	0.10
6/4/2025	0.05
6/5/2025	0.08
6/6/2025	0.19
6/7/2025	0.33
6/8/2025	1.22
6/9/2025	0.15
6/10/2025	0.13
6/11/2025	0.40
6/12/2025	0.22
6/13/2025	0.15
6/14/2025	0.78
6/15/2025	0.69
6/16/2025	0.62
6/17/2025	0.53
6/18/2025	3.70
6/19/2025	5.34
6/20/2025	4.31
6/21/2025	6.15
6/22/2025	5.86
6/23/2025	5.43
6/24/2025	5.22
6/25/2025	5.09
6/26/2025	4.95
6/27/2025	4.92
6/28/2025	3.17
6/29/2025	0.05
6/30/2025	0.25

Georges Ditch Return Gage

DATE	TIME	GAGE
6/1/2025	12:00:00 AM	0.08
6/1/2025	12:15:00 AM	0.08
6/1/2025	12:30:00 AM	0.08
6/1/2025	12:45:00 AM	0.08
6/1/2025	1:00:00 AM	0.08
6/1/2025	1:15:00 AM	0.08
6/1/2025	1:30:00 AM	0.08
6/1/2025	1:45:00 AM	0.08
6/1/2025	2:00:00 AM	0.08
6/1/2025	2:15:00 AM	0.09
6/1/2025	2:30:00 AM	0.09
6/1/2025	2:45:00 AM	0.09
6/1/2025	3:00:00 AM	0.09
6/1/2025	3:15:00 AM	0.08
6/1/2025	3:30:00 AM	0.08
6/1/2025	3:45:00 AM	0.08
6/1/2025	4:00:00 AM	0.09
6/1/2025	4:15:00 AM	0.09
6/1/2025	4:30:00 AM	0.08
6/1/2025	4:45:00 AM	0.08
6/1/2025	5:00:00 AM	0.08
6/1/2025	5:15:00 AM	0.08
6/1/2025	5:30:00 AM	0.08
6/1/2025	5:45:00 AM	0.08
6/1/2025	6:00:00 AM	0.08
6/1/2025	6:15:00 AM	0.08
6/1/2025	6:30:00 AM	0.08
6/1/2025	6:45:00 AM	0.08
6/1/2025	7:00:00 AM	0.08
6/1/2025	7:15:00 AM	0.08
6/1/2025	7:30:00 AM	0.07
6/1/2025	7:45:00 AM	0.07
6/1/2025	8:00:00 AM	0.07
6/1/2025	8:15:00 AM	0.07
6/1/2025	8:30:00 AM	0.07
6/1/2025	8:45:00 AM	0.07
6/1/2025	9:00:00 AM	0.07
6/1/2025	9:15:00 AM	0.07
6/1/2025	9:30:00 AM	0.07
6/1/2025	9:45:00 AM	0.06
6/1/2025	10:00:00 AM	0.06
6/1/2025	10:15:00 AM	0.06
6/1/2025	10:30:00 AM	0.06
6/1/2025	10:45:00 AM	0.06
6/1/2025	11:00:00 AM	0.06
6/1/2025	11:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
6/1/2025	11:30:00 AM	0.06
6/1/2025	11:45:00 AM	0.06
6/1/2025	12:00:00 PM	0.06
6/1/2025	12:15:00 PM	0.05
6/1/2025	12:30:00 PM	0.05
6/1/2025	12:45:00 PM	0.05
6/1/2025	1:00:00 PM	0.05
6/1/2025	1:15:00 PM	0.05
6/1/2025	1:30:00 PM	0.05
6/1/2025	1:45:00 PM	0.05
6/1/2025	2:00:00 PM	0.05
6/1/2025	2:15:00 PM	0.05
6/1/2025	2:30:00 PM	0.05
6/1/2025	2:45:00 PM	0.05
6/1/2025	3:00:00 PM	0.05
6/1/2025	3:15:00 PM	0.05
6/1/2025	3:30:00 PM	0.05
6/1/2025	3:45:00 PM	0.05
6/1/2025	4:00:00 PM	0.05
6/1/2025	4:15:00 PM	0.05
6/1/2025	4:30:00 PM	0.05
6/1/2025	4:45:00 PM	0.05
6/1/2025	5:00:00 PM	0.05
6/1/2025	5:15:00 PM	0.05
6/1/2025	5:30:00 PM	0.05
6/1/2025	5:45:00 PM	0.05
6/1/2025	6:00:00 PM	0.05
6/1/2025	6:15:00 PM	0.05
6/1/2025	6:30:00 PM	0.05
6/1/2025	6:45:00 PM	0.05
6/1/2025	7:00:00 PM	0.05
6/1/2025	7:15:00 PM	0.05
6/1/2025	7:30:00 PM	0.05
6/1/2025	7:45:00 PM	0.05
6/1/2025	8:00:00 PM	0.05
6/1/2025	8:15:00 PM	0.05
6/1/2025	8:30:00 PM	0.05
6/1/2025	8:45:00 PM	0.05
6/1/2025	9:00:00 PM	0.05
6/1/2025	9:15:00 PM	0.05
6/1/2025	9:30:00 PM	0.05
6/1/2025	9:45:00 PM	0.05
6/1/2025	10:00:00 PM	0.05
6/1/2025	10:15:00 PM	0.05
6/1/2025	10:30:00 PM	0.05
6/1/2025	10:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
6/1/2025	11:00:00 PM	0.05
6/1/2025	11:15:00 PM	0.05
6/1/2025	11:30:00 PM	0.05
6/1/2025	11:45:00 PM	0.05
6/2/2025	12:00:00 AM	0.05
6/2/2025	12:15:00 AM	0.05
6/2/2025	12:30:00 AM	0.05
6/2/2025	12:45:00 AM	0.05
6/2/2025	1:00:00 AM	0.05
6/2/2025	1:15:00 AM	0.05
6/2/2025	1:30:00 AM	0.05
6/2/2025	1:45:00 AM	0.05
6/2/2025	2:00:00 AM	0.05
6/2/2025	2:15:00 AM	0.05
6/2/2025	2:30:00 AM	0.05
6/2/2025	2:45:00 AM	0.05
6/2/2025	3:00:00 AM	0.05
6/2/2025	3:15:00 AM	0.05
6/2/2025	3:30:00 AM	0.05
6/2/2025	3:45:00 AM	0.05
6/2/2025	4:00:00 AM	0.05
6/2/2025	4:15:00 AM	0.05
6/2/2025	4:30:00 AM	0.05
6/2/2025	4:45:00 AM	0.05
6/2/2025	5:00:00 AM	0.05
6/2/2025	5:15:00 AM	0.05
6/2/2025	5:30:00 AM	0.05
6/2/2025	5:45:00 AM	0.05
6/2/2025	6:00:00 AM	0.05
6/2/2025	6:15:00 AM	0.05
6/2/2025	6:30:00 AM	0.05
6/2/2025	6:45:00 AM	0.05
6/2/2025	7:00:00 AM	0.05
6/2/2025	7:15:00 AM	0.05
6/2/2025	7:30:00 AM	0.05
6/2/2025	7:45:00 AM	0.05
6/2/2025	8:00:00 AM	0.05
6/2/2025	8:15:00 AM	0.04
6/2/2025	8:30:00 AM	0.04
6/2/2025	8:45:00 AM	0.04
6/2/2025	9:00:00 AM	0.04
6/2/2025	9:15:00 AM	0.04
6/2/2025	9:30:00 AM	0.04
6/2/2025	9:45:00 AM	0.04
6/2/2025	10:00:00 AM	0.04
6/2/2025	10:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/2/2025	10:30:00 AM	0.04
6/2/2025	10:45:00 AM	0.04
6/2/2025	11:00:00 AM	0.04
6/2/2025	11:15:00 AM	0.04
6/2/2025	11:30:00 AM	0.04
6/2/2025	11:45:00 AM	0.04
6/2/2025	12:00:00 PM	0.04
6/2/2025	12:15:00 PM	0.04
6/2/2025	12:30:00 PM	0.04
6/2/2025	12:45:00 PM	0.04
6/2/2025	1:00:00 PM	0.04
6/2/2025	1:15:00 PM	0.04
6/2/2025	1:30:00 PM	0.04
6/2/2025	1:45:00 PM	0.04
6/2/2025	2:00:00 PM	0.04
6/2/2025	2:15:00 PM	0.04
6/2/2025	2:30:00 PM	0.04
6/2/2025	2:45:00 PM	0.03
6/2/2025	3:00:00 PM	0.03
6/2/2025	3:15:00 PM	0.03
6/2/2025	3:30:00 PM	0.03
6/2/2025	3:45:00 PM	0.03
6/2/2025	4:00:00 PM	0.03
6/2/2025	4:15:00 PM	0.03
6/2/2025	4:30:00 PM	0.03
6/2/2025	4:45:00 PM	0.03
6/2/2025	5:00:00 PM	0.03
6/2/2025	5:15:00 PM	0.03
6/2/2025	5:30:00 PM	0.03
6/2/2025	5:45:00 PM	0.03
6/2/2025	6:00:00 PM	0.03
6/2/2025	6:15:00 PM	0.03
6/2/2025	6:30:00 PM	0.03
6/2/2025	6:45:00 PM	0.03
6/2/2025	7:00:00 PM	0.04
6/2/2025	7:15:00 PM	0.04
6/2/2025	7:30:00 PM	0.04
6/2/2025	7:45:00 PM	0.04
6/2/2025	8:00:00 PM	0.04
6/2/2025	8:15:00 PM	0.04
6/2/2025	8:30:00 PM	0.04
6/2/2025	8:45:00 PM	0.04
6/2/2025	9:00:00 PM	0.04
6/2/2025	9:15:00 PM	0.04
6/2/2025	9:30:00 PM	0.04
6/2/2025	9:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/2/2025	10:00:00 PM	0.04
6/2/2025	10:15:00 PM	0.04
6/2/2025	10:30:00 PM	0.04
6/2/2025	10:45:00 PM	0.04
6/2/2025	11:00:00 PM	0.04
6/2/2025	11:15:00 PM	0.04
6/2/2025	11:30:00 PM	0.04
6/2/2025	11:45:00 PM	0.04
6/3/2025	12:00:00 AM	0.04
6/3/2025	12:15:00 AM	0.04
6/3/2025	12:30:00 AM	0.04
6/3/2025	12:45:00 AM	0.04
6/3/2025	1:00:00 AM	0.04
6/3/2025	1:15:00 AM	0.04
6/3/2025	1:30:00 AM	0.04
6/3/2025	1:45:00 AM	0.04
6/3/2025	2:00:00 AM	0.04
6/3/2025	2:15:00 AM	0.04
6/3/2025	2:30:00 AM	0.04
6/3/2025	2:45:00 AM	0.04
6/3/2025	3:00:00 AM	0.04
6/3/2025	3:15:00 AM	0.04
6/3/2025	3:30:00 AM	0.04
6/3/2025	3:45:00 AM	0.04
6/3/2025	4:00:00 AM	0.04
6/3/2025	4:15:00 AM	0.04
6/3/2025	4:30:00 AM	0.04
6/3/2025	4:45:00 AM	0.04
6/3/2025	5:00:00 AM	0.04
6/3/2025	5:15:00 AM	0.04
6/3/2025	5:30:00 AM	0.04
6/3/2025	5:45:00 AM	0.04
6/3/2025	6:00:00 AM	0.04
6/3/2025	6:15:00 AM	0.04
6/3/2025	6:30:00 AM	0.04
6/3/2025	6:45:00 AM	0.04
6/3/2025	7:00:00 AM	0.04
6/3/2025	7:15:00 AM	0.04
6/3/2025	7:30:00 AM	0.04
6/3/2025	7:45:00 AM	0.04
6/3/2025	8:00:00 AM	0.04
6/3/2025	8:15:00 AM	0.04
6/3/2025	8:30:00 AM	0.04
6/3/2025	8:45:00 AM	0.03
6/3/2025	9:00:00 AM	0.04
6/3/2025	9:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/3/2025	9:30:00 AM	0.04
6/3/2025	9:45:00 AM	0.04
6/3/2025	10:00:00 AM	0.03
6/3/2025	10:15:00 AM	0.03
6/3/2025	10:30:00 AM	0.03
6/3/2025	10:45:00 AM	0.03
6/3/2025	11:00:00 AM	0.03
6/3/2025	11:15:00 AM	0.03
6/3/2025	11:30:00 AM	0.03
6/3/2025	11:45:00 AM	0.03
6/3/2025	12:00:00 PM	0.03
6/3/2025	12:15:00 PM	0.03
6/3/2025	12:30:00 PM	0.03
6/3/2025	12:45:00 PM	0.03
6/3/2025	1:00:00 PM	0.03
6/3/2025	1:15:00 PM	0.03
6/3/2025	1:30:00 PM	0.03
6/3/2025	1:45:00 PM	0.02
6/3/2025	2:00:00 PM	0.03
6/3/2025	2:15:00 PM	0.02
6/3/2025	2:30:00 PM	0.03
6/3/2025	2:45:00 PM	0.02
6/3/2025	3:00:00 PM	0.02
6/3/2025	3:15:00 PM	0.02
6/3/2025	3:30:00 PM	0.02
6/3/2025	3:45:00 PM	0.02
6/3/2025	4:00:00 PM	0.02
6/3/2025	4:15:00 PM	0.02
6/3/2025	4:30:00 PM	0.02
6/3/2025	4:45:00 PM	0.02
6/3/2025	5:00:00 PM	0.02
6/3/2025	5:15:00 PM	0.02
6/3/2025	5:30:00 PM	0.02
6/3/2025	5:45:00 PM	0.02
6/3/2025	6:00:00 PM	0.02
6/3/2025	6:15:00 PM	0.02
6/3/2025	6:30:00 PM	0.02
6/3/2025	6:45:00 PM	0.02
6/3/2025	7:00:00 PM	0.02
6/3/2025	7:15:00 PM	0.02
6/3/2025	7:30:00 PM	0.02
6/3/2025	7:45:00 PM	0.02
6/3/2025	8:00:00 PM	0.02
6/3/2025	8:15:00 PM	0.02
6/3/2025	8:30:00 PM	0.02
6/3/2025	8:45:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
6/3/2025	9:00:00 PM	0.03
6/3/2025	9:15:00 PM	0.03
6/3/2025	9:30:00 PM	0.03
6/3/2025	9:45:00 PM	0.03
6/3/2025	10:00:00 PM	0.03
6/3/2025	10:15:00 PM	0.03
6/3/2025	10:30:00 PM	0.03
6/3/2025	10:45:00 PM	0.03
6/3/2025	11:00:00 PM	0.03
6/3/2025	11:15:00 PM	0.03
6/3/2025	11:30:00 PM	0.03
6/3/2025	11:45:00 PM	0.03
6/4/2025	12:00:00 AM	0.03
6/4/2025	12:15:00 AM	0.03
6/4/2025	12:30:00 AM	0.03
6/4/2025	12:45:00 AM	0.03
6/4/2025	1:00:00 AM	0.03
6/4/2025	1:15:00 AM	0.03
6/4/2025	1:30:00 AM	0.03
6/4/2025	1:45:00 AM	0.03
6/4/2025	2:00:00 AM	0.03
6/4/2025	2:15:00 AM	0.03
6/4/2025	2:30:00 AM	0.03
6/4/2025	2:45:00 AM	0.03
6/4/2025	3:00:00 AM	0.03
6/4/2025	3:15:00 AM	0.03
6/4/2025	3:30:00 AM	0.03
6/4/2025	3:45:00 AM	0.03
6/4/2025	4:00:00 AM	0.03
6/4/2025	4:15:00 AM	0.03
6/4/2025	4:30:00 AM	0.03
6/4/2025	4:45:00 AM	0.03
6/4/2025	5:00:00 AM	0.03
6/4/2025	5:15:00 AM	0.03
6/4/2025	5:30:00 AM	0.03
6/4/2025	5:45:00 AM	0.03
6/4/2025	6:00:00 AM	0.03
6/4/2025	6:15:00 AM	0.03
6/4/2025	6:30:00 AM	0.03
6/4/2025	6:45:00 AM	0.03
6/4/2025	7:00:00 AM	0.03
6/4/2025	7:15:00 AM	0.03
6/4/2025	7:30:00 AM	0.03
6/4/2025	7:45:00 AM	0.03
6/4/2025	8:00:00 AM	0.03
6/4/2025	8:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
6/4/2025	8:30:00 AM	0.03
6/4/2025	8:45:00 AM	0.03
6/4/2025	9:00:00 AM	0.03
6/4/2025	9:15:00 AM	0.03
6/4/2025	9:30:00 AM	0.03
6/4/2025	9:45:00 AM	0.02
6/4/2025	10:00:00 AM	0.02
6/4/2025	10:15:00 AM	0.02
6/4/2025	10:30:00 AM	0.02
6/4/2025	10:45:00 AM	0.02
6/4/2025	11:00:00 AM	0.02
6/4/2025	11:15:00 AM	0.02
6/4/2025	11:30:00 AM	0.02
6/4/2025	11:45:00 AM	0.02
6/4/2025	12:00:00 PM	0.02
6/4/2025	12:15:00 PM	0.02
6/4/2025	12:30:00 PM	0.02
6/4/2025	12:45:00 PM	0.01
6/4/2025	1:00:00 PM	0.01
6/4/2025	1:15:00 PM	0.01
6/4/2025	1:30:00 PM	0.01
6/4/2025	1:45:00 PM	0.01
6/4/2025	2:00:00 PM	0.01
6/4/2025	2:15:00 PM	0.01
6/4/2025	2:30:00 PM	0.01
6/4/2025	2:45:00 PM	0.01
6/4/2025	3:00:00 PM	0.01
6/4/2025	3:15:00 PM	0.01
6/4/2025	3:30:00 PM	0.01
6/4/2025	3:45:00 PM	0.01
6/4/2025	4:00:00 PM	0.01
6/4/2025	4:15:00 PM	0.01
6/4/2025	4:30:00 PM	0.01
6/4/2025	4:45:00 PM	0.01
6/4/2025	5:00:00 PM	0.01
6/4/2025	5:15:00 PM	0.01
6/4/2025	5:30:00 PM	0.01
6/4/2025	5:45:00 PM	0.01
6/4/2025	6:00:00 PM	0.01
6/4/2025	6:15:00 PM	0.01
6/4/2025	6:30:00 PM	0.01
6/4/2025	6:45:00 PM	0.01
6/4/2025	7:00:00 PM	0.01
6/4/2025	7:15:00 PM	0.01
6/4/2025	7:30:00 PM	0.01
6/4/2025	7:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
6/4/2025	8:00:00 PM	0.01
6/4/2025	8:15:00 PM	0.01
6/4/2025	8:30:00 PM	0.01
6/4/2025	8:45:00 PM	0.01
6/4/2025	9:00:00 PM	0.01
6/4/2025	9:15:00 PM	0.01
6/4/2025	9:30:00 PM	0.01
6/4/2025	9:45:00 PM	0.01
6/4/2025	10:00:00 PM	0.01
6/4/2025	10:15:00 PM	0.01
6/4/2025	10:30:00 PM	0.01
6/4/2025	10:45:00 PM	0.01
6/4/2025	11:00:00 PM	0.01
6/4/2025	11:15:00 PM	0.01
6/4/2025	11:30:00 PM	0.01
6/4/2025	11:45:00 PM	0.01
6/5/2025	12:00:00 AM	0.01
6/5/2025	12:15:00 AM	0.01
6/5/2025	12:30:00 AM	0.01
6/5/2025	12:45:00 AM	0.01
6/5/2025	1:00:00 AM	0.01
6/5/2025	1:15:00 AM	0.01
6/5/2025	1:30:00 AM	0.01
6/5/2025	1:45:00 AM	0.02
6/5/2025	2:00:00 AM	0.02
6/5/2025	2:15:00 AM	0.02
6/5/2025	2:30:00 AM	0.02
6/5/2025	2:45:00 AM	0.02
6/5/2025	3:00:00 AM	0.02
6/5/2025	3:15:00 AM	0.03
6/5/2025	3:30:00 AM	0.02
6/5/2025	3:45:00 AM	0.03
6/5/2025	4:00:00 AM	0.03
6/5/2025	4:15:00 AM	0.03
6/5/2025	4:30:00 AM	0.03
6/5/2025	4:45:00 AM	0.03
6/5/2025	5:00:00 AM	0.03
6/5/2025	5:15:00 AM	0.03
6/5/2025	5:30:00 AM	0.03
6/5/2025	5:45:00 AM	0.03
6/5/2025	6:00:00 AM	0.03
6/5/2025	6:15:00 AM	0.03
6/5/2025	6:30:00 AM	0.03
6/5/2025	6:45:00 AM	0.03
6/5/2025	7:00:00 AM	0.02
6/5/2025	7:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
6/5/2025	7:30:00 AM	0.03
6/5/2025	7:45:00 AM	0.03
6/5/2025	8:00:00 AM	0.03
6/5/2025	8:15:00 AM	0.03
6/5/2025	8:30:00 AM	0.03
6/5/2025	8:45:00 AM	0.03
6/5/2025	9:00:00 AM	0.02
6/5/2025	9:15:00 AM	0.03
6/5/2025	9:30:00 AM	0.03
6/5/2025	9:45:00 AM	0.03
6/5/2025	10:00:00 AM	0.02
6/5/2025	10:15:00 AM	0.02
6/5/2025	10:30:00 AM	0.02
6/5/2025	10:45:00 AM	0.02
6/5/2025	11:00:00 AM	0.02
6/5/2025	11:15:00 AM	0.02
6/5/2025	11:30:00 AM	0.02
6/5/2025	11:45:00 AM	0.02
6/5/2025	12:00:00 PM	0.02
6/5/2025	12:15:00 PM	0.02
6/5/2025	12:30:00 PM	0.02
6/5/2025	12:45:00 PM	0.02
6/5/2025	1:00:00 PM	0.02
6/5/2025	1:15:00 PM	0.02
6/5/2025	1:30:00 PM	0.02
6/5/2025	1:45:00 PM	0.02
6/5/2025	2:00:00 PM	0.02
6/5/2025	2:15:00 PM	0.01
6/5/2025	2:30:00 PM	0.01
6/5/2025	2:45:00 PM	0.01
6/5/2025	3:00:00 PM	0.01
6/5/2025	3:15:00 PM	0.01
6/5/2025	3:30:00 PM	0.01
6/5/2025	3:45:00 PM	0.01
6/5/2025	4:00:00 PM	0.01
6/5/2025	4:15:00 PM	0.01
6/5/2025	4:30:00 PM	0.01
6/5/2025	4:45:00 PM	0.01
6/5/2025	5:00:00 PM	0.01
6/5/2025	5:15:00 PM	0.03
6/5/2025	5:30:00 PM	0.05
6/5/2025	5:45:00 PM	0.05
6/5/2025	6:00:00 PM	0.06
6/5/2025	6:15:00 PM	0.05
6/5/2025	6:30:00 PM	0.05
6/5/2025	6:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
6/5/2025	7:00:00 PM	0.05
6/5/2025	7:15:00 PM	0.05
6/5/2025	7:30:00 PM	0.05
6/5/2025	7:45:00 PM	0.05
6/5/2025	8:00:00 PM	0.05
6/5/2025	8:15:00 PM	0.04
6/5/2025	8:30:00 PM	0.04
6/5/2025	8:45:00 PM	0.04
6/5/2025	9:00:00 PM	0.04
6/5/2025	9:15:00 PM	0.04
6/5/2025	9:30:00 PM	0.04
6/5/2025	9:45:00 PM	0.04
6/5/2025	10:00:00 PM	0.04
6/5/2025	10:15:00 PM	0.04
6/5/2025	10:30:00 PM	0.04
6/5/2025	10:45:00 PM	0.04
6/5/2025	11:00:00 PM	0.04
6/5/2025	11:15:00 PM	0.04
6/5/2025	11:30:00 PM	0.05
6/5/2025	11:45:00 PM	0.05
6/6/2025	12:00:00 AM	0.05
6/6/2025	12:15:00 AM	0.05
6/6/2025	12:30:00 AM	0.05
6/6/2025	12:45:00 AM	0.05
6/6/2025	1:00:00 AM	0.05
6/6/2025	1:15:00 AM	0.05
6/6/2025	1:30:00 AM	0.05
6/6/2025	1:45:00 AM	0.05
6/6/2025	2:00:00 AM	0.05
6/6/2025	2:15:00 AM	0.05
6/6/2025	2:30:00 AM	0.05
6/6/2025	2:45:00 AM	0.06
6/6/2025	3:00:00 AM	0.06
6/6/2025	3:15:00 AM	0.06
6/6/2025	3:30:00 AM	0.06
6/6/2025	3:45:00 AM	0.06
6/6/2025	4:00:00 AM	0.06
6/6/2025	4:15:00 AM	0.06
6/6/2025	4:30:00 AM	0.06
6/6/2025	4:45:00 AM	0.06
6/6/2025	5:00:00 AM	0.06
6/6/2025	5:15:00 AM	0.06
6/6/2025	5:30:00 AM	0.06
6/6/2025	5:45:00 AM	0.06
6/6/2025	6:00:00 AM	0.07
6/6/2025	6:15:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
6/6/2025	6:30:00 AM	0.07
6/6/2025	6:45:00 AM	0.07
6/6/2025	7:00:00 AM	0.07
6/6/2025	7:15:00 AM	0.07
6/6/2025	7:30:00 AM	0.07
6/6/2025	7:45:00 AM	0.07
6/6/2025	8:00:00 AM	0.07
6/6/2025	8:15:00 AM	0.07
6/6/2025	8:30:00 AM	0.07
6/6/2025	8:45:00 AM	0.07
6/6/2025	9:00:00 AM	0.07
6/6/2025	9:15:00 AM	0.07
6/6/2025	9:30:00 AM	0.06
6/6/2025	9:45:00 AM	0.06
6/6/2025	10:00:00 AM	0.06
6/6/2025	10:15:00 AM	0.06
6/6/2025	10:30:00 AM	0.06
6/6/2025	10:45:00 AM	0.06
6/6/2025	11:00:00 AM	0.06
6/6/2025	11:15:00 AM	0.05
6/6/2025	11:30:00 AM	0.05
6/6/2025	11:45:00 AM	0.05
6/6/2025	12:00:00 PM	0.05
6/6/2025	12:15:00 PM	0.05
6/6/2025	12:30:00 PM	0.05
6/6/2025	12:45:00 PM	0.05
6/6/2025	1:00:00 PM	0.05
6/6/2025	1:15:00 PM	0.05
6/6/2025	1:30:00 PM	0.04
6/6/2025	1:45:00 PM	0.05
6/6/2025	2:00:00 PM	0.04
6/6/2025	2:15:00 PM	0.04
6/6/2025	2:30:00 PM	0.04
6/6/2025	2:45:00 PM	0.04
6/6/2025	3:00:00 PM	0.04
6/6/2025	3:15:00 PM	0.04
6/6/2025	3:30:00 PM	0.04
6/6/2025	3:45:00 PM	0.04
6/6/2025	4:00:00 PM	0.04
6/6/2025	4:15:00 PM	0.04
6/6/2025	4:30:00 PM	0.04
6/6/2025	4:45:00 PM	0.04
6/6/2025	5:00:00 PM	0.04
6/6/2025	5:15:00 PM	0.04
6/6/2025	5:30:00 PM	0.04
6/6/2025	5:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/6/2025	6:00:00 PM	0.04
6/6/2025	6:15:00 PM	0.04
6/6/2025	6:30:00 PM	0.04
6/6/2025	6:45:00 PM	0.04
6/6/2025	7:00:00 PM	0.04
6/6/2025	7:15:00 PM	0.04
6/6/2025	7:30:00 PM	0.04
6/6/2025	7:45:00 PM	0.04
6/6/2025	8:00:00 PM	0.04
6/6/2025	8:15:00 PM	0.04
6/6/2025	8:30:00 PM	0.04
6/6/2025	8:45:00 PM	0.04
6/6/2025	9:00:00 PM	0.04
6/6/2025	9:15:00 PM	0.04
6/6/2025	9:30:00 PM	0.03
6/6/2025	9:45:00 PM	0.03
6/6/2025	10:00:00 PM	0.04
6/6/2025	10:15:00 PM	0.03
6/6/2025	10:30:00 PM	0.03
6/6/2025	10:45:00 PM	0.03
6/6/2025	11:00:00 PM	0.03
6/6/2025	11:15:00 PM	0.04
6/6/2025	11:30:00 PM	0.03
6/6/2025	11:45:00 PM	0.03
6/7/2025	12:00:00 AM	0.04
6/7/2025	12:15:00 AM	0.04
6/7/2025	12:30:00 AM	0.04
6/7/2025	12:45:00 AM	0.04
6/7/2025	1:00:00 AM	0.04
6/7/2025	1:15:00 AM	0.04
6/7/2025	1:30:00 AM	0.04
6/7/2025	1:45:00 AM	0.04
6/7/2025	2:00:00 AM	0.04
6/7/2025	2:15:00 AM	0.04
6/7/2025	2:30:00 AM	0.04
6/7/2025	2:45:00 AM	0.04
6/7/2025	3:00:00 AM	0.04
6/7/2025	3:15:00 AM	0.04
6/7/2025	3:30:00 AM	0.04
6/7/2025	3:45:00 AM	0.04
6/7/2025	4:00:00 AM	0.04
6/7/2025	4:15:00 AM	0.04
6/7/2025	4:30:00 AM	0.04
6/7/2025	4:45:00 AM	0.04
6/7/2025	5:00:00 AM	0.04
6/7/2025	5:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/7/2025	5:30:00 AM	0.04
6/7/2025	5:45:00 AM	0.04
6/7/2025	6:00:00 AM	0.04
6/7/2025	6:15:00 AM	0.04
6/7/2025	6:30:00 AM	0.04
6/7/2025	6:45:00 AM	0.04
6/7/2025	7:00:00 AM	0.04
6/7/2025	7:15:00 AM	0.04
6/7/2025	7:30:00 AM	0.04
6/7/2025	7:45:00 AM	0.04
6/7/2025	8:00:00 AM	0.03
6/7/2025	8:15:00 AM	0.04
6/7/2025	8:30:00 AM	0.04
6/7/2025	8:45:00 AM	0.03
6/7/2025	9:00:00 AM	0.03
6/7/2025	9:15:00 AM	0.03
6/7/2025	9:30:00 AM	0.03
6/7/2025	9:45:00 AM	0.03
6/7/2025	10:00:00 AM	0.04
6/7/2025	10:15:00 AM	0.03
6/7/2025	10:30:00 AM	0.04
6/7/2025	10:45:00 AM	0.03
6/7/2025	11:00:00 AM	0.04
6/7/2025	11:15:00 AM	0.03
6/7/2025	11:30:00 AM	0.03
6/7/2025	11:45:00 AM	0.03
6/7/2025	12:00:00 PM	0.03
6/7/2025	12:15:00 PM	0.03
6/7/2025	12:30:00 PM	0.03
6/7/2025	12:45:00 PM	0.03
6/7/2025	1:00:00 PM	0.03
6/7/2025	1:15:00 PM	0.03
6/7/2025	1:30:00 PM	0.03
6/7/2025	1:45:00 PM	0.03
6/7/2025	2:00:00 PM	0.03
6/7/2025	2:15:00 PM	0.03
6/7/2025	2:30:00 PM	0.03
6/7/2025	2:45:00 PM	0.03
6/7/2025	3:00:00 PM	0.03
6/7/2025	3:15:00 PM	0.03
6/7/2025	3:30:00 PM	0.03
6/7/2025	3:45:00 PM	0.03
6/7/2025	4:00:00 PM	0.03
6/7/2025	4:15:00 PM	0.03
6/7/2025	4:30:00 PM	0.02
6/7/2025	4:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
6/7/2025	5:00:00 PM	0.03
6/7/2025	5:15:00 PM	0.03
6/7/2025	5:30:00 PM	0.03
6/7/2025	5:45:00 PM	0.02
6/7/2025	6:00:00 PM	0.02
6/7/2025	6:15:00 PM	0.02
6/7/2025	6:30:00 PM	0.02
6/7/2025	6:45:00 PM	0.02
6/7/2025	7:00:00 PM	0.02
6/7/2025	7:15:00 PM	0.02
6/7/2025	7:30:00 PM	0.02
6/7/2025	7:45:00 PM	0.02
6/7/2025	8:00:00 PM	0.02
6/7/2025	8:15:00 PM	0.06
6/7/2025	8:30:00 PM	0.16
6/7/2025	8:45:00 PM	0.18
6/7/2025	9:00:00 PM	0.19
6/7/2025	9:15:00 PM	0.2
6/7/2025	9:30:00 PM	0.2
6/7/2025	9:45:00 PM	0.21
6/7/2025	10:00:00 PM	0.21
6/7/2025	10:15:00 PM	0.21
6/7/2025	10:30:00 PM	0.21
6/7/2025	10:45:00 PM	0.21
6/7/2025	11:00:00 PM	0.22
6/7/2025	11:15:00 PM	0.22
6/7/2025	11:30:00 PM	0.22
6/7/2025	11:45:00 PM	0.22
6/8/2025	12:00:00 AM	0.22
6/8/2025	12:15:00 AM	0.22
6/8/2025	12:30:00 AM	0.22
6/8/2025	12:45:00 AM	0.22
6/8/2025	1:00:00 AM	0.22
6/8/2025	1:15:00 AM	0.22
6/8/2025	1:30:00 AM	0.22
6/8/2025	1:45:00 AM	0.22
6/8/2025	2:00:00 AM	0.22
6/8/2025	2:15:00 AM	0.22
6/8/2025	2:30:00 AM	0.22
6/8/2025	2:45:00 AM	0.22
6/8/2025	3:00:00 AM	0.22
6/8/2025	3:15:00 AM	0.22
6/8/2025	3:30:00 AM	0.22
6/8/2025	3:45:00 AM	0.22
6/8/2025	4:00:00 AM	0.22
6/8/2025	4:15:00 AM	0.22

Georges Ditch Return Gage

DATE	TIME	GAGE
6/8/2025	4:30:00 AM	0.22
6/8/2025	4:45:00 AM	0.21
6/8/2025	5:00:00 AM	0.21
6/8/2025	5:15:00 AM	0.22
6/8/2025	5:30:00 AM	0.21
6/8/2025	5:45:00 AM	0.22
6/8/2025	6:00:00 AM	0.22
6/8/2025	6:15:00 AM	0.22
6/8/2025	6:30:00 AM	0.22
6/8/2025	6:45:00 AM	0.23
6/8/2025	7:00:00 AM	0.23
6/8/2025	7:15:00 AM	0.23
6/8/2025	7:30:00 AM	0.22
6/8/2025	7:45:00 AM	0.22
6/8/2025	8:00:00 AM	0.22
6/8/2025	8:15:00 AM	0.22
6/8/2025	8:30:00 AM	0.22
6/8/2025	8:45:00 AM	0.22
6/8/2025	9:00:00 AM	0.22
6/8/2025	9:15:00 AM	0.22
6/8/2025	9:30:00 AM	0.22
6/8/2025	9:45:00 AM	0.22
6/8/2025	10:00:00 AM	0.22
6/8/2025	10:15:00 AM	0.22
6/8/2025	10:30:00 AM	0.22
6/8/2025	10:45:00 AM	0.22
6/8/2025	11:00:00 AM	0.22
6/8/2025	11:15:00 AM	0.22
6/8/2025	11:30:00 AM	0.22
6/8/2025	11:45:00 AM	0.22
6/8/2025	12:00:00 PM	0.22
6/8/2025	12:15:00 PM	0.22
6/8/2025	12:30:00 PM	0.22
6/8/2025	12:45:00 PM	0.21
6/8/2025	1:00:00 PM	0.21
6/8/2025	1:15:00 PM	0.2
6/8/2025	1:30:00 PM	0.19
6/8/2025	1:45:00 PM	0.18
6/8/2025	2:00:00 PM	0.17
6/8/2025	2:15:00 PM	0.17
6/8/2025	2:30:00 PM	0.16
6/8/2025	2:45:00 PM	0.15
6/8/2025	3:00:00 PM	0.15
6/8/2025	3:15:00 PM	0.14
6/8/2025	3:30:00 PM	0.13
6/8/2025	3:45:00 PM	0.13

Georges Ditch Return Gage

DATE	TIME	GAGE
6/8/2025	4:00:00 PM	0.12
6/8/2025	4:15:00 PM	0.12
6/8/2025	4:30:00 PM	0.11
6/8/2025	4:45:00 PM	0.11
6/8/2025	5:00:00 PM	0.11
6/8/2025	5:15:00 PM	0.1
6/8/2025	5:30:00 PM	0.1
6/8/2025	5:45:00 PM	0.1
6/8/2025	6:00:00 PM	0.1
6/8/2025	6:15:00 PM	0.1
6/8/2025	6:30:00 PM	0.09
6/8/2025	6:45:00 PM	0.09
6/8/2025	7:00:00 PM	0.09
6/8/2025	7:15:00 PM	0.09
6/8/2025	7:30:00 PM	0.09
6/8/2025	7:45:00 PM	0.09
6/8/2025	8:00:00 PM	0.08
6/8/2025	8:15:00 PM	0.08
6/8/2025	8:30:00 PM	0.08
6/8/2025	8:45:00 PM	0.08
6/8/2025	9:00:00 PM	0.07
6/8/2025	9:15:00 PM	0.07
6/8/2025	9:30:00 PM	0.07
6/8/2025	9:45:00 PM	0.07
6/8/2025	10:00:00 PM	0.07
6/8/2025	10:15:00 PM	0.07
6/8/2025	10:30:00 PM	0.07
6/8/2025	10:45:00 PM	0.07
6/8/2025	11:00:00 PM	0.07
6/8/2025	11:15:00 PM	0.07
6/8/2025	11:30:00 PM	0.07
6/8/2025	11:45:00 PM	0.07
6/9/2025	12:00:00 AM	0.07
6/9/2025	12:15:00 AM	0.07
6/9/2025	12:30:00 AM	0.07
6/9/2025	12:45:00 AM	0.07
6/9/2025	1:00:00 AM	0.07
6/9/2025	1:15:00 AM	0.07
6/9/2025	1:30:00 AM	0.07
6/9/2025	1:45:00 AM	0.07
6/9/2025	2:00:00 AM	0.07
6/9/2025	2:15:00 AM	0.07
6/9/2025	2:30:00 AM	0.06
6/9/2025	2:45:00 AM	0.06
6/9/2025	3:00:00 AM	0.06
6/9/2025	3:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
6/9/2025	3:30:00 AM	0.06
6/9/2025	3:45:00 AM	0.06
6/9/2025	4:00:00 AM	0.06
6/9/2025	4:15:00 AM	0.06
6/9/2025	4:30:00 AM	0.06
6/9/2025	4:45:00 AM	0.06
6/9/2025	5:00:00 AM	0.05
6/9/2025	5:15:00 AM	0.05
6/9/2025	5:30:00 AM	0.05
6/9/2025	5:45:00 AM	0.05
6/9/2025	6:00:00 AM	0.05
6/9/2025	6:15:00 AM	0.05
6/9/2025	6:30:00 AM	0.05
6/9/2025	6:45:00 AM	0.05
6/9/2025	7:00:00 AM	0.05
6/9/2025	7:15:00 AM	0.05
6/9/2025	7:30:00 AM	0.05
6/9/2025	7:45:00 AM	0.05
6/9/2025	8:00:00 AM	0.05
6/9/2025	8:15:00 AM	0.05
6/9/2025	8:30:00 AM	0.05
6/9/2025	8:45:00 AM	0.04
6/9/2025	9:00:00 AM	0.04
6/9/2025	9:15:00 AM	0.04
6/9/2025	9:30:00 AM	0.04
6/9/2025	9:45:00 AM	0.04
6/9/2025	10:00:00 AM	0.04
6/9/2025	10:15:00 AM	0.04
6/9/2025	10:30:00 AM	0.04
6/9/2025	10:45:00 AM	0.04
6/9/2025	11:00:00 AM	0.04
6/9/2025	11:15:00 AM	0.04
6/9/2025	11:30:00 AM	0.04
6/9/2025	11:45:00 AM	0.03
6/9/2025	12:00:00 PM	0.03
6/9/2025	12:15:00 PM	0.03
6/9/2025	12:30:00 PM	0.03
6/9/2025	12:45:00 PM	0.03
6/9/2025	1:00:00 PM	0.03
6/9/2025	1:15:00 PM	0.03
6/9/2025	1:30:00 PM	0.03
6/9/2025	1:45:00 PM	0.03
6/9/2025	2:00:00 PM	0.03
6/9/2025	2:15:00 PM	0.02
6/9/2025	2:30:00 PM	0.02
6/9/2025	2:45:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
6/9/2025	3:00:00 PM	0.02
6/9/2025	3:15:00 PM	0.02
6/9/2025	3:30:00 PM	0.02
6/9/2025	3:45:00 PM	0.02
6/9/2025	4:00:00 PM	0.02
6/9/2025	4:15:00 PM	0.02
6/9/2025	4:30:00 PM	0.02
6/9/2025	4:45:00 PM	0.02
6/9/2025	5:00:00 PM	0.02
6/9/2025	5:15:00 PM	0.02
6/9/2025	5:30:00 PM	0.02
6/9/2025	5:45:00 PM	0.02
6/9/2025	6:00:00 PM	0.02
6/9/2025	6:15:00 PM	0.02
6/9/2025	6:30:00 PM	0.02
6/9/2025	6:45:00 PM	0.02
6/9/2025	7:00:00 PM	0.02
6/9/2025	7:15:00 PM	0.01
6/9/2025	7:30:00 PM	0.02
6/9/2025	7:45:00 PM	0.03
6/9/2025	8:00:00 PM	0.04
6/9/2025	8:15:00 PM	0.04
6/9/2025	8:30:00 PM	0.04
6/9/2025	8:45:00 PM	0.04
6/9/2025	9:00:00 PM	0.04
6/9/2025	9:15:00 PM	0.04
6/9/2025	9:30:00 PM	0.04
6/9/2025	9:45:00 PM	0.04
6/9/2025	10:00:00 PM	0.04
6/9/2025	10:15:00 PM	0.04
6/9/2025	10:30:00 PM	0.04
6/9/2025	10:45:00 PM	0.04
6/9/2025	11:00:00 PM	0.04
6/9/2025	11:15:00 PM	0.04
6/9/2025	11:30:00 PM	0.04
6/9/2025	11:45:00 PM	0.04
6/10/2025	12:00:00 AM	0.04
6/10/2025	12:15:00 AM	0.04
6/10/2025	12:30:00 AM	0.04
6/10/2025	12:45:00 AM	0.04
6/10/2025	1:00:00 AM	0.04
6/10/2025	1:15:00 AM	0.04
6/10/2025	1:30:00 AM	0.04
6/10/2025	1:45:00 AM	0.04
6/10/2025	2:00:00 AM	0.04
6/10/2025	2:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/10/2025	2:30:00 AM	0.04
6/10/2025	2:45:00 AM	0.04
6/10/2025	3:00:00 AM	0.05
6/10/2025	3:15:00 AM	0.04
6/10/2025	3:30:00 AM	0.04
6/10/2025	3:45:00 AM	0.04
6/10/2025	4:00:00 AM	0.04
6/10/2025	4:15:00 AM	0.04
6/10/2025	4:30:00 AM	0.04
6/10/2025	4:45:00 AM	0.04
6/10/2025	5:00:00 AM	0.04
6/10/2025	5:15:00 AM	0.04
6/10/2025	5:30:00 AM	0.04
6/10/2025	5:45:00 AM	0.04
6/10/2025	6:00:00 AM	0.04
6/10/2025	6:15:00 AM	0.04
6/10/2025	6:30:00 AM	0.04
6/10/2025	6:45:00 AM	0.04
6/10/2025	7:00:00 AM	0.04
6/10/2025	7:15:00 AM	0.04
6/10/2025	7:30:00 AM	0.04
6/10/2025	7:45:00 AM	0.04
6/10/2025	8:00:00 AM	0.04
6/10/2025	8:15:00 AM	0.04
6/10/2025	8:30:00 AM	0.04
6/10/2025	8:45:00 AM	0.04
6/10/2025	9:00:00 AM	0.04
6/10/2025	9:15:00 AM	0.04
6/10/2025	9:30:00 AM	0.04
6/10/2025	9:45:00 AM	0.04
6/10/2025	10:00:00 AM	0.04
6/10/2025	10:15:00 AM	0.04
6/10/2025	10:30:00 AM	0.04
6/10/2025	10:45:00 AM	0.04
6/10/2025	11:00:00 AM	0.04
6/10/2025	11:15:00 AM	0.04
6/10/2025	11:30:00 AM	0.03
6/10/2025	11:45:00 AM	0.03
6/10/2025	12:00:00 PM	0.03
6/10/2025	12:15:00 PM	0.03
6/10/2025	12:30:00 PM	0.03
6/10/2025	12:45:00 PM	0.03
6/10/2025	1:00:00 PM	0.03
6/10/2025	1:15:00 PM	0.03
6/10/2025	1:30:00 PM	0.03
6/10/2025	1:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
6/10/2025	2:00:00 PM	0.03
6/10/2025	2:15:00 PM	0.03
6/10/2025	2:30:00 PM	0.02
6/10/2025	2:45:00 PM	0.02
6/10/2025	3:00:00 PM	0.02
6/10/2025	3:15:00 PM	0.02
6/10/2025	3:30:00 PM	0.02
6/10/2025	3:45:00 PM	0.02
6/10/2025	4:00:00 PM	0.02
6/10/2025	4:15:00 PM	0.02
6/10/2025	4:30:00 PM	0.02
6/10/2025	4:45:00 PM	0.02
6/10/2025	5:00:00 PM	0.02
6/10/2025	5:15:00 PM	0.02
6/10/2025	5:30:00 PM	0.02
6/10/2025	5:45:00 PM	0.02
6/10/2025	6:00:00 PM	0.02
6/10/2025	6:15:00 PM	0.02
6/10/2025	6:30:00 PM	0.01
6/10/2025	6:45:00 PM	0.02
6/10/2025	7:00:00 PM	0.02
6/10/2025	7:15:00 PM	0.02
6/10/2025	7:30:00 PM	0.02
6/10/2025	7:45:00 PM	0.02
6/10/2025	8:00:00 PM	0.02
6/10/2025	8:15:00 PM	0.02
6/10/2025	8:30:00 PM	0.02
6/10/2025	8:45:00 PM	0.03
6/10/2025	9:00:00 PM	0.05
6/10/2025	9:15:00 PM	0.05
6/10/2025	9:30:00 PM	0.06
6/10/2025	9:45:00 PM	0.06
6/10/2025	10:00:00 PM	0.07
6/10/2025	10:15:00 PM	0.07
6/10/2025	10:30:00 PM	0.07
6/10/2025	10:45:00 PM	0.07
6/10/2025	11:00:00 PM	0.07
6/10/2025	11:15:00 PM	0.08
6/10/2025	11:30:00 PM	0.07
6/10/2025	11:45:00 PM	0.07
6/11/2025	12:00:00 AM	0.07
6/11/2025	12:15:00 AM	0.08
6/11/2025	12:30:00 AM	0.08
6/11/2025	12:45:00 AM	0.08
6/11/2025	1:00:00 AM	0.08
6/11/2025	1:15:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
6/11/2025	1:30:00 AM	0.08
6/11/2025	1:45:00 AM	0.08
6/11/2025	2:00:00 AM	0.08
6/11/2025	2:15:00 AM	0.08
6/11/2025	2:30:00 AM	0.08
6/11/2025	2:45:00 AM	0.08
6/11/2025	3:00:00 AM	0.09
6/11/2025	3:15:00 AM	0.09
6/11/2025	3:30:00 AM	0.09
6/11/2025	3:45:00 AM	0.09
6/11/2025	4:00:00 AM	0.09
6/11/2025	4:15:00 AM	0.09
6/11/2025	4:30:00 AM	0.09
6/11/2025	4:45:00 AM	0.09
6/11/2025	5:00:00 AM	0.09
6/11/2025	5:15:00 AM	0.09
6/11/2025	5:30:00 AM	0.1
6/11/2025	5:45:00 AM	0.1
6/11/2025	6:00:00 AM	0.1
6/11/2025	6:15:00 AM	0.1
6/11/2025	6:30:00 AM	0.1
6/11/2025	6:45:00 AM	0.1
6/11/2025	7:00:00 AM	0.09
6/11/2025	7:15:00 AM	0.1
6/11/2025	7:30:00 AM	0.1
6/11/2025	7:45:00 AM	0.1
6/11/2025	8:00:00 AM	0.09
6/11/2025	8:15:00 AM	0.09
6/11/2025	8:30:00 AM	0.09
6/11/2025	8:45:00 AM	0.09
6/11/2025	9:00:00 AM	0.09
6/11/2025	9:15:00 AM	0.09
6/11/2025	9:30:00 AM	0.09
6/11/2025	9:45:00 AM	0.09
6/11/2025	10:00:00 AM	0.09
6/11/2025	10:15:00 AM	0.09
6/11/2025	10:30:00 AM	0.09
6/11/2025	10:45:00 AM	0.08
6/11/2025	11:00:00 AM	0.08
6/11/2025	11:15:00 AM	0.09
6/11/2025	11:30:00 AM	0.09
6/11/2025	11:45:00 AM	0.09
6/11/2025	12:00:00 PM	0.09
6/11/2025	12:15:00 PM	0.09
6/11/2025	12:30:00 PM	0.09
6/11/2025	12:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
6/11/2025	1:00:00 PM	0.09
6/11/2025	1:15:00 PM	0.09
6/11/2025	1:30:00 PM	0.09
6/11/2025	1:45:00 PM	0.09
6/11/2025	2:00:00 PM	0.09
6/11/2025	2:15:00 PM	0.09
6/11/2025	2:30:00 PM	0.08
6/11/2025	2:45:00 PM	0.08
6/11/2025	3:00:00 PM	0.08
6/11/2025	3:15:00 PM	0.08
6/11/2025	3:30:00 PM	0.08
6/11/2025	3:45:00 PM	0.08
6/11/2025	4:00:00 PM	0.08
6/11/2025	4:15:00 PM	0.08
6/11/2025	4:30:00 PM	0.08
6/11/2025	4:45:00 PM	0.08
6/11/2025	5:00:00 PM	0.08
6/11/2025	5:15:00 PM	0.08
6/11/2025	5:30:00 PM	0.08
6/11/2025	5:45:00 PM	0.07
6/11/2025	6:00:00 PM	0.07
6/11/2025	6:15:00 PM	0.07
6/11/2025	6:30:00 PM	0.07
6/11/2025	6:45:00 PM	0.07
6/11/2025	7:00:00 PM	0.07
6/11/2025	7:15:00 PM	0.07
6/11/2025	7:30:00 PM	0.07
6/11/2025	7:45:00 PM	0.07
6/11/2025	8:00:00 PM	0.07
6/11/2025	8:15:00 PM	0.07
6/11/2025	8:30:00 PM	0.07
6/11/2025	8:45:00 PM	0.07
6/11/2025	9:00:00 PM	0.07
6/11/2025	9:15:00 PM	0.07
6/11/2025	9:30:00 PM	0.07
6/11/2025	9:45:00 PM	0.07
6/11/2025	10:00:00 PM	0.07
6/11/2025	10:15:00 PM	0.07
6/11/2025	10:30:00 PM	0.07
6/11/2025	10:45:00 PM	0.07
6/11/2025	11:00:00 PM	0.07
6/11/2025	11:15:00 PM	0.07
6/11/2025	11:30:00 PM	0.07
6/11/2025	11:45:00 PM	0.07
6/12/2025	12:00:00 AM	0.07
6/12/2025	12:15:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
6/12/2025	12:30:00 AM	0.07
6/12/2025	12:45:00 AM	0.07
6/12/2025	1:00:00 AM	0.07
6/12/2025	1:15:00 AM	0.07
6/12/2025	1:30:00 AM	0.07
6/12/2025	1:45:00 AM	0.07
6/12/2025	2:00:00 AM	0.07
6/12/2025	2:15:00 AM	0.08
6/12/2025	2:30:00 AM	0.08
6/12/2025	2:45:00 AM	0.08
6/12/2025	3:00:00 AM	0.08
6/12/2025	3:15:00 AM	0.08
6/12/2025	3:30:00 AM	0.08
6/12/2025	3:45:00 AM	0.08
6/12/2025	4:00:00 AM	0.08
6/12/2025	4:15:00 AM	0.08
6/12/2025	4:30:00 AM	0.07
6/12/2025	4:45:00 AM	0.07
6/12/2025	5:00:00 AM	0.07
6/12/2025	5:15:00 AM	0.07
6/12/2025	5:30:00 AM	0.07
6/12/2025	5:45:00 AM	0.07
6/12/2025	6:00:00 AM	0.07
6/12/2025	6:15:00 AM	0.07
6/12/2025	6:30:00 AM	0.07
6/12/2025	6:45:00 AM	0.07
6/12/2025	7:00:00 AM	0.07
6/12/2025	7:15:00 AM	0.07
6/12/2025	7:30:00 AM	0.06
6/12/2025	7:45:00 AM	0.06
6/12/2025	8:00:00 AM	0.06
6/12/2025	8:15:00 AM	0.06
6/12/2025	8:30:00 AM	0.06
6/12/2025	8:45:00 AM	0.06
6/12/2025	9:00:00 AM	0.06
6/12/2025	9:15:00 AM	0.06
6/12/2025	9:30:00 AM	0.06
6/12/2025	9:45:00 AM	0.06
6/12/2025	10:00:00 AM	0.06
6/12/2025	10:15:00 AM	0.06
6/12/2025	10:30:00 AM	0.06
6/12/2025	10:45:00 AM	0.05
6/12/2025	11:00:00 AM	0.05
6/12/2025	11:15:00 AM	0.05
6/12/2025	11:30:00 AM	0.05
6/12/2025	11:45:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
6/12/2025	12:00:00 PM	0.05
6/12/2025	12:15:00 PM	0.05
6/12/2025	12:30:00 PM	0.05
6/12/2025	12:45:00 PM	0.05
6/12/2025	1:00:00 PM	0.05
6/12/2025	1:15:00 PM	0.05
6/12/2025	1:30:00 PM	0.05
6/12/2025	1:45:00 PM	0.05
6/12/2025	2:00:00 PM	0.05
6/12/2025	2:15:00 PM	0.04
6/12/2025	2:30:00 PM	0.04
6/12/2025	2:45:00 PM	0.04
6/12/2025	3:00:00 PM	0.04
6/12/2025	3:15:00 PM	0.04
6/12/2025	3:30:00 PM	0.04
6/12/2025	3:45:00 PM	0.04
6/12/2025	4:00:00 PM	0.04
6/12/2025	4:15:00 PM	0.04
6/12/2025	4:30:00 PM	0.04
6/12/2025	4:45:00 PM	0.04
6/12/2025	5:00:00 PM	0.04
6/12/2025	5:15:00 PM	0.04
6/12/2025	5:30:00 PM	0.04
6/12/2025	5:45:00 PM	0.04
6/12/2025	6:00:00 PM	0.04
6/12/2025	6:15:00 PM	0.04
6/12/2025	6:30:00 PM	0.04
6/12/2025	6:45:00 PM	0.04
6/12/2025	7:00:00 PM	0.04
6/12/2025	7:15:00 PM	0.04
6/12/2025	7:30:00 PM	0.04
6/12/2025	7:45:00 PM	0.04
6/12/2025	8:00:00 PM	0.04
6/12/2025	8:15:00 PM	0.04
6/12/2025	8:30:00 PM	0.04
6/12/2025	8:45:00 PM	0.04
6/12/2025	9:00:00 PM	0.04
6/12/2025	9:15:00 PM	0.04
6/12/2025	9:30:00 PM	0.04
6/12/2025	9:45:00 PM	0.04
6/12/2025	10:00:00 PM	0.04
6/12/2025	10:15:00 PM	0.04
6/12/2025	10:30:00 PM	0.04
6/12/2025	10:45:00 PM	0.04
6/12/2025	11:00:00 PM	0.04
6/12/2025	11:15:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/12/2025	11:30:00 PM	0.04
6/12/2025	11:45:00 PM	0.04
6/13/2025	12:00:00 AM	0.04
6/13/2025	12:15:00 AM	0.04
6/13/2025	12:30:00 AM	0.04
6/13/2025	12:45:00 AM	0.04
6/13/2025	1:00:00 AM	0.04
6/13/2025	1:15:00 AM	0.04
6/13/2025	1:30:00 AM	0.04
6/13/2025	1:45:00 AM	0.04
6/13/2025	2:00:00 AM	0.04
6/13/2025	2:15:00 AM	0.04
6/13/2025	2:30:00 AM	0.04
6/13/2025	2:45:00 AM	0.04
6/13/2025	3:00:00 AM	0.04
6/13/2025	3:15:00 AM	0.04
6/13/2025	3:30:00 AM	0.04
6/13/2025	3:45:00 AM	0.04
6/13/2025	4:00:00 AM	0.04
6/13/2025	4:15:00 AM	0.04
6/13/2025	4:30:00 AM	0.04
6/13/2025	4:45:00 AM	0.04
6/13/2025	5:00:00 AM	0.04
6/13/2025	5:15:00 AM	0.04
6/13/2025	5:30:00 AM	0.04
6/13/2025	5:45:00 AM	0.04
6/13/2025	6:00:00 AM	0.04
6/13/2025	6:15:00 AM	0.04
6/13/2025	6:30:00 AM	0.04
6/13/2025	6:45:00 AM	0.04
6/13/2025	7:00:00 AM	0.04
6/13/2025	7:15:00 AM	0.04
6/13/2025	7:30:00 AM	0.04
6/13/2025	7:45:00 AM	0.04
6/13/2025	8:00:00 AM	0.04
6/13/2025	8:15:00 AM	0.04
6/13/2025	8:30:00 AM	0.04
6/13/2025	8:45:00 AM	0.04
6/13/2025	9:00:00 AM	0.04
6/13/2025	9:15:00 AM	0.04
6/13/2025	9:30:00 AM	0.04
6/13/2025	9:45:00 AM	0.04
6/13/2025	10:00:00 AM	0.04
6/13/2025	10:15:00 AM	0.04
6/13/2025	10:30:00 AM	0.04
6/13/2025	10:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
6/13/2025	11:00:00 AM	0.04
6/13/2025	11:15:00 AM	0.04
6/13/2025	11:30:00 AM	0.04
6/13/2025	11:45:00 AM	0.04
6/13/2025	12:00:00 PM	0.03
6/13/2025	12:15:00 PM	0.03
6/13/2025	12:30:00 PM	0.03
6/13/2025	12:45:00 PM	0.03
6/13/2025	1:00:00 PM	0.03
6/13/2025	1:15:00 PM	0.03
6/13/2025	1:30:00 PM	0.03
6/13/2025	1:45:00 PM	0.03
6/13/2025	2:00:00 PM	0.03
6/13/2025	2:15:00 PM	0.03
6/13/2025	2:30:00 PM	0.03
6/13/2025	2:45:00 PM	0.03
6/13/2025	3:00:00 PM	0.03
6/13/2025	3:15:00 PM	0.03
6/13/2025	3:30:00 PM	0.03
6/13/2025	3:45:00 PM	0.02
6/13/2025	4:00:00 PM	0.02
6/13/2025	4:15:00 PM	0.02
6/13/2025	4:30:00 PM	0.02
6/13/2025	4:45:00 PM	0.02
6/13/2025	5:00:00 PM	0.02
6/13/2025	5:15:00 PM	0.02
6/13/2025	5:30:00 PM	0.02
6/13/2025	5:45:00 PM	0.02
6/13/2025	6:00:00 PM	0.02
6/13/2025	6:15:00 PM	0.02
6/13/2025	6:30:00 PM	0.02
6/13/2025	6:45:00 PM	0.02
6/13/2025	7:00:00 PM	0.02
6/13/2025	7:15:00 PM	0.02
6/13/2025	7:30:00 PM	0.02
6/13/2025	7:45:00 PM	0.02
6/13/2025	8:00:00 PM	0.02
6/13/2025	8:15:00 PM	0.02
6/13/2025	8:30:00 PM	0.02
6/13/2025	8:45:00 PM	0.02
6/13/2025	9:00:00 PM	0.02
6/13/2025	9:15:00 PM	0.02
6/13/2025	9:30:00 PM	0.02
6/13/2025	9:45:00 PM	0.02
6/13/2025	10:00:00 PM	0.05
6/13/2025	10:15:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
6/13/2025	10:30:00 PM	0.12
6/13/2025	10:45:00 PM	0.12
6/13/2025	11:00:00 PM	0.12
6/13/2025	11:15:00 PM	0.12
6/13/2025	11:30:00 PM	0.13
6/13/2025	11:45:00 PM	0.13
6/14/2025	12:00:00 AM	0.13
6/14/2025	12:15:00 AM	0.13
6/14/2025	12:30:00 AM	0.14
6/14/2025	12:45:00 AM	0.14
6/14/2025	1:00:00 AM	0.14
6/14/2025	1:15:00 AM	0.14
6/14/2025	1:30:00 AM	0.14
6/14/2025	1:45:00 AM	0.14
6/14/2025	2:00:00 AM	0.14
6/14/2025	2:15:00 AM	0.14
6/14/2025	2:30:00 AM	0.14
6/14/2025	2:45:00 AM	0.14
6/14/2025	3:00:00 AM	0.14
6/14/2025	3:15:00 AM	0.14
6/14/2025	3:30:00 AM	0.13
6/14/2025	3:45:00 AM	0.13
6/14/2025	4:00:00 AM	0.13
6/14/2025	4:15:00 AM	0.13
6/14/2025	4:30:00 AM	0.13
6/14/2025	4:45:00 AM	0.13
6/14/2025	5:00:00 AM	0.14
6/14/2025	5:15:00 AM	0.14
6/14/2025	5:30:00 AM	0.14
6/14/2025	5:45:00 AM	0.14
6/14/2025	6:00:00 AM	0.14
6/14/2025	6:15:00 AM	0.14
6/14/2025	6:30:00 AM	0.14
6/14/2025	6:45:00 AM	0.14
6/14/2025	7:00:00 AM	0.14
6/14/2025	7:15:00 AM	0.14
6/14/2025	7:30:00 AM	0.13
6/14/2025	7:45:00 AM	0.13
6/14/2025	8:00:00 AM	0.14
6/14/2025	8:15:00 AM	0.14
6/14/2025	8:30:00 AM	0.14
6/14/2025	8:45:00 AM	0.14
6/14/2025	9:00:00 AM	0.14
6/14/2025	9:15:00 AM	0.14
6/14/2025	9:30:00 AM	0.14
6/14/2025	9:45:00 AM	0.14

Georges Ditch Return Gage

DATE	TIME	GAGE
6/14/2025	10:00:00 AM	0.13
6/14/2025	10:15:00 AM	0.13
6/14/2025	10:30:00 AM	0.13
6/14/2025	10:45:00 AM	0.13
6/14/2025	11:00:00 AM	0.13
6/14/2025	11:15:00 AM	0.13
6/14/2025	11:30:00 AM	0.13
6/14/2025	11:45:00 AM	0.13
6/14/2025	12:00:00 PM	0.13
6/14/2025	12:15:00 PM	0.13
6/14/2025	12:30:00 PM	0.13
6/14/2025	12:45:00 PM	0.13
6/14/2025	1:00:00 PM	0.13
6/14/2025	1:15:00 PM	0.13
6/14/2025	1:30:00 PM	0.13
6/14/2025	1:45:00 PM	0.13
6/14/2025	2:00:00 PM	0.13
6/14/2025	2:15:00 PM	0.13
6/14/2025	2:30:00 PM	0.13
6/14/2025	2:45:00 PM	0.12
6/14/2025	3:00:00 PM	0.12
6/14/2025	3:15:00 PM	0.12
6/14/2025	3:30:00 PM	0.12
6/14/2025	3:45:00 PM	0.12
6/14/2025	4:00:00 PM	0.12
6/14/2025	4:15:00 PM	0.12
6/14/2025	4:30:00 PM	0.12
6/14/2025	4:45:00 PM	0.12
6/14/2025	5:00:00 PM	0.12
6/14/2025	5:15:00 PM	0.12
6/14/2025	5:30:00 PM	0.12
6/14/2025	5:45:00 PM	0.12
6/14/2025	6:00:00 PM	0.12
6/14/2025	6:15:00 PM	0.12
6/14/2025	6:30:00 PM	0.12
6/14/2025	6:45:00 PM	0.12
6/14/2025	7:00:00 PM	0.12
6/14/2025	7:15:00 PM	0.12
6/14/2025	7:30:00 PM	0.12
6/14/2025	7:45:00 PM	0.12
6/14/2025	8:00:00 PM	0.12
6/14/2025	8:15:00 PM	0.12
6/14/2025	8:30:00 PM	0.12
6/14/2025	8:45:00 PM	0.12
6/14/2025	9:00:00 PM	0.12
6/14/2025	9:15:00 PM	0.12

Georges Ditch Return Gage

DATE	TIME	GAGE
6/14/2025	9:30:00 PM	0.12
6/14/2025	9:45:00 PM	0.12
6/14/2025	10:00:00 PM	0.12
6/14/2025	10:15:00 PM	0.12
6/14/2025	10:30:00 PM	0.12
6/14/2025	10:45:00 PM	0.12
6/14/2025	11:00:00 PM	0.12
6/14/2025	11:15:00 PM	0.12
6/14/2025	11:30:00 PM	0.12
6/14/2025	11:45:00 PM	0.12
6/15/2025	12:00:00 AM	0.12
6/15/2025	12:15:00 AM	0.12
6/15/2025	12:30:00 AM	0.12
6/15/2025	12:45:00 AM	0.13
6/15/2025	1:00:00 AM	0.13
6/15/2025	1:15:00 AM	0.13
6/15/2025	1:30:00 AM	0.13
6/15/2025	1:45:00 AM	0.12
6/15/2025	2:00:00 AM	0.13
6/15/2025	2:15:00 AM	0.13
6/15/2025	2:30:00 AM	0.13
6/15/2025	2:45:00 AM	0.13
6/15/2025	3:00:00 AM	0.13
6/15/2025	3:15:00 AM	0.13
6/15/2025	3:30:00 AM	0.13
6/15/2025	3:45:00 AM	0.13
6/15/2025	4:00:00 AM	0.13
6/15/2025	4:15:00 AM	0.13
6/15/2025	4:30:00 AM	0.13
6/15/2025	4:45:00 AM	0.13
6/15/2025	5:00:00 AM	0.13
6/15/2025	5:15:00 AM	0.13
6/15/2025	5:30:00 AM	0.13
6/15/2025	5:45:00 AM	0.13
6/15/2025	6:00:00 AM	0.13
6/15/2025	6:15:00 AM	0.13
6/15/2025	6:30:00 AM	0.13
6/15/2025	6:45:00 AM	0.13
6/15/2025	7:00:00 AM	0.13
6/15/2025	7:15:00 AM	0.12
6/15/2025	7:30:00 AM	0.12
6/15/2025	7:45:00 AM	0.12
6/15/2025	8:00:00 AM	0.12
6/15/2025	8:15:00 AM	0.12
6/15/2025	8:30:00 AM	0.12
6/15/2025	8:45:00 AM	0.12

Georges Ditch Return Gage

DATE	TIME	GAGE
6/15/2025	9:00:00 AM	0.12
6/15/2025	9:15:00 AM	0.12
6/15/2025	9:30:00 AM	0.12
6/15/2025	9:45:00 AM	0.12
6/15/2025	10:00:00 AM	0.12
6/15/2025	10:15:00 AM	0.12
6/15/2025	10:30:00 AM	0.12
6/15/2025	10:45:00 AM	0.12
6/15/2025	11:00:00 AM	0.12
6/15/2025	11:15:00 AM	0.12
6/15/2025	11:30:00 AM	0.12
6/15/2025	11:45:00 AM	0.12
6/15/2025	12:00:00 PM	0.12
6/15/2025	12:15:00 PM	0.12
6/15/2025	12:30:00 PM	0.12
6/15/2025	12:45:00 PM	0.12
6/15/2025	1:00:00 PM	0.12
6/15/2025	1:15:00 PM	0.12
6/15/2025	1:30:00 PM	0.12
6/15/2025	1:45:00 PM	0.12
6/15/2025	2:00:00 PM	0.12
6/15/2025	2:15:00 PM	0.12
6/15/2025	2:30:00 PM	0.12
6/15/2025	2:45:00 PM	0.12
6/15/2025	3:00:00 PM	0.12
6/15/2025	3:15:00 PM	0.12
6/15/2025	3:30:00 PM	0.11
6/15/2025	3:45:00 PM	0.11
6/15/2025	4:00:00 PM	0.11
6/15/2025	4:15:00 PM	0.11
6/15/2025	4:30:00 PM	0.11
6/15/2025	4:45:00 PM	0.11
6/15/2025	5:00:00 PM	0.11
6/15/2025	5:15:00 PM	0.11
6/15/2025	5:30:00 PM	0.11
6/15/2025	5:45:00 PM	0.11
6/15/2025	6:00:00 PM	0.11
6/15/2025	6:15:00 PM	0.11
6/15/2025	6:30:00 PM	0.11
6/15/2025	6:45:00 PM	0.11
6/15/2025	7:00:00 PM	0.11
6/15/2025	7:15:00 PM	0.11
6/15/2025	7:30:00 PM	0.11
6/15/2025	7:45:00 PM	0.11
6/15/2025	8:00:00 PM	0.11
6/15/2025	8:15:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
6/15/2025	8:30:00 PM	0.11
6/15/2025	8:45:00 PM	0.11
6/15/2025	9:00:00 PM	0.11
6/15/2025	9:15:00 PM	0.11
6/15/2025	9:30:00 PM	0.11
6/15/2025	9:45:00 PM	0.11
6/15/2025	10:00:00 PM	0.11
6/15/2025	10:15:00 PM	0.11
6/15/2025	10:30:00 PM	0.11
6/15/2025	10:45:00 PM	0.11
6/15/2025	11:00:00 PM	0.11
6/15/2025	11:15:00 PM	0.11
6/15/2025	11:30:00 PM	0.11
6/15/2025	11:45:00 PM	0.11
6/16/2025	12:00:00 AM	0.11
6/16/2025	12:15:00 AM	0.11
6/16/2025	12:30:00 AM	0.11
6/16/2025	12:45:00 AM	0.11
6/16/2025	1:00:00 AM	0.11
6/16/2025	1:15:00 AM	0.11
6/16/2025	1:30:00 AM	0.11
6/16/2025	1:45:00 AM	0.11
6/16/2025	2:00:00 AM	0.11
6/16/2025	2:15:00 AM	0.11
6/16/2025	2:30:00 AM	0.12
6/16/2025	2:45:00 AM	0.12
6/16/2025	3:00:00 AM	0.12
6/16/2025	3:15:00 AM	0.12
6/16/2025	3:30:00 AM	0.12
6/16/2025	3:45:00 AM	0.12
6/16/2025	4:00:00 AM	0.12
6/16/2025	4:15:00 AM	0.12
6/16/2025	4:30:00 AM	0.11
6/16/2025	4:45:00 AM	0.11
6/16/2025	5:00:00 AM	0.11
6/16/2025	5:15:00 AM	0.11
6/16/2025	5:30:00 AM	0.11
6/16/2025	5:45:00 AM	0.11
6/16/2025	6:00:00 AM	0.12
6/16/2025	6:15:00 AM	0.12
6/16/2025	6:30:00 AM	0.12
6/16/2025	6:45:00 AM	0.12
6/16/2025	7:00:00 AM	0.12
6/16/2025	7:15:00 AM	0.12
6/16/2025	7:30:00 AM	0.12
6/16/2025	7:45:00 AM	0.12

Georges Ditch Return Gage

DATE	TIME	GAGE
6/16/2025	8:00:00 AM	0.12
6/16/2025	8:15:00 AM	0.12
6/16/2025	8:30:00 AM	0.12
6/16/2025	8:45:00 AM	0.12
6/16/2025	9:00:00 AM	0.12
6/16/2025	9:15:00 AM	0.12
6/16/2025	9:30:00 AM	0.12
6/16/2025	9:45:00 AM	0.11
6/16/2025	10:00:00 AM	0.11
6/16/2025	10:15:00 AM	0.11
6/16/2025	10:30:00 AM	0.11
6/16/2025	10:45:00 AM	0.11
6/16/2025	11:00:00 AM	0.11
6/16/2025	11:15:00 AM	0.11
6/16/2025	11:30:00 AM	0.11
6/16/2025	11:45:00 AM	0.11
6/16/2025	12:00:00 PM	0.11
6/16/2025	12:15:00 PM	0.11
6/16/2025	12:30:00 PM	0.11
6/16/2025	12:45:00 PM	0.11
6/16/2025	1:00:00 PM	0.11
6/16/2025	1:15:00 PM	0.11
6/16/2025	1:30:00 PM	0.11
6/16/2025	1:45:00 PM	0.11
6/16/2025	2:00:00 PM	0.11
6/16/2025	2:15:00 PM	0.11
6/16/2025	2:30:00 PM	0.11
6/16/2025	2:45:00 PM	0.11
6/16/2025	3:00:00 PM	0.11
6/16/2025	3:15:00 PM	0.11
6/16/2025	3:30:00 PM	0.11
6/16/2025	3:45:00 PM	0.11
6/16/2025	4:00:00 PM	0.11
6/16/2025	4:15:00 PM	0.11
6/16/2025	4:30:00 PM	0.1
6/16/2025	4:45:00 PM	0.1
6/16/2025	5:00:00 PM	0.1
6/16/2025	5:15:00 PM	0.1
6/16/2025	5:30:00 PM	0.1
6/16/2025	5:45:00 PM	0.1
6/16/2025	6:00:00 PM	0.1
6/16/2025	6:15:00 PM	0.1
6/16/2025	6:30:00 PM	0.1
6/16/2025	6:45:00 PM	0.11
6/16/2025	7:00:00 PM	0.1
6/16/2025	7:15:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
6/16/2025	7:30:00 PM	0.11
6/16/2025	7:45:00 PM	0.11
6/16/2025	8:00:00 PM	0.11
6/16/2025	8:15:00 PM	0.11
6/16/2025	8:30:00 PM	0.11
6/16/2025	8:45:00 PM	0.11
6/16/2025	9:00:00 PM	0.11
6/16/2025	9:15:00 PM	0.11
6/16/2025	9:30:00 PM	0.11
6/16/2025	9:45:00 PM	0.11
6/16/2025	10:00:00 PM	0.11
6/16/2025	10:15:00 PM	0.11
6/16/2025	10:30:00 PM	0.11
6/16/2025	10:45:00 PM	0.11
6/16/2025	11:00:00 PM	0.11
6/16/2025	11:15:00 PM	0.11
6/16/2025	11:30:00 PM	0.1
6/16/2025	11:45:00 PM	0.1
6/17/2025	12:00:00 AM	0.11
6/17/2025	12:15:00 AM	0.1
6/17/2025	12:30:00 AM	0.1
6/17/2025	12:45:00 AM	0.1
6/17/2025	1:00:00 AM	0.1
6/17/2025	1:15:00 AM	0.1
6/17/2025	1:30:00 AM	0.1
6/17/2025	1:45:00 AM	0.1
6/17/2025	2:00:00 AM	0.1
6/17/2025	2:15:00 AM	0.1
6/17/2025	2:30:00 AM	0.1
6/17/2025	2:45:00 AM	0.1
6/17/2025	3:00:00 AM	0.1
6/17/2025	3:15:00 AM	0.1
6/17/2025	3:30:00 AM	0.1
6/17/2025	3:45:00 AM	0.1
6/17/2025	4:00:00 AM	0.1
6/17/2025	4:15:00 AM	0.1
6/17/2025	4:30:00 AM	0.1
6/17/2025	4:45:00 AM	0.1
6/17/2025	5:00:00 AM	0.1
6/17/2025	5:15:00 AM	0.1
6/17/2025	5:30:00 AM	0.1
6/17/2025	5:45:00 AM	0.11
6/17/2025	6:00:00 AM	0.11
6/17/2025	6:15:00 AM	0.11
6/17/2025	6:30:00 AM	0.11
6/17/2025	6:45:00 AM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
6/17/2025	7:00:00 AM	0.11
6/17/2025	7:15:00 AM	0.11
6/17/2025	7:30:00 AM	0.11
6/17/2025	7:45:00 AM	0.11
6/17/2025	8:00:00 AM	0.11
6/17/2025	8:15:00 AM	0.11
6/17/2025	8:30:00 AM	0.11
6/17/2025	8:45:00 AM	0.11
6/17/2025	9:00:00 AM	0.11
6/17/2025	9:15:00 AM	0.11
6/17/2025	9:30:00 AM	0.11
6/17/2025	9:45:00 AM	0.1
6/17/2025	10:00:00 AM	0.11
6/17/2025	10:15:00 AM	0.1
6/17/2025	10:30:00 AM	0.1
6/17/2025	10:45:00 AM	0.1
6/17/2025	11:00:00 AM	0.1
6/17/2025	11:15:00 AM	0.1
6/17/2025	11:30:00 AM	0.1
6/17/2025	11:45:00 AM	0.1
6/17/2025	12:00:00 PM	0.1
6/17/2025	12:15:00 PM	0.1
6/17/2025	12:30:00 PM	0.1
6/17/2025	12:45:00 PM	0.1
6/17/2025	1:00:00 PM	0.1
6/17/2025	1:15:00 PM	0.1
6/17/2025	1:30:00 PM	0.1
6/17/2025	1:45:00 PM	0.1
6/17/2025	2:00:00 PM	0.1
6/17/2025	2:15:00 PM	0.1
6/17/2025	2:30:00 PM	0.1
6/17/2025	2:45:00 PM	0.1
6/17/2025	3:00:00 PM	0.1
6/17/2025	3:15:00 PM	0.1
6/17/2025	3:30:00 PM	0.1
6/17/2025	3:45:00 PM	0.09
6/17/2025	4:00:00 PM	0.1
6/17/2025	4:15:00 PM	0.09
6/17/2025	4:30:00 PM	0.09
6/17/2025	4:45:00 PM	0.09
6/17/2025	5:00:00 PM	0.09
6/17/2025	5:15:00 PM	0.09
6/17/2025	5:30:00 PM	0.09
6/17/2025	5:45:00 PM	0.09
6/17/2025	6:00:00 PM	0.09
6/17/2025	6:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
6/17/2025	6:30:00 PM	0.09
6/17/2025	6:45:00 PM	0.09
6/17/2025	7:00:00 PM	0.09
6/17/2025	7:15:00 PM	0.09
6/17/2025	7:30:00 PM	0.09
6/17/2025	7:45:00 PM	0.09
6/17/2025	8:00:00 PM	0.09
6/17/2025	8:15:00 PM	0.09
6/17/2025	8:30:00 PM	0.09
6/17/2025	8:45:00 PM	0.1
6/17/2025	9:00:00 PM	0.1
6/17/2025	9:15:00 PM	0.1
6/17/2025	9:30:00 PM	0.1
6/17/2025	9:45:00 PM	0.1
6/17/2025	10:00:00 PM	0.1
6/17/2025	10:15:00 PM	0.1
6/17/2025	10:30:00 PM	0.1
6/17/2025	10:45:00 PM	0.1
6/17/2025	11:00:00 PM	0.1
6/17/2025	11:15:00 PM	0.1
6/17/2025	11:30:00 PM	0.1
6/17/2025	11:45:00 PM	0.1
6/18/2025	12:00:00 AM	0.1
6/18/2025	12:15:00 AM	0.1
6/18/2025	12:30:00 AM	0.1
6/18/2025	12:45:00 AM	0.1
6/18/2025	1:00:00 AM	0.1
6/18/2025	1:15:00 AM	0.1
6/18/2025	1:30:00 AM	0.1
6/18/2025	1:45:00 AM	0.1
6/18/2025	2:00:00 AM	0.1
6/18/2025	2:15:00 AM	0.1
6/18/2025	2:30:00 AM	0.1
6/18/2025	2:45:00 AM	0.1
6/18/2025	3:00:00 AM	0.1
6/18/2025	3:15:00 AM	0.1
6/18/2025	3:30:00 AM	0.1
6/18/2025	3:45:00 AM	0.1
6/18/2025	4:00:00 AM	0.1
6/18/2025	4:15:00 AM	0.1
6/18/2025	4:30:00 AM	0.1
6/18/2025	4:45:00 AM	0.1
6/18/2025	5:00:00 AM	0.1
6/18/2025	5:15:00 AM	0.1
6/18/2025	5:30:00 AM	0.1
6/18/2025	5:45:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
6/18/2025	6:00:00 AM	0.1
6/18/2025	6:15:00 AM	0.11
6/18/2025	6:30:00 AM	0.11
6/18/2025	6:45:00 AM	0.11
6/18/2025	7:00:00 AM	0.11
6/18/2025	7:15:00 AM	0.1
6/18/2025	7:30:00 AM	0.1
6/18/2025	7:45:00 AM	0.1
6/18/2025	8:00:00 AM	0.1
6/18/2025	8:15:00 AM	0.1
6/18/2025	8:30:00 AM	0.1
6/18/2025	8:45:00 AM	0.1
6/18/2025	9:00:00 AM	0.1
6/18/2025	9:15:00 AM	0.1
6/18/2025	9:30:00 AM	0.1
6/18/2025	9:45:00 AM	0.1
6/18/2025	10:00:00 AM	0.1
6/18/2025	10:15:00 AM	0.1
6/18/2025	10:30:00 AM	0.09
6/18/2025	10:45:00 AM	0.09
6/18/2025	11:00:00 AM	0.09
6/18/2025	11:15:00 AM	0.09
6/18/2025	11:30:00 AM	0.09
6/18/2025	11:45:00 AM	0.09
6/18/2025	12:00:00 PM	0.21
6/18/2025	12:15:00 PM	0.46
6/18/2025	12:30:00 PM	0.53
6/18/2025	12:45:00 PM	0.56
6/18/2025	1:00:00 PM	0.57
6/18/2025	1:15:00 PM	0.57
6/18/2025	1:30:00 PM	0.58
6/18/2025	1:45:00 PM	0.58
6/18/2025	2:00:00 PM	0.59
6/18/2025	2:15:00 PM	0.59
6/18/2025	2:30:00 PM	0.58
6/18/2025	2:45:00 PM	0.57
6/18/2025	3:00:00 PM	0.56
6/18/2025	3:15:00 PM	0.55
6/18/2025	3:30:00 PM	0.54
6/18/2025	3:45:00 PM	0.54
6/18/2025	4:00:00 PM	0.54
6/18/2025	4:15:00 PM	0.54
6/18/2025	4:30:00 PM	0.54
6/18/2025	4:45:00 PM	0.54
6/18/2025	5:00:00 PM	0.54
6/18/2025	5:15:00 PM	0.54

Georges Ditch Return Gage

DATE	TIME	GAGE
6/18/2025	5:30:00 PM	0.54
6/18/2025	5:45:00 PM	0.54
6/18/2025	6:00:00 PM	0.54
6/18/2025	6:15:00 PM	0.54
6/18/2025	6:30:00 PM	0.55
6/18/2025	6:45:00 PM	0.55
6/18/2025	7:00:00 PM	0.55
6/18/2025	7:15:00 PM	0.55
6/18/2025	7:30:00 PM	0.55
6/18/2025	7:45:00 PM	0.55
6/18/2025	8:00:00 PM	0.55
6/18/2025	8:15:00 PM	0.55
6/18/2025	8:30:00 PM	0.55
6/18/2025	8:45:00 PM	0.55
6/18/2025	9:00:00 PM	0.55
6/18/2025	9:15:00 PM	0.55
6/18/2025	9:30:00 PM	0.55
6/18/2025	9:45:00 PM	0.56
6/18/2025	10:00:00 PM	0.56
6/18/2025	10:15:00 PM	0.56
6/18/2025	10:30:00 PM	0.56
6/18/2025	10:45:00 PM	0.56
6/18/2025	11:00:00 PM	0.56
6/18/2025	11:15:00 PM	0.56
6/18/2025	11:30:00 PM	0.56
6/18/2025	11:45:00 PM	0.56
6/19/2025	12:00:00 AM	0.56
6/19/2025	12:15:00 AM	0.56
6/19/2025	12:30:00 AM	0.56
6/19/2025	12:45:00 AM	0.56
6/19/2025	1:00:00 AM	0.56
6/19/2025	1:15:00 AM	0.56
6/19/2025	1:30:00 AM	0.56
6/19/2025	1:45:00 AM	0.56
6/19/2025	2:00:00 AM	0.56
6/19/2025	2:15:00 AM	0.56
6/19/2025	2:30:00 AM	0.56
6/19/2025	2:45:00 AM	0.56
6/19/2025	3:00:00 AM	0.56
6/19/2025	3:15:00 AM	0.56
6/19/2025	3:30:00 AM	0.56
6/19/2025	3:45:00 AM	0.56
6/19/2025	4:00:00 AM	0.56
6/19/2025	4:15:00 AM	0.56
6/19/2025	4:30:00 AM	0.56
6/19/2025	4:45:00 AM	0.56

Georges Ditch Return Gage

DATE	TIME	GAGE
6/19/2025	5:00:00 AM	0.56
6/19/2025	5:15:00 AM	0.56
6/19/2025	5:30:00 AM	0.56
6/19/2025	5:45:00 AM	0.56
6/19/2025	6:00:00 AM	0.56
6/19/2025	6:15:00 AM	0.56
6/19/2025	6:30:00 AM	0.56
6/19/2025	6:45:00 AM	0.56
6/19/2025	7:00:00 AM	0.56
6/19/2025	7:15:00 AM	0.56
6/19/2025	7:30:00 AM	0.56
6/19/2025	7:45:00 AM	0.56
6/19/2025	8:00:00 AM	0.57
6/19/2025	8:15:00 AM	0.57
6/19/2025	8:30:00 AM	0.56
6/19/2025	8:45:00 AM	0.56
6/19/2025	9:00:00 AM	0.56
6/19/2025	9:15:00 AM	0.56
6/19/2025	9:30:00 AM	0.56
6/19/2025	9:45:00 AM	0.56
6/19/2025	10:00:00 AM	0.56
6/19/2025	10:15:00 AM	0.56
6/19/2025	10:30:00 AM	0.56
6/19/2025	10:45:00 AM	0.56
6/19/2025	11:00:00 AM	0.56
6/19/2025	11:15:00 AM	0.56
6/19/2025	11:30:00 AM	0.54
6/19/2025	11:45:00 AM	0.53
6/19/2025	12:00:00 PM	0.51
6/19/2025	12:15:00 PM	0.49
6/19/2025	12:30:00 PM	0.47
6/19/2025	12:45:00 PM	0.46
6/19/2025	1:00:00 PM	0.46
6/19/2025	1:15:00 PM	0.46
6/19/2025	1:30:00 PM	0.45
6/19/2025	1:45:00 PM	0.45
6/19/2025	2:00:00 PM	0.45
6/19/2025	2:15:00 PM	0.45
6/19/2025	2:30:00 PM	0.45
6/19/2025	2:45:00 PM	0.44
6/19/2025	3:00:00 PM	0.43
6/19/2025	3:15:00 PM	0.41
6/19/2025	3:30:00 PM	0.39
6/19/2025	3:45:00 PM	0.37
6/19/2025	4:00:00 PM	0.35
6/19/2025	4:15:00 PM	0.34

Georges Ditch Return Gage

DATE	TIME	GAGE
6/19/2025	4:30:00 PM	0.33
6/19/2025	4:45:00 PM	0.32
6/19/2025	5:00:00 PM	0.32
6/19/2025	5:15:00 PM	0.31
6/19/2025	5:30:00 PM	0.31
6/19/2025	5:45:00 PM	0.31
6/19/2025	6:00:00 PM	0.31
6/19/2025	6:15:00 PM	0.31
6/19/2025	6:30:00 PM	0.31
6/19/2025	6:45:00 PM	0.31
6/19/2025	7:00:00 PM	0.31
6/19/2025	7:15:00 PM	0.31
6/19/2025	7:30:00 PM	0.31
6/19/2025	7:45:00 PM	0.31
6/19/2025	8:00:00 PM	0.31
6/19/2025	8:15:00 PM	0.31
6/19/2025	8:30:00 PM	0.31
6/19/2025	8:45:00 PM	0.31
6/19/2025	9:00:00 PM	0.31
6/19/2025	9:15:00 PM	0.31
6/19/2025	9:30:00 PM	0.32
6/19/2025	9:45:00 PM	0.32
6/19/2025	10:00:00 PM	0.32
6/19/2025	10:15:00 PM	0.32
6/19/2025	10:30:00 PM	0.32
6/19/2025	10:45:00 PM	0.32
6/19/2025	11:00:00 PM	0.32
6/19/2025	11:15:00 PM	0.31
6/19/2025	11:30:00 PM	0.31
6/19/2025	11:45:00 PM	0.32
6/20/2025	12:00:00 AM	0.32
6/20/2025	12:15:00 AM	0.32
6/20/2025	12:30:00 AM	0.32
6/20/2025	12:45:00 AM	0.32
6/20/2025	1:00:00 AM	0.32
6/20/2025	1:15:00 AM	0.32
6/20/2025	1:30:00 AM	0.32
6/20/2025	1:45:00 AM	0.32
6/20/2025	2:00:00 AM	0.32
6/20/2025	2:15:00 AM	0.32
6/20/2025	2:30:00 AM	0.32
6/20/2025	2:45:00 AM	0.32
6/20/2025	3:00:00 AM	0.32
6/20/2025	3:15:00 AM	0.32
6/20/2025	3:30:00 AM	0.32
6/20/2025	3:45:00 AM	0.32

Georges Ditch Return Gage

DATE	TIME	GAGE
6/20/2025	4:00:00 AM	0.32
6/20/2025	4:15:00 AM	0.32
6/20/2025	4:30:00 AM	0.31
6/20/2025	4:45:00 AM	0.31
6/20/2025	5:00:00 AM	0.32
6/20/2025	5:15:00 AM	0.32
6/20/2025	5:30:00 AM	0.32
6/20/2025	5:45:00 AM	0.32
6/20/2025	6:00:00 AM	0.32
6/20/2025	6:15:00 AM	0.32
6/20/2025	6:30:00 AM	0.32
6/20/2025	6:45:00 AM	0.32
6/20/2025	7:00:00 AM	0.32
6/20/2025	7:15:00 AM	0.32
6/20/2025	7:30:00 AM	0.31
6/20/2025	7:45:00 AM	0.31
6/20/2025	8:00:00 AM	0.31
6/20/2025	8:15:00 AM	0.31
6/20/2025	8:30:00 AM	0.31
6/20/2025	8:45:00 AM	0.31
6/20/2025	9:00:00 AM	0.31
6/20/2025	9:15:00 AM	0.31
6/20/2025	9:30:00 AM	0.31
6/20/2025	9:45:00 AM	0.31
6/20/2025	10:00:00 AM	0.31
6/20/2025	10:15:00 AM	0.31
6/20/2025	10:30:00 AM	0.31
6/20/2025	10:45:00 AM	0.31
6/20/2025	11:00:00 AM	0.31
6/20/2025	11:15:00 AM	0.3
6/20/2025	11:30:00 AM	0.3
6/20/2025	11:45:00 AM	0.3
6/20/2025	12:00:00 PM	0.3
6/20/2025	12:15:00 PM	0.3
6/20/2025	12:30:00 PM	0.3
6/20/2025	12:45:00 PM	0.31
6/20/2025	1:00:00 PM	0.33
6/20/2025	1:15:00 PM	0.37
6/20/2025	1:30:00 PM	0.4
6/20/2025	1:45:00 PM	0.41
6/20/2025	2:00:00 PM	0.42
6/20/2025	2:15:00 PM	0.42
6/20/2025	2:30:00 PM	0.44
6/20/2025	2:45:00 PM	0.46
6/20/2025	3:00:00 PM	0.48
6/20/2025	3:15:00 PM	0.5

Georges Ditch Return Gage

DATE	TIME	GAGE
6/20/2025	3:30:00 PM	0.5
6/20/2025	3:45:00 PM	0.51
6/20/2025	4:00:00 PM	0.51
6/20/2025	4:15:00 PM	0.51
6/20/2025	4:30:00 PM	0.51
6/20/2025	4:45:00 PM	0.51
6/20/2025	5:00:00 PM	0.51
6/20/2025	5:15:00 PM	0.51
6/20/2025	5:30:00 PM	0.51
6/20/2025	5:45:00 PM	0.51
6/20/2025	6:00:00 PM	0.51
6/20/2025	6:15:00 PM	0.51
6/20/2025	6:30:00 PM	0.51
6/20/2025	6:45:00 PM	0.51
6/20/2025	7:00:00 PM	0.51
6/20/2025	7:15:00 PM	0.51
6/20/2025	7:30:00 PM	0.51
6/20/2025	7:45:00 PM	0.51
6/20/2025	8:00:00 PM	0.52
6/20/2025	8:15:00 PM	0.51
6/20/2025	8:30:00 PM	0.52
6/20/2025	8:45:00 PM	0.52
6/20/2025	9:00:00 PM	0.52
6/20/2025	9:15:00 PM	0.52
6/20/2025	9:30:00 PM	0.52
6/20/2025	9:45:00 PM	0.52
6/20/2025	10:00:00 PM	0.52
6/20/2025	10:15:00 PM	0.52
6/20/2025	10:30:00 PM	0.52
6/20/2025	10:45:00 PM	0.52
6/20/2025	11:00:00 PM	0.52
6/20/2025	11:15:00 PM	0.52
6/20/2025	11:30:00 PM	0.52
6/20/2025	11:45:00 PM	0.52
6/21/2025	12:00:00 AM	0.52
6/21/2025	12:15:00 AM	0.52
6/21/2025	12:30:00 AM	0.52
6/21/2025	12:45:00 AM	0.52
6/21/2025	1:00:00 AM	0.52
6/21/2025	1:15:00 AM	0.52
6/21/2025	1:30:00 AM	0.52
6/21/2025	1:45:00 AM	0.52
6/21/2025	2:00:00 AM	0.52
6/21/2025	2:15:00 AM	0.52
6/21/2025	2:30:00 AM	0.52
6/21/2025	2:45:00 AM	0.52

Georges Ditch Return Gage

DATE	TIME	GAGE
6/21/2025	3:00:00 AM	0.52
6/21/2025	3:15:00 AM	0.52
6/21/2025	3:30:00 AM	0.52
6/21/2025	3:45:00 AM	0.52
6/21/2025	4:00:00 AM	0.52
6/21/2025	4:15:00 AM	0.52
6/21/2025	4:30:00 AM	0.52
6/21/2025	4:45:00 AM	0.52
6/21/2025	5:00:00 AM	0.52
6/21/2025	5:15:00 AM	0.52
6/21/2025	5:30:00 AM	0.52
6/21/2025	5:45:00 AM	0.52
6/21/2025	6:00:00 AM	0.52
6/21/2025	6:15:00 AM	0.52
6/21/2025	6:30:00 AM	0.52
6/21/2025	6:45:00 AM	0.52
6/21/2025	7:00:00 AM	0.52
6/21/2025	7:15:00 AM	0.52
6/21/2025	7:30:00 AM	0.52
6/21/2025	7:45:00 AM	0.52
6/21/2025	8:00:00 AM	0.52
6/21/2025	8:15:00 AM	0.52
6/21/2025	8:30:00 AM	0.52
6/21/2025	8:45:00 AM	0.52
6/21/2025	9:00:00 AM	0.52
6/21/2025	9:15:00 AM	0.52
6/21/2025	9:30:00 AM	0.52
6/21/2025	9:45:00 AM	0.52
6/21/2025	10:00:00 AM	0.52
6/21/2025	10:15:00 AM	0.52
6/21/2025	10:30:00 AM	0.52
6/21/2025	10:45:00 AM	0.52
6/21/2025	11:00:00 AM	0.52
6/21/2025	11:15:00 AM	0.52
6/21/2025	11:30:00 AM	0.52
6/21/2025	11:45:00 AM	0.52
6/21/2025	12:00:00 PM	0.52
6/21/2025	12:15:00 PM	0.52
6/21/2025	12:30:00 PM	0.52
6/21/2025	12:45:00 PM	0.52
6/21/2025	1:00:00 PM	0.52
6/21/2025	1:15:00 PM	0.52
6/21/2025	1:30:00 PM	0.52
6/21/2025	1:45:00 PM	0.52
6/21/2025	2:00:00 PM	0.52
6/21/2025	2:15:00 PM	0.52

Georges Ditch Return Gage

DATE	TIME	GAGE
6/21/2025	2:30:00 PM	0.52
6/21/2025	2:45:00 PM	0.51
6/21/2025	3:00:00 PM	0.5
6/21/2025	3:15:00 PM	0.5
6/21/2025	3:30:00 PM	0.5
6/21/2025	3:45:00 PM	0.5
6/21/2025	4:00:00 PM	0.49
6/21/2025	4:15:00 PM	0.49
6/21/2025	4:30:00 PM	0.49
6/21/2025	4:45:00 PM	0.49
6/21/2025	5:00:00 PM	0.49
6/21/2025	5:15:00 PM	0.49
6/21/2025	5:30:00 PM	0.49
6/21/2025	5:45:00 PM	0.49
6/21/2025	6:00:00 PM	0.49
6/21/2025	6:15:00 PM	0.49
6/21/2025	6:30:00 PM	0.49
6/21/2025	6:45:00 PM	0.5
6/21/2025	7:00:00 PM	0.5
6/21/2025	7:15:00 PM	0.5
6/21/2025	7:30:00 PM	0.5
6/21/2025	7:45:00 PM	0.5
6/21/2025	8:00:00 PM	0.5
6/21/2025	8:15:00 PM	0.5
6/21/2025	8:30:00 PM	0.5
6/21/2025	8:45:00 PM	0.5
6/21/2025	9:00:00 PM	0.5
6/21/2025	9:15:00 PM	0.5
6/21/2025	9:30:00 PM	0.5
6/21/2025	9:45:00 PM	0.5
6/21/2025	10:00:00 PM	0.5
6/21/2025	10:15:00 PM	0.5
6/21/2025	10:30:00 PM	0.5
6/21/2025	10:45:00 PM	0.5
6/21/2025	11:00:00 PM	0.5
6/21/2025	11:15:00 PM	0.49
6/21/2025	11:30:00 PM	0.5
6/21/2025	11:45:00 PM	0.5
6/22/2025	12:00:00 AM	0.5
6/22/2025	12:15:00 AM	0.5
6/22/2025	12:30:00 AM	0.5
6/22/2025	12:45:00 AM	0.5
6/22/2025	1:00:00 AM	0.5
6/22/2025	1:15:00 AM	0.5
6/22/2025	1:30:00 AM	0.5
6/22/2025	1:45:00 AM	0.5

Georges Ditch Return Gage

DATE	TIME	GAGE
6/22/2025	2:00:00 AM	0.5
6/22/2025	2:15:00 AM	0.5
6/22/2025	2:30:00 AM	0.5
6/22/2025	2:45:00 AM	0.5
6/22/2025	3:00:00 AM	0.5
6/22/2025	3:15:00 AM	0.5
6/22/2025	3:30:00 AM	0.5
6/22/2025	3:45:00 AM	0.5
6/22/2025	4:00:00 AM	0.5
6/22/2025	4:15:00 AM	0.5
6/22/2025	4:30:00 AM	0.5
6/22/2025	4:45:00 AM	0.5
6/22/2025	5:00:00 AM	0.5
6/22/2025	5:15:00 AM	0.5
6/22/2025	5:30:00 AM	0.5
6/22/2025	5:45:00 AM	0.5
6/22/2025	6:00:00 AM	0.5
6/22/2025	6:15:00 AM	0.5
6/22/2025	6:30:00 AM	0.5
6/22/2025	6:45:00 AM	0.5
6/22/2025	7:00:00 AM	0.5
6/22/2025	7:15:00 AM	0.5
6/22/2025	7:30:00 AM	0.5
6/22/2025	7:45:00 AM	0.5
6/22/2025	8:00:00 AM	0.5
6/22/2025	8:15:00 AM	0.5
6/22/2025	8:30:00 AM	0.5
6/22/2025	8:45:00 AM	0.5
6/22/2025	9:00:00 AM	0.5
6/22/2025	9:15:00 AM	0.5
6/22/2025	9:30:00 AM	0.5
6/22/2025	9:45:00 AM	0.49
6/22/2025	10:00:00 AM	0.49
6/22/2025	10:15:00 AM	0.49
6/22/2025	10:30:00 AM	0.49
6/22/2025	10:45:00 AM	0.49
6/22/2025	11:00:00 AM	0.49
6/22/2025	11:15:00 AM	0.49
6/22/2025	11:30:00 AM	0.49
6/22/2025	11:45:00 AM	0.49
6/22/2025	12:00:00 PM	0.49
6/22/2025	12:15:00 PM	0.49
6/22/2025	12:30:00 PM	0.49
6/22/2025	12:45:00 PM	0.49
6/22/2025	1:00:00 PM	0.49
6/22/2025	1:15:00 PM	0.49

Georges Ditch Return Gage

DATE	TIME	GAGE
6/22/2025	1:30:00 PM	0.49
6/22/2025	1:45:00 PM	0.49
6/22/2025	2:00:00 PM	0.49
6/22/2025	2:15:00 PM	0.49
6/22/2025	2:30:00 PM	0.49
6/22/2025	2:45:00 PM	0.49
6/22/2025	3:00:00 PM	0.49
6/22/2025	3:15:00 PM	0.49
6/22/2025	3:30:00 PM	0.49
6/22/2025	3:45:00 PM	0.49
6/22/2025	4:00:00 PM	0.49
6/22/2025	4:15:00 PM	0.49
6/22/2025	4:30:00 PM	0.49
6/22/2025	4:45:00 PM	0.49
6/22/2025	5:00:00 PM	0.49
6/22/2025	5:15:00 PM	0.49
6/22/2025	5:30:00 PM	0.49
6/22/2025	5:45:00 PM	0.49
6/22/2025	6:00:00 PM	0.49
6/22/2025	6:15:00 PM	0.49
6/22/2025	6:30:00 PM	0.49
6/22/2025	6:45:00 PM	0.49
6/22/2025	7:00:00 PM	0.49
6/22/2025	7:15:00 PM	0.49
6/22/2025	7:30:00 PM	0.49
6/22/2025	7:45:00 PM	0.49
6/22/2025	8:00:00 PM	0.49
6/22/2025	8:15:00 PM	0.49
6/22/2025	8:30:00 PM	0.49
6/22/2025	8:45:00 PM	0.49
6/22/2025	9:00:00 PM	0.49
6/22/2025	9:15:00 PM	0.49
6/22/2025	9:30:00 PM	0.49
6/22/2025	9:45:00 PM	0.5
6/22/2025	10:00:00 PM	0.5
6/22/2025	10:15:00 PM	0.5
6/22/2025	10:30:00 PM	0.5
6/22/2025	10:45:00 PM	0.5
6/22/2025	11:00:00 PM	0.5
6/22/2025	11:15:00 PM	0.5
6/22/2025	11:30:00 PM	0.49
6/22/2025	11:45:00 PM	0.49
6/23/2025	12:00:00 AM	0.49
6/23/2025	12:15:00 AM	0.49
6/23/2025	12:30:00 AM	0.49
6/23/2025	12:45:00 AM	0.49

Georges Ditch Return Gage

DATE	TIME	GAGE
6/23/2025	1:00:00 AM	0.5
6/23/2025	1:15:00 AM	0.5
6/23/2025	1:30:00 AM	0.49
6/23/2025	1:45:00 AM	0.5
6/23/2025	2:00:00 AM	0.5
6/23/2025	2:15:00 AM	0.5
6/23/2025	2:30:00 AM	0.5
6/23/2025	2:45:00 AM	0.5
6/23/2025	3:00:00 AM	0.49
6/23/2025	3:15:00 AM	0.49
6/23/2025	3:30:00 AM	0.49
6/23/2025	3:45:00 AM	0.49
6/23/2025	4:00:00 AM	0.49
6/23/2025	4:15:00 AM	0.49
6/23/2025	4:30:00 AM	0.49
6/23/2025	4:45:00 AM	0.49
6/23/2025	5:00:00 AM	0.49
6/23/2025	5:15:00 AM	0.49
6/23/2025	5:30:00 AM	0.49
6/23/2025	5:45:00 AM	0.49
6/23/2025	6:00:00 AM	0.49
6/23/2025	6:15:00 AM	0.49
6/23/2025	6:30:00 AM	0.49
6/23/2025	6:45:00 AM	0.49
6/23/2025	7:00:00 AM	0.49
6/23/2025	7:15:00 AM	.
6/23/2025	7:30:00 AM	0.47
6/23/2025	7:45:00 AM	0.47
6/23/2025	8:00:00 AM	0.47
6/23/2025	8:15:00 AM	0.47
6/23/2025	8:30:00 AM	0.46
6/23/2025	8:45:00 AM	0.46
6/23/2025	9:00:00 AM	0.46
6/23/2025	9:15:00 AM	0.46
6/23/2025	9:30:00 AM	0.46
6/23/2025	9:45:00 AM	0.46
6/23/2025	10:00:00 AM	0.46
6/23/2025	10:15:00 AM	0.46
6/23/2025	10:30:00 AM	0.46
6/23/2025	10:45:00 AM	0.46
6/23/2025	11:00:00 AM	0.46
6/23/2025	11:15:00 AM	0.46
6/23/2025	11:30:00 AM	0.46
6/23/2025	11:45:00 AM	0.46
6/23/2025	12:00:00 PM	0.46
6/23/2025	12:15:00 PM	0.46

Georges Ditch Return Gage

DATE	TIME	GAGE
6/23/2025	12:30:00 PM	0.46
6/23/2025	12:45:00 PM	0.46
6/23/2025	1:00:00 PM	0.46
6/23/2025	1:15:00 PM	0.46
6/23/2025	1:30:00 PM	0.46
6/23/2025	1:45:00 PM	0.46
6/23/2025	2:00:00 PM	0.46
6/23/2025	2:15:00 PM	0.46
6/23/2025	2:30:00 PM	0.46
6/23/2025	2:45:00 PM	0.46
6/23/2025	3:00:00 PM	0.46
6/23/2025	3:15:00 PM	0.46
6/23/2025	3:30:00 PM	0.46
6/23/2025	3:45:00 PM	0.46
6/23/2025	4:00:00 PM	0.46
6/23/2025	4:15:00 PM	0.46
6/23/2025	4:30:00 PM	0.46
6/23/2025	4:45:00 PM	0.46
6/23/2025	5:00:00 PM	0.46
6/23/2025	5:15:00 PM	0.46
6/23/2025	5:30:00 PM	0.46
6/23/2025	5:45:00 PM	0.46
6/23/2025	6:00:00 PM	0.46
6/23/2025	6:15:00 PM	0.46
6/23/2025	6:30:00 PM	0.46
6/23/2025	6:45:00 PM	0.46
6/23/2025	7:00:00 PM	0.46
6/23/2025	7:15:00 PM	0.46
6/23/2025	7:30:00 PM	0.46
6/23/2025	7:45:00 PM	0.46
6/23/2025	8:00:00 PM	0.46
6/23/2025	8:15:00 PM	0.46
6/23/2025	8:30:00 PM	0.46
6/23/2025	8:45:00 PM	0.46
6/23/2025	9:00:00 PM	0.46
6/23/2025	9:15:00 PM	0.46
6/23/2025	9:30:00 PM	0.46
6/23/2025	9:45:00 PM	0.46
6/23/2025	10:00:00 PM	0.46
6/23/2025	10:15:00 PM	0.46
6/23/2025	10:30:00 PM	0.46
6/23/2025	10:45:00 PM	0.46
6/23/2025	11:00:00 PM	0.46
6/23/2025	11:15:00 PM	0.46
6/23/2025	11:30:00 PM	0.46
6/23/2025	11:45:00 PM	0.46

Georges Ditch Return Gage

DATE	TIME	GAGE
6/24/2025	12:00:00 AM	0.46
6/24/2025	12:15:00 AM	0.46
6/24/2025	12:30:00 AM	0.46
6/24/2025	12:45:00 AM	0.46
6/24/2025	1:00:00 AM	0.46
6/24/2025	1:15:00 AM	0.46
6/24/2025	1:30:00 AM	0.46
6/24/2025	1:45:00 AM	0.46
6/24/2025	2:00:00 AM	0.46
6/24/2025	2:15:00 AM	0.46
6/24/2025	2:30:00 AM	0.46
6/24/2025	2:45:00 AM	0.46
6/24/2025	3:00:00 AM	0.46
6/24/2025	3:15:00 AM	0.46
6/24/2025	3:30:00 AM	0.46
6/24/2025	3:45:00 AM	0.46
6/24/2025	4:00:00 AM	0.46
6/24/2025	4:15:00 AM	0.46
6/24/2025	4:30:00 AM	0.46
6/24/2025	4:45:00 AM	0.46
6/24/2025	5:00:00 AM	0.46
6/24/2025	5:15:00 AM	0.46
6/24/2025	5:30:00 AM	0.46
6/24/2025	5:45:00 AM	0.46
6/24/2025	6:00:00 AM	0.46
6/24/2025	6:15:00 AM	0.46
6/24/2025	6:30:00 AM	0.46
6/24/2025	6:45:00 AM	0.46
6/24/2025	7:00:00 AM	0.46
6/24/2025	7:15:00 AM	0.46
6/24/2025	7:30:00 AM	0.46
6/24/2025	7:45:00 AM	0.46
6/24/2025	8:00:00 AM	0.46
6/24/2025	8:15:00 AM	0.46
6/24/2025	8:30:00 AM	0.46
6/24/2025	8:45:00 AM	0.46
6/24/2025	9:00:00 AM	0.46
6/24/2025	9:15:00 AM	0.46
6/24/2025	9:30:00 AM	0.46
6/24/2025	9:45:00 AM	0.46
6/24/2025	10:00:00 AM	0.46
6/24/2025	10:15:00 AM	0.46
6/24/2025	10:30:00 AM	0.46
6/24/2025	10:45:00 AM	0.46
6/24/2025	11:00:00 AM	0.46
6/24/2025	11:15:00 AM	0.46

Georges Ditch Return Gage

DATE	TIME	GAGE
6/24/2025	11:30:00 AM	0.46
6/24/2025	11:45:00 AM	0.46
6/24/2025	12:00:00 PM	0.46
6/24/2025	12:15:00 PM	0.46
6/24/2025	12:30:00 PM	0.46
6/24/2025	12:45:00 PM	0.46
6/24/2025	1:00:00 PM	0.46
6/24/2025	1:15:00 PM	0.46
6/24/2025	1:30:00 PM	0.46
6/24/2025	1:45:00 PM	0.46
6/24/2025	2:00:00 PM	0.46
6/24/2025	2:15:00 PM	0.46
6/24/2025	2:30:00 PM	0.46
6/24/2025	2:45:00 PM	0.45
6/24/2025	3:00:00 PM	0.46
6/24/2025	3:15:00 PM	0.45
6/24/2025	3:30:00 PM	0.46
6/24/2025	3:45:00 PM	0.45
6/24/2025	4:00:00 PM	0.45
6/24/2025	4:15:00 PM	0.45
6/24/2025	4:30:00 PM	0.45
6/24/2025	4:45:00 PM	0.45
6/24/2025	5:00:00 PM	0.45
6/24/2025	5:15:00 PM	0.45
6/24/2025	5:30:00 PM	0.45
6/24/2025	5:45:00 PM	0.45
6/24/2025	6:00:00 PM	0.45
6/24/2025	6:15:00 PM	0.45
6/24/2025	6:30:00 PM	0.45
6/24/2025	6:45:00 PM	0.45
6/24/2025	7:00:00 PM	0.45
6/24/2025	7:15:00 PM	0.45
6/24/2025	7:30:00 PM	0.45
6/24/2025	7:45:00 PM	0.46
6/24/2025	8:00:00 PM	0.46
6/24/2025	8:15:00 PM	0.46
6/24/2025	8:30:00 PM	0.46
6/24/2025	8:45:00 PM	0.46
6/24/2025	9:00:00 PM	0.46
6/24/2025	9:15:00 PM	0.46
6/24/2025	9:30:00 PM	0.46
6/24/2025	9:45:00 PM	0.46
6/24/2025	10:00:00 PM	0.46
6/24/2025	10:15:00 PM	0.46
6/24/2025	10:30:00 PM	0.46
6/24/2025	10:45:00 PM	0.46

Georges Ditch Return Gage

DATE	TIME	GAGE
6/24/2025	11:00:00 PM	0.46
6/24/2025	11:15:00 PM	0.46
6/24/2025	11:30:00 PM	0.46
6/24/2025	11:45:00 PM	0.46
6/25/2025	12:00:00 AM	0.46
6/25/2025	12:15:00 AM	0.46
6/25/2025	12:30:00 AM	0.46
6/25/2025	12:45:00 AM	0.46
6/25/2025	1:00:00 AM	0.46
6/25/2025	1:15:00 AM	0.46
6/25/2025	1:30:00 AM	0.46
6/25/2025	1:45:00 AM	0.46
6/25/2025	2:00:00 AM	0.46
6/25/2025	2:15:00 AM	0.46
6/25/2025	2:30:00 AM	0.46
6/25/2025	2:45:00 AM	0.46
6/25/2025	3:00:00 AM	0.46
6/25/2025	3:15:00 AM	0.46
6/25/2025	3:30:00 AM	0.46
6/25/2025	3:45:00 AM	0.46
6/25/2025	4:00:00 AM	0.46
6/25/2025	4:15:00 AM	0.46
6/25/2025	4:30:00 AM	0.46
6/25/2025	4:45:00 AM	0.46
6/25/2025	5:00:00 AM	0.46
6/25/2025	5:15:00 AM	0.46
6/25/2025	5:30:00 AM	0.46
6/25/2025	5:45:00 AM	0.46
6/25/2025	6:00:00 AM	0.46
6/25/2025	6:15:00 AM	0.46
6/25/2025	6:30:00 AM	0.46
6/25/2025	6:45:00 AM	0.46
6/25/2025	7:00:00 AM	0.46
6/25/2025	7:15:00 AM	0.46
6/25/2025	7:30:00 AM	0.46
6/25/2025	7:45:00 AM	0.46
6/25/2025	8:00:00 AM	0.45
6/25/2025	8:15:00 AM	0.46
6/25/2025	8:30:00 AM	0.45
6/25/2025	8:45:00 AM	0.45
6/25/2025	9:00:00 AM	0.45
6/25/2025	9:15:00 AM	0.45
6/25/2025	9:30:00 AM	0.45
6/25/2025	9:45:00 AM	0.45
6/25/2025	10:00:00 AM	0.45
6/25/2025	10:15:00 AM	0.45

Georges Ditch Return Gage

DATE	TIME	GAGE
6/25/2025	10:30:00 AM	0.45
6/25/2025	10:45:00 AM	0.45
6/25/2025	11:00:00 AM	0.45
6/25/2025	11:15:00 AM	0.45
6/25/2025	11:30:00 AM	0.45
6/25/2025	11:45:00 AM	0.45
6/25/2025	12:00:00 PM	0.45
6/25/2025	12:15:00 PM	0.45
6/25/2025	12:30:00 PM	0.45
6/25/2025	12:45:00 PM	0.44
6/25/2025	1:00:00 PM	0.44
6/25/2025	1:15:00 PM	0.45
6/25/2025	1:30:00 PM	0.44
6/25/2025	1:45:00 PM	0.44
6/25/2025	2:00:00 PM	0.44
6/25/2025	2:15:00 PM	0.44
6/25/2025	2:30:00 PM	0.44
6/25/2025	2:45:00 PM	0.44
6/25/2025	3:00:00 PM	0.44
6/25/2025	3:15:00 PM	0.44
6/25/2025	3:30:00 PM	0.44
6/25/2025	3:45:00 PM	0.44
6/25/2025	4:00:00 PM	0.44
6/25/2025	4:15:00 PM	0.44
6/25/2025	4:30:00 PM	0.44
6/25/2025	4:45:00 PM	0.44
6/25/2025	5:00:00 PM	0.44
6/25/2025	5:15:00 PM	0.44
6/25/2025	5:30:00 PM	0.44
6/25/2025	5:45:00 PM	0.44
6/25/2025	6:00:00 PM	0.44
6/25/2025	6:15:00 PM	0.44
6/25/2025	6:30:00 PM	0.44
6/25/2025	6:45:00 PM	0.44
6/25/2025	7:00:00 PM	0.44
6/25/2025	7:15:00 PM	0.44
6/25/2025	7:30:00 PM	0.44
6/25/2025	7:45:00 PM	0.44
6/25/2025	8:00:00 PM	0.44
6/25/2025	8:15:00 PM	0.45
6/25/2025	8:30:00 PM	0.45
6/25/2025	8:45:00 PM	0.45
6/25/2025	9:00:00 PM	0.45
6/25/2025	9:15:00 PM	0.45
6/25/2025	9:30:00 PM	0.45
6/25/2025	9:45:00 PM	0.45

Georges Ditch Return Gage

DATE	TIME	GAGE
6/25/2025	10:00:00 PM	0.45
6/25/2025	10:15:00 PM	0.45
6/25/2025	10:30:00 PM	0.45
6/25/2025	10:45:00 PM	0.45
6/25/2025	11:00:00 PM	0.45
6/25/2025	11:15:00 PM	0.45
6/25/2025	11:30:00 PM	0.45
6/25/2025	11:45:00 PM	0.45
6/26/2025	12:00:00 AM	0.45
6/26/2025	12:15:00 AM	0.45
6/26/2025	12:30:00 AM	0.45
6/26/2025	12:45:00 AM	0.45
6/26/2025	1:00:00 AM	0.45
6/26/2025	1:15:00 AM	0.45
6/26/2025	1:30:00 AM	0.45
6/26/2025	1:45:00 AM	0.45
6/26/2025	2:00:00 AM	0.45
6/26/2025	2:15:00 AM	0.45
6/26/2025	2:30:00 AM	0.45
6/26/2025	2:45:00 AM	0.45
6/26/2025	3:00:00 AM	0.45
6/26/2025	3:15:00 AM	0.45
6/26/2025	3:30:00 AM	0.45
6/26/2025	3:45:00 AM	0.45
6/26/2025	4:00:00 AM	0.45
6/26/2025	4:15:00 AM	0.45
6/26/2025	4:30:00 AM	0.45
6/26/2025	4:45:00 AM	0.45
6/26/2025	5:00:00 AM	0.45
6/26/2025	5:15:00 AM	0.45
6/26/2025	5:30:00 AM	0.45
6/26/2025	5:45:00 AM	0.45
6/26/2025	6:00:00 AM	0.44
6/26/2025	6:15:00 AM	0.44
6/26/2025	6:30:00 AM	0.44
6/26/2025	6:45:00 AM	0.44
6/26/2025	7:00:00 AM	0.44
6/26/2025	7:15:00 AM	0.45
6/26/2025	7:30:00 AM	0.45
6/26/2025	7:45:00 AM	0.45
6/26/2025	8:00:00 AM	0.45
6/26/2025	8:15:00 AM	0.45
6/26/2025	8:30:00 AM	0.44
6/26/2025	8:45:00 AM	0.45
6/26/2025	9:00:00 AM	0.44
6/26/2025	9:15:00 AM	0.44

Georges Ditch Return Gage

DATE	TIME	GAGE
6/26/2025	9:30:00 AM	0.44
6/26/2025	9:45:00 AM	0.44
6/26/2025	10:00:00 AM	0.44
6/26/2025	10:15:00 AM	0.44
6/26/2025	10:30:00 AM	0.44
6/26/2025	10:45:00 AM	0.44
6/26/2025	11:00:00 AM	0.44
6/26/2025	11:15:00 AM	0.44
6/26/2025	11:30:00 AM	0.44
6/26/2025	11:45:00 AM	0.44
6/26/2025	12:00:00 PM	0.44
6/26/2025	12:15:00 PM	0.44
6/26/2025	12:30:00 PM	0.44
6/26/2025	12:45:00 PM	0.44
6/26/2025	1:00:00 PM	0.44
6/26/2025	1:15:00 PM	0.44
6/26/2025	1:30:00 PM	0.44
6/26/2025	1:45:00 PM	0.44
6/26/2025	2:00:00 PM	0.44
6/26/2025	2:15:00 PM	0.44
6/26/2025	2:30:00 PM	0.44
6/26/2025	2:45:00 PM	0.44
6/26/2025	3:00:00 PM	0.44
6/26/2025	3:15:00 PM	0.43
6/26/2025	3:30:00 PM	0.44
6/26/2025	3:45:00 PM	0.43
6/26/2025	4:00:00 PM	0.43
6/26/2025	4:15:00 PM	0.43
6/26/2025	4:30:00 PM	0.43
6/26/2025	4:45:00 PM	0.43
6/26/2025	5:00:00 PM	0.43
6/26/2025	5:15:00 PM	0.43
6/26/2025	5:30:00 PM	0.44
6/26/2025	5:45:00 PM	0.43
6/26/2025	6:00:00 PM	0.43
6/26/2025	6:15:00 PM	0.44
6/26/2025	6:30:00 PM	0.44
6/26/2025	6:45:00 PM	0.44
6/26/2025	7:00:00 PM	0.44
6/26/2025	7:15:00 PM	0.44
6/26/2025	7:30:00 PM	0.44
6/26/2025	7:45:00 PM	0.44
6/26/2025	8:00:00 PM	0.44
6/26/2025	8:15:00 PM	0.44
6/26/2025	8:30:00 PM	0.44
6/26/2025	8:45:00 PM	0.44

Georges Ditch Return Gage

DATE	TIME	GAGE
6/26/2025	9:00:00 PM	0.44
6/26/2025	9:15:00 PM	0.44
6/26/2025	9:30:00 PM	0.44
6/26/2025	9:45:00 PM	0.44
6/26/2025	10:00:00 PM	0.44
6/26/2025	10:15:00 PM	0.44
6/26/2025	10:30:00 PM	0.44
6/26/2025	10:45:00 PM	0.44
6/26/2025	11:00:00 PM	0.44
6/26/2025	11:15:00 PM	0.44
6/26/2025	11:30:00 PM	0.44
6/26/2025	11:45:00 PM	0.44
6/27/2025	12:00:00 AM	0.44
6/27/2025	12:15:00 AM	0.45
6/27/2025	12:30:00 AM	0.45
6/27/2025	12:45:00 AM	0.44
6/27/2025	1:00:00 AM	0.45
6/27/2025	1:15:00 AM	0.45
6/27/2025	1:30:00 AM	0.45
6/27/2025	1:45:00 AM	0.44
6/27/2025	2:00:00 AM	0.44
6/27/2025	2:15:00 AM	0.44
6/27/2025	2:30:00 AM	0.45
6/27/2025	2:45:00 AM	0.44
6/27/2025	3:00:00 AM	0.45
6/27/2025	3:15:00 AM	0.44
6/27/2025	3:30:00 AM	0.44
6/27/2025	3:45:00 AM	0.45
6/27/2025	4:00:00 AM	0.45
6/27/2025	4:15:00 AM	0.45
6/27/2025	4:30:00 AM	0.45
6/27/2025	4:45:00 AM	0.45
6/27/2025	5:00:00 AM	0.45
6/27/2025	5:15:00 AM	0.45
6/27/2025	5:30:00 AM	0.45
6/27/2025	5:45:00 AM	0.44
6/27/2025	6:00:00 AM	0.44
6/27/2025	6:15:00 AM	0.44
6/27/2025	6:30:00 AM	0.44
6/27/2025	6:45:00 AM	0.44
6/27/2025	7:00:00 AM	0.44
6/27/2025	7:15:00 AM	0.44
6/27/2025	7:30:00 AM	0.44
6/27/2025	7:45:00 AM	0.44
6/27/2025	8:00:00 AM	0.44
6/27/2025	8:15:00 AM	0.44

Georges Ditch Return Gage

DATE	TIME	GAGE
6/27/2025	8:30:00 AM	0.44
6/27/2025	8:45:00 AM	0.44
6/27/2025	9:00:00 AM	0.44
6/27/2025	9:15:00 AM	0.44
6/27/2025	9:30:00 AM	0.44
6/27/2025	9:45:00 AM	0.44
6/27/2025	10:00:00 AM	0.44
6/27/2025	10:15:00 AM	0.44
6/27/2025	10:30:00 AM	0.44
6/27/2025	10:45:00 AM	0.44
6/27/2025	11:00:00 AM	0.44
6/27/2025	11:15:00 AM	0.44
6/27/2025	11:30:00 AM	0.44
6/27/2025	11:45:00 AM	0.44
6/27/2025	12:00:00 PM	0.44
6/27/2025	12:15:00 PM	0.44
6/27/2025	12:30:00 PM	0.44
6/27/2025	12:45:00 PM	0.44
6/27/2025	1:00:00 PM	0.44
6/27/2025	1:15:00 PM	0.44
6/27/2025	1:30:00 PM	0.44
6/27/2025	1:45:00 PM	0.43
6/27/2025	2:00:00 PM	0.43
6/27/2025	2:15:00 PM	0.43
6/27/2025	2:30:00 PM	0.43
6/27/2025	2:45:00 PM	0.43
6/27/2025	3:00:00 PM	0.43
6/27/2025	3:15:00 PM	0.43
6/27/2025	3:30:00 PM	0.43
6/27/2025	3:45:00 PM	0.43
6/27/2025	4:00:00 PM	0.43
6/27/2025	4:15:00 PM	0.43
6/27/2025	4:30:00 PM	0.43
6/27/2025	4:45:00 PM	0.43
6/27/2025	5:00:00 PM	0.43
6/27/2025	5:15:00 PM	0.43
6/27/2025	5:30:00 PM	0.43
6/27/2025	5:45:00 PM	0.43
6/27/2025	6:00:00 PM	0.43
6/27/2025	6:15:00 PM	0.43
6/27/2025	6:30:00 PM	0.44
6/27/2025	6:45:00 PM	0.44
6/27/2025	7:00:00 PM	0.44
6/27/2025	7:15:00 PM	0.44
6/27/2025	7:30:00 PM	0.44
6/27/2025	7:45:00 PM	0.44

Georges Ditch Return Gage

DATE	TIME	GAGE
6/27/2025	8:00:00 PM	0.44
6/27/2025	8:15:00 PM	0.44
6/27/2025	8:30:00 PM	0.44
6/27/2025	8:45:00 PM	0.44
6/27/2025	9:00:00 PM	0.44
6/27/2025	9:15:00 PM	0.44
6/27/2025	9:30:00 PM	0.44
6/27/2025	9:45:00 PM	0.44
6/27/2025	10:00:00 PM	0.44
6/27/2025	10:15:00 PM	0.44
6/27/2025	10:30:00 PM	0.44
6/27/2025	10:45:00 PM	0.45
6/27/2025	11:00:00 PM	0.45
6/27/2025	11:15:00 PM	0.45
6/27/2025	11:30:00 PM	0.45
6/27/2025	11:45:00 PM	0.45
6/28/2025	12:00:00 AM	0.45
6/28/2025	12:15:00 AM	0.45
6/28/2025	12:30:00 AM	0.45
6/28/2025	12:45:00 AM	0.45
6/28/2025	1:00:00 AM	0.45
6/28/2025	1:15:00 AM	0.45
6/28/2025	1:30:00 AM	0.45
6/28/2025	1:45:00 AM	0.45
6/28/2025	2:00:00 AM	0.45
6/28/2025	2:15:00 AM	0.45
6/28/2025	2:30:00 AM	0.45
6/28/2025	2:45:00 AM	0.45
6/28/2025	3:00:00 AM	0.45
6/28/2025	3:15:00 AM	0.45
6/28/2025	3:30:00 AM	0.45
6/28/2025	3:45:00 AM	0.45
6/28/2025	4:00:00 AM	0.44
6/28/2025	4:15:00 AM	0.44
6/28/2025	4:30:00 AM	0.44
6/28/2025	4:45:00 AM	0.44
6/28/2025	5:00:00 AM	0.44
6/28/2025	5:15:00 AM	0.44
6/28/2025	5:30:00 AM	0.45
6/28/2025	5:45:00 AM	0.44
6/28/2025	6:00:00 AM	0.44
6/28/2025	6:15:00 AM	0.44
6/28/2025	6:30:00 AM	0.44
6/28/2025	6:45:00 AM	0.44
6/28/2025	7:00:00 AM	0.45
6/28/2025	7:15:00 AM	0.44

Georges Ditch Return Gage

DATE	TIME	GAGE
6/28/2025	7:30:00 AM	0.44
6/28/2025	7:45:00 AM	0.44
6/28/2025	8:00:00 AM	0.44
6/28/2025	8:15:00 AM	0.44
6/28/2025	8:30:00 AM	0.44
6/28/2025	8:45:00 AM	0.44
6/28/2025	9:00:00 AM	0.44
6/28/2025	9:15:00 AM	0.44
6/28/2025	9:30:00 AM	0.44
6/28/2025	9:45:00 AM	0.44
6/28/2025	10:00:00 AM	0.44
6/28/2025	10:15:00 AM	0.44
6/28/2025	10:30:00 AM	0.44
6/28/2025	10:45:00 AM	0.44
6/28/2025	11:00:00 AM	0.44
6/28/2025	11:15:00 AM	0.44
6/28/2025	11:30:00 AM	0.44
6/28/2025	11:45:00 AM	0.44
6/28/2025	12:00:00 PM	0.44
6/28/2025	12:15:00 PM	0.44
6/28/2025	12:30:00 PM	0.44
6/28/2025	12:45:00 PM	0.44
6/28/2025	1:00:00 PM	0.43
6/28/2025	1:15:00 PM	0.42
6/28/2025	1:30:00 PM	0.39
6/28/2025	1:45:00 PM	0.37
6/28/2025	2:00:00 PM	0.33
6/28/2025	2:15:00 PM	0.3
6/28/2025	2:30:00 PM	0.27
6/28/2025	2:45:00 PM	0.24
6/28/2025	3:00:00 PM	0.22
6/28/2025	3:15:00 PM	0.2
6/28/2025	3:30:00 PM	0.18
6/28/2025	3:45:00 PM	0.17
6/28/2025	4:00:00 PM	0.16
6/28/2025	4:15:00 PM	0.15
6/28/2025	4:30:00 PM	0.14
6/28/2025	4:45:00 PM	0.13
6/28/2025	5:00:00 PM	0.12
6/28/2025	5:15:00 PM	0.12
6/28/2025	5:30:00 PM	0.11
6/28/2025	5:45:00 PM	0.11
6/28/2025	6:00:00 PM	0.1
6/28/2025	6:15:00 PM	0.1
6/28/2025	6:30:00 PM	0.1
6/28/2025	6:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
6/28/2025	7:00:00 PM	0.09
6/28/2025	7:15:00 PM	0.09
6/28/2025	7:30:00 PM	0.09
6/28/2025	7:45:00 PM	0.08
6/28/2025	8:00:00 PM	0.08
6/28/2025	8:15:00 PM	0.08
6/28/2025	8:30:00 PM	0.08
6/28/2025	8:45:00 PM	0.07
6/28/2025	9:00:00 PM	0.07
6/28/2025	9:15:00 PM	0.07
6/28/2025	9:30:00 PM	0.07
6/28/2025	9:45:00 PM	0.07
6/28/2025	10:00:00 PM	0.07
6/28/2025	10:15:00 PM	0.06
6/28/2025	10:30:00 PM	0.06
6/28/2025	10:45:00 PM	0.06
6/28/2025	11:00:00 PM	0.06
6/28/2025	11:15:00 PM	0.06
6/28/2025	11:30:00 PM	0.06
6/28/2025	11:45:00 PM	0.06
6/29/2025	12:00:00 AM	0.06
6/29/2025	12:15:00 AM	0.06
6/29/2025	12:30:00 AM	0.06
6/29/2025	12:45:00 AM	0.06
6/29/2025	1:00:00 AM	0.06
6/29/2025	1:15:00 AM	0.06
6/29/2025	1:30:00 AM	0.06
6/29/2025	1:45:00 AM	0.05
6/29/2025	2:00:00 AM	0.05
6/29/2025	2:15:00 AM	0.05
6/29/2025	2:30:00 AM	0.05
6/29/2025	2:45:00 AM	0.04
6/29/2025	3:00:00 AM	0.04
6/29/2025	3:15:00 AM	0.04
6/29/2025	3:30:00 AM	0.04
6/29/2025	3:45:00 AM	0.03
6/29/2025	4:00:00 AM	0.03
6/29/2025	4:15:00 AM	0.03
6/29/2025	4:30:00 AM	0.02
6/29/2025	4:45:00 AM	0.02
6/29/2025	5:00:00 AM	0.02
6/29/2025	5:15:00 AM	0.02
6/29/2025	5:30:00 AM	0.02
6/29/2025	5:45:00 AM	0.02
6/29/2025	6:00:00 AM	0.02
6/29/2025	6:15:00 AM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
6/29/2025	6:30:00 AM	0.02
6/29/2025	6:45:00 AM	0.02
6/29/2025	7:00:00 AM	0.02
6/29/2025	7:15:00 AM	0.02
6/29/2025	7:30:00 AM	0.02
6/29/2025	7:45:00 AM	0.02
6/29/2025	8:00:00 AM	0.02
6/29/2025	8:15:00 AM	0.02
6/29/2025	8:30:00 AM	0.02
6/29/2025	8:45:00 AM	0.02
6/29/2025	9:00:00 AM	0.02
6/29/2025	9:15:00 AM	0.02
6/29/2025	9:30:00 AM	0.02
6/29/2025	9:45:00 AM	0.02
6/29/2025	10:00:00 AM	0.02
6/29/2025	10:15:00 AM	0.02
6/29/2025	10:30:00 AM	0.02
6/29/2025	10:45:00 AM	0.01
6/29/2025	11:00:00 AM	0.01
6/29/2025	11:15:00 AM	0.01
6/29/2025	11:30:00 AM	0.01
6/29/2025	11:45:00 AM	0.01
6/29/2025	12:00:00 PM	0.01
6/29/2025	12:15:00 PM	0.01
6/29/2025	12:30:00 PM	0.01
6/29/2025	12:45:00 PM	0.01
6/29/2025	1:00:00 PM	0.01
6/29/2025	1:15:00 PM	0.01
6/29/2025	1:30:00 PM	0.01
6/29/2025	1:45:00 PM	0.01
6/29/2025	2:00:00 PM	0.01
6/29/2025	2:15:00 PM	0.01
6/29/2025	2:30:00 PM	0.01
6/29/2025	2:45:00 PM	0.01
6/29/2025	3:00:00 PM	0.01
6/29/2025	3:15:00 PM	0.01
6/29/2025	3:30:00 PM	0.01
6/29/2025	3:45:00 PM	0.01
6/29/2025	4:00:00 PM	0.01
6/29/2025	4:15:00 PM	0.01
6/29/2025	4:30:00 PM	0.01
6/29/2025	4:45:00 PM	0.01
6/29/2025	5:00:00 PM	0.01
6/29/2025	5:15:00 PM	0.01
6/29/2025	5:30:00 PM	0.01
6/29/2025	5:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
6/29/2025	6:00:00 PM	0
6/29/2025	6:15:00 PM	0
6/29/2025	6:30:00 PM	0
6/29/2025	6:45:00 PM	0
6/29/2025	7:00:00 PM	0
6/29/2025	7:15:00 PM	0
6/29/2025	7:30:00 PM	0
6/29/2025	7:45:00 PM	0
6/29/2025	8:00:00 PM	0
6/29/2025	8:15:00 PM	0
6/29/2025	8:30:00 PM	0
6/29/2025	8:45:00 PM	0
6/29/2025	9:00:00 PM	0
6/29/2025	9:15:00 PM	0
6/29/2025	9:30:00 PM	0
6/29/2025	9:45:00 PM	0
6/29/2025	10:00:00 PM	0
6/29/2025	10:15:00 PM	0
6/29/2025	10:30:00 PM	0
6/29/2025	10:45:00 PM	0
6/29/2025	11:00:00 PM	0
6/29/2025	11:15:00 PM	0
6/29/2025	11:30:00 PM	0
6/29/2025	11:45:00 PM	0
6/30/2025	12:00:00 AM	0
6/30/2025	12:15:00 AM	0
6/30/2025	12:30:00 AM	0
6/30/2025	12:45:00 AM	0
6/30/2025	1:00:00 AM	0
6/30/2025	1:15:00 AM	0.03
6/30/2025	1:30:00 AM	0.06
6/30/2025	1:45:00 AM	0.06
6/30/2025	2:00:00 AM	0.06
6/30/2025	2:15:00 AM	0.06
6/30/2025	2:30:00 AM	0.06
6/30/2025	2:45:00 AM	0.07
6/30/2025	3:00:00 AM	0.07
6/30/2025	3:15:00 AM	0.07
6/30/2025	3:30:00 AM	0.07
6/30/2025	3:45:00 AM	0.07
6/30/2025	4:00:00 AM	0.07
6/30/2025	4:15:00 AM	0.07
6/30/2025	4:30:00 AM	0.07
6/30/2025	4:45:00 AM	0.07
6/30/2025	5:00:00 AM	0.07
6/30/2025	5:15:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
6/30/2025	5:30:00 AM	0.07
6/30/2025	5:45:00 AM	0.07
6/30/2025	6:00:00 AM	0.07
6/30/2025	6:15:00 AM	0.07
6/30/2025	6:30:00 AM	0.07
6/30/2025	6:45:00 AM	0.07
6/30/2025	7:00:00 AM	0.07
6/30/2025	7:15:00 AM	0.07
6/30/2025	7:30:00 AM	0.07
6/30/2025	7:45:00 AM	0.07
6/30/2025	8:00:00 AM	0.07
6/30/2025	8:15:00 AM	0.08
6/30/2025	8:30:00 AM	0.08
6/30/2025	8:45:00 AM	0.08
6/30/2025	9:00:00 AM	0.08
6/30/2025	9:15:00 AM	0.08
6/30/2025	9:30:00 AM	0.08
6/30/2025	9:45:00 AM	0.08
6/30/2025	10:00:00 AM	0.08
6/30/2025	10:15:00 AM	0.08
6/30/2025	10:30:00 AM	0.08
6/30/2025	10:45:00 AM	0.07
6/30/2025	11:00:00 AM	0.07
6/30/2025	11:15:00 AM	0.07
6/30/2025	11:30:00 AM	0.07
6/30/2025	11:45:00 AM	0.07
6/30/2025	12:00:00 PM	0.07
6/30/2025	12:15:00 PM	0.07
6/30/2025	12:30:00 PM	0.07
6/30/2025	12:45:00 PM	0.07
6/30/2025	1:00:00 PM	0.07
6/30/2025	1:15:00 PM	0.07
6/30/2025	1:30:00 PM	0.07
6/30/2025	1:45:00 PM	0.07
6/30/2025	2:00:00 PM	0.06
6/30/2025	2:15:00 PM	0.06
6/30/2025	2:30:00 PM	0.06
6/30/2025	2:45:00 PM	0.06
6/30/2025	3:00:00 PM	0.06
6/30/2025	3:15:00 PM	0.06
6/30/2025	3:30:00 PM	0.06
6/30/2025	3:45:00 PM	0.06
6/30/2025	4:00:00 PM	0.06
6/30/2025	4:15:00 PM	0.06
6/30/2025	4:30:00 PM	0.06
6/30/2025	4:45:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
6/30/2025	5:00:00 PM	0.06
6/30/2025	5:15:00 PM	0.06
6/30/2025	5:30:00 PM	0.05
6/30/2025	5:45:00 PM	0.05
6/30/2025	6:00:00 PM	0.05
6/30/2025	6:15:00 PM	0.05
6/30/2025	6:30:00 PM	0.05
6/30/2025	6:45:00 PM	0.05
6/30/2025	7:00:00 PM	0.05
6/30/2025	7:15:00 PM	0.05
6/30/2025	7:30:00 PM	0.05
6/30/2025	7:45:00 PM	0.05
6/30/2025	8:00:00 PM	0.05
6/30/2025	8:15:00 PM	0.05
6/30/2025	8:30:00 PM	0.05
6/30/2025	8:45:00 PM	0.05
6/30/2025	9:00:00 PM	0.05
6/30/2025	9:15:00 PM	0.04
6/30/2025	9:30:00 PM	0.04
6/30/2025	9:45:00 PM	0.04
6/30/2025	10:00:00 PM	0.04
6/30/2025	10:15:00 PM	0.04
6/30/2025	10:30:00 PM	0.04
6/30/2025	10:45:00 PM	0.04
6/30/2025	11:00:00 PM	0.04
6/30/2025	11:15:00 PM	0.04
6/30/2025	11:30:00 PM	0.04
6/30/2025	11:45:00 PM	0.04

Party: BLP BRP	Width: 21.5 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 77.9 ft ²	Mean Velocity: 0.716 ft/s
Gage Height: 3.60 ft	G.H.Change: 0.000 ft	Discharge: 55.7 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:		ADCP:	
BT 3-Beam Solution: YES	Max. Vel.: 3.10 ft/s	Type/Freq.: StreamPro / 2000 kHz	
WT 3-Beam Solution: YES	Max. Depth: 3.68 ft	Serial #: 2370	Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Mean Depth: 3.62 ft	Bin Size: 4 cm	Blank: 3 cm
WT Error Vel.: 1.41 ft/s	% Meas.: 62.36	BT Mode: 10	BT Pings: 2
BT Up Vel.: 1.00 ft/s	Water Temp.: None	WT Mode: 12	WT Pings: 6
WT Up Vel.: 1.64 ft/s	ADCP Temp.: 82.5 °F		
Use Weighted Mean Depth: YES			

Performed Diag. Test: NO
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 250610 RINK_0.mmt
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	37	7.27	37.0	5.40	4.94	4.73	59.4	21	78	12:54	12:55	0.48	0.76	0	0
001	R	2	2	36	6.39	32.6	4.73	4.80	4.80	53.3	22	79	12:55	12:56	0.52	0.68	0	1
002	L	2	2	41	6.75	34.4	4.98	4.13	4.41	54.6	21	78	12:56	12:57	0.41	0.71	0	1
003	R	2	2	36	7.24	36.9	5.30	4.52	4.31	58.3	22	79	12:57	12:57	0.48	0.74	0	1
004	L	2	2	31	6.18	31.5	4.31	4.98	4.34	51.3	21	76	12:58	12:58	0.52	0.68	0	1
005	R	2	2	30	7.10	36.1	5.05	5.09	4.10	57.5	22	78	12:58	12:59	0.57	0.73	0	1
Mean		2	2	35	6.82	34.8	4.96	4.74	4.45	55.7	22	78	Total	00:05	0.50	0.72	0	1
SDev		0	0	4	0.460	2.35	0.399	0.358	0.269	3.15	0.3	1.2			0.06	0.04		
SD/M		0.0%	0.0%	11.6%	6.7%	6.8%	8.0%	7.5%	6.0%	5.7%	1.4%	1.5%			11.2%	5.0%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	1	0	5	24	23.5	-1.9	1.006	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32	
2025	6	1	0	15	24	23.9	-3	1.005	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	33	
2025	6	1	0	25	24	23.4	-2.5	1.006	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	6	1	0	35	24	22.1	-2	1.006	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32	
2025	6	1	0	45	24	23	-3	1.005	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	6	1	0	55	24	23.2	-2.5	1.005	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	33	
2025	6	1	1	5	24	23.9	-1.6	1.006	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	1	1	15	24	24.2	-2.1	1.005	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	1	1	25	24	23.2	-1	1.005	0.5	0.4	0	50.3	45.2	0	150	135	0	33	30	32	
2025	6	1	1	35	24	23.9	-2.4	1.005	0.5	0.5	0	50.7	44.3	0	150	135	0	32	32	32	
2025	6	1	1	45	24	23.6	-1.9	1.006	0.5	0.5	0	50.3	44.3	0	150	135	0	33	32	32	
2025	6	1	1	55	24	23.5	-2.8	1.005	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	31	
2025	6	1	2	5	24	22.2	-1	1.005	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	33	
2025	6	1	2	15	24	24.4	-2.2	1.005	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	1	2	25	24	23.9	-1.9	1.005	0.5	0.5	0	50.3	44.7	0	150	135	0	33	31	31	
2025	6	1	2	35	24	23.4	-2.1	1.005	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	1	2	45	24	23.5	-1.5	1.005	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	1	2	55	24	23	-1	1.005	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32	
2025	6	1	3	5	24	23.7	-1.8	1.006	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	1	3	15	24	22.8	-0.9	1.005	0.5	0.5	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	1	3	25	24	24.8	-1.7	1.005	0.5	0.5	0	50.7	44.7	0	150	136	0	32	32	32	
2025	6	1	3	35	24	22.6	-2.5	1.005	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	1	3	45	24	22.5	-2.4	1.006	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	1	3	55	24	24	-1.7	1.005	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	1	4	5	24	23.1	-2.2	1.005	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	1	4	15	24	23.6	-1.9	1.005	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	1	4	25	24	23.7	-1.6	1.005	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	1	4	35	24	23.9	-2.3	1.005	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	1	4	45	24	23.2	-1.5	1.005	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	1	4	55	24	24.4	-1.9	1.005	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	1	5	5	24	23.4	-1.8	1.005	0.3	0.2	0	50.3	44.7	0	150	136	0	33	32	32	
2025	6	1	5	15	24	24.5	-2.1	1.005	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	1	5	25	24	23.9	-1.1	1.006	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	33	
2025	6	1	5	35	24	22.5	-1.6	1.006	0.5	0.4	0	50.3	43	0	150	131	0	33	31	32	
2025	6	1	5	45	24	23.6	-3.2	1.006	0.5	0.4	0	50.3	45.2	0	149	135	0	32	30	32	
2025	6	1	5	55	24	23.7	-2.8	1.006	0.5	0.4	0	49.5	43.9	0	147	134	0	32	32	32	
2025	6	1	6	5	24	22.3	-3.2	1.006	0.5	0.4	0	49	43.9	0	146	134	0	32	32	31	
2025	6	1	6	15	24	23.2	-2.5	1.006	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32	
2025	6	1	6	25	24	22.4	-1.6	1.006	0.5	0.4	0	47.3	43.9	0	143	134	0	33	32	31	
2025	6	1	6	35	24	24	-2.4	1.005	0.4	0.3	0	46	44.3	0	140	134	0	33	31	32	
2025	6	1	6	45	24	23.1	-1.5	1.006	0.4	0.3	0	45.6	43.9	0	139	133	0	33	31	32	
2025	6	1	6	55	24	23.9	-2.1	1.005	0.5	0.4	0	46.9	43.9	0	141	133	0	32	31	32	
2025	6	1	7	5	24	22.8	-2.4	1.005	0.5	0.4	0	46	43.9	0	140	133	0	33	31	31	
2025	6	1	7	15	24	22.4	-2.3	1.005	0.5	0.4	0	46.9	43.9	0	141	134	0	32	32	32	
2025	6	1	7	25	24	22	-2.4	1.005	0.3	0.2	0	46.9	43.9	0	142	133	0	33	31	32	
2025	6	1	7	35	24	23.2	-2.5	1.004	0.5	0.4	0	47.3	43.9	0	142	134	0	32	32	33	
2025	6	1	7	45	24	24.1	-2.1	1.005	0.4	0.3	0	47.3	44.3	0	143	134	0	33	31	31	
2025	6	1	7	55	24	22.9	-3.3	1.005	0.5	0.4	0	47.3	44.7	0	142	135	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	1	8	5	24	22.5	-2.4	1.004	0.4	0.3	0	47.7	45.2	0	143	135	0	32	30	31
2025	6	1	8	15	24	23.5	-3	1.004	0.5	0.5	0	47.3	43.9	0	143	134	0	33	32	32
2025	6	1	8	25	24	23.2	-3	1.004	0.5	0.5	0	47.7	45.2	0	143	135	0	32	30	32
2025	6	1	8	35	24	22.9	-2.8	1.004	0.4	0.3	0	47.3	44.3	0	143	134	0	33	31	32
2025	6	1	8	45	24	23.1	-2.1	1.003	0.4	0.3	0	47.3	44.3	0	142	134	0	32	31	32
2025	6	1	8	55	24	24.1	-1.8	1.003	0.5	0.4	0	47.7	45.2	0	143	135	0	32	30	32
2025	6	1	9	5	24	23	-3.4	1.004	0.5	0.5	0	47.3	44.3	0	142	134	0	32	31	32
2025	6	1	9	15	24	22.8	-2.2	1.004	0.5	0.4	0	47.3	44.7	0	143	135	0	33	31	32
2025	6	1	9	25	24	23.7	-1.5	1.004	0.5	0.5	0	48.2	45.2	0	145	136	0	33	31	33
2025	6	1	9	35	24	22.5	-2.4	1.003	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	1	9	45	24	23.7	-2.4	1.003	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	1	9	55	24	22.9	-2.3	1.003	0.5	0.5	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	1	10	5	24	24.1	-3.1	1.003	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	32
2025	6	1	10	15	24	22.3	-1.7	1.004	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	1	10	25	24	23.2	-1.7	1.004	0.5	0.4	0	49	44.3	0	147	134	0	33	31	31
2025	6	1	10	35	24	22.6	-2.1	1.003	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	31
2025	6	1	10	45	24	23.6	-3.3	1.003	0.4	0.3	0	48.6	44.3	0	146	134	0	33	31	32
2025	6	1	10	55	24	24.1	-3.5	1.002	0.5	0.4	0	49	44.7	0	147	135	0	33	31	31
2025	6	1	11	5	24	24.4	-2	1.001	0.5	0.4	0	49.9	44.3	0	147	134	0	31	31	32
2025	6	1	11	15	24	23.8	-3.1	1.001	0.3	0.2	0	49	44.7	0	147	135	0	33	31	31
2025	6	1	11	25	24	23.9	-2.5	1.001	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	31
2025	6	1	11	35	24	23.9	-2.5	1.001	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	6	1	11	45	24	23.2	-1.4	1.001	0.4	0.3	0	49	44.3	0	146	134	0	32	31	31
2025	6	1	11	55	24	23.2	-1.5	1	0.4	0.3	0	49	44.3	0	146	134	0	32	31	31
2025	6	1	12	5	24	25	-2.8	1	0.5	0.4	0	48.6	44.3	0	146	134	0	33	31	31
2025	6	1	12	15	24	23.1	-1.7	1	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	1	12	25	24	22.8	-1.8	0.999	0.5	0.4	0	49	43.9	0	145	133	0	31	31	32
2025	6	1	12	35	24	23.5	-2.8	1	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	1	12	45	24	23	-3.1	1	0.5	0.5	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	1	12	55	24	23.3	-2.1	1	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	31
2025	6	1	13	5	24	23.1	-2.3	0.999	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	1	13	15	24	23.9	-2.5	1	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	1	13	25	24	22.7	-2.2	0.998	0.5	0.4	0	50.7	44.7	0	150	134	0	32	30	32
2025	6	1	13	35	24	23.1	-2.4	0.999	0.5	0.4	0	50.3	44.7	0	149	134	0	32	30	31
2025	6	1	13	45	24	23.1	-2.1	0.999	0.5	0.5	0	50.3	44.3	0	149	134	0	32	31	32
2025	6	1	13	55	24	22.1	-1.2	1	0.5	0.4	0	51.2	45.6	0	151	136	0	32	30	32
2025	6	1	14	5	24	22.8	-1.6	0.999	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	1	14	15	24	22.7	-2.6	0.998	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	1	14	25	24	22.4	-2.7	0.998	0.5	0.5	0	51.6	45.2	0	151	136	0	31	31	31
2025	6	1	14	35	24	24.1	-1.2	0.997	0.3	0.2	0	51.2	46	0	151	137	0	32	30	31
2025	6	1	14	45	24	22.2	-1.6	0.998	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	1	14	55	24	22.7	-2.3	0.998	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	31
2025	6	1	15	5	24	22.6	-1.1	0.997	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32
2025	6	1	15	15	24	22.6	-1.8	0.996	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	1	15	25	24	22.5	-2	0.997	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	31
2025	6	1	15	35	24	24.2	-1.3	0.996	0.5	0.5	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	1	15	45	24	22.3	-2.6	0.996	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	1	15	55	24	23.3	-3	0.996	0.5	0.4	0	50.7	45.6	0	150	136	0	32	30	31

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	1	16	5	24	23.2	-1.8	0.996	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	1	16	15	24	24	-2.5	0.996	0.3	0.2	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	1	16	25	24	22.1	-2.7	0.996	0.4	0.3	0	50.7	43.9	0	150	134	0	32	32	32
2025	6	1	16	35	24	23.2	-2.1	0.995	0.4	0.3	0	51.6	45.6	0	152	137	0	32	31	31
2025	6	1	16	45	24	23.1	-2.5	0.995	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	1	16	55	24	24.9	-1.9	0.995	0.5	0.4	0	50.3	43.9	0	149	134	0	32	32	32
2025	6	1	17	5	24	24.2	-1.4	0.995	0.6	0.5	0	51.2	44.3	0	150	134	0	31	31	31
2025	6	1	17	15	24	22.4	-1.6	0.995	0.5	0.4	0	50.3	44.7	0	149	134	0	32	30	31
2025	6	1	17	25	24	23.6	-2.1	0.997	0.5	0.5	0	50.3	44.3	0	149	134	0	32	31	32
2025	6	1	17	35	24	23.2	-2.6	0.997	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	31
2025	6	1	17	45	24	24.2	-2.9	0.997	0.4	0.3	0	50.3	44.3	0	149	134	0	32	31	31
2025	6	1	17	55	24	22	-2.1	0.996	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	31
2025	6	1	18	5	24	23.1	-1.5	0.996	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	31
2025	6	1	18	15	24	24.4	-2	0.997	0.5	0.4	0	50.7	44.7	0	149	135	0	31	31	31
2025	6	1	18	25	24	23.6	-1	0.997	0.5	0.4	0	50.7	42.6	0	150	130	0	32	31	32
2025	6	1	18	35	24	23.8	-1.8	0.997	0.5	0.5	0	50.3	42.6	0	149	130	0	32	31	32
2025	6	1	18	45	24	22	-2	0.997	0.4	0.3	0	50.7	43.9	0	149	132	0	31	30	32
2025	6	1	18	55	24	23.5	-2.2	0.997	0.6	0.5	0	50.7	42.6	0	149	130	0	31	31	32
2025	6	1	19	5	24	23.4	-2.4	0.997	0.5	0.4	0	50.7	42.6	0	149	130	0	31	31	32
2025	6	1	19	15	24	23.5	-1.5	0.997	0.5	0.5	0	49.9	42.1	0	149	129	0	33	31	32
2025	6	1	19	25	24	23.9	-2	0.997	0.4	0.3	0	49.9	42.1	0	148	129	0	32	31	32
2025	6	1	19	35	24	22.3	-2.3	0.997	0.5	0.4	0	50.3	42.1	0	149	130	0	32	32	31
2025	6	1	19	45	24	24	-1.9	0.997	0.5	0.4	0	51.2	42.6	0	151	130	0	32	31	31
2025	6	1	19	55	24	21.3	-0.8	0.997	0.3	0.2	0	50.3	40.9	0	150	125	0	33	30	31
2025	6	1	20	5	24	23.6	-2.3	0.997	0.4	0.3	0	50.7	40.4	0	150	125	0	32	31	31
2025	6	1	20	15	24	23.5	-1.5	0.997	0.3	0.2	0	50.7	40.4	0	150	125	0	32	31	32
2025	6	1	20	25	24	22.6	-1.5	0.997	0.4	0.3	0	50.7	43.9	0	150	133	0	32	31	31
2025	6	1	20	35	24	22.1	-2	0.997	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	31
2025	6	1	20	45	24	21.6	-1.3	0.997	0.4	0.3	0	51.2	44.3	0	151	134	0	32	31	32
2025	6	1	20	55	24	23.2	-1.9	0.997	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	1	21	5	24	24.7	-1.9	0.997	0.4	0.3	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	1	21	15	24	23.3	-1.5	0.997	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	1	21	25	24	23	-3	0.997	0.5	0.5	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	1	21	35	24	23.2	-3	0.997	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	1	21	45	24	21.7	-1.9	0.997	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	1	21	55	24	23.3	-1.2	0.997	0.5	0.4	0	50.7	44.3	0	151	135	0	33	32	32
2025	6	1	22	5	24	23.7	-2.4	0.997	0.4	0.3	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	1	22	15	24	23.4	-2.5	0.997	0.4	0.3	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	1	22	25	24	23.3	-2.5	0.997	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	1	22	35	24	23.3	-2.4	0.997	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	1	22	45	24	23.3	-2.4	0.998	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	31
2025	6	1	22	55	24	23.6	-2.3	0.997	0.4	0.3	0	51.6	44.7	0	152	136	0	32	32	32
2025	6	1	23	5	24	23.6	-2	0.998	0.5	0.5	0	50.7	44.3	0	151	135	0	33	32	32
2025	6	1	23	15	24	23.7	-1.3	0.998	0.5	0.4	0	50.7	44.3	0	151	135	0	33	32	32
2025	6	1	23	25	24	22.1	-2.6	0.998	0.5	0.4	0	51.6	45.2	0	152	135	0	32	30	31
2025	6	1	23	35	24	23.5	-2.2	0.997	0.5	0.4	0	51.6	44.7	0	152	135	0	32	31	32
2025	6	1	23	45	24	22.1	-2.4	0.998	0.6	0.5	0	51.2	44.7	0	152	135	0	33	31	32
2025	6	1	23	55	24	22.2	-1.6	0.998	0.5	0.5	0	50.7	44.3	0	151	135	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	2	0	5	24	23.2	-3.1	0.998	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	0	15	24	23.6	-2	0.998	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	2	0	25	24	23.1	-1.5	0.998	0.4	0.3	0	51.2	44.7	0	152	135	0	33	31	31
2025	6	2	0	35	24	22.3	-2	0.998	0.5	0.4	0	51.2	44.7	0	152	135	0	33	31	32
2025	6	2	0	45	24	23.9	-3.1	0.998	0.5	0.4	0	50.7	44.3	0	151	135	0	33	32	32
2025	6	2	0	55	24	22.9	-1.8	0.998	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	1	5	24	22	-2.1	0.998	0.5	0.4	0	51.6	44.7	0	152	135	0	32	31	32
2025	6	2	1	15	24	24.7	-2.6	0.998	0.5	0.4	0	51.2	44.7	0	152	135	0	33	31	31
2025	6	2	1	25	24	23	-2.7	0.998	0.4	0.3	0	51.2	44.3	0	152	135	0	33	32	32
2025	6	2	1	35	24	22.9	-1.6	0.998	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	2	1	45	24	22.6	-3	0.998	0.5	0.4	0	51.6	44.3	0	152	135	0	32	32	31
2025	6	2	1	55	24	23.1	-2.7	0.998	0.5	0.4	0	51.2	44.7	0	152	135	0	33	31	32
2025	6	2	2	5	24	24.2	-2.4	0.998	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	2	15	24	23.4	-2.3	0.998	0.4	0.3	0	51.2	44.7	0	152	135	0	33	31	32
2025	6	2	2	25	24	23.1	-1.8	0.998	0.3	0.2	0	51.2	44.7	0	152	136	0	33	32	32
2025	6	2	2	35	24	23.6	-1.5	0.998	0.5	0.4	0	51.6	44.7	0	152	135	0	32	31	32
2025	6	2	2	45	24	24	-3.2	0.998	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	2	55	24	23.1	-2.5	0.998	0.4	0.3	0	50.7	44.7	0	150	134	0	32	30	32
2025	6	2	3	5	24	22.9	-2.6	0.998	0.3	0.2	0	51.2	44.3	0	151	135	0	32	32	32
2025	6	2	3	15	24	24.5	-3.1	0.998	0.5	0.4	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	2	3	25	24	24	-2.9	0.998	0.4	0.3	0	50.3	44.7	0	150	134	0	33	30	32
2025	6	2	3	35	24	24.2	-2.6	0.998	0.5	0.4	0	49.9	45.2	0	148	135	0	32	30	33
2025	6	2	3	45	24	24.2	-3.1	0.998	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	2	3	55	24	24	-1	0.998	0.5	0.5	0	50.7	44.3	0	150	135	0	32	32	32
2025	6	2	4	5	24	23.3	-1.4	0.999	0.3	0.2	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	2	4	15	24	22.8	-2.4	0.998	0.6	0.5	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	2	4	25	24	22	-2	0.998	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	2	4	35	24	24.1	-1.9	0.999	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	2	4	45	24	24.6	-3.2	0.999	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	4	55	24	23	-1.2	0.999	0.5	0.4	0	50.7	43.9	0	150	134	0	32	32	32
2025	6	2	5	5	24	23	-2.7	0.999	0.4	0.3	0	49.5	45.2	0	148	135	0	33	30	31
2025	6	2	5	15	24	23.4	-1.6	1	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	2	5	25	24	21.7	-1.3	1	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	33
2025	6	2	5	35	24	23.8	-2.4	1	0.4	0.3	0	50.3	44.3	0	150	134	0	33	31	31
2025	6	2	5	45	24	23.1	-2.4	1	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	2	5	55	24	22.1	-1.9	0.999	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	2	6	5	24	23.9	-3.1	1	0.4	0.3	0	49.9	43.9	0	149	134	0	33	32	32
2025	6	2	6	15	24	23.3	-3	1	0.5	0.5	0	49.9	43.9	0	149	134	0	33	32	32
2025	6	2	6	25	24	23.6	-2	1	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	33
2025	6	2	6	35	24	22.9	-2.6	1	0.5	0.4	0	49.9	44.3	0	149	134	0	33	31	32
2025	6	2	6	45	24	24.4	-2.4	1	0.5	0.4	0	49.9	43.9	0	149	134	0	33	32	32
2025	6	2	6	55	24	23.4	-3	0.999	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	2	7	5	24	23.1	-2	1	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32
2025	6	2	7	15	24	23.6	-2.3	1	0.5	0.5	0	50.7	44.3	0	150	135	0	32	32	32
2025	6	2	7	25	24	23	-2.2	1	0.5	0.4	0	50.3	43.9	0	149	134	0	32	32	32
2025	6	2	7	35	24	22.1	-1.8	1	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	33
2025	6	2	7	45	24	24.4	-2.4	1	0.4	0.3	0	50.7	44.3	0	149	134	0	31	31	32
2025	6	2	7	55	24	23.2	-2.3	1	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	2	8	5	24	22.7	-1.7	1	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	31	
2025	6	2	8	15	24	22.6	-1.8	1	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	2	8	25	24	23.8	-3.2	1	0.5	0.5	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	2	8	35	24	22.6	-3.5	0.999	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	2	8	45	24	23.6	-3	1	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	2	8	55	24	23.7	-1.5	1	0.5	0.4	0	50.3	44.3	0	149	135	0	32	32	32	
2025	6	2	9	5	24	22.2	-2	0.999	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	2	9	15	24	24.4	-2.8	0.999	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	2	9	25	24	23.8	-1.8	0.999	0.5	0.5	0	50.3	44.7	0	150	135	0	33	31	32	
2025	6	2	9	35	24	22.6	-1.8	0.999	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	32	
2025	6	2	9	45	24	23.5	-2	0.999	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	6	2	9	55	24	23.5	-3	0.999	0.5	0.4	0	50.3	45.2	0	150	135	0	33	30	32	
2025	6	2	10	5	24	23.5	-2	0.999	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	31	
2025	6	2	10	15	24	23.9	-2.3	0.999	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	31	
2025	6	2	10	25	24	23.3	-1.6	0.999	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	2	10	35	24	24.4	-1.4	0.999	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	31	
2025	6	2	10	45	24	23.9	-1.9	0.999	0.5	0.5	0	50.7	45.2	0	150	136	0	32	31	31	
2025	6	2	10	55	24	24.1	-3	0.999	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	2	11	5	24	23.8	-2.6	0.999	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	31	
2025	6	2	11	15	24	23.9	-2.1	0.999	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	2	11	25	24	23.1	-1.6	0.999	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	2	11	35	24	23.2	-1.7	0.999	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	2	11	45	24	23.6	-3	0.999	0.4	0.3	0	49.9	44.3	0	148	133	0	32	30	31	
2025	6	2	11	55	24	23.7	-1.5	0.999	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	2	12	5	24	23.9	-1.9	0.999	0.5	0.5	0	51.2	45.2	0	150	136	0	31	31	31	
2025	6	2	12	15	24	22.5	-1.9	0.999	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	31	
2025	6	2	12	25	24	24	-2.3	0.999	0.5	0.4	0	49.9	45.2	0	149	135	0	33	30	32	
2025	6	2	12	35	24	22.4	-1.8	0.999	0.5	0.5	0	50.7	44.3	0	149	134	0	31	31	32	
2025	6	2	12	45	24	23.8	-1.6	0.999	0.4	0.3	0	49.9	43.9	0	148	134	0	32	32	32	
2025	6	2	12	55	24	22.6	-2.6	0.999	0.5	0.4	0	49.5	43.9	0	147	133	0	32	31	32	
2025	6	2	13	5	24	23.9	-2.1	0.999	0.5	0.4	0	49.5	43.4	0	147	132	0	32	31	32	
2025	6	2	13	15	24	22.4	-1.6	0.999	0.5	0.4	0	49	44.3	0	147	133	0	33	30	32	
2025	6	2	13	25	24	22.7	-2.2	0.999	0.5	0.4	0	49.5	43.4	0	147	132	0	32	31	31	
2025	6	2	13	35	24	23	-1.2	0.999	0.5	0.5	0	49.5	43.9	0	147	133	0	32	31	32	
2025	6	2	13	45	24	23.6	-1.8	0.999	0.5	0.5	0	49	43	0	146	131	0	32	31	32	
2025	6	2	13	55	24	22.8	-3.4	0.999	0.5	0.4	0	49.5	43.4	0	147	132	0	32	31	32	
2025	6	2	14	5	24	23.3	-2.8	0.999	0.5	0.4	0	49.5	43.4	0	147	132	0	32	31	31	
2025	6	2	14	15	24	23.6	-2.5	0.999	0.5	0.4	0	49.5	43.4	0	147	132	0	32	31	31	
2025	6	2	14	25	24	24.2	-2.9	0.999	0.5	0.4	0	49.9	43.9	0	147	133	0	31	31	32	
2025	6	2	14	35	24	23.5	-2.2	0.999	0.4	0.3	0	49.5	43.4	0	147	132	0	32	31	31	
2025	6	2	14	45	24	23.9	-2	0.999	0.5	0.5	0	49.9	43.9	0	148	133	0	32	31	31	
2025	6	2	14	55	24	23.9	-2.6	1	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	31	
2025	6	2	15	5	24	24.4	-2.5	1	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32	
2025	6	2	15	15	24	23.7	-3	1	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	6	2	15	25	24	23.6	-1.5	1	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32	
2025	6	2	15	35	24	24.7	-1.9	1	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32	
2025	6	2	15	45	24	22.9	-2.1	1	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	31	
2025	6	2	15	55	24	23.7	-2.7	1	0.5	0.5	0	49.9	44.3	0	148	134	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	2	16	5	24	23.6	-2.3	1	0.5	0.5	0	49.5	44.3	0	148	134	0	33	31	32
2025	6	2	16	15	24	23.5	-1.1	1	0.5	0.5	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	2	16	25	24	23.6	-1.3	1.001	0.5	0.4	0	50.7	45.6	0	150	136	0	32	30	31
2025	6	2	16	35	24	23.8	-3.6	1	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	31
2025	6	2	16	45	24	23.1	-1.8	1.001	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	2	16	55	24	23.7	-2	1	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	2	17	5	24	25.1	-1.3	1	0.4	0.3	0	50.7	44.7	0	149	135	0	31	31	31
2025	6	2	17	15	24	23	-2.1	1.001	0.3	0.2	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	2	17	25	24	22.5	-1.7	1.001	0.5	0.4	0	50.3	45.2	0	149	135	0	32	30	31
2025	6	2	17	35	24	24.8	-1.8	1.001	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	31
2025	6	2	17	45	24	23.7	-2	1.001	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32
2025	6	2	17	55	24	23.4	-1	1.001	0.6	0.5	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	2	18	5	24	24.3	-1.1	1.001	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	31
2025	6	2	18	15	24	24	-1.9	1.001	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	31
2025	6	2	18	25	24	22	-1.9	1.002	0.4	0.3	0	50.3	43.4	0	149	132	0	32	31	32
2025	6	2	18	35	24	24.2	-1.7	1.003	0.4	0.3	0	50.3	37.4	0	149	118	0	32	31	32
2025	6	2	18	45	24	22.2	-0.9	1.004	0.4	0.3	0	49.9	34.4	0	148	111	0	32	31	32
2025	6	2	18	55	24	22.9	-1.3	1.004	0.5	0.4	0	50.3	32.7	0	149	107	0	32	31	32
2025	6	2	19	5	24	23.5	-2.7	1.005	0.5	0.4	0	49.9	35.3	0	148	113	0	32	31	31
2025	6	2	19	15	24	24.3	-2.8	1.005	0.4	0.3	0	50.3	42.6	0	150	130	0	33	31	32
2025	6	2	19	25	24	24.3	-2.5	1.005	0.5	0.4	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	2	19	35	24	22.9	-2.8	1.005	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	2	19	45	24	23.2	-1.4	1.006	0.4	0.3	0	50.3	44.3	0	150	134	0	33	31	32
2025	6	2	19	55	24	24.1	-2.3	1.006	0.3	0.2	0	50.3	44.3	0	150	134	0	33	31	32
2025	6	2	20	5	24	23.6	-2.1	1.006	0.3	0.2	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	2	20	15	24	23.7	-1.5	1.006	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	31
2025	6	2	20	25	24	23.9	-2.3	1.007	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	32
2025	6	2	20	35	24	23.6	-2.6	1.007	0.5	0.4	0	51.2	45.6	0	151	136	0	32	30	32
2025	6	2	20	45	24	23.7	-2.6	1.007	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	2	20	55	24	24.1	-2.5	1.007	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	31
2025	6	2	21	5	24	24.2	-2.3	1.007	0.5	0.5	0	51.2	44.7	0	151	135	0	32	31	33
2025	6	2	21	15	24	23.3	-2.4	1.007	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	2	21	25	24	22.8	-2	1.007	0.5	0.5	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	21	35	24	24	-1.4	1.007	0.3	0.2	0	51.6	45.2	0	152	136	0	32	31	32
2025	6	2	21	45	24	24	-3.8	1.008	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	2	21	55	24	24.6	-3.6	1.008	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	22	5	24	23.6	-1.7	1.008	0.3	0.2	0	51.2	44.3	0	151	134	0	32	31	32
2025	6	2	22	15	24	23.7	-2.6	1.008	0.4	0.3	0	51.2	43.9	0	151	134	0	32	32	32
2025	6	2	22	25	24	24.2	-1.5	1.008	0.5	0.5	0	51.2	44.3	0	151	134	0	32	31	32
2025	6	2	22	35	24	23.6	-2	1.009	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	31
2025	6	2	22	45	24	23.2	-1.6	1.009	0.5	0.4	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	2	22	55	24	24.1	-1.6	1.009	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	2	23	5	24	23.8	-1.7	1.009	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	2	23	15	24	24	-2	1.009	0.3	0.2	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	2	23	25	24	24	-2.4	1.01	0.5	0.4	0	50.7	45.2	0	151	135	0	33	30	31
2025	6	2	23	35	24	23	-2.7	1.01	0.5	0.5	0	51.6	44.3	0	151	135	0	31	32	33
2025	6	2	23	45	24	24.5	-1.9	1.011	0.4	0.3	0	51.2	45.2	0	151	135	0	32	30	31
2025	6	2	23	55	24	23.7	-2.3	1.012	0.5	0.4	0	50.7	44.3	0	151	135	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	3	0	5	24	24	-2	1.012	0.5	0.5	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	3	0	15	24	24.4	-2.9	1.014	0.5	0.4	0	51.2	44.7	0	151	136	0	32	32	31
2025	6	3	0	25	24	25.2	-2.9	1.015	0.3	0.2	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	3	0	35	24	24	-2.5	1.015	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	31
2025	6	3	0	45	24	23.9	-3	1.015	0.5	0.5	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	3	0	55	24	23.1	-2.5	1.016	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	3	1	5	24	24.1	-1.4	1.016	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	3	1	15	24	24.1	-2	1.016	0.3	0.2	0	50.3	45.2	0	151	136	0	34	31	32
2025	6	3	1	25	24	24.4	-1.9	1.016	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32
2025	6	3	1	35	24	23	-2	1.017	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	3	1	45	24	24.6	-1.9	1.017	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	3	1	55	24	22.8	-1.4	1.017	0.3	0.2	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	3	2	5	24	23.5	-1.8	1.017	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	3	2	15	24	24.1	-2.5	1.017	0.3	0.2	0	50.3	44.7	0	150	136	0	33	32	32
2025	6	3	2	25	24	24.2	-1.9	1.018	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	32
2025	6	3	2	35	24	24.2	-3.1	1.018	0.5	0.4	0	51.6	44.7	0	152	136	0	32	32	32
2025	6	3	2	45	24	24	-1.8	1.018	0.5	0.4	0	51.6	44.7	0	152	136	0	32	32	32
2025	6	3	2	55	24	24.4	-0.7	1.018	0.4	0.3	0	51.2	44.7	0	152	136	0	33	32	32
2025	6	3	3	5	24	23.6	-1.7	1.018	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	3	3	15	24	23.1	-1	1.019	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	3	3	25	24	24.2	-2.3	1.019	0.5	0.4	0	51.2	44.7	0	152	136	0	33	32	32
2025	6	3	3	35	24	23.7	-1.5	1.019	0.3	0.2	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	3	3	45	24	25	-1.4	1.019	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	33
2025	6	3	3	55	24	22.9	-2.7	1.019	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	3	4	5	24	24.1	-2.4	1.02	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	33
2025	6	3	4	15	24	22.9	-1.2	1.02	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	31
2025	6	3	4	25	24	23.3	-3.3	1.02	0.5	0.5	0	50.7	44.3	0	151	135	0	33	32	32
2025	6	3	4	35	24	24.9	-2	1.021	0.5	0.4	0	51.2	44.7	0	152	136	0	33	32	32
2025	6	3	4	45	24	24.7	-2.8	1.021	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	31
2025	6	3	4	55	24	24.7	-3.1	1.022	0.5	0.4	0	50.7	44.3	0	151	135	0	33	32	32
2025	6	3	5	5	24	23.5	-1.5	1.023	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	3	5	15	24	24.7	-1.1	1.024	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	3	5	25	24	23.8	-2	1.025	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	3	5	35	24	23.8	-2	1.025	0.3	0.2	0	50.7	45.2	0	151	136	0	33	31	33
2025	6	3	5	45	24	23.2	-2.3	1.026	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	3	5	55	24	23.8	-2	1.026	0.5	0.5	0	51.2	44.7	0	151	136	0	32	32	32
2025	6	3	6	5	24	23.5	-1.8	1.026	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	3	6	15	24	25.3	-2.4	1.027	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	3	6	25	24	23.6	-1.9	1.027	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32
2025	6	3	6	35	24	24.5	-2.4	1.027	0.3	0.2	0	50.7	44.7	0	151	136	0	33	32	32
2025	6	3	6	45	24	24.2	-1.9	1.028	0.4	0.3	0	51.2	44.3	0	151	135	0	32	32	33
2025	6	3	6	55	24	24.7	-1.9	1.028	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	3	7	5	24	24.4	-3.6	1.028	0.3	0.2	0	51.2	45.2	0	151	136	0	32	31	33
2025	6	3	7	15	24	25.4	-2.1	1.028	0.4	0.3	0	50.7	44.3	0	151	135	0	33	32	32
2025	6	3	7	25	24	24.4	-1.9	1.029	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	33
2025	6	3	7	35	24	24.4	-2.6	1.029	0.4	0.3	0	51.2	45.2	0	152	136	0	33	31	31
2025	6	3	7	45	24	24.1	-1.4	1.029	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	32
2025	6	3	7	55	24	24.4	-2.4	1.029	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	3	8	5	24	24	-1.7	1.03	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	32	
2025	6	3	8	15	24	24.1	-2	1.03	0.5	0.5	0	51.6	45.2	0	152	137	0	32	32	32	
2025	6	3	8	25	24	24.8	-1.5	1.03	0.4	0.3	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	3	8	35	24	23.8	-1.9	1.03	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	32	
2025	6	3	8	45	24	25.2	-1.6	1.03	0.4	0.3	0	51.2	45.6	0	152	137	0	33	31	32	
2025	6	3	8	55	24	26	-1	1.03	0.5	0.5	0	50.7	45.6	0	151	137	0	33	31	32	
2025	6	3	9	5	24	25	-1.9	1.03	0.5	0.4	0	51.2	45.6	0	152	137	0	33	31	32	
2025	6	3	9	15	24	25.3	-1.9	1.031	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	3	9	25	24	25.4	-2.9	1.031	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	3	9	35	24	24.6	-1.5	1.031	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	32	
2025	6	3	9	45	24	24.6	-2	1.031	0.5	0.4	0	51.6	45.2	0	152	137	0	32	32	32	
2025	6	3	9	55	24	24.3	-1.9	1.031	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	3	10	5	24	25.8	-3	1.032	0.5	0.5	0	51.2	45.6	0	152	137	0	33	31	32	
2025	6	3	10	15	24	25.6	-1.3	1.032	0.3	0.2	0	51.2	46	0	152	138	0	33	31	32	
2025	6	3	10	25	24	25.5	-2	1.032	0.4	0.3	0	51.6	45.6	0	151	137	0	31	31	32	
2025	6	3	10	35	24	25.6	-2.2	1.032	0.5	0.4	0	51.2	46	0	152	138	0	33	31	32	
2025	6	3	10	45	24	25.2	-1.4	1.032	0.6	0.5	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	3	10	55	24	25.6	-2.4	1.032	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	3	11	5	24	24.4	-2.6	1.033	0.5	0.4	0	51.6	46	0	152	138	0	32	31	31	
2025	6	3	11	15	24	24.2	-3.3	1.032	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	3	11	25	24	25.1	-2.5	1.033	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	32	
2025	6	3	11	35	24	24.5	-1.7	1.033	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	32	
2025	6	3	11	45	24	24.4	-2.6	1.033	0.4	0.3	0	51.6	45.6	0	152	138	0	32	32	32	
2025	6	3	11	55	24	23.8	-1.9	1.033	0.3	0.2	0	50.7	45.6	0	151	137	0	33	31	31	
2025	6	3	12	5	24	25.5	-2.2	1.034	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32	
2025	6	3	12	15	24	24.3	-2.5	1.033	0.3	0.2	0	51.6	45.6	0	152	137	0	32	31	31	
2025	6	3	12	25	24	25.5	-2.2	1.034	0.5	0.5	0	51.6	46	0	152	138	0	32	31	32	
2025	6	3	12	35	24	22.7	-2.5	1.033	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	3	12	45	24	25.2	-2.5	1.033	0.4	0.3	0	51.2	46	0	151	137	0	32	30	32	
2025	6	3	12	55	24	23.8	-1.8	1.034	0.5	0.4	0	51.2	46.4	0	152	139	0	33	31	32	
2025	6	3	13	5	24	24.1	-3.3	1.035	0.3	0.2	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	3	13	15	24	24.7	-1.4	1.035	0.3	0.2	0	51.6	46	0	152	138	0	32	31	32	
2025	6	3	13	25	24	23.7	-2.4	1.034	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	31	
2025	6	3	13	35	24	23.9	-1.9	1.035	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33	
2025	6	3	13	45	24	24.7	-2.4	1.035	0.5	0.4	0	51.2	45.2	0	151	137	0	32	32	32	
2025	6	3	13	55	24	24.8	-2.3	1.034	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	33	
2025	6	3	14	5	24	26	-2.2	1.034	0.5	0.4	0	50.7	45.2	0	150	135	0	32	30	32	
2025	6	3	14	15	24	24.6	-1.6	1.034	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	31	
2025	6	3	14	25	24	25.2	-2	1.034	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	3	14	35	24	24.9	-1.9	1.035	0.5	0.4	0	50.3	46	0	150	137	0	33	30	32	
2025	6	3	14	45	24	26.2	-3.5	1.034	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	3	14	55	24	24.7	-2.9	1.035	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	31	
2025	6	3	15	5	24	25.2	-2.2	1.035	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	3	15	15	24	23.8	-1.5	1.035	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	31	
2025	6	3	15	25	24	25.2	-3.8	1.036	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	3	15	35	24	24.3	-1.6	1.036	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	31	
2025	6	3	15	45	24	25.6	-1.9	1.036	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31	
2025	6	3	15	55	24	24.1	-1.5	1.037	0.3	0.2	0	50.7	45.6	0	150	137	0	32	31	31	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	3	16	5	24	23.5	-1.4	1.037	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	3	16	15	24	24.8	-1.8	1.038	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	31	
2025	6	3	16	25	24	25.8	-1.9	1.037	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	31	
2025	6	3	16	35	24	23.7	-1.9	1.038	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	3	16	45	24	24.5	-1.9	1.038	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	3	16	55	24	23.8	-2.5	1.038	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	3	17	5	24	25	-1.7	1.038	0.5	0.4	0	50.7	45.2	0	150	137	0	32	32	32	
2025	6	3	17	15	24	24.8	-2.5	1.038	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	3	17	25	24	24.3	-2.5	1.039	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	3	17	35	24	24.1	-2.5	1.038	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	33	
2025	6	3	17	45	24	24.3	-2	1.038	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31	
2025	6	3	17	55	24	24.8	-2	1.039	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	31	
2025	6	3	18	5	24	23.8	-2.2	1.039	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	3	18	15	24	25.3	-2.5	1.041	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31	
2025	6	3	18	25	24	24.1	-2.1	1.041	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31	
2025	6	3	18	35	24	24.4	-1	1.042	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	3	18	45	24	25.3	-2.4	1.042	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	6	3	18	55	24	24	-2.5	1.042	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	3	19	5	24	25.6	-2.9	1.042	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32	
2025	6	3	19	15	24	25.3	-2.9	1.042	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	3	19	25	24	25.6	-2.2	1.042	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	32	
2025	6	3	19	35	24	25.5	-2.2	1.042	0.5	0.5	0	49.9	45.2	0	149	136	0	33	31	32	
2025	6	3	19	45	24	24.6	-1.1	1.043	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	33	
2025	6	3	19	55	24	25	-2.4	1.043	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	3	20	5	24	23.7	-1.5	1.043	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	3	20	15	24	24	-2.2	1.043	0.4	0.3	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	3	20	25	24	24.8	-2.2	1.043	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	3	20	35	24	24.4	-3.4	1.043	0.4	0.3	0	51.6	45.2	0	152	136	0	32	31	32	
2025	6	3	20	45	24	23.5	-1.4	1.043	0.5	0.4	0	52	45.2	0	153	137	0	32	32	32	
2025	6	3	20	55	24	23.8	-2.2	1.043	0.3	0.2	0	51.6	45.2	0	152	136	0	32	31	32	
2025	6	3	21	5	24	25.4	-2.3	1.044	0.4	0.3	0	52	45.6	0	153	137	0	32	31	32	
2025	6	3	21	15	24	26	-2.2	1.044	0.4	0.3	0	51.2	45.6	0	152	137	0	33	31	32	
2025	6	3	21	25	24	25.6	-1.7	1.044	0.5	0.4	0	51.6	45.2	0	152	137	0	32	32	32	
2025	6	3	21	35	24	25.7	-2.1	1.044	0.5	0.5	0	51.2	45.2	0	152	136	0	33	31	31	
2025	6	3	21	45	24	25.8	-2.2	1.045	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32	
2025	6	3	21	55	24	24.4	-2.9	1.045	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32	
2025	6	3	22	5	24	25.3	-2.9	1.045	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	32	
2025	6	3	22	15	24	24.4	-1.4	1.045	0.5	0.4	0	51.6	44.7	0	152	136	0	32	32	32	
2025	6	3	22	25	24	25.9	-1.6	1.046	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32	
2025	6	3	22	35	24	25.4	-2.8	1.047	0.4	0.3	0	51.6	45.2	0	152	136	0	32	31	32	
2025	6	3	22	45	24	25.7	-2.9	1.048	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32	
2025	6	3	22	55	24	25.4	-2.6	1.049	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	31	
2025	6	3	23	5	24	26	-1.8	1.05	0.3	0.2	0	50.7	44.3	0	151	135	0	33	32	32	
2025	6	3	23	15	24	26.1	-1.9	1.05	0.4	0.3	0	51.6	44.7	0	151	135	0	31	31	32	
2025	6	3	23	25	24	25.4	-1.9	1.05	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	6	3	23	35	24	25.8	-2.9	1.05	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32	
2025	6	3	23	45	24	25.8	-1.4	1.051	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	33	
2025	6	3	23	55	24	25.2	-1.6	1.051	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	4	0	5	24	24.4	-1.4	1.051	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	4	0	15	24	24.3	-2.4	1.051	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	4	0	25	24	24.6	-2.2	1.052	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	31
2025	6	4	0	35	24	26.1	-2.2	1.052	0.6	0.5	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	4	0	45	24	26	-2.8	1.052	0.4	0.3	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	4	0	55	24	24.7	-2.3	1.052	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	4	1	5	24	25.3	-1.5	1.053	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	4	1	15	24	25.5	-2.8	1.053	0.3	0.2	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	4	1	25	24	26.1	-2.2	1.053	0.3	0.2	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	4	1	35	24	25.3	-2.5	1.053	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	4	1	45	24	26.9	-1.9	1.053	0.5	0.4	0	50.7	44.3	0	150	135	0	32	32	33
2025	6	4	1	55	24	25.9	-2.2	1.053	0.3	0.2	0	50.7	44.3	0	150	135	0	32	32	32
2025	6	4	2	5	24	25.9	-1.4	1.053	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	31
2025	6	4	2	15	24	26	-2.1	1.054	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	4	2	25	24	27.5	-2.8	1.054	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	4	2	35	24	25.8	-2.7	1.054	0.4	0.3	0	50.3	44.3	0	149	134	0	32	31	32
2025	6	4	2	45	24	25.7	-1.8	1.054	0.5	0.5	0	50.3	44.3	0	150	135	0	33	32	32
2025	6	4	2	55	24	26.1	-2.2	1.054	0.3	0.2	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	4	3	5	24	27.1	-3	1.055	0.4	0.3	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	4	3	15	24	26.1	-1.5	1.055	0.5	0.4	0	50.3	44.3	0	149	135	0	32	32	32
2025	6	4	3	25	24	25.2	-1.4	1.055	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	4	3	35	24	24.9	-2.3	1.055	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	31
2025	6	4	3	45	24	25.3	-2.4	1.055	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	4	3	55	24	25.2	-2.1	1.055	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	4	4	5	24	27.2	-2.1	1.055	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	6	4	4	15	24	25.9	-1.2	1.056	0.6	0.5	0	50.3	44.3	0	150	135	0	33	32	31
2025	6	4	4	25	24	25.3	-3.2	1.056	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	4	4	35	24	25.6	-2.5	1.056	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	4	4	45	24	26.4	-1.4	1.056	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	6	4	4	55	24	26.4	-1.4	1.057	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	4	5	5	24	26.4	-3.6	1.057	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	4	5	15	24	25.3	-1.4	1.057	0.3	0.2	0	49.9	44.7	0	149	135	0	33	31	32
2025	6	4	5	25	24	25.6	-2.4	1.058	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32
2025	6	4	5	35	24	25.2	-2.4	1.06	0.5	0.4	0	49.9	43.9	0	149	135	0	33	33	33
2025	6	4	5	45	24	25.3	-1.7	1.061	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	33
2025	6	4	5	55	24	25.5	-1.8	1.061	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	33
2025	6	4	6	5	24	25.4	-2.5	1.061	0.3	0.2	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	4	6	15	24	24.6	-1.9	1.062	0.6	0.5	0	50.3	44.7	0	149	135	0	32	31	33
2025	6	4	6	25	24	25.2	-2.3	1.062	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	4	6	35	24	25.2	-1.9	1.062	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	4	6	45	24	25.9	-1.1	1.062	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32
2025	6	4	6	55	24	26.2	-1.8	1.063	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	4	7	5	24	25.9	-1.9	1.063	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	32
2025	6	4	7	15	24	25.9	-1.4	1.063	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	4	7	25	24	26.9	-2.9	1.063	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32
2025	6	4	7	35	24	26.2	-2.1	1.064	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	4	7	45	24	25.7	-1.9	1.064	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	4	7	55	24	27.3	-3	1.064	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	4	8	5	24	26.7	-2.8	1.064	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32	
2025	6	4	8	15	24	26	-2	1.064	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	32	
2025	6	4	8	25	24	24.9	-1.4	1.064	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	4	8	35	24	24.4	-1.5	1.064	0.5	0.4	0	51.2	45.2	0	150	137	0	31	32	32	
2025	6	4	8	45	24	27.3	-2.7	1.064	0.5	0.5	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	4	8	55	24	25.8	-2.7	1.064	0.5	0.4	0	50.7	46	0	151	138	0	33	31	32	
2025	6	4	9	5	24	25.7	-2.6	1.064	0.3	0.2	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	4	9	15	24	26.1	-1.7	1.064	0.4	0.3	0	51.6	46.4	0	152	139	0	32	31	32	
2025	6	4	9	25	24	25.5	-2.5	1.064	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32	
2025	6	4	9	35	24	27.8	-2.3	1.064	0.5	0.5	0	50.3	45.2	0	150	137	0	33	32	32	
2025	6	4	9	45	24	25.5	-2	1.065	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	4	9	55	24	27	-2.8	1.065	0.5	0.4	0	50.7	45.6	0	150	138	0	32	32	32	
2025	6	4	10	5	24	25.4	-1.8	1.065	0.3	0.2	0	51.6	46	0	152	139	0	32	32	32	
2025	6	4	10	15	24	25.4	-3.1	1.065	0.5	0.5	0	50.7	46	0	151	139	0	33	32	32	
2025	6	4	10	25	24	24.6	-1.4	1.065	0.4	0.3	0	51.2	46.4	0	151	139	0	32	31	32	
2025	6	4	10	35	24	25.5	-1.9	1.065	0.3	0.2	0	50.7	46.4	0	151	139	0	33	31	32	
2025	6	4	10	45	24	26.7	-2.3	1.065	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	4	10	55	24	27.1	-1.4	1.065	0.4	0.3	0	50.7	46	0	151	138	0	33	31	32	
2025	6	4	11	5	24	24.9	-3.1	1.065	0.4	0.3	0	50.7	46.4	0	151	138	0	33	30	32	
2025	6	4	11	15	24	26	-2.8	1.065	0.5	0.4	0	50.7	45.6	0	151	138	0	33	32	32	
2025	6	4	11	25	24	27.5	-2.4	1.065	0.3	0.2	0	50.7	46	0	151	138	0	33	31	32	
2025	6	4	11	35	24	25.5	-2.4	1.065	0.4	0.3	0	50.7	45.6	0	150	138	0	32	32	32	
2025	6	4	11	45	24	25.6	-3.1	1.066	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32	
2025	6	4	11	55	24	26.5	-2.5	1.065	0.3	0.2	0	50.7	46	0	150	138	0	32	31	32	
2025	6	4	12	5	24	25.6	-2.9	1.066	0.4	0.3	0	50.7	46	0	151	138	0	33	31	32	
2025	6	4	12	15	24	26.2	-2.4	1.066	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	4	12	25	24	26	-4.2	1.066	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	4	12	35	24	26.3	-3.4	1.065	0.5	0.4	0	50.7	46	0	150	138	0	32	31	31	
2025	6	4	12	45	24	25.3	-1.9	1.064	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	4	12	55	24	26.1	-1.8	1.066	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	4	13	5	24	26.2	-2.6	1.066	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32	
2025	6	4	13	15	24	26.5	-1.5	1.065	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	31	
2025	6	4	13	25	24	25.3	-1.5	1.064	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	4	13	35	24	26	-2.9	1.065	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	4	13	45	24	26.3	-2	1.064	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	4	13	55	24	25.2	-2.2	1.065	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32	
2025	6	4	14	5	24	25.4	-2.5	1.064	0.5	0.5	0	51.2	45.2	0	151	137	0	32	32	33	
2025	6	4	14	15	24	25.3	-2.7	1.065	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32	
2025	6	4	14	25	24	25.2	-2.1	1.064	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	4	14	35	24	26.4	-2.4	1.065	0.3	0.2	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	4	14	45	24	26.3	-1	1.064	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	4	14	55	24	25.7	-2.1	1.064	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	4	15	5	24	25.4	-1.8	1.063	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	31	
2025	6	4	15	15	24	25.9	-1.9	1.063	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	4	15	25	24	25.9	-2.8	1.064	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	4	15	35	24	25.9	-3.1	1.065	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	4	15	45	24	25.8	-3.2	1.065	0.4	0.3	0	49.9	45.2	0	149	135	0	33	30	32	
2025	6	4	15	55	24	26.2	-2.3	1.063	0.5	0.4	0	51.6	45.2	0	151	136	0	31	31	31	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	4	16	5	24	25.7	-2.3	1.062	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	4	16	15	24	25.5	-1.4	1.063	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	4	16	25	24	25.7	-2.5	1.063	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	4	16	35	24	25.3	-2.5	1.063	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	4	16	45	24	25.7	-2.5	1.064	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	4	16	55	24	25.9	-2.8	1.064	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	4	17	5	24	24.9	-2.8	1.064	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	31
2025	6	4	17	15	24	25.2	-2.6	1.063	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	6	4	17	25	24	25.4	-2.6	1.064	0.5	0.4	0	50.3	45.6	0	149	136	0	32	30	32
2025	6	4	17	35	24	26.5	-1.5	1.064	0.3	0.2	0	49.9	45.2	0	149	136	0	33	31	33
2025	6	4	17	45	24	25.1	-2.4	1.063	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	31
2025	6	4	17	55	24	25.5	-1.9	1.064	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	4	18	5	24	26.7	-2.6	1.064	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	4	18	15	24	25.6	-3.8	1.064	0.5	0.4	0	50.3	44.3	0	149	135	0	32	32	31
2025	6	4	18	25	24	25.9	-2.3	1.063	0.4	0.3	0	50.7	44.7	0	149	135	0	31	31	32
2025	6	4	18	35	24	26.4	-1	1.064	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	4	18	45	24	26.1	-1.9	1.064	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32
2025	6	4	18	55	24	26.1	-3.7	1.064	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	4	19	5	24	25.4	-1.9	1.064	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32
2025	6	4	19	15	24	26	-3.4	1.065	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	4	19	25	24	26.5	-3	1.065	0.5	0.5	0	50.3	45.6	0	150	136	0	33	30	32
2025	6	4	19	35	24	27	-1.3	1.065	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	4	19	45	24	26.3	-2.4	1.066	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	4	19	55	24	25.4	-3.4	1.066	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32
2025	6	4	20	5	24	26	-1.4	1.066	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	4	20	15	24	25.8	-1.7	1.065	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	6	4	20	25	24	26.2	-2.1	1.066	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	6	4	20	35	24	26.2	-2.3	1.066	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	4	20	45	24	24.7	-2.3	1.066	0.3	0.2	0	50.7	45.6	0	151	136	0	33	30	33
2025	6	4	20	55	24	27.5	-2.8	1.066	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	4	21	5	24	27.7	-1.9	1.066	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	4	21	15	24	26.6	-1.7	1.066	0.5	0.5	0	48.6	45.2	0	146	136	0	33	31	32
2025	6	4	21	25	24	25	-1.9	1.066	0.3	0.2	0	48.6	45.2	0	146	137	0	33	32	32
2025	6	4	21	35	24	26.1	-3.2	1.066	0.5	0.5	0	49	45.2	0	146	136	0	32	31	32
2025	6	4	21	45	24	26	-2.4	1.066	0.5	0.4	0	48.6	45.6	0	146	137	0	33	31	33
2025	6	4	21	55	24	25.8	-2.1	1.066	0.3	0.2	0	48.6	45.2	0	146	136	0	33	31	32
2025	6	4	22	5	24	27.3	-2.2	1.066	0.5	0.4	0	48.6	45.2	0	146	136	0	33	31	32
2025	6	4	22	15	24	25.2	-1.4	1.067	0.5	0.5	0	49	45.6	0	146	137	0	32	31	32
2025	6	4	22	25	24	27.6	-1.4	1.067	0.4	0.3	0	49	45.6	0	146	137	0	32	31	31
2025	6	4	22	35	24	26.4	-2.5	1.067	0.4	0.3	0	49	44.7	0	146	136	0	32	32	32
2025	6	4	22	45	24	26.3	-1.8	1.067	0.5	0.4	0	49	45.6	0	146	137	0	32	31	32
2025	6	4	22	55	24	26.2	-2.8	1.067	0.5	0.4	0	48.2	45.6	0	145	137	0	33	31	32
2025	6	4	23	5	24	26.2	-2.1	1.067	0.3	0.2	0	48.6	45.2	0	145	136	0	32	31	33
2025	6	4	23	15	24	26.4	-2	1.067	0.5	0.4	0	48.6	45.2	0	146	136	0	33	31	32
2025	6	4	23	25	24	26.7	-2.6	1.067	0.5	0.4	0	48.6	44.7	0	146	136	0	33	32	32
2025	6	4	23	35	24	25.2	-1.6	1.068	0.5	0.4	0	48.6	45.2	0	145	136	0	32	31	33
2025	6	4	23	45	24	26.5	-2.6	1.068	0.5	0.4	0	48.6	45.2	0	145	136	0	32	31	31
2025	6	4	23	55	24	25.7	-2.9	1.068	0.4	0.3	0	48.6	45.2	0	145	136	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	5	0	5	24	26.3	-1.9	1.068	0.5	0.4	0	48.6	45.6	0	145	137	0	32	31	32
2025	6	5	0	15	24	26.6	-2.7	1.068	0.4	0.3	0	48.6	45.2	0	145	136	0	32	31	32
2025	6	5	0	25	24	26.3	-1.5	1.069	0.5	0.5	0	48.2	45.2	0	145	136	0	33	31	32
2025	6	5	0	35	24	26.1	-2.4	1.069	0.4	0.3	0	49	45.6	0	146	137	0	32	31	32
2025	6	5	0	45	24	27.1	-1.4	1.07	0.5	0.4	0	48.6	45.2	0	146	136	0	33	31	32
2025	6	5	0	55	24	26.8	-2.9	1.071	0.5	0.5	0	48.2	45.2	0	145	136	0	33	31	32
2025	6	5	1	5	24	26.1	-2.9	1.071	0.4	0.3	0	48.6	45.6	0	146	137	0	33	31	32
2025	6	5	1	15	24	25.2	-2.6	1.072	0.5	0.4	0	48.2	44.7	0	145	136	0	33	32	31
2025	6	5	1	25	24	25.9	-1.7	1.072	0.3	0.2	0	49	45.2	0	146	136	0	32	31	32
2025	6	5	1	35	24	25.9	-1.4	1.072	0.5	0.5	0	48.2	45.2	0	145	136	0	33	31	32
2025	6	5	1	45	24	25.9	-2.2	1.073	0.4	0.3	0	48.2	45.2	0	145	136	0	33	31	32
2025	6	5	1	55	24	26.8	-3.3	1.073	0.4	0.3	0	48.6	45.6	0	146	137	0	33	31	32
2025	6	5	2	5	24	25.1	-2.4	1.073	0.4	0.3	0	48.6	45.2	0	145	136	0	32	31	32
2025	6	5	2	15	24	25.7	-2.4	1.073	0.3	0.2	0	49	45.2	0	146	137	0	32	32	32
2025	6	5	2	25	24	27.3	-2.8	1.073	0.5	0.4	0	48.2	44.7	0	145	136	0	33	32	31
2025	6	5	2	35	24	26.2	-2.8	1.073	0.3	0.2	0	48.2	44.7	0	145	136	0	33	32	32
2025	6	5	2	45	24	25.6	-2.9	1.074	0.3	0.2	0	48.6	45.2	0	145	136	0	32	31	33
2025	6	5	2	55	24	26	-1.3	1.074	0.5	0.5	0	48.2	45.2	0	145	136	0	33	31	33
2025	6	5	3	5	24	27.1	-2	1.074	0.5	0.4	0	48.2	44.7	0	145	136	0	33	32	32
2025	6	5	3	15	24	26.7	-2.3	1.074	0.4	0.3	0	48.2	45.2	0	145	136	0	33	31	33
2025	6	5	3	25	24	27.9	-1.5	1.074	0.5	0.4	0	48.2	45.2	0	145	136	0	33	31	32
2025	6	5	3	35	24	25.3	-2.1	1.075	0.4	0.3	0	48.2	45.2	0	145	136	0	33	31	32
2025	6	5	3	45	24	26.5	-2.4	1.075	0.5	0.4	0	47.7	44.3	0	144	135	0	33	32	32
2025	6	5	3	55	24	25	-2.1	1.075	0.5	0.4	0	48.2	44.7	0	145	136	0	33	32	32
2025	6	5	4	5	24	26.8	-2.8	1.075	0.4	0.3	0	48.2	44.7	0	144	135	0	32	31	32
2025	6	5	4	15	24	25.5	-2.4	1.075	0.4	0.3	0	47.7	44.3	0	144	135	0	33	32	32
2025	6	5	4	25	24	26.6	-1.5	1.075	0.5	0.4	0	47.7	44.7	0	144	135	0	33	31	34
2025	6	5	4	35	24	25.9	-1.7	1.076	0.3	0.2	0	48.6	44.3	0	145	135	0	32	32	33
2025	6	5	4	45	24	26.8	-1.8	1.076	0.4	0.3	0	48.2	44.7	0	144	135	0	32	31	32
2025	6	5	4	55	24	26.3	-3.5	1.076	0.5	0.4	0	48.2	44.7	0	144	135	0	32	31	32
2025	6	5	5	5	24	25.7	-2.3	1.076	0.5	0.4	0	48.6	44.7	0	145	136	0	32	32	32
2025	6	5	5	15	24	25.9	-2.4	1.076	0.4	0.3	0	48.2	45.2	0	145	136	0	33	31	32
2025	6	5	5	25	24	25.9	-2.2	1.076	0.5	0.4	0	48.2	45.2	0	145	136	0	33	31	33
2025	6	5	5	35	24	27	-2.4	1.076	0.5	0.5	0	48.2	44.7	0	144	135	0	32	31	32
2025	6	5	5	45	24	25.8	-3	1.076	0.4	0.3	0	48.2	44.7	0	144	135	0	32	31	33
2025	6	5	5	55	24	25.5	-1.4	1.076	0.4	0.3	0	47.7	44.7	0	144	135	0	33	31	32
2025	6	5	6	5	24	26.3	-2.8	1.076	0.4	0.3	0	47.7	44.3	0	144	135	0	33	32	32
2025	6	5	6	15	24	26.8	-1.7	1.076	0.4	0.3	0	47.7	44.7	0	144	135	0	33	31	32
2025	6	5	6	25	24	26.8	-2.1	1.076	0.5	0.5	0	48.6	45.2	0	145	136	0	32	31	33
2025	6	5	6	35	24	26.5	-1.3	1.077	0.4	0.3	0	48.6	44.3	0	145	135	0	32	32	33
2025	6	5	6	45	24	25.7	-1.4	1.077	0.3	0.2	0	48.2	45.2	0	144	136	0	32	31	32
2025	6	5	6	55	24	26.7	-2.1	1.077	0.4	0.3	0	48.2	44.7	0	144	135	0	32	31	33
2025	6	5	7	5	24	25.8	-2.8	1.077	0.5	0.4	0	48.2	44.7	0	144	135	0	32	31	32
2025	6	5	7	15	24	26.8	-2.9	1.077	0.4	0.3	0	48.2	44.7	0	144	136	0	32	32	32
2025	6	5	7	25	24	26.7	-2.6	1.077	0.4	0.3	0	47.7	44.7	0	144	136	0	33	32	32
2025	6	5	7	35	24	25.6	-1.7	1.077	0.5	0.4	0	48.2	45.2	0	144	136	0	32	31	32
2025	6	5	7	45	24	26	-1.8	1.077	0.4	0.3	0	47.7	45.2	0	144	136	0	33	31	32
2025	6	5	7	55	24	27.2	-2.8	1.077	0.3	0.2	0	47.7	45.2	0	144	136	0	33	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	5	8	5	24	25.9	-2.2	1.077	0.4	0.3	0	47.7	45.2	0	144	136	0	33	31	32	
2025	6	5	8	15	24	27.1	-1.7	1.077	0.5	0.4	0	47.7	44.7	0	144	136	0	33	32	33	
2025	6	5	8	25	24	26.8	-2.2	1.077	0.4	0.3	0	48.2	45.2	0	144	136	0	32	31	33	
2025	6	5	8	35	24	27.5	-2.3	1.077	0.5	0.5	0	48.2	45.2	0	144	136	0	32	31	32	
2025	6	5	8	45	24	26.4	-1.7	1.078	0.3	0.2	0	48.2	44.7	0	144	136	0	32	32	32	
2025	6	5	8	55	24	25.3	-1.4	1.077	0.4	0.3	0	47.7	45.2	0	144	136	0	33	31	32	
2025	6	5	9	5	24	25.8	-1.7	1.078	0.3	0.2	0	47.7	44.7	0	144	136	0	33	32	32	
2025	6	5	9	15	24	25.4	-2.7	1.078	0.3	0.2	0	47.7	45.2	0	144	136	0	33	31	32	
2025	6	5	9	25	24	26.3	-1.9	1.078	0.3	0.2	0	48.6	45.2	0	145	137	0	32	32	33	
2025	6	5	9	35	24	25.7	-2.3	1.078	0.4	0.3	0	48.6	44.7	0	145	136	0	32	32	32	
2025	6	5	9	45	24	26.5	-2.3	1.078	0.3	0.2	0	48.6	45.2	0	145	137	0	32	32	31	
2025	6	5	9	55	24	25.9	-2.5	1.078	0.3	0.2	0	49	45.6	0	146	137	0	32	31	31	
2025	6	5	10	5	24	26.9	-1.5	1.078	0.3	0.2	0	48.2	45.6	0	145	137	0	33	31	32	
2025	6	5	10	15	24	26.2	-1.6	1.078	0.3	0.2	0	48.2	45.6	0	145	137	0	33	31	32	
2025	6	5	10	25	24	27.1	-2.2	1.078	0.3	0.2	0	47.7	45.6	0	144	137	0	33	31	32	
2025	6	5	10	35	24	26.4	-2.3	1.078	0.5	0.5	0	48.6	45.2	0	145	137	0	32	32	32	
2025	6	5	10	45	24	26.1	-2	1.078	0.4	0.3	0	48.2	44.7	0	144	136	0	32	32	32	
2025	6	5	10	55	24	25.6	-2.5	1.078	0.5	0.4	0	48.2	45.2	0	144	136	0	32	31	32	
2025	6	5	11	5	24	25.5	-2.1	1.078	0.3	0.2	0	47.7	45.2	0	144	136	0	33	31	32	
2025	6	5	11	15	24	26.6	-1.4	1.078	0.4	0.3	0	47.7	45.6	0	144	137	0	33	31	32	
2025	6	5	11	25	24	25.8	-2.9	1.078	0.3	0.2	0	48.2	45.6	0	145	137	0	33	31	32	
2025	6	5	11	35	24	27.3	-2	1.078	0.4	0.3	0	48.2	45.2	0	144	136	0	32	31	32	
2025	6	5	11	45	24	25.3	-2.5	1.078	0.4	0.3	0	48.2	44.7	0	144	136	0	32	32	32	
2025	6	5	11	55	24	27.3	-2.4	1.078	0.5	0.5	0	48.6	45.2	0	144	136	0	31	31	33	
2025	6	5	12	5	24	25.8	-2.2	1.078	0.3	0.2	0	47.7	45.6	0	144	136	0	33	30	32	
2025	6	5	12	15	24	26.6	-2.5	1.079	0.5	0.5	0	48.2	45.2	0	145	137	0	33	32	32	
2025	6	5	12	25	24	26.2	-2.1	1.078	0.3	0.2	0	48.2	45.6	0	144	136	0	32	30	32	
2025	6	5	12	35	24	26.3	-2	1.078	0.5	0.4	0	47.7	45.2	0	144	136	0	33	31	32	
2025	6	5	12	45	24	27	-3	1.078	0.5	0.4	0	48.6	45.6	0	145	137	0	32	31	32	
2025	6	5	12	55	24	26.3	-2.9	1.078	0.5	0.5	0	48.2	45.2	0	144	136	0	32	31	32	
2025	6	5	13	5	24	26.6	-1.9	1.078	0.5	0.4	0	48.2	45.2	0	145	137	0	33	32	31	
2025	6	5	13	15	24	27.7	-2.6	1.078	0.4	0.3	0	48.6	45.6	0	145	137	0	32	31	32	
2025	6	5	13	25	24	26.2	-2.1	1.078	0.5	0.4	0	48.6	45.6	0	145	137	0	32	31	32	
2025	6	5	13	35	24	27.4	-3.3	1.077	0.3	0.2	0	48.6	45.6	0	145	137	0	32	31	32	
2025	6	5	13	45	24	26.7	-2.2	1.078	0.4	0.3	0	48.2	45.6	0	145	137	0	33	31	32	
2025	6	5	13	55	24	25.8	-3	1.078	0.3	0.2	0	49	46	0	146	138	0	32	31	32	
2025	6	5	14	5	24	25.9	-2.8	1.078	0.5	0.4	0	48.6	46	0	146	138	0	33	31	31	
2025	6	5	14	15	24	26.8	-3	1.077	0.5	0.4	0	49	45.2	0	146	137	0	32	32	31	
2025	6	5	14	25	24	26.5	-3.2	1.076	0.5	0.4	0	48.6	46	0	146	138	0	33	31	31	
2025	6	5	14	35	24	26.2	-2.4	1.077	0.4	0.3	0	49	46	0	146	138	0	32	31	32	
2025	6	5	14	45	24	26	-1.7	1.077	0.4	0.3	0	48.6	46	0	146	138	0	33	31	31	
2025	6	5	14	55	24	26.9	-3.1	1.076	0.4	0.3	0	48.6	45.2	0	146	137	0	33	32	32	
2025	6	5	15	5	24	26.3	-1.9	1.076	0.4	0.3	0	49	46	0	146	138	0	32	31	32	
2025	6	5	15	15	24	25.3	-2.1	1.076	0.4	0.3	0	49	45.6	0	146	137	0	32	31	31	
2025	6	5	15	25	24	26.1	-3.1	1.076	0.5	0.5	0	48.2	45.6	0	145	137	0	33	31	32	
2025	6	5	15	35	24	25.9	-2.5	1.076	0.5	0.4	0	49.5	46	0	146	138	0	31	31	32	
2025	6	5	15	45	24	25.7	-2.2	1.076	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32	
2025	6	5	15	55	24	26.7	-3.1	1.075	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	5	16	5	24	25.3	-3	1.075	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33
2025	6	5	16	15	24	25.3	-2.3	1.075	0.3	0.2	0	50.3	44.7	0	149	136	0	32	32	31
2025	6	5	16	25	24	26	-3.2	1.075	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	5	16	35	24	26.3	-1.8	1.075	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	5	16	45	24	25.2	-2	1.076	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	5	16	55	24	26.6	-2.7	1.076	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	5	17	5	24	27	-2.4	1.076	0.5	0.4	0	50.3	44.7	0	148	135	0	31	31	32
2025	6	5	17	15	24	27.1	-2.3	1.076	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	31
2025	6	5	17	25	24	26.5	-1.9	1.075	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	5	17	35	24	26.2	-2.1	1.074	0.4	0.3	0	49.9	45.6	0	149	136	0	33	30	32
2025	6	5	17	45	24	28	-1.2	1.075	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	5	17	55	24	26.2	-1.3	1.075	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	33
2025	6	5	18	5	24	25.7	-2.2	1.076	0.4	0.3	0	50.3	45.2	0	149	137	0	32	32	32
2025	6	5	18	15	24	26.6	-1.6	1.075	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	5	18	25	24	26.6	-2.1	1.076	0.3	0.2	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	5	18	35	24	27.7	-1.8	1.076	0.5	0.5	0	49.9	44.3	0	148	135	0	32	32	32
2025	6	5	18	45	24	25.5	-1.9	1.076	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	5	18	55	24	25.7	-2.6	1.076	0.3	0.2	0	49.9	45.2	0	149	135	0	33	30	32
2025	6	5	19	5	24	26.1	-2.4	1.076	0.3	0.2	0	49.5	43.9	0	148	133	0	33	31	32
2025	6	5	19	15	24	27.4	-1.6	1.076	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	5	19	25	24	26.6	-2.2	1.076	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	5	19	35	24	26.1	-1.9	1.076	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	31
2025	6	5	19	45	24	26.3	-2.5	1.076	0.5	0.5	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	5	19	55	24	27.3	-2.4	1.076	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	33
2025	6	5	20	5	24	26.3	-3	1.076	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	5	20	15	24	25.3	-1.7	1.076	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	33
2025	6	5	20	25	24	25.1	-1.7	1.077	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	33
2025	6	5	20	35	24	27.2	-2.4	1.076	0.5	0.4	0	50.3	45.2	0	149	137	0	32	32	33
2025	6	5	20	45	24	24.9	-1.9	1.077	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	5	20	55	24	27.3	-2.4	1.077	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	5	21	5	24	26.7	-2.4	1.077	0.3	0.2	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	5	21	15	24	27.3	-2.5	1.077	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	5	21	25	24	25.6	-2.2	1.077	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	5	21	35	24	26.8	-1.9	1.077	0.5	0.5	0	49.9	45.2	0	149	136	0	33	31	31
2025	6	5	21	45	24	27.5	-1.3	1.077	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	5	21	55	24	26.9	-1.7	1.077	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	5	22	5	24	25.7	-2.6	1.077	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	5	22	15	24	27.3	-1.1	1.077	0.3	0.2	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	5	22	25	24	26	-1.4	1.077	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	5	22	35	24	26.4	-2.2	1.077	0.4	0.3	0	50.3	45.2	0	148	136	0	31	31	32
2025	6	5	22	45	24	27.1	-2	1.077	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	5	22	55	24	25.4	-2.4	1.077	0.4	0.3	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	5	23	5	24	26.7	-2.6	1.077	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	5	23	15	24	26.3	-2.8	1.077	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	5	23	25	24	26.3	-2.7	1.077	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	33
2025	6	5	23	35	24	25.1	-1.9	1.077	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	5	23	45	24	26.9	-2.5	1.077	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	5	23	55	24	25.3	-2.7	1.077	0.4	0.3	0	49.9	44.7	0	148	136	0	32	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	6	0	5	24	27.2	-2.6	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	6	0	15	24	27	-0.5	1.078	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	6	0	25	24	27.3	-2.3	1.078	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	33
2025	6	6	0	35	24	25.9	-2.4	1.078	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	33
2025	6	6	0	45	24	25.6	-2.7	1.078	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	6	0	55	24	27.7	-3.1	1.078	0.5	0.4	0	49.9	44.3	0	148	135	0	32	32	31
2025	6	6	1	5	24	25.4	-2.9	1.078	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	1	15	24	27.9	-1.9	1.078	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	1	25	24	27.3	-2.5	1.078	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	1	35	24	26.3	-2.9	1.079	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	1	45	24	26.4	-2.4	1.078	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	6	1	55	24	26.8	-1.9	1.079	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	6	2	5	24	28.1	-2.5	1.079	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	32
2025	6	6	2	15	24	26.1	-2.4	1.079	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	2	25	24	25.7	-2.3	1.079	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	6	2	35	24	26.8	-1.9	1.079	0.3	0.2	0	49.9	44.7	0	148	135	0	32	31	31
2025	6	6	2	45	24	26.8	-2.5	1.079	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	2	55	24	26.7	-2.8	1.079	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	6	6	3	5	24	26	-2.6	1.08	0.5	0.4	0	49.5	44.3	0	147	135	0	32	32	32
2025	6	6	3	15	24	26.4	-2.7	1.08	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	6	6	3	25	24	26.2	-3.1	1.08	0.4	0.3	0	48.6	44.7	0	146	134	0	33	30	32
2025	6	6	3	35	24	28	-3.1	1.08	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	32
2025	6	6	3	45	24	25.7	-2.3	1.08	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	6	6	3	55	24	26	-2.6	1.08	0.5	0.5	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	4	5	24	24.9	-2	1.08	0.5	0.4	0	49	44.7	0	147	136	0	33	32	32
2025	6	6	4	15	24	26.1	-2.5	1.08	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32
2025	6	6	4	25	24	27.6	-2	1.081	0.3	0.2	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	4	35	24	25.3	-1.4	1.081	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	6	6	4	45	24	26.6	-2.4	1.081	0.3	0.2	0	49	45.6	0	147	136	0	33	30	32
2025	6	6	4	55	24	27.4	-2.4	1.081	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	6	6	5	5	24	25.9	-2.9	1.082	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	6	6	5	15	24	27.6	-2.4	1.084	0.4	0.3	0	48.2	44.3	0	145	135	0	33	32	33
2025	6	6	5	25	24	27.6	-2.5	1.084	0.3	0.2	0	49	45.2	0	147	136	0	33	31	32
2025	6	6	5	35	24	26.9	-2.5	1.085	0.4	0.3	0	49	44.7	0	147	136	0	33	32	32
2025	6	6	5	45	24	28.3	-1.7	1.084	0.5	0.5	0	49	45.2	0	147	136	0	33	31	32
2025	6	6	5	55	24	26.2	-2.6	1.085	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	31
2025	6	6	6	5	24	27.6	-1.2	1.085	0.4	0.3	0	49	45.2	0	147	136	0	33	31	31
2025	6	6	6	15	24	26.7	-1.9	1.085	0.4	0.3	0	49	45.2	0	147	136	0	33	31	31
2025	6	6	6	25	24	27.4	-2.7	1.085	0.4	0.3	0	49	45.2	0	147	136	0	33	31	32
2025	6	6	6	35	24	26.6	-2.4	1.085	0.5	0.4	0	49	45.2	0	147	136	0	33	31	32
2025	6	6	6	45	24	27	-2.6	1.086	0.5	0.4	0	48.6	44.7	0	146	135	0	33	31	32
2025	6	6	6	55	24	27.4	-2.6	1.086	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	6	7	5	24	26.5	-1.3	1.086	0.5	0.4	0	48.6	44.3	0	146	135	0	33	32	32
2025	6	6	7	15	24	26	-1.9	1.086	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	6	7	25	24	25.6	-2.4	1.086	0.4	0.3	0	49	45.2	0	147	136	0	33	31	32
2025	6	6	7	35	24	24.8	-1.5	1.086	0.5	0.4	0	49.5	44.7	0	147	136	0	32	32	31
2025	6	6	7	45	24	26.7	-1	1.086	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	7	55	24	27	-1.9	1.086	0.3	0.2	0	49.9	45.6	0	148	137	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	6	8	5	24	26.5	-2.6	1.087	0.3	0.2	0	49.9	44.7	0	148	136	0	32	32	31
2025	6	6	8	15	24	26	-2.6	1.087	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	6	8	25	24	27	-1.2	1.087	0.5	0.5	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	6	8	35	24	26.3	-2.9	1.087	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	8	45	24	27.1	-2	1.087	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	33
2025	6	6	8	55	24	27.5	-2.5	1.087	0.4	0.3	0	49	45.2	0	147	136	0	33	31	32
2025	6	6	9	5	24	27.6	-2.8	1.087	0.4	0.3	0	49	45.2	0	147	136	0	33	31	31
2025	6	6	9	15	24	27.4	-2.1	1.087	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	31
2025	6	6	9	25	24	27	-3	1.087	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	6	9	35	24	27.5	-2.9	1.087	0.6	0.5	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	9	45	24	26.5	-2.6	1.087	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	6	9	55	24	26.9	-2.6	1.086	0.5	0.4	0	49	45.2	0	147	136	0	33	31	32
2025	6	6	10	5	24	28	-2.3	1.087	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	6	10	15	24	25.7	-1.9	1.087	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	6	10	25	24	26.1	-1.8	1.086	0.3	0.2	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	6	10	35	24	28.1	-2.2	1.086	0.3	0.2	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	6	10	45	24	26.5	-2.9	1.086	0.3	0.2	0	49.9	46	0	148	137	0	32	30	32
2025	6	6	10	55	24	26	-3	1.086	0.4	0.3	0	49.5	45.2	0	148	137	0	33	32	32
2025	6	6	11	5	24	26.9	-1.8	1.085	0.5	0.4	0	49.9	45.2	0	148	137	0	32	32	32
2025	6	6	11	15	24	26.9	-2.9	1.085	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	6	11	25	24	27.1	-2.6	1.085	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	6	11	35	24	26.3	-2.9	1.085	0.4	0.3	0	49.9	46	0	149	138	0	33	31	32
2025	6	6	11	45	24	26.8	-2.7	1.084	0.5	0.4	0	49.9	45.2	0	148	137	0	32	32	32
2025	6	6	11	55	24	26.7	-2.4	1.083	0.4	0.3	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	6	12	5	24	27.6	-1.6	1.083	0.4	0.3	0	49.5	45.6	0	148	137	0	33	31	31
2025	6	6	12	15	24	26.7	-2.2	1.083	0.5	0.4	0	49.9	46	0	149	138	0	33	31	32
2025	6	6	12	25	24	27	-2.4	1.083	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	6	12	35	24	26.2	-2.3	1.083	0.5	0.4	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	6	12	45	24	25.7	-2.2	1.084	0.5	0.4	0	49.5	45.2	0	148	137	0	33	32	32
2025	6	6	12	55	24	26	-2.4	1.083	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	6	13	5	24	25.8	-3.8	1.082	0.4	0.3	0	49.5	45.6	0	148	137	0	33	31	31
2025	6	6	13	15	24	26.5	-2	1.082	0.5	0.4	0	49.9	46	0	149	138	0	33	31	32
2025	6	6	13	25	24	26.6	-2.4	1.083	0.5	0.4	0	50.3	46	0	149	138	0	32	31	31
2025	6	6	13	35	24	25.7	-2.5	1.083	0.5	0.4	0	50.3	46	0	149	138	0	32	31	31
2025	6	6	13	45	24	26.6	-2.8	1.082	0.5	0.4	0	49.9	45.2	0	148	137	0	32	32	31
2025	6	6	13	55	24	25.3	-2.1	1.082	0.5	0.4	0	50.3	46	0	149	138	0	32	31	32
2025	6	6	14	5	24	26.5	-2.5	1.082	0.5	0.4	0	49.5	46	0	148	138	0	33	31	32
2025	6	6	14	15	24	26.9	-1.9	1.082	0.5	0.4	0	50.3	46	0	149	138	0	32	31	32
2025	6	6	14	25	24	26	-2.4	1.081	0.5	0.5	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	6	14	35	24	26.5	-2.5	1.081	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	31
2025	6	6	14	45	24	26.7	-2	1.082	0.5	0.5	0	49.5	45.2	0	148	137	0	33	32	32
2025	6	6	14	55	24	27.3	-2.2	1.081	0.4	0.3	0	49.9	46	0	148	137	0	32	30	31
2025	6	6	15	5	24	26.5	-2	1.081	0.3	0.2	0	50.7	46	0	150	138	0	32	31	31
2025	6	6	15	15	24	26.6	-2.4	1.08	0.5	0.4	0	50.7	45.6	0	150	138	0	32	32	32
2025	6	6	15	25	24	26.1	-2.4	1.08	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	6	15	35	24	26.3	-2.7	1.08	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	6	15	45	24	26.6	-2.9	1.08	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	6	15	55	24	25.9	-2.1	1.08	0.4	0.3	0	50.7	46	0	150	138	0	32	31	31

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	6	16	5	24	26.4	-1.5	1.08	0.4	0.3	0	50.3	46	0	149	137	0	32	30	32
2025	6	6	16	15	24	26.9	-2.5	1.08	0.4	0.3	0	50.3	46	0	149	137	0	32	30	32
2025	6	6	16	25	24	26.8	-3.7	1.08	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	6	16	35	24	26.2	-2.4	1.079	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	31
2025	6	6	16	45	24	25.5	-2.2	1.08	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	6	16	55	24	26.8	-2.3	1.079	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	17	5	24	25.5	-3	1.079	0.4	0.3	0	49.5	45.6	0	148	136	0	33	30	32
2025	6	6	17	15	24	25.7	-2	1.078	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	6	17	25	24	25.8	-2.8	1.079	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	17	35	24	26	-2.9	1.079	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	17	45	24	25.4	-2.5	1.079	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	17	55	24	25.9	-2.1	1.078	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	18	5	24	27.5	-3	1.079	0.4	0.3	0	49	44.3	0	147	134	0	33	31	33
2025	6	6	18	15	24	25.8	-1.9	1.079	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	18	25	24	26.1	-1.8	1.079	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	18	35	24	26.9	-2.1	1.079	0.3	0.2	0	49.5	44.3	0	147	135	0	32	32	32
2025	6	6	18	45	24	27.2	-1.9	1.079	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	33
2025	6	6	18	55	24	27.1	-2.4	1.079	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	19	5	24	26.5	-2.9	1.079	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	6	6	19	15	24	26.4	-1.8	1.079	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	6	19	25	24	27	-3.2	1.079	0.4	0.3	0	49.5	45.2	0	147	135	0	32	30	32
2025	6	6	19	35	24	27.1	-2.2	1.079	0.4	0.3	0	49.5	45.2	0	147	135	0	32	30	32
2025	6	6	19	45	24	26.9	-2.1	1.078	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	31
2025	6	6	19	55	24	27.5	-1.7	1.078	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	20	5	24	27.3	-1.9	1.078	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	6	20	15	24	25.6	-1.9	1.078	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	6	20	25	24	26.6	-1.3	1.079	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	6	20	35	24	25.9	-3.1	1.078	0.4	0.3	0	49.9	45.6	0	148	136	0	32	30	32
2025	6	6	20	45	24	26.9	-1.9	1.078	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	6	20	55	24	26.5	-1.4	1.078	0.5	0.4	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	6	21	5	24	27.4	-2.3	1.078	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	6	21	15	24	26	-2.8	1.078	0.6	0.5	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	6	21	25	24	25.7	-1	1.078	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	6	21	35	24	27	-2	1.078	0.3	0.2	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	6	21	45	24	26.8	-2.2	1.078	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	6	21	55	24	26.1	-3.7	1.078	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	6	22	5	24	26.3	-2	1.078	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	31
2025	6	6	22	15	24	25.5	-1.4	1.078	0.5	0.5	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	6	22	25	24	26.4	-2.4	1.078	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	31
2025	6	6	22	35	24	27.4	-2.8	1.078	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	22	45	24	25.9	-2.6	1.078	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	22	55	24	25.9	-2.7	1.078	0.4	0.3	0	49.9	44.3	0	148	135	0	32	32	32
2025	6	6	23	5	24	27	-2.3	1.078	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	6	23	15	24	25.9	-3.1	1.078	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	6	23	25	24	25.2	-2.4	1.078	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	6	23	35	24	27.9	-2.3	1.078	0.5	0.5	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	6	23	45	24	26.7	-1.9	1.078	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	6	23	55	24	26.5	-2.3	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	7	0	5	24	26.2	-2.3	1.078	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	33
2025	6	7	0	15	24	25.4	-1.6	1.078	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	7	0	25	24	26.4	-2.2	1.078	0.4	0.3	0	49.5	44.3	0	147	135	0	32	32	32
2025	6	7	0	35	24	26.7	-2.1	1.078	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	7	0	45	24	27	-1.9	1.078	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	6	7	0	55	24	25.9	-3	1.078	0.3	0.2	0	49.5	44.7	0	148	135	0	33	31	31
2025	6	7	1	5	24	27.5	-2.6	1.078	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	1	15	24	26.8	-1.9	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	1	25	24	26	-2.1	1.078	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	1	35	24	26.5	-1.9	1.078	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	33
2025	6	7	1	45	24	26	-2.3	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	33
2025	6	7	1	55	24	25.9	-2.1	1.078	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	2	5	24	26.7	-1.4	1.078	0.4	0.3	0	49.9	44.3	0	148	134	0	32	31	32
2025	6	7	2	15	24	25	-2.2	1.078	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	7	2	25	24	25.7	-1.6	1.078	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	7	2	35	24	26	-2.6	1.078	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	2	45	24	25.6	-2	1.078	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	2	55	24	25.5	-2.3	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	3	5	24	26.1	-1.9	1.078	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33
2025	6	7	3	15	24	25.9	-1	1.078	0.3	0.2	0	50.3	44.7	0	149	136	0	32	32	33
2025	6	7	3	25	24	25.9	-2.5	1.078	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	32
2025	6	7	3	35	24	27.4	-2.2	1.078	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	3	45	24	26	-2.2	1.078	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	3	55	24	26	-2.9	1.078	0.3	0.2	0	49	44.7	0	147	135	0	33	31	32
2025	6	7	4	5	24	25.9	-3	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	4	15	24	26	-1.9	1.078	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	7	4	25	24	26.4	-2.7	1.078	0.3	0.2	0	49.5	44.3	0	148	135	0	33	32	32
2025	6	7	4	35	24	26	-2.1	1.078	0.3	0.2	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	7	4	45	24	27.7	-2.3	1.078	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	33
2025	6	7	4	55	24	26.8	-2.5	1.078	0.5	0.4	0	49.9	44.3	0	148	135	0	32	32	32
2025	6	7	5	5	24	27	-2.6	1.078	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	31
2025	6	7	5	15	24	28	-1.1	1.078	0.4	0.3	0	49	44.3	0	148	135	0	34	32	31
2025	6	7	5	25	24	27.2	-2.8	1.078	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	31
2025	6	7	5	35	24	26.2	-1	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	5	45	24	25.9	-2.6	1.078	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	5	55	24	26.4	-1.8	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	6	5	24	26.6	-2.2	1.078	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	6	7	6	15	24	26.4	-2.2	1.078	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	32
2025	6	7	6	25	24	26.7	-2.4	1.078	0.5	0.4	0	49.5	44.3	0	147	135	0	32	32	31
2025	6	7	6	35	24	27.4	-3.7	1.078	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	6	7	6	45	24	25.7	-2.4	1.078	0.3	0.2	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	6	55	24	27.1	-2.9	1.078	0.5	0.4	0	49	44.7	0	147	135	0	33	31	31
2025	6	7	7	5	24	26.4	-2.2	1.078	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	7	15	24	27	-2	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	33
2025	6	7	7	25	24	25.2	-3.3	1.078	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	7	7	35	24	26.5	-2.1	1.078	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	7	7	45	24	26.8	-2.9	1.078	0.5	0.4	0	49.5	45.6	0	148	136	0	33	30	32
2025	6	7	7	55	24	26.3	-1.9	1.078	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	7	8	5	24	26.4	-2.8	1.078	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	33
2025	6	7	8	15	24	27.3	-1.5	1.078	0.5	0.5	0	49.5	45.2	0	147	135	0	32	30	32
2025	6	7	8	25	24	27.7	-2.4	1.078	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	7	8	35	24	27.3	-2.8	1.078	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	7	8	45	24	26.1	-2.9	1.078	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	7	8	55	24	27	-2.9	1.078	0.5	0.5	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	7	9	5	24	26.5	-2.6	1.078	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	7	9	15	24	26	-2	1.078	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	7	9	25	24	26.5	-1.7	1.078	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	33
2025	6	7	9	35	24	26.5	-2.8	1.078	0.3	0.2	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	7	9	45	24	28.1	-2.2	1.078	0.5	0.5	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	7	9	55	24	25.4	-1.9	1.078	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	7	10	5	24	26.7	-2.3	1.078	0.5	0.4	0	49.5	45.2	0	148	137	0	33	32	32
2025	6	7	10	15	24	25.3	-2.5	1.078	0.4	0.3	0	49.9	45.6	0	149	138	0	33	32	32
2025	6	7	10	25	24	26.3	-2.2	1.078	0.5	0.5	0	50.3	45.6	0	148	137	0	31	31	32
2025	6	7	10	35	24	25.8	-2.5	1.078	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	7	10	45	24	26.8	-2.4	1.077	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	7	10	55	24	27.4	-3.8	1.077	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	7	11	5	24	26.9	-2.4	1.077	0.5	0.5	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	7	11	15	24	27.3	-2	1.077	0.5	0.5	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	7	11	25	24	27	-2.7	1.077	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	7	11	35	24	25.7	-2.2	1.077	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	7	11	45	24	26.3	-2.9	1.077	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	7	11	55	24	26.7	-2.8	1.077	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	7	12	5	24	25.9	-1.8	1.076	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	7	12	15	24	27.3	-2.4	1.076	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	7	12	25	24	25.4	-3.1	1.076	0.3	0.2	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	12	35	24	26.3	-2.6	1.075	0.3	0.2	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	7	12	45	24	25.7	-1.4	1.074	0.5	0.4	0	50.7	46	0	150	137	0	32	30	32
2025	6	7	12	55	24	25.9	-2.6	1.073	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	7	13	5	24	27.4	-1.9	1.073	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	7	13	15	24	25.6	-2.3	1.072	0.5	0.4	0	50.3	45.6	0	149	136	0	32	30	32
2025	6	7	13	25	24	25.9	-2.5	1.071	0.3	0.2	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	7	13	35	24	25.9	-2.5	1.072	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	7	13	45	24	25.7	-1.9	1.072	0.3	0.2	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	7	13	55	24	26	-2.5	1.071	0.5	0.4	0	49.9	46	0	149	137	0	33	30	31
2025	6	7	14	5	24	26.6	-1.6	1.071	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	7	14	15	24	26.2	-2.5	1.071	0.3	0.2	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	7	14	25	24	26.1	-1.9	1.071	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	7	14	35	24	26.7	-2	1.071	0.3	0.2	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	7	14	45	24	26.5	-2.2	1.071	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	7	14	55	24	26.6	-3	1.071	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	7	15	5	24	26.2	-2.7	1.069	0.5	0.4	0	53.8	48.6	0	158	144	0	33	31	32
2025	6	7	15	15	24	25.3	-2.5	1.07	0.4	0.3	0	52.5	47.3	0	153	140	0	31	30	31
2025	6	7	15	25	24	27	-1.7	1.07	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	7	15	35	24	26.5	-2.4	1.07	0.5	0.4	0	50.3	44.7	0	148	135	0	31	31	33
2025	6	7	15	45	24	24.8	-2.6	1.07	0.4	0.3	0	53.3	48.6	0	157	144	0	33	31	31
2025	6	7	15	55	24	23.2	-2.1	1.07	0.4	0.3	0	51.2	46.4	0	151	138	0	32	30	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	7	16	5	24	23.8	-2.8	1.07	0.4	0.3	0	50.7	46	0	151	138	0	33	31	31
2025	6	7	16	15	24	27.5	-3.2	1.069	0.4	0.3	0	49.5	45.6	0	148	137	0	33	31	31
2025	6	7	16	25	24	26.4	-2.8	1.069	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	7	16	35	24	27	-1.9	1.068	0.5	0.4	0	51.6	47.7	0	153	142	0	33	31	32
2025	6	7	16	45	24	25.5	-1.4	1.069	0.3	0.2	0	49	45.2	0	147	135	0	33	30	32
2025	6	7	16	55	24	26	-2.9	1.069	0.5	0.5	0	49	44.7	0	146	135	0	32	31	31
2025	6	7	17	5	24	26.4	-1.8	1.069	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32
2025	6	7	17	15	24	25.4	-1.5	1.069	0.5	0.4	0	48.6	44.7	0	146	135	0	33	31	32
2025	6	7	17	25	24	27	-2.9	1.069	0.4	0.3	0	49	44.7	0	146	135	0	32	31	31
2025	6	7	17	35	24	25.7	-2	1.069	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	31
2025	6	7	17	45	24	26.7	-2.2	1.069	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	7	17	55	24	24.9	-2.1	1.068	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	7	18	5	24	25.4	-2.4	1.068	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	7	18	15	24	26.3	-2.4	1.068	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	7	18	25	24	26.3	-3.2	1.068	0.4	0.3	0	50.7	44.3	0	150	135	0	32	32	32
2025	6	7	18	35	24	26.9	-2.9	1.068	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	7	18	45	24	25	-2.7	1.068	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	7	18	55	24	26.6	-3.1	1.068	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	7	19	5	24	25.4	-1.6	1.068	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	6	7	19	15	24	26.7	-2.7	1.068	0.5	0.4	0	50.7	45.2	0	150	135	0	32	30	32
2025	6	7	19	25	24	26.6	-2.9	1.068	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	7	19	35	24	26.7	-1.8	1.068	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	7	19	45	24	26.4	-1.9	1.068	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	31
2025	6	7	19	55	24	26.3	-1.8	1.068	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	7	20	5	24	25.2	-1.7	1.068	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	7	20	15	24	26.7	-1.6	1.068	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	31
2025	6	7	20	25	24	26.9	-2.1	1.068	0.3	0.2	0	50.7	45.2	0	151	136	0	33	31	33
2025	6	7	20	35	24	26.4	-2.9	1.068	0.3	0.2	0	51.2	45.6	0	151	136	0	32	30	32
2025	6	7	20	45	24	25.6	-1.9	1.068	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	7	20	55	24	26.9	-1.9	1.068	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	32
2025	6	7	21	5	24	26.4	-1.6	1.068	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	31
2025	6	7	21	15	24	26.8	-2.2	1.068	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	31
2025	6	7	21	25	24	27	-1.7	1.068	0.3	0.2	0	51.2	45.6	0	152	137	0	33	31	31
2025	6	7	21	35	24	26.5	-2.4	1.068	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	7	21	45	24	27.3	-2.7	1.069	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	32
2025	6	7	21	55	24	26.5	-1.2	1.068	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	7	22	5	24	26.1	-1.6	1.068	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32
2025	6	7	22	15	24	26.7	-2.1	1.068	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	33
2025	6	7	22	25	24	26.1	-2.3	1.069	0.5	0.5	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	7	22	35	24	25.5	-2.2	1.069	0.5	0.5	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	7	22	45	24	24.8	-1.2	1.068	0.3	0.2	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	7	22	55	24	25.9	-1.4	1.069	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	7	23	5	24	26.7	-2.3	1.069	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	7	23	15	24	25.1	-2.5	1.069	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33
2025	6	7	23	25	24	26.1	-2.5	1.069	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	7	23	35	24	25.4	-2.6	1.069	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	7	23	45	24	27.9	-2.4	1.069	0.4	0.3	0	50.7	44.7	0	150	136	0	32	32	32
2025	6	7	23	55	24	26.3	-2.4	1.069	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	8	0	5	24	26.3	-1.7	1.069	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32
2025	6	8	0	15	24	26.2	-2.4	1.069	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	6	8	0	25	24	25.4	-2.4	1.069	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	8	0	35	24	27.1	-1.7	1.069	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	8	0	45	24	25.9	-2.1	1.069	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	0	55	24	26.1	-2.2	1.069	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33
2025	6	8	1	5	24	26.4	-2.2	1.07	0.5	0.5	0	50.3	44.7	0	149	136	0	32	32	32
2025	6	8	1	15	24	25.4	-2.8	1.07	0.3	0.2	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	8	1	25	24	25.5	-2.2	1.07	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	8	1	35	24	25.1	-1	1.07	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	33
2025	6	8	1	45	24	26.8	-3	1.072	0.4	0.3	0	50.3	44.7	0	149	136	0	32	32	31
2025	6	8	1	55	24	25.4	-2.9	1.072	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	8	2	5	24	26	-1.4	1.073	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	8	2	15	24	25.9	-2.8	1.074	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	31
2025	6	8	2	25	24	25.8	-2.7	1.074	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32
2025	6	8	2	35	24	26	-3.2	1.074	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	33
2025	6	8	2	45	24	26.9	-2.3	1.075	0.3	0.2	0	48.6	44.3	0	146	135	0	33	32	32
2025	6	8	2	55	24	25.7	-1.9	1.075	0.5	0.4	0	48.6	45.2	0	145	136	0	32	31	32
2025	6	8	3	5	24	25.8	-3.7	1.075	0.5	0.4	0	47.3	45.2	0	143	136	0	33	31	33
2025	6	8	3	15	24	27.3	-2.5	1.075	0.3	0.2	0	48.2	44.7	0	144	136	0	32	32	32
2025	6	8	3	25	24	26.1	-3	1.076	0.5	0.5	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	8	3	35	24	26.1	-2.2	1.076	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	8	3	45	24	27.5	-1.9	1.076	0.3	0.2	0	49	44.7	0	147	135	0	33	31	32
2025	6	8	3	55	24	26	-2.5	1.076	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	31
2025	6	8	4	5	24	27.2	-3.3	1.077	0.5	0.4	0	49	45.2	0	147	135	0	33	30	32
2025	6	8	4	15	24	25.5	-2.2	1.077	0.3	0.2	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	8	4	25	24	26.1	-2.5	1.077	0.3	0.2	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	8	4	35	24	26.3	-0.9	1.077	0.3	0.2	0	49	45.2	0	147	136	0	33	31	32
2025	6	8	4	45	24	26.7	-1.8	1.077	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	8	4	55	24	27	-1.5	1.078	0.3	0.2	0	49	44.7	0	147	135	0	33	31	32
2025	6	8	5	5	24	26.5	-1.9	1.078	0.5	0.5	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	8	5	15	24	26.5	-2.7	1.078	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	6	8	5	25	24	26	-1.7	1.078	0.3	0.2	0	49	45.2	0	147	136	0	33	31	33
2025	6	8	5	35	24	26.5	-2.9	1.078	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32
2025	6	8	5	45	24	26.2	-2.6	1.078	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	8	5	55	24	26.1	-1.9	1.078	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	8	6	5	24	26.8	-2.7	1.079	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	6	8	6	15	24	27.8	-2.3	1.079	0.4	0.3	0	49.5	44.7	0	147	136	0	32	32	32
2025	6	8	6	25	24	25.6	-1.1	1.079	0.4	0.3	0	49.5	44.3	0	147	135	0	32	32	32
2025	6	8	6	35	24	26.1	-2.8	1.079	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	8	6	45	24	25.4	-1.9	1.079	0.3	0.2	0	49	45.2	0	147	136	0	33	31	32
2025	6	8	6	55	24	27.2	-1.1	1.08	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	31
2025	6	8	7	5	24	25.8	-2	1.079	0.5	0.4	0	48.6	44.7	0	147	135	0	34	31	32
2025	6	8	7	15	24	26.5	-1.7	1.08	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	31
2025	6	8	7	25	24	26.6	-1	1.08	0.3	0.2	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	8	7	35	24	24.9	-2.8	1.08	0.5	0.4	0	49	45.2	0	147	136	0	33	31	32
2025	6	8	7	45	24	25.7	-2.4	1.08	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	8	7	55	24	27.8	-2.3	1.08	0.3	0.2	0	49.5	45.2	0	148	136	0	33	31	31

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	8	8	5	24	26.6	-2.1	1.08	0.5	0.4	0	49	45.2	0	147	136	0	33	31	32
2025	6	8	8	15	24	25.8	-1.7	1.081	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	8	8	25	24	26.5	-2.5	1.081	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	8	8	35	24	26.6	-2.3	1.081	0.5	0.4	0	49	45.2	0	147	136	0	33	31	31
2025	6	8	8	45	24	27.1	-2.4	1.081	0.5	0.4	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	8	8	55	24	26.6	-2.2	1.081	0.4	0.3	0	49	45.6	0	147	137	0	33	31	32
2025	6	8	9	5	24	27	-1.9	1.081	0.5	0.4	0	49.5	45.6	0	148	137	0	33	31	31
2025	6	8	9	15	24	27.6	-2.3	1.081	0.3	0.2	0	49.5	45.2	0	147	137	0	32	32	32
2025	6	8	9	25	24	27	-2.5	1.081	0.3	0.2	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	8	9	35	24	27.2	-2.7	1.081	0.4	0.3	0	49.5	45.6	0	147	137	0	32	31	32
2025	6	8	9	45	24	26.3	-1.2	1.081	0.4	0.3	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	8	9	55	24	26.3	-2.1	1.081	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	8	10	5	24	25.5	-2.4	1.081	0.5	0.4	0	49	45.6	0	147	137	0	33	31	32
2025	6	8	10	15	24	25.1	-2.5	1.081	0.3	0.2	0	50.3	45.6	0	149	138	0	32	32	32
2025	6	8	10	25	24	27.1	-2.3	1.081	0.3	0.2	0	49.5	45.6	0	147	137	0	32	31	32
2025	6	8	10	35	24	26	-3.2	1.081	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	33
2025	6	8	10	45	24	27.3	-3.4	1.081	0.4	0.3	0	49.9	46	0	148	138	0	32	31	32
2025	6	8	10	55	24	27.8	-2.3	1.081	0.5	0.4	0	49.9	46	0	148	138	0	32	31	32
2025	6	8	11	5	24	26.1	-2.3	1.082	0.3	0.2	0	49.9	46	0	148	137	0	32	30	32
2025	6	8	11	15	24	26.1	-1.9	1.082	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	8	11	25	24	26.9	-1.7	1.082	0.4	0.3	0	49	45.6	0	147	137	0	33	31	32
2025	6	8	11	35	24	26.4	-2.1	1.082	0.4	0.3	0	49	46	0	147	138	0	33	31	32
2025	6	8	11	45	24	25.7	-2.4	1.082	0.5	0.4	0	49	46	0	147	138	0	33	31	32
2025	6	8	11	55	24	27.2	-2.2	1.082	0.3	0.2	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	8	12	5	24	27.1	-1.1	1.081	0.3	0.2	0	49.5	46	0	147	138	0	32	31	32
2025	6	8	12	15	24	26	-2.9	1.082	0.5	0.4	0	49.9	46	0	148	138	0	32	31	32
2025	6	8	12	25	24	26.4	-2.5	1.082	0.5	0.4	0	49.5	45.2	0	147	137	0	32	32	32
2025	6	8	12	35	24	26.9	-2.4	1.081	0.5	0.5	0	49.5	46	0	148	138	0	33	31	32
2025	6	8	12	45	24	26.7	-2.2	1.081	0.4	0.3	0	49.5	46	0	147	138	0	32	31	32
2025	6	8	12	55	24	26.3	-2.1	1.082	0.4	0.3	0	49.5	46	0	147	138	0	32	31	32
2025	6	8	13	5	24	26.9	-1.9	1.082	0.5	0.4	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	8	13	15	24	26.5	-2.8	1.082	0.4	0.3	0	49.5	46	0	147	137	0	32	30	31
2025	6	8	13	25	24	26.4	-2.2	1.081	0.4	0.3	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	8	13	35	24	27.6	-2.8	1.081	0.5	0.4	0	49	46	0	146	137	0	32	30	31
2025	6	8	13	45	24	26.6	-2.6	1.081	0.5	0.4	0	49.5	46	0	147	138	0	32	31	31
2025	6	8	13	55	24	27	-1.9	1.081	0.5	0.4	0	49.5	46	0	147	138	0	32	31	32
2025	6	8	14	5	24	27.2	-2.5	1.081	0.4	0.3	0	49.5	45.6	0	147	137	0	32	31	32
2025	6	8	14	15	24	26.4	-2.2	1.082	0.4	0.3	0	48.6	45.6	0	146	137	0	33	31	32
2025	6	8	14	25	24	26.5	-2.6	1.082	0.4	0.3	0	49.5	45.6	0	147	137	0	32	31	32
2025	6	8	14	35	24	26.5	-1.9	1.081	0.4	0.3	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	8	14	45	24	26.9	-2.2	1.081	0.3	0.2	0	49.5	45.6	0	146	137	0	31	31	32
2025	6	8	14	55	24	25.6	-2.3	1.081	0.5	0.4	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	8	15	5	24	25.7	-1.5	1.081	0.3	0.2	0	48.6	46	0	146	137	0	33	30	31
2025	6	8	15	15	24	26	-2.9	1.081	0.5	0.4	0	49.5	45.6	0	146	137	0	31	31	31
2025	6	8	15	25	24	26.2	-2	1.081	0.4	0.3	0	49	45.2	0	146	136	0	32	31	31
2025	6	8	15	35	24	26.8	-2.4	1.08	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	31
2025	6	8	15	45	24	27.2	-2.2	1.081	0.3	0.2	0	50.3	45.2	0	150	137	0	33	32	32
2025	6	8	15	55	24	26.3	-2.6	1.08	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	8	16	5	24	27.5	-2.8	1.079	0.5	0.4	0	49.9	45.6	0	149	137	0	33	31	31
2025	6	8	16	15	24	25.8	-3.8	1.08	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	31
2025	6	8	16	25	24	27.2	-2.7	1.08	0.5	0.4	0	50.7	46	0	150	137	0	32	30	31
2025	6	8	16	35	24	26.9	-1.5	1.08	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	8	16	45	24	26.5	-2.7	1.08	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	8	16	55	24	26.7	-1.4	1.08	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	17	5	24	26.5	-2.2	1.08	0.4	0.3	0	49.9	46	0	149	137	0	33	30	31
2025	6	8	17	15	24	25.9	-2.5	1.079	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	8	17	25	24	25.8	-2.5	1.08	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	8	17	35	24	26.9	-2.7	1.08	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	8	17	45	24	26.5	-2.4	1.08	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32
2025	6	8	17	55	24	26.7	-2.4	1.08	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	8	18	5	24	26.2	-1.9	1.08	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	30
2025	6	8	18	15	24	26.1	-2.3	1.08	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32
2025	6	8	18	25	24	27	-2	1.08	0.3	0.2	0	49.9	45.2	0	149	136	0	33	31	32
2025	6	8	18	35	24	27.6	-2.9	1.08	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	6	8	18	45	24	26.5	-2.2	1.08	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	31
2025	6	8	18	55	24	26.4	-3.1	1.08	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	19	5	24	25.4	-2.6	1.08	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	19	15	24	26.1	-2.1	1.08	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	19	25	24	25.9	-3	1.08	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	19	35	24	26.9	-2.5	1.08	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	19	45	24	26	-2.4	1.08	0.3	0.2	0	50.3	45.6	0	149	136	0	32	30	32
2025	6	8	19	55	24	25.3	-2.3	1.08	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	8	20	5	24	26.9	-1.7	1.08	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	20	15	24	26.6	-1.4	1.079	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	8	20	25	24	26.6	-1.6	1.079	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	31
2025	6	8	20	35	24	28.2	-3	1.079	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	8	20	45	24	26.3	-1.9	1.079	0.5	0.5	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	8	20	55	24	27.2	-2.4	1.079	0.4	0.3	0	50.7	46	0	150	137	0	32	30	32
2025	6	8	21	5	24	27.1	-2.4	1.079	0.5	0.4	0	50.7	46	0	151	138	0	33	31	32
2025	6	8	21	15	24	25.8	-1.2	1.079	0.3	0.2	0	50.7	46	0	150	138	0	32	31	32
2025	6	8	21	25	24	26.7	-1.7	1.078	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	8	21	35	24	26.7	-2.8	1.078	0.4	0.3	0	51.2	46	0	151	138	0	32	31	33
2025	6	8	21	45	24	27.2	-2.6	1.079	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	33
2025	6	8	21	55	24	26.5	-2.4	1.078	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	8	22	5	24	26.7	-1.3	1.078	0.3	0.2	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	8	22	15	24	26.2	-2.4	1.078	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32
2025	6	8	22	25	24	26.8	-2.4	1.078	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	22	35	24	27.3	-2	1.078	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	8	22	45	24	26.7	-1.9	1.078	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	8	22	55	24	27.4	-2.4	1.078	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	8	23	5	24	26.7	-2.1	1.078	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	31
2025	6	8	23	15	24	26.5	-2.5	1.077	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	33
2025	6	8	23	25	24	26.6	-3	1.077	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	31
2025	6	8	23	35	24	26.2	-1.2	1.077	0.5	0.5	0	50.3	44.7	0	149	136	0	32	32	32
2025	6	8	23	45	24	25.3	-0.5	1.078	0.4	0.3	0	49.9	34.4	0	149	112	0	33	32	32
2025	6	8	23	55	24	27.1	-0.6	1.077	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	31

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	9	0	5	24	27.6	-1.8	1.077	0.3	0.2	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	9	0	15	24	26.3	-2.4	1.077	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	9	0	25	24	26.9	-1.6	1.077	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	0	35	24	26.5	-1.9	1.077	0.5	0.4	0	49.9	45.6	0	148	136	0	32	30	32
2025	6	9	0	45	24	26.4	-1.9	1.077	0.3	0.2	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	9	0	55	24	26.1	-1.3	1.077	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	9	1	5	24	26.3	-2.4	1.076	0.5	0.4	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	9	1	15	24	26.1	-2.3	1.076	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	1	25	24	26.4	-2.8	1.076	0.5	0.4	0	49.5	45.2	0	147	136	0	32	31	32
2025	6	9	1	35	24	22.2	0.8	1.077	0.4	0.3	0	49.5	33.5	0	148	110	0	33	32	32
2025	6	9	1	45	24	26.7	-2.1	1.076	0.3	0.2	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	9	1	55	24	26	-2.5	1.076	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	2	5	24	25.7	-2.3	1.076	0.3	0.2	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	9	2	15	24	27.1	-2.8	1.075	0.3	0.2	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	9	2	25	24	25.6	-2.3	1.076	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	9	2	35	24	27.1	-1.9	1.075	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	2	45	24	26.7	-2.6	1.075	0.5	0.4	0	49.9	44.7	0	148	136	0	32	32	31
2025	6	9	2	55	24	25.2	-2.4	1.075	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	3	5	24	26.2	-2.1	1.075	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	3	15	24	25.7	-2.4	1.074	0.4	0.3	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	9	3	25	24	25.5	-1.7	1.074	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	3	35	24	26.7	-2.4	1.073	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	9	3	45	24	25.3	-1.5	1.073	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	9	3	55	24	26.1	-2.6	1.072	0.3	0.2	0	49.5	45.2	0	148	137	0	33	32	31
2025	6	9	4	5	24	26.5	-2.7	1.072	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	33
2025	6	9	4	15	24	27.4	-1.6	1.072	0.5	0.4	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	9	4	25	24	25.2	-1.2	1.071	0.4	0.3	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	9	4	35	24	26.4	-1.9	1.071	0.5	0.5	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	4	45	24	25.5	-2.4	1.071	0.5	0.4	0	50.3	45.6	0	148	137	0	31	31	32
2025	6	9	4	55	24	27.4	-2.3	1.071	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	9	5	5	24	20.7	3.3	1.071	0.4	0.3	0	49.9	24.9	0	148	89	0	32	31	32
2025	6	9	5	15	24	26	-2	1.071	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	9	5	25	24	24.5	-2	1.071	0.5	0.4	0	49.5	45.6	0	148	137	0	33	31	33
2025	6	9	5	35	24	26.6	-1	1.071	0.5	0.5	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	9	5	45	24	26	-2.4	1.07	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	9	5	55	24	25.3	-2.4	1.07	0.4	0.3	0	50.3	45.2	0	149	137	0	32	32	33
2025	6	9	6	5	24	25.5	-1.5	1.07	0.5	0.4	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	9	6	15	24	26.9	-2.1	1.07	0.3	0.2	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	9	6	25	24	25.9	-1.6	1.07	0.3	0.2	0	49.9	45.2	0	149	137	0	33	32	31
2025	6	9	6	35	24	25.8	-2.4	1.07	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	9	6	45	24	25.3	-2.2	1.07	0.5	0.5	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	9	6	55	24	26.6	-1.8	1.07	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	9	7	5	24	26.3	-2.8	1.07	0.5	0.5	0	50.3	45.6	0	149	137	0	32	31	33
2025	6	9	7	15	24	26.4	-2.4	1.07	0.4	0.3	0	50.3	46	0	149	137	0	32	30	31
2025	6	9	7	25	24	26.3	-2.7	1.07	0.5	0.4	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	9	7	35	24	26.7	-1.5	1.07	0.3	0.2	0	50.3	46	0	149	138	0	32	31	31
2025	6	9	7	45	24	26.7	-1.5	1.07	0.5	0.4	0	49.9	46	0	149	138	0	33	31	31
2025	6	9	7	55	24	25.3	-2.2	1.07	0.5	0.5	0	49.9	45.6	0	149	137	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	9	8	5	24	26	-2.2	1.07	0.5	0.5	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	9	8	15	24	27.7	-2.7	1.07	0.5	0.4	0	49.5	46	0	148	137	0	33	30	32
2025	6	9	8	25	24	26.6	-1.4	1.07	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	9	8	35	24	26.1	-1.4	1.069	0.5	0.5	0	50.3	46	0	149	138	0	32	31	32
2025	6	9	8	45	24	25.8	-2.4	1.069	0.3	0.2	0	49.9	45.6	0	149	138	0	33	32	32
2025	6	9	8	55	24	26.4	-2.6	1.069	0.4	0.3	0	49.9	46	0	149	138	0	33	31	31
2025	6	9	9	5	24	25.8	-2.2	1.069	0.3	0.2	0	50.3	46	0	149	138	0	32	31	31
2025	6	9	9	15	24	26.4	-2.8	1.069	0.4	0.3	0	49.9	46	0	148	138	0	32	31	32
2025	6	9	9	25	24	26.7	-2.2	1.069	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	9	9	35	24	25.5	-1.7	1.069	0.5	0.5	0	50.3	46	0	149	138	0	32	31	32
2025	6	9	9	45	24	25.4	-1.9	1.069	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	9	9	55	24	27.4	-2.2	1.069	0.5	0.4	0	50.3	46.4	0	149	139	0	32	31	32
2025	6	9	10	5	24	25.9	-1.7	1.069	0.3	0.2	0	50.3	46	0	149	138	0	32	31	31
2025	6	9	10	15	24	26.4	-1.7	1.069	0.5	0.4	0	49.9	46.4	0	149	139	0	33	31	32
2025	6	9	10	25	24	26	-2.5	1.069	0.5	0.4	0	50.3	46	0	149	138	0	32	31	31
2025	6	9	10	35	24	25.6	-1.9	1.069	0.4	0.3	0	49.9	46.4	0	149	138	0	33	30	31
2025	6	9	10	45	24	27.3	-1.9	1.069	0.4	0.3	0	50.3	46	0	149	138	0	32	31	32
2025	6	9	10	55	24	26.3	-1.9	1.069	0.4	0.3	0	50.3	46.9	0	149	139	0	32	30	31
2025	6	9	11	5	24	26.5	-1.5	1.069	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	9	11	15	24	26.9	-1.7	1.069	0.4	0.3	0	50.3	46.4	0	149	139	0	32	31	32
2025	6	9	11	25	24	26.3	-0.8	1.069	0.5	0.4	0	49.9	46	0	148	138	0	32	31	32
2025	6	9	11	35	24	26.3	-3.3	1.069	0.5	0.4	0	49.5	46	0	148	138	0	33	31	32
2025	6	9	11	45	24	26.2	-1.9	1.068	0.4	0.3	0	50.3	46.4	0	149	139	0	32	31	31
2025	6	9	11	55	24	25.4	-2	1.068	0.5	0.4	0	50.3	46.4	0	149	139	0	32	31	32
2025	6	9	12	5	24	27	-3.4	1.068	0.4	0.3	0	49.5	46	0	148	138	0	33	31	32
2025	6	9	12	15	24	26.3	-2.6	1.068	0.5	0.4	0	50.3	46	0	149	138	0	32	31	32
2025	6	9	12	25	24	26.4	-2.7	1.068	0.3	0.2	0	49.5	46	0	148	138	0	33	31	31
2025	6	9	12	35	24	26.6	-3.3	1.067	0.5	0.4	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	9	12	45	24	26.5	-2.3	1.067	0.4	0.3	0	49.9	46	0	148	138	0	32	31	32
2025	6	9	12	55	24	26.3	-1.9	1.067	0.5	0.4	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	9	13	5	24	25.6	-2.8	1.067	0.5	0.4	0	49.9	46	0	148	137	0	32	30	32
2025	6	9	13	15	24	25.6	-1.7	1.067	0.5	0.5	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	9	13	25	24	25.2	-3.4	1.066	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	9	13	35	24	25.6	-2	1.066	0.5	0.5	0	50.3	46	0	148	138	0	31	31	32
2025	6	9	13	45	24	25.8	-2.8	1.064	0.4	0.3	0	49.9	46	0	148	138	0	32	31	32
2025	6	9	13	55	24	26	-2.5	1.065	0.5	0.4	0	49.5	45.6	0	148	137	0	33	31	32
2025	6	9	14	5	24	25.2	-2.5	1.063	0.5	0.4	0	49.9	46	0	148	138	0	32	31	32
2025	6	9	14	15	24	27.2	-2.1	1.063	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	9	14	25	24	26.1	-1.9	1.063	0.4	0.3	0	49.9	46	0	148	138	0	32	31	32
2025	6	9	14	35	24	27.2	-1.8	1.062	0.5	0.4	0	49.9	46	0	148	137	0	32	30	31
2025	6	9	14	45	24	25.7	-2.1	1.062	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	32
2025	6	9	14	55	24	26.4	-2.7	1.062	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	9	15	5	24	25.7	-2.5	1.061	0.5	0.5	0	50.3	46	0	149	138	0	32	31	32
2025	6	9	15	15	24	24.7	-2	1.061	0.4	0.3	0	50.7	46.4	0	149	138	0	31	30	31
2025	6	9	15	25	24	26.6	-1.5	1.061	0.4	0.3	0	50.3	46	0	149	137	0	32	30	32
2025	6	9	15	35	24	26.2	-1.4	1.061	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	9	15	45	24	27	-2.6	1.061	0.5	0.4	0	50.3	46	0	149	138	0	32	31	31
2025	6	9	15	55	24	26.1	-2.9	1.061	0.5	0.4	0	50.3	46	0	149	138	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	9	16	5	24	26	-2.3	1.061	0.4	0.3	0	50.3	46	0	149	138	0	32	31	32
2025	6	9	16	15	24	25.4	-2.7	1.06	0.5	0.5	0	50.3	46	0	149	138	0	32	31	32
2025	6	9	16	25	24	25.4	-1.7	1.06	0.4	0.3	0	50.3	46.4	0	149	138	0	32	30	31
2025	6	9	16	35	24	26.1	-2	1.06	0.5	0.4	0	49.9	46.4	0	148	138	0	32	30	31
2025	6	9	16	45	24	26.8	-1.6	1.06	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	9	16	55	24	25.9	-1.4	1.06	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	9	17	5	24	27	-2.3	1.06	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	31
2025	6	9	17	15	24	25.2	-1.7	1.06	0.5	0.4	0	50.7	46	0	150	137	0	32	30	32
2025	6	9	17	25	24	26.1	-1.9	1.06	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	9	17	35	24	25.5	-1.6	1.059	0.4	0.3	0	50.7	45.6	0	150	136	0	32	30	32
2025	6	9	17	45	24	24.6	-1.6	1.059	0.4	0.3	0	50.7	46	0	150	137	0	32	30	31
2025	6	9	17	55	24	26.4	-2	1.059	0.5	0.4	0	50.7	46	0	150	137	0	32	30	31
2025	6	9	18	5	24	25.9	-1.5	1.059	0.5	0.5	0	50.7	45.6	0	150	136	0	32	30	31
2025	6	9	18	15	24	26.2	-1.6	1.059	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	9	18	25	24	27.1	-1.3	1.058	0.5	0.4	0	53.3	47.3	0	155	141	0	31	31	31
2025	6	9	18	35	24	24	-2.5	1.058	0.4	0.3	0	55.9	50.7	0	162	149	0	32	31	31
2025	6	9	18	45	24	25.1	-2.8	1.058	0.5	0.4	0	55	51.2	0	160	150	0	32	31	31
2025	6	9	18	55	24	24.4	-2.4	1.058	0.4	0.3	0	52	48.2	0	152	143	0	31	31	31
2025	6	9	19	5	24	26.9	-1.5	1.058	0.4	0.3	0	50.7	47.3	0	150	141	0	32	31	31
2025	6	9	19	15	24	25.6	-1.3	1.057	0.4	0.3	0	51.6	48.2	0	152	143	0	32	31	32
2025	6	9	19	25	24	21.3	-0.6	1.059	0.5	0.5	0	52.5	49	0	154	145	0	32	31	31
2025	6	9	19	35	24	24.7	-1.9	1.059	0.5	0.4	0	48.6	45.6	0	146	137	0	33	31	31
2025	6	9	19	45	24	26.6	-1.2	1.059	0.5	0.4	0	49.5	45.6	0	147	137	0	32	31	31
2025	6	9	19	55	24	25.5	-1.8	1.059	0.4	0.3	0	48.6	45.6	0	146	137	0	33	31	31
2025	6	9	20	5	24	27.1	-2.6	1.058	0.4	0.3	0	49	45.6	0	146	137	0	32	31	32
2025	6	9	20	15	24	25.8	-3.4	1.059	0.5	0.4	0	49	45.6	0	146	137	0	32	31	32
2025	6	9	20	25	24	25.6	-2.1	1.058	0.3	0.2	0	49	46	0	146	137	0	32	30	31
2025	6	9	20	35	24	26.5	-2.4	1.058	0.4	0.3	0	49	46	0	146	138	0	32	31	31
2025	6	9	20	45	24	26.6	-1.6	1.058	0.3	0.2	0	49	46.4	0	146	138	0	32	30	32
2025	6	9	20	55	24	26.1	-2.8	1.058	0.5	0.4	0	49.5	45.6	0	147	137	0	32	31	32
2025	6	9	21	5	24	26.4	-3.2	1.058	0.5	0.4	0	49	43	0	146	132	0	32	32	32
2025	6	9	21	15	24	26.1	-3.8	1.058	0.5	0.4	0	49	44.7	0	146	135	0	32	31	31
2025	6	9	21	25	24	25.4	-2.1	1.058	0.3	0.2	0	49.5	46	0	146	138	0	31	31	32
2025	6	9	21	35	24	25.4	-1.5	1.058	0.4	0.3	0	49	45.6	0	146	137	0	32	31	32
2025	6	9	21	45	24	25.3	-2.6	1.058	0.5	0.4	0	48.6	45.6	0	145	137	0	32	31	32
2025	6	9	21	55	24	26.3	-3.6	1.058	0.4	0.3	0	48.2	45.2	0	145	137	0	33	32	31
2025	6	9	22	5	24	25.1	-2.8	1.057	0.4	0.3	0	48.6	45.6	0	146	137	0	33	31	32
2025	6	9	22	15	24	24.5	-3.6	1.057	0.5	0.4	0	48.6	45.6	0	145	137	0	32	31	32
2025	6	9	22	25	24	25.8	-3	1.057	0.4	0.3	0	49	45.6	0	145	137	0	31	31	32
2025	6	9	22	35	24	25.2	-2.7	1.057	0.4	0.3	0	49	45.6	0	145	137	0	31	31	31
2025	6	9	22	45	24	25.9	-3.3	1.057	0.4	0.3	0	48.6	45.6	0	145	137	0	32	31	32
2025	6	9	22	55	24	25.7	-2.9	1.057	0.5	0.5	0	48.6	45.6	0	145	137	0	32	31	32
2025	6	9	23	5	24	26.3	-3.1	1.057	0.5	0.5	0	48.2	45.2	0	144	137	0	32	32	32
2025	6	9	23	15	24	23.7	-2.2	1.057	0.5	0.4	0	49	45.6	0	145	137	0	31	31	32
2025	6	9	23	25	24	26.6	-1.9	1.057	0.5	0.4	0	47.7	45.6	0	144	137	0	33	31	32
2025	6	9	23	35	24	26.1	-3.9	1.057	0.4	0.3	0	48.2	45.6	0	144	137	0	32	31	32
2025	6	9	23	45	24	26.1	-2.4	1.057	0.4	0.3	0	48.6	46	0	145	138	0	32	31	31
2025	6	9	23	55	24	26.7	-2.9	1.056	0.4	0.3	0	47.7	45.6	0	144	137	0	33	31	31

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	10	0	5	24	24.2	-2.9	1.057	0.4	0.3	0	48.6	46	0	145	137	0	32	30	32
2025	6	10	0	15	24	25.8	-2.8	1.056	0.3	0.2	0	48.6	45.6	0	146	137	0	33	31	31
2025	6	10	0	25	24	26.1	-3.1	1.056	0.4	0.3	0	48.2	45.2	0	145	136	0	33	31	31
2025	6	10	0	35	24	24.3	-2.2	1.056	0.5	0.4	0	48.6	45.6	0	145	137	0	32	31	32
2025	6	10	0	45	24	24.7	-3.9	1.056	0.4	0.3	0	48.6	46	0	145	137	0	32	30	32
2025	6	10	0	55	24	24.8	-3.7	1.056	0.3	0.2	0	48.2	45.6	0	145	137	0	33	31	32
2025	6	10	1	5	24	24.9	-2.8	1.056	0.4	0.3	0	48.6	45.2	0	145	137	0	32	32	31
2025	6	10	1	15	24	24.8	-2.9	1.056	0.5	0.5	0	48.2	45.6	0	144	137	0	32	31	31
2025	6	10	1	25	24	24.2	-2.4	1.055	0.4	0.3	0	48.2	45.6	0	144	137	0	32	31	32
2025	6	10	1	35	24	24.4	-4	1.055	0.5	0.4	0	48.2	45.2	0	145	137	0	33	32	31
2025	6	10	1	45	24	24.9	-2.9	1.055	0.5	0.4	0	48.6	45.6	0	145	137	0	32	31	32
2025	6	10	1	55	24	24.5	-2.4	1.055	0.4	0.3	0	48.2	45.6	0	144	137	0	32	31	32
2025	6	10	2	5	24	24.3	-1.9	1.055	0.5	0.4	0	48.2	45.6	0	144	137	0	32	31	32
2025	6	10	2	15	24	24.4	-3.1	1.054	0.5	0.4	0	48.2	45.6	0	144	137	0	32	31	32
2025	6	10	2	25	24	24.5	-2.9	1.054	0.3	0.2	0	48.2	45.6	0	144	137	0	32	31	32
2025	6	10	2	35	24	24.9	-2.7	1.054	0.3	0.2	0	47.7	45.6	0	144	137	0	33	31	32
2025	6	10	2	45	24	24.9	-2.6	1.054	0.4	0.3	0	48.2	46	0	144	137	0	32	30	32
2025	6	10	2	55	24	26	-3.4	1.053	0.5	0.4	0	48.2	45.6	0	144	137	0	32	31	31
2025	6	10	3	5	24	25.4	-1.9	1.053	0.5	0.4	0	49.5	45.6	0	147	137	0	32	31	32
2025	6	10	3	15	24	27.1	-2.1	1.053	0.5	0.4	0	49	45.6	0	146	137	0	32	31	31
2025	6	10	3	25	24	24.9	-2.4	1.052	0.3	0.2	0	49.5	45.6	0	147	137	0	32	31	32
2025	6	10	3	35	24	25.1	-2.1	1.052	0.5	0.4	0	48.6	45.6	0	146	137	0	33	31	32
2025	6	10	3	45	24	25.4	-2.4	1.05	0.5	0.4	0	49	45.2	0	146	136	0	32	31	32
2025	6	10	3	55	24	24.9	-2.5	1.049	0.4	0.3	0	48.6	45.6	0	146	137	0	33	31	32
2025	6	10	4	5	24	24.7	-1.7	1.048	0.4	0.3	0	49	45.6	0	146	137	0	32	31	31
2025	6	10	4	15	24	25.3	-1.8	1.048	0.5	0.4	0	49	46	0	146	137	0	32	30	32
2025	6	10	4	25	24	26.7	-2.4	1.047	0.5	0.5	0	48.2	45.2	0	145	136	0	33	31	31
2025	6	10	4	35	24	25.1	-2.1	1.047	0.5	0.4	0	49	45.6	0	146	137	0	32	31	32
2025	6	10	4	45	24	25.4	-1.9	1.046	0.3	0.2	0	48.6	45.2	0	145	136	0	32	31	32
2025	6	10	4	55	24	24.8	-1.5	1.046	0.5	0.4	0	49	45.6	0	146	137	0	32	31	32
2025	6	10	5	5	24	24.7	-2	1.046	0.3	0.2	0	49	45.6	0	146	137	0	32	31	31
2025	6	10	5	15	24	24.9	-1.9	1.046	0.3	0.2	0	49.5	45.6	0	146	137	0	31	31	33
2025	6	10	5	25	24	25.4	-1.7	1.046	0.4	0.3	0	49	45.6	0	146	137	0	32	31	31
2025	6	10	5	35	24	25.4	-2.5	1.045	0.5	0.4	0	49	46	0	146	137	0	32	30	33
2025	6	10	5	45	24	25.9	-1.9	1.045	0.4	0.3	0	49	45.2	0	146	136	0	32	31	32
2025	6	10	5	55	24	25.4	-2.5	1.045	0.4	0.3	0	49.9	46	0	148	137	0	32	30	31
2025	6	10	6	5	24	26	-2.9	1.044	0.5	0.4	0	50.3	45.6	0	149	138	0	32	32	32
2025	6	10	6	15	24	24.9	-1.2	1.044	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	10	6	25	24	25.4	-1.7	1.044	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	10	6	35	24	26.2	-2.4	1.043	0.5	0.4	0	50.3	46	0	149	138	0	32	31	32
2025	6	10	6	45	24	26.2	-1.4	1.043	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	10	6	55	24	25.9	-3	1.042	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	10	7	5	24	25.3	-1.6	1.042	0.4	0.3	0	49.9	46	0	148	137	0	32	30	31
2025	6	10	7	15	24	25.1	-2.5	1.041	0.5	0.5	0	50.7	45.6	0	149	137	0	31	31	31
2025	6	10	7	25	24	25.5	-2.2	1.039	0.6	0.5	0	50.3	46	0	149	138	0	32	31	32
2025	6	10	7	35	24	24.7	-2.7	1.037	0.5	0.4	0	50.3	46	0	149	138	0	32	31	31
2025	6	10	7	45	24	25	-1.9	1.037	0.4	0.3	0	50.3	46	0	149	138	0	32	31	31
2025	6	10	7	55	24	27.4	-1.4	1.036	0.5	0.4	0	50.3	46	0	149	138	0	32	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	10	8	5	24	24.4	-1.9	1.036	0.5	0.5	0	50.7	46	0	150	138	0	32	31	32	
2025	6	10	8	15	24	25.5	-1.9	1.035	0.4	0.3	0	50.3	46	0	149	138	0	32	31	31	
2025	6	10	8	25	24	25.5	-2.8	1.035	0.5	0.4	0	50.7	46	0	150	138	0	32	31	31	
2025	6	10	8	35	24	25	-3.1	1.034	0.4	0.3	0	50.3	46	0	149	138	0	32	31	32	
2025	6	10	8	45	24	24.8	-1.5	1.034	0.4	0.3	0	49.9	45.6	0	149	138	0	33	32	31	
2025	6	10	8	55	24	25	-2.1	1.034	0.5	0.4	0	50.3	46	0	149	138	0	32	31	32	
2025	6	10	9	5	24	26.2	-2.4	1.033	0.4	0.3	0	50.3	46	0	149	138	0	32	31	31	
2025	6	10	9	15	24	25.2	-2.2	1.033	0.4	0.3	0	50.3	46	0	149	138	0	32	31	31	
2025	6	10	9	25	24	25	-0.8	1.032	0.5	0.4	0	50.3	46.4	0	149	139	0	32	31	32	
2025	6	10	9	35	24	24.6	-2.5	1.031	0.4	0.3	0	50.3	46	0	149	138	0	32	31	31	
2025	6	10	9	45	24	25.5	-1.8	1.03	0.4	0.3	0	50.3	46	0	149	138	0	32	31	32	
2025	6	10	9	55	24	24.9	-2	1.028	0.5	0.4	0	50.3	46.4	0	149	139	0	32	31	32	
2025	6	10	10	5	24	24.4	-2.7	1.026	0.5	0.4	0	49.9	46	0	149	138	0	33	31	32	
2025	6	10	10	15	24	25	-1.8	1.025	0.4	0.3	0	50.3	46	0	149	138	0	32	31	31	
2025	6	10	10	25	24	24.8	-2.1	1.025	0.5	0.5	0	50.3	46	0	149	138	0	32	31	32	
2025	6	10	10	35	24	24.8	-2.1	1.024	0.5	0.4	0	50.3	46.4	0	149	139	0	32	31	31	
2025	6	10	10	45	24	24.6	-1	1.024	0.5	0.4	0	50.3	46.4	0	149	139	0	32	31	31	
2025	6	10	10	55	24	25.7	-1.6	1.023	0.5	0.4	0	49.9	46	0	148	138	0	32	31	31	
2025	6	10	11	5	24	25.3	-2.6	1.023	0.5	0.4	0	49.9	45.2	0	148	137	0	32	32	31	
2025	6	10	11	15	24	23.3	-3.1	1.023	0.5	0.4	0	49.9	45.6	0	147	137	0	31	31	31	
2025	6	10	11	25	24	24.4	-2.7	1.022	0.5	0.4	0	50.3	46.4	0	149	138	0	32	30	32	
2025	6	10	11	35	24	24.5	-2.6	1.022	0.5	0.4	0	49.9	45.6	0	148	137	0	32	31	31	
2025	6	10	11	45	24	24.3	-2.5	1.021	0.4	0.3	0	49.9	45.6	0	148	137	0	32	31	31	
2025	6	10	11	55	24	24.9	-2	1.018	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	10	12	5	24	25.1	-1.7	1.017	0.3	0.2	0	50.3	45.6	0	149	137	0	32	31	31	
2025	6	10	12	15	24	23.8	-1.6	1.017	0.6	0.5	0	50.3	46	0	149	137	0	32	30	31	
2025	6	10	12	25	24	25.1	-2	1.015	0.4	0.3	0	49.9	46	0	148	137	0	32	30	32	
2025	6	10	12	35	24	23.5	-1.8	1.014	0.5	0.5	0	50.7	46	0	150	138	0	32	31	31	
2025	6	10	12	45	24	23.4	-2.4	1.013	0.4	0.3	0	51.2	46.4	0	150	139	0	31	31	32	
2025	6	10	12	55	24	24.3	-2.2	1.012	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32	
2025	6	10	13	5	24	23.4	-2.2	1.012	0.5	0.5	0	50.7	46	0	150	138	0	32	31	31	
2025	6	10	13	15	24	24.4	-1.3	1.012	0.5	0.4	0	50.7	46	0	150	138	0	32	31	31	
2025	6	10	13	25	24	24.5	-1.4	1.011	0.5	0.5	0	50.3	46	0	150	138	0	33	31	31	
2025	6	10	13	35	24	23.2	-1.1	1.01	0.5	0.4	0	50.7	46	0	150	138	0	32	31	31	
2025	6	10	13	45	24	23.2	-2.8	1.009	0.5	0.5	0	51.2	46.4	0	150	139	0	31	31	32	
2025	6	10	13	55	24	24.8	-2.7	1.008	0.5	0.4	0	51.2	46.9	0	150	139	0	31	30	31	
2025	6	10	14	5	24	23.9	-1.9	1.006	0.4	0.3	0	51.2	46.9	0	151	139	0	32	30	31	
2025	6	10	14	15	24	22.7	-2	1.005	0.5	0.4	0	50.7	46.4	0	150	138	0	32	30	31	
2025	6	10	14	25	24	23.4	-2	1.004	0.5	0.5	0	51.2	46.4	0	150	138	0	31	30	31	
2025	6	10	14	35	24	24	-2.4	1.003	0.4	0.3	0	51.2	46.9	0	150	139	0	31	30	31	
2025	6	10	14	45	24	23.9	-2.8	1.002	0.5	0.5	0	50.7	46.4	0	150	139	0	32	31	32	
2025	6	10	14	55	24	23.2	-2.1	1.002	0.5	0.5	0	51.2	46.9	0	151	140	0	32	31	32	
2025	6	10	15	5	24	22.4	-2.6	1.001	0.5	0.4	0	51.2	47.3	0	151	140	0	32	30	31	
2025	6	10	15	15	24	23.9	-2.7	1	0.4	0.3	0	51.2	46.9	0	151	139	0	32	30	32	
2025	6	10	15	25	24	24.2	-2.8	1	0.3	0.2	0	51.6	46.4	0	151	139	0	31	31	31	
2025	6	10	15	35	24	23.3	-1.4	0.999	0.4	0.3	0	51.2	46.4	0	151	139	0	32	31	32	
2025	6	10	15	45	24	23.2	-3.3	0.998	0.5	0.4	0	51.2	47.3	0	151	140	0	32	30	31	
2025	6	10	15	55	24	22.7	-3	0.997	0.6	0.5	0	51.6	46.4	0	151	139	0	31	31	30	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	10	16	5	24	24.4	-1.6	0.996	0.5	0.4	0	51.6	46.9	0	151	139	0	31	30	31
2025	6	10	16	15	24	23.7	-2.3	0.995	0.5	0.5	0	50.7	46.4	0	150	139	0	32	31	31
2025	6	10	16	25	24	23.6	-2.4	0.993	0.4	0.3	0	51.6	46.9	0	151	139	0	31	30	31
2025	6	10	16	35	24	23.4	-1.6	0.992	0.4	0.3	0	50.7	46.9	0	150	139	0	32	30	31
2025	6	10	16	45	24	23.3	-1.9	0.992	0.4	0.3	0	51.6	46	0	152	138	0	32	31	31
2025	6	10	16	55	24	22.9	-3.2	0.992	0.5	0.4	0	51.2	46.4	0	151	138	0	32	30	31
2025	6	10	17	5	24	22.6	-2.1	0.99	0.3	0.2	0	51.2	46.4	0	151	138	0	32	30	32
2025	6	10	17	15	24	23.1	-2.4	0.99	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	10	17	25	24	23.8	-2.6	0.99	0.5	0.4	0	50.3	46	0	150	137	0	33	30	31
2025	6	10	17	35	24	22.8	-2.4	0.988	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	31
2025	6	10	17	45	24	23.2	-2.7	0.988	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	10	17	55	24	24.1	-1.2	0.987	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	31
2025	6	10	18	5	24	24.3	-2.2	0.987	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	10	18	15	24	22.4	-1.2	0.986	0.6	0.5	0	51.2	45.6	0	151	137	0	32	31	30
2025	6	10	18	25	24	22.8	-2.3	0.985	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	10	18	35	24	23	-3.1	0.985	0.5	0.4	0	51.2	46	0	150	137	0	31	30	31
2025	6	10	18	45	24	23	-2.5	0.984	0.5	0.4	0	51.2	46	0	151	137	0	32	30	31
2025	6	10	18	55	24	22.3	-2.1	0.984	0.5	0.5	0	50.7	45.2	0	150	136	0	32	31	31
2025	6	10	19	5	24	22.3	-0.8	0.983	0.5	0.4	0	51.6	45.6	0	151	137	0	31	31	31
2025	6	10	19	15	24	21.6	-2.1	0.982	0.5	0.5	0	51.2	46	0	151	137	0	32	30	31
2025	6	10	19	25	24	23.2	-2.3	0.981	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	10	19	35	24	23.3	-1.4	0.981	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	10	19	45	24	23	-2.5	0.98	0.5	0.4	0	49.9	45.6	0	148	136	0	32	30	30
2025	6	10	19	55	24	23.8	-1.6	0.979	0.5	0.5	0	49.9	45.6	0	148	136	0	32	30	32
2025	6	10	20	5	24	24.1	-3.1	0.979	0.4	0.3	0	50.3	45.6	0	148	137	0	31	31	31
2025	6	10	20	15	24	20.7	-1.6	0.978	0.6	0.5	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	10	20	25	24	23.3	-2.3	0.978	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	31
2025	6	10	20	35	24	23	-2.3	0.978	0.4	0.3	0	50.7	46	0	150	138	0	32	31	31
2025	6	10	20	45	24	23.1	-2.5	0.977	0.5	0.4	0	50.7	46	0	150	138	0	32	31	31
2025	6	10	20	55	24	23.5	-2	0.977	0.4	0.3	0	50.7	46	0	150	138	0	32	31	31
2025	6	10	21	5	24	24.5	-1.5	0.977	0.5	0.4	0	50.3	46.4	0	149	138	0	32	30	32
2025	6	10	21	15	24	24.2	-1.5	0.976	0.5	0.4	0	50.7	46.4	0	150	138	0	32	30	32
2025	6	10	21	25	24	24.2	-2.7	0.976	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	10	21	35	24	24	-1.8	0.976	0.6	0.5	0	51.2	46	0	151	138	0	32	31	32
2025	6	10	21	45	24	23.6	-2.1	0.975	0.5	0.4	0	51.2	46.4	0	151	138	0	32	30	31
2025	6	10	21	55	24	23.6	-2.6	0.975	0.5	0.4	0	51.2	46	0	150	138	0	31	31	31
2025	6	10	22	5	24	23.3	-3	0.975	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	10	22	15	24	23.3	-1.6	0.975	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	10	22	25	24	22.1	-2.5	0.974	0.5	0.4	0	51.2	46	0	151	138	0	32	31	31
2025	6	10	22	35	24	22.8	-1.6	0.974	0.4	0.3	0	50.7	46	0	150	138	0	32	31	31
2025	6	10	22	45	24	22.5	-2.4	0.974	0.5	0.4	0	51.6	46	0	151	138	0	31	31	31
2025	6	10	22	55	24	22.9	-3	0.974	0.6	0.5	0	50.7	46	0	151	138	0	33	31	31
2025	6	10	23	5	24	23	-3.4	0.974	0.5	0.5	0	50.7	46	0	150	138	0	32	31	30
2025	6	10	23	15	24	22.3	-1.8	0.973	0.5	0.5	0	51.2	46.4	0	151	138	0	32	30	31
2025	6	10	23	25	24	23.4	-2.8	0.973	0.6	0.5	0	50.7	46.4	0	150	138	0	32	30	32
2025	6	10	23	35	24	21.7	-2.4	0.973	0.5	0.5	0	50.7	46	0	150	138	0	32	31	32
2025	6	10	23	45	24	22.8	-1.6	0.972	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	10	23	55	24	22.6	-0.8	0.972	0.5	0.5	0	50.7	46	0	150	138	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	11	0	5	24	22	-2.4	0.972	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	0	15	24	22.9	-2.1	0.971	0.5	0.4	0	50.7	46	0	151	138	0	33	31	31
2025	6	11	0	25	24	22.3	-2	0.971	0.5	0.4	0	50.7	46	0	150	138	0	32	31	31
2025	6	11	0	35	24	22.3	-2.3	0.971	0.4	0.3	0	51.2	46	0	151	138	0	32	31	31
2025	6	11	0	45	24	22.6	-1.6	0.97	0.5	0.5	0	50.7	45.6	0	150	138	0	32	32	31
2025	6	11	0	55	24	22.8	-1.8	0.97	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	1	5	24	22.2	-1.4	0.969	0.4	0.3	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	1	15	24	22.9	-1.2	0.969	0.5	0.5	0	51.2	46.4	0	151	138	0	32	30	32
2025	6	11	1	25	24	22.4	-0.7	0.968	0.5	0.4	0	50.3	45.6	0	150	138	0	33	32	31
2025	6	11	1	35	24	22.4	-1.6	0.967	0.5	0.4	0	50.3	46	0	150	137	0	33	30	31
2025	6	11	1	45	24	22.7	-1.9	0.966	0.4	0.3	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	1	55	24	24.1	-1.6	0.965	0.5	0.4	0	50.3	46	0	150	138	0	33	31	32
2025	6	11	2	5	24	22.6	-1.5	0.965	0.5	0.5	0	50.7	46	0	150	138	0	32	31	31
2025	6	11	2	15	24	22.6	-2.8	0.964	0.5	0.4	0	50.3	45.6	0	150	138	0	33	32	32
2025	6	11	2	25	24	22.6	-2.1	0.964	0.5	0.4	0	49.9	46	0	149	138	0	33	31	32
2025	6	11	2	35	24	22	-2.1	0.964	0.5	0.5	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	2	45	24	22.6	-1.1	0.964	0.5	0.5	0	51.2	46.4	0	151	139	0	32	31	31
2025	6	11	2	55	24	22	-2.1	0.963	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	3	5	24	22	-1.7	0.963	0.5	0.4	0	50.7	45.6	0	150	138	0	32	32	32
2025	6	11	3	15	24	23.1	-1.6	0.963	0.5	0.4	0	50.3	46	0	150	138	0	33	31	31
2025	6	11	3	25	24	21.2	-2.2	0.963	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	3	35	24	21.7	-3.1	0.962	0.6	0.5	0	50.7	46	0	150	138	0	32	31	31
2025	6	11	3	45	24	22.9	-1.8	0.962	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	3	55	24	22.8	-2.5	0.962	0.4	0.3	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	4	5	24	23.2	-2.5	0.962	0.5	0.5	0	50.7	46	0	151	138	0	33	31	31
2025	6	11	4	15	24	21.8	-1.7	0.962	0.4	0.3	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	4	25	24	23.4	-2.3	0.962	0.5	0.4	0	50.7	45.6	0	150	138	0	32	32	32
2025	6	11	4	35	24	21.4	-2.6	0.961	0.4	0.3	0	51.6	46.9	0	152	140	0	32	31	32
2025	6	11	4	45	24	21.9	-2.3	0.961	0.5	0.5	0	50.3	45.2	0	150	137	0	33	32	31
2025	6	11	4	55	24	19.4	-2.1	0.961	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	31
2025	6	11	5	5	24	23.1	-1.5	0.961	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	5	15	24	22.9	-2.3	0.961	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	11	5	25	24	23	-2.4	0.961	0.5	0.4	0	50.3	46	0	150	138	0	33	31	32
2025	6	11	5	35	24	21.4	-2.5	0.96	0.5	0.5	0	50.7	46.4	0	151	139	0	33	31	31
2025	6	11	5	45	24	22.9	-2.3	0.96	0.5	0.5	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	5	55	24	21.3	-1.5	0.96	0.5	0.4	0	51.2	46	0	151	139	0	32	32	32
2025	6	11	6	5	24	21.6	-2.3	0.96	0.4	0.3	0	50.3	46	0	150	138	0	33	31	32
2025	6	11	6	15	24	22.5	-2.4	0.96	0.5	0.4	0	50.3	46	0	150	138	0	33	31	32
2025	6	11	6	25	24	22	-2.1	0.959	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	6	35	24	21.6	-1.6	0.959	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	6	45	24	22.8	-1.1	0.959	0.4	0.3	0	50.7	46	0	150	138	0	32	31	31
2025	6	11	6	55	24	21.7	-2.1	0.959	0.5	0.5	0	50.3	46.4	0	150	138	0	33	30	32
2025	6	11	7	5	24	21.7	-2.1	0.958	0.5	0.5	0	50.7	46	0	150	138	0	32	31	32
2025	6	11	7	15	24	21.9	-0.8	0.958	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	7	25	24	22.5	-2.9	0.958	0.5	0.5	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	7	35	24	22.2	-1.4	0.958	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	7	45	24	21.8	-2.9	0.957	0.5	0.4	0	50.7	46.9	0	150	139	0	32	30	31
2025	6	11	7	55	24	21.7	-2.4	0.956	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	31

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	11	8	5	24	22.5	-2.5	0.956	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	8	15	24	21.9	-1.6	0.954	0.6	0.5	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	8	25	24	21.4	-2.1	0.954	0.5	0.5	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	8	35	24	21.9	-1.8	0.953	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	31
2025	6	11	8	45	24	21.2	-1.4	0.953	0.5	0.4	0	50.7	46.4	0	151	139	0	33	31	33
2025	6	11	8	55	24	21.7	-3.2	0.953	0.4	0.3	0	51.6	46.9	0	151	140	0	31	31	32
2025	6	11	9	5	24	23.4	-1.4	0.952	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	9	15	24	22.7	-1.9	0.952	0.5	0.5	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	9	25	24	22.9	-2.5	0.952	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	32
2025	6	11	9	35	24	23.1	-2.3	0.952	0.4	0.3	0	51.2	46.9	0	151	140	0	32	31	31
2025	6	11	9	45	24	22	-2.4	0.951	0.5	0.5	0	51.2	47.3	0	151	140	0	32	30	32
2025	6	11	9	55	24	22.6	-2.5	0.951	0.4	0.3	0	51.2	46.9	0	151	140	0	32	31	31
2025	6	11	10	5	24	22.5	-2.2	0.951	0.4	0.3	0	51.6	46.9	0	151	140	0	31	31	31
2025	6	11	10	15	24	22.1	-1.6	0.951	0.4	0.3	0	51.2	46.4	0	151	139	0	32	31	31
2025	6	11	10	25	24	22.5	-3.6	0.951	0.6	0.5	0	51.2	46.9	0	151	140	0	32	31	31
2025	6	11	10	35	24	21.5	-2.6	0.951	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	31
2025	6	11	10	45	24	23.1	-2.6	0.951	0.5	0.4	0	51.2	46.9	0	151	140	0	32	31	32
2025	6	11	10	55	24	21.1	-2.1	0.951	0.5	0.4	0	50.3	46.9	0	149	140	0	32	31	31
2025	6	11	11	5	24	23.1	-1.3	0.951	0.5	0.4	0	50.3	46	0	150	139	0	33	32	32
2025	6	11	11	15	24	21.6	-2.2	0.951	0.4	0.3	0	51.6	46.9	0	151	140	0	31	31	31
2025	6	11	11	25	24	21.2	-1.9	0.95	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	11	35	24	22.4	-2.7	0.95	0.5	0.4	0	51.2	46.4	0	150	139	0	31	31	31
2025	6	11	11	45	24	22.8	-2.8	0.95	0.5	0.4	0	50.7	46.9	0	150	139	0	32	30	32
2025	6	11	11	55	24	22	-2.3	0.95	0.5	0.4	0	51.2	46.9	0	150	139	0	31	30	31
2025	6	11	12	5	24	22.8	-1.8	0.949	0.5	0.5	0	50.7	46.4	0	150	139	0	32	31	31
2025	6	11	12	15	24	22.4	-2.1	0.949	0.5	0.4	0	51.2	46.9	0	151	140	0	32	31	31
2025	6	11	12	25	24	22.7	-1.1	0.949	0.6	0.5	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	12	35	24	22	-2.5	0.947	0.5	0.5	0	51.2	47.3	0	151	140	0	32	30	31
2025	6	11	12	45	24	21.5	-1.5	0.947	0.4	0.3	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	12	55	24	22.7	-3.5	0.947	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	13	5	24	21.4	-2.2	0.945	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	32
2025	6	11	13	15	24	21.7	-2.4	0.944	0.5	0.5	0	50.7	46.9	0	150	139	0	32	30	31
2025	6	11	13	25	24	21.8	-2.6	0.943	0.5	0.4	0	50.7	46.9	0	150	140	0	32	31	31
2025	6	11	13	35	24	21.9	-1.4	0.943	0.5	0.4	0	50.7	46.4	0	150	139	0	32	31	31
2025	6	11	13	45	24	22.4	-2.1	0.944	0.6	0.5	0	51.2	46.9	0	151	140	0	32	31	31
2025	6	11	13	55	24	21.7	-1.3	0.943	0.5	0.5	0	50.3	46.4	0	149	139	0	32	31	32
2025	6	11	14	5	24	21.4	-2.2	0.943	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	31
2025	6	16	10	15	41	24.6	-2.1	1.016	0.5	0.5	0	50.7	46	0	150	137	0	32	30	32
2025	6	16	10	25	41	23.7	-3.3	1.016	0.4	0.3	0	51.6	46.9	0	153	140	0	33	31	32
2025	6	16	10	35	41	24.8	-2.5	1.017	0.5	0.4	0	52.5	46.9	0	154	140	0	32	31	32
2025	6	16	10	45	41	24.8	-1.9	1.017	0.3	0.2	0	52	46.9	0	153	140	0	32	31	32
2025	6	16	10	55	41	25.2	-2.2	1.017	0.3	0.2	0	51.6	46.9	0	153	140	0	33	31	33
2025	6	16	11	5	41	25.3	-1.5	1.017	0.5	0.5	0	52.5	46.9	0	153	140	0	31	31	31
2025	6	16	11	15	41	25	-1.5	1.018	0.5	0.4	0	52.5	46.9	0	154	140	0	32	31	31
2025	6	16	11	25	41	26	-2.7	1.018	0.5	0.4	0	51.2	46.4	0	152	139	0	33	31	32
2025	6	16	11	35	41	25.2	-3.4	1.018	0.5	0.4	0	52	46.4	0	153	139	0	32	31	31
2025	6	16	11	45	41	24.5	-3.2	1.018	0.4	0.3	0	52	46.4	0	153	139	0	32	31	32
2025	6	16	11	55	41	25.4	-1.5	1.019	0.4	0.3	0	51.6	46.4	0	152	139	0	32	31	31

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	16	12	5	41	25.3	-2.3	1.019	0.5	0.5	0	51.6	46.9	0	153	140	0	33	31	32	
2025	6	16	12	15	41	25.9	-1.7	1.019	0.4	0.3	0	52	46.9	0	153	140	0	32	31	32	
2025	6	16	12	25	41	24.3	-1.9	1.019	0.5	0.4	0	51.6	46.9	0	153	140	0	33	31	31	
2025	6	16	12	35	41	25.7	-2.5	1.02	0.4	0.3	0	51.2	46.4	0	152	139	0	33	31	32	
2025	6	16	12	45	41	24.5	-2.7	1.02	0.4	0.3	0	51.6	46.4	0	153	139	0	33	31	32	
2025	6	16	12	55	41	23.5	-1	1.02	0.5	0.5	0	52.5	46.9	0	154	140	0	32	31	32	
2025	6	16	13	5	41	25.2	-2.9	1.02	0.4	0.3	0	51.6	46.4	0	152	139	0	32	31	31	
2025	6	16	13	15	41	25.8	-2.5	1.021	0.3	0.2	0	51.6	46.4	0	152	139	0	32	31	31	
2025	6	16	13	25	41	26.3	-3.1	1.021	0.4	0.3	0	52.5	46.9	0	153	139	0	31	30	31	
2025	6	16	13	35	41	26.1	-1.9	1.021	0.6	0.5	0	52.5	46.9	0	153	140	0	31	31	31	
2025	6	16	13	45	41	25.6	-2	1.021	0.5	0.5	0	52	46.4	0	153	139	0	32	31	32	
2025	6	16	13	55	41	24.6	-1.9	1.021	0.5	0.4	0	52	46.9	0	153	140	0	32	31	33	
2025	6	16	14	5	41	24.6	-2.1	1.021	0.5	0.4	0	52	46.9	0	153	140	0	32	31	32	
2025	6	16	14	15	41	24.9	-0.4	1.021	0.5	0.4	0	52.9	47.3	0	154	141	0	31	31	32	
2025	6	16	14	25	41	24.3	-2.6	1.021	0.4	0.3	0	52.9	47.3	0	155	141	0	32	31	31	
2025	6	16	14	35	41	24.4	-2	1.021	0.4	0.3	0	53.3	47.7	0	155	142	0	31	31	32	
2025	6	16	14	45	41	24.9	-2	1.021	0.4	0.3	0	52.5	47.7	0	154	141	0	32	30	32	
2025	6	16	14	55	41	24.6	-2.3	1.021	0.4	0.3	0	52.5	47.3	0	154	141	0	32	31	31	
2025	6	16	15	5	41	26.8	-2.3	1.021	0.6	0.5	0	52	46.9	0	153	140	0	32	31	32	
2025	6	16	15	15	41	25.1	-2.8	1.022	0.4	0.3	0	52.5	46.9	0	154	140	0	32	31	31	
2025	6	16	15	25	41	25.1	-2.6	1.022	0.5	0.4	0	52	46.9	0	153	140	0	32	31	33	
2025	6	16	15	35	41	25.4	-2.5	1.022	0.4	0.3	0	52.9	46.9	0	154	140	0	31	31	32	
2025	6	16	15	45	41	24.8	-2.5	1.022	0.5	0.4	0	52.5	47.3	0	154	141	0	32	31	31	
2025	6	16	15	55	41	25.9	-2.2	1.022	0.3	0.2	0	52	46.9	0	153	140	0	32	31	31	
2025	6	16	16	5	41	25.6	-2.3	1.022	0.4	0.3	0	52.5	47.3	0	153	140	0	31	30	32	
2025	6	16	16	15	41	26.1	-1.2	1.022	0.4	0.3	0	52	46.9	0	153	140	0	32	31	31	
2025	6	16	16	25	41	25.7	-1.5	1.022	0.4	0.3	0	52.9	46.9	0	154	140	0	31	31	32	
2025	6	16	16	35	41	26.2	-2.2	1.022	0.5	0.4	0	52	46.9	0	153	140	0	32	31	31	
2025	6	16	16	45	41	25.6	-2.6	1.023	0.5	0.4	0	52	46.9	0	153	140	0	32	31	32	
2025	6	16	16	55	41	24.5	-2.5	1.023	0.5	0.4	0	52.5	46.9	0	153	140	0	31	31	31	
2025	6	16	17	5	41	26.1	-2	1.023	0.3	0.2	0	52	47.3	0	153	140	0	32	30	32	
2025	6	16	17	15	41	26.7	-2.4	1.023	0.5	0.4	0	52	46.4	0	153	139	0	32	31	32	
2025	6	16	17	25	41	26.5	-3	1.023	0.5	0.5	0	52	47.3	0	153	140	0	32	30	32	
2025	6	16	17	35	41	25.9	-1.9	1.024	0.5	0.5	0	52.5	47.3	0	154	140	0	32	30	31	
2025	6	16	17	45	41	26.3	-2.4	1.023	0.5	0.4	0	52.5	47.3	0	154	141	0	32	31	32	
2025	6	16	17	55	41	25.4	-2.4	1.024	0.5	0.4	0	52.9	47.3	0	155	141	0	32	31	32	
2025	6	16	18	5	41	24.7	-2.7	1.025	0.5	0.4	0	52.9	47.3	0	155	141	0	32	31	31	
2025	6	16	18	15	41	24.8	-1.8	1.024	0.4	0.3	0	52.9	47.7	0	156	142	0	33	31	32	
2025	6	16	18	25	41	25.6	-1.6	1.025	0.4	0.3	0	52.9	47.7	0	156	142	0	33	31	32	
2025	6	16	18	35	41	26.5	-3	1.025	0.5	0.5	0	52.9	47.7	0	155	142	0	32	31	32	
2025	6	16	18	45	41	25.5	-2.7	1.025	0.3	0.2	0	53.3	47.7	0	156	142	0	32	31	32	
2025	6	16	18	55	41	25.8	-2.3	1.026	0.4	0.3	0	52.9	47.7	0	155	142	0	32	31	31	
2025	6	16	19	5	41	24.3	-2.7	1.026	0.4	0.3	0	53.3	47.7	0	156	142	0	32	31	32	
2025	6	16	19	15	41	24.9	-1.3	1.027	0.4	0.3	0	52.9	47.7	0	155	142	0	32	31	32	
2025	6	16	19	25	41	25.4	-2.9	1.028	0.4	0.3	0	52.9	46	0	155	138	0	32	31	32	
2025	6	16	19	35	41	26.4	-2.4	1.028	0.5	0.4	0	53.3	47.3	0	155	141	0	31	31	32	
2025	6	16	19	45	41	24.9	-1.9	1.029	0.5	0.4	0	53.3	47.7	0	155	142	0	31	31	31	
2025	6	16	19	55	41	25.4	-2.3	1.029	0.5	0.5	0	52.5	47.3	0	154	141	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	16	20	5	41	26.2	-1.7	1.03	0.4	0.3	0	52.5	47.3	0	154	141	0	32	31	31
2025	6	16	20	15	41	24.3	-1.1	1.03	0.5	0.4	0	52.9	47.3	0	155	141	0	32	31	32
2025	6	16	20	25	41	25.6	-2.1	1.03	0.4	0.3	0	52.9	47.3	0	155	141	0	32	31	32
2025	6	16	20	35	41	25	-2.9	1.031	0.3	0.2	0	52	47.3	0	154	141	0	33	31	32
2025	6	16	20	45	41	23.5	-2.7	1.031	0.4	0.3	0	52.9	47.3	0	155	141	0	32	31	32
2025	6	16	20	55	41	25.7	-2.6	1.031	0.5	0.4	0	52.5	46.9	0	155	141	0	33	32	32
2025	6	16	21	5	41	25.2	-1.9	1.031	0.5	0.4	0	52.5	47.3	0	154	141	0	32	31	32
2025	6	16	21	15	41	24.7	-3.3	1.031	0.5	0.4	0	52	46.9	0	154	140	0	33	31	32
2025	6	16	21	25	41	25.6	-2.4	1.032	0.5	0.4	0	52	47.3	0	154	141	0	33	31	31
2025	6	16	21	35	41	25.1	-1.6	1.032	0.4	0.3	0	52.5	47.3	0	154	141	0	32	31	32
2025	6	16	21	45	41	25.6	-1.9	1.032	0.5	0.4	0	52	46.9	0	154	140	0	33	31	33
2025	6	16	21	55	41	25.5	-2.4	1.032	0.5	0.4	0	52	46.9	0	154	140	0	33	31	32
2025	6	16	22	5	41	25.4	-2.4	1.033	0.4	0.3	0	51.6	46.9	0	153	140	0	33	31	32
2025	6	16	22	15	41	25.5	-2.4	1.033	0.4	0.3	0	52	46.9	0	153	140	0	32	31	32
2025	6	16	22	25	41	26.1	-1.6	1.033	0.4	0.3	0	52.5	46.9	0	154	140	0	32	31	32
2025	6	16	22	35	41	25.9	-2.1	1.034	0.4	0.3	0	52	46.9	0	153	140	0	32	31	32
2025	6	16	22	45	41	26.3	-1.5	1.034	0.4	0.3	0	51.6	46	0	153	139	0	33	32	31
2025	6	16	22	55	41	25.6	-2.4	1.035	0.3	0.2	0	52	46.9	0	154	140	0	33	31	32
2025	6	16	23	5	41	26.4	-2.1	1.036	0.5	0.4	0	52	46.9	0	153	140	0	32	31	32
2025	6	16	23	15	41	25.7	-1.4	1.038	0.5	0.5	0	52	46.9	0	153	140	0	32	31	31
2025	6	16	23	25	41	24.5	-1.6	1.039	0.5	0.4	0	52	46.9	0	153	140	0	32	31	31
2025	6	16	23	35	41	24.9	-1.9	1.039	0.5	0.4	0	51.6	46.9	0	153	140	0	33	31	32
2025	6	16	23	45	41	26.1	-3	1.039	0.4	0.3	0	52	46.9	0	153	140	0	32	31	32
2025	6	16	23	55	41	25.1	-1.4	1.04	0.4	0.3	0	51.6	46.9	0	153	140	0	33	31	32
2025	6	17	0	5	41	26.2	-2.4	1.04	0.3	0.2	0	51.6	46.4	0	153	140	0	33	32	32
2025	6	17	0	15	41	25.2	-1.8	1.04	0.4	0.3	0	52	46.9	0	153	140	0	32	31	33
2025	6	17	0	25	41	25.1	-2	1.041	0.4	0.3	0	51.6	46.4	0	153	139	0	33	31	31
2025	6	17	0	35	41	27.4	-2.1	1.041	0.5	0.5	0	52	46.4	0	153	139	0	32	31	32
2025	6	17	0	45	41	26	-1.9	1.041	0.4	0.3	0	52.5	46.4	0	154	140	0	32	32	31
2025	6	17	0	55	41	25.6	-2.4	1.041	0.4	0.3	0	52	46.4	0	153	139	0	32	31	33
2025	6	17	1	5	41	25	-2	1.041	0.3	0.2	0	51.6	46.4	0	153	139	0	33	31	32
2025	6	17	1	15	41	25.4	-2.8	1.042	0.4	0.3	0	51.6	46.4	0	153	139	0	33	31	32
2025	6	17	1	25	41	26.5	-1.6	1.042	0.4	0.3	0	52	46.4	0	153	139	0	32	31	32
2025	6	17	1	35	41	27	-2.3	1.042	0.4	0.3	0	51.6	46.4	0	153	139	0	33	31	32
2025	6	17	1	45	41	26.2	-1.6	1.042	0.5	0.4	0	51.6	46.4	0	153	139	0	33	31	33
2025	6	17	1	55	41	26.2	-2.1	1.043	0.5	0.4	0	52	46.9	0	153	140	0	32	31	32
2025	6	17	2	5	41	26.4	-2.5	1.043	0.5	0.4	0	51.6	46.4	0	153	139	0	33	31	32
2025	6	17	2	15	41	26.2	-2.1	1.043	0.5	0.4	0	51.6	46.4	0	153	139	0	33	31	32
2025	6	17	2	25	41	25.6	-2.2	1.043	0.4	0.3	0	51.6	46.4	0	152	139	0	32	31	32
2025	6	17	2	35	41	26.4	-2.7	1.044	0.4	0.3	0	51.6	46	0	153	139	0	33	32	31
2025	6	17	2	45	41	26.1	-2.2	1.044	0.3	0.2	0	52	46	0	153	138	0	32	31	32
2025	6	17	2	55	41	27.2	-1.6	1.044	0.4	0.3	0	52	46	0	153	139	0	32	32	31
2025	6	17	3	5	41	25.2	-2.9	1.045	0.5	0.4	0	51.2	45.6	0	152	138	0	33	32	32
2025	6	17	3	15	41	25.8	-2.2	1.045	0.4	0.3	0	51.2	46	0	152	138	0	33	31	32
2025	6	17	3	25	41	26.3	-3	1.046	0.5	0.4	0	51.2	46	0	151	138	0	32	31	31
2025	6	17	3	35	41	24.9	-1.8	1.046	0.4	0.3	0	51.6	46	0	152	138	0	32	31	31
2025	6	17	3	45	41	24.9	-1.3	1.047	0.4	0.3	0	51.2	46	0	152	138	0	33	31	33
2025	6	17	3	55	41	26.6	-2.5	1.049	0.3	0.2	0	51.2	46	0	151	138	0	32	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	17	4	5	41	24.3	-2	1.05	0.3	0.2	0	51.6	46.4	0	152	139	0	32	31	32	
2025	6	17	4	15	41	26.1	-1.9	1.05	0.5	0.5	0	51.6	46	0	152	138	0	32	31	32	
2025	6	17	4	25	41	26.4	-3.6	1.051	0.5	0.4	0	50.7	46	0	151	138	0	33	31	32	
2025	6	17	4	35	41	26.3	-1.9	1.051	0.5	0.5	0	51.2	45.6	0	152	138	0	33	32	32	
2025	6	17	4	45	41	25	-1.2	1.051	0.4	0.3	0	51.6	46	0	152	138	0	32	31	32	
2025	6	17	4	55	41	25.4	-2.1	1.052	0.5	0.4	0	51.6	46.4	0	152	138	0	32	30	32	
2025	6	17	5	5	41	24.5	-1.6	1.052	0.4	0.3	0	51.6	46.4	0	152	139	0	32	31	32	
2025	6	17	5	15	41	26.4	-1.6	1.052	0.4	0.3	0	51.6	46	0	152	139	0	32	32	32	
2025	6	17	5	25	41	26.5	-2.9	1.053	0.4	0.3	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	5	35	41	26.6	-2.2	1.053	0.4	0.3	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	5	45	41	26.7	-2.4	1.053	0.3	0.2	0	51.6	45.6	0	152	138	0	32	32	32	
2025	6	17	5	55	41	26.7	-1.8	1.053	0.5	0.4	0	51.2	45.6	0	151	138	0	32	32	32	
2025	6	17	6	5	41	25.7	-3.4	1.054	0.4	0.3	0	51.6	45.6	0	152	138	0	32	32	32	
2025	6	17	6	15	41	26	-1.7	1.054	0.3	0.2	0	51.6	45.6	0	152	138	0	32	32	32	
2025	6	17	6	25	41	26.3	-3.4	1.054	0.4	0.3	0	51.2	46	0	152	138	0	33	31	32	
2025	6	17	6	35	41	25.7	-1.4	1.054	0.4	0.3	0	51.2	46	0	152	138	0	33	31	31	
2025	6	17	6	45	41	26	-2.1	1.054	0.3	0.2	0	51.6	46	0	152	138	0	32	31	32	
2025	6	17	6	55	41	26.2	-2.1	1.054	0.5	0.5	0	51.2	45.6	0	152	138	0	33	32	32	
2025	6	17	7	5	41	26	-2.5	1.055	0.4	0.3	0	51.6	46	0	152	139	0	32	32	32	
2025	6	17	7	15	41	27.2	-2.1	1.055	0.5	0.5	0	51.6	46	0	152	138	0	32	31	32	
2025	6	17	7	25	41	25.4	-1.9	1.055	0.3	0.2	0	51.2	46.4	0	152	139	0	33	31	32	
2025	6	17	7	35	41	26.2	-1.6	1.055	0.5	0.4	0	51.2	46.4	0	152	139	0	33	31	32	
2025	6	17	7	45	41	27	-3	1.056	0.5	0.4	0	51.6	46	0	152	139	0	32	32	32	
2025	6	17	7	55	41	27.4	-2.8	1.056	0.5	0.4	0	51.2	46	0	152	139	0	33	32	31	
2025	6	17	8	5	41	26.4	-1.9	1.056	0.4	0.3	0	51.6	46.4	0	152	139	0	32	31	32	
2025	6	17	8	15	41	25.6	-2.2	1.056	0.4	0.3	0	51.2	46.4	0	152	139	0	33	31	31	
2025	6	17	8	25	41	26.5	-2.2	1.057	0.4	0.3	0	51.6	46	0	152	139	0	32	32	31	
2025	6	17	8	35	41	25.4	-2.1	1.057	0.4	0.3	0	52	46.4	0	153	140	0	32	32	32	
2025	6	17	8	45	41	26.5	-1.9	1.057	0.5	0.4	0	52	46.4	0	153	139	0	32	31	32	
2025	6	17	8	55	41	27	-2.8	1.057	0.5	0.4	0	51.6	46.4	0	153	139	0	33	31	32	
2025	6	17	9	5	41	24.5	-2.3	1.058	0.5	0.4	0	52	46.4	0	153	139	0	32	31	31	
2025	6	17	9	15	41	25.6	-1.9	1.058	0.5	0.4	0	52	46.9	0	153	140	0	32	31	32	
2025	6	17	9	25	41	26.8	-2	1.058	0.5	0.4	0	51.2	46.9	0	152	140	0	33	31	32	
2025	6	17	9	35	41	25	-1.9	1.059	0.4	0.3	0	52	46.4	0	153	139	0	32	31	32	
2025	6	17	9	45	41	25.8	-2	1.06	0.4	0.3	0	51.6	46.9	0	152	139	0	32	30	33	
2025	6	17	9	55	41	27.4	-2.8	1.06	0.4	0.3	0	51.6	46.9	0	153	140	0	33	31	32	
2025	6	17	10	5	41	26.3	-2	1.06	0.5	0.5	0	51.6	46.9	0	153	140	0	33	31	31	
2025	6	17	10	15	41	27.9	-2.8	1.06	0.3	0.2	0	52	46.4	0	154	140	0	33	32	32	
2025	6	17	10	25	41	28.5	-3.2	1.061	0.4	0.3	0	52	46.9	0	153	140	0	32	31	32	
2025	6	17	10	35	41	28	-3.2	1.062	0.4	0.3	0	51.6	46.9	0	153	140	0	33	31	32	
2025	6	17	10	45	41	26	-2.2	1.063	0.5	0.5	0	52	47.3	0	154	141	0	33	31	32	
2025	6	17	10	55	41	27.2	-2.6	1.063	0.3	0.2	0	52	46.9	0	153	140	0	32	31	32	
2025	6	17	11	5	41	27.9	-2.3	1.063	0.4	0.3	0	52	46.4	0	153	140	0	32	32	32	
2025	6	17	11	15	41	27.2	-2.8	1.064	0.4	0.3	0	52	46.9	0	153	140	0	32	31	32	
2025	6	17	11	25	41	27.4	-2.3	1.064	0.5	0.4	0	51.2	46.9	0	152	140	0	33	31	32	
2025	6	17	11	35	41	26.8	-2.2	1.065	0.4	0.3	0	52	46.9	0	153	140	0	32	31	32	
2025	6	17	11	45	41	25.4	-2.6	1.065	0.5	0.4	0	51.6	46.4	0	152	139	0	32	31	32	
2025	6	17	11	55	41	26.7	-2.4	1.065	0.4	0.3	0	51.6	46.4	0	152	139	0	32	31	32	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	17	12	5	41	26	-1.9	1.065	0.5	0.4	0	51.6	46.9	0	153	140	0	33	31	32	
2025	6	17	12	15	41	27.7	-1.5	1.065	0.5	0.4	0	51.6	46.4	0	152	139	0	32	31	32	
2025	6	17	12	25	41	28.1	-3.1	1.066	0.4	0.3	0	51.2	46.4	0	151	139	0	32	31	32	
2025	6	17	12	35	41	26.8	-1.9	1.066	0.5	0.4	0	51.2	46.4	0	152	139	0	33	31	32	
2025	6	17	12	45	41	26.9	-2.3	1.066	0.3	0.2	0	51.2	46	0	152	139	0	33	32	32	
2025	6	17	12	55	41	27.3	-2.3	1.066	0.4	0.3	0	50.7	46	0	151	138	0	33	31	31	
2025	6	17	13	5	41	27	-3	1.067	0.4	0.3	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	13	15	41	26	-1.7	1.067	0.3	0.2	0	51.2	46.4	0	152	139	0	33	31	32	
2025	6	17	13	25	41	27.3	-1.4	1.067	0.3	0.2	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	13	35	41	26.3	-1.9	1.067	0.3	0.2	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	13	45	41	26.7	-3	1.067	0.5	0.4	0	51.2	46	0	151	138	0	32	31	31	
2025	6	17	13	55	41	26.1	-2.3	1.067	0.4	0.3	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	14	5	41	26.4	-2.1	1.068	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	31	
2025	6	17	14	15	41	27.3	-2.7	1.068	0.4	0.3	0	50.7	46	0	151	138	0	33	31	32	
2025	6	17	14	25	41	26	-2.5	1.068	0.3	0.2	0	51.2	46	0	151	138	0	32	31	31	
2025	6	17	14	35	41	26.3	-2.5	1.068	0.5	0.4	0	50.7	46	0	151	137	0	33	30	31	
2025	6	17	14	45	41	26.7	-1.7	1.068	0.5	0.4	0	51.2	46	0	151	138	0	32	31	31	
2025	6	17	14	55	41	25.5	-3.4	1.068	0.5	0.5	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	15	5	41	25.8	-2.8	1.068	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	32	
2025	6	17	15	15	41	27.1	-2.9	1.068	0.3	0.2	0	50.7	46	0	151	138	0	33	31	32	
2025	6	17	15	25	41	25.7	-2	1.069	0.5	0.4	0	51.2	45.6	0	150	138	0	31	32	31	
2025	6	17	15	35	41	26.9	-1.4	1.069	0.5	0.5	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	15	45	41	27.7	-1.7	1.069	0.5	0.4	0	50.7	46	0	151	138	0	33	31	31	
2025	6	17	15	55	41	26.3	-2.4	1.069	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32	
2025	6	17	16	5	41	27.7	-1.9	1.069	0.5	0.4	0	50.7	46	0	151	138	0	33	31	31	
2025	6	17	16	15	41	25	-3	1.069	0.5	0.4	0	51.2	46.4	0	151	139	0	32	31	31	
2025	6	17	16	25	41	26.5	-2	1.069	0.4	0.3	0	51.2	45.6	0	151	138	0	32	32	32	
2025	6	17	16	35	41	26.7	-1.9	1.07	0.5	0.4	0	51.6	46.4	0	152	139	0	32	31	32	
2025	6	17	16	45	41	26.6	-1.8	1.07	0.5	0.4	0	51.2	46	0	151	138	0	32	31	31	
2025	6	17	16	55	41	27	-2.2	1.07	0.4	0.3	0	50.7	46.4	0	151	139	0	33	31	33	
2025	6	17	17	5	41	26.5	-2	1.07	0.4	0.3	0	50.7	45.6	0	151	138	0	33	32	32	
2025	6	17	17	15	41	27.9	-2.6	1.07	0.3	0.2	0	51.6	46	0	151	138	0	31	31	31	
2025	6	17	17	25	41	26.3	-2.2	1.071	0.4	0.3	0	51.2	45.6	0	151	138	0	32	32	31	
2025	6	17	17	35	41	27.8	-2.3	1.071	0.3	0.2	0	51.2	45.6	0	151	138	0	32	32	32	
2025	6	17	17	45	41	25.5	-1.9	1.072	0.4	0.3	0	51.2	45.6	0	151	138	0	32	32	32	
2025	6	17	17	55	41	27.4	-1.4	1.073	0.5	0.4	0	51.2	46	0	151	138	0	32	31	31	
2025	6	17	18	5	41	26.4	-2.1	1.073	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	17	18	15	41	27.2	-1.9	1.075	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	17	18	25	41	26.9	-2.4	1.075	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	17	18	35	41	27	-2.4	1.076	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	17	18	45	41	25.9	-1.3	1.076	0.3	0.2	0	51.2	45.2	0	151	137	0	32	32	32	
2025	6	17	18	55	41	27.2	-2.3	1.076	0.4	0.3	0	51.2	46	0	151	137	0	32	30	32	
2025	6	17	19	5	41	27.1	-2.4	1.077	0.3	0.2	0	50.7	45.6	0	150	137	0	32	31	33	
2025	6	17	19	15	41	27.7	-1.4	1.077	0.3	0.2	0	50.7	45.6	0	151	137	0	33	31	32	
2025	6	17	19	25	41	27.5	-2	1.078	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	17	19	35	41	26.1	-2.5	1.078	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	31	
2025	6	17	19	45	41	27.6	-2.1	1.078	0.5	0.4	0	51.2	45.2	0	151	137	0	32	32	32	
2025	6	17	19	55	41	26.5	-2.4	1.078	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	17	20	5	41	27	-2.2	1.079	0.4	0.3	0	51.2	46	0	151	137	0	32	30	32
2025	6	17	20	15	41	27.3	-2	1.079	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	31
2025	6	17	20	25	41	26.7	-2.9	1.079	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	32
2025	6	17	20	35	41	26.6	-3	1.079	0.4	0.3	0	51.6	46	0	152	138	0	32	31	32
2025	6	17	20	45	41	27.1	-2.3	1.079	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	32
2025	6	17	20	55	41	26.7	-1.6	1.08	0.4	0.3	0	51.2	46	0	151	138	0	32	31	32
2025	6	17	21	5	41	27.1	-2.5	1.08	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	17	21	15	41	27.5	-3.4	1.08	0.4	0.3	0	51.2	46	0	151	138	0	32	31	33
2025	6	17	21	25	41	27.1	-2.9	1.08	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	17	21	35	41	27.6	-2.7	1.081	0.3	0.2	0	51.2	46	0	151	138	0	32	31	32
2025	6	17	21	45	41	27.3	-2.8	1.081	0.4	0.3	0	51.6	46	0	151	138	0	31	31	32
2025	6	17	21	55	41	27.4	-2.1	1.082	0.5	0.5	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	17	22	5	41	27.7	-2.9	1.082	0.5	0.5	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	17	22	15	41	27	-1.9	1.084	0.3	0.2	0	51.2	45.6	0	151	137	0	32	31	31
2025	6	17	22	25	41	26.1	-1.9	1.085	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	17	22	35	41	27.9	-2.8	1.086	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	17	22	45	41	27.8	-3.3	1.086	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	32
2025	6	17	22	55	41	27	-1.1	1.087	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	17	23	5	41	28.3	-2.5	1.087	0.4	0.3	0	51.6	46	0	151	137	0	31	30	32
2025	6	17	23	15	41	28.3	-1.5	1.088	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32
2025	6	17	23	25	41	27.6	-3.2	1.088	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	17	23	35	41	26	-2.7	1.088	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	17	23	45	41	27.4	-2.4	1.088	0.5	0.4	0	50.7	45.2	0	150	137	0	32	32	32
2025	6	17	23	55	41	25.7	-2.3	1.089	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	18	0	5	41	26.6	-2.9	1.089	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	33
2025	6	18	0	15	41	28.1	-2.3	1.089	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	18	0	25	41	27.8	-2.5	1.089	0.4	0.3	0	50.7	45.2	0	150	137	0	32	32	32
2025	6	18	0	35	41	27.6	-2.2	1.09	0.3	0.2	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	18	0	45	41	28.2	-2.4	1.09	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	18	0	55	41	27.9	-2.8	1.09	0.3	0.2	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	18	1	5	41	28.9	-2.2	1.09	0.4	0.3	0	50.7	45.2	0	150	137	0	32	32	32
2025	6	18	1	15	41	26.4	-2	1.091	0.3	0.2	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	18	1	25	41	28.1	-2.7	1.091	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	18	1	35	41	27.3	-3.3	1.091	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	18	1	45	41	27.4	-2.8	1.092	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	18	1	55	41	27.4	-2.8	1.092	0.5	0.4	0	50.7	45.2	0	150	137	0	32	32	31
2025	6	18	2	5	41	27.2	-1.8	1.092	0.3	0.2	0	51.2	45.6	0	151	137	0	32	31	33
2025	6	18	2	15	41	28.9	-2	1.093	0.3	0.2	0	51.2	45.6	0	151	137	0	32	31	32
2025	6	18	2	25	41	27.3	-3	1.094	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	18	2	35	41	26.4	-2.6	1.096	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	33
2025	6	18	2	45	41	27.8	-3.3	1.097	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	18	2	55	41	27.4	-2.8	1.098	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	18	3	5	41	28.7	-3.2	1.098	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	18	3	15	41	27	-2.8	1.098	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	18	3	25	41	28	-2.6	1.099	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	18	3	35	41	27	-3	1.099	0.5	0.4	0	50.7	45.2	0	150	137	0	32	32	32
2025	6	18	3	45	41	27.2	-2.3	1.1	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	31
2025	6	18	3	55	41	28.7	-2.9	1.1	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	18	4	5	41	26	-2.2	1.1	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	18	4	15	41	27.5	-1.6	1.1	0.5	0.4	0	51.2	45.2	0	151	137	0	32	32	33	
2025	6	18	4	25	41	26.5	-2.1	1.101	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	18	4	35	41	27.5	-1.7	1.101	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32	
2025	6	18	4	45	41	28.3	-2.1	1.101	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	18	4	55	41	28.4	-2.6	1.101	0.4	0.3	0	50.7	44.7	0	150	136	0	32	32	32	
2025	6	18	5	5	41	26.5	-2.6	1.101	0.3	0.2	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	18	5	15	41	27.6	-2.4	1.102	0.4	0.3	0	50.3	44.7	0	150	137	0	33	33	33	
2025	6	18	5	25	41	28.8	-1.4	1.102	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	18	5	35	41	28.4	-1.3	1.102	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31	
2025	6	18	5	45	41	27.1	-2.4	1.102	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	33	
2025	6	18	5	55	41	27.9	-2.9	1.103	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32	
2025	6	18	6	5	41	27.9	-3.1	1.103	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	18	6	15	41	28.8	-2	1.103	0.4	0.3	0	50.3	45.6	0	149	136	0	32	30	32	
2025	6	18	6	25	41	27.3	-3.2	1.103	0.6	0.5	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	18	6	35	41	27	-2.4	1.104	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	18	6	45	41	28.1	-3	1.104	0.5	0.5	0	50.7	45.2	0	150	136	0	32	31	31	
2025	6	18	6	55	41	28.5	-2.9	1.104	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	33	
2025	6	18	7	5	41	27.3	-0.9	1.105	0.3	0.2	0	49.9	44.7	0	149	136	0	33	32	32	
2025	6	18	7	15	41	27.9	-1.6	1.105	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	31	
2025	6	18	7	25	41	28.4	-1.3	1.105	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	31	
2025	6	18	7	35	41	28.8	-2.9	1.107	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32	
2025	6	18	7	45	41	28.1	-2.2	1.108	0.5	0.4	0	50.3	45.6	0	149	136	0	32	30	32	
2025	6	18	7	55	41	29.1	-1.5	1.109	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	18	8	5	41	28.1	-2.5	1.11	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	33	
2025	6	18	8	15	41	27.4	-2.8	1.11	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	18	8	25	41	27.4	-3.9	1.111	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	33	
2025	6	18	8	35	41	28.4	-1.6	1.111	0.4	0.3	0	50.7	45.2	0	150	137	0	32	32	32	
2025	6	18	8	45	41	25.7	-1.8	1.111	0.4	0.3	0	50.7	46	0	151	138	0	33	31	33	
2025	6	18	8	55	41	28.5	-3.2	1.112	0.4	0.3	0	49.9	45.2	0	149	137	0	33	32	32	
2025	6	18	9	5	41	28.5	-1.8	1.112	0.3	0.2	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	18	9	15	41	28.3	-2.2	1.112	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32	
2025	6	18	9	25	41	27.9	-2.1	1.112	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	31	
2025	6	18	9	35	41	28.3	-2.5	1.113	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	33	
2025	6	18	9	45	41	28.9	-1.8	1.113	0.4	0.3	0	50.3	45.2	0	149	137	0	32	32	32	
2025	6	18	9	55	41	27.9	-2.3	1.113	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32	
2025	6	18	10	5	41	28.5	-3.3	1.114	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	18	10	15	41	28.5	-2.5	1.114	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	18	10	25	41	28.4	-1.9	1.114	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32	
2025	6	18	10	35	41	28	-2.3	1.114	0.4	0.3	0	50.7	46	0	150	138	0	32	31	32	
2025	6	18	10	45	41	26.7	-2.9	1.114	0.4	0.3	0	50.3	46	0	150	138	0	33	31	32	
2025	6	18	10	55	41	28.4	-2.3	1.114	0.4	0.3	0	50.3	46	0	150	138	0	33	31	32	
2025	6	18	11	5	41	28.1	-2	1.115	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32	
2025	6	18	11	15	41	28.1	-3.4	1.115	0.3	0.2	0	49.9	45.6	0	149	137	0	33	31	31	
2025	6	18	11	25	41	27.3	-1.7	1.115	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	18	11	35	41	29.7	-2.6	1.115	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	18	11	45	41	28.6	-3.3	1.115	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	31	
2025	6	18	11	55	41	28	-2.5	1.115	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	18	12	5	41	28.6	-2.6	1.116	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	18	12	15	41	28.7	-2.5	1.116	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	18	12	25	41	27.3	-2.6	1.116	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	18	12	35	41	27.6	-2.3	1.116	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	18	12	45	41	28.4	-2.4	1.116	0.4	0.3	0	49.9	45.6	0	148	136	0	32	30	31
2025	6	18	12	55	41	27.5	-2.5	1.116	0.3	0.2	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	18	13	5	41	27.3	-2.4	1.116	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	18	13	15	41	27.5	-2.5	1.117	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	32
2025	6	18	13	25	41	28.7	-2.9	1.116	0.3	0.2	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	18	13	35	41	27.4	-2.8	1.117	0.3	0.2	0	49.9	44.7	0	148	135	0	32	31	31
2025	6	18	13	45	41	27.8	-3.1	1.117	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	18	13	55	41	28.3	-1.6	1.117	0.5	0.4	0	49.9	45.2	0	148	135	0	32	30	32
2025	6	18	14	5	41	29.1	-3.1	1.117	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	18	14	15	41	28.8	-2.7	1.117	0.4	0.3	0	49.9	45.6	0	148	136	0	32	30	32
2025	6	18	14	25	41	27.2	-3.2	1.117	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	18	14	35	41	27.6	-4.1	1.118	0.5	0.4	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	18	14	45	41	28.9	-2.8	1.118	0.4	0.3	0	50.3	45.6	0	148	136	0	31	30	32
2025	6	18	14	55	41	27.9	-3.1	1.118	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	18	15	5	41	27.8	-2	1.118	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	18	15	15	41	28.7	-2.4	1.118	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	18	15	25	41	28.8	-2	1.118	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	18	15	35	41	28.6	-3.1	1.118	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	18	15	45	41	28.3	-2.7	1.119	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	31
2025	6	18	15	55	41	27.9	-2.1	1.119	0.4	0.3	0	50.3	44.7	0	149	136	0	32	32	32
2025	6	18	16	5	41	28.1	-2.3	1.119	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	18	16	15	41	27.6	-1.9	1.119	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	18	16	25	41	27.9	-1.8	1.119	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	18	16	35	41	28.4	-1.6	1.12	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	18	16	45	41	27.9	-1.9	1.121	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	18	16	55	41	28.8	-2.7	1.121	0.5	0.4	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	18	17	5	41	28.3	-2.4	1.122	0.3	0.2	0	49.9	45.2	0	149	136	0	33	31	31
2025	6	18	17	15	41	28	-2.9	1.123	0.3	0.2	0	49.9	45.2	0	149	136	0	33	31	31
2025	6	18	17	25	41	28.7	-1.8	1.123	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	18	17	35	41	28.1	-2.6	1.123	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	31
2025	6	18	17	45	41	28.9	-2.6	1.124	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32
2025	6	18	17	55	41	28.6	-2.8	1.125	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	31
2025	6	18	18	5	41	29	-3.5	1.126	0.5	0.4	0	50.3	44.3	0	149	135	0	32	32	32
2025	6	18	18	15	41	26.6	-2.4	1.126	0.3	0.2	0	50.3	44.7	0	149	135	0	32	31	31
2025	6	18	18	25	41	29.1	-3.9	1.127	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	31
2025	6	18	18	35	41	28.1	-2.8	1.127	0.4	0.3	0	49.9	44.3	0	148	135	0	32	32	32
2025	6	18	18	45	41	29.4	-3.3	1.128	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	31
2025	6	18	18	55	41	29.6	-2.3	1.128	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32
2025	6	18	19	5	41	29.1	-2.5	1.129	0.3	0.2	0	50.7	44.7	0	149	135	0	31	31	32
2025	6	18	19	15	41	29	-2.9	1.13	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	31
2025	6	18	19	25	41	28.9	-3.4	1.131	0.3	0.2	0	49.5	44.3	0	148	134	0	33	31	31
2025	6	18	19	35	41	28.1	-3.3	1.133	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	32
2025	6	18	19	45	41	29	-2.2	1.134	0.3	0.2	0	49.9	44.3	0	148	135	0	32	32	32
2025	6	18	19	55	41	27.8	-1.5	1.136	0.4	0.3	0	49.9	43.9	0	148	134	0	32	32	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	18	20	5	41	29.1	-2.7	1.136	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	18	20	15	41	28.6	-2.4	1.137	0.3	0.2	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	18	20	25	41	28.1	-2.5	1.137	0.4	0.3	0	49.9	45.2	0	148	135	0	32	30	31	
2025	6	18	20	35	41	28.9	-2.4	1.137	0.4	0.3	0	49.9	44.3	0	149	134	0	33	31	32	
2025	6	18	20	45	41	29.9	-3.3	1.138	0.3	0.2	0	49.9	44.7	0	149	135	0	33	31	32	
2025	6	18	20	55	41	29	-2.3	1.139	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	18	21	5	41	28.6	-2.2	1.14	0.4	0.3	0	50.7	44.7	0	150	136	0	32	32	32	
2025	6	18	21	15	41	29.2	-1.8	1.14	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	31	
2025	6	18	21	25	41	28.1	-2	1.141	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	18	21	35	41	29	-1.4	1.142	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	18	21	45	41	29.6	-3	1.144	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	32	
2025	6	18	21	55	41	29.5	-2	1.145	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	33	
2025	6	18	22	5	41	29.1	-2.9	1.146	0.4	0.3	0	49.5	43.9	0	147	134	0	32	32	32	
2025	6	18	22	15	41	29.2	-1.6	1.147	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	18	22	25	41	29.9	-3.2	1.148	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32	
2025	6	18	22	35	41	29.3	-2.7	1.149	0.5	0.4	0	49.5	43.9	0	147	133	0	32	31	32	
2025	6	18	22	45	41	29.7	-2.8	1.149	0.4	0.3	0	49.9	44.3	0	148	134	0	32	31	32	
2025	6	18	22	55	41	28.8	-2.7	1.15	0.3	0.2	0	49.5	44.3	0	147	133	0	32	30	32	
2025	6	18	23	5	41	29.7	-3.1	1.15	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	18	23	15	41	30.6	-2.3	1.151	0.3	0.2	0	49.5	43.9	0	147	133	0	32	31	32	
2025	6	18	23	25	41	30.4	-2.6	1.151	0.3	0.2	0	49.5	43.9	0	147	133	0	32	31	31	
2025	6	18	23	35	41	29.8	-2.5	1.152	0.3	0.2	0	49.9	43.9	0	147	133	0	31	31	31	
2025	6	18	23	45	41	29.6	-2.7	1.153	0.4	0.3	0	49	44.3	0	147	134	0	33	31	32	
2025	6	18	23	55	41	29.3	-2.2	1.154	0.3	0.2	0	49	43.9	0	147	134	0	33	32	32	
2025	6	19	0	5	41	28.6	-2.5	1.156	0.4	0.3	0	49	44.3	0	147	134	0	33	31	31	
2025	6	19	0	15	41	30	-2.6	1.158	0.4	0.3	0	49	43.9	0	146	133	0	32	31	31	
2025	6	19	0	25	41	29.5	-2.5	1.159	0.5	0.4	0	48.6	44.3	0	146	133	0	33	30	32	
2025	6	19	0	35	41	30.6	-1.8	1.16	0.5	0.4	0	49.5	43.9	0	147	133	0	32	31	32	
2025	6	19	0	45	41	30	-2	1.161	0.4	0.3	0	49	43.9	0	146	133	0	32	31	32	
2025	6	19	0	55	41	29.9	-2.3	1.161	0.5	0.4	0	49	43.9	0	147	133	0	33	31	32	
2025	6	19	1	5	41	29.7	-2.3	1.161	0.4	0.3	0	49.5	43.9	0	147	133	0	32	31	32	
2025	6	19	1	15	41	28.9	-2.1	1.162	0.4	0.3	0	49	43.9	0	147	133	0	33	31	32	
2025	6	19	1	25	41	29.2	-1.4	1.162	0.4	0.3	0	49	43.9	0	146	133	0	32	31	32	
2025	6	19	1	35	41	30.4	-2.8	1.163	0.5	0.4	0	48.6	44.3	0	146	133	0	33	30	32	
2025	6	19	1	45	41	29.3	-3.2	1.163	0.3	0.2	0	49	43.9	0	146	133	0	32	31	32	
2025	6	19	1	55	41	29.5	-2.1	1.164	0.5	0.4	0	49	43.9	0	146	133	0	32	31	32	
2025	6	19	2	5	41	30	-3.1	1.164	0.6	0.5	0	48.2	43.4	0	145	132	0	33	31	31	
2025	6	19	2	15	41	29.5	-2.3	1.165	0.4	0.3	0	49	43.9	0	146	133	0	32	31	31	
2025	6	19	2	25	41	30	-1.6	1.166	0.5	0.4	0	49	43.4	0	146	132	0	32	31	31	
2025	6	19	2	35	41	31.2	-1.9	1.168	0.4	0.3	0	49	43.9	0	146	133	0	32	31	31	
2025	6	19	2	45	41	31.2	-2.3	1.17	0.3	0.2	0	49	43.4	0	146	132	0	32	31	31	
2025	6	19	2	55	41	31.3	-3.4	1.171	0.3	0.2	0	49	43.9	0	146	133	0	32	31	31	
2025	6	19	3	5	41	29	-2.9	1.171	0.3	0.2	0	49	43.4	0	146	132	0	32	31	32	
2025	6	19	3	15	41	29.4	-3	1.172	0.3	0.2	0	49	43.9	0	146	133	0	32	31	32	
2025	6	19	3	25	41	29.1	-2.5	1.173	0.3	0.2	0	49	43	0	146	132	0	32	32	32	
2025	6	19	3	35	41	30.8	-1.8	1.173	0.4	0.3	0	49	43.9	0	146	133	0	32	31	31	
2025	6	19	3	45	41	30.4	-1.9	1.173	0.4	0.3	0	48.6	43.9	0	146	133	0	33	31	32	
2025	6	19	3	55	41	30.9	-1.5	1.174	0.4	0.3	0	49	43.9	0	146	133	0	32	31	31	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	19	4	5	41	29.9	-2.2	1.174	0.4	0.3	0	49	43.9	0	146	133	0	32	31	32
2025	6	19	4	15	41	29.9	-2.5	1.174	0.3	0.2	0	49	43.4	0	146	133	0	32	32	31
2025	6	19	4	25	41	30.2	-3.4	1.175	0.3	0.2	0	48.6	43.4	0	146	132	0	33	31	32
2025	6	19	4	35	41	30.4	-2.6	1.175	0.4	0.3	0	49	43.4	0	146	132	0	32	31	32
2025	6	19	4	45	41	29.5	-2.6	1.176	0.3	0.2	0	49	43.9	0	146	133	0	32	31	31
2025	6	19	4	55	41	29.5	-1.6	1.176	0.4	0.3	0	49	43.4	0	146	132	0	32	31	32
2025	6	19	5	5	41	31	-2.1	1.177	0.4	0.3	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	5	15	41	30.8	-2.7	1.179	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	5	25	41	30.7	-2.7	1.181	0.3	0.2	0	48.6	43	0	145	131	0	32	31	32
2025	6	19	5	35	41	30.5	-3.6	1.182	0.3	0.2	0	48.6	43	0	145	132	0	32	32	32
2025	6	19	5	45	41	29.1	-1.2	1.183	0.4	0.3	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	5	55	41	30.3	-3.4	1.183	0.4	0.3	0	48.6	43	0	145	132	0	32	32	32
2025	6	19	6	5	41	31.7	-3.1	1.184	0.4	0.3	0	48.2	43	0	145	131	0	33	31	32
2025	6	19	6	15	41	30.2	-2.8	1.184	0.5	0.4	0	48.6	43	0	145	131	0	32	31	31
2025	6	19	6	25	41	30.4	-1.8	1.185	0.4	0.3	0	48.6	43.4	0	145	132	0	32	31	33
2025	6	19	6	35	41	29.9	-2.3	1.185	0.3	0.2	0	48.6	43	0	145	131	0	32	31	32
2025	6	19	6	45	41	30.9	-1.8	1.185	0.3	0.2	0	48.6	43	0	145	131	0	32	31	32
2025	6	19	6	55	41	29.9	-1.4	1.185	0.3	0.2	0	48.6	43	0	145	132	0	32	32	31
2025	6	19	7	5	41	30.6	-2.5	1.186	0.4	0.3	0	48.6	43	0	145	131	0	32	31	32
2025	6	19	7	15	41	30.3	-3.3	1.186	0.5	0.4	0	48.2	43	0	145	131	0	33	31	33
2025	6	19	7	25	41	30.6	-2.8	1.187	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	7	35	41	29.2	-1.6	1.187	0.3	0.2	0	48.2	43.4	0	145	132	0	33	31	31
2025	6	19	7	45	41	31.2	-2.7	1.188	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	7	55	41	30.8	-2.9	1.188	0.3	0.2	0	48.2	43	0	145	132	0	33	32	32
2025	6	19	8	5	41	30.9	-3.8	1.19	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	8	15	41	31.5	-2.9	1.192	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	31
2025	6	19	8	25	41	30.1	-2.8	1.193	0.4	0.3	0	48.2	43.4	0	145	132	0	33	31	32
2025	6	19	8	35	41	31.3	-2.9	1.194	0.5	0.5	0	48.6	43	0	145	131	0	32	31	32
2025	6	19	8	45	41	30.8	-2.1	1.194	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	31
2025	6	19	8	55	41	31	-1.9	1.195	0.4	0.3	0	48.2	43	0	145	132	0	33	32	32
2025	6	19	9	5	41	30.8	-2.1	1.195	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	9	15	41	30.8	-3	1.196	0.5	0.4	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	9	25	41	32.2	-2.6	1.196	0.4	0.3	0	48.2	43.4	0	145	132	0	33	31	31
2025	6	19	9	35	41	31.2	-3.7	1.197	0.4	0.3	0	47.7	43	0	144	132	0	33	32	32
2025	6	19	9	45	41	31.6	-2.5	1.197	0.3	0.2	0	47.7	43	0	144	132	0	33	32	32
2025	6	19	9	55	41	30.1	-2.7	1.197	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	19	10	5	41	31.1	-3.2	1.198	0.3	0.2	0	47.7	43	0	144	131	0	33	31	32
2025	6	19	10	15	41	30.9	-1	1.198	0.5	0.5	0	48.2	42.6	0	144	131	0	32	32	32
2025	6	19	10	25	41	31.7	-3.2	1.199	0.4	0.3	0	47.7	43	0	144	131	0	33	31	31
2025	6	19	10	35	41	30.8	-3	1.199	0.3	0.2	0	47.7	43	0	144	131	0	33	31	32
2025	6	19	10	45	41	30.7	-2.7	1.2	0.4	0.3	0	47.7	43	0	144	131	0	33	31	32
2025	6	19	10	55	41	31	-4.6	1.2	0.4	0.3	0	47.7	43.4	0	144	132	0	33	31	32
2025	6	19	11	5	41	31	-2.6	1.201	0.3	0.2	0	48.2	43	0	144	132	0	32	32	32
2025	6	19	11	15	41	30.9	-2.3	1.202	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	19	11	25	41	30.4	-2.4	1.203	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	19	11	35	41	30.1	-3.5	1.204	0.4	0.3	0	48.2	42.6	0	144	131	0	32	32	32
2025	6	19	11	45	41	30.6	-2.3	1.205	0.3	0.2	0	47.7	43	0	144	131	0	33	31	32
2025	6	19	11	55	41	30.6	-3	1.206	0.4	0.3	0	47.7	43.4	0	144	132	0	33	31	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	19	12	5	41	30.4	-1.9	1.207	0.3	0.2	0	48.2	43	0	144	131	0	32	31	32
2025	6	19	12	15	41	31	-2.7	1.207	0.4	0.3	0	48.2	43	0	144	131	0	32	31	33
2025	6	19	12	25	41	30	-2.8	1.208	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	31
2025	6	19	12	35	41	31.4	-2	1.208	0.3	0.2	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	19	12	45	41	30.2	-2.1	1.209	0.3	0.2	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	19	12	55	41	30.7	-1.9	1.209	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32
2025	6	19	13	5	41	30.9	-1.8	1.209	0.3	0.2	0	48.2	43	0	144	132	0	32	32	32
2025	6	19	13	15	41	31.2	-2.3	1.21	0.4	0.3	0	47.7	43.4	0	144	132	0	33	31	31
2025	6	19	13	25	41	30.1	-2.3	1.21	0.3	0.2	0	48.2	43	0	144	131	0	32	31	32
2025	6	19	13	35	41	31.3	-2.3	1.211	0.3	0.2	0	47.7	43	0	144	131	0	33	31	32
2025	6	19	13	45	41	30.6	-2.4	1.212	0.4	0.3	0	48.2	43	0	144	131	0	32	31	32
2025	6	19	13	55	41	30.9	-2.3	1.212	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	31
2025	6	19	14	5	41	31.2	-2.4	1.212	0.4	0.3	0	47.7	43.4	0	144	132	0	33	31	32
2025	6	19	14	15	41	30.3	-2.7	1.213	0.3	0.2	0	47.7	43	0	144	132	0	33	32	32
2025	6	19	14	25	41	30.6	-3.2	1.213	0.3	0.2	0	47.7	43	0	144	132	0	33	32	32
2025	6	19	14	35	41	31.1	-1.9	1.214	0.3	0.2	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	19	14	45	41	30.9	-1.3	1.214	0.3	0.2	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	19	14	55	41	30.1	-1.9	1.216	0.4	0.3	0	47.7	43	0	144	131	0	33	31	32
2025	6	19	15	5	41	30.6	-2.6	1.215	0.3	0.2	0	47.7	43	0	143	131	0	32	31	32
2025	6	19	15	15	41	31	-2	1.216	0.3	0.2	0	47.7	43	0	144	131	0	33	31	32
2025	6	19	15	25	41	32.4	-2.1	1.216	0.3	0.2	0	47.7	43.4	0	144	132	0	33	31	32
2025	6	19	15	35	41	30.9	-2.7	1.218	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	19	15	45	41	30.6	-2.3	1.219	0.4	0.3	0	47.7	43	0	143	131	0	32	31	32
2025	6	19	15	55	41	30.5	-1.9	1.22	0.4	0.3	0	47.3	43	0	143	131	0	33	31	33
2025	6	19	16	5	41	31.8	-2.5	1.221	0.3	0.2	0	47.7	43	0	143	131	0	32	31	32
2025	6	19	16	15	41	31.2	-2.6	1.22	0.3	0.2	0	47.3	42.1	0	142	130	0	32	32	31
2025	6	19	16	25	41	32	-1.7	1.222	0.3	0.2	0	47.3	42.6	0	142	130	0	32	31	32
2025	6	19	16	35	41	31.1	-1.9	1.222	0.5	0.4	0	47.3	42.6	0	142	130	0	32	31	32
2025	6	19	16	45	41	30.1	-3.3	1.223	0.4	0.3	0	47.3	42.6	0	142	130	0	32	31	32
2025	6	19	16	55	41	30.6	-2.5	1.223	0.4	0.3	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	19	17	5	41	32	-2.7	1.224	0.3	0.2	0	46.9	42.1	0	141	129	0	32	31	31
2025	6	19	17	15	41	31.1	-2.3	1.224	0.4	0.3	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	19	17	25	41	31.7	-3.2	1.224	0.4	0.3	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	19	17	35	41	31	-3.4	1.225	0.3	0.2	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	19	17	45	41	31.4	-1.6	1.225	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	19	17	55	41	30.6	-2.1	1.227	0.3	0.2	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	19	18	5	41	31.5	-2.3	1.227	0.3	0.2	0	46.4	42.1	0	141	129	0	33	31	32
2025	6	19	18	15	41	30.5	-2.8	1.228	0.4	0.3	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	19	18	25	41	30.7	-1.3	1.228	0.3	0.2	0	46.9	42.1	0	141	129	0	32	31	31
2025	6	19	18	35	41	31.1	-2	1.23	0.3	0.2	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	19	18	45	41	31.4	-2.7	1.231	0.4	0.3	0	46.9	42.6	0	142	130	0	33	31	31
2025	6	19	18	55	41	31.5	-3.1	1.23	0.3	0.2	0	47.3	42.6	0	142	130	0	32	31	32
2025	6	19	19	5	41	31.7	-2.4	1.231	0.4	0.3	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	19	19	15	41	30.8	-2.3	1.232	0.4	0.3	0	46.9	42.6	0	141	129	0	32	30	32
2025	6	19	19	25	41	31	-2.2	1.233	0.3	0.2	0	46.4	42.1	0	141	129	0	33	31	32
2025	6	19	19	35	41	31.8	-3	1.234	0.3	0.2	0	46.9	41.7	0	141	128	0	32	31	31
2025	6	19	19	45	41	30.8	-3.8	1.233	0.5	0.4	0	46.4	42.1	0	140	128	0	32	30	32
2025	6	19	19	55	41	32.1	-3	1.234	0.3	0.2	0	46.4	41.3	0	140	128	0	32	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	19	20	5	41	32.2	-3.2	1.234	0.3	0.2	0	46	41.3	0	140	127	0	33	31	31
2025	6	19	20	15	41	31.4	-3.5	1.235	0.3	0.2	0	46	40.9	0	140	127	0	33	32	31
2025	6	19	20	25	41	32.5	-3.4	1.235	0.4	0.3	0	46	41.3	0	140	127	0	33	31	32
2025	6	19	20	35	41	31	-3.1	1.236	0.5	0.4	0	46.4	41.7	0	140	128	0	32	31	32
2025	6	19	20	45	41	32.6	-2.7	1.236	0.4	0.3	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	19	20	55	41	32	-2.3	1.237	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	31
2025	6	19	21	5	41	30.9	-2.3	1.239	0.3	0.2	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	19	21	15	41	31	-2.5	1.241	0.4	0.3	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	19	21	25	41	33.2	-2.6	1.241	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	19	21	35	41	32.3	-2.3	1.242	0.4	0.3	0	46.4	41.7	0	140	128	0	32	31	32
2025	6	19	21	45	41	30.9	-3	1.242	0.3	0.2	0	46.4	42.1	0	141	129	0	33	31	32
2025	6	19	21	55	41	31.9	-2.3	1.242	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	19	22	5	41	31.7	-1.6	1.243	0.3	0.2	0	46	41.7	0	141	128	0	34	31	32
2025	6	19	22	15	41	32.8	-1.6	1.244	0.3	0.2	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	19	22	25	41	30.5	-1.3	1.244	0.3	0.2	0	46.9	41.7	0	141	128	0	32	31	31
2025	6	19	22	35	41	32.5	-2.1	1.244	0.4	0.3	0	46.4	41.7	0	140	128	0	32	31	31
2025	6	19	22	45	41	31.9	-1.1	1.244	0.3	0.2	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	19	22	55	41	31.6	-2.8	1.244	0.3	0.2	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	19	23	5	41	31.6	-2.2	1.245	0.5	0.4	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	19	23	15	41	30.9	-2.5	1.245	0.3	0.2	0	46.9	41.3	0	141	128	0	32	32	32
2025	6	19	23	25	41	31.2	-1.8	1.245	0.3	0.2	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	19	23	35	41	32.3	-2.2	1.245	0.4	0.3	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	19	23	45	41	33.1	-1.8	1.245	0.5	0.4	0	46.4	41.7	0	141	128	0	33	31	31
2025	6	19	23	55	41	32.1	-2.5	1.246	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	20	0	5	41	31.6	-1.4	1.246	0.3	0.2	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	20	0	15	41	33.4	-2.8	1.246	0.3	0.2	0	46.4	41.7	0	140	128	0	32	31	32
2025	6	20	0	25	41	31.2	-2.4	1.246	0.3	0.2	0	46.4	41.7	0	140	128	0	32	31	32
2025	6	20	0	35	41	30.8	-2.6	1.247	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	31
2025	6	20	0	45	41	31.8	-2.5	1.247	0.3	0.2	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	20	0	55	41	31.9	-2.2	1.247	0.5	0.4	0	46.4	41.3	0	140	127	0	32	31	31
2025	6	20	1	5	41	32.5	-1.6	1.247	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	20	1	15	41	31.8	-2.2	1.247	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	32
2025	6	20	1	25	41	32.6	-2.2	1.248	0.3	0.2	0	46	41.3	0	140	127	0	33	31	31
2025	6	20	1	35	41	31.9	-2.7	1.248	0.3	0.2	0	46.4	41.7	0	140	128	0	32	31	32
2025	6	20	1	45	41	32	-1.6	1.249	0.4	0.3	0	46	40.9	0	140	127	0	33	32	32
2025	6	20	1	55	41	32.7	-2.7	1.249	0.3	0.2	0	46	41.3	0	140	127	0	33	31	32
2025	6	20	2	5	41	32.5	-1.4	1.25	0.3	0.2	0	46.4	41.3	0	140	127	0	32	31	31
2025	6	20	2	15	41	31.4	-0.7	1.251	0.4	0.3	0	46.4	41.7	0	140	128	0	32	31	31
2025	6	20	2	25	41	31.8	-1.6	1.252	0.3	0.2	0	45.6	41.3	0	139	127	0	33	31	32
2025	6	20	2	35	41	31.2	-2.1	1.253	0.3	0.2	0	46.4	41.3	0	140	127	0	32	31	31
2025	6	20	2	45	41	31.8	-2.5	1.254	0.5	0.4	0	46.4	41.3	0	140	127	0	32	31	32
2025	6	20	2	55	41	30.9	-1.9	1.254	0.4	0.3	0	46	41.3	0	140	127	0	33	31	32
2025	6	20	3	5	41	31.8	-2.6	1.254	0.3	0.2	0	46.4	41.7	0	140	128	0	32	31	32
2025	6	20	3	15	41	31.2	-2.3	1.255	0.4	0.3	0	46	41.7	0	140	128	0	33	31	31
2025	6	20	3	25	41	31.3	-1.7	1.255	0.4	0.3	0	45.6	41.3	0	139	127	0	33	31	32
2025	6	20	3	35	41	31.7	-2.3	1.256	0.3	0.2	0	46	40.9	0	139	127	0	32	32	31
2025	6	20	3	45	41	32.6	-1.5	1.256	0.3	0.2	0	46	41.3	0	139	127	0	32	31	32
2025	6	20	3	55	41	32.2	-2.9	1.256	0.3	0.2	0	45.6	40.9	0	139	126	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	20	4	5	41	33.2	-1.9	1.256	0.4	0.3	0	46	41.3	0	139	127	0	32	31	32
2025	6	20	4	15	41	31.8	-1.7	1.256	0.3	0.2	0	46	41.3	0	139	127	0	32	31	32
2025	6	20	4	25	41	33.6	-2.3	1.257	0.3	0.2	0	45.6	40.9	0	138	126	0	32	31	32
2025	6	20	4	35	41	32.6	-3.1	1.257	0.3	0.2	0	45.6	40.9	0	139	126	0	33	31	31
2025	6	20	4	45	41	33.2	-2.7	1.257	0.4	0.3	0	46.4	41.3	0	139	127	0	31	31	32
2025	6	20	4	55	41	32.9	-3	1.257	0.3	0.2	0	45.6	41.3	0	139	127	0	33	31	32
2025	6	20	5	5	41	32.6	-2.2	1.257	0.3	0.2	0	45.6	40.9	0	138	126	0	32	31	32
2025	6	20	5	15	41	31.6	-2.5	1.258	0.3	0.2	0	46	41.3	0	139	127	0	32	31	32
2025	6	20	5	25	41	32.3	-2.1	1.258	0.3	0.2	0	46	40.9	0	139	126	0	32	31	32
2025	6	20	5	35	41	32.9	-1.7	1.258	0.3	0.2	0	46.4	40.9	0	139	126	0	31	31	32
2025	6	20	5	45	41	32.8	-2.6	1.259	0.3	0.2	0	46	40.9	0	139	126	0	32	31	32
2025	6	20	5	55	41	32	-2.4	1.259	0.3	0.2	0	45.6	40.4	0	138	126	0	32	32	32
2025	6	20	6	5	41	32	-2.6	1.259	0.4	0.3	0	45.6	40.4	0	138	126	0	32	32	32
2025	6	20	6	15	41	32.2	-2	1.26	0.3	0.2	0	45.2	40.9	0	138	126	0	33	31	32
2025	6	20	6	25	41	33	-2.7	1.26	0.3	0.2	0	45.6	40.4	0	138	125	0	32	31	32
2025	6	20	6	35	41	32.9	-2.2	1.261	0.4	0.3	0	45.6	40.9	0	138	126	0	32	31	33
2025	6	20	6	45	41	32.5	-3.6	1.263	0.4	0.3	0	45.2	40.4	0	138	125	0	33	31	32
2025	6	20	6	55	41	33.1	-2.7	1.264	0.4	0.3	0	45.6	40.4	0	138	125	0	32	31	32
2025	6	20	7	5	41	33.3	-3.2	1.265	0.5	0.4	0	45.6	40.4	0	138	125	0	32	31	31
2025	6	20	7	15	41	33.3	-2.4	1.265	0.3	0.2	0	45.6	40.4	0	138	125	0	32	31	32
2025	6	20	7	25	41	33.6	-3.9	1.266	0.3	0.2	0	45.6	40.4	0	138	125	0	32	31	32
2025	6	20	7	35	41	31.6	-2.8	1.266	0.3	0.2	0	45.2	40.4	0	138	125	0	33	31	32
2025	6	20	7	45	41	31.5	-1.8	1.266	0.4	0.3	0	45.6	40.9	0	138	126	0	32	31	32
2025	6	20	7	55	41	32.2	-3.3	1.267	0.4	0.3	0	45.6	40.9	0	138	126	0	32	31	32
2025	6	20	8	5	41	32.2	-2.7	1.267	0.3	0.2	0	45.6	40.9	0	138	126	0	32	31	32
2025	6	20	8	15	41	31.9	-3.3	1.268	0.3	0.2	0	45.6	40.9	0	138	126	0	32	31	33
2025	6	20	8	25	41	32.6	-2.6	1.268	0.3	0.2	0	45.2	40.4	0	137	125	0	32	31	32
2025	6	20	8	35	41	32.6	-3.6	1.268	0.3	0.2	0	45.2	40.9	0	137	126	0	32	31	32
2025	6	20	8	45	41	32.6	-4.1	1.268	0.3	0.2	0	45.2	40.4	0	137	125	0	32	31	32
2025	6	20	8	55	41	33.3	-2.7	1.268	0.3	0.2	0	44.7	40.4	0	137	126	0	33	32	32
2025	6	20	9	5	41	32.3	-3.6	1.269	0.4	0.3	0	45.2	40.4	0	137	125	0	32	31	32
2025	6	20	9	15	41	32.2	-2.7	1.269	0.5	0.4	0	44.7	40.4	0	137	125	0	33	31	32
2025	6	20	9	25	41	31.9	-2.7	1.269	0.3	0.2	0	45.2	40	0	137	125	0	32	32	31
2025	6	20	9	35	41	31.6	-2.8	1.269	0.3	0.2	0	45.6	40.9	0	138	126	0	32	31	32
2025	6	20	9	45	41	33.1	-3.4	1.27	0.3	0.2	0	45.2	40.4	0	137	125	0	32	31	32
2025	6	20	9	55	41	32.6	-3.5	1.27	0.3	0.2	0	45.2	40.4	0	137	125	0	32	31	32
2025	6	20	10	5	41	31.9	-3.7	1.271	0.3	0.2	0	44.7	40.4	0	137	125	0	33	31	32
2025	6	20	10	15	41	32.4	-2.5	1.271	0.3	0.2	0	45.2	40	0	137	125	0	32	32	32
2025	6	20	10	25	41	32.7	-2.7	1.271	0.3	0.2	0	45.2	40.4	0	137	125	0	32	31	31
2025	6	20	10	35	41	32.2	-3.2	1.272	0.3	0.2	0	44.7	40.4	0	137	125	0	33	31	32
2025	6	20	10	45	41	32.7	-2.9	1.272	0.4	0.3	0	44.7	40	0	136	125	0	32	32	32
2025	6	20	10	55	41	33.1	-2.2	1.274	0.3	0.2	0	44.7	40.4	0	137	125	0	33	31	31
2025	6	20	11	5	41	32	-3.2	1.275	0.3	0.2	0	44.7	40.4	0	136	125	0	32	31	32
2025	6	20	11	15	41	33	-2.1	1.276	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32
2025	6	20	11	25	41	32.7	-3.3	1.277	0.4	0.3	0	44.3	40	0	136	124	0	33	31	32
2025	6	20	11	35	41	31.2	-3.6	1.277	0.3	0.2	0	44.7	39.6	0	136	124	0	32	32	32
2025	6	20	11	45	41	32.2	-2	1.278	0.3	0.2	0	44.3	40	0	136	124	0	33	31	32
2025	6	20	11	55	41	32.9	-3	1.278	0.4	0.3	0	44.7	40	0	136	124	0	32	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	20	12	5	41	32.6	-3	1.278	0.3	0.2	0	44.7	39.6	0	136	124	0	32	32	32	
2025	6	20	12	15	41	32.8	-2.6	1.279	0.5	0.4	0	44.3	40.4	0	136	125	0	33	31	32	
2025	6	20	12	25	41	32.3	-3.4	1.279	0.3	0.2	0	44.7	40	0	136	124	0	32	31	33	
2025	6	20	12	35	41	32.6	-3.1	1.28	0.3	0.2	0	44.7	40.4	0	136	125	0	32	31	32	
2025	6	20	12	45	41	32.9	-2.5	1.28	0.3	0.2	0	44.7	40.4	0	136	125	0	32	31	31	
2025	6	20	12	55	41	32.8	-3.9	1.28	0.3	0.2	0	44.7	40.4	0	136	125	0	32	31	32	
2025	6	20	13	5	41	32.6	-2.3	1.28	0.3	0.2	0	44.7	40.4	0	136	125	0	32	31	32	
2025	6	20	13	15	41	32.3	-2.7	1.281	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32	
2025	6	20	13	25	41	33.5	-3.2	1.281	0.4	0.3	0	44.3	40	0	136	124	0	33	31	32	
2025	6	20	13	35	41	33.1	-2	1.281	0.3	0.2	0	44.7	40	0	136	124	0	32	31	31	
2025	6	20	13	45	41	32.7	-2.7	1.281	0.3	0.2	0	44.7	39.6	0	136	124	0	32	32	31	
2025	6	20	13	55	41	33.5	-2.9	1.282	0.3	0.2	0	44.3	40.4	0	136	125	0	33	31	32	
2025	6	20	14	5	41	32.8	-2.3	1.282	0.3	0.2	0	44.3	40	0	135	124	0	32	31	31	
2025	6	20	14	15	41	32.2	-2.9	1.282	0.4	0.3	0	43.9	40	0	135	124	0	33	31	32	
2025	6	20	14	25	41	34.4	-4.4	1.282	0.3	0.2	0	43.4	39.6	0	134	123	0	33	31	32	
2025	6	20	14	35	41	32.9	-2.5	1.283	0.4	0.3	0	44.3	40	0	135	124	0	32	31	32	
2025	6	20	14	45	41	33.1	-4.1	1.283	0.3	0.2	0	44.3	39.6	0	135	123	0	32	31	31	
2025	6	20	14	55	41	32.7	-2.7	1.283	0.3	0.2	0	44.3	39.6	0	134	123	0	31	31	32	
2025	6	20	15	5	41	34.2	-3.3	1.284	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	15	15	41	33	-2.4	1.284	0.4	0.3	0	44.3	39.6	0	135	123	0	32	31	31	
2025	6	20	15	25	41	32.9	-2.7	1.284	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	15	35	41	34.7	-2.3	1.285	0.4	0.3	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	15	45	41	33	-2.6	1.285	0.3	0.2	0	43.9	39.6	0	135	124	0	33	32	32	
2025	6	20	15	55	41	34	-2.4	1.286	0.4	0.3	0	43.9	39.6	0	134	123	0	32	31	31	
2025	6	20	16	5	41	33.4	-1.1	1.286	0.4	0.3	0	43.4	39.6	0	134	123	0	33	31	32	
2025	6	20	16	15	41	32.5	-2.2	1.287	0.5	0.4	0	43.9	39.6	0	134	123	0	32	31	31	
2025	6	20	16	25	41	33.2	-1.4	1.288	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	16	35	41	33	-2.6	1.288	0.4	0.3	0	44.3	39.6	0	135	123	0	32	31	32	
2025	6	20	16	45	41	32.9	-1.4	1.289	0.3	0.2	0	44.3	40.4	0	135	124	0	32	30	32	
2025	6	20	16	55	41	33.5	-1.8	1.29	0.3	0.2	0	44.3	40	0	135	124	0	32	31	32	
2025	6	20	17	5	41	33.9	-2.3	1.291	0.3	0.2	0	43.9	39.1	0	134	123	0	32	32	32	
2025	6	20	17	15	41	31.8	-3.2	1.292	0.3	0.2	0	43.9	40	0	134	123	0	32	30	32	
2025	6	20	17	25	41	32.5	-1.6	1.292	0.3	0.2	0	44.3	40	0	135	123	0	32	30	32	
2025	6	20	17	35	41	33.2	-2.3	1.292	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	17	45	41	33.7	-1.6	1.293	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	17	55	41	32.5	-2.3	1.293	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	18	5	41	34	-2.3	1.293	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	31	
2025	6	20	18	15	41	33.2	-1.9	1.294	0.5	0.4	0	43	38.7	0	133	121	0	33	31	32	
2025	6	20	18	25	41	32.2	-2.4	1.293	0.4	0.3	0	43.9	39.1	0	133	122	0	31	31	32	
2025	6	20	18	35	41	33	-2.4	1.294	0.3	0.2	0	43	38.7	0	133	122	0	33	32	32	
2025	6	20	18	45	41	33.2	-2.7	1.294	0.3	0.2	0	43.9	39.1	0	134	122	0	32	31	32	
2025	6	20	18	55	41	32.9	-2.7	1.294	0.3	0.2	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	20	19	5	41	33.5	-2.2	1.295	0.3	0.2	0	43.4	39.1	0	134	122	0	33	31	31	
2025	6	20	19	15	41	32.7	-2.3	1.295	0.3	0.2	0	44.3	39.6	0	135	123	0	32	31	31	
2025	6	20	19	25	41	34.3	-2.2	1.295	0.3	0.2	0	43.9	39.1	0	135	123	0	33	32	32	
2025	6	20	19	35	41	34.2	-2.7	1.295	0.5	0.4	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	20	19	45	41	32.9	-2.1	1.296	0.3	0.2	0	44.3	40.4	0	135	124	0	32	30	31	
2025	6	20	19	55	41	33	-2.3	1.297	0.3	0.2	0	44.3	40	0	135	124	0	32	31	31	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	20	20	5	41	33.7	-3	1.298	0.3	0.2	0	43.4	39.1	0	133	123	0	32	32	32	
2025	6	20	20	15	41	33.3	-2.6	1.299	0.4	0.3	0	43.9	40	0	134	123	0	32	30	32	
2025	6	20	20	25	41	33.5	-1.4	1.301	0.3	0.2	0	44.3	40	0	135	124	0	32	31	32	
2025	6	20	20	35	41	34.3	-2.6	1.302	0.3	0.2	0	44.3	39.6	0	135	123	0	32	31	32	
2025	6	20	20	45	41	34.2	-1.9	1.303	0.3	0.2	0	44.3	39.6	0	135	123	0	32	31	32	
2025	6	20	20	55	41	34.2	-2.7	1.303	0.4	0.3	0	44.3	40	0	135	124	0	32	31	32	
2025	6	20	21	5	41	33.9	-1.4	1.304	0.4	0.3	0	45.2	40.4	0	136	125	0	31	31	31	
2025	6	20	21	15	41	33.3	-2.6	1.304	0.3	0.2	0	45.2	40.4	0	137	126	0	32	32	31	
2025	6	20	21	25	41	33.5	-2.4	1.305	0.4	0.3	0	44.7	40	0	137	125	0	33	32	32	
2025	6	20	21	35	41	33.1	-2.5	1.305	0.3	0.2	0	45.2	40.4	0	137	125	0	32	31	32	
2025	6	20	21	45	41	34.5	-3.1	1.306	0.4	0.3	0	44.7	40	0	136	124	0	32	31	31	
2025	6	20	21	55	41	34.2	-1.4	1.306	0.3	0.2	0	43.9	40	0	135	124	0	33	31	31	
2025	6	20	22	5	41	33.8	-1.6	1.307	0.3	0.2	0	43.9	40	0	135	124	0	33	31	31	
2025	6	20	22	15	41	33.2	-2.1	1.307	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32	
2025	6	20	22	25	41	34.2	-1.5	1.309	0.3	0.2	0	44.3	40	0	136	124	0	33	31	32	
2025	6	20	22	35	41	33.7	-1.9	1.31	0.4	0.3	0	44.7	40.4	0	136	125	0	32	31	32	
2025	6	20	22	45	41	32.8	-2.1	1.312	0.4	0.3	0	44.7	40.4	0	136	125	0	32	31	32	
2025	6	20	22	55	41	34.5	-2.6	1.314	0.3	0.2	0	44.3	39.6	0	136	124	0	33	32	31	
2025	6	20	23	5	41	34.7	-1.7	1.315	0.3	0.2	0	43.9	39.1	0	135	123	0	33	32	32	
2025	6	20	23	15	41	34.5	-2.6	1.316	0.3	0.2	0	43.9	40	0	135	123	0	33	30	32	
2025	6	20	23	25	41	34.2	-2	1.316	0.3	0.2	0	43.9	39.6	0	135	123	0	33	31	32	
2025	6	20	23	35	41	35	-2.6	1.317	0.3	0.2	0	43.4	39.1	0	134	123	0	33	32	32	
2025	6	20	23	45	41	34.4	-1.2	1.317	0.3	0.2	0	43.9	39.1	0	134	122	0	32	31	31	
2025	6	20	23	55	41	34.7	-2.5	1.318	0.3	0.2	0	43.4	39.1	0	134	122	0	33	31	31	
2025	6	21	0	5	41	34.5	-3.6	1.318	0.5	0.4	0	43.9	39.1	0	134	122	0	32	31	32	
2025	6	21	0	15	41	33.7	-3.6	1.319	0.3	0.2	0	43.4	39.1	0	133	121	0	32	30	32	
2025	6	21	0	25	41	34.6	-3.3	1.321	0.3	0.2	0	43.4	39.1	0	133	122	0	32	31	32	
2025	6	21	0	35	41	33.7	-2.8	1.323	0.3	0.2	0	43	39.6	0	133	122	0	33	30	32	
2025	6	21	0	45	41	34.3	-2.4	1.325	0.3	0.2	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	0	55	41	35.5	-3.1	1.326	0.5	0.4	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	1	5	41	35.6	-2.9	1.327	0.3	0.2	0	43	39.1	0	133	121	0	33	30	32	
2025	6	21	1	15	41	34	-1.6	1.328	0.4	0.3	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	1	25	41	34.4	-3.3	1.328	0.3	0.2	0	43	38.7	0	133	121	0	33	31	32	
2025	6	21	1	35	41	34.9	-3.3	1.329	0.4	0.3	0	43	38.7	0	132	121	0	32	31	32	
2025	6	21	1	45	41	34.4	-2.7	1.329	0.3	0.2	0	43	38.7	0	133	121	0	33	31	32	
2025	6	21	1	55	41	35.1	-2.6	1.33	0.3	0.2	0	43	38.3	0	132	121	0	32	32	32	
2025	6	21	2	5	41	34.1	-2.4	1.331	0.3	0.2	0	43.4	38.7	0	133	121	0	32	31	31	
2025	6	21	2	15	41	34.3	-3.9	1.332	0.3	0.2	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	2	25	41	35.1	-1.9	1.333	0.3	0.2	0	43	38.7	0	132	121	0	32	31	32	
2025	6	21	2	35	41	34.5	-3.5	1.337	0.3	0.2	0	43.4	39.1	0	133	121	0	32	30	32	
2025	6	21	2	45	41	34.6	-3.1	1.338	0.3	0.2	0	43.4	38.3	0	133	120	0	32	31	31	
2025	6	21	2	55	41	34.9	-3.1	1.339	0.3	0.2	0	43.4	38.3	0	133	120	0	32	31	31	
2025	6	21	3	5	41	35.1	-3.5	1.339	0.4	0.3	0	43.4	38.3	0	133	120	0	32	31	31	
2025	6	21	3	15	41	35.4	-3.4	1.34	0.4	0.3	0	43	38.3	0	133	120	0	33	31	33	
2025	6	21	3	25	41	35.9	-3.4	1.34	0.3	0.2	0	43	37.8	0	132	120	0	32	32	32	
2025	6	21	3	35	41	35.1	-2.9	1.341	0.3	0.2	0	43	38.3	0	132	120	0	32	31	32	
2025	6	21	3	45	41	34.8	-2.6	1.342	0.5	0.4	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	3	55	41	34.9	-3.2	1.342	0.3	0.2	0	43	38.3	0	133	120	0	33	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	21	4	5	41	35.8	-2.9	1.343	0.3	0.2	0	43	38.3	0	132	120	0	32	31	32
2025	6	21	4	15	41	34.7	-2.5	1.345	0.5	0.4	0	43	38.3	0	132	120	0	32	31	31
2025	6	21	4	25	41	36.2	-3.1	1.348	0.3	0.2	0	43	37.8	0	132	119	0	32	31	31
2025	6	21	4	35	41	35	-3.5	1.349	0.3	0.2	0	42.6	37.4	0	131	119	0	32	32	32
2025	6	21	4	45	41	35.5	-3.6	1.35	0.5	0.4	0	42.6	37.8	0	131	119	0	32	31	32
2025	6	21	4	55	41	35.7	-3.6	1.351	0.3	0.2	0	42.6	37.8	0	132	119	0	33	31	32
2025	6	21	5	5	41	36.1	-3.9	1.351	0.3	0.2	0	42.1	37.8	0	131	119	0	33	31	31
2025	6	21	5	15	41	35	-4.1	1.352	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	32
2025	6	21	5	25	41	34.5	-2.7	1.352	0.3	0.2	0	42.1	37.8	0	131	119	0	33	31	32
2025	6	21	5	35	41	35.1	-3.7	1.352	0.3	0.2	0	42.6	37.8	0	131	119	0	32	31	32
2025	6	21	5	45	41	36.2	-2.8	1.353	0.3	0.2	0	42.6	37.4	0	131	118	0	32	31	32
2025	6	21	5	55	41	34.3	-2.7	1.354	0.3	0.2	0	42.1	37	0	131	118	0	33	32	32
2025	6	21	6	5	41	35.7	-3	1.354	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	32
2025	6	21	6	15	41	34.6	-4.2	1.355	0.3	0.2	0	41.7	37	0	130	117	0	33	31	32
2025	6	21	6	25	41	35.2	-3.8	1.359	0.3	0.2	0	41.7	37	0	130	118	0	33	32	31
2025	6	21	6	35	41	36.2	-4.3	1.36	0.4	0.3	0	41.3	37	0	129	117	0	33	31	32
2025	6	21	6	45	41	35.7	-2.9	1.361	0.3	0.2	0	41.3	37	0	129	117	0	33	31	32
2025	6	21	6	55	41	35.2	-2.6	1.362	0.3	0.2	0	41.7	37	0	129	117	0	32	31	32
2025	6	21	7	5	41	35.2	-3.8	1.362	0.3	0.2	0	42.1	37	0	130	117	0	32	31	32
2025	6	21	7	15	41	36.7	-2.5	1.362	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	31
2025	6	21	7	25	41	35.1	-3	1.363	0.5	0.4	0	41.7	37	0	130	117	0	33	31	31
2025	6	21	7	35	41	35.7	-2.5	1.363	0.4	0.3	0	42.1	37	0	130	117	0	32	31	32
2025	6	21	7	45	41	34	-1.8	1.363	0.5	0.5	0	41.7	37.4	0	130	118	0	33	31	31
2025	6	21	7	55	41	35.2	-3.8	1.364	0.3	0.2	0	41.7	37	0	130	117	0	33	31	32
2025	6	21	8	5	41	36.3	-3.1	1.365	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	32
2025	6	21	8	15	41	35.8	-2.2	1.365	0.3	0.2	0	42.6	37.8	0	131	119	0	32	31	33
2025	6	21	8	25	41	35.2	-3	1.366	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	32
2025	6	21	8	35	41	35.6	-5.2	1.368	0.3	0.2	0	42.6	37.4	0	131	118	0	32	31	32
2025	6	21	8	45	41	36.3	-3.6	1.37	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	33
2025	6	21	8	55	41	36.1	-2.8	1.371	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	32
2025	6	21	9	5	41	36.2	-4.2	1.372	0.3	0.2	0	41.7	37	0	130	117	0	33	31	32
2025	6	21	9	15	41	35.2	-2.4	1.372	0.3	0.2	0	42.1	37.4	0	130	118	0	32	31	32
2025	6	21	9	25	41	35.8	-4.1	1.373	0.3	0.2	0	41.3	36.5	0	129	117	0	33	32	32
2025	6	21	9	35	41	36.4	-2.7	1.373	0.3	0.2	0	41.7	37	0	130	118	0	33	32	32
2025	6	21	9	45	41	35.3	-3	1.374	0.3	0.2	0	42.1	37	0	129	117	0	31	31	32
2025	6	21	9	55	41	35.6	-2.6	1.374	0.4	0.3	0	42.1	37.4	0	130	118	0	32	31	31
2025	6	21	10	5	41	36.3	-4.4	1.375	0.3	0.2	0	41.7	37	0	129	117	0	32	31	32
2025	6	21	10	15	41	36.6	-3.8	1.375	0.3	0.2	0	41.7	37	0	129	118	0	32	32	33
2025	6	21	10	25	41	36	-2.8	1.376	0.3	0.2	0	41.7	37	0	129	117	0	32	31	33
2025	6	21	10	35	41	36	-4.4	1.376	0.3	0.2	0	41.7	37	0	129	117	0	32	31	31
2025	6	21	10	45	41	36.5	-4.3	1.377	0.3	0.2	0	41.3	37	0	129	117	0	33	31	31
2025	6	21	10	55	41	36	-3.9	1.378	0.3	0.2	0	41.7	37	0	129	117	0	32	31	32
2025	6	21	11	5	41	36.1	-3.8	1.378	0.3	0.2	0	41.3	36.1	0	129	116	0	33	32	33
2025	6	21	11	15	41	36.7	-3.9	1.38	0.3	0.2	0	41.3	36.5	0	129	116	0	33	31	32
2025	6	21	11	25	41	35.2	-3.7	1.382	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	32
2025	6	21	11	35	41	35.7	-2.9	1.383	0.3	0.2	0	41.3	36.5	0	129	116	0	33	31	32
2025	6	21	11	45	41	37	-4.3	1.384	0.3	0.2	0	41.3	36.5	0	129	116	0	33	31	32
2025	6	21	11	55	41	37	-3	1.385	0.3	0.2	0	41.3	36.5	0	129	116	0	33	31	31

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	21	12	5	41	36.2	-3.3	1.385	0.3	0.2	0	41.3	37	0	129	117	0	33	31	32	
2025	6	21	12	15	41	35.5	-2.8	1.386	0.3	0.2	0	41.3	37	0	129	117	0	33	31	32	
2025	6	21	12	25	41	36.6	-4.1	1.387	0.3	0.2	0	41.3	37	0	128	117	0	32	31	31	
2025	6	21	12	35	41	35.8	-3	1.387	0.3	0.2	0	41.7	37	0	129	117	0	32	31	31	
2025	6	21	12	45	41	35.9	-3.9	1.387	0.3	0.2	0	41.7	37	0	129	117	0	32	31	32	
2025	6	21	12	55	41	36.2	-2.8	1.387	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	31	
2025	6	21	13	5	41	36.3	-2.6	1.388	0.3	0.2	0	41.7	36.5	0	129	116	0	32	31	32	
2025	6	21	13	15	41	35.4	-3.8	1.388	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	32	
2025	6	21	13	25	41	35.2	-4.6	1.388	0.3	0.2	0	41.3	36.5	0	128	116	0	32	31	32	
2025	6	21	13	35	41	35.6	-3.1	1.389	0.3	0.2	0	41.3	36.5	0	128	116	0	32	31	32	
2025	6	21	13	45	41	37.4	-3.4	1.389	0.3	0.2	0	41.3	37	0	128	117	0	32	31	31	
2025	6	21	13	55	41	36.3	-4.3	1.39	0.3	0.2	0	40.4	36.1	0	127	115	0	33	31	32	
2025	6	21	14	5	41	36.7	-4.7	1.39	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	33	
2025	6	21	14	15	41	36.4	-3	1.39	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	31	
2025	6	21	14	25	41	35.5	-2.3	1.391	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	32	
2025	6	21	14	35	41	35.6	-3.9	1.391	0.4	0.3	0	40.9	37	0	127	116	0	32	30	32	
2025	6	21	14	45	41	37.4	-4	1.391	0.3	0.2	0	41.3	36.5	0	128	116	0	32	31	32	
2025	6	21	14	55	41	36.8	-3.8	1.392	0.3	0.2	0	42.1	36.5	0	129	117	0	31	32	32	
2025	6	21	15	5	41	37.3	-4.4	1.392	0.3	0.2	0	41.3	36.5	0	128	116	0	32	31	32	
2025	6	21	15	15	41	36.8	-2.4	1.394	0.3	0.2	0	41.3	37	0	128	117	0	32	31	32	
2025	6	21	15	25	41	36.2	-2	1.394	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	31	
2025	6	21	15	35	41	36.6	-3	1.394	0.4	0.3	0	42.6	38.3	0	131	120	0	32	31	32	
2025	6	21	15	45	41	36.5	-1	1.394	0.4	0.3	0	43	37.8	0	132	120	0	32	32	32	
2025	6	21	15	55	41	36.6	-2.4	1.395	0.3	0.2	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	16	5	41	36.9	-2.8	1.396	0.4	0.3	0	42.1	38.3	0	131	120	0	33	31	32	
2025	6	21	16	15	41	37.1	-2.4	1.396	0.3	0.2	0	42.6	38.7	0	132	121	0	33	31	32	
2025	6	21	16	25	41	36.9	-1.6	1.396	0.3	0.2	0	43	38.3	0	132	120	0	32	31	31	
2025	6	21	16	35	41	37.5	-2.1	1.397	0.3	0.2	0	43	38.3	0	132	120	0	32	31	32	
2025	6	21	16	45	41	37.3	-1.7	1.398	0.3	0.2	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	16	55	41	37	-2.3	1.398	0.3	0.2	0	43.4	39.1	0	133	122	0	32	31	32	
2025	6	21	17	5	41	38.4	-1.1	1.398	0.3	0.2	0	43.9	39.1	0	134	122	0	32	31	31	
2025	6	21	17	15	41	36.6	-1.3	1.398	0.3	0.2	0	44.3	39.1	0	135	123	0	32	32	31	
2025	6	21	17	25	41	37.7	-2.6	1.398	0.4	0.3	0	44.3	40	0	136	124	0	33	31	32	
2025	6	21	17	35	41	37.5	-2.1	1.399	0.3	0.2	0	44.3	39.6	0	135	123	0	32	31	32	
2025	6	21	17	45	41	36.9	-1.9	1.399	0.4	0.3	0	43.4	38.7	0	133	121	0	32	31	32	
2025	6	21	17	55	41	37.5	-2.5	1.4	0.3	0.2	0	43.9	38.7	0	133	121	0	31	31	32	
2025	6	21	18	5	41	38.2	-2.7	1.4	0.3	0.2	0	42.1	37.8	0	131	119	0	33	31	32	
2025	6	21	18	15	41	38.5	-2.9	1.401	0.3	0.2	0	42.1	37.4	0	130	118	0	32	31	31	
2025	6	21	18	25	41	37.2	-2.8	1.401	0.3	0.2	0	42.1	37.4	0	130	118	0	32	31	32	
2025	6	21	18	35	41	37.1	-2.5	1.401	0.3	0.2	0	42.6	37.8	0	131	119	0	32	31	32	
2025	6	21	18	45	41	38.3	-2.9	1.401	0.3	0.2	0	42.1	37.4	0	130	118	0	32	31	31	
2025	6	21	18	55	41	38.2	-1.9	1.402	0.3	0.2	0	41.7	37.8	0	130	118	0	33	30	32	
2025	6	21	19	5	41	37.2	-2.4	1.403	0.3	0.2	0	41.7	37	0	129	117	0	32	31	32	
2025	6	21	19	15	41	37.8	-1.5	1.404	0.3	0.2	0	43.4	38.3	0	133	120	0	32	31	31	
2025	6	21	19	25	41	38	-2.3	1.405	0.4	0.3	0	43.9	39.6	0	134	123	0	32	31	33	
2025	6	21	19	35	41	37.5	-2.1	1.405	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32	
2025	6	21	19	45	41	38.3	-2.5	1.406	0.3	0.2	0	45.2	40.4	0	137	125	0	32	31	32	
2025	6	21	19	55	41	37.4	-1.9	1.406	0.3	0.2	0	44.7	40	0	136	124	0	32	31	31	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	21	20	5	41	37.6	-1.7	1.406	0.3	0.2	0	44.3	39.6	0	135	123	0	32	31	32	
2025	6	21	20	15	41	38	-2.2	1.407	0.3	0.2	0	43.9	39.6	0	134	123	0	32	31	32	
2025	6	21	20	25	41	38.4	-2.3	1.408	0.3	0.2	0	43.9	39.1	0	134	122	0	32	31	31	
2025	6	21	20	35	41	37	-2.1	1.408	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32	
2025	6	21	20	45	41	37.4	-2.5	1.408	0.3	0.2	0	44.7	40	0	136	124	0	32	31	33	
2025	6	21	20	55	41	37	-1.7	1.408	0.3	0.2	0	44.7	40	0	136	124	0	32	31	31	
2025	6	21	21	5	41	37.7	-3.2	1.409	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32	
2025	6	21	21	15	41	37	-3	1.41	0.3	0.2	0	45.6	40.9	0	138	126	0	32	31	32	
2025	6	21	21	25	41	37.3	-1.9	1.41	0.3	0.2	0	45.6	40.9	0	138	126	0	32	31	31	
2025	6	21	21	35	41	38.4	-2.1	1.41	0.3	0.2	0	44.7	40.9	0	137	126	0	33	31	31	
2025	6	21	21	45	41	38	-2.5	1.411	0.3	0.2	0	44.7	40.4	0	136	125	0	32	31	32	
2025	6	21	21	55	41	37.7	-1.6	1.412	0.3	0.2	0	44.7	40.4	0	136	125	0	32	31	32	
2025	6	21	22	5	41	37.9	-3.3	1.412	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32	
2025	6	21	22	15	41	37.9	-2.3	1.412	0.3	0.2	0	44.3	39.6	0	135	123	0	32	31	33	
2025	6	21	22	25	41	37.7	-2.3	1.413	0.3	0.2	0	43.4	39.6	0	134	123	0	33	31	32	
2025	6	21	22	35	41	37.8	-1.7	1.413	0.4	0.3	0	43.4	39.6	0	134	123	0	33	31	32	
2025	6	21	22	45	41	38	-1.8	1.413	0.4	0.3	0	43.4	38.7	0	134	122	0	33	32	32	
2025	6	21	22	55	41	38	-1.9	1.414	0.3	0.2	0	43.9	39.1	0	134	123	0	32	32	32	
2025	6	21	23	5	41	37.7	-2.1	1.414	0.4	0.3	0	43.4	38.7	0	134	122	0	33	32	32	
2025	6	21	23	15	41	37.7	-2.6	1.414	0.3	0.2	0	43.9	39.1	0	134	122	0	32	31	32	
2025	6	21	23	25	41	37.9	-1.8	1.416	0.3	0.2	0	43.4	38.7	0	134	122	0	33	32	32	
2025	6	21	23	35	41	38.1	-2.2	1.416	0.3	0.2	0	43.9	38.7	0	133	121	0	31	31	32	
2025	6	21	23	45	41	36.8	-1.4	1.416	0.4	0.3	0	42.6	38.7	0	132	121	0	33	31	31	
2025	6	21	23	55	41	37.3	-1.9	1.417	0.3	0.2	0	42.1	37.8	0	131	120	0	33	32	32	
2025	6	22	0	5	41	38.7	-2.9	1.418	0.3	0.2	0	42.6	37.8	0	131	119	0	32	31	31	
2025	6	22	0	15	41	38	-2.6	1.418	0.3	0.2	0	42.1	37.8	0	131	119	0	33	31	32	
2025	6	22	0	25	41	37.7	-2.6	1.418	0.5	0.4	0	42.1	37.4	0	131	119	0	33	32	32	
2025	6	22	0	35	41	37.4	-2.7	1.419	0.3	0.2	0	42.1	37.8	0	131	119	0	33	31	32	
2025	6	22	0	45	41	37.1	-2.4	1.419	0.3	0.2	0	42.1	37.8	0	131	119	0	33	31	32	
2025	6	22	0	55	41	37	-2.2	1.419	0.4	0.3	0	42.1	37.4	0	131	119	0	33	32	31	
2025	6	22	1	5	41	38.2	-2.3	1.419	0.3	0.2	0	41.7	37.8	0	130	119	0	33	31	32	
2025	6	22	1	15	41	38.1	-2.2	1.419	0.3	0.2	0	41.7	37.4	0	130	119	0	33	32	32	
2025	6	22	1	25	41	38	-1.7	1.419	0.4	0.3	0	41.7	37.8	0	130	119	0	33	31	33	
2025	6	22	1	35	41	37.7	-2.5	1.42	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	32	
2025	6	22	1	45	41	38.6	-2.9	1.42	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	33	
2025	6	22	1	55	41	39	-1.9	1.42	0.4	0.3	0	41.7	37	0	129	118	0	32	32	32	
2025	6	22	2	5	41	39	-1.8	1.421	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	33	
2025	6	22	2	15	41	38.2	-2.5	1.421	0.3	0.2	0	41.3	37.4	0	129	118	0	33	31	32	
2025	6	22	2	25	41	39	-3	1.421	0.3	0.2	0	41.3	36.5	0	129	117	0	33	32	32	
2025	6	22	2	35	41	38.2	-3.2	1.422	0.3	0.2	0	41.7	37.4	0	130	118	0	33	31	32	
2025	6	22	2	45	41	37.7	-3.7	1.424	0.3	0.2	0	41.7	37	0	129	117	0	32	31	33	
2025	6	22	2	55	41	38	-2.3	1.425	0.4	0.3	0	41.3	37	0	129	117	0	33	31	32	
2025	6	22	3	5	41	38.1	-2.9	1.426	0.3	0.2	0	40.9	36.5	0	128	117	0	33	32	32	
2025	6	22	3	15	41	38.6	-2.9	1.427	0.3	0.2	0	40.9	37	0	129	117	0	34	31	32	
2025	6	22	3	25	41	37.7	-2.7	1.427	0.3	0.2	0	41.3	36.5	0	129	117	0	33	32	33	
2025	6	22	3	35	41	38.6	-2.8	1.428	0.4	0.3	0	41.3	36.5	0	129	117	0	33	32	32	
2025	6	22	3	45	41	38.8	-3.4	1.428	0.3	0.2	0	41.3	37	0	129	117	0	33	31	33	
2025	6	22	3	55	41	38.5	-2.8	1.429	0.3	0.2	0	40.9	36.5	0	128	117	0	33	32	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	22	4	5	41	38	-3.8	1.429	0.3	0.2	0	41.3	36.5	0	128	117	0	32	32	33
2025	6	22	4	15	41	38.1	-2.9	1.429	0.5	0.4	0	41.3	37	0	129	117	0	33	31	32
2025	6	22	4	25	41	38.9	-2	1.429	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	33
2025	6	22	4	35	41	37.6	-3.9	1.429	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	32
2025	6	22	4	45	41	37.7	-2.5	1.429	0.4	0.3	0	41.3	36.5	0	129	117	0	33	32	33
2025	6	22	4	55	41	38	-2.7	1.43	0.3	0.2	0	40.9	36.5	0	128	117	0	33	32	33
2025	6	22	5	5	41	38.4	-1.7	1.43	0.3	0.2	0	41.3	36.5	0	129	116	0	33	31	32
2025	6	22	5	15	41	37.4	-1.9	1.431	0.3	0.2	0	40.9	36.1	0	128	116	0	33	32	32
2025	6	22	5	25	41	39	-3.6	1.431	0.4	0.3	0	41.3	36.5	0	128	116	0	32	31	32
2025	6	22	5	35	41	38.4	-2.1	1.431	0.4	0.3	0	41.3	36.5	0	128	117	0	32	32	32
2025	6	22	5	45	41	39	-3	1.431	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	33
2025	6	22	5	55	41	38.4	-2.5	1.432	0.3	0.2	0	41.3	36.5	0	129	117	0	33	32	32
2025	6	22	6	5	41	39.4	-2.9	1.432	0.3	0.2	0	40.9	35.7	0	128	116	0	33	33	32
2025	6	22	6	15	41	38.9	-2.5	1.433	0.3	0.2	0	40.4	35.7	0	127	115	0	33	32	33
2025	6	22	6	25	41	38.6	-2.9	1.436	0.3	0.2	0	40.9	36.5	0	128	116	0	33	31	32
2025	6	22	6	35	41	37.9	-2.5	1.437	0.3	0.2	0	40.4	35.7	0	127	115	0	33	32	32
2025	6	22	6	45	41	38.4	-3.2	1.437	0.4	0.3	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	6	55	41	37.6	-2.3	1.438	0.3	0.2	0	40.4	35.7	0	127	115	0	33	32	32
2025	6	22	7	5	41	39	-2.8	1.438	0.4	0.3	0	40.4	36.1	0	127	115	0	33	31	32
2025	6	22	7	15	41	37.9	-3	1.438	0.3	0.2	0	40.4	35.7	0	127	115	0	33	32	32
2025	6	22	7	25	41	39.5	-2.7	1.439	0.3	0.2	0	40	35.7	0	126	115	0	33	32	33
2025	6	22	7	35	41	37.9	-2.5	1.439	0.3	0.2	0	40.4	35.7	0	127	115	0	33	32	33
2025	6	22	7	45	41	38.6	-4	1.439	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	7	55	41	38.8	-2.2	1.439	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	31
2025	6	22	8	5	41	38.3	-3.7	1.44	0.3	0.2	0	40.4	35.7	0	126	115	0	32	32	32
2025	6	22	8	15	41	38.4	-3.7	1.44	0.3	0.2	0	40.9	37	0	128	117	0	33	31	33
2025	6	22	8	25	41	38.9	-4	1.44	0.4	0.3	0	39.6	35.7	0	126	115	0	34	32	33
2025	6	22	8	35	41	38.8	-4.3	1.44	0.3	0.2	0	39.6	36.5	0	126	116	0	34	31	32
2025	6	22	8	45	41	38.7	-3.7	1.441	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	8	55	41	38.3	-3	1.441	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	9	5	41	38.9	-5	1.441	0.4	0.3	0	40	36.1	0	126	115	0	33	31	32
2025	6	22	9	15	41	38.6	-1.7	1.441	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	33
2025	6	22	9	25	41	39	-3.1	1.442	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	9	35	41	39.5	-3.1	1.442	0.3	0.2	0	40	35.7	0	126	115	0	33	32	32
2025	6	22	9	45	41	38.1	-3.1	1.442	0.3	0.2	0	40	36.1	0	126	115	0	33	31	32
2025	6	22	9	55	41	38	-2.7	1.443	0.4	0.3	0	40.9	36.1	0	127	116	0	32	32	32
2025	6	22	10	5	41	38.5	-4.4	1.443	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	10	15	41	38	-4.5	1.444	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	33
2025	6	22	10	25	41	38.6	-4.2	1.444	0.3	0.2	0	40	36.1	0	126	115	0	33	31	33
2025	6	22	10	35	41	39	-4.4	1.446	0.3	0.2	0	40	35.7	0	126	115	0	33	32	32
2025	6	22	10	45	41	37.9	-1.8	1.447	0.3	0.2	0	40	36.1	0	126	115	0	33	31	33
2025	6	22	10	55	41	38.4	-4.1	1.448	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	11	5	41	38.2	-4.1	1.448	0.3	0.2	0	40	35.7	0	126	115	0	33	32	33
2025	6	22	11	15	41	38.6	-3.1	1.449	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	32
2025	6	22	11	25	41	39.1	-1.8	1.449	0.3	0.2	0	40.9	36.1	0	127	116	0	32	32	33
2025	6	22	11	35	41	39.4	-4.4	1.449	0.3	0.2	0	40	36.1	0	126	115	0	33	31	32
2025	6	22	11	45	41	40.2	-2.9	1.45	0.3	0.2	0	40	36.5	0	126	116	0	33	31	32
2025	6	22	11	55	41	38.8	-3.5	1.45	0.3	0.2	0	40	36.5	0	126	116	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	22	12	5	41	38.9	-2.8	1.451	0.3	0.2	0	40.4	36.1	0	127	116	0	33	32	33
2025	6	22	12	15	41	39.2	-3.2	1.451	0.3	0.2	0	40.9	36.1	0	128	117	0	33	33	32
2025	6	22	12	25	41	40	-2.7	1.451	0.3	0.2	0	39.6	36.1	0	126	116	0	34	32	32
2025	6	22	12	35	41	39.1	-3.4	1.451	0.4	0.3	0	39.6	35.7	0	125	114	0	33	31	33
2025	6	22	12	45	41	39	-3.5	1.452	0.3	0.2	0	40.4	35.7	0	126	115	0	32	32	32
2025	6	22	12	55	41	37.9	-3.2	1.452	0.3	0.2	0	40	35.3	0	125	114	0	32	32	32
2025	6	22	13	5	41	40.1	-4.1	1.452	0.3	0.2	0	39.6	35.7	0	125	114	0	33	31	33
2025	6	22	13	15	41	39.9	-4.5	1.453	0.3	0.2	0	39.6	35.3	0	125	114	0	33	32	33
2025	6	22	13	25	41	39.1	-5.2	1.453	0.3	0.2	0	39.6	35.7	0	125	114	0	33	31	33
2025	6	22	13	35	41	39.6	-4.2	1.453	0.3	0.2	0	40	36.1	0	125	115	0	32	31	32
2025	6	22	13	45	41	38.9	-2.7	1.453	0.3	0.2	0	39.6	36.1	0	126	115	0	34	31	33
2025	6	22	13	55	41	38.4	-4.9	1.453	0.3	0.2	0	39.6	35.7	0	125	114	0	33	31	32
2025	6	22	14	5	41	38.9	-2.4	1.453	0.3	0.2	0	40	35.3	0	125	114	0	32	32	32
2025	6	22	14	15	41	40.3	-4.6	1.453	0.3	0.2	0	39.6	35.7	0	125	114	0	33	31	32
2025	6	22	14	25	41	39	-1.6	1.454	0.3	0.2	0	39.6	36.1	0	125	115	0	33	31	33
2025	6	22	14	35	41	39	-2.9	1.453	0.3	0.2	0	40.4	35.7	0	126	115	0	32	32	33
2025	6	22	14	45	41	38.7	-3.8	1.454	0.3	0.2	0	39.1	36.1	0	125	115	0	34	31	33
2025	6	22	14	55	41	38.7	-3.2	1.454	0.4	0.3	0	39.6	35.7	0	125	115	0	33	32	32
2025	6	22	15	5	41	39.9	-3.1	1.454	0.3	0.2	0	40	35.7	0	126	115	0	33	32	32
2025	6	22	15	15	41	38.8	-3.6	1.454	0.3	0.2	0	40	35.3	0	126	115	0	33	33	32
2025	6	22	15	25	41	39.8	-3.7	1.454	0.3	0.2	0	40	35.7	0	125	114	0	32	31	32
2025	6	22	15	35	41	38.2	-3.3	1.455	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	32
2025	6	22	15	45	41	38.2	-4	1.455	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	32
2025	6	22	15	55	41	39.7	-3.6	1.455	0.3	0.2	0	39.6	35.3	0	124	113	0	32	31	32
2025	6	22	16	5	41	39	-3.6	1.455	0.3	0.2	0	39.6	35.3	0	124	113	0	32	31	32
2025	6	22	16	15	41	38.6	-4.7	1.455	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	32
2025	6	22	16	25	41	39.4	-2.3	1.455	0.3	0.2	0	39.1	34.8	0	124	113	0	33	32	32
2025	6	22	16	35	41	39.4	-2	1.456	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	22	16	45	41	39.7	-2.5	1.456	0.3	0.2	0	39.6	35.3	0	124	113	0	32	31	32
2025	6	22	16	55	41	39.2	-5.4	1.456	0.5	0.4	0	39.1	34.8	0	124	113	0	33	32	32
2025	6	22	17	5	41	39.8	-3	1.456	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	32
2025	6	22	17	15	41	39.8	-2.3	1.457	0.3	0.2	0	39.6	34.8	0	124	113	0	32	32	31
2025	6	22	17	25	41	39.2	-1.7	1.457	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	32
2025	6	22	17	35	41	38.7	-3.2	1.457	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	31
2025	6	22	17	45	41	39.6	-2.9	1.457	0.3	0.2	0	38.7	34.8	0	123	112	0	33	31	33
2025	6	22	17	55	41	39.2	-5.3	1.458	0.3	0.2	0	38.7	34.4	0	123	112	0	33	32	33
2025	6	22	18	5	41	39.4	-3.8	1.458	0.3	0.2	0	39.1	34.4	0	123	112	0	32	32	33
2025	6	22	18	15	41	40.3	-2.9	1.458	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	22	18	25	41	38.9	-3.2	1.458	0.3	0.2	0	38.7	34.8	0	123	112	0	33	31	32
2025	6	22	18	35	41	38.6	-2.1	1.46	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	22	18	45	41	39.9	-3.4	1.46	0.3	0.2	0	38.7	34.4	0	123	112	0	33	32	33
2025	6	22	18	55	41	40	-2.5	1.461	0.3	0.2	0	39.1	34.8	0	123	113	0	32	32	32
2025	6	22	19	5	41	39.5	-2.5	1.461	0.3	0.2	0	39.1	34.4	0	123	112	0	32	32	32
2025	6	22	19	15	41	38.5	-2.5	1.462	0.3	0.2	0	38.7	34	0	122	111	0	32	32	32
2025	6	22	19	25	41	38.3	-4.4	1.462	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	33
2025	6	22	19	35	41	39.9	-5.3	1.462	0.3	0.2	0	38.7	34.4	0	123	112	0	33	32	32
2025	6	22	19	45	41	38.9	-3.3	1.462	0.3	0.2	0	37.8	34.8	0	122	112	0	34	31	32
2025	6	22	19	55	41	39.5	-3.5	1.463	0.3	0.2	0	38.7	34.4	0	123	112	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	22	20	5	41	40	-2.7	1.463	0.3	0.2	0	39.1	34.4	0	123	112	0	32	32	33
2025	6	22	20	15	41	40.2	-5	1.464	0.3	0.2	0	39.1	34.8	0	123	113	0	32	32	32
2025	6	22	20	25	41	39.7	-4.4	1.464	0.3	0.2	0	39.1	34.8	0	123	112	0	32	31	32
2025	6	22	20	35	41	39.4	-5.3	1.464	0.3	0.2	0	39.1	34.8	0	123	112	0	32	31	32
2025	6	22	20	45	41	39.9	-3.6	1.464	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	22	20	55	41	39.2	-2.9	1.464	0.3	0.2	0	39.6	35.3	0	124	113	0	32	31	33
2025	6	22	21	5	41	40	-4.4	1.464	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	22	21	15	41	40.2	-3.9	1.464	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	33
2025	6	22	21	25	41	39.8	-4.1	1.465	0.3	0.2	0	39.6	35.7	0	124	114	0	32	31	32
2025	6	22	21	35	41	38.5	-2.7	1.465	0.3	0.2	0	39.6	35.3	0	125	114	0	33	32	32
2025	6	22	21	45	41	40.3	-3.8	1.465	0.3	0.2	0	39.1	35.7	0	124	114	0	33	31	32
2025	6	22	21	55	41	39.8	-2.9	1.465	0.3	0.2	0	39.6	34.8	0	124	113	0	32	32	32
2025	6	22	22	5	41	39.6	-3.2	1.465	0.3	0.2	0	39.1	34.8	0	124	113	0	33	32	32
2025	6	22	22	15	41	39.2	-3.4	1.465	0.3	0.2	0	40	36.1	0	125	115	0	32	31	32
2025	6	22	22	25	41	39.6	-2.9	1.465	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	33
2025	6	22	22	35	41	40	-4	1.465	0.3	0.2	0	39.1	35.7	0	124	114	0	33	31	32
2025	6	22	22	45	41	38.8	-2.6	1.466	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	22	22	55	41	39.6	-3.8	1.466	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	33
2025	6	22	23	5	41	40.4	-4	1.466	0.4	0.3	0	39.1	35.7	0	124	114	0	33	31	33
2025	6	22	23	15	41	38.1	-2.3	1.466	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	22	23	25	41	39.8	-3.3	1.466	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	32
2025	6	22	23	35	41	39.8	-4.3	1.466	0.3	0.2	0	38.7	35.3	0	124	114	0	34	32	33
2025	6	22	23	45	41	39.2	-3.6	1.466	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	22	23	55	41	39.2	-2.7	1.466	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	23	0	5	41	39.2	-3.7	1.467	0.3	0.2	0	39.1	35.3	0	124	113	0	33	31	32
2025	6	23	0	15	41	39.6	-3.7	1.467	0.3	0.2	0	39.6	34.8	0	124	114	0	32	33	33
2025	6	23	0	25	41	38.2	-2.9	1.467	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	23	0	35	41	39.2	-3.5	1.467	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	0	45	41	40.4	-2.8	1.468	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	0	55	41	39.2	-2.6	1.468	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	33
2025	6	23	1	5	41	39.5	-4.4	1.468	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	23	1	15	41	38.1	-2.3	1.469	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	23	1	25	41	38.3	-4.2	1.469	0.3	0.2	0	39.1	34.8	0	123	113	0	32	32	32
2025	6	23	1	35	41	38.5	-3	1.47	0.3	0.2	0	38.7	35.3	0	123	114	0	33	32	32
2025	6	23	1	45	41	38.4	-2.9	1.471	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	23	1	55	41	39.3	-3	1.471	0.3	0.2	0	39.1	35.3	0	124	114	0	33	32	32
2025	6	23	2	5	41	39.2	-2.6	1.472	0.3	0.2	0	39.1	34.8	0	124	113	0	33	32	32
2025	6	23	2	15	41	39.1	-3.9	1.472	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	2	25	41	38.9	-2	1.473	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	33
2025	6	23	2	35	41	40	-3.8	1.473	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	2	45	41	39.6	-2.5	1.473	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	2	55	41	39.9	-3.6	1.473	0.3	0.2	0	38.7	34.8	0	123	112	0	33	31	32
2025	6	23	3	5	41	38.7	-3.9	1.473	0.3	0.2	0	39.6	35.7	0	124	114	0	32	31	32
2025	6	23	3	15	41	39.2	-3.2	1.474	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	23	3	25	41	39.6	-2.8	1.474	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	3	35	41	40	-3.6	1.474	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	33
2025	6	23	3	45	41	40.8	-3.1	1.474	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	23	3	55	41	39.5	-2.8	1.474	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	23	4	5	41	40.2	-2.6	1.474	0.4	0.3	0	38.7	34.8	0	123	113	0	33	32	33
2025	6	23	4	15	41	39.5	-3.2	1.474	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	4	25	41	39.8	-3	1.475	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	32
2025	6	23	4	35	41	40.5	-3.6	1.475	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	33
2025	6	23	4	45	41	39.2	-2.3	1.475	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	33
2025	6	23	4	55	41	40.3	-3.6	1.475	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	32
2025	6	23	5	5	41	39.5	-3.2	1.475	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	33
2025	6	23	5	15	41	39.4	-4	1.475	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	23	5	25	41	39.6	-2.8	1.475	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	32
2025	6	23	5	35	41	38.7	-2.6	1.475	0.3	0.2	0	38.7	35.3	0	122	113	0	32	31	32
2025	6	23	5	45	41	39	-3	1.475	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	32
2025	6	23	5	55	41	38.3	-3.2	1.475	0.3	0.2	0	37.8	34	0	121	111	0	33	32	33
2025	6	23	6	5	41	39.7	-2.3	1.475	0.3	0.2	0	37.4	34	0	121	111	0	34	32	31
2025	6	23	6	15	41	39.2	-3.2	1.475	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	32
2025	6	23	6	25	41	39.8	-3.9	1.476	0.3	0.2	0	37.8	34	0	121	111	0	33	32	33
2025	6	23	6	35	41	39.5	-1.8	1.475	0.3	0.2	0	37.8	34.4	0	121	111	0	33	31	33
2025	6	23	6	45	41	39	-2.1	1.476	0.3	0.2	0	37.8	34	0	121	111	0	33	32	33
2025	6	23	6	55	41	39.8	-3.4	1.475	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	32
2025	6	23	7	5	41	39	-4.1	1.476	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	23	7	15	41	38.2	-1.9	1.476	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	32
2025	6	23	7	25	41	40.3	-3.4	1.476	0.3	0.2	0	38.3	34.4	0	121	111	0	32	31	33
2025	6	23	7	35	41	39.2	-3.2	1.476	0.3	0.2	0	38.3	34	0	121	111	0	32	32	32
2025	6	23	7	45	41	39.3	-2.2	1.476	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32
2025	6	23	7	55	41	39.2	-3.9	1.476	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	23	8	5	41	38.5	-2.4	1.476	0.4	0.3	0	37.8	34.4	0	122	112	0	34	32	33
2025	6	23	8	15	41	38.8	-2.7	1.476	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	32
2025	6	23	8	25	41	38.5	-3.2	1.476	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	32
2025	6	23	8	35	41	40.4	-3.6	1.476	0.4	0.3	0	38.3	34.8	0	122	112	0	33	31	32
2025	6	23	8	45	41	39.3	-4.1	1.477	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	32
2025	6	23	8	55	41	38.6	-1.4	1.477	0.5	0.4	0	38.3	34.4	0	122	112	0	33	32	32
2025	6	23	9	5	41	38.7	-3.2	1.477	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	9	15	41	39.8	-2.7	1.477	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	9	25	41	39.2	-2.3	1.477	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	33
2025	6	23	9	35	41	39.2	-2.3	1.477	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	32
2025	6	23	9	45	41	39.8	-2.6	1.477	0.4	0.3	0	38.3	35.3	0	122	113	0	33	31	33
2025	6	23	9	55	41	39.1	-3.6	1.477	0.3	0.2	0	38.3	34.4	0	122	112	0	33	32	33
2025	6	23	10	5	41	38.5	-3.3	1.477	0.3	0.2	0	38.7	34.8	0	123	113	0	33	32	33
2025	6	23	10	15	41	39.3	-1.6	1.477	0.3	0.2	0	38.7	35.3	0	123	113	0	33	31	32
2025	6	23	10	25	41	40.6	-3	1.478	0.3	0.2	0	37.8	35.3	0	122	113	0	34	31	33
2025	6	23	10	35	41	41	-3.6	1.478	0.3	0.2	0	39.1	34.8	0	123	113	0	32	32	32
2025	6	23	10	45	41	39.3	-2.5	1.477	0.3	0.2	0	38.7	35.3	0	123	114	0	33	32	33
2025	6	23	10	55	41	39.1	-1.9	1.478	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	33
2025	6	23	11	5	41	38.7	-1.5	1.478	0.4	0.3	0	38.3	35.3	0	122	113	0	33	31	32
2025	6	23	11	15	41	39.1	-4.1	1.478	0.3	0.2	0	38.3	34.8	0	122	112	0	33	31	32
2025	6	23	11	25	41	38.9	-4	1.478	0.3	0.2	0	39.1	35.3	0	123	114	0	32	32	32
2025	6	23	11	35	41	39	-2.8	1.478	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	33
2025	6	23	11	45	41	39.9	-4.8	1.478	0.3	0.2	0	37.8	34	0	121	111	0	33	32	32
2025	6	23	11	55	41	39.5	-2.7	1.478	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	23	12	5	41	40.2	-4.2	1.478	0.3	0.2	0	37.8	34.4	0	121	111	0	33	31	33
2025	6	23	12	15	41	39.3	-3.2	1.478	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	23	12	25	41	38.7	-4.4	1.478	0.3	0.2	0	38.3	34.4	0	121	111	0	32	31	32
2025	6	23	12	35	41	39.2	-2.4	1.478	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	12	45	41	39.8	-3.2	1.478	0.3	0.2	0	37.8	34.4	0	121	111	0	33	31	32
2025	6	23	12	55	41	39.2	-4	1.478	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32
2025	6	23	13	5	41	39.3	-2.7	1.478	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32
2025	6	23	13	15	41	40.4	-3.8	1.478	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	13	25	41	39.3	-4.1	1.478	0.3	0.2	0	38.3	34.4	0	121	111	0	32	31	32
2025	6	23	13	35	41	40.3	-4.3	1.478	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	13	45	41	40.1	-4.3	1.478	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33
2025	6	23	13	55	41	40	-3.3	1.478	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	14	5	41	39.2	-3.3	1.478	0.3	0.2	0	37	33.5	0	119	110	0	33	32	33
2025	6	23	14	15	41	40.7	-3.7	1.478	0.4	0.3	0	37.4	34	0	120	111	0	33	32	32
2025	6	23	14	25	41	39.5	-3.5	1.478	0.3	0.2	0	37.4	34	0	119	110	0	32	31	33
2025	6	23	14	35	41	38.8	-4.1	1.478	0.3	0.2	0	37.8	34.4	0	120	111	0	32	31	32
2025	6	23	14	45	41	38.2	-2.2	1.478	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	23	14	55	41	39.7	-3.5	1.478	0.3	0.2	0	37.8	34.4	0	120	111	0	32	31	33
2025	6	23	15	5	41	39.2	-3.2	1.478	0.3	0.2	0	37.4	34	0	119	110	0	32	31	32
2025	6	23	15	15	41	39.7	-2	1.478	0.3	0.2	0	37.8	34.4	0	121	111	0	33	31	32
2025	6	23	15	25	41	38.9	-2.5	1.478	0.3	0.2	0	37.8	34	0	120	111	0	32	32	32
2025	6	23	15	35	41	38.6	-4.7	1.478	0.3	0.2	0	37.4	34	0	119	110	0	32	31	33
2025	6	23	15	45	41	39.8	-2.3	1.478	0.3	0.2	0	37.4	34	0	120	110	0	33	31	32
2025	6	23	15	55	41	39.8	-2.6	1.478	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	16	5	41	39.9	-2.3	1.478	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	33
2025	6	23	16	15	41	39.6	-3.2	1.478	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	16	25	41	39.9	-3.6	1.478	0.3	0.2	0	37	34	0	119	110	0	33	31	33
2025	6	23	16	35	41	39.8	-2.3	1.478	0.3	0.2	0	37.4	33.5	0	119	110	0	32	32	32
2025	6	23	16	45	41	39	-1.9	1.478	0.4	0.3	0	37.8	34	0	120	110	0	32	31	32
2025	6	23	16	55	41	39.9	-3.4	1.478	0.3	0.2	0	37	34	0	119	110	0	33	31	32
2025	6	23	17	5	41	39	-1.9	1.478	0.3	0.2	0	37.4	34	0	119	110	0	32	31	32
2025	6	23	17	15	41	39	-3.3	1.478	0.3	0.2	0	37	33.1	0	118	109	0	32	32	33
2025	6	23	17	25	41	40.1	-3.9	1.477	0.3	0.2	0	36.5	33.5	0	118	109	0	33	31	32
2025	6	23	17	35	41	40.1	-4.4	1.478	0.3	0.2	0	37	34	0	119	110	0	33	31	32
2025	6	23	17	45	41	39.1	-3.4	1.478	0.3	0.2	0	37	33.5	0	119	110	0	33	32	32
2025	6	23	17	55	41	40.5	-3.9	1.478	0.3	0.2	0	36.5	34	0	119	110	0	34	31	32
2025	6	23	18	5	41	39.7	-3.4	1.478	0.3	0.2	0	37	34	0	119	110	0	33	31	32
2025	6	23	18	15	41	40.1	-4.9	1.478	0.3	0.2	0	37.4	34	0	119	110	0	32	31	32
2025	6	23	18	25	41	40	-3.6	1.477	0.3	0.2	0	37.4	33.5	0	119	110	0	32	32	32
2025	6	23	18	35	41	40.1	-3.8	1.478	0.3	0.2	0	37	34	0	119	110	0	33	31	32
2025	6	23	18	45	41	40.6	-3.5	1.477	0.3	0.2	0	37	33.5	0	119	109	0	33	31	31
2025	6	23	18	55	41	39.9	-4.4	1.477	0.3	0.2	0	37	33.5	0	119	110	0	33	32	32
2025	6	23	19	5	41	39.7	-3.2	1.477	0.3	0.2	0	37	34	0	119	110	0	33	31	32
2025	6	23	19	15	41	40.9	-4.2	1.477	0.3	0.2	0	37	34	0	119	110	0	33	31	33
2025	6	23	19	25	41	40.1	-3.2	1.477	0.3	0.2	0	37	34	0	119	110	0	33	31	32
2025	6	23	19	35	41	39.8	-3.3	1.477	0.3	0.2	0	37	34	0	119	110	0	33	31	33
2025	6	23	19	45	41	39.6	-3.6	1.477	0.3	0.2	0	37	33.5	0	119	110	0	33	32	32
2025	6	23	19	55	41	40.3	-3	1.477	0.3	0.2	0	37.4	34	0	119	110	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	23	20	5	41	40	-3	1.477	0.3	0.2	0	37	33.5	0	119	109	0	33	31	32
2025	6	23	20	15	41	39.1	-3.3	1.477	0.3	0.2	0	37.4	34	0	119	110	0	32	31	32
2025	6	23	20	25	41	39.7	-3.5	1.477	0.3	0.2	0	37	34	0	119	110	0	33	31	32
2025	6	23	20	35	41	38.5	-2.1	1.477	0.3	0.2	0	37.8	33.5	0	120	110	0	32	32	32
2025	6	23	20	45	41	40	-4	1.477	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	20	55	41	40.2	-2.8	1.477	0.3	0.2	0	37.8	34	0	120	111	0	32	32	33
2025	6	23	21	5	41	39.8	-3	1.477	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	23	21	15	41	39.2	-2.2	1.477	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	21	25	41	39.8	-3.2	1.476	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	21	35	41	40.8	-2.8	1.476	0.3	0.2	0	37.8	34.4	0	120	111	0	32	31	32
2025	6	23	21	45	41	40.6	-2.5	1.476	0.4	0.3	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	23	21	55	41	39.9	-4.4	1.476	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	32
2025	6	23	22	5	41	40.1	-2.5	1.476	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33
2025	6	23	22	15	41	39.9	-3.1	1.476	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	23	22	25	41	39.6	-2.8	1.476	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	32
2025	6	23	22	35	41	39	-4	1.476	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33
2025	6	23	22	45	41	40.2	-3.9	1.476	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33
2025	6	23	22	55	41	39	-3.2	1.476	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	23	23	5	41	40.2	-3.6	1.476	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	32
2025	6	23	23	15	41	39.6	-3	1.476	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	23	23	25	41	39.5	-3.4	1.476	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	23	23	35	41	40.3	-3.9	1.475	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	23	23	45	41	39.2	-3.6	1.475	0.3	0.2	0	37.8	34	0	120	111	0	32	32	32
2025	6	23	23	55	41	40.2	-2.1	1.475	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	0	5	41	39.2	-2.1	1.475	0.4	0.3	0	38.3	34.8	0	121	112	0	32	31	32
2025	6	24	0	15	41	40.2	-3	1.475	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	24	0	25	41	39.8	-4.1	1.475	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33
2025	6	24	0	35	41	40.1	-3.2	1.475	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	32
2025	6	24	0	45	41	40.4	-2.4	1.475	0.3	0.2	0	37.8	34	0	121	111	0	33	32	32
2025	6	24	0	55	41	38.8	-3.2	1.475	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	24	1	5	41	40.1	-3.6	1.475	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	32
2025	6	24	1	15	41	39.3	-4.8	1.475	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	24	1	25	41	38.4	-3.9	1.474	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	24	1	35	41	39.8	-4.2	1.474	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32
2025	6	24	1	45	41	40.3	-2.1	1.475	0.3	0.2	0	37.4	34.4	0	120	111	0	33	31	33
2025	6	24	1	55	41	39.8	-2.9	1.474	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	33
2025	6	24	2	5	41	38.9	-2.6	1.474	0.3	0.2	0	37.8	34.4	0	121	111	0	33	31	33
2025	6	24	2	15	41	38.6	-2.7	1.474	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32
2025	6	24	2	25	41	39.7	-2.6	1.474	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	2	35	41	39.1	-2.5	1.474	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	24	2	45	41	39.5	-3.4	1.474	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32
2025	6	24	2	55	41	38.6	-3.1	1.474	0.3	0.2	0	37.8	34	0	121	111	0	33	32	32
2025	6	24	3	5	41	40.5	-3.9	1.474	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	3	15	41	40.2	-2.7	1.474	0.3	0.2	0	37.8	34	0	121	111	0	33	32	32
2025	6	24	3	25	41	39.1	-4.1	1.474	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	33
2025	6	24	3	35	41	39.6	-3.3	1.474	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	3	45	41	40.2	-3.5	1.473	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	3	55	41	39.6	-2.2	1.473	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	24	4	5	41	40.1	-3.2	1.473	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	33
2025	6	24	4	15	41	39.6	-3	1.473	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	33
2025	6	24	4	25	41	39.4	-2.7	1.473	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	33
2025	6	24	4	35	41	39.5	-2	1.473	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	24	4	45	41	40	-4.2	1.473	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	33
2025	6	24	4	55	41	40.8	-3.4	1.473	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	5	5	41	39.3	-3.9	1.472	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	24	5	15	41	39.3	-2.9	1.472	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	32
2025	6	24	5	25	41	40.1	-2.8	1.472	0.4	0.3	0	37.4	34.4	0	120	112	0	33	32	32
2025	6	24	5	35	41	39.9	-3	1.472	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	24	5	45	41	40.1	-4	1.472	0.4	0.3	0	37.4	34.4	0	120	111	0	33	31	33
2025	6	24	5	55	41	39.7	-3	1.472	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	32
2025	6	24	6	5	41	39.7	-2.7	1.471	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	6	15	41	39.2	-3.8	1.471	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	24	6	25	41	39.2	-3.1	1.471	0.3	0.2	0	37.4	34	0	120	111	0	33	32	32
2025	6	24	6	35	41	39.2	-2.4	1.471	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33
2025	6	24	6	45	41	39.9	-3.1	1.471	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33
2025	6	24	6	55	41	39.5	-3.3	1.471	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	32
2025	6	24	7	5	41	40.1	-3.7	1.47	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	7	15	41	39.3	-2.9	1.47	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	7	25	41	39.4	-3.3	1.47	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33
2025	6	24	7	35	41	39.8	-2.6	1.47	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	33
2025	6	24	7	45	41	38.7	-1.8	1.47	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32
2025	6	24	7	55	41	38.8	-2.8	1.47	0.3	0.2	0	38.3	34.8	0	122	113	0	33	32	33
2025	6	24	8	5	41	38.5	-3.4	1.469	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	33
2025	6	24	8	15	41	39.5	-3.2	1.469	0.3	0.2	0	37.8	34.4	0	121	113	0	33	33	32
2025	6	24	8	25	41	39.1	-2	1.468	0.3	0.2	0	38.7	35.3	0	122	114	0	32	32	33
2025	6	24	8	35	41	39.8	-3.2	1.467	0.3	0.2	0	38.3	35.3	0	122	114	0	33	32	33
2025	6	24	8	45	41	38.6	-3.8	1.467	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	33
2025	6	24	8	55	41	39.5	-3.3	1.466	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	33
2025	6	24	9	5	41	40	-3.1	1.465	0.3	0.2	0	37.8	34.8	0	122	113	0	34	32	32
2025	6	24	9	15	41	39.7	-3	1.464	0.3	0.2	0	38.3	34.8	0	122	113	0	33	32	33
2025	6	24	9	25	41	38.8	-2.2	1.464	0.3	0.2	0	37.8	34.8	0	121	113	0	33	32	32
2025	6	24	9	35	41	39.4	-3.3	1.464	0.3	0.2	0	38.3	34.8	0	122	113	0	33	32	33
2025	6	24	9	45	41	39.9	-3.1	1.464	0.3	0.2	0	38.3	34.8	0	122	113	0	33	32	33
2025	6	24	9	55	41	38.9	-3.3	1.463	0.3	0.2	0	38.3	35.3	0	122	114	0	33	32	32
2025	6	24	10	5	41	40	-3.5	1.463	0.4	0.3	0	37.8	34.8	0	122	113	0	34	32	32
2025	6	24	10	15	41	38.6	-3.2	1.463	0.4	0.3	0	38.3	34.8	0	122	113	0	33	32	33
2025	6	24	10	25	41	39.3	-2.8	1.463	0.3	0.2	0	38.3	34.8	0	122	113	0	33	32	33
2025	6	24	10	35	41	39.5	-2.8	1.463	0.3	0.2	0	38.3	35.3	0	122	114	0	33	32	33
2025	6	24	10	45	41	39.2	-5.2	1.462	0.3	0.2	0	38.3	34.8	0	122	113	0	33	32	32
2025	6	24	10	55	41	38.4	-4.3	1.462	0.3	0.2	0	38.7	35.3	0	122	114	0	32	32	33
2025	6	24	11	5	41	38.3	-2.2	1.462	0.3	0.2	0	38.7	35.3	0	123	114	0	33	32	33
2025	6	24	11	15	41	38.5	-2.8	1.462	0.3	0.2	0	38.7	35.3	0	123	114	0	33	32	33
2025	6	24	11	25	41	39.4	-3.8	1.462	0.3	0.2	0	37.8	34.8	0	122	113	0	34	32	33
2025	6	24	11	35	41	38.8	-3.2	1.462	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	32
2025	6	24	11	45	41	39.3	-4.4	1.461	0.3	0.2	0	38.7	34.8	0	122	113	0	32	32	32
2025	6	24	11	55	41	38.7	-3.1	1.461	0.3	0.2	0	38.7	35.3	0	123	114	0	33	32	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	24	12	5	41	38.1	-4.1	1.461	0.3	0.2	0	38.7	35.7	0	123	114	0	33	31	33	
2025	6	24	12	15	41	37.8	-3.7	1.461	0.4	0.3	0	38.7	35.3	0	123	114	0	33	32	33	
2025	6	24	12	25	41	38.9	-2.7	1.461	0.3	0.2	0	38.3	35.3	0	122	114	0	33	32	33	
2025	6	24	12	35	41	39.8	-3.4	1.46	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	33	
2025	6	24	12	45	41	37.6	-2.9	1.46	0.3	0.2	0	38.3	35.3	0	122	114	0	33	32	33	
2025	6	24	12	55	41	38.5	-4.3	1.46	0.3	0.2	0	38.3	35.3	0	122	113	0	33	31	32	
2025	6	24	13	5	41	38.9	-4.5	1.459	0.3	0.2	0	37.4	34.8	0	121	113	0	34	32	33	
2025	6	24	13	15	41	39.7	-3.4	1.458	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32	
2025	6	24	13	25	41	39.2	-3.9	1.457	0.3	0.2	0	38.3	34.8	0	122	113	0	33	32	32	
2025	6	24	13	35	41	38.9	-4.9	1.455	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	33	
2025	6	24	13	45	41	38.3	-4.1	1.455	0.3	0.2	0	38.3	34.8	0	121	113	0	32	32	32	
2025	6	24	13	55	41	38.3	-3	1.455	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	32	
2025	6	24	14	5	41	38.5	-4	1.454	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32	
2025	6	24	14	15	41	38	-5.7	1.454	0.4	0.3	0	37.8	34.4	0	121	112	0	33	32	33	
2025	6	24	14	25	41	39	-4.8	1.453	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	33	
2025	6	24	14	35	41	38	-4.8	1.453	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32	
2025	6	24	14	45	41	39.5	-3.6	1.453	0.4	0.3	0	37.8	34.4	0	121	112	0	33	32	32	
2025	6	24	14	55	41	38.2	-4.2	1.453	0.3	0.2	0	37.8	34.8	0	121	113	0	33	32	33	
2025	6	24	15	5	41	39.5	-4.6	1.452	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	32	
2025	6	24	15	15	41	38.6	-3.6	1.452	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32	
2025	6	24	15	25	41	39.5	-4.1	1.452	0.3	0.2	0	37.4	34.8	0	120	112	0	33	31	32	
2025	6	24	15	35	41	38.8	-4.3	1.452	0.3	0.2	0	37.8	35.3	0	121	113	0	33	31	33	
2025	6	24	15	45	41	38.6	-4.1	1.452	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32	
2025	6	24	15	55	41	37.6	-3.7	1.451	0.4	0.3	0	37.8	35.3	0	121	113	0	33	31	32	
2025	6	24	16	5	41	37.7	-5.4	1.451	0.4	0.3	0	37.4	34.4	0	120	112	0	33	32	32	
2025	6	24	16	15	41	38.1	-4.4	1.451	0.3	0.2	0	38.3	34.8	0	121	113	0	32	32	32	
2025	6	24	16	25	41	39.1	-4.1	1.45	0.3	0.2	0	37.4	34.8	0	120	112	0	33	31	32	
2025	6	24	16	35	41	38.7	-4.2	1.45	0.3	0.2	0	37.4	34.8	0	120	112	0	33	31	32	
2025	6	24	16	45	41	39.3	-4	1.449	0.3	0.2	0	37.4	34.8	0	120	112	0	33	31	33	
2025	6	24	16	55	41	38.8	-3.4	1.449	0.3	0.2	0	37.4	34.8	0	120	112	0	33	31	32	
2025	6	24	17	5	41	39.2	-4.7	1.446	0.3	0.2	0	37.4	34	0	120	111	0	33	32	33	
2025	6	24	17	15	41	39.3	-4.3	1.445	0.3	0.2	0	38.3	34.4	0	121	112	0	32	32	31	
2025	6	24	17	25	41	39.3	-3.3	1.444	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	33	
2025	6	24	17	35	41	39.4	-3.9	1.444	0.3	0.2	0	37	34.8	0	120	112	0	34	31	32	
2025	6	24	17	45	41	39.2	-3.6	1.444	0.3	0.2	0	37.8	34.4	0	121	112	0	33	32	32	
2025	6	24	17	55	41	38.3	-3.4	1.443	0.3	0.2	0	37.8	34.8	0	121	112	0	33	31	32	
2025	6	24	18	5	41	38.6	-4.9	1.443	0.3	0.2	0	37.4	34.4	0	120	112	0	33	32	32	
2025	6	24	18	15	41	38.4	-4.5	1.443	0.3	0.2	0	37.8	34	0	120	111	0	32	32	32	
2025	6	24	18	25	41	38.5	-2.9	1.442	0.3	0.2	0	42.1	38.3	0	131	122	0	33	33	32	
2025	6	24	18	35	41	38.1	-3.1	1.442	0.4	0.3	0	41.7	38.7	0	130	121	0	33	31	32	
2025	6	24	18	45	41	38.9	-4	1.441	0.3	0.2	0	41.3	39.1	0	129	122	0	33	31	32	
2025	6	24	18	55	41	38.6	-3.6	1.442	0.3	0.2	0	41.3	38.7	0	129	121	0	33	31	32	
2025	6	24	19	5	41	39.6	-3.2	1.44	0.3	0.2	0	41.3	38.3	0	129	120	0	33	31	32	
2025	6	24	19	15	41	39.4	-3.1	1.439	0.3	0.2	0	41.7	38.3	0	130	120	0	33	31	32	
2025	6	24	19	25	41	39.1	-2.5	1.44	0.3	0.2	0	40.9	37.4	0	128	119	0	33	32	32	
2025	6	24	19	35	41	38.9	-4	1.44	0.3	0.2	0	41.3	38.3	0	128	120	0	32	31	32	
2025	6	24	19	45	41	39.3	-2	1.439	0.3	0.2	0	42.6	40	0	132	125	0	33	32	32	
2025	6	24	19	55	41	37.7	-3	1.439	0.3	0.2	0	38.7	36.1	0	122	117	0	32	33	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	24	20	5	41	37.9	-3.8	1.44	0.4	0.3	0	36.5	35.7	0	118	114	0	33	31	31
2025	6	24	20	15	41	37.9	-5.7	1.439	0.3	0.2	0	36.1	35.3	0	117	113	0	33	31	33
2025	6	24	20	25	41	37.9	-3.8	1.439	0.4	0.3	0	37	35.7	0	118	114	0	32	31	32
2025	6	24	20	35	41	37.9	-3.2	1.438	0.4	0.3	0	37	35.7	0	118	114	0	32	31	32
2025	6	24	20	45	41	37.5	-3.2	1.438	0.4	0.3	0	37	35.3	0	118	114	0	32	32	32
2025	6	24	20	55	41	38.4	-3.7	1.438	0.3	0.2	0	36.5	35.7	0	118	114	0	33	31	32
2025	6	24	21	5	41	38.1	-3.6	1.437	0.3	0.2	0	36.5	35.3	0	118	114	0	33	32	32
2025	6	24	21	15	41	39	-3.5	1.437	0.3	0.2	0	37	35.3	0	119	114	0	33	32	32
2025	6	24	21	25	41	38.7	-4	1.436	0.3	0.2	0	36.5	35.3	0	118	114	0	33	32	32
2025	6	24	21	35	41	37.9	-3.9	1.434	0.3	0.2	0	36.5	35.3	0	118	114	0	33	32	32
2025	6	24	21	45	41	37.2	-2.7	1.432	0.3	0.2	0	36.5	35.3	0	118	114	0	33	32	33
2025	6	24	21	55	41	39	-4	1.432	0.3	0.2	0	36.5	35.7	0	118	114	0	33	31	33
2025	6	24	22	5	41	38.7	-2.8	1.431	0.3	0.2	0	37	35.7	0	118	114	0	32	31	32
2025	6	24	22	15	41	39.3	-2.7	1.431	0.3	0.2	0	36.5	35.3	0	118	114	0	33	32	32
2025	6	24	22	25	41	38.8	-4	1.431	0.3	0.2	0	37	35.7	0	118	114	0	32	31	33
2025	6	24	22	35	41	37.5	-2.9	1.43	0.3	0.2	0	37.4	36.1	0	119	115	0	32	31	33
2025	6	24	22	45	41	37.1	-3.2	1.43	0.5	0.4	0	37	35.3	0	119	114	0	33	32	31
2025	6	24	22	55	41	37	-3.3	1.43	0.3	0.2	0	37	35.7	0	119	114	0	33	31	33
2025	6	24	23	5	41	38.3	-3	1.429	0.4	0.3	0	37	36.1	0	119	115	0	33	31	33
2025	6	24	23	15	41	37.2	-3.7	1.429	0.3	0.2	0	37	35.7	0	119	114	0	33	31	32
2025	6	24	23	25	41	37.9	-1.8	1.428	0.3	0.2	0	37	35.7	0	119	114	0	33	31	33
2025	6	24	23	35	41	37.8	-3.2	1.428	0.3	0.2	0	37.4	35.3	0	119	114	0	32	32	32
2025	6	24	23	45	41	36.7	-2.7	1.428	0.3	0.2	0	37.4	35.7	0	120	115	0	33	32	33
2025	6	24	23	55	41	37.7	-2.7	1.428	0.3	0.2	0	37	36.1	0	119	115	0	33	31	33
2025	6	25	0	5	41	37.9	-2.9	1.427	0.3	0.2	0	37	35.7	0	119	115	0	33	32	32
2025	6	25	0	15	41	37.7	-3	1.427	0.3	0.2	0	37.4	35.7	0	120	115	0	33	32	32
2025	6	25	0	25	41	38.7	-4.9	1.427	0.3	0.2	0	37	35.7	0	119	114	0	33	31	32
2025	6	25	0	35	41	39.1	-3.2	1.426	0.3	0.2	0	37.4	35.7	0	120	115	0	33	32	33
2025	6	25	0	45	41	37.3	-3.1	1.426	0.3	0.2	0	37.4	35.7	0	120	115	0	33	32	33
2025	6	25	0	55	41	37.3	-3.3	1.426	0.5	0.5	0	37.4	35.7	0	120	115	0	33	32	32
2025	6	25	1	5	41	37.7	-2.8	1.425	0.3	0.2	0	37.4	36.5	0	120	116	0	33	31	32
2025	6	25	1	15	41	36.8	-2.5	1.425	0.4	0.3	0	37.8	36.1	0	120	115	0	32	31	33
2025	6	25	1	25	41	37.5	-5.3	1.424	0.4	0.3	0	37.4	35.7	0	120	115	0	33	32	32
2025	6	25	1	35	41	37.3	-3.5	1.424	0.3	0.2	0	37.8	36.1	0	121	115	0	33	31	32
2025	6	25	1	45	41	38.6	-3.3	1.423	0.3	0.2	0	37.8	36.1	0	121	116	0	33	32	33
2025	6	25	1	55	41	38.2	-3.6	1.421	0.3	0.2	0	38.3	36.1	0	121	116	0	32	32	33
2025	6	25	2	5	41	37.3	-2.6	1.42	0.3	0.2	0	38.3	36.1	0	122	116	0	33	32	33
2025	6	25	2	15	41	37.2	-3	1.419	0.3	0.2	0	38.3	36.1	0	122	116	0	33	32	32
2025	6	25	2	25	41	37.7	-3.3	1.418	0.3	0.2	0	38.3	36.1	0	122	116	0	33	32	32
2025	6	25	2	35	41	38	-3.7	1.418	0.3	0.2	0	37.8	37	0	122	117	0	34	31	32
2025	6	25	2	45	41	37.8	-2.7	1.417	0.4	0.3	0	38.7	36.5	0	122	117	0	32	32	32
2025	6	25	2	55	41	37.3	-2.5	1.417	0.3	0.2	0	38.3	36.1	0	122	116	0	33	32	33
2025	6	25	3	5	41	37.3	-3.7	1.417	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	33
2025	6	25	3	15	41	37.6	-2.6	1.416	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	33
2025	6	25	3	25	41	37.2	-3.9	1.416	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	33
2025	6	25	3	35	41	36.9	-3.4	1.415	0.3	0.2	0	39.1	36.1	0	123	116	0	32	32	32
2025	6	25	3	45	41	36.9	-2.9	1.415	0.3	0.2	0	38.3	36.5	0	122	117	0	33	32	33
2025	6	25	3	55	41	37.6	-3.1	1.415	0.4	0.3	0	39.1	36.5	0	123	117	0	32	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	25	4	5	41	37.4	-2.8	1.415	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	32
2025	6	25	4	15	41	37	-2.4	1.414	0.3	0.2	0	38.3	37	0	123	117	0	34	31	32
2025	6	25	4	25	41	36.8	-3.1	1.414	0.3	0.2	0	38.7	36.1	0	123	117	0	33	33	32
2025	6	25	4	35	41	37.7	-3	1.414	0.4	0.3	0	38.7	36.1	0	123	116	0	33	32	32
2025	6	25	4	45	41	36.6	-2.5	1.413	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	33
2025	6	25	4	55	41	36.8	-2.5	1.413	0.3	0.2	0	39.1	37	0	123	117	0	32	31	32
2025	6	25	5	5	41	37.6	-2.4	1.412	0.3	0.2	0	38.7	36.1	0	123	116	0	33	32	33
2025	6	25	5	15	41	37.2	-2.3	1.412	0.3	0.2	0	38.3	36.5	0	123	117	0	34	32	33
2025	6	25	5	25	41	37.1	-2.6	1.411	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	32
2025	6	25	5	35	41	36.9	-2.6	1.41	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	33
2025	6	25	5	45	41	37.2	-2.4	1.41	0.3	0.2	0	39.1	36.5	0	124	117	0	33	32	33
2025	6	25	5	55	41	38	-1.9	1.406	0.3	0.2	0	38.7	36.5	0	124	117	0	34	32	33
2025	6	25	6	5	41	37.4	-2	1.406	0.3	0.2	0	38.7	36.5	0	124	117	0	34	32	33
2025	6	25	6	15	41	36.3	-3.2	1.405	0.4	0.3	0	39.1	36.5	0	124	117	0	33	32	32
2025	6	25	6	25	41	37.3	-2.9	1.405	0.3	0.2	0	38.7	36.5	0	123	117	0	33	32	33
2025	6	25	6	35	41	38	-2.4	1.405	0.3	0.2	0	39.1	36.1	0	124	117	0	33	33	32
2025	6	25	6	45	41	36.9	-2	1.404	0.3	0.2	0	39.1	37	0	124	118	0	33	32	33
2025	6	25	6	55	41	38	-2.6	1.404	0.3	0.2	0	39.1	37	0	124	118	0	33	32	32
2025	6	25	7	5	41	36.4	-2.1	1.403	0.3	0.2	0	39.6	37.4	0	125	118	0	33	31	32
2025	6	25	7	15	41	37.5	-3.8	1.403	0.3	0.2	0	39.6	37	0	125	118	0	33	32	33
2025	6	25	7	25	41	37.4	-3.3	1.403	0.3	0.2	0	39.6	37.4	0	125	119	0	33	32	33
2025	6	25	7	35	41	37.9	-3.8	1.402	0.3	0.2	0	40	37.4	0	126	119	0	33	32	32
2025	6	25	7	45	41	36.3	-2.7	1.402	0.3	0.2	0	40	37.8	0	126	119	0	33	31	33
2025	6	25	7	55	41	37.1	-3.3	1.402	0.3	0.2	0	40	37.4	0	126	119	0	33	32	33
2025	6	25	8	5	41	36.8	-3	1.401	0.3	0.2	0	40	38.3	0	126	120	0	33	31	33
2025	6	25	8	15	41	36.4	-2.3	1.401	0.3	0.2	0	39.6	37.4	0	126	120	0	34	33	33
2025	6	25	8	25	41	36.2	-2.7	1.401	0.3	0.2	0	40	37.4	0	126	119	0	33	32	32
2025	6	25	8	35	41	36.7	-2.9	1.4	0.3	0.2	0	40	37.4	0	126	119	0	33	32	32
2025	6	25	8	45	41	36.3	-2.7	1.4	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	32
2025	6	25	8	55	41	36.4	-2.3	1.399	0.3	0.2	0	40	37.8	0	126	120	0	33	32	33
2025	6	25	9	5	41	36.3	-2.4	1.398	0.3	0.2	0	40.4	37.4	0	127	120	0	33	33	32
2025	6	25	9	15	41	36.5	-2.5	1.396	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	32
2025	6	25	9	25	41	36.5	-2.4	1.394	0.3	0.2	0	40	37.8	0	127	120	0	34	32	33
2025	6	25	9	35	41	37.4	-2.6	1.393	0.3	0.2	0	40.4	38.3	0	127	120	0	33	31	32
2025	6	25	9	45	41	35.9	-3.3	1.393	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	33
2025	6	25	9	55	41	36.1	-2	1.393	0.3	0.2	0	40	37.4	0	126	119	0	33	32	33
2025	6	25	10	5	41	36	-1.6	1.392	0.3	0.2	0	40	37.8	0	127	120	0	34	32	33
2025	6	25	10	15	41	37.3	-2.4	1.392	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	32
2025	6	25	10	25	41	36	-2.5	1.391	0.3	0.2	0	40.4	38.3	0	127	121	0	33	32	32
2025	6	25	10	35	41	37	-3.2	1.391	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	34
2025	6	25	10	45	41	35.1	-2.3	1.391	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	33
2025	6	25	10	55	41	35.5	-2.8	1.391	0.3	0.2	0	40	37.8	0	127	120	0	34	32	31
2025	6	25	11	5	41	36.1	-3.3	1.39	0.4	0.3	0	39.6	38.3	0	126	120	0	34	31	33
2025	6	25	11	15	41	35.6	-2.9	1.389	0.3	0.2	0	40	37.8	0	126	120	0	33	32	33
2025	6	25	11	25	41	36	-2.6	1.389	0.3	0.2	0	40	37.8	0	126	120	0	33	32	33
2025	6	25	11	35	41	36.2	-2.7	1.388	0.3	0.2	0	40	37.8	0	126	120	0	33	32	33
2025	6	25	11	45	41	37.2	-2.7	1.386	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	32
2025	6	25	11	55	41	36.9	-3.9	1.385	0.3	0.2	0	40	37.8	0	127	120	0	34	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	25	12	5	41	36.3	-2.5	1.383	0.3	0.2	0	40	37.8	0	126	120	0	33	32	32
2025	6	25	12	15	41	35.3	-2.5	1.383	0.3	0.2	0	40.4	38.3	0	127	121	0	33	32	32
2025	6	25	12	25	41	36.2	-3.8	1.382	0.3	0.2	0	39.6	37.4	0	126	119	0	34	32	33
2025	6	25	12	35	41	35.7	-5.1	1.382	0.3	0.2	0	40	37.4	0	126	119	0	33	32	32
2025	6	25	12	45	41	35	-6	1.381	0.3	0.2	0	40	37.8	0	126	119	0	33	31	33
2025	6	25	12	55	41	36.6	-2.4	1.381	0.3	0.2	0	40.4	37.4	0	126	119	0	32	32	33
2025	6	25	13	5	41	35.8	-4.2	1.381	0.3	0.2	0	40	37.4	0	126	119	0	33	32	33
2025	6	25	13	15	41	36.2	-4.1	1.38	0.3	0.2	0	40	37.4	0	126	119	0	33	32	33
2025	6	25	13	25	41	36.1	-3.8	1.38	0.3	0.2	0	40	37.4	0	126	119	0	33	32	33
2025	6	25	13	35	41	36.7	-4.2	1.38	0.4	0.3	0	40	37.4	0	126	119	0	33	32	32
2025	6	25	13	45	41	35.9	-3.5	1.379	0.4	0.3	0	40	37.8	0	126	119	0	33	31	33
2025	6	25	13	55	41	36.2	-3.8	1.378	0.3	0.2	0	40	37.4	0	126	118	0	33	31	32
2025	6	25	14	5	41	35.8	-3.8	1.376	0.3	0.2	0	40	37	0	126	118	0	33	32	32
2025	6	25	14	15	41	35.5	-3.4	1.374	0.3	0.2	0	40.4	37.4	0	127	119	0	33	32	32
2025	6	25	14	25	41	36.6	-3	1.373	0.3	0.2	0	40	37.4	0	127	119	0	34	32	32
2025	6	25	14	35	41	36.5	-3.6	1.373	0.5	0.4	0	40.4	37.8	0	126	119	0	32	31	32
2025	6	25	14	45	41	35.5	-2.7	1.372	0.3	0.2	0	40.4	37.8	0	127	119	0	33	31	33
2025	6	25	14	55	41	34.7	-4.1	1.372	0.3	0.2	0	40.9	37.4	0	127	119	0	32	32	32
2025	6	25	15	5	41	35.2	-2.5	1.371	0.3	0.2	0	40.9	38.3	0	127	120	0	32	31	33
2025	6	25	15	15	41	35.4	-3.3	1.371	0.3	0.2	0	40.4	38.3	0	127	120	0	33	31	32
2025	6	25	15	25	41	35.7	-3.3	1.37	0.3	0.2	0	40.4	38.3	0	127	120	0	33	31	32
2025	6	25	15	35	41	35.3	-4.2	1.37	0.3	0.2	0	40.4	37.8	0	127	120	0	33	32	32
2025	6	25	15	45	41	35.5	-1.4	1.369	0.3	0.2	0	40.9	37.8	0	127	120	0	32	32	32
2025	6	25	15	55	41	35.1	-5.1	1.369	0.3	0.2	0	40.4	37.8	0	126	120	0	32	32	32
2025	6	25	16	5	41	36.1	-2.7	1.368	0.3	0.2	0	40.4	38.3	0	127	120	0	33	31	33
2025	6	25	16	15	41	35.4	-4.3	1.367	0.3	0.2	0	40.4	37.4	0	126	119	0	32	32	32
2025	6	25	16	25	41	34.9	-2.5	1.366	0.4	0.3	0	40.4	37.8	0	127	120	0	33	32	33
2025	6	25	16	35	41	35	-4	1.363	0.4	0.3	0	40.4	37.8	0	127	119	0	33	31	33
2025	6	25	16	45	41	35.7	-2.5	1.362	0.3	0.2	0	40.9	38.3	0	128	120	0	33	31	33
2025	6	25	16	55	41	35.1	-5.1	1.362	0.3	0.2	0	40.9	37.8	0	128	120	0	33	32	33
2025	6	25	17	5	41	35	-5.5	1.361	0.3	0.2	0	40.9	38.3	0	128	120	0	33	31	32
2025	6	25	17	15	41	35.2	-4.3	1.361	0.3	0.2	0	40.9	37.4	0	128	119	0	33	32	32
2025	6	25	17	25	41	36.5	-3.7	1.36	0.4	0.3	0	40.9	37.8	0	128	119	0	33	31	33
2025	6	25	17	35	41	35.4	-5.1	1.36	0.3	0.2	0	40.9	37.8	0	128	120	0	33	32	33
2025	6	25	17	45	41	35.9	-3.1	1.359	0.3	0.2	0	41.3	37.4	0	128	119	0	32	32	32
2025	6	25	17	55	41	34.6	-3.3	1.359	0.3	0.2	0	40.4	37.8	0	127	119	0	33	31	32
2025	6	25	18	5	41	35.1	-5.2	1.359	0.3	0.2	0	40.9	37.8	0	128	119	0	33	31	32
2025	6	25	18	15	41	34.7	-5	1.358	0.3	0.2	0	40.9	37.8	0	128	119	0	33	31	33
2025	6	25	18	25	41	34.7	-4.1	1.358	0.3	0.2	0	41.3	37.8	0	128	119	0	32	31	32
2025	6	25	18	35	41	35.2	-3.3	1.356	0.4	0.3	0	43.4	40.4	0	134	125	0	33	31	32
2025	6	25	18	45	41	36.6	-2.9	1.353	0.3	0.2	0	44.3	40.9	0	136	126	0	33	31	32
2025	6	25	18	55	41	37.8	-2.1	1.354	0.3	0.2	0	44.7	41.7	0	137	128	0	33	31	33
2025	6	25	19	5	41	35.7	-3.4	1.353	0.4	0.3	0	44.3	39.6	0	136	123	0	33	31	32
2025	6	25	19	15	41	36.7	-4.2	1.352	0.3	0.2	0	43.4	38.7	0	134	121	0	33	31	32
2025	6	25	19	25	41	36.2	-3.6	1.351	0.3	0.2	0	43	37.8	0	133	120	0	33	32	32
2025	6	25	19	35	41	36	-3.4	1.35	0.3	0.2	0	44.3	38.7	0	135	122	0	32	32	32
2025	6	25	19	45	41	36.7	-3.3	1.35	0.4	0.3	0	43.4	38.7	0	133	121	0	32	31	32
2025	6	25	19	55	41	35.2	-3.4	1.349	0.3	0.2	0	43.9	38.7	0	135	122	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	25	20	5	41	35.3	-3.5	1.349	0.3	0.2	0	43.4	38.3	0	133	121	0	32	32	32
2025	6	25	20	15	41	35	-3.4	1.349	0.5	0.4	0	43.4	38.3	0	133	120	0	32	31	33
2025	6	25	20	25	41	34.9	-3.5	1.348	0.3	0.2	0	43	38.7	0	133	121	0	33	31	32
2025	6	25	20	35	41	34.6	-2.8	1.348	0.4	0.3	0	43.4	38.3	0	133	121	0	32	32	32
2025	6	25	20	45	41	33.9	-4.9	1.347	0.3	0.2	0	43.4	37.8	0	133	120	0	32	32	32
2025	6	25	20	55	41	34.3	-4	1.347	0.4	0.3	0	43	38.3	0	133	121	0	33	32	32
2025	6	25	21	5	41	35.4	-3.1	1.347	0.3	0.2	0	43.4	38.7	0	134	121	0	33	31	32
2025	6	25	21	15	41	34.5	-2.4	1.346	0.3	0.2	0	43.9	38.7	0	134	121	0	32	31	32
2025	6	25	21	25	41	34.4	-2.8	1.346	0.3	0.2	0	43	38.7	0	133	121	0	33	31	33
2025	6	25	21	35	41	36	-3.9	1.346	0.3	0.2	0	43.4	38.7	0	134	121	0	33	31	32
2025	6	25	21	45	41	34.2	-3.7	1.345	0.4	0.3	0	43.4	38.3	0	134	121	0	33	32	32
2025	6	25	21	55	41	35.1	-3.5	1.345	0.4	0.3	0	43	38.3	0	133	121	0	33	32	33
2025	6	25	22	5	41	33.8	-3.1	1.344	0.3	0.2	0	43.9	38.7	0	134	122	0	32	32	32
2025	6	25	22	15	41	35.1	-3.5	1.343	0.3	0.2	0	43.4	39.1	0	134	122	0	33	31	32
2025	6	25	22	25	41	35.3	-3.5	1.342	0.3	0.2	0	43.4	39.1	0	134	122	0	33	31	32
2025	6	25	22	35	41	33.8	-3.7	1.34	0.3	0.2	0	44.3	39.1	0	135	122	0	32	31	32
2025	6	25	22	45	41	34.2	-3.8	1.338	0.3	0.2	0	43.4	38.7	0	134	122	0	33	32	32
2025	6	25	22	55	41	33.9	-2.6	1.338	0.3	0.2	0	43.9	39.1	0	135	122	0	33	31	34
2025	6	25	23	5	41	33.9	-3.6	1.337	0.4	0.3	0	43.9	39.1	0	135	122	0	33	31	32
2025	6	25	23	15	41	34.2	-4.3	1.337	0.3	0.2	0	43.9	38.7	0	135	122	0	33	32	32
2025	6	25	23	25	41	34.4	-3.8	1.336	0.3	0.2	0	43.9	38.7	0	135	122	0	33	32	32
2025	6	25	23	35	41	34.2	-2.8	1.336	0.4	0.3	0	44.3	38.7	0	135	122	0	32	32	33
2025	6	25	23	45	41	34.3	-3	1.336	0.4	0.3	0	43.4	38.7	0	134	122	0	33	32	32
2025	6	25	23	55	41	34.6	-4	1.335	0.3	0.2	0	43.9	39.6	0	135	123	0	33	31	32
2025	6	26	0	5	41	33.8	-3.5	1.335	0.3	0.2	0	43.9	39.1	0	135	122	0	33	31	32
2025	6	26	0	15	41	34.2	-2.8	1.335	0.4	0.3	0	43.9	39.6	0	135	123	0	33	31	33
2025	6	26	0	25	41	33.9	-3.1	1.334	0.3	0.2	0	43.9	39.1	0	135	123	0	33	32	32
2025	6	26	0	35	41	33.4	-1.6	1.334	0.3	0.2	0	43.9	39.1	0	135	123	0	33	32	31
2025	6	26	0	45	41	33.6	-3.3	1.333	0.3	0.2	0	43.9	39.1	0	135	123	0	33	32	32
2025	6	26	0	55	41	34.1	-3.5	1.333	0.3	0.2	0	43.9	39.1	0	135	123	0	33	32	32
2025	6	26	1	5	41	35.4	-2.8	1.332	0.3	0.2	0	43.9	39.1	0	135	123	0	33	32	33
2025	6	26	1	15	41	34	-3.2	1.332	0.3	0.2	0	44.7	40	0	136	124	0	32	31	31
2025	6	26	1	25	41	35.2	-3.8	1.331	0.4	0.3	0	43.9	39.6	0	135	123	0	33	31	32
2025	6	26	1	35	41	34.7	-3.1	1.329	0.3	0.2	0	43.9	39.6	0	135	123	0	33	31	32
2025	6	26	1	45	41	34.1	-3.5	1.327	0.4	0.3	0	44.3	39.1	0	136	123	0	33	32	33
2025	6	26	1	55	41	34.2	-2.9	1.326	0.3	0.2	0	44.7	39.1	0	136	123	0	32	32	32
2025	6	26	2	5	41	34.3	-2.5	1.326	0.4	0.3	0	44.3	39.6	0	136	123	0	33	31	33
2025	6	26	2	15	41	34.2	-2.6	1.325	0.4	0.3	0	44.3	40	0	136	124	0	33	31	32
2025	6	26	2	25	41	33.9	-2.8	1.325	0.3	0.2	0	44.3	39.6	0	136	124	0	33	32	32
2025	6	26	2	35	41	33.5	-3.1	1.324	0.3	0.2	0	43.9	39.6	0	136	123	0	34	31	32
2025	6	26	2	45	41	34.6	-2.2	1.324	0.3	0.2	0	44.3	39.6	0	136	124	0	33	32	32
2025	6	26	2	55	41	34.6	-2.6	1.324	0.3	0.2	0	44.7	40	0	136	124	0	32	31	32
2025	6	26	3	5	41	33.4	-3.5	1.323	0.4	0.3	0	44.3	39.1	0	136	123	0	33	32	32
2025	6	26	3	15	41	32.5	-2.3	1.323	0.3	0.2	0	45.2	39.6	0	137	124	0	32	32	32
2025	6	26	3	25	41	33.3	-3.1	1.323	0.3	0.2	0	44.3	39.6	0	136	124	0	33	32	31
2025	6	26	3	35	41	34.9	-3.8	1.322	0.3	0.2	0	44.7	40	0	136	124	0	32	31	33
2025	6	26	3	45	41	34.9	-3.6	1.322	0.3	0.2	0	43.9	40	0	136	124	0	34	31	32
2025	6	26	3	55	41	33.7	-2.2	1.321	0.3	0.2	0	45.2	39.6	0	137	124	0	32	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	26	4	5	41	34.2	-3.8	1.321	0.3	0.2	0	45.2	40	0	137	124	0	32	31	32
2025	6	26	4	15	41	33.3	-3.2	1.32	0.4	0.3	0	45.2	40.4	0	137	125	0	32	31	32
2025	6	26	4	25	41	33.9	-3.3	1.318	0.3	0.2	0	44.7	40	0	137	124	0	33	31	32
2025	6	26	4	35	41	33.6	-3.1	1.316	0.3	0.2	0	44.7	40	0	137	125	0	33	32	33
2025	6	26	4	45	41	33.8	-2.8	1.315	0.4	0.3	0	44.7	40	0	137	125	0	33	32	32
2025	6	26	4	55	41	33.8	-2.4	1.314	0.3	0.2	0	45.2	40	0	137	125	0	32	32	32
2025	6	26	5	5	41	34.1	-2.8	1.314	0.3	0.2	0	45.6	40	0	137	125	0	31	32	32
2025	6	26	5	15	41	34.6	-3.1	1.313	0.3	0.2	0	45.2	40	0	137	125	0	32	32	32
2025	6	26	5	25	41	33.4	-3.5	1.313	0.3	0.2	0	44.7	40.4	0	137	125	0	33	31	33
2025	6	26	5	35	41	34.3	-2.9	1.312	0.3	0.2	0	45.2	40	0	138	125	0	33	32	31
2025	6	26	5	45	41	33	-2.6	1.312	0.3	0.2	0	45.2	40	0	138	125	0	33	32	32
2025	6	26	5	55	41	33.7	-2.1	1.311	0.4	0.3	0	45.2	40.9	0	138	126	0	33	31	32
2025	6	26	6	5	41	34	-2.6	1.311	0.5	0.4	0	45.2	40.4	0	137	126	0	32	32	32
2025	6	26	6	15	41	32.8	-2.2	1.311	0.3	0.2	0	45.2	40.9	0	138	126	0	33	31	32
2025	6	26	6	25	41	33.2	-2.1	1.31	0.3	0.2	0	45.2	40.9	0	138	126	0	33	31	31
2025	6	26	6	35	41	31.9	-1.8	1.31	0.3	0.2	0	45.6	40.4	0	138	126	0	32	32	32
2025	6	26	6	45	41	33.6	-1.8	1.309	0.3	0.2	0	45.2	40.9	0	138	126	0	33	31	33
2025	6	26	6	55	41	32.8	-2.7	1.308	0.3	0.2	0	45.2	40.9	0	138	126	0	33	31	32
2025	6	26	7	5	41	32.4	-2.8	1.308	0.3	0.2	0	45.2	40.4	0	138	126	0	33	32	32
2025	6	26	7	15	41	32.8	-2.2	1.307	0.5	0.4	0	46	40.9	0	139	126	0	32	31	33
2025	6	26	7	25	41	33.5	-2.6	1.306	0.3	0.2	0	45.6	40.9	0	139	127	0	33	32	33
2025	6	26	7	35	41	33.5	-1.7	1.303	0.3	0.2	0	46	41.3	0	140	128	0	33	32	33
2025	6	26	7	45	41	33.3	-2.4	1.302	0.3	0.2	0	46	41.3	0	140	128	0	33	32	33
2025	6	26	7	55	41	32.9	-1.7	1.302	0.5	0.4	0	46	41.7	0	140	129	0	33	32	32
2025	6	26	8	5	41	34.3	-2.7	1.301	0.4	0.3	0	46	41.3	0	140	128	0	33	32	32
2025	6	26	8	15	41	32.4	-2.6	1.3	0.4	0.3	0	46.4	42.1	0	141	129	0	33	31	32
2025	6	26	8	25	41	32.8	-3.3	1.3	0.4	0.3	0	46.4	41.7	0	141	129	0	33	32	33
2025	6	26	8	35	41	32.9	-3	1.299	0.4	0.3	0	46.4	41.7	0	141	129	0	33	32	32
2025	6	26	8	45	41	33.7	-2.7	1.299	0.3	0.2	0	46.4	42.1	0	141	129	0	33	31	33
2025	6	26	8	55	41	33.3	-2.5	1.299	0.3	0.2	0	46.4	42.1	0	141	129	0	33	31	32
2025	6	26	9	5	41	34.5	-2.7	1.298	0.3	0.2	0	46.4	42.1	0	141	129	0	33	31	32
2025	6	26	9	15	41	33.1	-2.3	1.298	0.3	0.2	0	46.4	42.6	0	142	130	0	34	31	32
2025	6	26	9	25	41	32.2	-1.4	1.297	0.4	0.3	0	47.3	42.6	0	142	130	0	32	31	32
2025	6	26	9	35	41	33.5	-1.9	1.297	0.3	0.2	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	9	45	41	32.7	-3.1	1.296	0.3	0.2	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	9	55	41	33.3	-2.7	1.295	0.3	0.2	0	46.9	42.1	0	142	130	0	33	32	33
2025	6	26	10	5	41	33.4	-3.4	1.292	0.4	0.3	0	46.9	42.1	0	142	130	0	33	32	32
2025	6	26	10	15	41	32.9	-3.6	1.29	0.3	0.2	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	10	25	41	32.7	-2.4	1.29	0.3	0.2	0	46.9	42.1	0	142	130	0	33	32	32
2025	6	26	10	35	41	32.6	-3.6	1.289	0.4	0.3	0	47.3	42.6	0	142	131	0	32	32	32
2025	6	26	10	45	41	32.5	-2.7	1.289	0.3	0.2	0	47.7	42.1	0	143	130	0	32	32	33
2025	6	26	10	55	41	33.1	-3.6	1.288	0.5	0.4	0	47.3	42.6	0	142	130	0	32	31	33
2025	6	26	11	5	41	32.4	-2.9	1.288	0.4	0.3	0	46.9	42.1	0	142	130	0	33	32	32
2025	6	26	11	15	41	32.7	-3.4	1.287	0.3	0.2	0	46.9	42.6	0	142	130	0	33	31	33
2025	6	26	11	25	41	32.2	-2.7	1.287	0.3	0.2	0	47.3	43	0	142	131	0	32	31	32
2025	6	26	11	35	41	32	-2.3	1.286	0.3	0.2	0	46.9	43	0	142	131	0	33	31	32
2025	6	26	11	45	41	32.5	-3.1	1.285	0.3	0.2	0	46.9	43	0	142	131	0	33	31	31
2025	6	26	11	55	41	33.3	-3	1.284	0.3	0.2	0	47.3	42.6	0	143	131	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	26	12	5	41	32.1	-3.7	1.281	0.4	0.3	0	46.9	43	0	142	131	0	33	31	32
2025	6	26	12	15	41	32.5	-2.7	1.281	0.3	0.2	0	46.9	42.6	0	142	131	0	33	32	33
2025	6	26	12	25	41	32	-3.3	1.279	0.4	0.3	0	46.9	42.1	0	143	131	0	34	33	32
2025	6	26	12	35	41	31.4	-2.3	1.279	0.4	0.3	0	47.7	43	0	143	132	0	32	32	32
2025	6	26	12	45	41	31	-3	1.278	0.3	0.2	0	47.7	43	0	143	131	0	32	31	32
2025	6	26	12	55	41	31.6	-2.7	1.277	0.3	0.2	0	47.7	43	0	143	131	0	32	31	32
2025	6	26	13	5	41	31.4	-3.2	1.277	0.4	0.3	0	47.7	43.4	0	143	132	0	32	31	32
2025	6	26	13	15	41	32.7	-3.1	1.275	0.3	0.2	0	47.7	43	0	143	131	0	32	31	31
2025	6	26	13	25	41	31.1	-1.8	1.275	0.3	0.2	0	47.7	43.4	0	143	132	0	32	31	32
2025	6	26	13	35	41	31.4	-3.2	1.274	0.3	0.2	0	47.7	43	0	144	132	0	33	32	32
2025	6	26	13	45	41	31.4	-3.4	1.272	0.3	0.2	0	47.7	43	0	144	132	0	33	32	33
2025	6	26	13	55	41	31.5	-3.1	1.271	0.3	0.2	0	47.7	43.4	0	144	132	0	33	31	32
2025	6	26	14	5	41	31.9	-2.6	1.27	0.4	0.3	0	47.7	43	0	144	132	0	33	32	32
2025	6	26	14	15	41	32.1	-1.9	1.268	0.4	0.3	0	47.7	43.4	0	144	132	0	33	31	32
2025	6	26	14	25	41	30.5	-1.7	1.268	0.5	0.4	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	26	14	35	41	31.6	-2.6	1.266	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	26	14	45	41	31.9	-3.2	1.266	0.5	0.4	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	26	14	55	41	31.6	-3.4	1.264	0.4	0.3	0	47.3	43	0	143	131	0	33	31	32
2025	6	26	15	5	41	31.8	-2.7	1.263	0.4	0.3	0	47.7	43.4	0	144	132	0	33	31	32
2025	6	26	15	15	41	32	-2.5	1.262	0.3	0.2	0	47.3	43	0	143	132	0	33	32	32
2025	6	26	15	25	41	30.2	-1.4	1.261	0.3	0.2	0	47.3	43	0	143	132	0	33	32	32
2025	6	26	15	35	41	31.1	-2.7	1.26	0.3	0.2	0	47.7	42.6	0	143	131	0	32	32	32
2025	6	26	15	45	41	31.3	-3.1	1.258	0.3	0.2	0	47.3	43	0	143	131	0	33	31	33
2025	6	26	15	55	41	31	-2.3	1.257	0.5	0.4	0	47.7	42.6	0	143	131	0	32	32	33
2025	6	26	16	5	41	31.8	-1.4	1.256	0.3	0.2	0	47.7	43	0	143	131	0	32	31	31
2025	6	26	16	15	41	31.9	-2.7	1.255	0.5	0.4	0	47.3	43	0	143	131	0	33	31	32
2025	6	26	16	25	41	31	-2	1.255	0.3	0.2	0	47.3	43	0	143	131	0	33	31	32
2025	6	26	16	35	41	30.3	-2.9	1.254	0.3	0.2	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	16	45	41	31.1	-2.7	1.253	0.4	0.3	0	46.9	43	0	142	131	0	33	31	32
2025	6	26	16	55	41	31.3	-1.8	1.252	0.3	0.2	0	47.3	43	0	143	131	0	33	31	32
2025	6	26	17	5	41	31.9	-3.2	1.251	0.3	0.2	0	46.9	42.1	0	142	130	0	33	32	32
2025	6	26	17	15	41	32.5	-2.7	1.25	0.4	0.3	0	46.9	42.6	0	142	130	0	33	31	31
2025	6	26	17	25	41	30.2	-1.7	1.247	0.5	0.4	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	17	35	41	31.8	-2.8	1.246	0.4	0.3	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	17	45	41	31.5	-1.7	1.246	0.4	0.3	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	17	55	41	31.7	-2.3	1.244	0.4	0.3	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	18	5	41	31.4	-2.1	1.243	0.3	0.2	0	46.9	42.6	0	142	130	0	33	31	32
2025	6	26	18	15	41	31.6	-2.6	1.243	0.3	0.2	0	46.9	42.1	0	142	130	0	33	32	32
2025	6	26	18	25	41	31.1	-3.2	1.242	0.4	0.3	0	46.9	42.6	0	142	130	0	33	31	33
2025	6	26	18	35	41	31.2	-3.6	1.241	0.4	0.3	0	46.4	41.7	0	141	129	0	33	32	32
2025	6	26	18	45	41	30.8	-3.1	1.241	0.3	0.2	0	46.4	42.1	0	141	129	0	33	31	32
2025	6	26	18	55	41	31.1	-2.6	1.241	0.3	0.2	0	46.4	41.7	0	141	129	0	33	32	32
2025	6	26	19	5	41	31.4	-1.4	1.24	0.4	0.3	0	46.9	42.1	0	141	129	0	32	31	32
2025	6	26	19	15	41	30.9	-2.3	1.239	0.3	0.2	0	46	41.7	0	140	129	0	33	32	33
2025	6	26	19	25	41	32.7	-3.2	1.238	0.3	0.2	0	46.4	41.7	0	140	128	0	32	31	32
2025	6	26	19	35	41	30.8	-3.6	1.235	0.5	0.4	0	46.4	40.9	0	140	127	0	32	32	32
2025	6	26	19	45	41	31.2	-3.5	1.233	0.3	0.2	0	46.9	41.3	0	141	128	0	32	32	33
2025	6	26	19	55	41	31.1	-3.1	1.233	0.5	0.4	0	46.4	41.7	0	141	128	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	26	20	5	41	32.3	-2.7	1.232	0.5	0.4	0	46.4	41.3	0	141	128	0	33	32	32
2025	6	26	20	15	41	31.9	-2.6	1.231	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	31
2025	6	26	20	25	41	32	-2.5	1.231	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	26	20	35	41	31.8	-2.4	1.23	0.3	0.2	0	46.9	41.3	0	141	128	0	32	32	31
2025	6	26	20	45	41	31.1	-3.6	1.23	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	26	20	55	41	31.4	-3.2	1.229	0.3	0.2	0	46.9	41.3	0	142	128	0	33	32	32
2025	6	26	21	5	41	31.8	-2.9	1.229	0.3	0.2	0	46.9	41.3	0	142	128	0	33	32	33
2025	6	26	21	15	41	32.1	-2.9	1.228	0.4	0.3	0	47.3	41.7	0	142	129	0	32	32	32
2025	6	26	21	25	41	31.8	-3.6	1.227	0.4	0.3	0	46.4	41.3	0	141	128	0	33	32	32
2025	6	26	21	35	41	30.3	-2.4	1.226	0.3	0.2	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	26	21	45	41	29.7	-2.5	1.225	0.4	0.3	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	26	21	55	41	31.3	-3.7	1.222	0.3	0.2	0	46	41.3	0	141	128	0	34	32	31
2025	6	26	22	5	41	31.3	-3.1	1.221	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	32
2025	6	26	22	15	41	32	-3.3	1.22	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	26	22	25	41	30.3	-2.9	1.219	0.3	0.2	0	46	41.7	0	141	128	0	34	31	32
2025	6	26	22	35	41	30.8	-2.4	1.219	0.5	0.4	0	46.4	41.3	0	141	128	0	33	32	32
2025	6	26	22	45	41	30.9	-2.3	1.219	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	32
2025	6	26	22	55	41	30.9	-3.2	1.218	0.4	0.3	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	26	23	5	41	30.4	-2.2	1.218	0.3	0.2	0	46.9	41.3	0	141	128	0	32	32	32
2025	6	26	23	15	41	31.8	-2.7	1.217	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	26	23	25	41	30.5	-2.1	1.217	0.4	0.3	0	46.9	41.7	0	141	128	0	32	31	33
2025	6	26	23	35	41	30.4	-3.2	1.216	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	26	23	45	41	30.9	-2.7	1.215	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	32
2025	6	26	23	55	41	30.3	-3.2	1.214	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	32
2025	6	27	0	5	41	30.7	-2.7	1.211	0.3	0.2	0	46.4	41.3	0	141	128	0	33	32	33
2025	6	27	0	15	41	30.5	-3.2	1.209	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	27	0	25	41	31.1	-3.1	1.209	0.4	0.3	0	46.4	41.7	0	141	128	0	33	31	33
2025	6	27	0	35	41	30.1	-3.1	1.208	0.3	0.2	0	46.4	41.7	0	141	128	0	33	31	33
2025	6	27	0	45	41	31	-2.3	1.208	0.4	0.3	0	46.4	41.7	0	141	128	0	33	31	32
2025	6	27	0	55	41	30.7	-1.8	1.207	0.4	0.3	0	46.9	41.3	0	141	128	0	32	32	32
2025	6	27	1	5	41	30.5	-2.2	1.207	0.5	0.4	0	47.3	41.7	0	142	128	0	32	31	33
2025	6	27	1	15	41	30.7	-2.5	1.206	0.4	0.3	0	47.3	41.3	0	142	128	0	32	32	32
2025	6	27	1	25	41	30.2	-3	1.206	0.3	0.2	0	46.9	41.7	0	142	129	0	33	32	32
2025	6	27	1	35	41	31.3	-4.1	1.206	0.3	0.2	0	46.9	41.7	0	142	128	0	33	31	32
2025	6	27	1	45	41	31.4	-2.4	1.205	0.3	0.2	0	46.9	41.3	0	142	128	0	33	32	32
2025	6	27	1	55	41	30.4	-3.5	1.204	0.4	0.3	0	46.9	41.7	0	142	129	0	33	32	32
2025	6	27	2	5	41	30.9	-2.8	1.204	0.3	0.2	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	27	2	15	41	30.6	-3.2	1.203	0.3	0.2	0	47.3	42.1	0	143	129	0	33	31	32
2025	6	27	2	25	41	29.6	-2.7	1.199	0.5	0.4	0	46.9	42.1	0	142	129	0	33	31	32
2025	6	27	2	35	41	30.6	-2.1	1.198	0.3	0.2	0	47.3	42.1	0	142	130	0	32	32	31
2025	6	27	2	45	41	30.1	-2.8	1.197	0.4	0.3	0	47.3	41.7	0	142	129	0	32	32	32
2025	6	27	2	55	41	30	-2.8	1.197	0.4	0.3	0	46.9	42.1	0	142	129	0	33	31	32
2025	6	27	3	5	41	30.7	-3.2	1.196	0.3	0.2	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	27	3	15	41	30.1	-2.3	1.196	0.3	0.2	0	47.3	42.6	0	143	130	0	33	31	33
2025	6	27	3	25	41	30.5	-2.6	1.195	0.4	0.3	0	47.3	42.1	0	142	129	0	32	31	32
2025	6	27	3	35	41	30.3	-3.4	1.195	0.4	0.3	0	46.9	41.7	0	142	129	0	33	32	33
2025	6	27	3	45	41	32	-3.5	1.195	0.5	0.4	0	47.3	42.1	0	143	129	0	33	31	32
2025	6	27	3	55	41	31.5	-2.8	1.194	0.3	0.2	0	47.3	42.1	0	143	130	0	33	32	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	27	4	5	41	30.2	-3.2	1.193	0.4	0.3	0	47.7	42.6	0	143	130	0	32	31	32	
2025	6	27	4	15	41	30.4	-3.8	1.193	0.3	0.2	0	47.7	42.6	0	143	130	0	32	31	32	
2025	6	27	4	25	41	30.9	-3.2	1.192	0.4	0.3	0	47.3	42.6	0	143	130	0	33	31	33	
2025	6	27	4	35	41	30.7	-2.5	1.191	0.3	0.2	0	47.7	43	0	143	130	0	32	30	32	
2025	6	27	4	45	41	30.5	-2	1.189	0.4	0.3	0	47.7	42.6	0	143	130	0	32	31	32	
2025	6	27	4	55	41	31.4	-2.5	1.187	0.4	0.3	0	47.3	42.1	0	143	130	0	33	32	32	
2025	6	27	5	5	41	30.6	-2.3	1.186	0.4	0.3	0	47.7	42.6	0	143	130	0	32	31	32	
2025	6	27	5	15	41	30.6	-2.2	1.186	0.5	0.4	0	47.7	42.1	0	143	130	0	32	32	32	
2025	6	27	5	25	41	29	-1.4	1.185	0.3	0.2	0	47.3	43	0	143	131	0	33	31	32	
2025	6	27	5	35	41	30.1	-2.8	1.184	0.3	0.2	0	48.2	42.6	0	144	130	0	32	31	32	
2025	6	27	5	45	41	28.7	-3.2	1.184	0.5	0.4	0	47.7	43	0	144	131	0	33	31	32	
2025	6	27	5	55	41	29.9	-2.5	1.183	0.3	0.2	0	47.7	42.6	0	144	131	0	33	32	33	
2025	6	27	6	5	41	31.3	-2.3	1.183	0.3	0.2	0	47.7	43	0	144	131	0	33	31	32	
2025	6	27	6	15	41	29.7	-2.8	1.183	0.3	0.2	0	47.7	43	0	143	131	0	32	31	32	
2025	6	27	6	25	41	29.6	-2.7	1.182	0.4	0.3	0	47.7	42.6	0	144	131	0	33	32	31	
2025	6	27	6	35	41	29.6	-1.8	1.182	0.5	0.5	0	47.7	43	0	144	131	0	33	31	31	
2025	6	27	6	45	41	31.4	-2.8	1.181	0.3	0.2	0	47.7	42.6	0	144	131	0	33	32	32	
2025	6	27	6	55	41	29.3	-3.4	1.18	0.3	0.2	0	47.7	42.6	0	144	131	0	33	32	32	
2025	6	27	7	5	41	29.6	-2.4	1.18	0.3	0.2	0	48.2	43	0	144	131	0	32	31	31	
2025	6	27	7	15	41	30.2	-1.7	1.179	0.3	0.2	0	48.2	42.6	0	144	131	0	32	32	32	
2025	6	27	7	25	41	29.4	-2.7	1.177	0.4	0.3	0	48.2	43.4	0	145	132	0	33	31	32	
2025	6	27	7	35	41	29.9	-1.7	1.174	0.3	0.2	0	49	43.9	0	146	133	0	32	31	32	
2025	6	27	7	45	41	30	-2.6	1.174	0.4	0.3	0	48.2	43.4	0	145	132	0	33	31	32	
2025	6	27	7	55	41	30.1	-2.8	1.174	0.4	0.3	0	48.6	43.9	0	146	133	0	33	31	32	
2025	6	27	8	5	41	30	-2.9	1.173	0.3	0.2	0	48.6	43.4	0	146	133	0	33	32	32	
2025	6	27	8	15	41	30	-3.2	1.172	0.3	0.2	0	48.6	43.9	0	146	133	0	33	31	32	
2025	6	27	8	25	41	31.4	-2.8	1.172	0.4	0.3	0	48.6	43.9	0	146	133	0	33	31	32	
2025	6	27	8	35	41	29.9	-2.5	1.171	0.4	0.3	0	48.6	43.9	0	146	133	0	33	31	32	
2025	6	27	8	45	41	30.5	-3.1	1.171	0.3	0.2	0	48.6	43.9	0	146	134	0	33	32	32	
2025	6	27	8	55	41	30.5	-2.4	1.171	0.5	0.4	0	48.6	43.9	0	146	133	0	33	31	33	
2025	6	27	9	5	41	29.4	-2.2	1.17	0.4	0.3	0	48.6	44.3	0	147	134	0	34	31	33	
2025	6	27	9	15	41	30.4	-3	1.17	0.3	0.2	0	49	44.3	0	146	134	0	32	31	31	
2025	6	27	9	25	41	29.9	-2.8	1.169	0.4	0.3	0	49	44.3	0	147	134	0	33	31	32	
2025	6	27	9	35	41	29.7	-3.3	1.168	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	27	9	45	41	29.7	-2.8	1.168	0.3	0.2	0	48.6	43.9	0	146	134	0	33	32	32	
2025	6	27	9	55	41	28.2	-4.1	1.165	0.4	0.3	0	49	44.3	0	147	134	0	33	31	32	
2025	6	27	10	5	41	29.3	-3.2	1.163	0.3	0.2	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	27	10	15	41	30.2	-2.7	1.162	0.3	0.2	0	49	44.3	0	147	134	0	33	31	32	
2025	6	27	10	25	41	29.2	-2.3	1.162	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32	
2025	6	27	10	35	41	28.8	-1.6	1.161	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32	
2025	6	27	10	45	41	29.1	-2.7	1.161	0.5	0.4	0	49	44.3	0	147	134	0	33	31	32	
2025	6	27	10	55	41	29.2	-3.3	1.16	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	27	11	5	41	29.6	-3	1.16	0.3	0.2	0	49.5	43.9	0	147	134	0	32	32	32	
2025	6	27	11	15	41	28.6	-3	1.159	0.3	0.2	0	49.5	44.7	0	147	135	0	32	31	32	
2025	6	27	11	25	41	28.8	-2.4	1.158	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32	
2025	6	27	11	35	41	28.9	-2.2	1.158	0.3	0.2	0	49.5	44.3	0	148	135	0	33	32	33	
2025	6	27	11	45	41	29.4	-3.8	1.157	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32	
2025	6	27	11	55	41	28.8	-2.4	1.157	0.4	0.3	0	49	44.3	0	147	134	0	33	31	32	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	27	12	5	41	28.3	-3.5	1.155	0.4	0.3	0	49	43.9	0	147	134	0	33	32	32	
2025	6	27	12	15	41	28.6	-1.2	1.154	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32	
2025	6	27	12	25	41	29	-2.1	1.154	0.5	0.5	0	49	44.7	0	147	135	0	33	31	32	
2025	6	27	12	35	41	29.1	-2.8	1.152	0.3	0.2	0	49	44.7	0	147	135	0	33	31	32	
2025	6	27	12	45	41	27.4	-2	1.152	0.4	0.3	0	49	44.3	0	147	135	0	33	32	31	
2025	6	27	12	55	41	28	-3.4	1.151	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32	
2025	6	27	13	5	41	28.7	-2.6	1.15	0.5	0.4	0	49.5	44.3	0	147	135	0	32	32	32	
2025	6	27	13	15	41	28.1	-2.5	1.15	0.4	0.3	0	48.6	44.7	0	147	135	0	34	31	33	
2025	6	27	13	25	41	28.8	-3.3	1.149	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	31	
2025	6	27	13	35	41	28.8	-2.8	1.147	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32	
2025	6	27	13	45	41	28.3	-3.3	1.147	0.3	0.2	0	47.3	44.3	0	142	134	0	32	31	32	
2025	6	27	13	55	41	28.8	-3	1.146	0.3	0.2	0	49	44.3	0	147	134	0	33	31	32	
2025	6	27	14	5	41	27.7	-2.1	1.145	0.3	0.2	0	49	44.3	0	146	134	0	32	31	32	
2025	6	27	14	15	41	28.1	-1.2	1.144	0.3	0.2	0	49.5	44.7	0	148	135	0	33	31	31	
2025	6	27	14	25	41	27	-2	1.144	0.5	0.5	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	27	14	35	41	27.7	-3.1	1.142	0.5	0.4	0	47.3	45.2	0	142	136	0	32	31	32	
2025	6	27	14	45	41	27.2	-2.6	1.142	0.3	0.2	0	49	44.7	0	147	135	0	33	31	31	
2025	6	27	14	55	41	28.5	-1.3	1.142	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	27	15	5	41	28.1	-1.9	1.141	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32	
2025	6	27	15	15	41	27.7	-2.3	1.14	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32	
2025	6	27	15	25	41	29.4	-3.1	1.137	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32	
2025	6	27	15	35	41	28	-2.4	1.138	0.3	0.2	0	49.5	45.2	0	148	135	0	33	30	32	
2025	6	27	15	45	41	28.4	-3.3	1.137	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32	
2025	6	27	15	55	41	27.5	-2.8	1.137	0.3	0.2	0	49	45.2	0	147	135	0	33	30	31	
2025	6	27	16	5	41	28	-1.9	1.137	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	31	
2025	6	27	16	15	41	28.5	-3.8	1.135	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	31	
2025	6	27	16	25	41	27.7	-4.3	1.135	0.3	0.2	0	49	43.9	0	147	134	0	33	32	32	
2025	6	27	16	35	41	27.9	-3.3	1.133	0.4	0.3	0	49	44.3	0	146	134	0	32	31	32	
2025	6	27	16	45	41	27.8	-3	1.133	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32	
2025	6	27	16	55	41	27.8	-2.7	1.131	0.4	0.3	0	49	44.3	0	146	134	0	32	31	32	
2025	6	27	17	5	41	27.1	-2.8	1.131	0.4	0.3	0	49	44.3	0	146	134	0	32	31	32	
2025	6	27	17	15	41	28.1	-3	1.13	0.4	0.3	0	49	43.9	0	146	133	0	32	31	33	
2025	6	27	17	25	41	28.5	-3.1	1.129	0.4	0.3	0	48.2	44.3	0	145	133	0	33	30	32	
2025	6	27	17	35	41	27.8	-3.2	1.128	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32	
2025	6	27	17	45	41	27.9	-3.5	1.127	0.5	0.5	0	48.6	43.4	0	145	132	0	32	31	32	
2025	6	27	17	55	41	27.8	-2	1.127	0.3	0.2	0	48.6	43.4	0	145	132	0	32	31	32	
2025	6	27	18	5	41	28.7	-2.4	1.127	0.5	0.4	0	48.6	43.4	0	145	132	0	32	31	31	
2025	6	27	18	15	41	27.5	-2.4	1.126	0.3	0.2	0	47.7	43.4	0	144	132	0	33	31	32	
2025	6	27	18	25	41	28.3	-3	1.126	0.3	0.2	0	47.7	43	0	144	132	0	33	32	32	
2025	6	27	18	35	41	27.5	-2.5	1.126	0.5	0.4	0	48.2	43.4	0	144	132	0	32	31	32	
2025	6	27	18	45	41	28.4	-2.2	1.126	0.3	0.2	0	48.2	43	0	144	132	0	32	32	33	
2025	6	27	18	55	41	28.8	-3.2	1.125	0.5	0.4	0	48.6	43.4	0	145	132	0	32	31	32	
2025	6	27	19	5	41	28.5	-2.4	1.125	0.3	0.2	0	47.7	43.4	0	144	132	0	33	31	32	
2025	6	27	19	15	41	29.4	-2.8	1.125	0.3	0.2	0	48.2	43.9	0	144	132	0	32	30	32	
2025	6	27	19	25	41	28.5	-3.2	1.124	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	33	
2025	6	27	19	35	41	28.7	-3.1	1.124	0.4	0.3	0	48.6	43	0	145	132	0	32	32	32	
2025	6	27	19	45	41	27.2	-2.9	1.124	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32	
2025	6	27	19	55	41	27.2	-2.4	1.124	0.3	0.2	0	48.6	43.9	0	145	133	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	27	20	5	41	28	-1.6	1.123	0.4	0.3	0	48.2	43.4	0	145	132	0	33	31	32
2025	6	27	20	15	41	28	-3.1	1.123	0.4	0.3	0	48.2	43.4	0	145	132	0	33	31	32
2025	6	27	20	25	41	28.4	-1.5	1.122	0.3	0.2	0	48.6	43	0	145	132	0	32	32	31
2025	6	27	20	35	41	28.4	-2.8	1.122	0.3	0.2	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	27	20	45	41	27	-3.6	1.121	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	27	20	55	41	27.9	-2.8	1.121	0.4	0.3	0	48.6	43.9	0	146	133	0	33	31	32
2025	6	27	21	5	41	27.3	-2	1.119	0.3	0.2	0	49	43.9	0	146	133	0	32	31	32
2025	6	27	21	15	41	28	-1.8	1.118	0.3	0.2	0	48.6	43.9	0	146	133	0	33	31	31
2025	6	27	21	25	41	27.9	-3.3	1.117	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	27	21	35	41	27.9	-3.3	1.117	0.4	0.3	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	27	21	45	41	29.5	-1.8	1.117	0.5	0.4	0	49	43.9	0	146	133	0	32	31	31
2025	6	27	21	55	41	28.3	-2.5	1.116	0.5	0.4	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	27	22	5	41	29.2	-2.9	1.116	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	27	22	15	41	27.8	-1.7	1.115	0.4	0.3	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	27	22	25	41	27.1	-2.9	1.115	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	31
2025	6	27	22	35	41	27.9	-2.1	1.115	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	27	22	45	41	27.7	-2.6	1.115	0.3	0.2	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	27	22	55	41	28.8	-2.8	1.114	0.4	0.3	0	48.2	43.4	0	145	133	0	33	32	32
2025	6	27	23	5	41	28.4	-2.5	1.114	0.4	0.3	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	27	23	15	41	28.3	-3.4	1.114	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	27	23	25	41	27.6	-3.2	1.114	0.3	0.2	0	48.6	43.4	0	145	133	0	32	32	32
2025	6	27	23	35	41	28.2	-2.6	1.114	0.3	0.2	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	27	23	45	41	27.8	-2	1.113	0.4	0.3	0	48.6	43.4	0	145	133	0	32	32	32
2025	6	27	23	55	41	27.6	-2	1.113	0.4	0.3	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	28	0	5	41	27.9	-3.1	1.113	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	28	0	15	41	26.9	-2.9	1.113	0.5	0.5	0	48.2	43	0	144	132	0	32	32	32
2025	6	28	0	25	41	27.6	-2	1.113	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	28	0	35	41	28.6	-2	1.113	0.5	0.4	0	47.7	43.4	0	144	133	0	33	32	32
2025	6	28	0	45	41	28.8	-2.7	1.113	0.4	0.3	0	48.2	43.4	0	144	132	0	32	31	32
2025	6	28	0	55	41	27.8	-2.3	1.112	0.5	0.4	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	28	1	5	41	28.7	-2.1	1.112	0.3	0.2	0	48.6	43.4	0	145	133	0	32	32	32
2025	6	28	1	15	41	27.9	-2	1.112	0.4	0.3	0	48.6	43.4	0	145	133	0	32	32	32
2025	6	28	1	25	41	27.2	-2.3	1.112	0.3	0.2	0	48.2	43.4	0	145	133	0	33	32	32
2025	6	28	1	35	41	28	-2.9	1.111	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	28	1	45	41	29	-2.9	1.111	0.5	0.5	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	28	1	55	41	27.2	-2.4	1.111	0.5	0.4	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	28	2	5	41	27.4	-1.9	1.111	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	31
2025	6	28	2	15	41	26.9	-2.8	1.11	0.3	0.2	0	48.6	43.9	0	145	133	0	32	31	32
2025	6	28	2	25	41	27	-2.3	1.11	0.5	0.4	0	48.2	44.3	0	145	133	0	33	30	32
2025	6	28	2	35	41	26.7	-2.9	1.11	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	31
2025	6	28	2	45	41	27.9	-3.4	1.109	0.3	0.2	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	28	2	55	41	28.3	-2.4	1.108	0.4	0.3	0	49	43.9	0	146	133	0	32	31	31
2025	6	28	3	5	41	26.9	-2	1.108	0.5	0.4	0	48.2	43.9	0	145	133	0	33	31	32
2025	6	28	3	15	41	27.1	-1.9	1.107	0.3	0.2	0	48.6	43.4	0	145	133	0	32	32	32
2025	6	28	3	25	41	26.1	-2.9	1.106	0.5	0.4	0	48.6	44.3	0	145	134	0	32	31	32
2025	6	28	3	35	41	28.1	-2.8	1.105	0.5	0.5	0	48.6	43.4	0	146	133	0	33	32	32
2025	6	28	3	45	41	28.3	-3.2	1.105	0.4	0.3	0	49	43.9	0	146	133	0	32	31	31
2025	6	28	3	55	41	28.4	-2.8	1.104	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	28	4	5	41	25.8	-2.9	1.104	0.4	0.3	0	49	43.9	0	147	134	0	33	32	32
2025	6	28	4	15	41	28.8	-2.2	1.104	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32
2025	6	28	4	25	41	29.1	-2.7	1.104	0.4	0.3	0	49	44.3	0	147	134	0	33	31	32
2025	6	28	4	35	41	27.9	-2.5	1.103	0.3	0.2	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	28	4	45	41	27.1	-2.9	1.103	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	33
2025	6	28	4	55	41	27.5	-2.1	1.103	0.4	0.3	0	49	44.7	0	146	134	0	32	30	32
2025	6	28	5	5	41	26.8	-2.5	1.103	0.3	0.2	0	49.5	44.3	0	147	134	0	32	31	31
2025	6	28	5	15	41	28	-2.4	1.103	0.5	0.4	0	49	44.3	0	147	134	0	33	31	32
2025	6	28	5	25	41	28.2	-2.1	1.102	0.4	0.3	0	49.5	43.9	0	147	134	0	32	32	32
2025	6	28	5	35	41	26.7	-2.3	1.102	0.5	0.4	0	49	43.9	0	147	134	0	33	32	33
2025	6	28	5	45	41	26.7	-1.6	1.102	0.4	0.3	0	49.5	44.3	0	147	135	0	32	32	32
2025	6	28	5	55	41	27.4	-2.2	1.102	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	6	28	6	5	41	26.9	-2	1.102	0.4	0.3	0	49.5	44.3	0	147	135	0	32	32	32
2025	6	28	6	15	41	28.6	-2.7	1.102	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32
2025	6	28	6	25	41	28.3	-1.5	1.101	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	33
2025	6	28	6	35	41	28.2	-2.8	1.101	0.4	0.3	0	48.6	44.3	0	146	134	0	33	31	32
2025	6	28	6	45	41	26.9	-3	1.101	0.3	0.2	0	49	43.9	0	146	134	0	32	32	33
2025	6	28	6	55	41	27.9	-2.7	1.101	0.3	0.2	0	49	43.9	0	146	134	0	32	32	32
2025	6	28	7	5	41	26	-2.8	1.101	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32
2025	6	28	7	15	41	27.7	-3.4	1.101	0.5	0.4	0	49	44.3	0	147	135	0	33	32	32
2025	6	28	7	25	41	27.3	-2	1.101	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	28	7	35	41	27.6	-2	1.101	0.4	0.3	0	49.5	44.3	0	147	135	0	32	32	32
2025	6	28	7	45	41	26.5	-1.4	1.101	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	6	28	7	55	41	28.3	-2.5	1.1	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	6	28	8	5	41	27.2	-2.3	1.1	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	28	8	15	41	28.3	-2.4	1.1	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	28	8	25	41	27.3	-3	1.1	0.4	0.3	0	49.9	44.3	0	148	135	0	32	32	32
2025	6	28	8	35	41	27.6	-3.3	1.099	0.3	0.2	0	49.9	44.7	0	148	136	0	32	32	32
2025	6	28	8	45	41	28.5	-3.2	1.099	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	28	8	55	41	24.6	-0.2	1.099	0.5	0.5	0	49.9	39.6	0	148	123	0	32	31	32
2025	6	28	9	5	41	27.8	-2.3	1.099	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	28	9	15	41	27.7	-3.3	1.098	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	28	9	25	41	27.1	-3.5	1.098	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	28	9	35	41	27	-2.9	1.097	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	28	9	45	41	27	-2.4	1.097	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	28	9	55	41	27.5	-2.8	1.095	0.5	0.4	0	49.5	44.7	0	147	136	0	32	32	31
2025	6	28	10	5	41	27	-2.1	1.094	0.5	0.5	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	28	10	15	41	28	-1.5	1.094	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	32
2025	6	28	10	25	41	28.6	-1.9	1.093	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	28	10	35	41	26.9	-2.9	1.093	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	28	10	45	41	27.3	-4	1.092	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32
2025	6	28	10	55	41	27.3	-2.2	1.092	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	28	11	5	41	27.3	-2.9	1.092	0.3	0.2	0	49.5	44.7	0	148	136	0	33	32	32
2025	6	28	11	15	41	26.5	-3.5	1.092	0.5	0.4	0	49	44.7	0	147	135	0	33	31	33
2025	6	28	11	25	41	27.7	-2.6	1.092	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	6	28	11	35	41	28.2	-3.1	1.091	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	6	28	11	45	41	25.6	-3.9	1.091	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	6	28	11	55	41	27.4	-2.1	1.091	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	31

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	28	12	5	41	26.6	-2.8	1.09	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	28	12	15	41	26.4	-2.4	1.091	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	12	25	41	26.5	-2.5	1.09	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32	
2025	6	28	12	35	41	28.2	-2.9	1.09	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	28	12	45	41	27.2	-2.2	1.09	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	12	55	41	27.3	-2.5	1.089	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32	
2025	6	28	13	5	41	26.6	-1.4	1.089	0.5	0.4	0	49.9	44.7	0	148	136	0	32	32	32	
2025	6	28	13	15	41	26.7	-2.5	1.088	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	28	13	25	41	27.3	-2.8	1.088	0.3	0.2	0	49.5	44.7	0	147	135	0	32	31	32	
2025	6	28	13	35	41	27.1	-1.6	1.086	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	13	45	41	26.4	-1.6	1.087	0.3	0.2	0	49.5	45.2	0	148	136	0	33	31	32	
2025	6	28	13	55	41	26.5	-2.7	1.087	0.4	0.3	0	49	45.2	0	147	136	0	33	31	32	
2025	6	28	14	5	41	26.4	-1.9	1.086	0.3	0.2	0	49	45.2	0	147	136	0	33	31	32	
2025	6	28	14	15	41	26.1	-2.4	1.085	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	14	25	41	26.8	-2.7	1.085	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32	
2025	6	28	14	35	41	26.5	-1.5	1.084	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	31	
2025	6	28	14	45	41	26	-3.4	1.083	0.5	0.4	0	49.9	45.6	0	148	136	0	32	30	32	
2025	6	28	14	55	41	25.6	-2.6	1.083	0.3	0.2	0	49.9	44.7	0	148	136	0	32	32	32	
2025	6	28	15	5	41	26.4	-2.3	1.085	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	31	
2025	6	28	15	15	41	26	-1.9	1.083	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	15	25	41	26.9	-3.1	1.082	0.3	0.2	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	15	35	41	26.5	-2.2	1.082	0.5	0.5	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	15	45	41	25.4	-1.9	1.082	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32	
2025	6	28	15	55	41	26.3	-2.6	1.081	0.3	0.2	0	49.5	44.3	0	147	135	0	32	32	32	
2025	6	28	16	5	41	26.8	-1.4	1.081	0.5	0.4	0	49.5	45.2	0	147	136	0	32	31	31	
2025	6	28	16	15	41	26.4	-3.3	1.08	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32	
2025	6	28	16	25	41	25.9	-2.6	1.08	0.4	0.3	0	49	44.7	0	147	135	0	33	31	31	
2025	6	28	16	35	41	26.3	-2.4	1.08	0.3	0.2	0	49.5	44.7	0	147	135	0	32	31	31	
2025	6	28	16	45	41	26	-2	1.079	0.5	0.5	0	49	44.7	0	146	135	0	32	31	32	
2025	6	28	16	55	41	25.9	-2.9	1.079	0.3	0.2	0	49.5	44.7	0	147	134	0	32	30	32	
2025	6	28	17	5	41	27.3	-2.4	1.078	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32	
2025	6	28	17	15	41	26.3	-2.6	1.078	0.5	0.4	0	49	44.7	0	146	134	0	32	30	32	
2025	6	28	17	25	41	26.9	-2.6	1.078	0.5	0.4	0	49	43.9	0	146	133	0	32	31	32	
2025	6	28	17	35	41	26.6	-2.3	1.078	0.3	0.2	0	49	44.3	0	146	134	0	32	31	32	
2025	6	28	17	45	41	26.7	-2.7	1.077	0.3	0.2	0	48.6	44.3	0	146	134	0	33	31	32	
2025	6	28	17	55	41	25.8	-1	1.077	0.4	0.3	0	49.5	43.9	0	146	133	0	31	31	31	
2025	6	28	18	5	41	27.5	-2.2	1.077	0.3	0.2	0	49	44.3	0	146	134	0	32	31	32	
2025	6	28	18	15	41	25.8	-3	1.077	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	32	
2025	6	28	18	25	41	26.7	-2.5	1.077	0.3	0.2	0	48.6	43.9	0	146	133	0	33	31	31	
2025	6	28	18	35	41	27	-1.5	1.075	0.4	0.3	0	48.6	43.9	0	145	133	0	32	31	32	
2025	6	28	18	45	41	26.7	-2.7	1.075	0.4	0.3	0	48.6	43.9	0	145	133	0	32	31	31	
2025	6	28	18	55	41	25.3	-1.3	1.074	0.3	0.2	0	49	43.9	0	146	134	0	32	32	32	
2025	6	28	19	5	41	25.9	-1.8	1.074	0.4	0.3	0	49	44.3	0	146	134	0	32	31	32	
2025	6	28	19	15	41	26.9	-2.1	1.073	0.4	0.3	0	48.6	43.9	0	146	133	0	33	31	32	
2025	6	28	19	25	41	27.6	-3.1	1.072	0.5	0.4	0	49	44.3	0	146	134	0	32	31	32	
2025	6	28	19	35	41	26.5	-2.2	1.071	0.5	0.4	0	49	44.3	0	146	134	0	32	31	32	
2025	6	28	19	45	41	26.9	-3.1	1.071	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	31	
2025	6	28	19	55	41	27.3	-2.4	1.07	0.4	0.3	0	48.6	44.3	0	146	134	0	33	31	32	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	28	20	5	41	27.4	-2.3	1.07	0.5	0.4	0	48.6	44.3	0	146	134	0	33	31	32	
2025	6	28	20	15	41	27.3	-1.9	1.07	0.4	0.3	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	28	20	25	41	26.1	-2.4	1.069	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32	
2025	6	28	20	35	41	26.3	-1.4	1.068	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	28	20	45	41	25.6	-2.9	1.068	0.4	0.3	0	49.5	45.2	0	147	136	0	32	31	32	
2025	6	28	20	55	41	26.6	-3.6	1.067	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32	
2025	6	28	21	5	41	27	-3.3	1.067	0.5	0.4	0	48.2	43.9	0	144	133	0	32	31	31	
2025	6	28	21	15	41	26.4	-2.8	1.066	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	21	25	41	26	-1.9	1.066	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	33	
2025	6	28	21	35	41	26.5	-3	1.066	0.5	0.4	0	49.9	44.7	0	147	135	0	31	31	32	
2025	6	28	21	45	41	26.2	-3.3	1.065	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32	
2025	6	28	21	55	41	26	-2.9	1.064	0.5	0.5	0	49.9	45.2	0	148	136	0	32	31	33	
2025	6	28	22	5	41	26.5	-1.7	1.063	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32	
2025	6	28	22	15	41	25.4	-2.3	1.063	0.5	0.5	0	49.5	45.2	0	148	136	0	33	31	31	
2025	6	28	22	25	41	26.7	-2.6	1.063	0.5	0.5	0	49.9	45.6	0	149	137	0	33	31	31	
2025	6	28	22	35	41	26.9	-2.1	1.062	0.5	0.4	0	49.5	45.2	0	147	136	0	32	31	32	
2025	6	28	22	45	41	26.2	-3.1	1.06	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	31	
2025	6	28	22	55	41	26.4	-2.4	1.058	0.5	0.5	0	49	44.7	0	147	135	0	33	31	32	
2025	6	28	23	5	41	26.5	-3.7	1.057	0.5	0.4	0	48.6	44.7	0	146	135	0	33	31	32	
2025	6	28	23	15	41	25.1	-2.4	1.057	0.5	0.4	0	49	44.3	0	146	135	0	32	32	32	
2025	6	28	23	25	41	25.5	-1.9	1.056	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32	
2025	6	28	23	35	41	26.3	-2.9	1.055	0.4	0.3	0	49	45.2	0	146	135	0	32	30	32	
2025	6	28	23	45	41	25.3	-2.4	1.055	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	32	
2025	6	28	23	55	41	25.5	-2.8	1.054	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32	
2025	6	29	0	5	41	26.5	-3.3	1.054	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	32	
2025	6	29	0	15	41	26.8	-2	1.054	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32	
2025	6	29	0	25	41	26.2	-2.9	1.053	0.5	0.4	0	49	44.7	0	146	135	0	32	31	32	
2025	6	29	0	35	41	26	-2.6	1.053	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	32	
2025	6	29	0	45	41	26.4	-2.9	1.052	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	29	0	55	41	24.3	-1.2	1.052	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	31	
2025	6	29	1	5	41	25.3	-3.7	1.051	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	29	1	15	41	24.5	-3.1	1.05	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	33	
2025	6	29	1	25	41	26.5	-2.6	1.05	0.3	0.2	0	49.5	44.7	0	148	135	0	33	31	31	
2025	6	29	1	35	41	25.9	-2.8	1.047	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	31	
2025	6	29	1	45	41	24.6	-3.7	1.045	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	29	1	55	41	25.1	-2.2	1.045	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	32	
2025	6	29	2	5	41	25.2	-2.8	1.044	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32	
2025	6	29	2	15	41	25.8	-1.9	1.044	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	29	2	25	41	26.9	-3.1	1.043	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32	
2025	6	29	2	35	41	24.1	-2.4	1.043	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32	
2025	6	29	2	45	41	23.9	-3.7	1.043	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	29	2	55	41	24.4	-2.7	1.042	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	29	3	5	41	25.8	-2.4	1.042	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	32	
2025	6	29	3	15	41	25.9	-2.6	1.042	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	33	
2025	6	29	3	25	41	25.4	-1.9	1.041	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32	
2025	6	29	3	35	41	24.2	-1.8	1.041	0.4	0.3	0	50.3	45.6	0	149	137	0	32	31	31	
2025	6	29	3	45	41	24.7	-2.4	1.041	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32	
2025	6	29	3	55	41	25.5	-2.8	1.04	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	29	4	5	41	23.7	-1.1	1.04	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33
2025	6	29	4	15	41	24.8	-2.7	1.039	0.5	0.4	0	50.3	45.2	0	149	137	0	32	32	32
2025	6	29	4	25	41	25.1	-2.9	1.039	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	6	29	4	35	41	25	-1.7	1.038	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	33
2025	6	29	4	45	41	25	-2.5	1.037	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	31
2025	6	29	4	55	41	24.9	-2.9	1.035	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	33
2025	6	29	5	5	41	26	-2.6	1.034	0.4	0.3	0	50.7	44.7	0	150	136	0	32	32	32
2025	6	29	5	15	41	25.6	-2.5	1.033	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	29	5	25	41	25	-2.3	1.033	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	6	29	5	35	41	25.4	-2.3	1.032	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	29	5	45	41	25.1	-1.9	1.032	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	29	5	55	41	27	-3.3	1.031	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	29	6	5	41	25.9	-2.3	1.031	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	29	6	15	41	25.1	-2.2	1.031	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32
2025	6	29	6	25	41	24.8	-2.5	1.03	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	33
2025	6	29	6	35	41	24.9	-1.9	1.03	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	29	6	45	41	24	-2.8	1.03	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32
2025	6	29	6	55	41	27	-2.6	1.029	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	31
2025	6	29	7	5	41	25	-3	1.029	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	6	29	7	15	41	25.2	-1.9	1.029	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	6	29	7	25	41	24.2	-1.6	1.028	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	6	29	7	35	41	24.4	-2.7	1.028	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	29	7	45	41	25	-2.4	1.027	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	29	7	55	41	25.5	-2.4	1.027	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	29	8	5	41	24.5	-2.4	1.026	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	29	8	15	41	25.6	-1.7	1.024	0.3	0.2	0	50.7	45.6	0	151	137	0	33	31	32
2025	6	29	8	25	41	25.8	-1.5	1.022	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	33
2025	6	29	8	35	41	24.3	-2	1.021	0.5	0.5	0	51.6	45.6	0	152	138	0	32	32	32
2025	6	29	8	45	41	25.3	-1.9	1.021	0.5	0.4	0	50.3	45.6	0	150	138	0	33	32	32
2025	6	29	8	55	41	24.1	-2.5	1.02	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	29	9	5	41	23.9	-2.4	1.02	0.4	0.3	0	51.2	46	0	151	139	0	32	32	32
2025	6	29	9	15	41	25.1	-2.5	1.019	0.4	0.3	0	51.2	46	0	151	138	0	32	31	33
2025	6	29	9	25	41	24.3	-2	1.019	0.5	0.5	0	51.2	46	0	151	138	0	32	31	32
2025	6	29	9	35	41	24.5	-2.4	1.019	0.4	0.3	0	50.7	46	0	151	139	0	33	32	33
2025	6	29	9	45	41	24.5	-2.4	1.018	0.4	0.3	0	50.3	46	0	151	138	0	34	31	32
2025	6	29	9	55	41	24.4	-2.9	1.018	0.4	0.3	0	51.2	46	0	151	138	0	32	31	32
2025	6	29	10	5	41	24.5	-2.4	1.017	0.5	0.5	0	50.7	46	0	151	138	0	33	31	32
2025	6	29	10	15	41	24.1	-2.5	1.017	0.5	0.4	0	50.7	46	0	150	138	0	32	31	32
2025	6	29	10	25	41	22.9	-2	1.016	0.4	0.3	0	50.7	46	0	151	138	0	33	31	31
2025	6	29	10	35	41	23.8	-1.9	1.014	0.5	0.4	0	50.3	46	0	150	138	0	33	31	32
2025	6	29	10	45	41	23.6	-2	1.012	0.5	0.5	0	50.3	46	0	150	138	0	33	31	32
2025	6	29	10	55	41	23.7	-2.1	1.011	0.4	0.3	0	50.3	45.6	0	150	138	0	33	32	32
2025	6	29	11	5	41	25.3	-1.7	1.01	0.4	0.3	0	50.3	46	0	150	138	0	33	31	32
2025	6	29	11	15	41	24.6	-2.8	1.01	0.3	0.2	0	49.9	45.6	0	149	137	0	33	31	31
2025	6	29	11	25	41	23.2	-2.2	1.009	0.5	0.4	0	49.9	45.6	0	149	137	0	33	31	32
2025	6	29	11	35	41	23.9	-2.6	1.008	0.3	0.2	0	50.3	46	0	150	138	0	33	31	31
2025	6	29	11	45	41	24.8	-2.5	1.008	0.5	0.5	0	50.7	45.6	0	150	137	0	32	31	32
2025	6	29	11	55	41	23.3	-2.9	1.007	0.4	0.3	0	50.7	45.6	0	150	138	0	32	32	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	29	12	5	41	22.1	-2	1.007	0.5	0.5	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	29	12	15	41	22.9	-2	1.007	0.3	0.2	0	52	46.4	0	153	139	0	32	31	32	
2025	6	29	12	25	41	23.8	-2	1.006	0.4	0.3	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	29	12	35	41	23.8	-2.1	1.005	0.5	0.4	0	51.6	46	0	152	138	0	32	31	31	
2025	6	29	12	45	41	24.3	-2.6	1.004	0.5	0.4	0	51.6	45.6	0	152	138	0	32	32	32	
2025	6	29	12	55	41	23.3	-2.1	1.002	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	29	13	5	41	23	-2.9	1.001	0.5	0.5	0	51.6	46	0	152	139	0	32	32	31	
2025	6	29	13	15	41	23.9	-1.9	1	0.5	0.4	0	51.6	46	0	152	138	0	32	31	32	
2025	6	29	13	25	41	23.7	-3	1	0.3	0.2	0	50.7	45.6	0	151	137	0	33	31	32	
2025	6	29	13	35	41	23.4	-2	1	0.5	0.5	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	29	13	45	41	23.9	-2.6	0.998	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	29	13	55	41	24.2	-1.7	0.998	0.5	0.4	0	51.6	46	0	152	138	0	32	31	32	
2025	6	29	14	5	41	24.4	-2	0.997	0.4	0.3	0	51.6	46	0	152	138	0	32	31	32	
2025	6	29	14	15	41	23.3	-2.3	0.996	0.5	0.4	0	50.7	46	0	151	138	0	33	31	31	
2025	6	29	14	25	41	23.3	-2.1	0.996	0.5	0.4	0	50.7	46	0	150	137	0	32	30	32	
2025	6	29	14	35	41	22.7	-3.1	0.995	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	31	
2025	6	29	14	45	41	22.6	-0.8	0.994	0.5	0.4	0	50.7	46	0	151	138	0	33	31	31	
2025	6	29	14	55	41	23.2	-1.7	0.994	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	29	15	5	41	23.3	-1.1	0.993	0.5	0.5	0	51.2	46	0	151	138	0	32	31	32	
2025	6	29	15	15	41	23.5	-2.1	0.992	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	31	
2025	6	29	15	25	41	23.8	-3	0.991	0.5	0.5	0	50.7	45.6	0	150	137	0	32	31	31	
2025	6	29	15	35	41	22.8	-2.1	0.99	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	29	15	45	41	23.5	-1.1	0.989	0.5	0.5	0	51.2	45.6	0	151	137	0	32	31	32	
2025	6	29	15	55	41	23.3	-2	0.989	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	6	29	16	5	41	22.9	-2.8	0.987	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	31	
2025	6	29	16	15	41	22.4	-2.2	0.987	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	31	
2025	6	29	16	25	41	23.6	-3	0.987	0.4	0.3	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	29	16	35	41	23.2	-2.7	0.986	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32	
2025	6	29	16	45	41	23.9	-2.9	0.985	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	29	16	55	41	23.3	-2.5	0.985	0.5	0.5	0	50.3	45.2	0	149	135	0	32	30	32	
2025	6	29	17	5	41	22.8	-3.4	0.985	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32	
2025	6	29	17	15	41	23.9	-1.7	0.984	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	31	
2025	6	29	17	25	41	23.8	-1.5	0.984	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	29	17	35	41	22.7	-1.4	0.984	0.5	0.5	0	50.3	44.3	0	149	134	0	32	31	31	
2025	6	29	17	45	41	22.1	-2.1	0.983	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32	
2025	6	29	17	55	41	23.9	-1.7	0.982	0.5	0.4	0	50.7	44.7	0	149	135	0	31	31	31	
2025	6	29	18	5	41	22.9	-2.3	0.981	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	31	
2025	6	29	18	15	41	24.1	-3.3	0.981	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	31	
2025	6	29	18	25	41	22.2	-2.1	0.981	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	32	
2025	6	29	18	35	41	22.9	-2.3	0.98	0.5	0.4	0	50.7	44.7	0	149	135	0	31	31	32	
2025	6	29	18	45	41	23	-3	0.979	0.5	0.5	0	50.3	45.2	0	149	135	0	32	30	32	
2025	6	29	18	55	41	23.1	-2.5	0.978	0.4	0.3	0	53.8	47.3	0	157	141	0	32	31	31	
2025	6	29	19	5	41	23.8	-2.9	0.978	0.5	0.5	0	53.8	49	0	157	144	0	32	30	31	
2025	6	29	19	15	41	22.5	-1.7	0.977	0.5	0.5	0	56.8	51.6	0	164	151	0	32	31	32	
2025	6	29	19	25	41	22.6	-2.6	0.977	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	29	19	35	41	23.6	-3.1	0.976	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	29	19	45	41	23.3	-3.7	0.976	0.3	0.2	0	49.5	44.3	0	147	134	0	32	31	31	
2025	6	29	19	55	41	22.5	-3.5	0.975	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	32	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	6	29	20	5	41	24	-2.7	0.976	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	32	
2025	6	29	20	15	41	22.7	-2.1	0.975	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32	
2025	6	29	20	25	41	23	-2.5	0.975	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32	
2025	6	29	20	35	41	22.4	-2.3	0.975	0.5	0.5	0	49	44.7	0	147	135	0	33	31	32	
2025	6	29	20	45	41	22.7	-2.4	0.974	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	29	20	55	41	23.1	-2.5	0.974	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	6	29	21	5	41	23.4	-3	0.974	0.5	0.5	0	50.7	45.6	0	150	137	0	32	31	32	
2025	6	29	21	15	41	23.1	-2.6	0.974	0.4	0.3	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	29	21	25	41	22.9	-2.8	0.973	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	31	
2025	6	29	21	35	41	23.8	-1.7	0.973	0.4	0.3	0	51.6	45.6	0	153	137	0	33	31	32	
2025	6	29	21	45	41	22.7	-2.6	0.973	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	29	21	55	41	23.3	-4	0.973	0.4	0.3	0	51.2	45.2	0	152	136	0	33	31	32	
2025	6	29	22	5	41	22.6	-1.9	0.973	0.5	0.5	0	51.6	45.2	0	152	136	0	32	31	32	
2025	6	29	22	15	41	23.8	-2.7	0.972	0.5	0.4	0	51.2	45.6	0	152	137	0	33	31	32	
2025	6	29	22	25	41	22.8	-1.2	0.972	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	31	
2025	6	29	22	35	41	22.7	-3	0.972	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32	
2025	6	29	22	45	41	22	-3	0.972	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	6	29	22	55	41	24.3	-2.9	0.971	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	29	23	5	41	21.6	-1.7	0.971	0.5	0.5	0	51.2	45.6	0	152	137	0	33	31	33	
2025	6	29	23	15	41	23	-2.1	0.971	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	32	
2025	6	29	23	25	41	21.9	-2.5	0.971	0.4	0.3	0	51.2	45.6	0	152	137	0	33	31	33	
2025	6	29	23	35	41	23.2	-2.8	0.971	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	6	29	23	45	41	23.6	-2.2	0.971	0.5	0.4	0	52	45.2	0	153	136	0	32	31	32	
2025	6	29	23	55	41	22.5	-2.4	0.971	0.5	0.4	0	50.7	45.2	0	152	136	0	34	31	32	
2025	6	30	0	5	41	21.8	-2.4	0.971	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	32	
2025	6	30	0	15	41	23.4	-2.7	0.971	0.5	0.4	0	51.6	45.2	0	153	136	0	33	31	32	
2025	6	30	0	25	41	23	-2.1	0.971	0.4	0.3	0	51.6	45.6	0	153	137	0	33	31	32	
2025	6	30	0	35	41	22.7	-1.6	0.971	0.5	0.5	0	52	45.6	0	153	137	0	32	31	32	
2025	6	30	0	45	41	23.8	-0.9	0.971	0.3	0.2	0	52	45.6	0	153	137	0	32	31	31	
2025	6	30	0	55	41	21.8	-3.2	0.97	0.5	0.4	0	52	45.6	0	153	137	0	32	31	32	
2025	6	30	1	5	41	23	-1.5	0.97	0.5	0.5	0	52	45.2	0	153	137	0	32	32	31	
2025	6	30	1	15	41	21.4	-2.5	0.97	0.4	0.3	0	52	45.6	0	153	137	0	32	31	32	
2025	6	30	1	25	41	22.6	-2.4	0.97	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	32	
2025	6	30	1	35	41	22	-3	0.97	0.5	0.5	0	52	46	0	153	138	0	32	31	31	
2025	6	30	1	45	41	22.2	-1.5	0.97	0.5	0.5	0	52	46	0	153	138	0	32	31	32	
2025	6	30	1	55	41	21.3	-1.2	0.97	0.6	0.5	0	51.6	46	0	153	138	0	33	31	32	
2025	6	30	2	5	41	21.4	-2	0.969	0.5	0.4	0	52	45.2	0	153	137	0	32	32	32	
2025	6	30	2	15	41	22.7	-3	0.969	0.5	0.5	0	51.6	45.6	0	152	137	0	32	31	32	
2025	6	30	2	25	41	20.9	-2.5	0.969	0.5	0.4	0	52	46	0	153	138	0	32	31	32	
2025	6	30	2	35	41	21.5	-1.3	0.969	0.4	0.3	0	51.6	45.6	0	153	138	0	33	32	32	
2025	6	30	2	45	41	22.9	-2.3	0.969	0.5	0.5	0	51.6	45.2	0	153	137	0	33	32	32	
2025	6	30	2	55	41	21.9	-1.6	0.969	0.5	0.4	0	51.6	46	0	153	138	0	33	31	31	
2025	6	30	3	5	41	23.3	-2.5	0.969	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	31	
2025	6	30	3	15	41	23.6	-2.9	0.969	0.5	0.4	0	52	45.2	0	153	137	0	32	32	32	
2025	6	30	3	25	41	22.4	-2.4	0.968	0.5	0.4	0	52	45.2	0	153	137	0	32	32	32	
2025	6	30	3	35	41	21.8	-2.7	0.968	0.5	0.4	0	52.5	45.6	0	154	138	0	32	32	32	
2025	6	30	3	45	41	22.4	-2.6	0.968	0.4	0.3	0	51.6	45.2	0	153	137	0	33	32	33	
2025	6	30	3	55	41	22.4	-3	0.968	0.5	0.4	0	52	45.6	0	153	138	0	32	32	31	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	30	4	5	41	22.4	-1.9	0.968	0.4	0.3	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	4	15	41	21.5	-2.6	0.968	0.5	0.4	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	4	25	41	22.4	-2	0.968	0.5	0.4	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	4	35	41	22.3	-1.6	0.967	0.5	0.5	0	51.6	46	0	153	138	0	33	31	32
2025	6	30	4	45	41	23.8	-2.2	0.967	0.5	0.5	0	52	46	0	153	138	0	32	31	32
2025	6	30	4	55	41	22.9	-2.6	0.967	0.5	0.5	0	51.2	45.2	0	152	137	0	33	32	32
2025	6	30	5	5	41	22.9	-3.2	0.967	0.5	0.4	0	51.6	45.2	0	152	137	0	32	32	32
2025	6	30	5	15	41	22.8	-2.7	0.967	0.5	0.5	0	51.2	45.6	0	152	137	0	33	31	31
2025	6	30	5	25	41	22.9	-1.6	0.967	0.3	0.2	0	51.6	45.2	0	153	137	0	33	32	33
2025	6	30	5	35	41	22.8	-1.5	0.967	0.5	0.4	0	51.6	45.2	0	153	137	0	33	32	31
2025	6	30	5	45	41	23.2	-3.1	0.966	0.5	0.4	0	51.2	45.6	0	152	137	0	33	31	32
2025	6	30	5	55	41	22.2	-2.5	0.966	0.5	0.4	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	6	5	41	22.6	-3	0.966	0.4	0.3	0	51.6	46	0	153	138	0	33	31	32
2025	6	30	6	15	41	22.2	-2.6	0.966	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	32
2025	6	30	6	25	41	22.9	-1.1	0.966	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	33
2025	6	30	6	35	41	22.4	-2.8	0.966	0.5	0.4	0	51.2	45.6	0	152	137	0	33	31	32
2025	6	30	6	45	41	23.6	-2	0.966	0.4	0.3	0	51.2	45.6	0	152	137	0	33	31	33
2025	6	30	6	55	41	22.6	-2.2	0.966	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	31
2025	6	30	7	5	41	22.2	-3.1	0.966	0.5	0.4	0	51.6	46	0	153	138	0	33	31	32
2025	6	30	7	15	41	22.9	-3	0.965	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	31
2025	6	30	7	25	41	22.9	-1.8	0.965	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	32
2025	6	30	7	35	41	22.4	-2	0.966	0.4	0.3	0	51.6	46	0	152	138	0	32	31	32
2025	6	30	7	45	41	21.5	-2.1	0.966	0.4	0.3	0	51.6	45.6	0	152	138	0	32	32	32
2025	6	30	7	55	41	23.7	-3	0.965	0.5	0.5	0	52	45.6	0	153	138	0	32	32	32
2025	6	30	8	5	41	21.7	-2	0.965	0.5	0.5	0	51.6	46	0	152	138	0	32	31	32
2025	6	30	8	15	41	20.4	-1	0.964	0.5	0.4	0	52	46	0	153	138	0	32	31	32
2025	6	30	8	25	41	22.4	-2.3	0.964	0.4	0.3	0	51.6	45.6	0	152	137	0	32	31	33
2025	6	30	8	35	41	22.3	-1.9	0.964	0.4	0.3	0	52	46	0	153	138	0	32	31	32
2025	6	30	8	45	41	21.5	-2.2	0.963	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	31
2025	6	30	8	55	41	22.6	-2.9	0.963	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	31
2025	6	30	9	5	41	20.8	-1.2	0.963	0.5	0.4	0	52	46	0	153	138	0	32	31	32
2025	6	30	9	15	41	21.7	-2.6	0.962	0.5	0.4	0	51.6	46	0	153	138	0	33	31	31
2025	6	30	9	25	41	22	-2.4	0.962	0.5	0.5	0	51.6	45.2	0	153	137	0	33	32	32
2025	6	30	9	35	41	23.9	-2.3	0.962	0.5	0.4	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	9	45	41	22.7	-2.5	0.962	0.5	0.5	0	52	45.2	0	153	137	0	32	32	32
2025	6	30	9	55	41	21.5	-2.2	0.962	0.4	0.3	0	52	46	0	153	138	0	32	31	32
2025	6	30	10	5	41	21.2	-3.3	0.962	0.5	0.4	0	52	46	0	153	138	0	32	31	32
2025	6	30	10	15	41	22.5	-2.9	0.962	0.4	0.3	0	52.5	46.9	0	154	140	0	32	31	32
2025	6	30	10	25	41	23.6	-1.8	0.962	0.5	0.4	0	51.6	46	0	153	138	0	33	31	32
2025	6	30	10	35	41	22.9	-2.3	0.962	0.5	0.4	0	51.6	46	0	153	138	0	33	31	32
2025	6	30	10	45	41	21.7	-2.5	0.962	0.5	0.5	0	51.6	45.6	0	152	137	0	32	31	32
2025	6	30	10	55	41	23.2	-1.6	0.962	0.3	0.2	0	51.6	46	0	152	138	0	32	31	32
2025	6	30	11	5	41	21.4	-3.5	0.961	0.5	0.5	0	51.2	45.2	0	152	137	0	33	32	32
2025	6	30	11	15	41	21.2	-1.9	0.961	0.4	0.3	0	51.2	46	0	151	138	0	32	31	31
2025	6	30	11	25	41	22.7	-2.8	0.962	0.5	0.4	0	51.2	46	0	151	138	0	32	31	32
2025	6	30	11	35	41	22.4	-2.1	0.961	0.5	0.4	0	51.6	46	0	153	138	0	33	31	32
2025	6	30	11	45	41	22.4	-2	0.961	0.5	0.4	0	52.5	46.4	0	154	139	0	32	31	32
2025	6	30	11	55	41	21.9	-1	0.961	0.3	0.2	0	51.6	46.4	0	153	139	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	30	12	5	41	22.5	-2.7	0.961	0.5	0.4	0	51.6	46	0	153	138	0	33	31	31
2025	6	30	12	15	41	21.9	-2.8	0.961	0.5	0.5	0	51.6	46	0	152	138	0	32	31	32
2025	6	30	12	25	41	21.3	-3.2	0.96	0.4	0.3	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	12	35	41	21.4	-2.3	0.96	0.5	0.4	0	52.5	46	0	154	138	0	32	31	31
2025	6	30	12	45	41	22.3	-2.7	0.96	0.5	0.5	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	12	55	41	22.2	-2.5	0.959	0.5	0.5	0	51.2	45.6	0	152	137	0	33	31	32
2025	6	30	13	5	41	21.5	-2.5	0.959	0.5	0.5	0	51.2	45.6	0	152	137	0	33	31	32
2025	6	30	13	15	41	21.6	-2.5	0.959	0.5	0.4	0	52	45.6	0	153	137	0	32	31	32
2025	6	30	13	25	41	21.4	-2.7	0.958	0.6	0.5	0	51.6	45.2	0	152	136	0	32	31	32
2025	6	30	13	35	41	22	-0.7	0.958	0.5	0.4	0	51.6	46	0	152	137	0	32	30	32
2025	6	30	13	45	41	23.2	-2.1	0.958	0.5	0.4	0	51.6	45.6	0	152	136	0	32	30	31
2025	6	30	13	55	41	21.6	-1.8	0.957	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	32
2025	6	30	14	5	41	22.1	-2.3	0.956	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	32
2025	6	30	14	15	41	21.5	-2.1	0.956	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	32
2025	6	30	14	25	41	21.9	-2	0.956	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	32
2025	6	30	14	35	41	20.9	-1.5	0.956	0.5	0.4	0	51.6	45.6	0	152	136	0	32	30	32
2025	6	30	14	45	41	23.3	-2	0.955	0.5	0.4	0	52	46	0	153	137	0	32	30	31
2025	6	30	14	55	41	22.3	-2.1	0.955	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	30	15	5	41	22.3	-2	0.954	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	31
2025	6	30	15	15	41	21.4	-2.1	0.955	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32
2025	6	30	15	25	41	21.9	-2.6	0.953	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	30	15	35	41	20.5	-1.8	0.954	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	30	15	45	41	22.5	-3.2	0.954	0.5	0.4	0	50.3	44.3	0	150	134	0	33	31	31
2025	6	30	15	55	41	22.3	-3.6	0.953	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	31
2025	6	30	16	5	41	21.7	-1.7	0.953	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	31
2025	6	30	16	15	41	21.5	-2.9	0.953	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	30	16	25	41	21.5	-2.6	0.952	0.5	0.5	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	30	16	35	41	20.7	-2.1	0.952	0.5	0.4	0	51.6	45.2	0	151	136	0	31	31	32
2025	6	30	16	45	41	21.7	-2.6	0.952	0.3	0.2	0	50.7	44.7	0	150	135	0	32	31	31
2025	6	30	16	55	41	22.6	-2	0.952	0.6	0.5	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	30	17	5	41	23	-3.4	0.952	0.3	0.2	0	50.7	44.7	0	150	134	0	32	30	32
2025	6	30	17	15	41	22.2	-2.4	0.951	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32
2025	6	30	17	25	41	22.5	-2.6	0.951	0.5	0.5	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	30	17	35	41	22.5	-2.1	0.95	0.4	0.3	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	30	17	45	41	20.9	-2.8	0.95	0.5	0.4	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	30	17	55	41	22.2	-2.1	0.95	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	31
2025	6	30	18	5	41	21.4	-2.2	0.95	0.5	0.4	0	50.7	43.9	0	149	133	0	31	31	32
2025	6	30	18	15	41	21.3	-2.8	0.95	0.5	0.5	0	49.9	43.9	0	149	133	0	33	31	31
2025	6	30	18	25	41	22.2	-1.9	0.95	0.5	0.4	0	50.3	44.7	0	149	134	0	32	30	32
2025	6	30	18	35	41	22.5	-2.2	0.949	0.5	0.4	0	50.3	43.9	0	149	134	0	32	32	32
2025	6	30	18	45	41	22	-2.7	0.95	0.5	0.5	0	50.7	44.3	0	150	134	0	32	31	32
2025	6	30	18	55	41	21.4	-2.6	0.949	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	32
2025	6	30	19	5	41	21.6	-1.8	0.949	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	32
2025	6	30	19	15	41	21.7	-2.5	0.949	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	32
2025	6	30	19	25	41	21.8	-2.6	0.949	0.5	0.4	0	50.7	43.9	0	149	134	0	31	32	32
2025	6	30	19	35	41	20.8	-2	0.948	0.5	0.5	0	50.7	44.3	0	150	134	0	32	31	31
2025	6	30	19	45	41	21.1	-2	0.949	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32
2025	6	30	19	55	41	21.8	-2	0.949	0.5	0.4	0	50.7	44.3	0	150	134	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	6	30	20	5	41	21.6	-1.3	0.949	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	6	30	20	15	41	22.1	-1.8	0.948	0.5	0.5	0	50.7	44.7	0	150	134	0	32	30	32
2025	6	30	20	25	41	22.4	-3.1	0.948	0.5	0.4	0	51.2	44.3	0	151	135	0	32	32	32
2025	6	30	20	35	41	21	-2.9	0.949	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	30	20	45	41	21.7	-2	0.949	0.3	0.2	0	51.2	44.7	0	151	135	0	32	31	32
2025	6	30	20	55	41	21.5	-2.5	0.948	0.5	0.4	0	51.6	44.7	0	152	135	0	32	31	32
2025	6	30	21	5	41	21	-2.4	0.948	0.5	0.5	0	51.6	45.2	0	152	136	0	32	31	32
2025	6	30	21	15	41	22.7	-1.6	0.948	0.5	0.5	0	51.6	44.7	0	152	136	0	32	32	32
2025	6	30	21	25	41	21.4	-2.5	0.948	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	30	21	35	41	21.4	-1.3	0.948	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	32
2025	6	30	21	45	41	21.7	-3.4	0.948	0.4	0.3	0	51.6	44.7	0	151	136	0	31	32	31
2025	6	30	21	55	41	22.7	-2.8	0.947	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	31
2025	6	30	22	5	41	22.5	-2	0.948	0.4	0.3	0	51.6	44.7	0	152	136	0	32	32	32
2025	6	30	22	15	41	22.6	-2.6	0.948	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	30	22	25	41	21.7	-2.1	0.947	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	30	22	35	41	22.3	-2.9	0.948	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	6	30	22	45	41	22.6	-2	0.947	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	32
2025	6	30	22	55	41	21.8	-1.7	0.948	0.5	0.5	0	50.7	45.2	0	151	136	0	33	31	32
2025	6	30	23	5	41	21.9	-2.3	0.948	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	30	23	15	41	22.2	-2.6	0.947	0.5	0.5	0	50.7	45.6	0	151	136	0	33	30	31
2025	6	30	23	25	41	21.6	-1.2	0.947	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	32
2025	6	30	23	35	41	21.5	-2.2	0.947	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	31
2025	6	30	23	45	41	22.7	-2	0.947	0.5	0.5	0	51.2	45.2	0	152	136	0	33	31	32
2025	6	30	23	55	41	22.9	-1.8	0.947	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	1	0	5	24	0	0	0	0	0	0	0	20.15	0	0	11.6	0.1	1
2025	6	1	0	15	24	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1
2025	6	1	0	25	24	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1
2025	6	1	0	35	24	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1
2025	6	1	0	45	24	0	0	0	0	0	0	0	20.09	0	0	11.4	0.1	1
2025	6	1	0	55	24	0	0	0	0	0	0	0	20.08	0	0	11.4	0.1	1
2025	6	1	1	5	24	0	0	0	0	0	0	0	20.07	0	0	11.4	0.1	1
2025	6	1	1	15	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1
2025	6	1	1	25	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	1	1	35	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	1	1	45	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	1	1	55	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	1	2	5	24	0	0	0	0	0	0	0	20.04	0	0	11.4	0.1	1
2025	6	1	2	15	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	1	2	25	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	1	2	35	24	0	0	0	0	0	0	0	20.06	0	0	11.4	0.1	1
2025	6	1	2	45	24	0	0	0	0	0	0	0	20.06	0	0	11.4	0.1	1
2025	6	1	2	55	24	0	0	0	0	0	0	0	20.07	0	0	11.4	0.1	1
2025	6	1	3	5	24	0	0	0	0	0	0	0	20.08	0	0	11.4	0.1	1
2025	6	1	3	15	24	0	0	0	0	0	0	0	20.08	0	0	11.4	0.1	1
2025	6	1	3	25	24	0	0	0	0	0	0	0	20.1	0	0	11.4	0.1	1
2025	6	1	3	35	24	0	0	0	0	0	0	0	20.11	0	0	11.4	0.1	1
2025	6	1	3	45	24	0	0	0	0	0	0	0	20.12	0	0	11.4	0.1	1
2025	6	1	3	55	24	0	0	0	0	0	0	0	20.14	0	0	11.4	0.1	1
2025	6	1	4	5	24	0	0	0	0	0	0	0	20.15	0	0	11.4	0.1	1
2025	6	1	4	15	24	0	0	0	0	0	0	0	20.16	0	0	11.4	0.1	1
2025	6	1	4	25	24	0	0	0	0	0	0	0	20.18	0	0	11.4	0.1	1
2025	6	1	4	35	24	0	0	0	0	0	0	0	20.19	0	0	11.4	0.1	1
2025	6	1	4	45	24	0	0	0	0	0	0	0	20.2	0	0	11.4	0.1	1
2025	6	1	4	55	24	0	0	0	0	0	0	0	20.22	0	0	11.4	0.1	1
2025	6	1	5	5	24	0	0	0	0	0	0	0	20.23	0	0	11.4	0.1	1
2025	6	1	5	15	24	0	0	0	0	0	0	0	20.25	0	0	11.4	0.1	1
2025	6	1	5	25	24	0	0	0	0	0	0	0	20.26	0	0	11.4	0.1	1
2025	6	1	5	35	24	0	0	0	0	0	0	0	20.27	0	0	11.4	0.1	1
2025	6	1	5	45	24	0	0	0	0	0	0	0	20.28	0	0	11.4	0.1	1
2025	6	1	5	55	24	0	0	0	0	0	0	0	20.3	0	0	11.4	0.1	1
2025	6	1	6	5	24	0	0	0	0	0	0	0	20.32	0	0	11.4	0.1	1
2025	6	1	6	15	24	0	0	0	0	0	0	0	20.33	0	0	11.4	0.1	1
2025	6	1	6	25	24	0	0	0	0	0	0	0	20.35	0	0	11.4	0.1	1
2025	6	1	6	35	24	0	0	0	0	0	0	0	20.36	0	0	11.4	0.1	1
2025	6	1	6	45	24	0	0	0	0	0	0	0	20.38	0	0	11.4	0.1	1
2025	6	1	6	55	24	0	0	0	0	0	0	0	20.4	0	0	11.4	0.1	1
2025	6	1	7	5	24	0	0	0	0	0	0	0	20.41	0	0	11.4	0.1	1
2025	6	1	7	15	24	0	0	0	0	0	0	0	20.44	0	0	11.4	0.1	1
2025	6	1	7	25	24	0	0	0	0	0	0	0	20.46	0	0	11.6	0.1	1
2025	6	1	7	35	24	0	0	0	0	0	0	0	20.49	0	0	11.8	0.1	1
2025	6	1	7	45	24	0	0	0	0	0	0	0	20.52	0	0	12	0.1	1
2025	6	1	7	55	24	0	0	0	0	0	0	0	20.56	0	0	12.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	1	8	5	24	0	0	0	0	0	0	0	20.6	0	0	12.2	0.1	1
2025	6	1	8	15	24	0	0	0	0	0	0	0	20.63	0	0	12.2	0.1	1
2025	6	1	8	25	24	0	0	0	0	0	0	0	20.67	0	0	12.4	0.1	1
2025	6	1	8	35	24	0	0	0	0	0	0	0	20.71	0	0	12.4	0.1	1
2025	6	1	8	45	24	0	0	0	0	0	0	0	20.76	0	0	12.4	0.1	1
2025	6	1	8	55	24	0	0	0	0	0	0	0	20.79	0	0	12.2	0.1	1
2025	6	1	9	5	24	0	0	0	0	0	0	0	20.81	0	0	12.4	0.1	1
2025	6	1	9	15	24	0	0	0	0	0	0	0	20.86	0	0	12.6	0.1	1
2025	6	1	9	25	24	0	0	0	0	0	0	0	20.92	0	0	12.6	0.1	1
2025	6	1	9	35	24	0	0	0	0	0	0	0	20.98	0	0	12.8	0.1	1
2025	6	1	9	45	24	0	0	0	0	0	0	0	21.03	0	0	13	0.1	1
2025	6	1	9	55	24	0	0	0	0	0	0	0	21.08	0	0	13	0.1	1
2025	6	1	10	5	24	0	0	0	0	0	0	0	21.15	0	0	13	0.1	1
2025	6	1	10	15	24	0	0	0	0	0	0	0	21.21	0	0	13	0.1	1
2025	6	1	10	25	24	0	0	0	0	0	0	0	21.27	0	0	13	0.1	1
2025	6	1	10	35	24	0	0	0	0	0	0	0	21.33	0	0	13	0.1	1
2025	6	1	10	45	24	0	0	0	0	0	0	0	21.39	0	0	13	0.1	1
2025	6	1	10	55	24	0	0	0	0	0	0	0	21.46	0	0	13.2	0.1	1
2025	6	1	11	5	24	0	0	0	0	0	0	0	21.52	0	0	13.2	0.1	1
2025	6	1	11	15	24	0	0	0	0	0	0	0	21.59	0	0	13.2	0.1	1
2025	6	1	11	25	24	0	0	0	0	0	0	0	21.65	0	0	13.2	0.1	1
2025	6	1	11	35	24	0	0	0	0	0	0	0	21.72	0	0	13.2	0.1	1
2025	6	1	11	45	24	0	0	0	0	0	0	0	21.79	0	0	13.2	0.1	1
2025	6	1	11	55	24	0	0	0	0	0	0	0	21.84	0	0	13.2	0.1	1
2025	6	1	12	5	24	0	0	0	0	0	0	0	21.91	0	0	13.2	0.1	1
2025	6	1	12	15	24	0	0	0	0	0	0	0	21.97	0	0	13.2	0.1	1
2025	6	1	12	25	24	0	0	0	0	0	0	0	22.03	0	0	13.2	0.1	1
2025	6	1	12	35	24	0	0	0	0	0	0	0	22.07	0	0	13.2	0.1	1
2025	6	1	12	45	24	0	0	0	0	0	0	0	22.14	0	0	13.2	0.1	1
2025	6	1	12	55	24	0	0	0	0	0	0	0	22.19	0	0	13.2	0.1	1
2025	6	1	13	5	24	0	0	0	0	0	0	0	22.23	0	0	13.2	0.1	1
2025	6	1	13	15	24	0	0	0	0	0	0	0	22.28	0	0	13.2	0.1	1
2025	6	1	13	25	24	0	0	0	0	0	0	0	22.33	0	0	12.6	0.1	1
2025	6	1	13	35	24	0	0	0	0	0	0	0	22.37	0	0	12.6	0.1	1
2025	6	1	13	45	24	0	0	0	0	0	0	0	22.41	0	0	12.8	0.1	1
2025	6	1	13	55	24	0	0	0	0	0	0	0	22.44	0	0	12.8	0.1	1
2025	6	1	14	5	24	0	0	0	0	0	0	0	22.47	0	0	13.2	0.1	1
2025	6	1	14	15	24	0	0	0	0	0	0	0	22.47	0	0	13.4	0.1	1
2025	6	1	14	25	24	0	0	0	0	0	0	0	22.52	0	0	13.2	0.1	1
2025	6	1	14	35	24	0	0	0	0	0	0	0	22.56	0	0	13.4	0.1	1
2025	6	1	14	45	24	0	0	0	0	0	0	0	22.56	0	0	13	0.1	1
2025	6	1	14	55	24	0	0	0	0	0	0	0	22.54	0	0	12.8	0.1	1
2025	6	1	15	5	24	0	0	0	0	0	0	0	22.49	0	0	12.8	0.1	1
2025	6	1	15	15	24	0	0	0	0	0	0	0	22.48	0	0	13	0.1	1
2025	6	1	15	25	24	0	0	0	0	0	0	0	22.48	0	0	12.8	0.1	1
2025	6	1	15	35	24	0	0	0	0	0	0	0	22.47	0	0	13	0.1	1
2025	6	1	15	45	24	0	0	0	0	0	0	0	22.45	0	0	13	0.1	1
2025	6	1	15	55	24	0	0	0	0	0	0	0	22.44	0	0	13	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	1	16	5	24	0	0	0	0	0	0	0	22.43	0	0	13	0.1	1
2025	6	1	16	15	24	0	0	0	0	0	0	0	22.42	0	0	12.8	0.1	1
2025	6	1	16	25	24	0	0	0	0	0	0	0	22.4	0	0	12.2	0.1	1
2025	6	1	16	35	24	0	0	0	0	0	0	0	22.38	0	0	12	0.1	1
2025	6	1	16	45	24	0	0	0	0	0	0	0	22.35	0	0	12	0.1	1
2025	6	1	16	55	24	0	0	0	0	0	0	0	22.33	0	0	12	0.1	1
2025	6	1	17	5	24	0	0	0	0	0	0	0	22.31	0	0	11.8	0.1	1
2025	6	1	17	15	24	0	0	0	0	0	0	0	22.28	0	0	11.8	0.1	1
2025	6	1	17	25	24	0	0	0	0	0	0	0	22.26	0	0	11.8	0.1	1
2025	6	1	17	35	24	0	0	0	0	0	0	0	22.24	0	0	11.8	0.1	1
2025	6	1	17	45	24	0	0	0	0	0	0	0	22.23	0	0	11.8	0.1	1
2025	6	1	17	55	24	0	0	0	0	0	0	0	22.21	0	0	11.8	0.1	1
2025	6	1	18	5	24	0	0	0	0	0	0	0	22.18	0	0	11.6	0.1	1
2025	6	1	18	15	24	0	0	0	0	0	0	0	22.14	0	0	11.6	0.1	1
2025	6	1	18	25	24	0	0	0	0	0	0	0	22.1	0	0	11.6	0.1	1
2025	6	1	18	35	24	0	0	0	0	0	0	0	22.06	0	0	11.6	0.1	1
2025	6	1	18	45	24	0	0	0	0	0	0	0	22.01	0	0	11.6	0.1	1
2025	6	1	18	55	24	0	0	0	0	0	0	0	21.96	0	0	11.6	0.1	1
2025	6	1	19	5	24	0	0	0	0	0	0	0	21.9	0	0	11.6	0.1	1
2025	6	1	19	15	24	0	0	0	0	0	0	0	21.84	0	0	11.6	0.1	1
2025	6	1	19	25	24	0	0	0	0	0	0	0	21.79	0	0	11.6	0.1	1
2025	6	1	19	35	24	0	0	0	0	0	0	0	21.73	0	0	11.6	0.1	1
2025	6	1	19	45	24	0	0	0	0	0	0	0	21.67	0	0	11.6	0.1	1
2025	6	1	19	55	24	0	0	0	0	0	0	0	21.61	0	0	11.6	0.1	1
2025	6	1	20	5	24	0	0	0	0	0	0	0	21.54	0	0	11.6	0.1	1
2025	6	1	20	15	24	0	0	0	0	0	0	0	21.48	0	0	11.6	0.1	1
2025	6	1	20	25	24	0	0	0	0	0	0	0	21.42	0	0	11.6	0.1	1
2025	6	1	20	35	24	0	0	0	0	0	0	0	21.37	0	0	11.6	0.1	1
2025	6	1	20	45	24	0	0	0	0	0	0	0	21.31	0	0	11.6	0.1	1
2025	6	1	20	55	24	0	0	0	0	0	0	0	21.26	0	0	11.6	0.1	1
2025	6	1	21	5	24	0	0	0	0	0	0	0	21.2	0	0	11.6	0.1	1
2025	6	1	21	15	24	0	0	0	0	0	0	0	21.15	0	0	11.6	0.1	1
2025	6	1	21	25	24	0	0	0	0	0	0	0	21.1	0	0	11.6	0.1	1
2025	6	1	21	35	24	0	0	0	0	0	0	0	21.05	0	0	11.6	0.1	1
2025	6	1	21	45	24	0	0	0	0	0	0	0	21.01	0	0	11.4	0.1	1
2025	6	1	21	55	24	0	0	0	0	0	0	0	20.97	0	0	11.4	0.1	1
2025	6	1	22	5	24	0	0	0	0	0	0	0	20.92	0	0	11.4	0.1	1
2025	6	1	22	15	24	0	0	0	0	0	0	0	20.88	0	0	11.4	0.1	1
2025	6	1	22	25	24	0	0	0	0	0	0	0	20.84	0	0	11.6	0.1	1
2025	6	1	22	35	24	0	0	0	0	0	0	0	20.8	0	0	11.4	0.1	1
2025	6	1	22	45	24	0	0	0	0	0	0	0	20.75	0	0	11.4	0.1	1
2025	6	1	22	55	24	0	0	0	0	0	0	0	20.72	0	0	11.4	0.1	1
2025	6	1	23	5	24	0	0	0	0	0	0	0	20.69	0	0	11.4	0.1	1
2025	6	1	23	15	24	0	0	0	0	0	0	0	20.66	0	0	11.4	0.1	1
2025	6	1	23	25	24	0	0	0	0	0	0	0	20.63	0	0	11.4	0.1	1
2025	6	1	23	35	24	0	0	0	0	0	0	0	20.6	0	0	11.4	0.1	1
2025	6	1	23	45	24	0	0	0	0	0	0	0	20.58	0	0	11.4	0.1	1
2025	6	1	23	55	24	0	0	0	0	0	0	0	20.56	0	0	11.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	2	0	5	24	0	0	0	0	0	0	0	20.54	0	0	11.4	0.1	1
2025	6	2	0	15	24	0	0	0	0	0	0	0	20.52	0	0	11.4	0.1	1
2025	6	2	0	25	24	0	0	0	0	0	0	0	20.5	0	0	11.4	0.1	1
2025	6	2	0	35	24	0	0	0	0	0	0	0	20.48	0	0	11.4	0.1	1
2025	6	2	0	45	24	0	0	0	0	0	0	0	20.46	0	0	11.4	0.1	1
2025	6	2	0	55	24	0	0	0	0	0	0	0	20.44	0	0	11.4	0.1	1
2025	6	2	1	5	24	0	0	0	0	0	0	0	20.43	0	0	11.4	0.1	1
2025	6	2	1	15	24	0	0	0	0	0	0	0	20.42	0	0	11.4	0.1	1
2025	6	2	1	25	24	0	0	0	0	0	0	0	20.41	0	0	11.4	0.1	1
2025	6	2	1	35	24	0	0	0	0	0	0	0	20.4	0	0	11.4	0.1	1
2025	6	2	1	45	24	0	0	0	0	0	0	0	20.4	0	0	11.4	0.1	1
2025	6	2	1	55	24	0	0	0	0	0	0	0	20.39	0	0	11.4	0.1	1
2025	6	2	2	5	24	0	0	0	0	0	0	0	20.39	0	0	11.4	0.1	1
2025	6	2	2	15	24	0	0	0	0	0	0	0	20.38	0	0	11.4	0.1	1
2025	6	2	2	25	24	0	0	0	0	0	0	0	20.38	0	0	11.4	0.1	1
2025	6	2	2	35	24	0	0	0	0	0	0	0	20.38	0	0	11.4	0.1	1
2025	6	2	2	45	24	0	0	0	0	0	0	0	20.38	0	0	11.4	0.1	1
2025	6	2	2	55	24	0	0	0	0	0	0	0	20.39	0	0	11.4	0.1	1
2025	6	2	3	5	24	0	0	0	0	0	0	0	20.39	0	0	11.4	0.1	1
2025	6	2	3	15	24	0	0	0	0	0	0	0	20.39	0	0	11.4	0.1	1
2025	6	2	3	25	24	0	0	0	0	0	0	0	20.39	0	0	11.4	0.1	1
2025	6	2	3	35	24	0	0	0	0	0	0	0	20.4	0	0	11.4	0.1	1
2025	6	2	3	45	24	0	0	0	0	0	0	0	20.4	0	0	11.4	0.1	1
2025	6	2	3	55	24	0	0	0	0	0	0	0	20.41	0	0	11.4	0.1	1
2025	6	2	4	5	24	0	0	0	0	0	0	0	20.42	0	0	11.4	0.1	1
2025	6	2	4	15	24	0	0	0	0	0	0	0	20.42	0	0	11.4	0.1	1
2025	6	2	4	25	24	0	0	0	0	0	0	0	20.44	0	0	11.4	0.1	1
2025	6	2	4	35	24	0	0	0	0	0	0	0	20.44	0	0	11.4	0.1	1
2025	6	2	4	45	24	0	0	0	0	0	0	0	20.45	0	0	11.4	0.1	1
2025	6	2	4	55	24	0	0	0	0	0	0	0	20.47	0	0	11.4	0.1	1
2025	6	2	5	5	24	0	0	0	0	0	0	0	20.47	0	0	11.2	0.1	1
2025	6	2	5	15	24	0	0	0	0	0	0	0	20.48	0	0	11.2	0.1	1
2025	6	2	5	25	24	0	0	0	0	0	0	0	20.49	0	0	11.2	0.1	1
2025	6	2	5	35	24	0	0	0	0	0	0	0	20.5	0	0	11.2	0.1	1
2025	6	2	5	45	24	0	0	0	0	0	0	0	20.5	0	0	11.2	0.1	1
2025	6	2	5	55	24	0	0	0	0	0	0	0	20.51	0	0	11.2	0.1	1
2025	6	2	6	5	24	0	0	0	0	0	0	0	20.51	0	0	11.2	0.1	1
2025	6	2	6	15	24	0	0	0	0	0	0	0	20.52	0	0	11.2	0.1	1
2025	6	2	6	25	24	0	0	0	0	0	0	0	20.53	0	0	11.2	0.1	1
2025	6	2	6	35	24	0	0	0	0	0	0	0	20.54	0	0	11.4	0.1	1
2025	6	2	6	45	24	0	0	0	0	0	0	0	20.55	0	0	11.4	0.1	1
2025	6	2	6	55	24	0	0	0	0	0	0	0	20.56	0	0	11.4	0.1	1
2025	6	2	7	5	24	0	0	0	0	0	0	0	20.58	0	0	11.4	0.1	1
2025	6	2	7	15	24	0	0	0	0	0	0	0	20.61	0	0	11.6	0.1	1
2025	6	2	7	25	24	0	0	0	0	0	0	0	20.63	0	0	11.6	0.1	1
2025	6	2	7	35	24	0	0	0	0	0	0	0	20.65	0	0	11.8	0.1	1
2025	6	2	7	45	24	0	0	0	0	0	0	0	20.68	0	0	12	0.1	1
2025	6	2	7	55	24	0	0	0	0	0	0	0	20.71	0	0	12.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	2	8	5	24	0	0	0	0	0	0	0	20.75	0	0	12.2	0.1	1
2025	6	2	8	15	24	0	0	0	0	0	0	0	20.79	0	0	12.2	0.1	1
2025	6	2	8	25	24	0	0	0	0	0	0	0	20.82	0	0	12.2	0.1	1
2025	6	2	8	35	24	0	0	0	0	0	0	0	20.86	0	0	12.4	0.1	1
2025	6	2	8	45	24	0	0	0	0	0	0	0	20.9	0	0	12.4	0.1	1
2025	6	2	8	55	24	0	0	0	0	0	0	0	20.94	0	0	12.4	0.1	1
2025	6	2	9	5	24	0	0	0	0	0	0	0	20.98	0	0	12.4	0.1	1
2025	6	2	9	15	24	0	0	0	0	0	0	0	21.02	0	0	12.6	0.1	1
2025	6	2	9	25	24	0	0	0	0	0	0	0	21.08	0	0	12.6	0.1	1
2025	6	2	9	35	24	0	0	0	0	0	0	0	21.12	0	0	12.8	0.1	1
2025	6	2	9	45	24	0	0	0	0	0	0	0	21.18	0	0	13	0.1	1
2025	6	2	9	55	24	0	0	0	0	0	0	0	21.24	0	0	13.4	0.1	1
2025	6	2	10	5	24	0	0	0	0	0	0	0	21.29	0	0	13.4	0.1	1
2025	6	2	10	15	24	0	0	0	0	0	0	0	21.34	0	0	13.6	0.1	1
2025	6	2	10	25	24	0	0	0	0	0	0	0	21.39	0	0	13.8	0.1	1
2025	6	2	10	35	24	0	0	0	0	0	0	0	21.46	0	0	13.6	0.1	1
2025	6	2	10	45	24	0	0	0	0	0	0	0	21.52	0	0	13.6	0.1	1
2025	6	2	10	55	24	0	0	0	0	0	0	0	21.57	0	0	13.4	0.1	1
2025	6	2	11	5	24	0	0	0	0	0	0	0	21.64	0	0	13.4	0.1	1
2025	6	2	11	15	24	0	0	0	0	0	0	0	21.7	0	0	13.4	0.1	1
2025	6	2	11	25	24	0	0	0	0	0	0	0	21.68	0	0	12.8	0.1	1
2025	6	2	11	35	24	0	0	0	0	0	0	0	21.64	0	0	12.8	0.1	1
2025	6	2	11	45	24	0	0	0	0	0	0	0	21.62	0	0	12.4	0.1	1
2025	6	2	11	55	24	0	0	0	0	0	0	0	21.63	0	0	12.6	0.1	1
2025	6	2	12	5	24	0	0	0	0	0	0	0	21.69	0	0	13.4	0.1	1
2025	6	2	12	15	24	0	0	0	0	0	0	0	21.78	0	0	13.8	0.1	1
2025	6	2	12	25	24	0	0	0	0	0	0	0	21.75	0	0	12.8	0.1	1
2025	6	2	12	35	24	0	0	0	0	0	0	0	21.74	0	0	12.6	0.1	1
2025	6	2	12	45	24	0	0	0	0	0	0	0	21.74	0	0	12.4	0.1	1
2025	6	2	12	55	24	0	0	0	0	0	0	0	21.73	0	0	11.8	0.1	1
2025	6	2	13	5	24	0	0	0	0	0	0	0	21.73	0	0	11.4	0.1	1
2025	6	2	13	15	24	0	0	0	0	0	0	0	21.72	0	0	11.2	0.1	1
2025	6	2	13	25	24	0	0	0	0	0	0	0	21.71	0	0	11.2	0.1	1
2025	6	2	13	35	24	0	0	0	0	0	0	0	21.7	0	0	11.2	0.1	1
2025	6	2	13	45	24	0	0	0	0	0	0	0	21.69	0	0	11.2	0.1	1
2025	6	2	13	55	24	0	0	0	0	0	0	0	21.68	0	0	11.2	0.1	1
2025	6	2	14	5	24	0	0	0	0	0	0	0	21.69	0	0	11.4	0.1	1
2025	6	2	14	15	24	0	0	0	0	0	0	0	21.69	0	0	11.4	0.1	1
2025	6	2	14	25	24	0	0	0	0	0	0	0	21.7	0	0	11.8	0.1	1
2025	6	2	14	35	24	0	0	0	0	0	0	0	21.7	0	0	11.8	0.1	1
2025	6	2	14	45	24	0	0	0	0	0	0	0	21.71	0	0	11.8	0.1	1
2025	6	2	14	55	24	0	0	0	0	0	0	0	21.7	0	0	11.8	0.1	1
2025	6	2	15	5	24	0	0	0	0	0	0	0	21.7	0	0	11.8	0.1	1
2025	6	2	15	15	24	0	0	0	0	0	0	0	21.7	0	0	11.8	0.1	1
2025	6	2	15	25	24	0	0	0	0	0	0	0	21.69	0	0	11.8	0.1	1
2025	6	2	15	35	24	0	0	0	0	0	0	0	21.69	0	0	11.8	0.1	1
2025	6	2	15	45	24	0	0	0	0	0	0	0	21.68	0	0	12	0.1	1
2025	6	2	15	55	24	0	0	0	0	0	0	0	21.68	0	0	12	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	2	16	5	24	0	0	0	0	0	0	0	21.68	0	0	12.2	0.1	1
2025	6	2	16	15	24	0	0	0	0	0	0	0	21.71	0	0	13.2	0.1	1
2025	6	2	16	25	24	0	0	0	0	0	0	0	21.74	0	0	13.2	0.1	1
2025	6	2	16	35	24	0	0	0	0	0	0	0	21.77	0	0	13	0.1	1
2025	6	2	16	45	24	0	0	0	0	0	0	0	21.77	0	0	13.2	0.1	1
2025	6	2	16	55	24	0	0	0	0	0	0	0	21.76	0	0	13	0.1	1
2025	6	2	17	5	24	0	0	0	0	0	0	0	21.74	0	0	12	0.1	1
2025	6	2	17	15	24	0	0	0	0	0	0	0	21.69	0	0	12.4	0.1	1
2025	6	2	17	25	24	0	0	0	0	0	0	0	21.67	0	0	12.2	0.1	1
2025	6	2	17	35	24	0	0	0	0	0	0	0	21.62	0	0	12	0.1	1
2025	6	2	17	45	24	0	0	0	0	0	0	0	21.55	0	0	12	0.1	1
2025	6	2	17	55	24	0	0	0	0	0	0	0	21.51	0	0	11.8	0.1	1
2025	6	2	18	5	24	0	0	0	0	0	0	0	21.47	0	0	11.8	0.1	1
2025	6	2	18	15	24	0	0	0	0	0	0	0	21.43	0	0	11.8	0.1	1
2025	6	2	18	25	24	0	0	0	0	0	0	0	21.39	0	0	11.4	0.1	1
2025	6	2	18	35	24	0	0	0	0	0	0	0	21.35	0	0	11.2	0.1	1
2025	6	2	18	45	24	0	0	0	0	0	0	0	21.31	0	0	11.2	0.1	1
2025	6	2	18	55	24	0	0	0	0	0	0	0	21.27	0	0	11.2	0.1	1
2025	6	2	19	5	24	0	0	0	0	0	0	0	21.23	0	0	11.2	0.1	1
2025	6	2	19	15	24	0	0	0	0	0	0	0	21.19	0	0	11	0.1	1
2025	6	2	19	25	24	0	0	0	0	0	0	0	21.15	0	0	11.6	0.1	1
2025	6	2	19	35	24	0	0	0	0	0	0	0	21.11	0	0	11.6	0.1	1
2025	6	2	19	45	24	0	0	0	0	0	0	0	21.06	0	0	11.6	0.1	1
2025	6	2	19	55	24	0	0	0	0	0	0	0	21.02	0	0	11.6	0.1	1
2025	6	2	20	5	24	0	0	0	0	0	0	0	20.98	0	0	11.6	0.1	1
2025	6	2	20	15	24	0	0	0	0	0	0	0	20.94	0	0	11.6	0.1	1
2025	6	2	20	25	24	0	0	0	0	0	0	0	20.89	0	0	11.6	0.1	1
2025	6	2	20	35	24	0	0	0	0	0	0	0	20.85	0	0	11.6	0.1	1
2025	6	2	20	45	24	0	0	0	0	0	0	0	20.82	0	0	11.6	0.1	1
2025	6	2	20	55	24	0	0	0	0	0	0	0	20.77	0	0	11.6	0.1	1
2025	6	2	21	5	24	0	0	0	0	0	0	0	20.73	0	0	11.6	0.1	1
2025	6	2	21	15	24	0	0	0	0	0	0	0	20.69	0	0	11.6	0.1	1
2025	6	2	21	25	24	0	0	0	0	0	0	0	20.65	0	0	11.6	0.1	1
2025	6	2	21	35	24	0	0	0	0	0	0	0	20.61	0	0	11.6	0.1	1
2025	6	2	21	45	24	0	0	0	0	0	0	0	20.58	0	0	11.6	0.1	1
2025	6	2	21	55	24	0	0	0	0	0	0	0	20.54	0	0	11.6	0.1	1
2025	6	2	22	5	24	0	0	0	0	0	0	0	20.51	0	0	11.6	0.1	1
2025	6	2	22	15	24	0	0	0	0	0	0	0	20.48	0	0	11.6	0.1	1
2025	6	2	22	25	24	0	0	0	0	0	0	0	20.46	0	0	11.6	0.1	1
2025	6	2	22	35	24	0	0	0	0	0	0	0	20.43	0	0	11.4	0.1	1
2025	6	2	22	45	24	0	0	0	0	0	0	0	20.41	0	0	11.4	0.1	1
2025	6	2	22	55	24	0	0	0	0	0	0	0	20.39	0	0	11.4	0.1	1
2025	6	2	23	5	24	0	0	0	0	0	0	0	20.37	0	0	11.4	0.1	1
2025	6	2	23	15	24	0	0	0	0	0	0	0	20.34	0	0	11.4	0.1	1
2025	6	2	23	25	24	0	0	0	0	0	0	0	20.32	0	0	11.4	0.1	1
2025	6	2	23	35	24	0	0	0	0	0	0	0	20.3	0	0	11.4	0.1	1
2025	6	2	23	45	24	0	0	0	0	0	0	0	20.28	0	0	11.4	0.1	1
2025	6	2	23	55	24	0	0	0	0	0	0	0	20.26	0	0	11.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	3	0	5	24	0	0	0	0	0	0	0	20.24	0	0	11.4	0.1	1
2025	6	3	0	15	24	0	0	0	0	0	0	0	20.22	0	0	11.4	0.1	1
2025	6	3	0	25	24	0	0	0	0	0	0	0	20.21	0	0	11.4	0.1	1
2025	6	3	0	35	24	0	0	0	0	0	0	0	20.19	0	0	11.4	0.1	1
2025	6	3	0	45	24	0	0	0	0	0	0	0	20.17	0	0	11.4	0.1	1
2025	6	3	0	55	24	0	0	0	0	0	0	0	20.16	0	0	11.4	0.1	1
2025	6	3	1	5	24	0	0	0	0	0	0	0	20.14	0	0	11.4	0.1	1
2025	6	3	1	15	24	0	0	0	0	0	0	0	20.13	0	0	11.4	0.1	1
2025	6	3	1	25	24	0	0	0	0	0	0	0	20.11	0	0	11.4	0.1	1
2025	6	3	1	35	24	0	0	0	0	0	0	0	20.09	0	0	11.4	0.1	1
2025	6	3	1	45	24	0	0	0	0	0	0	0	20.07	0	0	11.4	0.1	1
2025	6	3	1	55	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	3	2	5	24	0	0	0	0	0	0	0	20.03	0	0	11.4	0.1	1
2025	6	3	2	15	24	0	0	0	0	0	0	0	20.01	0	0	11.4	0.1	1
2025	6	3	2	25	24	0	0	0	0	0	0	0	19.99	0	0	11.4	0.1	1
2025	6	3	2	35	24	0	0	0	0	0	0	0	19.97	0	0	11.4	0.1	1
2025	6	3	2	45	24	0	0	0	0	0	0	0	19.95	0	0	11.4	0.1	1
2025	6	3	2	55	24	0	0	0	0	0	0	0	19.93	0	0	11.4	0.1	1
2025	6	3	3	5	24	0	0	0	0	0	0	0	19.91	0	0	11.4	0.1	1
2025	6	3	3	15	24	0	0	0	0	0	0	0	19.89	0	0	11.4	0.1	1
2025	6	3	3	25	24	0	0	0	0	0	0	0	19.88	0	0	11.4	0.1	1
2025	6	3	3	35	24	0	0	0	0	0	0	0	19.85	0	0	11.4	0.1	1
2025	6	3	3	45	24	0	0	0	0	0	0	0	19.84	0	0	11.4	0.1	1
2025	6	3	3	55	24	0	0	0	0	0	0	0	19.82	0	0	11.4	0.1	1
2025	6	3	4	5	24	0	0	0	0	0	0	0	19.81	0	0	11.4	0.1	1
2025	6	3	4	15	24	0	0	0	0	0	0	0	19.8	0	0	11.4	0.1	1
2025	6	3	4	25	24	0	0	0	0	0	0	0	19.79	0	0	11.4	0.1	1
2025	6	3	4	35	24	0	0	0	0	0	0	0	19.78	0	0	11.4	0.1	1
2025	6	3	4	45	24	0	0	0	0	0	0	0	19.79	0	0	11.4	0.1	1
2025	6	3	4	55	24	0	0	0	0	0	0	0	19.78	0	0	11.4	0.1	1
2025	6	3	5	5	24	0	0	0	0	0	0	0	19.77	0	0	11.4	0.1	1
2025	6	3	5	15	24	0	0	0	0	0	0	0	19.77	0	0	11.4	0.1	1
2025	6	3	5	25	24	0	0	0	0	0	0	0	19.77	0	0	11.4	0.1	1
2025	6	3	5	35	24	0	0	0	0	0	0	0	19.77	0	0	11.4	0.1	1
2025	6	3	5	45	24	0	0	0	0	0	0	0	19.77	0	0	11.4	0.1	1
2025	6	3	5	55	24	0	0	0	0	0	0	0	19.78	0	0	11.4	0.1	1
2025	6	3	6	5	24	0	0	0	0	0	0	0	19.79	0	0	11.4	0.1	1
2025	6	3	6	15	24	0	0	0	0	0	0	0	19.8	0	0	11.4	0.1	1
2025	6	3	6	25	24	0	0	0	0	0	0	0	19.81	0	0	11.4	0.1	1
2025	6	3	6	35	24	0	0	0	0	0	0	0	19.82	0	0	11.4	0.1	1
2025	6	3	6	45	24	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	1
2025	6	3	6	55	24	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	1
2025	6	3	7	5	24	0	0	0	0	0	0	0	19.88	0	0	11.6	0.1	1
2025	6	3	7	15	24	0	0	0	0	0	0	0	19.9	0	0	11.8	0.1	1
2025	6	3	7	25	24	0	0	0	0	0	0	0	19.93	0	0	11.8	0.1	1
2025	6	3	7	35	24	0	0	0	0	0	0	0	19.96	0	0	12	0.1	1
2025	6	3	7	45	24	0	0	0	0	0	0	0	19.98	0	0	12.2	0.1	1
2025	6	3	7	55	24	0	0	0	0	0	0	0	20.02	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	3	8	5	24	0	0	0	0	0	0	0	20.05	0	0	12.4	0.1	1
2025	6	3	8	15	24	0	0	0	0	0	0	0	20.07	0	0	12.4	0.1	1
2025	6	3	8	25	24	0	0	0	0	0	0	0	20.11	0	0	12.4	0.1	1
2025	6	3	8	35	24	0	0	0	0	0	0	0	20.14	0	0	12.4	0.1	1
2025	6	3	8	45	24	0	0	0	0	0	0	0	20.18	0	0	12.6	0.1	1
2025	6	3	8	55	24	0	0	0	0	0	0	0	20.22	0	0	12.6	0.1	1
2025	6	3	9	5	24	0	0	0	0	0	0	0	20.26	0	0	12.6	0.1	1
2025	6	3	9	15	24	0	0	0	0	0	0	0	20.3	0	0	12.6	0.1	1
2025	6	3	9	25	24	0	0	0	0	0	0	0	20.34	0	0	12.8	0.1	1
2025	6	3	9	35	24	0	0	0	0	0	0	0	20.38	0	0	12.8	0.1	1
2025	6	3	9	45	24	0	0	0	0	0	0	0	20.43	0	0	13	0.1	1
2025	6	3	9	55	24	0	0	0	0	0	0	0	20.47	0	0	13	0.1	1
2025	6	3	10	5	24	0	0	0	0	0	0	0	20.51	0	0	13.2	0.1	1
2025	6	3	10	15	24	0	0	0	0	0	0	0	20.56	0	0	13.6	0.1	1
2025	6	3	10	25	24	0	0	0	0	0	0	0	20.61	0	0	13.4	0.1	1
2025	6	3	10	35	24	0	0	0	0	0	0	0	20.65	0	0	13.4	0.1	1
2025	6	3	10	45	24	0	0	0	0	0	0	0	20.71	0	0	13.4	0.1	1
2025	6	3	10	55	24	0	0	0	0	0	0	0	20.75	0	0	13	0.1	1
2025	6	3	11	5	24	0	0	0	0	0	0	0	20.8	0	0	13.6	0.1	1
2025	6	3	11	15	24	0	0	0	0	0	0	0	20.85	0	0	13.4	0.1	1
2025	6	3	11	25	24	0	0	0	0	0	0	0	20.9	0	0	13.2	0.1	1
2025	6	3	11	35	24	0	0	0	0	0	0	0	20.95	0	0	13.4	0.1	1
2025	6	3	11	45	24	0	0	0	0	0	0	0	21	0	0	13.4	0.1	1
2025	6	3	11	55	24	0	0	0	0	0	0	0	21.05	0	0	13.4	0.1	1
2025	6	3	12	5	24	0	0	0	0	0	0	0	21.1	0	0	13.4	0.1	1
2025	6	3	12	15	24	0	0	0	0	0	0	0	21.15	0	0	13.6	0.1	1
2025	6	3	12	25	24	0	0	0	0	0	0	0	21.18	0	0	13.6	0.1	1
2025	6	3	12	35	24	0	0	0	0	0	0	0	21.18	0	0	13.2	0.1	1
2025	6	3	12	45	24	0	0	0	0	0	0	0	21.27	0	0	13.6	0.1	1
2025	6	3	12	55	24	0	0	0	0	0	0	0	21.3	0	0	13.8	0.1	1
2025	6	3	13	5	24	0	0	0	0	0	0	0	21.35	0	0	14	0.1	1
2025	6	3	13	15	24	0	0	0	0	0	0	0	21.38	0	0	14.2	0.1	1
2025	6	3	13	25	24	0	0	0	0	0	0	0	21.42	0	0	13.2	0.1	1
2025	6	3	13	35	24	0	0	0	0	0	0	0	21.46	0	0	13.2	0.1	1
2025	6	3	13	45	24	0	0	0	0	0	0	0	21.49	0	0	13.8	0.1	1
2025	6	3	13	55	24	0	0	0	0	0	0	0	21.46	0	0	13.2	0.1	1
2025	6	3	14	5	24	0	0	0	0	0	0	0	21.41	0	0	12.8	0.1	1
2025	6	3	14	15	24	0	0	0	0	0	0	0	21.36	0	0	11.8	0.1	1
2025	6	3	14	25	24	0	0	0	0	0	0	0	21.31	0	0	11.8	0.1	1
2025	6	3	14	35	24	0	0	0	0	0	0	0	21.28	0	0	12	0.1	1
2025	6	3	14	45	24	0	0	0	0	0	0	0	21.25	0	0	12	0.1	1
2025	6	3	14	55	24	0	0	0	0	0	0	0	21.22	0	0	12	0.1	1
2025	6	3	15	5	24	0	0	0	0	0	0	0	21.2	0	0	12	0.1	1
2025	6	3	15	15	24	0	0	0	0	0	0	0	21.19	0	0	12	0.1	1
2025	6	3	15	25	24	0	0	0	0	0	0	0	21.2	0	0	12.2	0.1	1
2025	6	3	15	35	24	0	0	0	0	0	0	0	21.21	0	0	12.4	0.1	1
2025	6	3	15	45	24	0	0	0	0	0	0	0	21.22	0	0	12.4	0.1	1
2025	6	3	15	55	24	0	0	0	0	0	0	0	21.21	0	0	12.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	3	16	5	24	0	0	0	0	0	0	0	21.2	0	0	12	0.1	1
2025	6	3	16	15	24	0	0	0	0	0	0	0	21.18	0	0	12	0.1	1
2025	6	3	16	25	24	0	0	0	0	0	0	0	21.15	0	0	12	0.1	1
2025	6	3	16	35	24	0	0	0	0	0	0	0	21.14	0	0	12	0.1	1
2025	6	3	16	45	24	0	0	0	0	0	0	0	21.11	0	0	12	0.1	1
2025	6	3	16	55	24	0	0	0	0	0	0	0	21.08	0	0	12	0.1	1
2025	6	3	17	5	24	0	0	0	0	0	0	0	21.05	0	0	12	0.1	1
2025	6	3	17	15	24	0	0	0	0	0	0	0	21.02	0	0	11.8	0.1	1
2025	6	3	17	25	24	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1
2025	6	3	17	35	24	0	0	0	0	0	0	0	20.93	0	0	11.8	0.1	1
2025	6	3	17	45	24	0	0	0	0	0	0	0	20.9	0	0	12	0.1	1
2025	6	3	17	55	24	0	0	0	0	0	0	0	20.87	0	0	12	0.1	1
2025	6	3	18	5	24	0	0	0	0	0	0	0	20.83	0	0	11.8	0.1	1
2025	6	3	18	15	24	0	0	0	0	0	0	0	20.78	0	0	11.8	0.1	1
2025	6	3	18	25	24	0	0	0	0	0	0	0	20.74	0	0	11.8	0.1	1
2025	6	3	18	35	24	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1
2025	6	3	18	45	24	0	0	0	0	0	0	0	20.68	0	0	11.8	0.1	1
2025	6	3	18	55	24	0	0	0	0	0	0	0	20.65	0	0	11.8	0.1	1
2025	6	3	19	5	24	0	0	0	0	0	0	0	20.62	0	0	11.8	0.1	1
2025	6	3	19	15	24	0	0	0	0	0	0	0	20.59	0	0	11.8	0.1	1
2025	6	3	19	25	24	0	0	0	0	0	0	0	20.54	0	0	11.8	0.1	1
2025	6	3	19	35	24	0	0	0	0	0	0	0	20.51	0	0	11.8	0.1	1
2025	6	3	19	45	24	0	0	0	0	0	0	0	20.47	0	0	11.8	0.1	1
2025	6	3	19	55	24	0	0	0	0	0	0	0	20.43	0	0	11.8	0.1	1
2025	6	3	20	5	24	0	0	0	0	0	0	0	20.39	0	0	11.8	0.1	1
2025	6	3	20	15	24	0	0	0	0	0	0	0	20.34	0	0	11.6	0.1	1
2025	6	3	20	25	24	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1
2025	6	3	20	35	24	0	0	0	0	0	0	0	20.27	0	0	11.6	0.1	1
2025	6	3	20	45	24	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1
2025	6	3	20	55	24	0	0	0	0	0	0	0	20.19	0	0	11.6	0.1	1
2025	6	3	21	5	24	0	0	0	0	0	0	0	20.16	0	0	11.6	0.1	1
2025	6	3	21	15	24	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1
2025	6	3	21	25	24	0	0	0	0	0	0	0	20.09	0	0	11.6	0.1	1
2025	6	3	21	35	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1
2025	6	3	21	45	24	0	0	0	0	0	0	0	20.03	0	0	11.6	0.1	1
2025	6	3	21	55	24	0	0	0	0	0	0	0	20.01	0	0	11.6	0.1	1
2025	6	3	22	5	24	0	0	0	0	0	0	0	19.98	0	0	11.6	0.1	1
2025	6	3	22	15	24	0	0	0	0	0	0	0	19.96	0	0	11.6	0.1	1
2025	6	3	22	25	24	0	0	0	0	0	0	0	19.94	0	0	11.6	0.1	1
2025	6	3	22	35	24	0	0	0	0	0	0	0	19.92	0	0	11.6	0.1	1
2025	6	3	22	45	24	0	0	0	0	0	0	0	19.91	0	0	11.6	0.1	1
2025	6	3	22	55	24	0	0	0	0	0	0	0	19.9	0	0	11.6	0.1	1
2025	6	3	23	5	24	0	0	0	0	0	0	0	19.88	0	0	11.6	0.1	1
2025	6	3	23	15	24	0	0	0	0	0	0	0	19.87	0	0	11.6	0.1	1
2025	6	3	23	25	24	0	0	0	0	0	0	0	19.87	0	0	11.6	0.1	1
2025	6	3	23	35	24	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	1
2025	6	3	23	45	24	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	1
2025	6	3	23	55	24	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	4	0	5	24	0	0	0	0	0	0	0	19.87	0	0	11.6	0.1	1
2025	6	4	0	15	24	0	0	0	0	0	0	0	19.87	0	0	11.6	0.1	1
2025	6	4	0	25	24	0	0	0	0	0	0	0	19.89	0	0	11.6	0.1	1
2025	6	4	0	35	24	0	0	0	0	0	0	0	19.9	0	0	11.6	0.1	1
2025	6	4	0	45	24	0	0	0	0	0	0	0	19.9	0	0	11.6	0.1	1
2025	6	4	0	55	24	0	0	0	0	0	0	0	19.91	0	0	11.6	0.1	1
2025	6	4	1	5	24	0	0	0	0	0	0	0	19.93	0	0	11.6	0.1	1
2025	6	4	1	15	24	0	0	0	0	0	0	0	19.94	0	0	11.6	0.1	1
2025	6	4	1	25	24	0	0	0	0	0	0	0	19.96	0	0	11.6	0.1	1
2025	6	4	1	35	24	0	0	0	0	0	0	0	19.96	0	0	11.6	0.1	1
2025	6	4	1	45	24	0	0	0	0	0	0	0	19.98	0	0	11.6	0.1	1
2025	6	4	1	55	24	0	0	0	0	0	0	0	19.98	0	0	11.6	0.1	1
2025	6	4	2	5	24	0	0	0	0	0	0	0	19.99	0	0	11.6	0.1	1
2025	6	4	2	15	24	0	0	0	0	0	0	0	20	0	0	11.6	0.1	1
2025	6	4	2	25	24	0	0	0	0	0	0	0	20.01	0	0	11.6	0.1	1
2025	6	4	2	35	24	0	0	0	0	0	0	0	20.02	0	0	11.6	0.1	1
2025	6	4	2	45	24	0	0	0	0	0	0	0	20.03	0	0	11.6	0.1	1
2025	6	4	2	55	24	0	0	0	0	0	0	0	20.04	0	0	11.6	0.1	1
2025	6	4	3	5	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1
2025	6	4	3	15	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1
2025	6	4	3	25	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1
2025	6	4	3	35	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1
2025	6	4	3	45	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1
2025	6	4	3	55	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1
2025	6	4	4	5	24	0	0	0	0	0	0	0	20.06	0	0	11.4	0.1	1
2025	6	4	4	15	24	0	0	0	0	0	0	0	20.06	0	0	11.4	0.1	1
2025	6	4	4	25	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	4	4	35	24	0	0	0	0	0	0	0	20.06	0	0	11.4	0.1	1
2025	6	4	4	45	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	4	4	55	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	4	5	5	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1
2025	6	4	5	15	24	0	0	0	0	0	0	0	20.04	0	0	11.4	0.1	1
2025	6	4	5	25	24	0	0	0	0	0	0	0	20.03	0	0	11.4	0.1	1
2025	6	4	5	35	24	0	0	0	0	0	0	0	20.03	0	0	11.4	0.1	1
2025	6	4	5	45	24	0	0	0	0	0	0	0	20.02	0	0	11.4	0.1	1
2025	6	4	5	55	24	0	0	0	0	0	0	0	20.03	0	0	11.4	0.1	1
2025	6	4	6	5	24	0	0	0	0	0	0	0	20.01	0	0	11.4	0.1	1
2025	6	4	6	15	24	0	0	0	0	0	0	0	20.01	0	0	11.4	0.1	1
2025	6	4	6	25	24	0	0	0	0	0	0	0	20.01	0	0	11.4	0.1	1
2025	6	4	6	35	24	0	0	0	0	0	0	0	20	0	0	11.4	0.1	1
2025	6	4	6	45	24	0	0	0	0	0	0	0	20	0	0	11.6	0.1	1
2025	6	4	6	55	24	0	0	0	0	0	0	0	20.01	0	0	11.6	0.1	1
2025	6	4	7	5	24	0	0	0	0	0	0	0	20	0	0	11.6	0.1	1
2025	6	4	7	15	24	0	0	0	0	0	0	0	20.01	0	0	11.8	0.1	1
2025	6	4	7	25	24	0	0	0	0	0	0	0	20.02	0	0	11.8	0.1	1
2025	6	4	7	35	24	0	0	0	0	0	0	0	20.03	0	0	12	0.1	1
2025	6	4	7	45	24	0	0	0	0	0	0	0	20.04	0	0	12.2	0.1	1
2025	6	4	7	55	24	0	0	0	0	0	0	0	20.05	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	4	8	5	24	0	0	0	0	0	0	0	20.06	0	0	12.4	0.1	1
2025	6	4	8	15	24	0	0	0	0	0	0	0	20.07	0	0	12.4	0.1	1
2025	6	4	8	25	24	0	0	0	0	0	0	0	20.09	0	0	12.4	0.1	1
2025	6	4	8	35	24	0	0	0	0	0	0	0	20.11	0	0	12.6	0.1	1
2025	6	4	8	45	24	0	0	0	0	0	0	0	20.13	0	0	12.8	0.1	1
2025	6	4	8	55	24	0	0	0	0	0	0	0	20.14	0	0	13.6	0.1	1
2025	6	4	9	5	24	0	0	0	0	0	0	0	20.15	0	0	12.8	0.1	1
2025	6	4	9	15	24	0	0	0	0	0	0	0	20.16	0	0	14	0.1	1
2025	6	4	9	25	24	0	0	0	0	0	0	0	20.18	0	0	12.6	0.1	1
2025	6	4	9	35	24	0	0	0	0	0	0	0	20.19	0	0	12.8	0.1	1
2025	6	4	9	45	24	0	0	0	0	0	0	0	20.21	0	0	13	0.1	1
2025	6	4	9	55	24	0	0	0	0	0	0	0	20.24	0	0	13.2	0.1	1
2025	6	4	10	5	24	0	0	0	0	0	0	0	20.26	0	0	13.6	0.1	1
2025	6	4	10	15	24	0	0	0	0	0	0	0	20.29	0	0	14.2	0.1	1
2025	6	4	10	25	24	0	0	0	0	0	0	0	20.31	0	0	14	0.1	1
2025	6	4	10	35	24	0	0	0	0	0	0	0	20.35	0	0	13.8	0.1	1
2025	6	4	10	45	24	0	0	0	0	0	0	0	20.39	0	0	13.2	0.1	1
2025	6	4	10	55	24	0	0	0	0	0	0	0	20.42	0	0	14	0.1	1
2025	6	4	11	5	24	0	0	0	0	0	0	0	20.46	0	0	14	0.1	1
2025	6	4	11	15	24	0	0	0	0	0	0	0	20.5	0	0	14.2	0.1	1
2025	6	4	11	25	24	0	0	0	0	0	0	0	20.54	0	0	13.8	0.1	1
2025	6	4	11	35	24	0	0	0	0	0	0	0	20.58	0	0	14	0.1	1
2025	6	4	11	45	24	0	0	0	0	0	0	0	20.61	0	0	14.2	0.1	1
2025	6	4	11	55	24	0	0	0	0	0	0	0	20.66	0	0	14.2	0.1	1
2025	6	4	12	5	24	0	0	0	0	0	0	0	20.69	0	0	14.2	0.1	1
2025	6	4	12	15	24	0	0	0	0	0	0	0	20.72	0	0	14.2	0.1	1
2025	6	4	12	25	24	0	0	0	0	0	0	0	20.76	0	0	14	0.1	1
2025	6	4	12	35	24	0	0	0	0	0	0	0	20.79	0	0	14.2	0.1	1
2025	6	4	12	45	24	0	0	0	0	0	0	0	20.83	0	0	13.2	0.1	1
2025	6	4	12	55	24	0	0	0	0	0	0	0	20.86	0	0	13.2	0.1	1
2025	6	4	13	5	24	0	0	0	0	0	0	0	20.91	0	0	13.2	0.1	1
2025	6	4	13	15	24	0	0	0	0	0	0	0	20.92	0	0	13.2	0.1	1
2025	6	4	13	25	24	0	0	0	0	0	0	0	20.91	0	0	13.4	0.1	1
2025	6	4	13	35	24	0	0	0	0	0	0	0	20.94	0	0	13.2	0.1	1
2025	6	4	13	45	24	0	0	0	0	0	0	0	20.94	0	0	13.4	0.1	1
2025	6	4	13	55	24	0	0	0	0	0	0	0	20.98	0	0	13.2	0.1	1
2025	6	4	14	5	24	0	0	0	0	0	0	0	21	0	0	13.2	0.1	1
2025	6	4	14	15	24	0	0	0	0	0	0	0	20.98	0	0	12.6	0.1	1
2025	6	4	14	25	24	0	0	0	0	0	0	0	20.99	0	0	13.4	0.1	1
2025	6	4	14	35	24	0	0	0	0	0	0	0	21.03	0	0	13.4	0.1	1
2025	6	4	14	45	24	0	0	0	0	0	0	0	21.02	0	0	13.4	0.1	1
2025	6	4	14	55	24	0	0	0	0	0	0	0	21.01	0	0	13.4	0.1	1
2025	6	4	15	5	24	0	0	0	0	0	0	0	20.99	0	0	13.2	0.1	1
2025	6	4	15	15	24	0	0	0	0	0	0	0	20.98	0	0	12.6	0.1	1
2025	6	4	15	25	24	0	0	0	0	0	0	0	20.92	0	0	12.2	0.1	1
2025	6	4	15	35	24	0	0	0	0	0	0	0	20.91	0	0	13.2	0.1	1
2025	6	4	15	45	24	0	0	0	0	0	0	0	20.88	0	0	12.4	0.1	1
2025	6	4	15	55	24	0	0	0	0	0	0	0	20.88	0	0	13.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	4	16	5	24	0	0	0	0	0	0	0	20.9	0	0	13.8	0.1	1
2025	6	4	16	15	24	0	0	0	0	0	0	0	20.9	0	0	13.8	0.1	1
2025	6	4	16	25	24	0	0	0	0	0	0	0	20.9	0	0	13.4	0.1	1
2025	6	4	16	35	24	0	0	0	0	0	0	0	20.9	0	0	13.4	0.1	1
2025	6	4	16	45	24	0	0	0	0	0	0	0	20.89	0	0	13.2	0.1	1
2025	6	4	16	55	24	0	0	0	0	0	0	0	20.88	0	0	12.6	0.1	1
2025	6	4	17	5	24	0	0	0	0	0	0	0	20.85	0	0	12.4	0.1	1
2025	6	4	17	15	24	0	0	0	0	0	0	0	20.83	0	0	12.4	0.1	1
2025	6	4	17	25	24	0	0	0	0	0	0	0	20.8	0	0	12.2	0.1	1
2025	6	4	17	35	24	0	0	0	0	0	0	0	20.76	0	0	12	0.1	1
2025	6	4	17	45	24	0	0	0	0	0	0	0	20.74	0	0	12	0.1	1
2025	6	4	17	55	24	0	0	0	0	0	0	0	20.7	0	0	12	0.1	1
2025	6	4	18	5	24	0	0	0	0	0	0	0	20.67	0	0	11.8	0.1	1
2025	6	4	18	15	24	0	0	0	0	0	0	0	20.64	0	0	11.8	0.1	1
2025	6	4	18	25	24	0	0	0	0	0	0	0	20.61	0	0	11.8	0.1	1
2025	6	4	18	35	24	0	0	0	0	0	0	0	20.57	0	0	11.8	0.1	1
2025	6	4	18	45	24	0	0	0	0	0	0	0	20.52	0	0	11.8	0.1	1
2025	6	4	18	55	24	0	0	0	0	0	0	0	20.48	0	0	11.8	0.1	1
2025	6	4	19	5	24	0	0	0	0	0	0	0	20.44	0	0	11.8	0.1	1
2025	6	4	19	15	24	0	0	0	0	0	0	0	20.4	0	0	11.8	0.1	1
2025	6	4	19	25	24	0	0	0	0	0	0	0	20.37	0	0	11.8	0.1	1
2025	6	4	19	35	24	0	0	0	0	0	0	0	20.34	0	0	11.8	0.1	1
2025	6	4	19	45	24	0	0	0	0	0	0	0	20.31	0	0	11.8	0.1	1
2025	6	4	19	55	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	4	20	5	24	0	0	0	0	0	0	0	20.25	0	0	11.6	0.1	1
2025	6	4	20	15	24	0	0	0	0	0	0	0	20.21	0	0	11.6	0.1	1
2025	6	4	20	25	24	0	0	0	0	0	0	0	20.17	0	0	11.6	0.1	1
2025	6	4	20	35	24	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1
2025	6	4	20	45	24	0	0	0	0	0	0	0	20.1	0	0	11.6	0.1	1
2025	6	4	20	55	24	0	0	0	0	0	0	0	20.07	0	0	11.6	0.1	1
2025	6	4	21	5	24	0	0	0	0	0	0	0	20.03	0	0	11.6	0.1	1
2025	6	4	21	15	24	0	0	0	0	0	0	0	20.01	0	0	11.6	0.1	1
2025	6	4	21	25	24	0	0	0	0	0	0	0	19.97	0	0	11.6	0.1	1
2025	6	4	21	35	24	0	0	0	0	0	0	0	19.94	0	0	11.6	0.1	1
2025	6	4	21	45	24	0	0	0	0	0	0	0	19.91	0	0	11.6	0.1	1
2025	6	4	21	55	24	0	0	0	0	0	0	0	19.88	0	0	11.6	0.1	1
2025	6	4	22	5	24	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	1
2025	6	4	22	15	24	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	1
2025	6	4	22	25	24	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	1
2025	6	4	22	35	24	0	0	0	0	0	0	0	19.79	0	0	11.6	0.1	1
2025	6	4	22	45	24	0	0	0	0	0	0	0	19.77	0	0	11.6	0.1	1
2025	6	4	22	55	24	0	0	0	0	0	0	0	19.76	0	0	11.6	0.1	1
2025	6	4	23	5	24	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1
2025	6	4	23	15	24	0	0	0	0	0	0	0	19.74	0	0	11.6	0.1	1
2025	6	4	23	25	24	0	0	0	0	0	0	0	19.73	0	0	11.6	0.1	1
2025	6	4	23	35	24	0	0	0	0	0	0	0	19.73	0	0	11.6	0.1	1
2025	6	4	23	45	24	0	0	0	0	0	0	0	19.73	0	0	11.6	0.1	1
2025	6	4	23	55	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	5	0	5	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1
2025	6	5	0	15	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1
2025	6	5	0	25	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	0	35	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	0	45	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	0	55	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	1	5	24	0	0	0	0	0	0	0	19.7	0	0	11.6	0.1	1
2025	6	5	1	15	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	1	25	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	1	35	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	1	45	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	1	55	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	2	5	24	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1
2025	6	5	2	15	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1
2025	6	5	2	25	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1
2025	6	5	2	35	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1
2025	6	5	2	45	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1
2025	6	5	2	55	24	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1
2025	6	5	3	5	24	0	0	0	0	0	0	0	19.73	0	0	11.6	0.1	1
2025	6	5	3	15	24	0	0	0	0	0	0	0	19.73	0	0	11.6	0.1	1
2025	6	5	3	25	24	0	0	0	0	0	0	0	19.74	0	0	11.6	0.1	1
2025	6	5	3	35	24	0	0	0	0	0	0	0	19.74	0	0	11.6	0.1	1.1
2025	6	5	3	45	24	0	0	0	0	0	0	0	19.74	0	0	11.6	0.1	1.1
2025	6	5	3	55	24	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1.1
2025	6	5	4	5	24	0	0	0	0	0	0	0	19.76	0	0	11.6	0.1	1.1
2025	6	5	4	15	24	0	0	0	0	0	0	0	19.77	0	0	11.4	0.1	1.1
2025	6	5	4	25	24	0	0	0	0	0	0	0	19.77	0	0	11.4	0.1	1.1
2025	6	5	4	35	24	0	0	0	0	0	0	0	19.78	0	0	11.4	0.1	1.1
2025	6	5	4	45	24	0	0	0	0	0	0	0	19.79	0	0	11.4	0.1	1.1
2025	6	5	4	55	24	0	0	0	0	0	0	0	19.79	0	0	11.4	0.1	1.1
2025	6	5	5	5	24	0	0	0	0	0	0	0	19.8	0	0	11.4	0.1	1.1
2025	6	5	5	15	24	0	0	0	0	0	0	0	19.8	0	0	11.4	0.1	1.1
2025	6	5	5	25	24	0	0	0	0	0	0	0	19.81	0	0	11.4	0.1	1.1
2025	6	5	5	35	24	0	0	0	0	0	0	0	19.82	0	0	11.4	0.1	1.1
2025	6	5	5	45	24	0	0	0	0	0	0	0	19.82	0	0	11.4	0.1	1.1
2025	6	5	5	55	24	0	0	0	0	0	0	0	19.82	0	0	11.4	0.1	1.1
2025	6	5	6	5	24	0	0	0	0	0	0	0	19.82	0	0	11.4	0.1	1.1
2025	6	5	6	15	24	0	0	0	0	0	0	0	19.83	0	0	11.4	0.1	1.1
2025	6	5	6	25	24	0	0	0	0	0	0	0	19.82	0	0	11.4	0.1	1.1
2025	6	5	6	35	24	0	0	0	0	0	0	0	19.83	0	0	11.4	0.1	1.1
2025	6	5	6	45	24	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	1.1
2025	6	5	6	55	24	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	1.1
2025	6	5	7	5	24	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	1.1
2025	6	5	7	15	24	0	0	0	0	0	0	0	19.86	0	0	11.8	0.1	1.1
2025	6	5	7	25	24	0	0	0	0	0	0	0	19.88	0	0	11.8	0.1	1.1
2025	6	5	7	35	24	0	0	0	0	0	0	0	19.89	0	0	12	0.1	1.1
2025	6	5	7	45	24	0	0	0	0	0	0	0	19.9	0	0	12.2	0.1	1.1
2025	6	5	7	55	24	0	0	0	0	0	0	0	19.91	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	5	8	5	24	0	0	0	0	0	0	0	19.93	0	0	12.4	0.1	1.1
2025	6	5	8	15	24	0	0	0	0	0	0	0	19.95	0	0	12.4	0.1	1.1
2025	6	5	8	25	24	0	0	0	0	0	0	0	19.96	0	0	12.4	0.1	1.1
2025	6	5	8	35	24	0	0	0	0	0	0	0	19.99	0	0	12.4	0.1	1.1
2025	6	5	8	45	24	0	0	0	0	0	0	0	20.01	0	0	12.6	0.1	1.1
2025	6	5	8	55	24	0	0	0	0	0	0	0	20.03	0	0	12.6	0.1	1.1
2025	6	5	9	5	24	0	0	0	0	0	0	0	20.05	0	0	12.6	0.1	1.1
2025	6	5	9	15	24	0	0	0	0	0	0	0	20.08	0	0	12.6	0.1	1.1
2025	6	5	9	25	24	0	0	0	0	0	0	0	20.1	0	0	12.8	0.1	1.1
2025	6	5	9	35	24	0	0	0	0	0	0	0	20.13	0	0	12.8	0.1	1.1
2025	6	5	9	45	24	0	0	0	0	0	0	0	20.17	0	0	13	0.1	1.1
2025	6	5	9	55	24	0	0	0	0	0	0	0	20.19	0	0	13.2	0.1	1.1
2025	6	5	10	5	24	0	0	0	0	0	0	0	20.23	0	0	13.2	0.1	1.1
2025	6	5	10	15	24	0	0	0	0	0	0	0	20.27	0	0	13.2	0.1	1.1
2025	6	5	10	25	24	0	0	0	0	0	0	0	20.3	0	0	13	0.1	1.1
2025	6	5	10	35	24	0	0	0	0	0	0	0	20.34	0	0	13	0.1	1.1
2025	6	5	10	45	24	0	0	0	0	0	0	0	20.38	0	0	13.2	0.1	1.1
2025	6	5	10	55	24	0	0	0	0	0	0	0	20.42	0	0	13.4	0.1	1.1
2025	6	5	11	5	24	0	0	0	0	0	0	0	20.45	0	0	13.4	0.1	1.1
2025	6	5	11	15	24	0	0	0	0	0	0	0	20.49	0	0	13.4	0.1	1.1
2025	6	5	11	25	24	0	0	0	0	0	0	0	20.54	0	0	13.4	0.1	1.1
2025	6	5	11	35	24	0	0	0	0	0	0	0	20.59	0	0	13.4	0.1	1.1
2025	6	5	11	45	24	0	0	0	0	0	0	0	20.62	0	0	13.2	0.1	1.1
2025	6	5	11	55	24	0	0	0	0	0	0	0	20.67	0	0	13.4	0.1	1.1
2025	6	5	12	5	24	0	0	0	0	0	0	0	20.71	0	0	13.4	0.1	1.1
2025	6	5	12	15	24	0	0	0	0	0	0	0	20.75	0	0	13.4	0.1	1.1
2025	6	5	12	25	24	0	0	0	0	0	0	0	20.79	0	0	13.4	0.1	1.1
2025	6	5	12	35	24	0	0	0	0	0	0	0	20.82	0	0	13.4	0.1	1.1
2025	6	5	12	45	24	0	0	0	0	0	0	0	20.85	0	0	13.6	0.1	1.1
2025	6	5	12	55	24	0	0	0	0	0	0	0	20.89	0	0	13.4	0.1	1.1
2025	6	5	13	5	24	0	0	0	0	0	0	0	20.92	0	0	13.8	0.1	1.1
2025	6	5	13	15	24	0	0	0	0	0	0	0	20.95	0	0	13.4	0.1	1.1
2025	6	5	13	25	24	0	0	0	0	0	0	0	20.97	0	0	13.8	0.1	1.1
2025	6	5	13	35	24	0	0	0	0	0	0	0	20.99	0	0	13.8	0.1	1.1
2025	6	5	13	45	24	0	0	0	0	0	0	0	21.01	0	0	13.8	0.1	1.1
2025	6	5	13	55	24	0	0	0	0	0	0	0	21.04	0	0	13.8	0.1	1.1
2025	6	5	14	5	24	0	0	0	0	0	0	0	21.05	0	0	13.8	0.1	1.1
2025	6	5	14	15	24	0	0	0	0	0	0	0	21.08	0	0	13.8	0.1	1.1
2025	6	5	14	25	24	0	0	0	0	0	0	0	21.1	0	0	13.8	0.1	1.1
2025	6	5	14	35	24	0	0	0	0	0	0	0	21.12	0	0	13.8	0.1	1.1
2025	6	5	14	45	24	0	0	0	0	0	0	0	21.14	0	0	13.8	0.1	1.1
2025	6	5	14	55	24	0	0	0	0	0	0	0	21.15	0	0	13.8	0.1	1.1
2025	6	5	15	5	24	0	0	0	0	0	0	0	21.15	0	0	13.8	0.1	1.1
2025	6	5	15	15	24	0	0	0	0	0	0	0	21.16	0	0	13.8	0.1	1.1
2025	6	5	15	25	24	0	0	0	0	0	0	0	21.16	0	0	13.4	0.1	1.1
2025	6	5	15	35	24	0	0	0	0	0	0	0	21.16	0	0	13.8	0.1	1.1
2025	6	5	15	45	24	0	0	0	0	0	0	0	21.16	0	0	13.8	0.1	1.1
2025	6	5	15	55	24	0	0	0	0	0	0	0	21.14	0	0	13	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	5	16	5	24	0	0	0	0	0	0	0	21.1	0	0	12.4	0.1	1.1
2025	6	5	16	15	24	0	0	0	0	0	0	0	21.07	0	0	12.2	0.1	1.1
2025	6	5	16	25	24	0	0	0	0	0	0	0	21.04	0	0	12.2	0.1	1.1
2025	6	5	16	35	24	0	0	0	0	0	0	0	21.01	0	0	12	0.1	1.1
2025	6	5	16	45	24	0	0	0	0	0	0	0	20.98	0	0	12	0.1	1.1
2025	6	5	16	55	24	0	0	0	0	0	0	0	20.96	0	0	12	0.1	1.1
2025	6	5	17	5	24	0	0	0	0	0	0	0	20.94	0	0	11.8	0.1	1.1
2025	6	5	17	15	24	0	0	0	0	0	0	0	20.92	0	0	11.8	0.1	1.1
2025	6	5	17	25	24	0	0	0	0	0	0	0	20.9	0	0	11.8	0.1	1.1
2025	6	5	17	35	24	0	0	0	0	0	0	0	20.87	0	0	11.8	0.1	1
2025	6	5	17	45	24	0	0	0	0	0	0	0	20.85	0	0	11.8	0.1	1.1
2025	6	5	17	55	24	0	0	0	0	0	0	0	20.82	0	0	11.8	0.1	1.1
2025	6	5	18	5	24	0	0	0	0	0	0	0	20.79	0	0	11.8	0.1	1.1
2025	6	5	18	15	24	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.1
2025	6	5	18	25	24	0	0	0	0	0	0	0	20.74	0	0	11.8	0.1	1.1
2025	6	5	18	35	24	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1.1
2025	6	5	18	45	24	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	5	18	55	24	0	0	0	0	0	0	0	20.67	0	0	11.8	0.1	1.1
2025	6	5	19	5	24	0	0	0	0	0	0	0	20.63	0	0	11.8	0.1	1.1
2025	6	5	19	15	24	0	0	0	0	0	0	0	20.6	0	0	11.8	0.1	1.1
2025	6	5	19	25	24	0	0	0	0	0	0	0	20.55	0	0	11.8	0.1	1.1
2025	6	5	19	35	24	0	0	0	0	0	0	0	20.52	0	0	11.8	0.1	1.1
2025	6	5	19	45	24	0	0	0	0	0	0	0	20.48	0	0	11.8	0.1	1.1
2025	6	5	19	55	24	0	0	0	0	0	0	0	20.44	0	0	11.8	0.1	1.1
2025	6	5	20	5	24	0	0	0	0	0	0	0	20.4	0	0	11.8	0.1	1.1
2025	6	5	20	15	24	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1.1
2025	6	5	20	25	24	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1.1
2025	6	5	20	35	24	0	0	0	0	0	0	0	20.29	0	0	11.6	0.1	1.1
2025	6	5	20	45	24	0	0	0	0	0	0	0	20.25	0	0	11.6	0.1	1.1
2025	6	5	20	55	24	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	5	21	5	24	0	0	0	0	0	0	0	20.18	0	0	11.6	0.1	1.1
2025	6	5	21	15	24	0	0	0	0	0	0	0	20.15	0	0	11.6	0.1	1.1
2025	6	5	21	25	24	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1.1
2025	6	5	21	35	24	0	0	0	0	0	0	0	20.09	0	0	11.6	0.1	1.1
2025	6	5	21	45	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1.1
2025	6	5	21	55	24	0	0	0	0	0	0	0	20.03	0	0	11.6	0.1	1.1
2025	6	5	22	5	24	0	0	0	0	0	0	0	20.01	0	0	11.6	0.1	1.1
2025	6	5	22	15	24	0	0	0	0	0	0	0	19.99	0	0	11.6	0.1	1.1
2025	6	5	22	25	24	0	0	0	0	0	0	0	19.96	0	0	11.6	0.1	1.1
2025	6	5	22	35	24	0	0	0	0	0	0	0	19.94	0	0	11.6	0.1	1.1
2025	6	5	22	45	24	0	0	0	0	0	0	0	19.92	0	0	11.6	0.1	1.1
2025	6	5	22	55	24	0	0	0	0	0	0	0	19.9	0	0	11.6	0.1	1.1
2025	6	5	23	5	24	0	0	0	0	0	0	0	19.88	0	0	11.6	0.1	1.1
2025	6	5	23	15	24	0	0	0	0	0	0	0	19.87	0	0	11.6	0.1	1.1
2025	6	5	23	25	24	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	1.1
2025	6	5	23	35	24	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	1.1
2025	6	5	23	45	24	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	1.1
2025	6	5	23	55	24	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	6	0	5	24	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	1.1
2025	6	6	0	15	24	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	1.1
2025	6	6	0	25	24	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	1.1
2025	6	6	0	35	24	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	1.1
2025	6	6	0	45	24	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	1.1
2025	6	6	0	55	24	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	1.1
2025	6	6	1	5	24	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	1.1
2025	6	6	1	15	24	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	1.1
2025	6	6	1	25	24	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	1.1
2025	6	6	1	35	24	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	1.1
2025	6	6	1	45	24	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	1.1
2025	6	6	1	55	24	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	1.1
2025	6	6	2	5	24	0	0	0	0	0	0	0	19.88	0	0	11.6	0.1	1.1
2025	6	6	2	15	24	0	0	0	0	0	0	0	19.89	0	0	11.6	0.1	1.1
2025	6	6	2	25	24	0	0	0	0	0	0	0	19.9	0	0	11.6	0.1	1.1
2025	6	6	2	35	24	0	0	0	0	0	0	0	19.92	0	0	11.6	0.1	1.1
2025	6	6	2	45	24	0	0	0	0	0	0	0	19.93	0	0	11.6	0.1	1.1
2025	6	6	2	55	24	0	0	0	0	0	0	0	19.94	0	0	11.6	0.1	1.1
2025	6	6	3	5	24	0	0	0	0	0	0	0	19.95	0	0	11.6	0.1	1.1
2025	6	6	3	15	24	0	0	0	0	0	0	0	19.96	0	0	11.6	0.1	1.1
2025	6	6	3	25	24	0	0	0	0	0	0	0	19.97	0	0	11.6	0.1	1.1
2025	6	6	3	35	24	0	0	0	0	0	0	0	19.99	0	0	11.6	0.1	1.1
2025	6	6	3	45	24	0	0	0	0	0	0	0	20	0	0	11.6	0.1	1.1
2025	6	6	3	55	24	0	0	0	0	0	0	0	20.01	0	0	11.6	0.1	1.1
2025	6	6	4	5	24	0	0	0	0	0	0	0	20.02	0	0	11.6	0.1	1.1
2025	6	6	4	15	24	0	0	0	0	0	0	0	20.03	0	0	11.6	0.1	1.1
2025	6	6	4	25	24	0	0	0	0	0	0	0	20.04	0	0	11.6	0.1	1.1
2025	6	6	4	35	24	0	0	0	0	0	0	0	20.05	0	0	11.4	0.1	1.1
2025	6	6	4	45	24	0	0	0	0	0	0	0	20.06	0	0	11.4	0.1	1.1
2025	6	6	4	55	24	0	0	0	0	0	0	0	20.07	0	0	11.4	0.1	1.1
2025	6	6	5	5	24	0	0	0	0	0	0	0	20.08	0	0	11.4	0.1	1.1
2025	6	6	5	15	24	0	0	0	0	0	0	0	20.09	0	0	11.4	0.1	1.1
2025	6	6	5	25	24	0	0	0	0	0	0	0	20.1	0	0	11.4	0.1	1.1
2025	6	6	5	35	24	0	0	0	0	0	0	0	20.1	0	0	11.4	0.1	1.1
2025	6	6	5	45	24	0	0	0	0	0	0	0	20.11	0	0	11.4	0.1	1.1
2025	6	6	5	55	24	0	0	0	0	0	0	0	20.11	0	0	11.4	0.1	1.1
2025	6	6	6	5	24	0	0	0	0	0	0	0	20.12	0	0	11.4	0.1	1.1
2025	6	6	6	15	24	0	0	0	0	0	0	0	20.12	0	0	11.4	0.1	1.1
2025	6	6	6	25	24	0	0	0	0	0	0	0	20.13	0	0	11.4	0.1	1.1
2025	6	6	6	35	24	0	0	0	0	0	0	0	20.14	0	0	11.4	0.1	1.1
2025	6	6	6	45	24	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1.1
2025	6	6	6	55	24	0	0	0	0	0	0	0	20.15	0	0	11.6	0.1	1.1
2025	6	6	7	5	24	0	0	0	0	0	0	0	20.16	0	0	11.6	0.1	1.1
2025	6	6	7	15	24	0	0	0	0	0	0	0	20.18	0	0	11.8	0.1	1.1
2025	6	6	7	25	24	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	6	7	35	24	0	0	0	0	0	0	0	20.22	0	0	12	0.1	1.1
2025	6	6	7	45	24	0	0	0	0	0	0	0	20.23	0	0	12.2	0.1	1.1
2025	6	6	7	55	24	0	0	0	0	0	0	0	20.25	0	0	12.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	6	8	5	24	0	0	0	0	0	0	0	20.28	0	0	12.4	0.1	1.1
2025	6	6	8	15	24	0	0	0	0	0	0	0	20.3	0	0	12.4	0.1	1.1
2025	6	6	8	25	24	0	0	0	0	0	0	0	20.32	0	0	12.4	0.1	1.1
2025	6	6	8	35	24	0	0	0	0	0	0	0	20.35	0	0	12.4	0.1	1.1
2025	6	6	8	45	24	0	0	0	0	0	0	0	20.37	0	0	12.4	0.1	1.1
2025	6	6	8	55	24	0	0	0	0	0	0	0	20.4	0	0	12.6	0.1	1.1
2025	6	6	9	5	24	0	0	0	0	0	0	0	20.43	0	0	12.6	0.1	1.1
2025	6	6	9	15	24	0	0	0	0	0	0	0	20.46	0	0	12.6	0.1	1.1
2025	6	6	9	25	24	0	0	0	0	0	0	0	20.49	0	0	12.8	0.1	1.1
2025	6	6	9	35	24	0	0	0	0	0	0	0	20.52	0	0	12.8	0.1	1.1
2025	6	6	9	45	24	0	0	0	0	0	0	0	20.55	0	0	13	0.1	1.1
2025	6	6	9	55	24	0	0	0	0	0	0	0	20.59	0	0	13.2	0.1	1.1
2025	6	6	10	5	24	0	0	0	0	0	0	0	20.62	0	0	13.2	0.1	1.1
2025	6	6	10	15	24	0	0	0	0	0	0	0	20.65	0	0	13	0.1	1.1
2025	6	6	10	25	24	0	0	0	0	0	0	0	20.69	0	0	13	0.1	1.1
2025	6	6	10	35	24	0	0	0	0	0	0	0	20.72	0	0	13.2	0.1	1.1
2025	6	6	10	45	24	0	0	0	0	0	0	0	20.76	0	0	13.4	0.1	1.1
2025	6	6	10	55	24	0	0	0	0	0	0	0	20.8	0	0	13.4	0.1	1.1
2025	6	6	11	5	24	0	0	0	0	0	0	0	20.83	0	0	13.4	0.1	1.1
2025	6	6	11	15	24	0	0	0	0	0	0	0	20.87	0	0	14	0.1	1.1
2025	6	6	11	25	24	0	0	0	0	0	0	0	20.9	0	0	14	0.1	1.1
2025	6	6	11	35	24	0	0	0	0	0	0	0	20.94	0	0	14	0.1	1.1
2025	6	6	11	45	24	0	0	0	0	0	0	0	20.98	0	0	14	0.1	1.1
2025	6	6	11	55	24	0	0	0	0	0	0	0	21.01	0	0	14	0.1	1.1
2025	6	6	12	5	24	0	0	0	0	0	0	0	21.05	0	0	14	0.1	1.1
2025	6	6	12	15	24	0	0	0	0	0	0	0	21.08	0	0	14	0.1	1.1
2025	6	6	12	25	24	0	0	0	0	0	0	0	21.12	0	0	14	0.1	1.1
2025	6	6	12	35	24	0	0	0	0	0	0	0	21.15	0	0	14	0.1	1.1
2025	6	6	12	45	24	0	0	0	0	0	0	0	21.19	0	0	14	0.1	1.1
2025	6	6	12	55	24	0	0	0	0	0	0	0	21.2	0	0	14.2	0.1	1.1
2025	6	6	13	5	24	0	0	0	0	0	0	0	21.24	0	0	14.2	0.1	1.1
2025	6	6	13	15	24	0	0	0	0	0	0	0	21.26	0	0	14.2	0.1	1.1
2025	6	6	13	25	24	0	0	0	0	0	0	0	21.29	0	0	14	0.1	1.1
2025	6	6	13	35	24	0	0	0	0	0	0	0	21.31	0	0	14.2	0.1	1.1
2025	6	6	13	45	24	0	0	0	0	0	0	0	21.33	0	0	14	0.1	1.1
2025	6	6	13	55	24	0	0	0	0	0	0	0	21.35	0	0	14	0.1	1.1
2025	6	6	14	5	24	0	0	0	0	0	0	0	21.37	0	0	14	0.1	1.1
2025	6	6	14	15	24	0	0	0	0	0	0	0	21.39	0	0	14	0.1	1.1
2025	6	6	14	25	24	0	0	0	0	0	0	0	21.4	0	0	14	0.1	1.1
2025	6	6	14	35	24	0	0	0	0	0	0	0	21.41	0	0	14	0.1	1.1
2025	6	6	14	45	24	0	0	0	0	0	0	0	21.43	0	0	14	0.1	1.1
2025	6	6	14	55	24	0	0	0	0	0	0	0	21.44	0	0	14	0.1	1.1
2025	6	6	15	5	24	0	0	0	0	0	0	0	21.44	0	0	14	0.1	1.1
2025	6	6	15	15	24	0	0	0	0	0	0	0	21.45	0	0	14	0.1	1.1
2025	6	6	15	25	24	0	0	0	0	0	0	0	21.45	0	0	14	0.1	1.1
2025	6	6	15	35	24	0	0	0	0	0	0	0	21.45	0	0	13.8	0.1	1.1
2025	6	6	15	45	24	0	0	0	0	0	0	0	21.44	0	0	13.8	0.1	1.1
2025	6	6	15	55	24	0	0	0	0	0	0	0	21.44	0	0	13.8	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	6	16	5	24	0	0	0	0	0	0	0	21.44	0	0	13.8	0.1	1.1
2025	6	6	16	15	24	0	0	0	0	0	0	0	21.43	0	0	13.6	0.1	1.1
2025	6	6	16	25	24	0	0	0	0	0	0	0	21.42	0	0	13.6	0.1	1.1
2025	6	6	16	35	24	0	0	0	0	0	0	0	21.41	0	0	13.6	0.1	1.1
2025	6	6	16	45	24	0	0	0	0	0	0	0	21.39	0	0	13.4	0.1	1.1
2025	6	6	16	55	24	0	0	0	0	0	0	0	21.37	0	0	13.2	0.1	1.1
2025	6	6	17	5	24	0	0	0	0	0	0	0	21.34	0	0	12.6	0.1	1.1
2025	6	6	17	15	24	0	0	0	0	0	0	0	21.32	0	0	12.4	0.1	1.1
2025	6	6	17	25	24	0	0	0	0	0	0	0	21.28	0	0	12.2	0.1	1.1
2025	6	6	17	35	24	0	0	0	0	0	0	0	21.24	0	0	12	0.1	1.1
2025	6	6	17	45	24	0	0	0	0	0	0	0	21.2	0	0	11.8	0.1	1.1
2025	6	6	17	55	24	0	0	0	0	0	0	0	21.17	0	0	11.8	0.1	1.1
2025	6	6	18	5	24	0	0	0	0	0	0	0	21.13	0	0	11.8	0.1	1.1
2025	6	6	18	15	24	0	0	0	0	0	0	0	21.09	0	0	11.8	0.1	1.1
2025	6	6	18	25	24	0	0	0	0	0	0	0	21.06	0	0	11.8	0.1	1.1
2025	6	6	18	35	24	0	0	0	0	0	0	0	21.04	0	0	11.8	0.1	1.1
2025	6	6	18	45	24	0	0	0	0	0	0	0	21	0	0	11.8	0.1	1.1
2025	6	6	18	55	24	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1.1
2025	6	6	19	5	24	0	0	0	0	0	0	0	20.94	0	0	11.8	0.1	1.1
2025	6	6	19	15	24	0	0	0	0	0	0	0	20.9	0	0	11.8	0.1	1.1
2025	6	6	19	25	24	0	0	0	0	0	0	0	20.86	0	0	11.8	0.1	1.1
2025	6	6	19	35	24	0	0	0	0	0	0	0	20.82	0	0	11.8	0.1	1.1
2025	6	6	19	45	24	0	0	0	0	0	0	0	20.79	0	0	11.8	0.1	1.1
2025	6	6	19	55	24	0	0	0	0	0	0	0	20.74	0	0	11.8	0.1	1.1
2025	6	6	20	5	24	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1.1
2025	6	6	20	15	24	0	0	0	0	0	0	0	20.67	0	0	11.6	0.1	1.1
2025	6	6	20	25	24	0	0	0	0	0	0	0	20.63	0	0	11.6	0.1	1.1
2025	6	6	20	35	24	0	0	0	0	0	0	0	20.58	0	0	11.6	0.1	1.1
2025	6	6	20	45	24	0	0	0	0	0	0	0	20.54	0	0	11.6	0.1	1.1
2025	6	6	20	55	24	0	0	0	0	0	0	0	20.51	0	0	11.6	0.1	1.1
2025	6	6	21	5	24	0	0	0	0	0	0	0	20.47	0	0	11.6	0.1	1.1
2025	6	6	21	15	24	0	0	0	0	0	0	0	20.43	0	0	11.6	0.1	1.1
2025	6	6	21	25	24	0	0	0	0	0	0	0	20.41	0	0	11.6	0.1	1.1
2025	6	6	21	35	24	0	0	0	0	0	0	0	20.38	0	0	11.6	0.1	1.1
2025	6	6	21	45	24	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1.1
2025	6	6	21	55	24	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1.1
2025	6	6	22	5	24	0	0	0	0	0	0	0	20.31	0	0	11.6	0.1	1.1
2025	6	6	22	15	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1.1
2025	6	6	22	25	24	0	0	0	0	0	0	0	20.26	0	0	11.6	0.1	1.1
2025	6	6	22	35	24	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	6	22	45	24	0	0	0	0	0	0	0	20.21	0	0	11.6	0.1	1.1
2025	6	6	22	55	24	0	0	0	0	0	0	0	20.19	0	0	11.6	0.1	1.1
2025	6	6	23	5	24	0	0	0	0	0	0	0	20.17	0	0	11.6	0.1	1.1
2025	6	6	23	15	24	0	0	0	0	0	0	0	20.15	0	0	11.6	0.1	1.1
2025	6	6	23	25	24	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1.1
2025	6	6	23	35	24	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1.1
2025	6	6	23	45	24	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1.1
2025	6	6	23	55	24	0	0	0	0	0	0	0	20.1	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	7	0	5	24	0	0	0	0	0	0	0	20.08	0	0	11.6	0.1	1.1
2025	6	7	0	15	24	0	0	0	0	0	0	0	20.07	0	0	11.6	0.1	1.1
2025	6	7	0	25	24	0	0	0	0	0	0	0	20.07	0	0	11.6	0.1	1.1
2025	6	7	0	35	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1.1
2025	6	7	0	45	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	0	55	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	1	5	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	1	15	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	1	25	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	1	35	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	1	45	24	0	0	0	0	0	0	0	20.04	0	0	11.6	0.1	1.1
2025	6	7	1	55	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	2	5	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	2	15	24	0	0	0	0	0	0	0	20.05	0	0	11.6	0.1	1.1
2025	6	7	2	25	24	0	0	0	0	0	0	0	20.06	0	0	11.6	0.1	1.1
2025	6	7	2	35	24	0	0	0	0	0	0	0	20.07	0	0	11.6	0.1	1.1
2025	6	7	2	45	24	0	0	0	0	0	0	0	20.07	0	0	11.6	0.1	1.1
2025	6	7	2	55	24	0	0	0	0	0	0	0	20.08	0	0	11.6	0.1	1.1
2025	6	7	3	5	24	0	0	0	0	0	0	0	20.09	0	0	11.6	0.1	1.1
2025	6	7	3	15	24	0	0	0	0	0	0	0	20.1	0	0	11.6	0.1	1.1
2025	6	7	3	25	24	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1.1
2025	6	7	3	35	24	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1.1
2025	6	7	3	45	24	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1.1
2025	6	7	3	55	24	0	0	0	0	0	0	0	20.14	0	0	11.4	0.1	1.1
2025	6	7	4	5	24	0	0	0	0	0	0	0	20.14	0	0	11.4	0.1	1.1
2025	6	7	4	15	24	0	0	0	0	0	0	0	20.15	0	0	11.4	0.1	1.1
2025	6	7	4	25	24	0	0	0	0	0	0	0	20.16	0	0	11.4	0.1	1.1
2025	6	7	4	35	24	0	0	0	0	0	0	0	20.17	0	0	11.4	0.1	1.1
2025	6	7	4	45	24	0	0	0	0	0	0	0	20.17	0	0	11.4	0.1	1.1
2025	6	7	4	55	24	0	0	0	0	0	0	0	20.18	0	0	11.4	0.1	1.1
2025	6	7	5	5	24	0	0	0	0	0	0	0	20.18	0	0	11.4	0.1	1.1
2025	6	7	5	15	24	0	0	0	0	0	0	0	20.19	0	0	11.4	0.1	1.1
2025	6	7	5	25	24	0	0	0	0	0	0	0	20.19	0	0	11.4	0.1	1.1
2025	6	7	5	35	24	0	0	0	0	0	0	0	20.2	0	0	11.4	0.1	1.1
2025	6	7	5	45	24	0	0	0	0	0	0	0	20.2	0	0	11.4	0.1	1.1
2025	6	7	5	55	24	0	0	0	0	0	0	0	20.2	0	0	11.4	0.1	1.1
2025	6	7	6	5	24	0	0	0	0	0	0	0	20.2	0	0	11.4	0.1	1.1
2025	6	7	6	15	24	0	0	0	0	0	0	0	20.21	0	0	11.4	0.1	1.1
2025	6	7	6	25	24	0	0	0	0	0	0	0	20.21	0	0	11.4	0.1	1.1
2025	6	7	6	35	24	0	0	0	0	0	0	0	20.22	0	0	11.4	0.1	1.1
2025	6	7	6	45	24	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	7	6	55	24	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	7	7	5	24	0	0	0	0	0	0	0	20.24	0	0	11.6	0.1	1.1
2025	6	7	7	15	24	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1.1
2025	6	7	7	25	24	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1.1
2025	6	7	7	35	24	0	0	0	0	0	0	0	20.28	0	0	12	0.1	1.1
2025	6	7	7	45	24	0	0	0	0	0	0	0	20.29	0	0	12.2	0.1	1.1
2025	6	7	7	55	24	0	0	0	0	0	0	0	20.31	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	7	8	5	24	0	0	0	0	0	0	0	20.33	0	0	12.4	0.1	1.1
2025	6	7	8	15	24	0	0	0	0	0	0	0	20.36	0	0	12.4	0.1	1.1
2025	6	7	8	25	24	0	0	0	0	0	0	0	20.38	0	0	12.4	0.1	1.1
2025	6	7	8	35	24	0	0	0	0	0	0	0	20.41	0	0	12.6	0.1	1.1
2025	6	7	8	45	24	0	0	0	0	0	0	0	20.44	0	0	12.8	0.1	1.1
2025	6	7	8	55	24	0	0	0	0	0	0	0	20.46	0	0	12.8	0.1	1.1
2025	6	7	9	5	24	0	0	0	0	0	0	0	20.49	0	0	12.6	0.1	1.1
2025	6	7	9	15	24	0	0	0	0	0	0	0	20.53	0	0	12.8	0.1	1.1
2025	6	7	9	25	24	0	0	0	0	0	0	0	20.56	0	0	12.8	0.1	1.1
2025	6	7	9	35	24	0	0	0	0	0	0	0	20.6	0	0	12.8	0.1	1.1
2025	6	7	9	45	24	0	0	0	0	0	0	0	20.64	0	0	13.4	0.1	1.1
2025	6	7	9	55	24	0	0	0	0	0	0	0	20.67	0	0	13.2	0.1	1.1
2025	6	7	10	5	24	0	0	0	0	0	0	0	20.72	0	0	14	0.1	1.1
2025	6	7	10	15	24	0	0	0	0	0	0	0	20.76	0	0	14	0.1	1.1
2025	6	7	10	25	24	0	0	0	0	0	0	0	20.8	0	0	14	0.1	1.1
2025	6	7	10	35	24	0	0	0	0	0	0	0	20.84	0	0	14	0.1	1.1
2025	6	7	10	45	24	0	0	0	0	0	0	0	20.88	0	0	13.8	0.1	1.1
2025	6	7	10	55	24	0	0	0	0	0	0	0	20.94	0	0	14	0.1	1.1
2025	6	7	11	5	24	0	0	0	0	0	0	0	20.97	0	0	14	0.1	1.1
2025	6	7	11	15	24	0	0	0	0	0	0	0	21.03	0	0	14	0.1	1.1
2025	6	7	11	25	24	0	0	0	0	0	0	0	21.07	0	0	13.6	0.1	1.1
2025	6	7	11	35	24	0	0	0	0	0	0	0	21.12	0	0	13.6	0.1	1.1
2025	6	7	11	45	24	0	0	0	0	0	0	0	21.17	0	0	13.8	0.1	1.1
2025	6	7	11	55	24	0	0	0	0	0	0	0	21.21	0	0	13.8	0.1	1.1
2025	6	7	12	5	24	0	0	0	0	0	0	0	21.25	0	0	13.8	0.1	1.1
2025	6	7	12	15	24	0	0	0	0	0	0	0	21.3	0	0	13.8	0.1	1.1
2025	6	7	12	25	24	0	0	0	0	0	0	0	21.34	0	0	13	0.1	1.1
2025	6	7	12	35	24	0	0	0	0	0	0	0	21.38	0	0	13.6	0.1	1.1
2025	6	7	12	45	24	0	0	0	0	0	0	0	21.41	0	0	13.8	0.1	1
2025	6	7	12	55	24	0	0	0	0	0	0	0	21.45	0	0	13.8	0.1	1
2025	6	7	13	5	24	0	0	0	0	0	0	0	21.48	0	0	13.6	0.1	1
2025	6	7	13	15	24	0	0	0	0	0	0	0	21.52	0	0	13.8	0.1	1
2025	6	7	13	25	24	0	0	0	0	0	0	0	21.54	0	0	13.6	0.1	1
2025	6	7	13	35	24	0	0	0	0	0	0	0	21.57	0	0	13.6	0.1	1
2025	6	7	13	45	24	0	0	0	0	0	0	0	21.6	0	0	13.6	0.1	1
2025	6	7	13	55	24	0	0	0	0	0	0	0	21.62	0	0	13.8	0.1	1
2025	6	7	14	5	24	0	0	0	0	0	0	0	21.64	0	0	13.6	0.1	1
2025	6	7	14	15	24	0	0	0	0	0	0	0	21.67	0	0	13.6	0.1	1
2025	6	7	14	25	24	0	0	0	0	0	0	0	21.68	0	0	13.6	0.1	1
2025	6	7	14	35	24	0	0	0	0	0	0	0	21.7	0	0	13.6	0.1	1
2025	6	7	14	45	24	0	0	0	0	0	0	0	21.71	0	0	13.6	0.1	1
2025	6	7	14	55	24	0	0	0	0	0	0	0	21.72	0	0	13.6	0.1	1
2025	6	7	15	5	24	0	0	0	0	0	0	0	21.73	0	0	13.6	0.1	1
2025	6	7	15	15	24	0	0	0	0	0	0	0	21.74	0	0	13.6	0.1	1
2025	6	7	15	25	24	0	0	0	0	0	0	0	21.74	0	0	12.8	0.1	1
2025	6	7	15	35	24	0	0	0	0	0	0	0	21.74	0	0	12.8	0.1	1
2025	6	7	15	45	24	0	0	0	0	0	0	0	21.73	0	0	12.8	0.1	1
2025	6	7	15	55	24	0	0	0	0	0	0	0	21.73	0	0	12.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	7	16	5	24	0	0	0	0	0	0	0	21.72	0	0	12.8	0.1	1
2025	6	7	16	15	24	0	0	0	0	0	0	0	21.71	0	0	12.8	0.1	1
2025	6	7	16	25	24	0	0	0	0	0	0	0	21.69	0	0	12.8	0.1	1
2025	6	7	16	35	24	0	0	0	0	0	0	0	21.68	0	0	12.8	0.1	1
2025	6	7	16	45	24	0	0	0	0	0	0	0	21.67	0	0	12.6	0.1	1
2025	6	7	16	55	24	0	0	0	0	0	0	0	21.65	0	0	12.4	0.1	1
2025	6	7	17	5	24	0	0	0	0	0	0	0	21.62	0	0	12.4	0.1	1
2025	6	7	17	15	24	0	0	0	0	0	0	0	21.59	0	0	12.2	0.1	1
2025	6	7	17	25	24	0	0	0	0	0	0	0	21.56	0	0	12.2	0.1	1
2025	6	7	17	35	24	0	0	0	0	0	0	0	21.53	0	0	12	0.1	1
2025	6	7	17	45	24	0	0	0	0	0	0	0	21.5	0	0	12	0.1	1
2025	6	7	17	55	24	0	0	0	0	0	0	0	21.47	0	0	12	0.1	1
2025	6	7	18	5	24	0	0	0	0	0	0	0	21.44	0	0	12	0.1	1
2025	6	7	18	15	24	0	0	0	0	0	0	0	21.39	0	0	11.8	0.1	1
2025	6	7	18	25	24	0	0	0	0	0	0	0	21.36	0	0	11.8	0.1	1
2025	6	7	18	35	24	0	0	0	0	0	0	0	21.32	0	0	11.8	0.1	1
2025	6	7	18	45	24	0	0	0	0	0	0	0	21.28	0	0	11.8	0.1	1
2025	6	7	18	55	24	0	0	0	0	0	0	0	21.23	0	0	11.8	0.1	1
2025	6	7	19	5	24	0	0	0	0	0	0	0	21.19	0	0	11.8	0.1	1
2025	6	7	19	15	24	0	0	0	0	0	0	0	21.15	0	0	11.8	0.1	1
2025	6	7	19	25	24	0	0	0	0	0	0	0	21.11	0	0	11.8	0.1	1
2025	6	7	19	35	24	0	0	0	0	0	0	0	21.08	0	0	11.8	0.1	1
2025	6	7	19	45	24	0	0	0	0	0	0	0	21.04	0	0	11.8	0.1	1
2025	6	7	19	55	24	0	0	0	0	0	0	0	21	0	0	11.8	0.1	1
2025	6	7	20	5	24	0	0	0	0	0	0	0	20.96	0	0	11.8	0.1	1
2025	6	7	20	15	24	0	0	0	0	0	0	0	20.92	0	0	11.8	0.1	1
2025	6	7	20	25	24	0	0	0	0	0	0	0	20.87	0	0	11.8	0.1	1
2025	6	7	20	35	24	0	0	0	0	0	0	0	20.83	0	0	11.8	0.1	1
2025	6	7	20	45	24	0	0	0	0	0	0	0	20.79	0	0	11.8	0.1	1
2025	6	7	20	55	24	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1
2025	6	7	21	5	24	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1
2025	6	7	21	15	24	0	0	0	0	0	0	0	20.68	0	0	11.8	0.1	1
2025	6	7	21	25	24	0	0	0	0	0	0	0	20.63	0	0	11.6	0.1	1
2025	6	7	21	35	24	0	0	0	0	0	0	0	20.6	0	0	11.6	0.1	1
2025	6	7	21	45	24	0	0	0	0	0	0	0	20.57	0	0	11.6	0.1	1
2025	6	7	21	55	24	0	0	0	0	0	0	0	20.55	0	0	11.6	0.1	1
2025	6	7	22	5	24	0	0	0	0	0	0	0	20.51	0	0	11.6	0.1	1
2025	6	7	22	15	24	0	0	0	0	0	0	0	20.49	0	0	11.6	0.1	1
2025	6	7	22	25	24	0	0	0	0	0	0	0	20.46	0	0	11.6	0.1	1
2025	6	7	22	35	24	0	0	0	0	0	0	0	20.44	0	0	11.6	0.1	1
2025	6	7	22	45	24	0	0	0	0	0	0	0	20.42	0	0	11.6	0.1	1
2025	6	7	22	55	24	0	0	0	0	0	0	0	20.4	0	0	11.6	0.1	1
2025	6	7	23	5	24	0	0	0	0	0	0	0	20.39	0	0	11.6	0.1	1
2025	6	7	23	15	24	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1
2025	6	7	23	25	24	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1
2025	6	7	23	35	24	0	0	0	0	0	0	0	20.34	0	0	11.6	0.1	1
2025	6	7	23	45	24	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1
2025	6	7	23	55	24	0	0	0	0	0	0	0	20.32	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	8	0	5	24	0	0	0	0	0	0	0	20.31	0	0	11.6	0.1	1
2025	6	8	0	15	24	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1
2025	6	8	0	25	24	0	0	0	0	0	0	0	20.29	0	0	11.6	0.1	1
2025	6	8	0	35	24	0	0	0	0	0	0	0	20.29	0	0	11.6	0.1	1
2025	6	8	0	45	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	8	0	55	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	8	1	5	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	8	1	15	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	8	1	25	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	8	1	35	24	0	0	0	0	0	0	0	20.29	0	0	11.6	0.1	1
2025	6	8	1	45	24	0	0	0	0	0	0	0	20.29	0	0	11.6	0.1	1
2025	6	8	1	55	24	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1
2025	6	8	2	5	24	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1
2025	6	8	2	15	24	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1
2025	6	8	2	25	24	0	0	0	0	0	0	0	20.31	0	0	11.6	0.1	1
2025	6	8	2	35	24	0	0	0	0	0	0	0	20.32	0	0	11.6	0.1	1
2025	6	8	2	45	24	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1.1
2025	6	8	2	55	24	0	0	0	0	0	0	0	20.34	0	0	11.6	0.1	1.1
2025	6	8	3	5	24	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1.1
2025	6	8	3	15	24	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1.1
2025	6	8	3	25	24	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	8	3	35	24	0	0	0	0	0	0	0	20.38	0	0	11.6	0.1	1.1
2025	6	8	3	45	24	0	0	0	0	0	0	0	20.4	0	0	11.6	0.1	1.1
2025	6	8	3	55	24	0	0	0	0	0	0	0	20.41	0	0	11.6	0.1	1.1
2025	6	8	4	5	24	0	0	0	0	0	0	0	20.42	0	0	11.6	0.1	1.1
2025	6	8	4	15	24	0	0	0	0	0	0	0	20.44	0	0	11.6	0.1	1.1
2025	6	8	4	25	24	0	0	0	0	0	0	0	20.46	0	0	11.6	0.1	1.1
2025	6	8	4	35	24	0	0	0	0	0	0	0	20.48	0	0	11.6	0.1	1.1
2025	6	8	4	45	24	0	0	0	0	0	0	0	20.48	0	0	11.6	0.1	1.1
2025	6	8	4	55	24	0	0	0	0	0	0	0	20.5	0	0	11.6	0.1	1.1
2025	6	8	5	5	24	0	0	0	0	0	0	0	20.51	0	0	11.6	0.1	1.1
2025	6	8	5	15	24	0	0	0	0	0	0	0	20.52	0	0	11.6	0.1	1.1
2025	6	8	5	25	24	0	0	0	0	0	0	0	20.54	0	0	11.6	0.1	1.1
2025	6	8	5	35	24	0	0	0	0	0	0	0	20.55	0	0	11.6	0.1	1.1
2025	6	8	5	45	24	0	0	0	0	0	0	0	20.56	0	0	11.6	0.1	1.1
2025	6	8	5	55	24	0	0	0	0	0	0	0	20.57	0	0	11.6	0.1	1.1
2025	6	8	6	5	24	0	0	0	0	0	0	0	20.58	0	0	11.6	0.1	1.1
2025	6	8	6	15	24	0	0	0	0	0	0	0	20.59	0	0	11.6	0.1	1.1
2025	6	8	6	25	24	0	0	0	0	0	0	0	20.6	0	0	11.6	0.1	1.1
2025	6	8	6	35	24	0	0	0	0	0	0	0	20.61	0	0	11.6	0.1	1.1
2025	6	8	6	45	24	0	0	0	0	0	0	0	20.61	0	0	11.6	0.1	1.1
2025	6	8	6	55	24	0	0	0	0	0	0	0	20.62	0	0	11.6	0.1	1.1
2025	6	8	7	5	24	0	0	0	0	0	0	0	20.63	0	0	11.8	0.1	1.1
2025	6	8	7	15	24	0	0	0	0	0	0	0	20.65	0	0	11.8	0.1	1.1
2025	6	8	7	25	24	0	0	0	0	0	0	0	20.67	0	0	12	0.1	1.1
2025	6	8	7	35	24	0	0	0	0	0	0	0	20.68	0	0	12	0.1	1.1
2025	6	8	7	45	24	0	0	0	0	0	0	0	20.7	0	0	12.2	0.1	1.1
2025	6	8	7	55	24	0	0	0	0	0	0	0	20.72	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	8	8	5	24	0	0	0	0	0	0	0	20.74	0	0	12.4	0.1	1.1
2025	6	8	8	15	24	0	0	0	0	0	0	0	20.76	0	0	12.4	0.1	1.1
2025	6	8	8	25	24	0	0	0	0	0	0	0	20.79	0	0	12.4	0.1	1.1
2025	6	8	8	35	24	0	0	0	0	0	0	0	20.82	0	0	12.6	0.1	1.1
2025	6	8	8	45	24	0	0	0	0	0	0	0	20.84	0	0	12.6	0.1	1.1
2025	6	8	8	55	24	0	0	0	0	0	0	0	20.87	0	0	12.6	0.1	1.1
2025	6	8	9	5	24	0	0	0	0	0	0	0	20.91	0	0	12.6	0.1	1.1
2025	6	8	9	15	24	0	0	0	0	0	0	0	20.95	0	0	12.8	0.1	1.1
2025	6	8	9	25	24	0	0	0	0	0	0	0	20.98	0	0	13.2	0.1	1.1
2025	6	8	9	35	24	0	0	0	0	0	0	0	21.01	0	0	13.2	0.1	1.1
2025	6	8	9	45	24	0	0	0	0	0	0	0	21.05	0	0	13.2	0.1	1.1
2025	6	8	9	55	24	0	0	0	0	0	0	0	21.09	0	0	13.2	0.1	1.1
2025	6	8	10	5	24	0	0	0	0	0	0	0	21.13	0	0	13.2	0.1	1.1
2025	6	8	10	15	24	0	0	0	0	0	0	0	21.17	0	0	14.2	0.1	1.1
2025	6	8	10	25	24	0	0	0	0	0	0	0	21.22	0	0	13.4	0.1	1.1
2025	6	8	10	35	24	0	0	0	0	0	0	0	21.27	0	0	14.2	0.1	1.1
2025	6	8	10	45	24	0	0	0	0	0	0	0	21.3	0	0	14.2	0.1	1.1
2025	6	8	10	55	24	0	0	0	0	0	0	0	21.36	0	0	14	0.1	1.1
2025	6	8	11	5	24	0	0	0	0	0	0	0	21.41	0	0	14	0.1	1.1
2025	6	8	11	15	24	0	0	0	0	0	0	0	21.45	0	0	14	0.1	1.1
2025	6	8	11	25	24	0	0	0	0	0	0	0	21.5	0	0	14	0.1	1.1
2025	6	8	11	35	24	0	0	0	0	0	0	0	21.55	0	0	14	0.1	1.1
2025	6	8	11	45	24	0	0	0	0	0	0	0	21.59	0	0	14	0.1	1.1
2025	6	8	11	55	24	0	0	0	0	0	0	0	21.65	0	0	14	0.1	1.1
2025	6	8	12	5	24	0	0	0	0	0	0	0	21.68	0	0	14	0.1	1.1
2025	6	8	12	15	24	0	0	0	0	0	0	0	21.73	0	0	14	0.1	1.1
2025	6	8	12	25	24	0	0	0	0	0	0	0	21.76	0	0	14	0.1	1.1
2025	6	8	12	35	24	0	0	0	0	0	0	0	21.8	0	0	14	0.1	1.1
2025	6	8	12	45	24	0	0	0	0	0	0	0	21.84	0	0	14	0.1	1.1
2025	6	8	12	55	24	0	0	0	0	0	0	0	21.88	0	0	14	0.1	1.1
2025	6	8	13	5	24	0	0	0	0	0	0	0	21.91	0	0	14	0.1	1.1
2025	6	8	13	15	24	0	0	0	0	0	0	0	21.95	0	0	14	0.1	1.1
2025	6	8	13	25	24	0	0	0	0	0	0	0	21.98	0	0	14	0.1	1.1
2025	6	8	13	35	24	0	0	0	0	0	0	0	22.01	0	0	14	0.1	1.1
2025	6	8	13	45	24	0	0	0	0	0	0	0	22.03	0	0	14	0.1	1.1
2025	6	8	13	55	24	0	0	0	0	0	0	0	22.06	0	0	14	0.1	1.1
2025	6	8	14	5	24	0	0	0	0	0	0	0	22.08	0	0	14	0.1	1.1
2025	6	8	14	15	24	0	0	0	0	0	0	0	22.1	0	0	14	0.1	1.1
2025	6	8	14	25	24	0	0	0	0	0	0	0	22.12	0	0	13.8	0.1	1.1
2025	6	8	14	35	24	0	0	0	0	0	0	0	22.12	0	0	13.8	0.1	1.1
2025	6	8	14	45	24	0	0	0	0	0	0	0	22.12	0	0	13.6	0.1	1.1
2025	6	8	14	55	24	0	0	0	0	0	0	0	22.13	0	0	13.8	0.1	1.1
2025	6	8	15	5	24	0	0	0	0	0	0	0	22.13	0	0	13.8	0.1	1.1
2025	6	8	15	15	24	0	0	0	0	0	0	0	22.14	0	0	13.8	0.1	1.1
2025	6	8	15	25	24	0	0	0	0	0	0	0	22.14	0	0	13.6	0.1	1.1
2025	6	8	15	35	24	0	0	0	0	0	0	0	22.14	0	0	13.6	0.1	1.1
2025	6	8	15	45	24	0	0	0	0	0	0	0	22.14	0	0	13.6	0.1	1.1
2025	6	8	15	55	24	0	0	0	0	0	0	0	22.14	0	0	13.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	8	16	5	24	0	0	0	0	0	0	0	22.12	0	0	13.6	0.1	1.1
2025	6	8	16	15	24	0	0	0	0	0	0	0	22.11	0	0	13.4	0.1	1.1
2025	6	8	16	25	24	0	0	0	0	0	0	0	22.1	0	0	13.4	0.1	1.1
2025	6	8	16	35	24	0	0	0	0	0	0	0	22.06	0	0	13.2	0.1	1.1
2025	6	8	16	45	24	0	0	0	0	0	0	0	22.04	0	0	13.2	0.1	1.1
2025	6	8	16	55	24	0	0	0	0	0	0	0	22.01	0	0	12.8	0.1	1.1
2025	6	8	17	5	24	0	0	0	0	0	0	0	21.99	0	0	12.8	0.1	1.1
2025	6	8	17	15	24	0	0	0	0	0	0	0	21.97	0	0	13.2	0.1	1.1
2025	6	8	17	25	24	0	0	0	0	0	0	0	21.95	0	0	12.2	0.1	1.1
2025	6	8	17	35	24	0	0	0	0	0	0	0	21.92	0	0	12.2	0.1	1.1
2025	6	8	17	45	24	0	0	0	0	0	0	0	21.88	0	0	12	0.1	1.1
2025	6	8	17	55	24	0	0	0	0	0	0	0	21.85	0	0	12	0.1	1.1
2025	6	8	18	5	24	0	0	0	0	0	0	0	21.82	0	0	12	0.1	1.1
2025	6	8	18	15	24	0	0	0	0	0	0	0	21.79	0	0	11.8	0.1	1.1
2025	6	8	18	25	24	0	0	0	0	0	0	0	21.76	0	0	11.8	0.1	1.1
2025	6	8	18	35	24	0	0	0	0	0	0	0	21.73	0	0	11.8	0.1	1.1
2025	6	8	18	45	24	0	0	0	0	0	0	0	21.7	0	0	11.8	0.1	1.1
2025	6	8	18	55	24	0	0	0	0	0	0	0	21.66	0	0	11.8	0.1	1.1
2025	6	8	19	5	24	0	0	0	0	0	0	0	21.62	0	0	11.8	0.1	1.1
2025	6	8	19	15	24	0	0	0	0	0	0	0	21.58	0	0	11.8	0.1	1.1
2025	6	8	19	25	24	0	0	0	0	0	0	0	21.55	0	0	11.8	0.1	1.1
2025	6	8	19	35	24	0	0	0	0	0	0	0	21.5	0	0	11.8	0.1	1.1
2025	6	8	19	45	24	0	0	0	0	0	0	0	21.47	0	0	11.8	0.1	1.1
2025	6	8	19	55	24	0	0	0	0	0	0	0	21.42	0	0	11.8	0.1	1.1
2025	6	8	20	5	24	0	0	0	0	0	0	0	21.37	0	0	11.8	0.1	1.1
2025	6	8	20	15	24	0	0	0	0	0	0	0	21.34	0	0	11.8	0.1	1.1
2025	6	8	20	25	24	0	0	0	0	0	0	0	21.3	0	0	11.8	0.1	1.1
2025	6	8	20	35	24	0	0	0	0	0	0	0	21.25	0	0	11.8	0.1	1.1
2025	6	8	20	45	24	0	0	0	0	0	0	0	21.21	0	0	11.8	0.1	1.1
2025	6	8	20	55	24	0	0	0	0	0	0	0	21.17	0	0	11.6	0.1	1.1
2025	6	8	21	5	24	0	0	0	0	0	0	0	21.13	0	0	11.6	0.1	1.1
2025	6	8	21	15	24	0	0	0	0	0	0	0	21.09	0	0	11.6	0.1	1.1
2025	6	8	21	25	24	0	0	0	0	0	0	0	21.06	0	0	11.6	0.1	1.1
2025	6	8	21	35	24	0	0	0	0	0	0	0	21.03	0	0	11.6	0.1	1.1
2025	6	8	21	45	24	0	0	0	0	0	0	0	21.01	0	0	11.6	0.1	1.1
2025	6	8	21	55	24	0	0	0	0	0	0	0	20.99	0	0	11.6	0.1	1.1
2025	6	8	22	5	24	0	0	0	0	0	0	0	20.97	0	0	11.6	0.1	1.1
2025	6	8	22	15	24	0	0	0	0	0	0	0	20.95	0	0	11.6	0.1	1.1
2025	6	8	22	25	24	0	0	0	0	0	0	0	20.93	0	0	11.6	0.1	1.1
2025	6	8	22	35	24	0	0	0	0	0	0	0	20.92	0	0	11.6	0.1	1.1
2025	6	8	22	45	24	0	0	0	0	0	0	0	20.9	0	0	11.6	0.1	1.1
2025	6	8	22	55	24	0	0	0	0	0	0	0	20.89	0	0	11.6	0.1	1.1
2025	6	8	23	5	24	0	0	0	0	0	0	0	20.88	0	0	11.6	0.1	1.1
2025	6	8	23	15	24	0	0	0	0	0	0	0	20.86	0	0	11.6	0.1	1.1
2025	6	8	23	25	24	0	0	0	0	0	0	0	20.84	0	0	11.6	0.1	1.1
2025	6	8	23	35	24	0	0	0	0	0	0	0	20.84	0	0	11.6	0.1	1.1
2025	6	8	23	45	24	0	0	0	0	0	0	0	20.82	0	0	11.6	0.1	1.1
2025	6	8	23	55	24	0	0	0	0	0	0	0	20.82	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	9	0	5	24	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.1
2025	6	9	0	15	24	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.1
2025	6	9	0	25	24	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.1
2025	6	9	0	35	24	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.1
2025	6	9	0	45	24	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.1
2025	6	9	0	55	24	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.1
2025	6	9	1	5	24	0	0	0	0	0	0	0	20.8	0	0	11.6	0.1	1.1
2025	6	9	1	15	24	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.1
2025	6	9	1	25	24	0	0	0	0	0	0	0	20.82	0	0	11.6	0.1	1.1
2025	6	9	1	35	24	0	0	0	0	0	0	0	20.82	0	0	11.6	0.1	1.1
2025	6	9	1	45	24	0	0	0	0	0	0	0	20.83	0	0	11.6	0.1	1.1
2025	6	9	1	55	24	0	0	0	0	0	0	0	20.85	0	0	11.6	0.1	1.1
2025	6	9	2	5	24	0	0	0	0	0	0	0	20.86	0	0	11.6	0.1	1.1
2025	6	9	2	15	24	0	0	0	0	0	0	0	20.87	0	0	11.6	0.1	1.1
2025	6	9	2	25	24	0	0	0	0	0	0	0	20.88	0	0	11.6	0.1	1.1
2025	6	9	2	35	24	0	0	0	0	0	0	0	20.89	0	0	11.6	0.1	1.1
2025	6	9	2	45	24	0	0	0	0	0	0	0	20.91	0	0	11.6	0.1	1.1
2025	6	9	2	55	24	0	0	0	0	0	0	0	20.93	0	0	11.6	0.1	1.1
2025	6	9	3	5	24	0	0	0	0	0	0	0	20.95	0	0	11.6	0.1	1.1
2025	6	9	3	15	24	0	0	0	0	0	0	0	20.96	0	0	11.6	0.1	1
2025	6	9	3	25	24	0	0	0	0	0	0	0	20.97	0	0	11.6	0.1	1
2025	6	9	3	35	24	0	0	0	0	0	0	0	21	0	0	11.6	0.1	1
2025	6	9	3	45	24	0	0	0	0	0	0	0	21.01	0	0	11.6	0.1	1
2025	6	9	3	55	24	0	0	0	0	0	0	0	21.03	0	0	11.6	0.1	1
2025	6	9	4	5	24	0	0	0	0	0	0	0	21.04	0	0	11.6	0.1	1
2025	6	9	4	15	24	0	0	0	0	0	0	0	21.06	0	0	11.6	0.1	1
2025	6	9	4	25	24	0	0	0	0	0	0	0	21.07	0	0	11.6	0.1	1
2025	6	9	4	35	24	0	0	0	0	0	0	0	21.08	0	0	11.6	0.1	1
2025	6	9	4	45	24	0	0	0	0	0	0	0	21.1	0	0	11.6	0.1	1
2025	6	9	4	55	24	0	0	0	0	0	0	0	21.12	0	0	11.6	0.1	1
2025	6	9	5	5	24	0	0	0	0	0	0	0	21.12	0	0	11.6	0.1	1
2025	6	9	5	15	24	0	0	0	0	0	0	0	21.13	0	0	11.6	0.1	1
2025	6	9	5	25	24	0	0	0	0	0	0	0	21.14	0	0	11.6	0.1	1
2025	6	9	5	35	24	0	0	0	0	0	0	0	21.15	0	0	11.6	0.1	1
2025	6	9	5	45	24	0	0	0	0	0	0	0	21.16	0	0	11.6	0.1	1
2025	6	9	5	55	24	0	0	0	0	0	0	0	21.17	0	0	11.6	0.1	1
2025	6	9	6	5	24	0	0	0	0	0	0	0	21.18	0	0	11.6	0.1	1
2025	6	9	6	15	24	0	0	0	0	0	0	0	21.19	0	0	11.6	0.1	1
2025	6	9	6	25	24	0	0	0	0	0	0	0	21.19	0	0	11.6	0.1	1
2025	6	9	6	35	24	0	0	0	0	0	0	0	21.2	0	0	11.6	0.1	1
2025	6	9	6	45	24	0	0	0	0	0	0	0	21.21	0	0	11.6	0.1	1
2025	6	9	6	55	24	0	0	0	0	0	0	0	21.22	0	0	11.6	0.1	1
2025	6	9	7	5	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	9	7	15	24	0	0	0	0	0	0	0	21.25	0	0	11.8	0.1	1
2025	6	9	7	25	24	0	0	0	0	0	0	0	21.27	0	0	11.8	0.1	1
2025	6	9	7	35	24	0	0	0	0	0	0	0	21.29	0	0	12	0.1	1
2025	6	9	7	45	24	0	0	0	0	0	0	0	21.31	0	0	12.2	0.1	1
2025	6	9	7	55	24	0	0	0	0	0	0	0	21.33	0	0	12.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	9	8	5	24	0	0	0	0	0	0	0	21.35	0	0	12.4	0.1	1
2025	6	9	8	15	24	0	0	0	0	0	0	0	21.37	0	0	12.4	0.1	1
2025	6	9	8	25	24	0	0	0	0	0	0	0	21.39	0	0	12.4	0.1	1
2025	6	9	8	35	24	0	0	0	0	0	0	0	21.41	0	0	12.4	0.1	1
2025	6	9	8	45	24	0	0	0	0	0	0	0	21.43	0	0	12.4	0.1	1
2025	6	9	8	55	24	0	0	0	0	0	0	0	21.46	0	0	12.6	0.1	1
2025	6	9	9	5	24	0	0	0	0	0	0	0	21.49	0	0	12.6	0.1	1
2025	6	9	9	15	24	0	0	0	0	0	0	0	21.51	0	0	12.6	0.1	1
2025	6	9	9	25	24	0	0	0	0	0	0	0	21.54	0	0	12.8	0.1	1
2025	6	9	9	35	24	0	0	0	0	0	0	0	21.57	0	0	13	0.1	1
2025	6	9	9	45	24	0	0	0	0	0	0	0	21.6	0	0	13.2	0.1	1
2025	6	9	9	55	24	0	0	0	0	0	0	0	21.63	0	0	13.2	0.1	1
2025	6	9	10	5	24	0	0	0	0	0	0	0	21.67	0	0	13.2	0.1	1
2025	6	9	10	15	24	0	0	0	0	0	0	0	21.71	0	0	13.2	0.1	1
2025	6	9	10	25	24	0	0	0	0	0	0	0	21.74	0	0	13.2	0.1	1
2025	6	9	10	35	24	0	0	0	0	0	0	0	21.79	0	0	13.4	0.1	1
2025	6	9	10	45	24	0	0	0	0	0	0	0	21.82	0	0	13.4	0.1	1
2025	6	9	10	55	24	0	0	0	0	0	0	0	21.86	0	0	14.2	0.1	1
2025	6	9	11	5	24	0	0	0	0	0	0	0	21.91	0	0	14.2	0.1	1
2025	6	9	11	15	24	0	0	0	0	0	0	0	21.94	0	0	14.2	0.1	1
2025	6	9	11	25	24	0	0	0	0	0	0	0	21.99	0	0	13.2	0.1	1
2025	6	9	11	35	24	0	0	0	0	0	0	0	22.03	0	0	13.4	0.1	1
2025	6	9	11	45	24	0	0	0	0	0	0	0	22.07	0	0	14	0.1	1
2025	6	9	11	55	24	0	0	0	0	0	0	0	22.11	0	0	14	0.1	1
2025	6	9	12	5	24	0	0	0	0	0	0	0	22.16	0	0	14	0.1	1
2025	6	9	12	15	24	0	0	0	0	0	0	0	22.19	0	0	14	0.1	1
2025	6	9	12	25	24	0	0	0	0	0	0	0	22.24	0	0	13.2	0.1	1
2025	6	9	12	35	24	0	0	0	0	0	0	0	22.27	0	0	13.2	0.1	1
2025	6	9	12	45	24	0	0	0	0	0	0	0	22.31	0	0	13.2	0.1	1
2025	6	9	12	55	24	0	0	0	0	0	0	0	22.34	0	0	13.2	0.1	1
2025	6	9	13	5	24	0	0	0	0	0	0	0	22.37	0	0	13.2	0.1	1
2025	6	9	13	15	24	0	0	0	0	0	0	0	22.4	0	0	13.2	0.1	1
2025	6	9	13	25	24	0	0	0	0	0	0	0	22.43	0	0	13.2	0.1	1
2025	6	9	13	35	24	0	0	0	0	0	0	0	22.45	0	0	13.2	0.1	1
2025	6	9	13	45	24	0	0	0	0	0	0	0	22.46	0	0	13.2	0.1	1
2025	6	9	13	55	24	0	0	0	0	0	0	0	22.48	0	0	13.2	0.1	1
2025	6	9	14	5	24	0	0	0	0	0	0	0	22.51	0	0	13.2	0.1	1
2025	6	9	14	15	24	0	0	0	0	0	0	0	22.53	0	0	13.2	0.1	1
2025	6	9	14	25	24	0	0	0	0	0	0	0	22.53	0	0	13.2	0.1	1
2025	6	9	14	35	24	0	0	0	0	0	0	0	22.55	0	0	13.2	0.1	1
2025	6	9	14	45	24	0	0	0	0	0	0	0	22.56	0	0	13.2	0.1	1
2025	6	9	14	55	24	0	0	0	0	0	0	0	22.57	0	0	13.2	0.1	1
2025	6	9	15	5	24	0	0	0	0	0	0	0	22.57	0	0	13.2	0.1	1
2025	6	9	15	15	24	0	0	0	0	0	0	0	22.58	0	0	13	0.1	1
2025	6	9	15	25	24	0	0	0	0	0	0	0	22.57	0	0	13	0.1	1
2025	6	9	15	35	24	0	0	0	0	0	0	0	22.58	0	0	13	0.1	1
2025	6	9	15	45	24	0	0	0	0	0	0	0	22.58	0	0	13	0.1	1
2025	6	9	15	55	24	0	0	0	0	0	0	0	22.58	0	0	13	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	9	16	5	24	0	0	0	0	0	0	0	22.56	0	0	13	0.1	1
2025	6	9	16	15	24	0	0	0	0	0	0	0	22.56	0	0	13	0.1	1
2025	6	9	16	25	24	0	0	0	0	0	0	0	22.55	0	0	12.8	0.1	1
2025	6	9	16	35	24	0	0	0	0	0	0	0	22.54	0	0	12.8	0.1	1
2025	6	9	16	45	24	0	0	0	0	0	0	0	22.52	0	0	12.4	0.1	1
2025	6	9	16	55	24	0	0	0	0	0	0	0	22.51	0	0	12.4	0.1	1
2025	6	9	17	5	24	0	0	0	0	0	0	0	22.48	0	0	12.4	0.1	1
2025	6	9	17	15	24	0	0	0	0	0	0	0	22.46	0	0	12.2	0.1	1
2025	6	9	17	25	24	0	0	0	0	0	0	0	22.43	0	0	12.2	0.1	1
2025	6	9	17	35	24	0	0	0	0	0	0	0	22.41	0	0	12	0.1	1
2025	6	9	17	45	24	0	0	0	0	0	0	0	22.38	0	0	12	0.1	1
2025	6	9	17	55	24	0	0	0	0	0	0	0	22.34	0	0	12	0.1	1
2025	6	9	18	5	24	0	0	0	0	0	0	0	22.29	0	0	11.8	0.1	1
2025	6	9	18	15	24	0	0	0	0	0	0	0	22.26	0	0	11.8	0.1	1
2025	6	9	18	25	24	0	0	0	0	0	0	0	22.23	0	0	11.8	0.1	1
2025	6	9	18	35	24	0	0	0	0	0	0	0	22.2	0	0	11.8	0.1	1
2025	6	9	18	45	24	0	0	0	0	0	0	0	22.18	0	0	11.8	0.1	1
2025	6	9	18	55	24	0	0	0	0	0	0	0	22.14	0	0	11.8	0.1	1
2025	6	9	19	5	24	0	0	0	0	0	0	0	22.12	0	0	11.8	0.1	1
2025	6	9	19	15	24	0	0	0	0	0	0	0	22.08	0	0	11.8	0.1	1
2025	6	9	19	25	24	0	0	0	0	0	0	0	22.05	0	0	11.8	0.1	1
2025	6	9	19	35	24	0	0	0	0	0	0	0	22.01	0	0	11.8	0.1	1
2025	6	9	19	45	24	0	0	0	0	0	0	0	21.97	0	0	11.8	0.1	1
2025	6	9	19	55	24	0	0	0	0	0	0	0	21.92	0	0	11.8	0.1	1
2025	6	9	20	5	24	0	0	0	0	0	0	0	21.88	0	0	11.8	0.1	1
2025	6	9	20	15	24	0	0	0	0	0	0	0	21.84	0	0	11.8	0.1	1
2025	6	9	20	25	24	0	0	0	0	0	0	0	21.8	0	0	11.8	0.1	1
2025	6	9	20	35	24	0	0	0	0	0	0	0	21.75	0	0	11.8	0.1	1
2025	6	9	20	45	24	0	0	0	0	0	0	0	21.72	0	0	11.8	0.1	1
2025	6	9	20	55	24	0	0	0	0	0	0	0	21.68	0	0	11.8	0.1	1
2025	6	9	21	5	24	0	0	0	0	0	0	0	21.64	0	0	11.8	0.1	1
2025	6	9	21	15	24	0	0	0	0	0	0	0	21.6	0	0	11.8	0.1	1
2025	6	9	21	25	24	0	0	0	0	0	0	0	21.56	0	0	11.8	0.1	1
2025	6	9	21	35	24	0	0	0	0	0	0	0	21.52	0	0	11.8	0.1	1
2025	6	9	21	45	24	0	0	0	0	0	0	0	21.49	0	0	11.8	0.1	1
2025	6	9	21	55	24	0	0	0	0	0	0	0	21.46	0	0	11.8	0.1	1
2025	6	9	22	5	24	0	0	0	0	0	0	0	21.43	0	0	11.6	0.1	1
2025	6	9	22	15	24	0	0	0	0	0	0	0	21.41	0	0	11.6	0.1	1
2025	6	9	22	25	24	0	0	0	0	0	0	0	21.38	0	0	11.6	0.1	1
2025	6	9	22	35	24	0	0	0	0	0	0	0	21.36	0	0	11.6	0.1	1
2025	6	9	22	45	24	0	0	0	0	0	0	0	21.34	0	0	11.6	0.1	1
2025	6	9	22	55	24	0	0	0	0	0	0	0	21.33	0	0	11.6	0.1	1
2025	6	9	23	5	24	0	0	0	0	0	0	0	21.31	0	0	11.6	0.1	1
2025	6	9	23	15	24	0	0	0	0	0	0	0	21.29	0	0	11.6	0.1	1
2025	6	9	23	25	24	0	0	0	0	0	0	0	21.28	0	0	11.6	0.1	1
2025	6	9	23	35	24	0	0	0	0	0	0	0	21.27	0	0	11.6	0.1	1
2025	6	9	23	45	24	0	0	0	0	0	0	0	21.26	0	0	11.6	0.1	1
2025	6	9	23	55	24	0	0	0	0	0	0	0	21.25	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	10	0	5	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	10	0	15	24	0	0	0	0	0	0	0	21.23	0	0	11.6	0.1	1
2025	6	10	0	25	24	0	0	0	0	0	0	0	21.23	0	0	11.6	0.1	1
2025	6	10	0	35	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	10	0	45	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	10	0	55	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	10	1	5	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	10	1	15	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	10	1	25	24	0	0	0	0	0	0	0	21.24	0	0	11.6	0.1	1
2025	6	10	1	35	24	0	0	0	0	0	0	0	21.25	0	0	11.6	0.1	1
2025	6	10	1	45	24	0	0	0	0	0	0	0	21.26	0	0	11.6	0.1	1
2025	6	10	1	55	24	0	0	0	0	0	0	0	21.26	0	0	11.6	0.1	1
2025	6	10	2	5	24	0	0	0	0	0	0	0	21.28	0	0	11.6	0.1	1
2025	6	10	2	15	24	0	0	0	0	0	0	0	21.29	0	0	11.6	0.1	1
2025	6	10	2	25	24	0	0	0	0	0	0	0	21.3	0	0	11.6	0.1	1
2025	6	10	2	35	24	0	0	0	0	0	0	0	21.32	0	0	11.6	0.1	1
2025	6	10	2	45	24	0	0	0	0	0	0	0	21.34	0	0	11.6	0.1	1
2025	6	10	2	55	24	0	0	0	0	0	0	0	21.36	0	0	11.6	0.1	1
2025	6	10	3	5	24	0	0	0	0	0	0	0	21.37	0	0	11.6	0.1	1
2025	6	10	3	15	24	0	0	0	0	0	0	0	21.39	0	0	11.6	0.1	1
2025	6	10	3	25	24	0	0	0	0	0	0	0	21.41	0	0	11.6	0.1	1
2025	6	10	3	35	24	0	0	0	0	0	0	0	21.43	0	0	11.6	0.1	1
2025	6	10	3	45	24	0	0	0	0	0	0	0	21.45	0	0	11.6	0.1	1
2025	6	10	3	55	24	0	0	0	0	0	0	0	21.47	0	0	11.6	0.1	1
2025	6	10	4	5	24	0	0	0	0	0	0	0	21.49	0	0	11.6	0.1	1
2025	6	10	4	15	24	0	0	0	0	0	0	0	21.51	0	0	11.6	0.1	1
2025	6	10	4	25	24	0	0	0	0	0	0	0	21.53	0	0	11.6	0.1	1
2025	6	10	4	35	24	0	0	0	0	0	0	0	21.55	0	0	11.6	0.1	1
2025	6	10	4	45	24	0	0	0	0	0	0	0	21.57	0	0	11.6	0.1	1
2025	6	10	4	55	24	0	0	0	0	0	0	0	21.58	0	0	11.6	0.1	1
2025	6	10	5	5	24	0	0	0	0	0	0	0	21.6	0	0	11.6	0.1	1
2025	6	10	5	15	24	0	0	0	0	0	0	0	21.62	0	0	11.6	0.1	1
2025	6	10	5	25	24	0	0	0	0	0	0	0	21.63	0	0	11.6	0.1	1
2025	6	10	5	35	24	0	0	0	0	0	0	0	21.66	0	0	11.6	0.1	1
2025	6	10	5	45	24	0	0	0	0	0	0	0	21.67	0	0	11.6	0.1	1
2025	6	10	5	55	24	0	0	0	0	0	0	0	21.69	0	0	11.6	0.1	1
2025	6	10	6	5	24	0	0	0	0	0	0	0	21.7	0	0	11.6	0.1	1
2025	6	10	6	15	24	0	0	0	0	0	0	0	21.72	0	0	11.6	0.1	1
2025	6	10	6	25	24	0	0	0	0	0	0	0	21.74	0	0	11.6	0.1	1
2025	6	10	6	35	24	0	0	0	0	0	0	0	21.75	0	0	11.6	0.1	1
2025	6	10	6	45	24	0	0	0	0	0	0	0	21.77	0	0	11.6	0.1	1
2025	6	10	6	55	24	0	0	0	0	0	0	0	21.8	0	0	11.6	0.1	1
2025	6	10	7	5	24	0	0	0	0	0	0	0	21.82	0	0	11.6	0.1	1
2025	6	10	7	15	24	0	0	0	0	0	0	0	21.85	0	0	11.8	0.1	1
2025	6	10	7	25	24	0	0	0	0	0	0	0	21.88	0	0	11.8	0.1	1
2025	6	10	7	35	24	0	0	0	0	0	0	0	21.9	0	0	12	0.1	1
2025	6	10	7	45	24	0	0	0	0	0	0	0	21.93	0	0	12.2	0.1	1
2025	6	10	7	55	24	0	0	0	0	0	0	0	21.96	0	0	12.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	10	8	5	24	0	0	0	0	0	0	0	22	0	0	12.2	0.1	1
2025	6	10	8	15	24	0	0	0	0	0	0	0	22.03	0	0	12.4	0.1	1
2025	6	10	8	25	24	0	0	0	0	0	0	0	22.06	0	0	12.4	0.1	1
2025	6	10	8	35	24	0	0	0	0	0	0	0	22.1	0	0	12.4	0.1	1
2025	6	10	8	45	24	0	0	0	0	0	0	0	22.13	0	0	12.4	0.1	1
2025	6	10	8	55	24	0	0	0	0	0	0	0	22.17	0	0	12.4	0.1	1
2025	6	10	9	5	24	0	0	0	0	0	0	0	22.2	0	0	12.6	0.1	1
2025	6	10	9	15	24	0	0	0	0	0	0	0	22.24	0	0	12.6	0.1	1
2025	6	10	9	25	24	0	0	0	0	0	0	0	22.28	0	0	12.6	0.1	1
2025	6	10	9	35	24	0	0	0	0	0	0	0	22.33	0	0	12.8	0.1	1
2025	6	10	9	45	24	0	0	0	0	0	0	0	22.37	0	0	12.8	0.1	1
2025	6	10	9	55	24	0	0	0	0	0	0	0	22.41	0	0	13	0.1	1
2025	6	10	10	5	24	0	0	0	0	0	0	0	22.46	0	0	13.2	0.1	1
2025	6	10	10	15	24	0	0	0	0	0	0	0	22.5	0	0	13	0.1	1
2025	6	10	10	25	24	0	0	0	0	0	0	0	22.55	0	0	13.2	0.1	1
2025	6	10	10	35	24	0	0	0	0	0	0	0	22.6	0	0	13.2	0.1	1
2025	6	10	10	45	24	0	0	0	0	0	0	0	22.64	0	0	13.2	0.1	1
2025	6	10	10	55	24	0	0	0	0	0	0	0	22.7	0	0	13.2	0.1	1
2025	6	10	11	5	24	0	0	0	0	0	0	0	22.75	0	0	13.2	0.1	1
2025	6	10	11	15	24	0	0	0	0	0	0	0	22.8	0	0	13.2	0.1	1
2025	6	10	11	25	24	0	0	0	0	0	0	0	22.85	0	0	13.2	0.1	1
2025	6	10	11	35	24	0	0	0	0	0	0	0	22.9	0	0	12.8	0.1	1
2025	6	10	11	45	24	0	0	0	0	0	0	0	22.95	0	0	12.8	0.1	1
2025	6	10	11	55	24	0	0	0	0	0	0	0	22.98	0	0	12.8	0.1	1
2025	6	10	12	5	24	0	0	0	0	0	0	0	23.03	0	0	12.8	0.1	1
2025	6	10	12	15	24	0	0	0	0	0	0	0	23.07	0	0	12.8	0.1	1
2025	6	10	12	25	24	0	0	0	0	0	0	0	23.12	0	0	13	0.1	1
2025	6	10	12	35	24	0	0	0	0	0	0	0	23.15	0	0	13.2	0.1	1
2025	6	10	12	45	24	0	0	0	0	0	0	0	23.19	0	0	13.2	0.1	1
2025	6	10	12	55	24	0	0	0	0	0	0	0	23.23	0	0	13.2	0.1	1
2025	6	10	13	5	24	0	0	0	0	0	0	0	23.27	0	0	13.2	0.1	1
2025	6	10	13	15	24	0	0	0	0	0	0	0	23.3	0	0	13.2	0.1	1
2025	6	10	13	25	24	0	0	0	0	0	0	0	23.34	0	0	13.2	0.1	1
2025	6	10	13	35	24	0	0	0	0	0	0	0	23.37	0	0	13.2	0.1	1
2025	6	10	13	45	24	0	0	0	0	0	0	0	23.41	0	0	13.2	0.1	1
2025	6	10	13	55	24	0	0	0	0	0	0	0	23.44	0	0	13.2	0.1	1
2025	6	10	14	5	24	0	0	0	0	0	0	0	23.46	0	0	13.2	0.1	1
2025	6	10	14	15	24	0	0	0	0	0	0	0	23.48	0	0	13.2	0.1	1
2025	6	10	14	25	24	0	0	0	0	0	0	0	23.5	0	0	13.2	0.1	1
2025	6	10	14	35	24	0	0	0	0	0	0	0	23.51	0	0	13.2	0.1	1
2025	6	10	14	45	24	0	0	0	0	0	0	0	23.52	0	0	13.2	0.1	1
2025	6	10	14	55	24	0	0	0	0	0	0	0	23.53	0	0	13.2	0.1	1
2025	6	10	15	5	24	0	0	0	0	0	0	0	23.54	0	0	13.2	0.1	1
2025	6	10	15	15	24	0	0	0	0	0	0	0	23.54	0	0	13.2	0.1	1
2025	6	10	15	25	24	0	0	0	0	0	0	0	23.53	0	0	13.2	0.1	1
2025	6	10	15	35	24	0	0	0	0	0	0	0	23.52	0	0	13.2	0.1	1
2025	6	10	15	45	24	0	0	0	0	0	0	0	23.52	0	0	13.2	0.1	1
2025	6	10	15	55	24	0	0	0	0	0	0	0	23.51	0	0	13	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	10	16	5	24	0	0	0	0	0	0	0	23.5	0	0	12.8	0.1	1
2025	6	10	16	15	24	0	0	0	0	0	0	0	23.49	0	0	12.8	0.1	1
2025	6	10	16	25	24	0	0	0	0	0	0	0	23.48	0	0	12.8	0.1	1
2025	6	10	16	35	24	0	0	0	0	0	0	0	23.47	0	0	12.6	0.1	1
2025	6	10	16	45	24	0	0	0	0	0	0	0	23.44	0	0	12.6	0.1	1
2025	6	10	16	55	24	0	0	0	0	0	0	0	23.43	0	0	12.4	0.1	1
2025	6	10	17	5	24	0	0	0	0	0	0	0	23.41	0	0	12.4	0.1	1
2025	6	10	17	15	24	0	0	0	0	0	0	0	23.38	0	0	12.2	0.1	1
2025	6	10	17	25	24	0	0	0	0	0	0	0	23.35	0	0	12.2	0.1	1
2025	6	10	17	35	24	0	0	0	0	0	0	0	23.29	0	0	12	0.1	1
2025	6	10	17	45	24	0	0	0	0	0	0	0	23.26	0	0	12	0.1	1
2025	6	10	17	55	24	0	0	0	0	0	0	0	23.22	0	0	12	0.1	1
2025	6	10	18	5	24	0	0	0	0	0	0	0	23.17	0	0	12	0.1	1
2025	6	10	18	15	24	0	0	0	0	0	0	0	23.13	0	0	11.8	0.1	1
2025	6	10	18	25	24	0	0	0	0	0	0	0	23.09	0	0	11.8	0.1	1
2025	6	10	18	35	24	0	0	0	0	0	0	0	23.04	0	0	11.8	0.1	1
2025	6	10	18	45	24	0	0	0	0	0	0	0	22.99	0	0	11.8	0.1	1
2025	6	10	18	55	24	0	0	0	0	0	0	0	22.93	0	0	11.8	0.1	1
2025	6	10	19	5	24	0	0	0	0	0	0	0	22.89	0	0	11.8	0.1	1
2025	6	10	19	15	24	0	0	0	0	0	0	0	22.84	0	0	11.8	0.1	1
2025	6	10	19	25	24	0	0	0	0	0	0	0	22.8	0	0	11.8	0.1	1
2025	6	10	19	35	24	0	0	0	0	0	0	0	22.75	0	0	11.8	0.1	1
2025	6	10	19	45	24	0	0	0	0	0	0	0	22.7	0	0	11.8	0.1	1
2025	6	10	19	55	24	0	0	0	0	0	0	0	22.65	0	0	11.8	0.1	1
2025	6	10	20	5	24	0	0	0	0	0	0	0	22.61	0	0	11.8	0.1	1
2025	6	10	20	15	24	0	0	0	0	0	0	0	22.57	0	0	11.8	0.1	1
2025	6	10	20	25	24	0	0	0	0	0	0	0	22.53	0	0	11.8	0.1	1
2025	6	10	20	35	24	0	0	0	0	0	0	0	22.49	0	0	11.8	0.1	1
2025	6	10	20	45	24	0	0	0	0	0	0	0	22.44	0	0	11.8	0.1	1
2025	6	10	20	55	24	0	0	0	0	0	0	0	22.4	0	0	11.8	0.1	1
2025	6	10	21	5	24	0	0	0	0	0	0	0	22.36	0	0	11.8	0.1	1
2025	6	10	21	15	24	0	0	0	0	0	0	0	22.32	0	0	11.8	0.1	1
2025	6	10	21	25	24	0	0	0	0	0	0	0	22.27	0	0	11.8	0.1	1
2025	6	10	21	35	24	0	0	0	0	0	0	0	22.23	0	0	11.8	0.1	1
2025	6	10	21	45	24	0	0	0	0	0	0	0	22.19	0	0	11.8	0.1	1
2025	6	10	21	55	24	0	0	0	0	0	0	0	22.14	0	0	11.6	0.1	1
2025	6	10	22	5	24	0	0	0	0	0	0	0	22.1	0	0	11.6	0.1	1
2025	6	10	22	15	24	0	0	0	0	0	0	0	22.06	0	0	11.6	0.1	1
2025	6	10	22	25	24	0	0	0	0	0	0	0	22.03	0	0	11.6	0.1	0.9
2025	6	10	22	35	24	0	0	0	0	0	0	0	21.99	0	0	11.6	0.1	0.9
2025	6	10	22	45	24	0	0	0	0	0	0	0	21.95	0	0	11.6	0.1	0.9
2025	6	10	22	55	24	0	0	0	0	0	0	0	21.92	0	0	11.6	0.1	0.9
2025	6	10	23	5	24	0	0	0	0	0	0	0	21.88	0	0	11.6	0.1	0.9
2025	6	10	23	15	24	0	0	0	0	0	0	0	21.86	0	0	11.6	0.1	0.9
2025	6	10	23	25	24	0	0	0	0	0	0	0	21.84	0	0	11.6	0.1	0.9
2025	6	10	23	35	24	0	0	0	0	0	0	0	21.81	0	0	11.6	0.1	0.9
2025	6	10	23	45	24	0	0	0	0	0	0	0	21.78	0	0	11.6	0.1	0.9
2025	6	10	23	55	24	0	0	0	0	0	0	0	21.76	0	0	11.6	0.1	0.9

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	11	0	5	24	0	0	0	0	0	0	0	21.73	0	0	11.6	0.1	0.9
2025	6	11	0	15	24	0	0	0	0	0	0	0	21.71	0	0	11.6	0.1	0.9
2025	6	11	0	25	24	0	0	0	0	0	0	0	21.68	0	0	11.6	0.1	0.9
2025	6	11	0	35	24	0	0	0	0	0	0	0	21.66	0	0	11.6	0.1	0.9
2025	6	11	0	45	24	0	0	0	0	0	0	0	21.63	0	0	11.6	0.1	0.9
2025	6	11	0	55	24	0	0	0	0	0	0	0	21.61	0	0	11.6	0.1	0.9
2025	6	11	1	5	24	0	0	0	0	0	0	0	21.59	0	0	11.6	0.1	0.9
2025	6	11	1	15	24	0	0	0	0	0	0	0	21.57	0	0	11.6	0.1	0.9
2025	6	11	1	25	24	0	0	0	0	0	0	0	21.55	0	0	11.6	0.1	0.9
2025	6	11	1	35	24	0	0	0	0	0	0	0	21.53	0	0	11.6	0.1	0.9
2025	6	11	1	45	24	0	0	0	0	0	0	0	21.51	0	0	11.6	0.1	0.9
2025	6	11	1	55	24	0	0	0	0	0	0	0	21.5	0	0	11.4	0.1	0.9
2025	6	11	2	5	24	0	0	0	0	0	0	0	21.49	0	0	11.6	0.1	0.9
2025	6	11	2	15	24	0	0	0	0	0	0	0	21.47	0	0	11.4	0.1	0.9
2025	6	11	2	25	24	0	0	0	0	0	0	0	21.45	0	0	11.4	0.1	0.9
2025	6	11	2	35	24	0	0	0	0	0	0	0	21.44	0	0	11.4	0.1	0.9
2025	6	11	2	45	24	0	0	0	0	0	0	0	21.43	0	0	11.4	0.1	0.9
2025	6	11	2	55	24	0	0	0	0	0	0	0	21.43	0	0	11.4	0.1	0.9
2025	6	11	3	5	24	0	0	0	0	0	0	0	21.42	0	0	11.4	0.1	0.9
2025	6	11	3	15	24	0	0	0	0	0	0	0	21.41	0	0	11.6	0.1	0.9
2025	6	11	3	25	24	0	0	0	0	0	0	0	21.39	0	0	11.6	0.1	0.9
2025	6	11	3	35	24	0	0	0	0	0	0	0	21.39	0	0	11.6	0.1	0.9
2025	6	11	3	45	24	0	0	0	0	0	0	0	21.38	0	0	11.6	0.1	0.9
2025	6	11	3	55	24	0	0	0	0	0	0	0	21.37	0	0	11.6	0.1	0.9
2025	6	11	4	5	24	0	0	0	0	0	0	0	21.36	0	0	11.6	0.1	0.9
2025	6	11	4	15	24	0	0	0	0	0	0	0	21.35	0	0	11.6	0.1	0.9
2025	6	11	4	25	24	0	0	0	0	0	0	0	21.35	0	0	11.4	0.1	0.9
2025	6	11	4	35	24	0	0	0	0	0	0	0	21.35	0	0	11.4	0.1	0.9
2025	6	11	4	45	24	0	0	0	0	0	0	0	21.34	0	0	11.4	0.1	0.9
2025	6	11	4	55	24	0	0	0	0	0	0	0	21.34	0	0	11.4	0.1	0.9
2025	6	11	5	5	24	0	0	0	0	0	0	0	21.34	0	0	11.4	0.1	0.9
2025	6	11	5	15	24	0	0	0	0	0	0	0	21.34	0	0	11.4	0.1	0.9
2025	6	11	5	25	24	0	0	0	0	0	0	0	21.34	0	0	11.4	0.1	0.9
2025	6	11	5	35	24	0	0	0	0	0	0	0	21.34	0	0	11.4	0.1	0.9
2025	6	11	5	45	24	0	0	0	0	0	0	0	21.33	0	0	11.4	0.1	0.9
2025	6	11	5	55	24	0	0	0	0	0	0	0	21.34	0	0	11.4	0.1	0.9
2025	6	11	6	5	24	0	0	0	0	0	0	0	21.33	0	0	11.4	0.1	0.9
2025	6	11	6	15	24	0	0	0	0	0	0	0	21.33	0	0	11.4	0.1	0.9
2025	6	11	6	25	24	0	0	0	0	0	0	0	21.33	0	0	11.4	0.1	0.9
2025	6	11	6	35	24	0	0	0	0	0	0	0	21.33	0	0	11.4	0.1	0.9
2025	6	11	6	45	24	0	0	0	0	0	0	0	21.34	0	0	11.6	0.1	0.9
2025	6	11	6	55	24	0	0	0	0	0	0	0	21.33	0	0	11.6	0.1	0.9
2025	6	11	7	5	24	0	0	0	0	0	0	0	21.34	0	0	11.6	0.1	0.9
2025	6	11	7	15	24	0	0	0	0	0	0	0	21.35	0	0	11.8	0.1	0.9
2025	6	11	7	25	24	0	0	0	0	0	0	0	21.37	0	0	11.8	0.1	0.9
2025	6	11	7	35	24	0	0	0	0	0	0	0	21.39	0	0	12	0.1	0.9
2025	6	11	7	45	24	0	0	0	0	0	0	0	21.41	0	0	12.2	0.1	0.9
2025	6	11	7	55	24	0	0	0	0	0	0	0	21.44	0	0	12.2	0.1	0.9

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	11	8	5	24	0	0	0	0	0	0	0	21.46	0	0	12.2	0.1	0.9
2025	6	11	8	15	24	0	0	0	0	0	0	0	21.49	0	0	12.2	0.1	0.9
2025	6	11	8	25	24	0	0	0	0	0	0	0	21.52	0	0	12.2	0.1	0.9
2025	6	11	8	35	24	0	0	0	0	0	0	0	21.55	0	0	12.4	0.1	0.9
2025	6	11	8	45	24	0	0	0	0	0	0	0	21.59	0	0	12.4	0.1	0.9
2025	6	11	8	55	24	0	0	0	0	0	0	0	21.63	0	0	12.6	0.1	0.9
2025	6	11	9	5	24	0	0	0	0	0	0	0	21.68	0	0	12.6	0.1	0.9
2025	6	11	9	15	24	0	0	0	0	0	0	0	21.71	0	0	12.8	0.1	0.9
2025	6	11	9	25	24	0	0	0	0	0	0	0	21.76	0	0	12.8	0.1	0.9
2025	6	11	9	35	24	0	0	0	0	0	0	0	21.81	0	0	13	0.1	0.9
2025	6	11	9	45	24	0	0	0	0	0	0	0	21.86	0	0	13.4	0.1	0.9
2025	6	11	9	55	24	0	0	0	0	0	0	0	21.9	0	0	13.4	0.1	0.9
2025	6	11	10	5	24	0	0	0	0	0	0	0	21.95	0	0	13	0.1	0.9
2025	6	11	10	15	24	0	0	0	0	0	0	0	22	0	0	13	0.1	0.9
2025	6	11	10	25	24	0	0	0	0	0	0	0	22.06	0	0	13	0.1	0.9
2025	6	11	10	35	24	0	0	0	0	0	0	0	22.11	0	0	13	0.1	0.9
2025	6	11	10	45	24	0	0	0	0	0	0	0	22.17	0	0	13	0.1	0.9
2025	6	11	10	55	24	0	0	0	0	0	0	0	22.24	0	0	13	0.1	0.9
2025	6	11	11	5	24	0	0	0	0	0	0	0	22.28	0	0	13.2	0.1	0.9
2025	6	11	11	15	24	0	0	0	0	0	0	0	22.33	0	0	13.2	0.1	0.9
2025	6	11	11	25	24	0	0	0	0	0	0	0	22.41	0	0	13.2	0.1	0.9
2025	6	11	11	35	24	0	0	0	0	0	0	0	22.48	0	0	13.2	0.1	0.9
2025	6	11	11	45	24	0	0	0	0	0	0	0	22.54	0	0	13.2	0.1	0.9
2025	6	11	11	55	24	0	0	0	0	0	0	0	22.61	0	0	13.2	0.1	0.9
2025	6	11	12	5	24	0	0	0	0	0	0	0	22.67	0	0	13.2	0.1	0.9
2025	6	11	12	15	24	0	0	0	0	0	0	0	22.73	0	0	13.2	0.1	0.9
2025	6	11	12	25	24	0	0	0	0	0	0	0	22.79	0	0	13.2	0.1	0.9
2025	6	11	12	35	24	0	0	0	0	0	0	0	22.85	0	0	13.2	0.1	0.9
2025	6	11	12	45	24	0	0	0	0	0	0	0	22.91	0	0	13.2	0.1	0.9
2025	6	11	12	55	24	0	0	0	0	0	0	0	22.97	0	0	13.2	0.1	0.9
2025	6	11	13	5	24	0	0	0	0	0	0	0	23.02	0	0	13.2	0.1	0.9
2025	6	11	13	15	24	0	0	0	0	0	0	0	23.08	0	0	13.2	0.1	0.9
2025	6	11	13	25	24	0	0	0	0	0	0	0	23.12	0	0	13.2	0.1	0.9
2025	6	11	13	35	24	0	0	0	0	0	0	0	23.18	0	0	13.2	0.1	0.9
2025	6	11	13	45	24	0	0	0	0	0	0	0	23.22	0	0	13.2	0.1	0.9
2025	6	11	13	55	24	0	0	0	0	0	0	0	23.26	0	0	13.2	0.1	0.9
2025	6	11	14	5	24	0	0	0	0	0	0	0	23.31	0	0	13.2	0.1	0.9
2025	6	16	10	15	41	0	0	0	0	0	0	0	21.15	0	0	13.2	0.1	1
2025	6	16	10	25	41	0	0	0	0	0	0	0	21.18	0	0	13.2	0.1	1
2025	6	16	10	35	41	0	0	0	0	0	0	0	21.24	0	0	13.6	0.1	1
2025	6	16	10	45	41	0	0	0	0	0	0	0	21.29	0	0	13.6	0.1	1
2025	6	16	10	55	41	0	0	0	0	0	0	0	21.35	0	0	13.4	0.1	1
2025	6	16	11	5	41	0	0	0	0	0	0	0	21.4	0	0	13.4	0.1	1
2025	6	16	11	15	41	0	0	0	0	0	0	0	21.45	0	0	13.2	0.1	1
2025	6	16	11	25	41	0	0	0	0	0	0	0	21.51	0	0	13.4	0.1	1
2025	6	16	11	35	41	0	0	0	0	0	0	0	21.56	0	0	13.2	0.1	1
2025	6	16	11	45	41	0	0	0	0	0	0	0	21.61	0	0	13.4	0.1	1
2025	6	16	11	55	41	0	0	0	0	0	0	0	21.66	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	16	12	5	41	0	0	0	0	0	0	0	21.72	0	0	13.4	0.1	1
2025	6	16	12	15	41	0	0	0	0	0	0	0	21.77	0	0	13.4	0.1	1
2025	6	16	12	25	41	0	0	0	0	0	0	0	21.83	0	0	13.4	0.1	1
2025	6	16	12	35	41	0	0	0	0	0	0	0	21.88	0	0	13.4	0.1	1
2025	6	16	12	45	41	0	0	0	0	0	0	0	21.93	0	0	13.4	0.1	1
2025	6	16	12	55	41	0	0	0	0	0	0	0	21.97	0	0	13.4	0.1	1
2025	6	16	13	5	41	0	0	0	0	0	0	0	22.02	0	0	13.4	0.1	1
2025	6	16	13	15	41	0	0	0	0	0	0	0	22.06	0	0	13.4	0.1	1
2025	6	16	13	25	41	0	0	0	0	0	0	0	22.1	0	0	13.4	0.1	1
2025	6	16	13	35	41	0	0	0	0	0	0	0	22.13	0	0	13.4	0.1	1
2025	6	16	13	45	41	0	0	0	0	0	0	0	22.17	0	0	13.4	0.1	1
2025	6	16	13	55	41	0	0	0	0	0	0	0	22.2	0	0	13.2	0.1	1
2025	6	16	14	5	41	0	0	0	0	0	0	0	22.22	0	0	13.2	0.1	1
2025	6	16	14	15	41	0	0	0	0	0	0	0	22.23	0	0	13.4	0.1	1
2025	6	16	14	25	41	0	0	0	0	0	0	0	22.25	0	0	13.4	0.1	1
2025	6	16	14	35	41	0	0	0	0	0	0	0	22.25	0	0	13.4	0.1	1
2025	6	16	14	45	41	0	0	0	0	0	0	0	22.26	0	0	13.4	0.1	1
2025	6	16	14	55	41	0	0	0	0	0	0	0	22.27	0	0	13.2	0.1	1
2025	6	16	15	5	41	0	0	0	0	0	0	0	22.26	0	0	13	0.1	1
2025	6	16	15	15	41	0	0	0	0	0	0	0	22.26	0	0	13	0.1	1
2025	6	16	15	25	41	0	0	0	0	0	0	0	22.25	0	0	13	0.1	1
2025	6	16	15	35	41	0	0	0	0	0	0	0	22.26	0	0	13	0.1	1
2025	6	16	15	45	41	0	0	0	0	0	0	0	22.25	0	0	13	0.1	1
2025	6	16	15	55	41	0	0	0	0	0	0	0	22.25	0	0	12.8	0.1	1
2025	6	16	16	5	41	0	0	0	0	0	0	0	22.24	0	0	12.8	0.1	1
2025	6	16	16	15	41	0	0	0	0	0	0	0	22.22	0	0	12.8	0.1	1
2025	6	16	16	25	41	0	0	0	0	0	0	0	22.2	0	0	12.8	0.1	1
2025	6	16	16	35	41	0	0	0	0	0	0	0	22.17	0	0	12.8	0.1	1
2025	6	16	16	45	41	0	0	0	0	0	0	0	22.15	0	0	12.6	0.1	1
2025	6	16	16	55	41	0	0	0	0	0	0	0	22.12	0	0	12.6	0.1	1
2025	6	16	17	5	41	0	0	0	0	0	0	0	22.08	0	0	12.6	0.1	1
2025	6	16	17	15	41	0	0	0	0	0	0	0	22.04	0	0	12.4	0.1	1
2025	6	16	17	25	41	0	0	0	0	0	0	0	21.99	0	0	12.2	0.1	1
2025	6	16	17	35	41	0	0	0	0	0	0	0	21.94	0	0	12.2	0.1	1
2025	6	16	17	45	41	0	0	0	0	0	0	0	21.89	0	0	12	0.1	1
2025	6	16	17	55	41	0	0	0	0	0	0	0	21.83	0	0	12	0.1	1
2025	6	16	18	5	41	0	0	0	0	0	0	0	21.77	0	0	12	0.1	1
2025	6	16	18	15	41	0	0	0	0	0	0	0	21.7	0	0	12	0.1	1
2025	6	16	18	25	41	0	0	0	0	0	0	0	21.64	0	0	12	0.1	1
2025	6	16	18	35	41	0	0	0	0	0	0	0	21.58	0	0	12	0.1	1
2025	6	16	18	45	41	0	0	0	0	0	0	0	21.52	0	0	12	0.1	1
2025	6	16	18	55	41	0	0	0	0	0	0	0	21.46	0	0	12	0.1	1
2025	6	16	19	5	41	0	0	0	0	0	0	0	21.4	0	0	12	0.1	1
2025	6	16	19	15	41	0	0	0	0	0	0	0	21.35	0	0	11.8	0.1	1
2025	6	16	19	25	41	0	0	0	0	0	0	0	21.29	0	0	11.8	0.1	1
2025	6	16	19	35	41	0	0	0	0	0	0	0	21.23	0	0	11.8	0.1	1
2025	6	16	19	45	41	0	0	0	0	0	0	0	21.18	0	0	11.8	0.1	1
2025	6	16	19	55	41	0	0	0	0	0	0	0	21.12	0	0	11.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	16	20	5	41	0	0	0	0	0	0	0	21.06	0	0	11.8	0.1	1
2025	6	16	20	15	41	0	0	0	0	0	0	0	21.01	0	0	11.8	0.1	1
2025	6	16	20	25	41	0	0	0	0	0	0	0	20.95	0	0	11.8	0.1	1
2025	6	16	20	35	41	0	0	0	0	0	0	0	20.91	0	0	11.8	0.1	1
2025	6	16	20	45	41	0	0	0	0	0	0	0	20.86	0	0	11.8	0.1	1
2025	6	16	20	55	41	0	0	0	0	0	0	0	20.81	0	0	11.8	0.1	1
2025	6	16	21	5	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1
2025	6	16	21	15	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1
2025	6	16	21	25	41	0	0	0	0	0	0	0	20.68	0	0	11.8	0.1	1
2025	6	16	21	35	41	0	0	0	0	0	0	0	20.65	0	0	11.8	0.1	1
2025	6	16	21	45	41	0	0	0	0	0	0	0	20.62	0	0	11.8	0.1	1
2025	6	16	21	55	41	0	0	0	0	0	0	0	20.58	0	0	11.8	0.1	1
2025	6	16	22	5	41	0	0	0	0	0	0	0	20.53	0	0	11.8	0.1	1
2025	6	16	22	15	41	0	0	0	0	0	0	0	20.5	0	0	11.8	0.1	1
2025	6	16	22	25	41	0	0	0	0	0	0	0	20.46	0	0	11.8	0.1	1
2025	6	16	22	35	41	0	0	0	0	0	0	0	20.42	0	0	11.8	0.1	1
2025	6	16	22	45	41	0	0	0	0	0	0	0	20.39	0	0	11.8	0.1	1
2025	6	16	22	55	41	0	0	0	0	0	0	0	20.36	0	0	11.8	0.1	1
2025	6	16	23	5	41	0	0	0	0	0	0	0	20.33	0	0	11.8	0.1	1
2025	6	16	23	15	41	0	0	0	0	0	0	0	20.31	0	0	11.8	0.1	1
2025	6	16	23	25	41	0	0	0	0	0	0	0	20.29	0	0	11.8	0.1	1
2025	6	16	23	35	41	0	0	0	0	0	0	0	20.28	0	0	11.8	0.1	1
2025	6	16	23	45	41	0	0	0	0	0	0	0	20.27	0	0	11.8	0.1	1
2025	6	16	23	55	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1
2025	6	17	0	5	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1
2025	6	17	0	15	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	17	0	25	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	17	0	35	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	17	0	45	41	0	0	0	0	0	0	0	20.24	0	0	11.8	0.1	1
2025	6	17	0	55	41	0	0	0	0	0	0	0	20.24	0	0	11.8	0.1	1
2025	6	17	1	5	41	0	0	0	0	0	0	0	20.24	0	0	11.8	0.1	1
2025	6	17	1	15	41	0	0	0	0	0	0	0	20.24	0	0	11.8	0.1	1
2025	6	17	1	25	41	0	0	0	0	0	0	0	20.24	0	0	11.8	0.1	1
2025	6	17	1	35	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	17	1	45	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	17	1	55	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	17	2	5	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	17	2	15	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1
2025	6	17	2	25	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1
2025	6	17	2	35	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1
2025	6	17	2	45	41	0	0	0	0	0	0	0	20.27	0	0	11.6	0.1	1
2025	6	17	2	55	41	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	17	3	5	41	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	6	17	3	15	41	0	0	0	0	0	0	0	20.29	0	0	11.6	0.1	1
2025	6	17	3	25	41	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1
2025	6	17	3	35	41	0	0	0	0	0	0	0	20.31	0	0	11.6	0.1	1
2025	6	17	3	45	41	0	0	0	0	0	0	0	20.31	0	0	11.6	0.1	1
2025	6	17	3	55	41	0	0	0	0	0	0	0	20.32	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	17	4	5	41	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1
2025	6	17	4	15	41	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1
2025	6	17	4	25	41	0	0	0	0	0	0	0	20.34	0	0	11.6	0.1	1
2025	6	17	4	35	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1
2025	6	17	4	45	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1
2025	6	17	4	55	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	5	5	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	5	15	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	5	25	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	5	35	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	5	45	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	5	55	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	6	5	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	6	17	6	15	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1
2025	6	17	6	25	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1
2025	6	17	6	35	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1
2025	6	17	6	45	41	0	0	0	0	0	0	0	20.34	0	0	11.6	0.1	1
2025	6	17	6	55	41	0	0	0	0	0	0	0	20.34	0	0	11.8	0.1	1
2025	6	17	7	5	41	0	0	0	0	0	0	0	20.34	0	0	11.8	0.1	1
2025	6	17	7	15	41	0	0	0	0	0	0	0	20.35	0	0	11.8	0.1	1
2025	6	17	7	25	41	0	0	0	0	0	0	0	20.35	0	0	12	0.1	1
2025	6	17	7	35	41	0	0	0	0	0	0	0	20.36	0	0	12	0.1	1
2025	6	17	7	45	41	0	0	0	0	0	0	0	20.36	0	0	12.2	0.1	1
2025	6	17	7	55	41	0	0	0	0	0	0	0	20.38	0	0	12.4	0.1	1
2025	6	17	8	5	41	0	0	0	0	0	0	0	20.39	0	0	12.4	0.1	1
2025	6	17	8	15	41	0	0	0	0	0	0	0	20.4	0	0	12.4	0.1	1
2025	6	17	8	25	41	0	0	0	0	0	0	0	20.41	0	0	12.6	0.1	1
2025	6	17	8	35	41	0	0	0	0	0	0	0	20.43	0	0	12.6	0.1	1
2025	6	17	8	45	41	0	0	0	0	0	0	0	20.45	0	0	12.6	0.1	1
2025	6	17	8	55	41	0	0	0	0	0	0	0	20.47	0	0	12.6	0.1	1
2025	6	17	9	5	41	0	0	0	0	0	0	0	20.48	0	0	12.6	0.1	1
2025	6	17	9	15	41	0	0	0	0	0	0	0	20.5	0	0	12.6	0.1	1
2025	6	17	9	25	41	0	0	0	0	0	0	0	20.52	0	0	12.8	0.1	1
2025	6	17	9	35	41	0	0	0	0	0	0	0	20.55	0	0	12.8	0.1	1
2025	6	17	9	45	41	0	0	0	0	0	0	0	20.57	0	0	12.8	0.1	1
2025	6	17	9	55	41	0	0	0	0	0	0	0	20.6	0	0	12.8	0.1	1
2025	6	17	10	5	41	0	0	0	0	0	0	0	20.61	0	0	13	0.1	1
2025	6	17	10	15	41	0	0	0	0	0	0	0	20.64	0	0	13	0.1	1
2025	6	17	10	25	41	0	0	0	0	0	0	0	20.66	0	0	13.2	0.1	1
2025	6	17	10	35	41	0	0	0	0	0	0	0	20.69	0	0	13.6	0.1	1
2025	6	17	10	45	41	0	0	0	0	0	0	0	20.73	0	0	13.6	0.1	1
2025	6	17	10	55	41	0	0	0	0	0	0	0	20.76	0	0	13.6	0.1	1
2025	6	17	11	5	41	0	0	0	0	0	0	0	20.8	0	0	13.6	0.1	1
2025	6	17	11	15	41	0	0	0	0	0	0	0	20.84	0	0	13.4	0.1	1
2025	6	17	11	25	41	0	0	0	0	0	0	0	20.87	0	0	13.4	0.1	1
2025	6	17	11	35	41	0	0	0	0	0	0	0	20.91	0	0	13.2	0.1	1
2025	6	17	11	45	41	0	0	0	0	0	0	0	20.96	0	0	13.2	0.1	1
2025	6	17	11	55	41	0	0	0	0	0	0	0	21	0	0	13.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	17	12	5	41	0	0	0	0	0	0	0	21.03	0	0	13.2	0.1	1
2025	6	17	12	15	41	0	0	0	0	0	0	0	21.07	0	0	13.2	0.1	1
2025	6	17	12	25	41	0	0	0	0	0	0	0	21.12	0	0	13.2	0.1	1
2025	6	17	12	35	41	0	0	0	0	0	0	0	21.14	0	0	13.2	0.1	1
2025	6	17	12	45	41	0	0	0	0	0	0	0	21.18	0	0	13.2	0.1	1
2025	6	17	12	55	41	0	0	0	0	0	0	0	21.21	0	0	13.2	0.1	1
2025	6	17	13	5	41	0	0	0	0	0	0	0	21.24	0	0	13	0.1	1
2025	6	17	13	15	41	0	0	0	0	0	0	0	21.27	0	0	13	0.1	1
2025	6	17	13	25	41	0	0	0	0	0	0	0	21.29	0	0	13	0.1	1
2025	6	17	13	35	41	0	0	0	0	0	0	0	21.32	0	0	13	0.1	1
2025	6	17	13	45	41	0	0	0	0	0	0	0	21.33	0	0	13	0.1	1
2025	6	17	13	55	41	0	0	0	0	0	0	0	21.34	0	0	13	0.1	1
2025	6	17	14	5	41	0	0	0	0	0	0	0	21.36	0	0	13	0.1	1
2025	6	17	14	15	41	0	0	0	0	0	0	0	21.37	0	0	13	0.1	1
2025	6	17	14	25	41	0	0	0	0	0	0	0	21.38	0	0	13	0.1	1
2025	6	17	14	35	41	0	0	0	0	0	0	0	21.39	0	0	13	0.1	1
2025	6	17	14	45	41	0	0	0	0	0	0	0	21.39	0	0	13	0.1	1
2025	6	17	14	55	41	0	0	0	0	0	0	0	21.4	0	0	13	0.1	1
2025	6	17	15	5	41	0	0	0	0	0	0	0	21.4	0	0	13	0.1	1
2025	6	17	15	15	41	0	0	0	0	0	0	0	21.4	0	0	13	0.1	1
2025	6	17	15	25	41	0	0	0	0	0	0	0	21.4	0	0	13	0.1	1
2025	6	17	15	35	41	0	0	0	0	0	0	0	21.39	0	0	13	0.1	1
2025	6	17	15	45	41	0	0	0	0	0	0	0	21.39	0	0	13	0.1	1
2025	6	17	15	55	41	0	0	0	0	0	0	0	21.38	0	0	13	0.1	1
2025	6	17	16	5	41	0	0	0	0	0	0	0	21.37	0	0	13	0.1	1
2025	6	17	16	15	41	0	0	0	0	0	0	0	21.36	0	0	13	0.1	1
2025	6	17	16	25	41	0	0	0	0	0	0	0	21.35	0	0	12.8	0.1	1
2025	6	17	16	35	41	0	0	0	0	0	0	0	21.33	0	0	12.8	0.1	1
2025	6	17	16	45	41	0	0	0	0	0	0	0	21.31	0	0	12.8	0.1	1
2025	6	17	16	55	41	0	0	0	0	0	0	0	21.3	0	0	12.6	0.1	1
2025	6	17	17	5	41	0	0	0	0	0	0	0	21.27	0	0	12.6	0.1	1
2025	6	17	17	15	41	0	0	0	0	0	0	0	21.24	0	0	12.4	0.1	1
2025	6	17	17	25	41	0	0	0	0	0	0	0	21.22	0	0	12.4	0.1	1
2025	6	17	17	35	41	0	0	0	0	0	0	0	21.2	0	0	12.2	0.1	1
2025	6	17	17	45	41	0	0	0	0	0	0	0	21.17	0	0	12.2	0.1	1
2025	6	17	17	55	41	0	0	0	0	0	0	0	21.14	0	0	12	0.1	1
2025	6	17	18	5	41	0	0	0	0	0	0	0	21.11	0	0	12	0.1	1
2025	6	17	18	15	41	0	0	0	0	0	0	0	21.08	0	0	12	0.1	1.1
2025	6	17	18	25	41	0	0	0	0	0	0	0	21.05	0	0	12	0.1	1.1
2025	6	17	18	35	41	0	0	0	0	0	0	0	21.03	0	0	12	0.1	1.1
2025	6	17	18	45	41	0	0	0	0	0	0	0	20.99	0	0	12	0.1	1.1
2025	6	17	18	55	41	0	0	0	0	0	0	0	20.96	0	0	12	0.1	1.1
2025	6	17	19	5	41	0	0	0	0	0	0	0	20.93	0	0	12	0.1	1.1
2025	6	17	19	15	41	0	0	0	0	0	0	0	20.9	0	0	12	0.1	1.1
2025	6	17	19	25	41	0	0	0	0	0	0	0	20.86	0	0	11.8	0.1	1.1
2025	6	17	19	35	41	0	0	0	0	0	0	0	20.83	0	0	11.8	0.1	1.1
2025	6	17	19	45	41	0	0	0	0	0	0	0	20.8	0	0	11.8	0.1	1.1
2025	6	17	19	55	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	17	20	5	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	17	20	15	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	17	20	25	41	0	0	0	0	0	0	0	20.67	0	0	11.8	0.1	1.1
2025	6	17	20	35	41	0	0	0	0	0	0	0	20.64	0	0	11.8	0.1	1.1
2025	6	17	20	45	41	0	0	0	0	0	0	0	20.6	0	0	11.8	0.1	1.1
2025	6	17	20	55	41	0	0	0	0	0	0	0	20.56	0	0	11.8	0.1	1.1
2025	6	17	21	5	41	0	0	0	0	0	0	0	20.53	0	0	11.8	0.1	1.1
2025	6	17	21	15	41	0	0	0	0	0	0	0	20.5	0	0	11.8	0.1	1.1
2025	6	17	21	25	41	0	0	0	0	0	0	0	20.48	0	0	11.8	0.1	1.1
2025	6	17	21	35	41	0	0	0	0	0	0	0	20.45	0	0	11.8	0.1	1.1
2025	6	17	21	45	41	0	0	0	0	0	0	0	20.42	0	0	11.8	0.1	1.1
2025	6	17	21	55	41	0	0	0	0	0	0	0	20.4	0	0	11.8	0.1	1.1
2025	6	17	22	5	41	0	0	0	0	0	0	0	20.38	0	0	11.8	0.1	1.1
2025	6	17	22	15	41	0	0	0	0	0	0	0	20.35	0	0	11.8	0.1	1.1
2025	6	17	22	25	41	0	0	0	0	0	0	0	20.34	0	0	11.8	0.1	1.1
2025	6	17	22	35	41	0	0	0	0	0	0	0	20.31	0	0	11.8	0.1	1.1
2025	6	17	22	45	41	0	0	0	0	0	0	0	20.3	0	0	11.8	0.1	1.1
2025	6	17	22	55	41	0	0	0	0	0	0	0	20.29	0	0	11.8	0.1	1.1
2025	6	17	23	5	41	0	0	0	0	0	0	0	20.27	0	0	11.8	0.1	1.1
2025	6	17	23	15	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1.1
2025	6	17	23	25	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1.1
2025	6	17	23	35	41	0	0	0	0	0	0	0	20.24	0	0	11.8	0.1	1.1
2025	6	17	23	45	41	0	0	0	0	0	0	0	20.23	0	0	11.8	0.1	1.1
2025	6	17	23	55	41	0	0	0	0	0	0	0	20.23	0	0	11.8	0.1	1.1
2025	6	18	0	5	41	0	0	0	0	0	0	0	20.22	0	0	11.8	0.1	1.1
2025	6	18	0	15	41	0	0	0	0	0	0	0	20.22	0	0	11.8	0.1	1.1
2025	6	18	0	25	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	18	0	35	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	18	0	45	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	18	0	55	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	18	1	5	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	18	1	15	41	0	0	0	0	0	0	0	20.22	0	0	11.8	0.1	1.1
2025	6	18	1	25	41	0	0	0	0	0	0	0	20.21	0	0	11.6	0.1	1.1
2025	6	18	1	35	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	18	1	45	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	18	1	55	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	18	2	5	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	18	2	15	41	0	0	0	0	0	0	0	20.24	0	0	11.6	0.1	1.1
2025	6	18	2	25	41	0	0	0	0	0	0	0	20.25	0	0	11.6	0.1	1.1
2025	6	18	2	35	41	0	0	0	0	0	0	0	20.26	0	0	11.6	0.1	1.1
2025	6	18	2	45	41	0	0	0	0	0	0	0	20.27	0	0	11.6	0.1	1.1
2025	6	18	2	55	41	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1.1
2025	6	18	3	5	41	0	0	0	0	0	0	0	20.29	0	0	11.6	0.1	1.1
2025	6	18	3	15	41	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1.1
2025	6	18	3	25	41	0	0	0	0	0	0	0	20.31	0	0	11.6	0.1	1.1
2025	6	18	3	35	41	0	0	0	0	0	0	0	20.32	0	0	11.6	0.1	1.1
2025	6	18	3	45	41	0	0	0	0	0	0	0	20.32	0	0	11.6	0.1	1.1
2025	6	18	3	55	41	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	18	4	5	41	0	0	0	0	0	0	0	20.34	0	0	11.6	0.1	1.1
2025	6	18	4	15	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1.1
2025	6	18	4	25	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1.1
2025	6	18	4	35	41	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	18	4	45	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1.1
2025	6	18	4	55	41	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	18	5	5	41	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	18	5	15	41	0	0	0	0	0	0	0	20.38	0	0	11.6	0.1	1.1
2025	6	18	5	25	41	0	0	0	0	0	0	0	20.38	0	0	11.6	0.1	1.1
2025	6	18	5	35	41	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	18	5	45	41	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	18	5	55	41	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	18	6	5	41	0	0	0	0	0	0	0	20.37	0	0	11.6	0.1	1.1
2025	6	18	6	15	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1.1
2025	6	18	6	25	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1.1
2025	6	18	6	35	41	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1.1
2025	6	18	6	45	41	0	0	0	0	0	0	0	20.35	0	0	11.6	0.1	1.1
2025	6	18	6	55	41	0	0	0	0	0	0	0	20.35	0	0	11.8	0.1	1.1
2025	6	18	7	5	41	0	0	0	0	0	0	0	20.36	0	0	11.8	0.1	1.1
2025	6	18	7	15	41	0	0	0	0	0	0	0	20.36	0	0	11.8	0.1	1.1
2025	6	18	7	25	41	0	0	0	0	0	0	0	20.37	0	0	12	0.1	1.1
2025	6	18	7	35	41	0	0	0	0	0	0	0	20.38	0	0	12.2	0.1	1.1
2025	6	18	7	45	41	0	0	0	0	0	0	0	20.39	0	0	12.2	0.1	1.1
2025	6	18	7	55	41	0	0	0	0	0	0	0	20.41	0	0	12.4	0.1	1.1
2025	6	18	8	5	41	0	0	0	0	0	0	0	20.42	0	0	12.6	0.1	1.1
2025	6	18	8	15	41	0	0	0	0	0	0	0	20.43	0	0	12.6	0.1	1.1
2025	6	18	8	25	41	0	0	0	0	0	0	0	20.45	0	0	12.6	0.1	1.1
2025	6	18	8	35	41	0	0	0	0	0	0	0	20.47	0	0	12.6	0.1	1.1
2025	6	18	8	45	41	0	0	0	0	0	0	0	20.49	0	0	12.6	0.1	1.1
2025	6	18	8	55	41	0	0	0	0	0	0	0	20.51	0	0	12.6	0.1	1.1
2025	6	18	9	5	41	0	0	0	0	0	0	0	20.53	0	0	12.6	0.1	1.1
2025	6	18	9	15	41	0	0	0	0	0	0	0	20.55	0	0	12.8	0.1	1.1
2025	6	18	9	25	41	0	0	0	0	0	0	0	20.58	0	0	12.8	0.1	1.1
2025	6	18	9	35	41	0	0	0	0	0	0	0	20.61	0	0	12.8	0.1	1.1
2025	6	18	9	45	41	0	0	0	0	0	0	0	20.64	0	0	12.8	0.1	1.1
2025	6	18	9	55	41	0	0	0	0	0	0	0	20.67	0	0	13	0.1	1.1
2025	6	18	10	5	41	0	0	0	0	0	0	0	20.7	0	0	13	0.1	1.1
2025	6	18	10	15	41	0	0	0	0	0	0	0	20.74	0	0	13.2	0.1	1.1
2025	6	18	10	25	41	0	0	0	0	0	0	0	20.77	0	0	13.2	0.1	1.1
2025	6	18	10	35	41	0	0	0	0	0	0	0	20.8	0	0	13.2	0.1	1.1
2025	6	18	10	45	41	0	0	0	0	0	0	0	20.84	0	0	13.2	0.1	1.1
2025	6	18	10	55	41	0	0	0	0	0	0	0	20.87	0	0	13.2	0.1	1.1
2025	6	18	11	5	41	0	0	0	0	0	0	0	20.91	0	0	13.4	0.1	1.1
2025	6	18	11	15	41	0	0	0	0	0	0	0	20.94	0	0	13.4	0.1	1.1
2025	6	18	11	25	41	0	0	0	0	0	0	0	20.98	0	0	13.4	0.1	1.1
2025	6	18	11	35	41	0	0	0	0	0	0	0	21.02	0	0	13.4	0.1	1.1
2025	6	18	11	45	41	0	0	0	0	0	0	0	21.05	0	0	13.2	0.1	1.1
2025	6	18	11	55	41	0	0	0	0	0	0	0	21.09	0	0	13.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	18	12	5	41	0	0	0	0	0	0	0	21.12	0	0	13.2	0.1	1.1
2025	6	18	12	15	41	0	0	0	0	0	0	0	21.15	0	0	13.2	0.1	1.1
2025	6	18	12	25	41	0	0	0	0	0	0	0	21.2	0	0	13.2	0.1	1.1
2025	6	18	12	35	41	0	0	0	0	0	0	0	21.23	0	0	13.2	0.1	1.1
2025	6	18	12	45	41	0	0	0	0	0	0	0	21.25	0	0	13.2	0.1	1.1
2025	6	18	12	55	41	0	0	0	0	0	0	0	21.28	0	0	13.2	0.1	1.1
2025	6	18	13	5	41	0	0	0	0	0	0	0	21.31	0	0	13.2	0.1	1.1
2025	6	18	13	15	41	0	0	0	0	0	0	0	21.34	0	0	13.2	0.1	1.1
2025	6	18	13	25	41	0	0	0	0	0	0	0	21.36	0	0	13.2	0.1	1.1
2025	6	18	13	35	41	0	0	0	0	0	0	0	21.38	0	0	13.2	0.1	1.1
2025	6	18	13	45	41	0	0	0	0	0	0	0	21.4	0	0	13.2	0.1	1.1
2025	6	18	13	55	41	0	0	0	0	0	0	0	21.42	0	0	13.2	0.1	1.1
2025	6	18	14	5	41	0	0	0	0	0	0	0	21.43	0	0	13.2	0.1	1.1
2025	6	18	14	15	41	0	0	0	0	0	0	0	21.45	0	0	13.2	0.1	1.1
2025	6	18	14	25	41	0	0	0	0	0	0	0	21.45	0	0	13.2	0.1	1.1
2025	6	18	14	35	41	0	0	0	0	0	0	0	21.46	0	0	13.2	0.1	1.1
2025	6	18	14	45	41	0	0	0	0	0	0	0	21.47	0	0	13.2	0.1	1.1
2025	6	18	14	55	41	0	0	0	0	0	0	0	21.47	0	0	13.2	0.1	1.1
2025	6	18	15	5	41	0	0	0	0	0	0	0	21.47	0	0	13.2	0.1	1.1
2025	6	18	15	15	41	0	0	0	0	0	0	0	21.48	0	0	13.2	0.1	1.1
2025	6	18	15	25	41	0	0	0	0	0	0	0	21.47	0	0	13	0.1	1.1
2025	6	18	15	35	41	0	0	0	0	0	0	0	21.48	0	0	13	0.1	1.1
2025	6	18	15	45	41	0	0	0	0	0	0	0	21.47	0	0	13	0.1	1.1
2025	6	18	15	55	41	0	0	0	0	0	0	0	21.46	0	0	13	0.1	1.1
2025	6	18	16	5	41	0	0	0	0	0	0	0	21.45	0	0	12.8	0.1	1.1
2025	6	18	16	15	41	0	0	0	0	0	0	0	21.44	0	0	12.8	0.1	1.1
2025	6	18	16	25	41	0	0	0	0	0	0	0	21.43	0	0	12.8	0.1	1.1
2025	6	18	16	35	41	0	0	0	0	0	0	0	21.41	0	0	12.8	0.1	1.1
2025	6	18	16	45	41	0	0	0	0	0	0	0	21.39	0	0	12.6	0.1	1.1
2025	6	18	16	55	41	0	0	0	0	0	0	0	21.37	0	0	12.6	0.1	1.1
2025	6	18	17	5	41	0	0	0	0	0	0	0	21.35	0	0	12.6	0.1	1.1
2025	6	18	17	15	41	0	0	0	0	0	0	0	21.32	0	0	12.4	0.1	1.1
2025	6	18	17	25	41	0	0	0	0	0	0	0	21.29	0	0	12.4	0.1	1.1
2025	6	18	17	35	41	0	0	0	0	0	0	0	21.26	0	0	12.2	0.1	1.1
2025	6	18	17	45	41	0	0	0	0	0	0	0	21.23	0	0	12.2	0.1	1.1
2025	6	18	17	55	41	0	0	0	0	0	0	0	21.2	0	0	12	0.1	1.1
2025	6	18	18	5	41	0	0	0	0	0	0	0	21.17	0	0	12	0.1	1.1
2025	6	18	18	15	41	0	0	0	0	0	0	0	21.13	0	0	12	0.1	1.1
2025	6	18	18	25	41	0	0	0	0	0	0	0	21.1	0	0	12	0.1	1.1
2025	6	18	18	35	41	0	0	0	0	0	0	0	21.07	0	0	12	0.1	1.1
2025	6	18	18	45	41	0	0	0	0	0	0	0	21.03	0	0	12	0.1	1.1
2025	6	18	18	55	41	0	0	0	0	0	0	0	21	0	0	12	0.1	1.1
2025	6	18	19	5	41	0	0	0	0	0	0	0	20.98	0	0	12	0.1	1.1
2025	6	18	19	15	41	0	0	0	0	0	0	0	20.94	0	0	12	0.1	1.1
2025	6	18	19	25	41	0	0	0	0	0	0	0	20.92	0	0	11.8	0.1	1.1
2025	6	18	19	35	41	0	0	0	0	0	0	0	20.9	0	0	11.8	0.1	1.1
2025	6	18	19	45	41	0	0	0	0	0	0	0	20.88	0	0	11.8	0.1	1.1
2025	6	18	19	55	41	0	0	0	0	0	0	0	20.87	0	0	11.8	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	18	20	5	41	0	0	0	0	0	0	0	20.85	0	0	11.8	0.1	1.1
2025	6	18	20	15	41	0	0	0	0	0	0	0	20.84	0	0	11.8	0.1	1.1
2025	6	18	20	25	41	0	0	0	0	0	0	0	20.82	0	0	11.8	0.1	1.1
2025	6	18	20	35	41	0	0	0	0	0	0	0	20.8	0	0	11.8	0.1	1.1
2025	6	18	20	45	41	0	0	0	0	0	0	0	20.79	0	0	11.8	0.1	1.1
2025	6	18	20	55	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.1
2025	6	18	21	5	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.1
2025	6	18	21	15	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.1
2025	6	18	21	25	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.1
2025	6	18	21	35	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1.1
2025	6	18	21	45	41	0	0	0	0	0	0	0	20.74	0	0	11.8	0.1	1.1
2025	6	18	21	55	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	18	22	5	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	18	22	15	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	18	22	25	41	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1.1
2025	6	18	22	35	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	22	45	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	22	55	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	23	5	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	23	15	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	23	25	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	23	35	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	23	45	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	1.1
2025	6	18	23	55	41	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1.1
2025	6	19	0	5	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	19	0	15	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	0	25	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	0	35	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	0	45	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	0	55	41	0	0	0	0	0	0	0	20.74	0	0	11.8	0.1	1.1
2025	6	19	1	5	41	0	0	0	0	0	0	0	20.74	0	0	11.8	0.1	1.1
2025	6	19	1	15	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	1	25	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	1	35	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	1	45	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	1.1
2025	6	19	1	55	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	19	2	5	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	19	2	15	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	19	2	25	41	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1.1
2025	6	19	2	35	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	19	2	45	41	0	0	0	0	0	0	0	20.72	0	0	11.8	0.1	1.1
2025	6	19	2	55	41	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1.1
2025	6	19	3	5	41	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1.1
2025	6	19	3	15	41	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1.1
2025	6	19	3	25	41	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1.1
2025	6	19	3	35	41	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1.1
2025	6	19	3	45	41	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1.1
2025	6	19	3	55	41	0	0	0	0	0	0	0	20.7	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	19	4	5	41	0	0	0	0	0	0	0	20.69	0	0	11.6	0.1	1.1
2025	6	19	4	15	41	0	0	0	0	0	0	0	20.69	0	0	11.6	0.1	1.1
2025	6	19	4	25	41	0	0	0	0	0	0	0	20.68	0	0	11.6	0.1	1.2
2025	6	19	4	35	41	0	0	0	0	0	0	0	20.67	0	0	11.6	0.1	1.2
2025	6	19	4	45	41	0	0	0	0	0	0	0	20.66	0	0	11.6	0.1	1.2
2025	6	19	4	55	41	0	0	0	0	0	0	0	20.65	0	0	11.6	0.1	1.2
2025	6	19	5	5	41	0	0	0	0	0	0	0	20.64	0	0	11.6	0.1	1.2
2025	6	19	5	15	41	0	0	0	0	0	0	0	20.62	0	0	11.6	0.1	1.2
2025	6	19	5	25	41	0	0	0	0	0	0	0	20.61	0	0	11.6	0.1	1.2
2025	6	19	5	35	41	0	0	0	0	0	0	0	20.6	0	0	11.6	0.1	1.2
2025	6	19	5	45	41	0	0	0	0	0	0	0	20.58	0	0	11.6	0.1	1.2
2025	6	19	5	55	41	0	0	0	0	0	0	0	20.56	0	0	11.6	0.1	1.2
2025	6	19	6	5	41	0	0	0	0	0	0	0	20.54	0	0	11.6	0.1	1.2
2025	6	19	6	15	41	0	0	0	0	0	0	0	20.53	0	0	11.6	0.1	1.2
2025	6	19	6	25	41	0	0	0	0	0	0	0	20.51	0	0	11.6	0.1	1.2
2025	6	19	6	35	41	0	0	0	0	0	0	0	20.49	0	0	11.6	0.1	1.2
2025	6	19	6	45	41	0	0	0	0	0	0	0	20.47	0	0	11.8	0.1	1.2
2025	6	19	6	55	41	0	0	0	0	0	0	0	20.46	0	0	11.8	0.1	1.2
2025	6	19	7	5	41	0	0	0	0	0	0	0	20.45	0	0	11.8	0.1	1.2
2025	6	19	7	15	41	0	0	0	0	0	0	0	20.44	0	0	11.8	0.1	1.2
2025	6	19	7	25	41	0	0	0	0	0	0	0	20.44	0	0	12	0.1	1.2
2025	6	19	7	35	41	0	0	0	0	0	0	0	20.44	0	0	12	0.1	1.2
2025	6	19	7	45	41	0	0	0	0	0	0	0	20.44	0	0	12.2	0.1	1.2
2025	6	19	7	55	41	0	0	0	0	0	0	0	20.44	0	0	12.4	0.1	1.2
2025	6	19	8	5	41	0	0	0	0	0	0	0	20.45	0	0	12.4	0.1	1.2
2025	6	19	8	15	41	0	0	0	0	0	0	0	20.45	0	0	12.6	0.1	1.2
2025	6	19	8	25	41	0	0	0	0	0	0	0	20.46	0	0	12.6	0.1	1.2
2025	6	19	8	35	41	0	0	0	0	0	0	0	20.47	0	0	12.6	0.1	1.2
2025	6	19	8	45	41	0	0	0	0	0	0	0	20.48	0	0	12.6	0.1	1.2
2025	6	19	8	55	41	0	0	0	0	0	0	0	20.49	0	0	12.6	0.1	1.2
2025	6	19	9	5	41	0	0	0	0	0	0	0	20.51	0	0	12.6	0.1	1.2
2025	6	19	9	15	41	0	0	0	0	0	0	0	20.53	0	0	12.8	0.1	1.2
2025	6	19	9	25	41	0	0	0	0	0	0	0	20.55	0	0	12.8	0.1	1.2
2025	6	19	9	35	41	0	0	0	0	0	0	0	20.56	0	0	12.8	0.1	1.2
2025	6	19	9	45	41	0	0	0	0	0	0	0	20.59	0	0	12.8	0.1	1.2
2025	6	19	9	55	41	0	0	0	0	0	0	0	20.61	0	0	13	0.1	1.2
2025	6	19	10	5	41	0	0	0	0	0	0	0	20.63	0	0	13	0.1	1.2
2025	6	19	10	15	41	0	0	0	0	0	0	0	20.65	0	0	13.2	0.1	1.2
2025	6	19	10	25	41	0	0	0	0	0	0	0	20.68	0	0	13	0.1	1.2
2025	6	19	10	35	41	0	0	0	0	0	0	0	20.7	0	0	13	0.1	1.2
2025	6	19	10	45	41	0	0	0	0	0	0	0	20.73	0	0	13.2	0.1	1.2
2025	6	19	10	55	41	0	0	0	0	0	0	0	20.76	0	0	13.4	0.1	1.2
2025	6	19	11	5	41	0	0	0	0	0	0	0	20.78	0	0	13.4	0.1	1.2
2025	6	19	11	15	41	0	0	0	0	0	0	0	20.81	0	0	13.2	0.1	1.2
2025	6	19	11	25	41	0	0	0	0	0	0	0	20.84	0	0	13.2	0.1	1.2
2025	6	19	11	35	41	0	0	0	0	0	0	0	20.86	0	0	13.2	0.1	1.2
2025	6	19	11	45	41	0	0	0	0	0	0	0	20.89	0	0	13.4	0.1	1.2
2025	6	19	11	55	41	0	0	0	0	0	0	0	20.9	0	0	13.4	0.1	1.2

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	19	12	5	41	0	0	0	0	0	0	0	20.94	0	0	13.4	0.1	1.2
2025	6	19	12	15	41	0	0	0	0	0	0	0	20.97	0	0	13.4	0.1	1.2
2025	6	19	12	25	41	0	0	0	0	0	0	0	20.99	0	0	13.4	0.1	1.2
2025	6	19	12	35	41	0	0	0	0	0	0	0	21.01	0	0	13.4	0.1	1.2
2025	6	19	12	45	41	0	0	0	0	0	0	0	21.03	0	0	13.4	0.1	1.2
2025	6	19	12	55	41	0	0	0	0	0	0	0	21.06	0	0	13.4	0.1	1.2
2025	6	19	13	5	41	0	0	0	0	0	0	0	21.08	0	0	13.4	0.1	1.2
2025	6	19	13	15	41	0	0	0	0	0	0	0	21.1	0	0	13.4	0.1	1.2
2025	6	19	13	25	41	0	0	0	0	0	0	0	21.13	0	0	13.4	0.1	1.2
2025	6	19	13	35	41	0	0	0	0	0	0	0	21.14	0	0	13.4	0.1	1.2
2025	6	19	13	45	41	0	0	0	0	0	0	0	21.16	0	0	13.4	0.1	1.2
2025	6	19	13	55	41	0	0	0	0	0	0	0	21.17	0	0	13.4	0.1	1.2
2025	6	19	14	5	41	0	0	0	0	0	0	0	21.18	0	0	13.4	0.1	1.2
2025	6	19	14	15	41	0	0	0	0	0	0	0	21.2	0	0	13.4	0.1	1.2
2025	6	19	14	25	41	0	0	0	0	0	0	0	21.21	0	0	13.4	0.1	1.2
2025	6	19	14	35	41	0	0	0	0	0	0	0	21.21	0	0	13.4	0.1	1.2
2025	6	19	14	45	41	0	0	0	0	0	0	0	21.23	0	0	13.4	0.1	1.2
2025	6	19	14	55	41	0	0	0	0	0	0	0	21.24	0	0	13.2	0.1	1.2
2025	6	19	15	5	41	0	0	0	0	0	0	0	21.24	0	0	13.2	0.1	1.2
2025	6	19	15	15	41	0	0	0	0	0	0	0	21.24	0	0	13	0.1	1.2
2025	6	19	15	25	41	0	0	0	0	0	0	0	21.25	0	0	13	0.1	1.2
2025	6	19	15	35	41	0	0	0	0	0	0	0	21.25	0	0	13	0.1	1.2
2025	6	19	15	45	41	0	0	0	0	0	0	0	21.24	0	0	13	0.1	1.2
2025	6	19	15	55	41	0	0	0	0	0	0	0	21.25	0	0	13	0.1	1.2
2025	6	19	16	5	41	0	0	0	0	0	0	0	21.25	0	0	12.8	0.1	1.2
2025	6	19	16	15	41	0	0	0	0	0	0	0	21.24	0	0	12.8	0.1	1.2
2025	6	19	16	25	41	0	0	0	0	0	0	0	21.24	0	0	12.8	0.1	1.2
2025	6	19	16	35	41	0	0	0	0	0	0	0	21.24	0	0	12.8	0.1	1.2
2025	6	19	16	45	41	0	0	0	0	0	0	0	21.24	0	0	12.6	0.1	1.2
2025	6	19	16	55	41	0	0	0	0	0	0	0	21.23	0	0	12.6	0.1	1.2
2025	6	19	17	5	41	0	0	0	0	0	0	0	21.23	0	0	12.6	0.1	1.2
2025	6	19	17	15	41	0	0	0	0	0	0	0	21.22	0	0	12.4	0.1	1.2
2025	6	19	17	25	41	0	0	0	0	0	0	0	21.21	0	0	12.4	0.1	1.2
2025	6	19	17	35	41	0	0	0	0	0	0	0	21.2	0	0	12.2	0.1	1.2
2025	6	19	17	45	41	0	0	0	0	0	0	0	21.18	0	0	12.2	0.1	1.2
2025	6	19	17	55	41	0	0	0	0	0	0	0	21.16	0	0	12	0.1	1.2
2025	6	19	18	5	41	0	0	0	0	0	0	0	21.14	0	0	12	0.1	1.2
2025	6	19	18	15	41	0	0	0	0	0	0	0	21.12	0	0	12	0.1	1.2
2025	6	19	18	25	41	0	0	0	0	0	0	0	21.1	0	0	12	0.1	1.2
2025	6	19	18	35	41	0	0	0	0	0	0	0	21.08	0	0	12	0.1	1.2
2025	6	19	18	45	41	0	0	0	0	0	0	0	21.05	0	0	12	0.1	1.2
2025	6	19	18	55	41	0	0	0	0	0	0	0	21.03	0	0	12	0.1	1.2
2025	6	19	19	5	41	0	0	0	0	0	0	0	21.01	0	0	11.8	0.1	1.2
2025	6	19	19	15	41	0	0	0	0	0	0	0	20.99	0	0	11.8	0.1	1.2
2025	6	19	19	25	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1.2
2025	6	19	19	35	41	0	0	0	0	0	0	0	20.95	0	0	11.8	0.1	1.2
2025	6	19	19	45	41	0	0	0	0	0	0	0	20.94	0	0	11.8	0.1	1.2
2025	6	19	19	55	41	0	0	0	0	0	0	0	20.92	0	0	11.8	0.1	1.2

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	19	20	5	41	0	0	0	0	0	0	0	20.91	0	0	11.8	0.1	1.2
2025	6	19	20	15	41	0	0	0	0	0	0	0	20.9	0	0	11.8	0.1	1.2
2025	6	19	20	25	41	0	0	0	0	0	0	0	20.89	0	0	11.8	0.1	1.2
2025	6	19	20	35	41	0	0	0	0	0	0	0	20.88	0	0	11.8	0.1	1.2
2025	6	19	20	45	41	0	0	0	0	0	0	0	20.87	0	0	11.8	0.1	1.2
2025	6	19	20	55	41	0	0	0	0	0	0	0	20.87	0	0	11.8	0.1	1.2
2025	6	19	21	5	41	0	0	0	0	0	0	0	20.86	0	0	11.8	0.1	1.2
2025	6	19	21	15	41	0	0	0	0	0	0	0	20.85	0	0	11.8	0.1	1.2
2025	6	19	21	25	41	0	0	0	0	0	0	0	20.84	0	0	11.8	0.1	1.2
2025	6	19	21	35	41	0	0	0	0	0	0	0	20.84	0	0	11.8	0.1	1.2
2025	6	19	21	45	41	0	0	0	0	0	0	0	20.83	0	0	11.8	0.1	1.2
2025	6	19	21	55	41	0	0	0	0	0	0	0	20.82	0	0	11.8	0.1	1.2
2025	6	19	22	5	41	0	0	0	0	0	0	0	20.81	0	0	11.8	0.1	1.2
2025	6	19	22	15	41	0	0	0	0	0	0	0	20.8	0	0	11.8	0.1	1.2
2025	6	19	22	25	41	0	0	0	0	0	0	0	20.8	0	0	11.8	0.1	1.2
2025	6	19	22	35	41	0	0	0	0	0	0	0	20.79	0	0	11.8	0.1	1.2
2025	6	19	22	45	41	0	0	0	0	0	0	0	20.79	0	0	11.8	0.1	1.2
2025	6	19	22	55	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	19	23	5	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	19	23	15	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	19	23	25	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	19	23	35	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1.2
2025	6	19	23	45	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1.2
2025	6	19	23	55	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1.2
2025	6	20	0	5	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1.2
2025	6	20	0	15	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1.2
2025	6	20	0	25	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	1.2
2025	6	20	0	35	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	20	0	45	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	20	0	55	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	20	1	5	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	20	1	15	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	20	1	25	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.2
2025	6	20	1	35	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	1	45	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	1	55	41	0	0	0	0	0	0	0	20.78	0	0	11.8	0.1	1.2
2025	6	20	2	5	41	0	0	0	0	0	0	0	20.79	0	0	11.8	0.1	1.2
2025	6	20	2	15	41	0	0	0	0	0	0	0	20.78	0	0	11.8	0.1	1.2
2025	6	20	2	25	41	0	0	0	0	0	0	0	20.78	0	0	11.8	0.1	1.2
2025	6	20	2	35	41	0	0	0	0	0	0	0	20.78	0	0	11.8	0.1	1.2
2025	6	20	2	45	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	2	55	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	3	5	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	3	15	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	3	25	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	3	35	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	3	45	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2
2025	6	20	3	55	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1.2

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	20	4	5	41	0	0	0	0	0	0	0	20.77	0	0	11.6	0.1	1.2
2025	6	20	4	15	41	0	0	0	0	0	0	0	20.76	0	0	11.6	0.1	1.2
2025	6	20	4	25	41	0	0	0	0	0	0	0	20.75	0	0	11.6	0.1	1.2
2025	6	20	4	35	41	0	0	0	0	0	0	0	20.74	0	0	11.6	0.1	1.2
2025	6	20	4	45	41	0	0	0	0	0	0	0	20.73	0	0	11.6	0.1	1.2
2025	6	20	4	55	41	0	0	0	0	0	0	0	20.72	0	0	11.6	0.1	1.2
2025	6	20	5	5	41	0	0	0	0	0	0	0	20.7	0	0	11.6	0.1	1.2
2025	6	20	5	15	41	0	0	0	0	0	0	0	20.69	0	0	11.6	0.1	1.2
2025	6	20	5	25	41	0	0	0	0	0	0	0	20.67	0	0	11.6	0.1	1.2
2025	6	20	5	35	41	0	0	0	0	0	0	0	20.66	0	0	11.6	0.1	1.2
2025	6	20	5	45	41	0	0	0	0	0	0	0	20.64	0	0	11.6	0.1	1.2
2025	6	20	5	55	41	0	0	0	0	0	0	0	20.63	0	0	11.6	0.1	1.2
2025	6	20	6	5	41	0	0	0	0	0	0	0	20.61	0	0	11.6	0.1	1.2
2025	6	20	6	15	41	0	0	0	0	0	0	0	20.6	0	0	11.6	0.1	1.2
2025	6	20	6	25	41	0	0	0	0	0	0	0	20.58	0	0	11.6	0.1	1.2
2025	6	20	6	35	41	0	0	0	0	0	0	0	20.57	0	0	11.6	0.1	1.2
2025	6	20	6	45	41	0	0	0	0	0	0	0	20.55	0	0	11.8	0.1	1.2
2025	6	20	6	55	41	0	0	0	0	0	0	0	20.54	0	0	11.8	0.1	1.2
2025	6	20	7	5	41	0	0	0	0	0	0	0	20.53	0	0	11.8	0.1	1.2
2025	6	20	7	15	41	0	0	0	0	0	0	0	20.52	0	0	11.8	0.1	1.2
2025	6	20	7	25	41	0	0	0	0	0	0	0	20.51	0	0	12	0.1	1.2
2025	6	20	7	35	41	0	0	0	0	0	0	0	20.5	0	0	12	0.1	1.2
2025	6	20	7	45	41	0	0	0	0	0	0	0	20.5	0	0	12.2	0.1	1.2
2025	6	20	7	55	41	0	0	0	0	0	0	0	20.49	0	0	12.4	0.1	1.2
2025	6	20	8	5	41	0	0	0	0	0	0	0	20.49	0	0	12.4	0.1	1.2
2025	6	20	8	15	41	0	0	0	0	0	0	0	20.49	0	0	12.4	0.1	1.2
2025	6	20	8	25	41	0	0	0	0	0	0	0	20.49	0	0	12.4	0.1	1.2
2025	6	20	8	35	41	0	0	0	0	0	0	0	20.49	0	0	12.6	0.1	1.2
2025	6	20	8	45	41	0	0	0	0	0	0	0	20.5	0	0	12.6	0.1	1.2
2025	6	20	8	55	41	0	0	0	0	0	0	0	20.5	0	0	12.6	0.1	1.2
2025	6	20	9	5	41	0	0	0	0	0	0	0	20.51	0	0	12.6	0.1	1.2
2025	6	20	9	15	41	0	0	0	0	0	0	0	20.52	0	0	12.6	0.1	1.2
2025	6	20	9	25	41	0	0	0	0	0	0	0	20.52	0	0	12.6	0.1	1.2
2025	6	20	9	35	41	0	0	0	0	0	0	0	20.54	0	0	12.8	0.1	1.2
2025	6	20	9	45	41	0	0	0	0	0	0	0	20.55	0	0	12.8	0.1	1.2
2025	6	20	9	55	41	0	0	0	0	0	0	0	20.55	0	0	12.8	0.1	1.2
2025	6	20	10	5	41	0	0	0	0	0	0	0	20.57	0	0	13	0.1	1.2
2025	6	20	10	15	41	0	0	0	0	0	0	0	20.58	0	0	13	0.1	1.2
2025	6	20	10	25	41	0	0	0	0	0	0	0	20.59	0	0	13.2	0.1	1.2
2025	6	20	10	35	41	0	0	0	0	0	0	0	20.61	0	0	13.2	0.1	1.2
2025	6	20	10	45	41	0	0	0	0	0	0	0	20.63	0	0	13.2	0.1	1.2
2025	6	20	10	55	41	0	0	0	0	0	0	0	20.65	0	0	13.2	0.1	1.2
2025	6	20	11	5	41	0	0	0	0	0	0	0	20.66	0	0	13.2	0.1	1.3
2025	6	20	11	15	41	0	0	0	0	0	0	0	20.68	0	0	13.2	0.1	1.3
2025	6	20	11	25	41	0	0	0	0	0	0	0	20.71	0	0	13	0.1	1.3
2025	6	20	11	35	41	0	0	0	0	0	0	0	20.73	0	0	13.4	0.1	1.3
2025	6	20	11	45	41	0	0	0	0	0	0	0	20.75	0	0	13.2	0.1	1.3
2025	6	20	11	55	41	0	0	0	0	0	0	0	20.78	0	0	13.2	0.1	1.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	20	12	5	41	0	0	0	0	0	0	0	20.8	0	0	13.2	0.1	1.3
2025	6	20	12	15	41	0	0	0	0	0	0	0	20.82	0	0	13.2	0.1	1.3
2025	6	20	12	25	41	0	0	0	0	0	0	0	20.85	0	0	13.2	0.1	1.3
2025	6	20	12	35	41	0	0	0	0	0	0	0	20.88	0	0	13.2	0.1	1.3
2025	6	20	12	45	41	0	0	0	0	0	0	0	20.91	0	0	13.2	0.1	1.3
2025	6	20	12	55	41	0	0	0	0	0	0	0	20.93	0	0	13.2	0.1	1.3
2025	6	20	13	5	41	0	0	0	0	0	0	0	20.96	0	0	13.2	0.1	1.3
2025	6	20	13	15	41	0	0	0	0	0	0	0	20.99	0	0	13.2	0.1	1.3
2025	6	20	13	25	41	0	0	0	0	0	0	0	21.01	0	0	13.2	0.1	1.3
2025	6	20	13	35	41	0	0	0	0	0	0	0	21.04	0	0	13.2	0.1	1.3
2025	6	20	13	45	41	0	0	0	0	0	0	0	21.07	0	0	13.4	0.1	1.3
2025	6	20	13	55	41	0	0	0	0	0	0	0	21.1	0	0	13.4	0.1	1.3
2025	6	20	14	5	41	0	0	0	0	0	0	0	21.13	0	0	13.2	0.1	1.3
2025	6	20	14	15	41	0	0	0	0	0	0	0	21.15	0	0	13.2	0.1	1.3
2025	6	20	14	25	41	0	0	0	0	0	0	0	21.18	0	0	13.2	0.1	1.3
2025	6	20	14	35	41	0	0	0	0	0	0	0	21.21	0	0	13.2	0.1	1.3
2025	6	20	14	45	41	0	0	0	0	0	0	0	21.24	0	0	13.2	0.1	1.3
2025	6	20	14	55	41	0	0	0	0	0	0	0	21.26	0	0	13	0.1	1.3
2025	6	20	15	5	41	0	0	0	0	0	0	0	21.28	0	0	13	0.1	1.3
2025	6	20	15	15	41	0	0	0	0	0	0	0	21.3	0	0	13	0.1	1.3
2025	6	20	15	25	41	0	0	0	0	0	0	0	21.32	0	0	13	0.1	1.3
2025	6	20	15	35	41	0	0	0	0	0	0	0	21.33	0	0	13	0.1	1.3
2025	6	20	15	45	41	0	0	0	0	0	0	0	21.35	0	0	13	0.1	1.3
2025	6	20	15	55	41	0	0	0	0	0	0	0	21.36	0	0	13	0.1	1.3
2025	6	20	16	5	41	0	0	0	0	0	0	0	21.37	0	0	12.8	0.1	1.3
2025	6	20	16	15	41	0	0	0	0	0	0	0	21.38	0	0	12.8	0.1	1.3
2025	6	20	16	25	41	0	0	0	0	0	0	0	21.38	0	0	12.8	0.1	1.3
2025	6	20	16	35	41	0	0	0	0	0	0	0	21.39	0	0	12.8	0.1	1.3
2025	6	20	16	45	41	0	0	0	0	0	0	0	21.38	0	0	12.6	0.1	1.3
2025	6	20	16	55	41	0	0	0	0	0	0	0	21.38	0	0	12.6	0.1	1.3
2025	6	20	17	5	41	0	0	0	0	0	0	0	21.38	0	0	12.6	0.1	1.3
2025	6	20	17	15	41	0	0	0	0	0	0	0	21.37	0	0	12.4	0.1	1.3
2025	6	20	17	25	41	0	0	0	0	0	0	0	21.37	0	0	12.4	0.1	1.3
2025	6	20	17	35	41	0	0	0	0	0	0	0	21.36	0	0	12.2	0.1	1.3
2025	6	20	17	45	41	0	0	0	0	0	0	0	21.35	0	0	12	0.1	1.3
2025	6	20	17	55	41	0	0	0	0	0	0	0	21.33	0	0	12	0.1	1.3
2025	6	20	18	5	41	0	0	0	0	0	0	0	21.33	0	0	12	0.1	1.3
2025	6	20	18	15	41	0	0	0	0	0	0	0	21.32	0	0	12	0.1	1.3
2025	6	20	18	25	41	0	0	0	0	0	0	0	21.31	0	0	12	0.1	1.3
2025	6	20	18	35	41	0	0	0	0	0	0	0	21.29	0	0	12	0.1	1.3
2025	6	20	18	45	41	0	0	0	0	0	0	0	21.28	0	0	11.8	0.1	1.3
2025	6	20	18	55	41	0	0	0	0	0	0	0	21.26	0	0	11.8	0.1	1.3
2025	6	20	19	5	41	0	0	0	0	0	0	0	21.24	0	0	11.8	0.1	1.3
2025	6	20	19	15	41	0	0	0	0	0	0	0	21.22	0	0	11.8	0.1	1.3
2025	6	20	19	25	41	0	0	0	0	0	0	0	21.2	0	0	11.8	0.1	1.3
2025	6	20	19	35	41	0	0	0	0	0	0	0	21.18	0	0	11.8	0.1	1.3
2025	6	20	19	45	41	0	0	0	0	0	0	0	21.16	0	0	11.8	0.1	1.3
2025	6	20	19	55	41	0	0	0	0	0	0	0	21.15	0	0	11.8	0.1	1.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	20	20	5	41	0	0	0	0	0	0	0	21.13	0	0	11.8	0.1	1.3
2025	6	20	20	15	41	0	0	0	0	0	0	0	21.12	0	0	11.8	0.1	1.3
2025	6	20	20	25	41	0	0	0	0	0	0	0	21.1	0	0	11.8	0.1	1.3
2025	6	20	20	35	41	0	0	0	0	0	0	0	21.09	0	0	11.8	0.1	1.3
2025	6	20	20	45	41	0	0	0	0	0	0	0	21.08	0	0	11.8	0.1	1.3
2025	6	20	20	55	41	0	0	0	0	0	0	0	21.07	0	0	11.8	0.1	1.3
2025	6	20	21	5	41	0	0	0	0	0	0	0	21.05	0	0	11.8	0.1	1.3
2025	6	20	21	15	41	0	0	0	0	0	0	0	21.03	0	0	11.8	0.1	1.3
2025	6	20	21	25	41	0	0	0	0	0	0	0	21.02	0	0	11.8	0.1	1.3
2025	6	20	21	35	41	0	0	0	0	0	0	0	21.01	0	0	11.8	0.1	1.3
2025	6	20	21	45	41	0	0	0	0	0	0	0	21.01	0	0	11.8	0.1	1.3
2025	6	20	21	55	41	0	0	0	0	0	0	0	21.01	0	0	11.8	0.1	1.3
2025	6	20	22	5	41	0	0	0	0	0	0	0	21	0	0	11.8	0.1	1.3
2025	6	20	22	15	41	0	0	0	0	0	0	0	20.99	0	0	11.8	0.1	1.3
2025	6	20	22	25	41	0	0	0	0	0	0	0	20.99	0	0	11.8	0.1	1.3
2025	6	20	22	35	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	20	22	45	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1.3
2025	6	20	22	55	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1.3
2025	6	20	23	5	41	0	0	0	0	0	0	0	20.96	0	0	11.8	0.1	1.3
2025	6	20	23	15	41	0	0	0	0	0	0	0	20.96	0	0	11.8	0.1	1.3
2025	6	20	23	25	41	0	0	0	0	0	0	0	20.96	0	0	11.8	0.1	1.3
2025	6	20	23	35	41	0	0	0	0	0	0	0	20.96	0	0	11.8	0.1	1.3
2025	6	20	23	45	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1.3
2025	6	20	23	55	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	0	5	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	0	15	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	0	25	41	0	0	0	0	0	0	0	20.99	0	0	11.8	0.1	1.3
2025	6	21	0	35	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	0	45	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	0	55	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	1	5	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	1	15	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	1	25	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	1	35	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1.3
2025	6	21	1	45	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1.3
2025	6	21	1	55	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1.3
2025	6	21	2	5	41	0	0	0	0	0	0	0	20.96	0	0	11.8	0.1	1.3
2025	6	21	2	15	41	0	0	0	0	0	0	0	20.95	0	0	11.8	0.1	1.3
2025	6	21	2	25	41	0	0	0	0	0	0	0	20.94	0	0	11.8	0.1	1.3
2025	6	21	2	35	41	0	0	0	0	0	0	0	20.94	0	0	11.8	0.1	1.3
2025	6	21	2	45	41	0	0	0	0	0	0	0	20.93	0	0	11.8	0.1	1.3
2025	6	21	2	55	41	0	0	0	0	0	0	0	20.92	0	0	11.8	0.1	1.3
2025	6	21	3	5	41	0	0	0	0	0	0	0	20.9	0	0	11.8	0.1	1.3
2025	6	21	3	15	41	0	0	0	0	0	0	0	20.89	0	0	11.6	0.1	1.3
2025	6	21	3	25	41	0	0	0	0	0	0	0	20.88	0	0	11.6	0.1	1.3
2025	6	21	3	35	41	0	0	0	0	0	0	0	20.86	0	0	11.6	0.1	1.3
2025	6	21	3	45	41	0	0	0	0	0	0	0	20.85	0	0	11.6	0.1	1.3
2025	6	21	3	55	41	0	0	0	0	0	0	0	20.83	0	0	11.6	0.1	1.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	21	4	5	41	0	0	0	0	0	0	0	20.81	0	0	11.6	0.1	1.3
2025	6	21	4	15	41	0	0	0	0	0	0	0	20.79	0	0	11.6	0.1	1.3
2025	6	21	4	25	41	0	0	0	0	0	0	0	20.77	0	0	11.6	0.1	1.3
2025	6	21	4	35	41	0	0	0	0	0	0	0	20.75	0	0	11.6	0.1	1.3
2025	6	21	4	45	41	0	0	0	0	0	0	0	20.73	0	0	11.6	0.1	1.3
2025	6	21	4	55	41	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1.3
2025	6	21	5	5	41	0	0	0	0	0	0	0	20.68	0	0	11.6	0.1	1.3
2025	6	21	5	15	41	0	0	0	0	0	0	0	20.65	0	0	11.6	0.1	1.3
2025	6	21	5	25	41	0	0	0	0	0	0	0	20.63	0	0	11.6	0.1	1.3
2025	6	21	5	35	41	0	0	0	0	0	0	0	20.6	0	0	11.6	0.1	1.3
2025	6	21	5	45	41	0	0	0	0	0	0	0	20.58	0	0	11.6	0.1	1.3
2025	6	21	5	55	41	0	0	0	0	0	0	0	20.55	0	0	11.6	0.1	1.3
2025	6	21	6	5	41	0	0	0	0	0	0	0	20.53	0	0	11.6	0.1	1.3
2025	6	21	6	15	41	0	0	0	0	0	0	0	20.5	0	0	11.6	0.1	1.3
2025	6	21	6	25	41	0	0	0	0	0	0	0	20.48	0	0	11.6	0.1	1.3
2025	6	21	6	35	41	0	0	0	0	0	0	0	20.45	0	0	11.6	0.1	1.3
2025	6	21	6	45	41	0	0	0	0	0	0	0	20.42	0	0	11.8	0.1	1.3
2025	6	21	6	55	41	0	0	0	0	0	0	0	20.4	0	0	11.8	0.1	1.3
2025	6	21	7	5	41	0	0	0	0	0	0	0	20.38	0	0	11.8	0.1	1.3
2025	6	21	7	15	41	0	0	0	0	0	0	0	20.36	0	0	11.8	0.1	1.3
2025	6	21	7	25	41	0	0	0	0	0	0	0	20.34	0	0	12	0.1	1.3
2025	6	21	7	35	41	0	0	0	0	0	0	0	20.33	0	0	12	0.1	1.3
2025	6	21	7	45	41	0	0	0	0	0	0	0	20.31	0	0	12.2	0.1	1.3
2025	6	21	7	55	41	0	0	0	0	0	0	0	20.3	0	0	12.4	0.1	1.3
2025	6	21	8	5	41	0	0	0	0	0	0	0	20.29	0	0	12.4	0.1	1.3
2025	6	21	8	15	41	0	0	0	0	0	0	0	20.28	0	0	12.6	0.1	1.3
2025	6	21	8	25	41	0	0	0	0	0	0	0	20.27	0	0	12.6	0.1	1.3
2025	6	21	8	35	41	0	0	0	0	0	0	0	20.27	0	0	12.6	0.1	1.3
2025	6	21	8	45	41	0	0	0	0	0	0	0	20.26	0	0	12.6	0.1	1.3
2025	6	21	8	55	41	0	0	0	0	0	0	0	20.27	0	0	12.6	0.1	1.3
2025	6	21	9	5	41	0	0	0	0	0	0	0	20.27	0	0	12.6	0.1	1.3
2025	6	21	9	15	41	0	0	0	0	0	0	0	20.27	0	0	12.8	0.1	1.3
2025	6	21	9	25	41	0	0	0	0	0	0	0	20.28	0	0	12.8	0.1	1.3
2025	6	21	9	35	41	0	0	0	0	0	0	0	20.29	0	0	12.8	0.1	1.3
2025	6	21	9	45	41	0	0	0	0	0	0	0	20.29	0	0	13	0.1	1.3
2025	6	21	9	55	41	0	0	0	0	0	0	0	20.3	0	0	13	0.1	1.3
2025	6	21	10	5	41	0	0	0	0	0	0	0	20.32	0	0	13.2	0.1	1.4
2025	6	21	10	15	41	0	0	0	0	0	0	0	20.34	0	0	13.2	0.1	1.4
2025	6	21	10	25	41	0	0	0	0	0	0	0	20.36	0	0	13.4	0.1	1.4
2025	6	21	10	35	41	0	0	0	0	0	0	0	20.37	0	0	13.6	0.1	1.4
2025	6	21	10	45	41	0	0	0	0	0	0	0	20.39	0	0	13.6	0.1	1.4
2025	6	21	10	55	41	0	0	0	0	0	0	0	20.42	0	0	13.4	0.1	1.4
2025	6	21	11	5	41	0	0	0	0	0	0	0	20.45	0	0	13.4	0.1	1.4
2025	6	21	11	15	41	0	0	0	0	0	0	0	20.47	0	0	13.2	0.1	1.4
2025	6	21	11	25	41	0	0	0	0	0	0	0	20.5	0	0	13.2	0.1	1.4
2025	6	21	11	35	41	0	0	0	0	0	0	0	20.53	0	0	13.2	0.1	1.4
2025	6	21	11	45	41	0	0	0	0	0	0	0	20.56	0	0	13.2	0.1	1.4
2025	6	21	11	55	41	0	0	0	0	0	0	0	20.6	0	0	13.2	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	21	12	5	41	0	0	0	0	0	0	0	20.63	0	0	13.2	0.1	1.4
2025	6	21	12	15	41	0	0	0	0	0	0	0	20.66	0	0	13.2	0.1	1.4
2025	6	21	12	25	41	0	0	0	0	0	0	0	20.69	0	0	13.2	0.1	1.4
2025	6	21	12	35	41	0	0	0	0	0	0	0	20.73	0	0	13.2	0.1	1.4
2025	6	21	12	45	41	0	0	0	0	0	0	0	20.76	0	0	13.2	0.1	1.4
2025	6	21	12	55	41	0	0	0	0	0	0	0	20.8	0	0	13.2	0.1	1.4
2025	6	21	13	5	41	0	0	0	0	0	0	0	20.83	0	0	13.2	0.1	1.4
2025	6	21	13	15	41	0	0	0	0	0	0	0	20.87	0	0	13.2	0.1	1.4
2025	6	21	13	25	41	0	0	0	0	0	0	0	20.91	0	0	13.2	0.1	1.4
2025	6	21	13	35	41	0	0	0	0	0	0	0	20.94	0	0	13.2	0.1	1.4
2025	6	21	13	45	41	0	0	0	0	0	0	0	20.97	0	0	13.2	0.1	1.4
2025	6	21	13	55	41	0	0	0	0	0	0	0	21.01	0	0	13.2	0.1	1.4
2025	6	21	14	5	41	0	0	0	0	0	0	0	21.04	0	0	13	0.1	1.4
2025	6	21	14	15	41	0	0	0	0	0	0	0	21.07	0	0	13.2	0.1	1.4
2025	6	21	14	25	41	0	0	0	0	0	0	0	21.1	0	0	13.2	0.1	1.4
2025	6	21	14	35	41	0	0	0	0	0	0	0	21.12	0	0	13.2	0.1	1.4
2025	6	21	14	45	41	0	0	0	0	0	0	0	21.15	0	0	13.4	0.1	1.4
2025	6	21	14	55	41	0	0	0	0	0	0	0	21.19	0	0	13.4	0.1	1.4
2025	6	21	15	5	41	0	0	0	0	0	0	0	21.21	0	0	13.4	0.1	1.4
2025	6	21	15	15	41	0	0	0	0	0	0	0	21.24	0	0	13.4	0.1	1.4
2025	6	21	15	25	41	0	0	0	0	0	0	0	21.25	0	0	13.4	0.1	1.4
2025	6	21	15	35	41	0	0	0	0	0	0	0	21.25	0	0	13.2	0.1	1.4
2025	6	21	15	45	41	0	0	0	0	0	0	0	21.24	0	0	13	0.1	1.4
2025	6	21	15	55	41	0	0	0	0	0	0	0	21.25	0	0	13	0.1	1.4
2025	6	21	16	5	41	0	0	0	0	0	0	0	21.25	0	0	13	0.1	1.4
2025	6	21	16	15	41	0	0	0	0	0	0	0	21.24	0	0	13	0.1	1.4
2025	6	21	16	25	41	0	0	0	0	0	0	0	21.23	0	0	12.8	0.1	1.4
2025	6	21	16	35	41	0	0	0	0	0	0	0	21.22	0	0	12.8	0.1	1.4
2025	6	21	16	45	41	0	0	0	0	0	0	0	21.21	0	0	12.8	0.1	1.4
2025	6	21	16	55	41	0	0	0	0	0	0	0	21.18	0	0	12.8	0.1	1.4
2025	6	21	17	5	41	0	0	0	0	0	0	0	21.16	0	0	12.6	0.1	1.4
2025	6	21	17	15	41	0	0	0	0	0	0	0	21.13	0	0	12.6	0.1	1.4
2025	6	21	17	25	41	0	0	0	0	0	0	0	21.1	0	0	12.4	0.1	1.4
2025	6	21	17	35	41	0	0	0	0	0	0	0	21.06	0	0	12.2	0.1	1.4
2025	6	21	17	45	41	0	0	0	0	0	0	0	21.03	0	0	12.2	0.1	1.4
2025	6	21	17	55	41	0	0	0	0	0	0	0	21	0	0	12	0.1	1.4
2025	6	21	18	5	41	0	0	0	0	0	0	0	20.98	0	0	12	0.1	1.4
2025	6	21	18	15	41	0	0	0	0	0	0	0	20.95	0	0	12	0.1	1.4
2025	6	21	18	25	41	0	0	0	0	0	0	0	20.91	0	0	12	0.1	1.4
2025	6	21	18	35	41	0	0	0	0	0	0	0	20.87	0	0	11.8	0.1	1.4
2025	6	21	18	45	41	0	0	0	0	0	0	0	20.84	0	0	11.8	0.1	1.4
2025	6	21	18	55	41	0	0	0	0	0	0	0	20.8	0	0	11.8	0.1	1.4
2025	6	21	19	5	41	0	0	0	0	0	0	0	20.76	0	0	11.8	0.1	1.4
2025	6	21	19	15	41	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1.4
2025	6	21	19	25	41	0	0	0	0	0	0	0	20.66	0	0	11.8	0.1	1.4
2025	6	21	19	35	41	0	0	0	0	0	0	0	20.6	0	0	11.8	0.1	1.4
2025	6	21	19	45	41	0	0	0	0	0	0	0	20.55	0	0	11.8	0.1	1.4
2025	6	21	19	55	41	0	0	0	0	0	0	0	20.5	0	0	11.8	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	21	20	5	41	0	0	0	0	0	0	0	20.45	0	0	11.8	0.1	1.4
2025	6	21	20	15	41	0	0	0	0	0	0	0	20.41	0	0	11.8	0.1	1.4
2025	6	21	20	25	41	0	0	0	0	0	0	0	20.36	0	0	11.8	0.1	1.4
2025	6	21	20	35	41	0	0	0	0	0	0	0	20.32	0	0	11.8	0.1	1.4
2025	6	21	20	45	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1.4
2025	6	21	20	55	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.4
2025	6	21	21	5	41	0	0	0	0	0	0	0	20.17	0	0	11.8	0.1	1.4
2025	6	21	21	15	41	0	0	0	0	0	0	0	20.12	0	0	11.8	0.1	1.4
2025	6	21	21	25	41	0	0	0	0	0	0	0	20.07	0	0	11.8	0.1	1.4
2025	6	21	21	35	41	0	0	0	0	0	0	0	20.03	0	0	11.8	0.1	1.4
2025	6	21	21	45	41	0	0	0	0	0	0	0	19.98	0	0	11.8	0.1	1.4
2025	6	21	21	55	41	0	0	0	0	0	0	0	19.94	0	0	11.8	0.1	1.4
2025	6	21	22	5	41	0	0	0	0	0	0	0	19.89	0	0	11.8	0.1	1.4
2025	6	21	22	15	41	0	0	0	0	0	0	0	19.85	0	0	11.8	0.1	1.4
2025	6	21	22	25	41	0	0	0	0	0	0	0	19.81	0	0	11.8	0.1	1.4
2025	6	21	22	35	41	0	0	0	0	0	0	0	19.77	0	0	11.8	0.1	1.4
2025	6	21	22	45	41	0	0	0	0	0	0	0	19.73	0	0	11.8	0.1	1.4
2025	6	21	22	55	41	0	0	0	0	0	0	0	19.69	0	0	11.8	0.1	1.4
2025	6	21	23	5	41	0	0	0	0	0	0	0	19.66	0	0	11.8	0.1	1.4
2025	6	21	23	15	41	0	0	0	0	0	0	0	19.62	0	0	11.8	0.1	1.4
2025	6	21	23	25	41	0	0	0	0	0	0	0	19.59	0	0	11.8	0.1	1.4
2025	6	21	23	35	41	0	0	0	0	0	0	0	19.55	0	0	11.8	0.1	1.4
2025	6	21	23	45	41	0	0	0	0	0	0	0	19.53	0	0	11.8	0.1	1.4
2025	6	21	23	55	41	0	0	0	0	0	0	0	19.49	0	0	11.8	0.1	1.4
2025	6	22	0	5	41	0	0	0	0	0	0	0	19.47	0	0	11.8	0.1	1.4
2025	6	22	0	15	41	0	0	0	0	0	0	0	19.44	0	0	11.6	0.1	1.4
2025	6	22	0	25	41	0	0	0	0	0	0	0	19.42	0	0	11.6	0.1	1.4
2025	6	22	0	35	41	0	0	0	0	0	0	0	19.4	0	0	11.6	0.1	1.4
2025	6	22	0	45	41	0	0	0	0	0	0	0	19.37	0	0	11.6	0.1	1.4
2025	6	22	0	55	41	0	0	0	0	0	0	0	19.35	0	0	11.6	0.1	1.4
2025	6	22	1	5	41	0	0	0	0	0	0	0	19.33	0	0	11.6	0.1	1.4
2025	6	22	1	15	41	0	0	0	0	0	0	0	19.31	0	0	11.6	0.1	1.4
2025	6	22	1	25	41	0	0	0	0	0	0	0	19.29	0	0	11.6	0.1	1.4
2025	6	22	1	35	41	0	0	0	0	0	0	0	19.28	0	0	11.6	0.1	1.4
2025	6	22	1	45	41	0	0	0	0	0	0	0	19.26	0	0	11.6	0.1	1.4
2025	6	22	1	55	41	0	0	0	0	0	0	0	19.25	0	0	11.6	0.1	1.4
2025	6	22	2	5	41	0	0	0	0	0	0	0	19.24	0	0	11.6	0.1	1.4
2025	6	22	2	15	41	0	0	0	0	0	0	0	19.22	0	0	11.6	0.1	1.4
2025	6	22	2	25	41	0	0	0	0	0	0	0	19.21	0	0	11.6	0.1	1.4
2025	6	22	2	35	41	0	0	0	0	0	0	0	19.2	0	0	11.6	0.1	1.4
2025	6	22	2	45	41	0	0	0	0	0	0	0	19.19	0	0	11.6	0.1	1.4
2025	6	22	2	55	41	0	0	0	0	0	0	0	19.17	0	0	11.6	0.1	1.4
2025	6	22	3	5	41	0	0	0	0	0	0	0	19.16	0	0	11.6	0.1	1.4
2025	6	22	3	15	41	0	0	0	0	0	0	0	19.14	0	0	11.6	0.1	1.4
2025	6	22	3	25	41	0	0	0	0	0	0	0	19.12	0	0	11.6	0.1	1.4
2025	6	22	3	35	41	0	0	0	0	0	0	0	19.1	0	0	11.6	0.1	1.4
2025	6	22	3	45	41	0	0	0	0	0	0	0	19.08	0	0	11.6	0.1	1.4
2025	6	22	3	55	41	0	0	0	0	0	0	0	19.06	0	0	11.6	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	22	4	5	41	0	0	0	0	0	0	0	19.04	0	0	11.6	0.1	1.4
2025	6	22	4	15	41	0	0	0	0	0	0	0	19.02	0	0	11.6	0.1	1.4
2025	6	22	4	25	41	0	0	0	0	0	0	0	18.99	0	0	11.6	0.1	1.4
2025	6	22	4	35	41	0	0	0	0	0	0	0	18.98	0	0	11.6	0.1	1.4
2025	6	22	4	45	41	0	0	0	0	0	0	0	18.95	0	0	11.6	0.1	1.4
2025	6	22	4	55	41	0	0	0	0	0	0	0	18.92	0	0	11.6	0.1	1.4
2025	6	22	5	5	41	0	0	0	0	0	0	0	18.9	0	0	11.6	0.1	1.4
2025	6	22	5	15	41	0	0	0	0	0	0	0	18.87	0	0	11.6	0.1	1.4
2025	6	22	5	25	41	0	0	0	0	0	0	0	18.84	0	0	11.6	0.1	1.4
2025	6	22	5	35	41	0	0	0	0	0	0	0	18.82	0	0	11.6	0.1	1.4
2025	6	22	5	45	41	0	0	0	0	0	0	0	18.79	0	0	11.6	0.1	1.4
2025	6	22	5	55	41	0	0	0	0	0	0	0	18.76	0	0	11.6	0.1	1.4
2025	6	22	6	5	41	0	0	0	0	0	0	0	18.74	0	0	11.6	0.1	1.4
2025	6	22	6	15	41	0	0	0	0	0	0	0	18.7	0	0	11.6	0.1	1.4
2025	6	22	6	25	41	0	0	0	0	0	0	0	18.68	0	0	11.6	0.1	1.4
2025	6	22	6	35	41	0	0	0	0	0	0	0	18.64	0	0	11.6	0.1	1.4
2025	6	22	6	45	41	0	0	0	0	0	0	0	18.62	0	0	11.6	0.1	1.4
2025	6	22	6	55	41	0	0	0	0	0	0	0	18.59	0	0	11.6	0.1	1.4
2025	6	22	7	5	41	0	0	0	0	0	0	0	18.56	0	0	11.8	0.1	1.4
2025	6	22	7	15	41	0	0	0	0	0	0	0	18.54	0	0	11.8	0.1	1.4
2025	6	22	7	25	41	0	0	0	0	0	0	0	18.52	0	0	12	0.1	1.4
2025	6	22	7	35	41	0	0	0	0	0	0	0	18.5	0	0	12	0.1	1.4
2025	6	22	7	45	41	0	0	0	0	0	0	0	18.48	0	0	12.2	0.1	1.4
2025	6	22	7	55	41	0	0	0	0	0	0	0	18.46	0	0	12.4	0.1	1.4
2025	6	22	8	5	41	0	0	0	0	0	0	0	18.44	0	0	12.6	0.1	1.4
2025	6	22	8	15	41	0	0	0	0	0	0	0	18.43	0	0	12.6	0.1	1.4
2025	6	22	8	25	41	0	0	0	0	0	0	0	18.42	0	0	12.6	0.1	1.4
2025	6	22	8	35	41	0	0	0	0	0	0	0	18.41	0	0	12.6	0.1	1.4
2025	6	22	8	45	41	0	0	0	0	0	0	0	18.4	0	0	12.6	0.1	1.4
2025	6	22	8	55	41	0	0	0	0	0	0	0	18.4	0	0	12.8	0.1	1.4
2025	6	22	9	5	41	0	0	0	0	0	0	0	18.4	0	0	12.8	0.1	1.4
2025	6	22	9	15	41	0	0	0	0	0	0	0	18.4	0	0	12.8	0.1	1.4
2025	6	22	9	25	41	0	0	0	0	0	0	0	18.4	0	0	12.8	0.1	1.4
2025	6	22	9	35	41	0	0	0	0	0	0	0	18.41	0	0	12.8	0.1	1.4
2025	6	22	9	45	41	0	0	0	0	0	0	0	18.41	0	0	13	0.1	1.4
2025	6	22	9	55	41	0	0	0	0	0	0	0	18.43	0	0	13	0.1	1.4
2025	6	22	10	5	41	0	0	0	0	0	0	0	18.44	0	0	13.2	0.1	1.4
2025	6	22	10	15	41	0	0	0	0	0	0	0	18.45	0	0	13.6	0.1	1.4
2025	6	22	10	25	41	0	0	0	0	0	0	0	18.47	0	0	13.6	0.1	1.4
2025	6	22	10	35	41	0	0	0	0	0	0	0	18.48	0	0	13.4	0.1	1.4
2025	6	22	10	45	41	0	0	0	0	0	0	0	18.5	0	0	12.8	0.1	1.4
2025	6	22	10	55	41	0	0	0	0	0	0	0	18.52	0	0	13.6	0.1	1.4
2025	6	22	11	5	41	0	0	0	0	0	0	0	18.54	0	0	13.6	0.1	1.4
2025	6	22	11	15	41	0	0	0	0	0	0	0	18.57	0	0	13.4	0.1	1.4
2025	6	22	11	25	41	0	0	0	0	0	0	0	18.59	0	0	13.6	0.1	1.4
2025	6	22	11	35	41	0	0	0	0	0	0	0	18.62	0	0	13.6	0.1	1.4
2025	6	22	11	45	41	0	0	0	0	0	0	0	18.65	0	0	13.6	0.1	1.4
2025	6	22	11	55	41	0	0	0	0	0	0	0	18.67	0	0	13.6	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	22	12	5	41	0	0	0	0	0	0	0	18.71	0	0	13.6	0.1	1.4
2025	6	22	12	15	41	0	0	0	0	0	0	0	18.73	0	0	13.6	0.1	1.4
2025	6	22	12	25	41	0	0	0	0	0	0	0	18.77	0	0	13.6	0.1	1.4
2025	6	22	12	35	41	0	0	0	0	0	0	0	18.8	0	0	13.6	0.1	1.4
2025	6	22	12	45	41	0	0	0	0	0	0	0	18.84	0	0	13.6	0.1	1.4
2025	6	22	12	55	41	0	0	0	0	0	0	0	18.87	0	0	13.6	0.1	1.4
2025	6	22	13	5	41	0	0	0	0	0	0	0	18.91	0	0	13.6	0.1	1.4
2025	6	22	13	15	41	0	0	0	0	0	0	0	18.93	0	0	13.6	0.1	1.4
2025	6	22	13	25	41	0	0	0	0	0	0	0	18.97	0	0	13.6	0.1	1.4
2025	6	22	13	35	41	0	0	0	0	0	0	0	19	0	0	13.6	0.1	1.4
2025	6	22	13	45	41	0	0	0	0	0	0	0	19.02	0	0	13.6	0.1	1.4
2025	6	22	13	55	41	0	0	0	0	0	0	0	19.05	0	0	13.6	0.1	1.4
2025	6	22	14	5	41	0	0	0	0	0	0	0	19.08	0	0	13.6	0.1	1.4
2025	6	22	14	15	41	0	0	0	0	0	0	0	19.1	0	0	13.6	0.1	1.4
2025	6	22	14	25	41	0	0	0	0	0	0	0	19.12	0	0	13.6	0.1	1.4
2025	6	22	14	35	41	0	0	0	0	0	0	0	19.15	0	0	13.6	0.1	1.4
2025	6	22	14	45	41	0	0	0	0	0	0	0	19.17	0	0	13.6	0.1	1.4
2025	6	22	14	55	41	0	0	0	0	0	0	0	19.2	0	0	13.6	0.1	1.4
2025	6	22	15	5	41	0	0	0	0	0	0	0	19.21	0	0	13.6	0.1	1.4
2025	6	22	15	15	41	0	0	0	0	0	0	0	19.24	0	0	13.6	0.1	1.4
2025	6	22	15	25	41	0	0	0	0	0	0	0	19.24	0	0	13.4	0.1	1.4
2025	6	22	15	35	41	0	0	0	0	0	0	0	19.25	0	0	13.2	0.1	1.4
2025	6	22	15	45	41	0	0	0	0	0	0	0	19.27	0	0	13.2	0.1	1.4
2025	6	22	15	55	41	0	0	0	0	0	0	0	19.28	0	0	13	0.1	1.4
2025	6	22	16	5	41	0	0	0	0	0	0	0	19.29	0	0	13	0.1	1.4
2025	6	22	16	15	41	0	0	0	0	0	0	0	19.28	0	0	13	0.1	1.4
2025	6	22	16	25	41	0	0	0	0	0	0	0	19.29	0	0	13	0.1	1.4
2025	6	22	16	35	41	0	0	0	0	0	0	0	19.29	0	0	12.8	0.1	1.4
2025	6	22	16	45	41	0	0	0	0	0	0	0	19.28	0	0	12.8	0.1	1.4
2025	6	22	16	55	41	0	0	0	0	0	0	0	19.28	0	0	12.8	0.1	1.4
2025	6	22	17	5	41	0	0	0	0	0	0	0	19.27	0	0	12.6	0.1	1.4
2025	6	22	17	15	41	0	0	0	0	0	0	0	19.27	0	0	12.6	0.1	1.4
2025	6	22	17	25	41	0	0	0	0	0	0	0	19.26	0	0	12.4	0.1	1.4
2025	6	22	17	35	41	0	0	0	0	0	0	0	19.26	0	0	12.2	0.1	1.4
2025	6	22	17	45	41	0	0	0	0	0	0	0	19.24	0	0	12.2	0.1	1.4
2025	6	22	17	55	41	0	0	0	0	0	0	0	19.23	0	0	12	0.1	1.4
2025	6	22	18	5	41	0	0	0	0	0	0	0	19.22	0	0	12	0.1	1.4
2025	6	22	18	15	41	0	0	0	0	0	0	0	19.2	0	0	12	0.1	1.4
2025	6	22	18	25	41	0	0	0	0	0	0	0	19.19	0	0	12	0.1	1.4
2025	6	22	18	35	41	0	0	0	0	0	0	0	19.18	0	0	11.8	0.1	1.4
2025	6	22	18	45	41	0	0	0	0	0	0	0	19.17	0	0	11.8	0.1	1.4
2025	6	22	18	55	41	0	0	0	0	0	0	0	19.15	0	0	11.8	0.1	1.4
2025	6	22	19	5	41	0	0	0	0	0	0	0	19.13	0	0	11.8	0.1	1.4
2025	6	22	19	15	41	0	0	0	0	0	0	0	19.12	0	0	11.8	0.1	1.4
2025	6	22	19	25	41	0	0	0	0	0	0	0	19.1	0	0	11.8	0.1	1.4
2025	6	22	19	35	41	0	0	0	0	0	0	0	19.09	0	0	11.8	0.1	1.4
2025	6	22	19	45	41	0	0	0	0	0	0	0	19.07	0	0	11.8	0.1	1.4
2025	6	22	19	55	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	22	20	5	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.4
2025	6	22	20	15	41	0	0	0	0	0	0	0	19.03	0	0	11.8	0.1	1.4
2025	6	22	20	25	41	0	0	0	0	0	0	0	19.02	0	0	11.8	0.1	1.4
2025	6	22	20	35	41	0	0	0	0	0	0	0	19.01	0	0	11.8	0.1	1.4
2025	6	22	20	45	41	0	0	0	0	0	0	0	19	0	0	11.8	0.1	1.4
2025	6	22	20	55	41	0	0	0	0	0	0	0	18.99	0	0	11.8	0.1	1.4
2025	6	22	21	5	41	0	0	0	0	0	0	0	18.99	0	0	11.8	0.1	1.4
2025	6	22	21	15	41	0	0	0	0	0	0	0	18.97	0	0	11.8	0.1	1.4
2025	6	22	21	25	41	0	0	0	0	0	0	0	18.97	0	0	11.8	0.1	1.4
2025	6	22	21	35	41	0	0	0	0	0	0	0	18.96	0	0	11.8	0.1	1.4
2025	6	22	21	45	41	0	0	0	0	0	0	0	18.95	0	0	11.8	0.1	1.4
2025	6	22	21	55	41	0	0	0	0	0	0	0	18.94	0	0	11.8	0.1	1.4
2025	6	22	22	5	41	0	0	0	0	0	0	0	18.93	0	0	11.8	0.1	1.4
2025	6	22	22	15	41	0	0	0	0	0	0	0	18.92	0	0	11.8	0.1	1.4
2025	6	22	22	25	41	0	0	0	0	0	0	0	18.91	0	0	11.8	0.1	1.4
2025	6	22	22	35	41	0	0	0	0	0	0	0	18.91	0	0	11.8	0.1	1.4
2025	6	22	22	45	41	0	0	0	0	0	0	0	18.9	0	0	11.8	0.1	1.4
2025	6	22	22	55	41	0	0	0	0	0	0	0	18.9	0	0	11.8	0.1	1.4
2025	6	22	23	5	41	0	0	0	0	0	0	0	18.89	0	0	11.8	0.1	1.4
2025	6	22	23	15	41	0	0	0	0	0	0	0	18.89	0	0	11.8	0.1	1.4
2025	6	22	23	25	41	0	0	0	0	0	0	0	18.88	0	0	11.8	0.1	1.4
2025	6	22	23	35	41	0	0	0	0	0	0	0	18.88	0	0	11.8	0.1	1.4
2025	6	22	23	45	41	0	0	0	0	0	0	0	18.87	0	0	11.8	0.1	1.4
2025	6	22	23	55	41	0	0	0	0	0	0	0	18.87	0	0	11.8	0.1	1.4
2025	6	23	0	5	41	0	0	0	0	0	0	0	18.86	0	0	11.8	0.1	1.4
2025	6	23	0	15	41	0	0	0	0	0	0	0	18.86	0	0	11.8	0.1	1.4
2025	6	23	0	25	41	0	0	0	0	0	0	0	18.85	0	0	11.8	0.1	1.4
2025	6	23	0	35	41	0	0	0	0	0	0	0	18.85	0	0	11.8	0.1	1.4
2025	6	23	0	45	41	0	0	0	0	0	0	0	18.83	0	0	11.8	0.1	1.4
2025	6	23	0	55	41	0	0	0	0	0	0	0	18.82	0	0	11.6	0.1	1.4
2025	6	23	1	5	41	0	0	0	0	0	0	0	18.81	0	0	11.6	0.1	1.4
2025	6	23	1	15	41	0	0	0	0	0	0	0	18.81	0	0	11.6	0.1	1.4
2025	6	23	1	25	41	0	0	0	0	0	0	0	18.8	0	0	11.6	0.1	1.4
2025	6	23	1	35	41	0	0	0	0	0	0	0	18.79	0	0	11.6	0.1	1.4
2025	6	23	1	45	41	0	0	0	0	0	0	0	18.77	0	0	11.6	0.1	1.4
2025	6	23	1	55	41	0	0	0	0	0	0	0	18.77	0	0	11.6	0.1	1.4
2025	6	23	2	5	41	0	0	0	0	0	0	0	18.75	0	0	11.6	0.1	1.4
2025	6	23	2	15	41	0	0	0	0	0	0	0	18.74	0	0	11.6	0.1	1.4
2025	6	23	2	25	41	0	0	0	0	0	0	0	18.73	0	0	11.6	0.1	1.4
2025	6	23	2	35	41	0	0	0	0	0	0	0	18.71	0	0	11.6	0.1	1.4
2025	6	23	2	45	41	0	0	0	0	0	0	0	18.69	0	0	11.6	0.1	1.4
2025	6	23	2	55	41	0	0	0	0	0	0	0	18.68	0	0	11.6	0.1	1.4
2025	6	23	3	5	41	0	0	0	0	0	0	0	18.67	0	0	11.6	0.1	1.4
2025	6	23	3	15	41	0	0	0	0	0	0	0	18.65	0	0	11.6	0.1	1.4
2025	6	23	3	25	41	0	0	0	0	0	0	0	18.64	0	0	11.6	0.1	1.4
2025	6	23	3	35	41	0	0	0	0	0	0	0	18.62	0	0	11.6	0.1	1.4
2025	6	23	3	45	41	0	0	0	0	0	0	0	18.6	0	0	11.6	0.1	1.4
2025	6	23	3	55	41	0	0	0	0	0	0	0	18.59	0	0	11.6	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	23	4	5	41	0	0	0	0	0	0	0	18.57	0	0	11.6	0.1	1.4
2025	6	23	4	15	41	0	0	0	0	0	0	0	18.55	0	0	11.6	0.1	1.4
2025	6	23	4	25	41	0	0	0	0	0	0	0	18.53	0	0	11.6	0.1	1.5
2025	6	23	4	35	41	0	0	0	0	0	0	0	18.5	0	0	11.6	0.1	1.5
2025	6	23	4	45	41	0	0	0	0	0	0	0	18.48	0	0	11.6	0.1	1.5
2025	6	23	4	55	41	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1.5
2025	6	23	5	5	41	0	0	0	0	0	0	0	18.44	0	0	11.6	0.1	1.5
2025	6	23	5	15	41	0	0	0	0	0	0	0	18.42	0	0	11.6	0.1	1.5
2025	6	23	5	25	41	0	0	0	0	0	0	0	18.4	0	0	11.6	0.1	1.5
2025	6	23	5	35	41	0	0	0	0	0	0	0	18.38	0	0	11.6	0.1	1.5
2025	6	23	5	45	41	0	0	0	0	0	0	0	18.36	0	0	11.6	0.1	1.5
2025	6	23	5	55	41	0	0	0	0	0	0	0	18.34	0	0	11.6	0.1	1.5
2025	6	23	6	5	41	0	0	0	0	0	0	0	18.31	0	0	11.6	0.1	1.5
2025	6	23	6	15	41	0	0	0	0	0	0	0	18.3	0	0	11.6	0.1	1.5
2025	6	23	6	25	41	0	0	0	0	0	0	0	18.27	0	0	11.6	0.1	1.5
2025	6	23	6	35	41	0	0	0	0	0	0	0	18.25	0	0	11.6	0.1	1.5
2025	6	23	6	45	41	0	0	0	0	0	0	0	18.24	0	0	11.6	0.1	1.5
2025	6	23	6	55	41	0	0	0	0	0	0	0	18.22	0	0	11.6	0.1	1.5
2025	6	23	7	5	41	0	0	0	0	0	0	0	18.21	0	0	11.6	0.1	1.5
2025	6	23	7	15	41	0	0	0	0	0	0	0	18.2	0	0	11.8	0.1	1.5
2025	6	23	7	25	41	0	0	0	0	0	0	0	18.19	0	0	11.8	0.1	1.5
2025	6	23	7	35	41	0	0	0	0	0	0	0	18.18	0	0	11.8	0.1	1.5
2025	6	23	7	45	41	0	0	0	0	0	0	0	18.17	0	0	12	0.1	1.5
2025	6	23	7	55	41	0	0	0	0	0	0	0	18.17	0	0	12.2	0.1	1.5
2025	6	23	8	5	41	0	0	0	0	0	0	0	18.17	0	0	12.4	0.1	1.5
2025	6	23	8	15	41	0	0	0	0	0	0	0	18.17	0	0	12.6	0.1	1.5
2025	6	23	8	25	41	0	0	0	0	0	0	0	18.17	0	0	12.6	0.1	1.5
2025	6	23	8	35	41	0	0	0	0	0	0	0	18.18	0	0	12.6	0.1	1.5
2025	6	23	8	45	41	0	0	0	0	0	0	0	18.19	0	0	12.6	0.1	1.5
2025	6	23	8	55	41	0	0	0	0	0	0	0	18.2	0	0	12.6	0.1	1.5
2025	6	23	9	5	41	0	0	0	0	0	0	0	18.21	0	0	12.8	0.1	1.5
2025	6	23	9	15	41	0	0	0	0	0	0	0	18.22	0	0	12.8	0.1	1.5
2025	6	23	9	25	41	0	0	0	0	0	0	0	18.23	0	0	12.8	0.1	1.5
2025	6	23	9	35	41	0	0	0	0	0	0	0	18.25	0	0	12.8	0.1	1.5
2025	6	23	9	45	41	0	0	0	0	0	0	0	18.27	0	0	12.8	0.1	1.5
2025	6	23	9	55	41	0	0	0	0	0	0	0	18.29	0	0	13	0.1	1.5
2025	6	23	10	5	41	0	0	0	0	0	0	0	18.29	0	0	13	0.1	1.5
2025	6	23	10	15	41	0	0	0	0	0	0	0	18.32	0	0	13.2	0.1	1.5
2025	6	23	10	25	41	0	0	0	0	0	0	0	18.35	0	0	13.6	0.1	1.5
2025	6	23	10	35	41	0	0	0	0	0	0	0	18.37	0	0	13.6	0.1	1.5
2025	6	23	10	45	41	0	0	0	0	0	0	0	18.39	0	0	13.6	0.1	1.5
2025	6	23	10	55	41	0	0	0	0	0	0	0	18.41	0	0	12.8	0.1	1.5
2025	6	23	11	5	41	0	0	0	0	0	0	0	18.44	0	0	13.2	0.1	1.5
2025	6	23	11	15	41	0	0	0	0	0	0	0	18.48	0	0	13.6	0.1	1.5
2025	6	23	11	25	41	0	0	0	0	0	0	0	18.52	0	0	13.6	0.1	1.5
2025	6	23	11	35	41	0	0	0	0	0	0	0	18.56	0	0	13.4	0.1	1.5
2025	6	23	11	45	41	0	0	0	0	0	0	0	18.59	0	0	13.4	0.1	1.5
2025	6	23	11	55	41	0	0	0	0	0	0	0	18.63	0	0	13.4	0.1	1.5

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	23	12	5	41	0	0	0	0	0	0	0	18.67	0	0	13.2	0.1	1.5
2025	6	23	12	15	41	0	0	0	0	0	0	0	18.71	0	0	13.2	0.1	1.5
2025	6	23	12	25	41	0	0	0	0	0	0	0	18.75	0	0	13.2	0.1	1.5
2025	6	23	12	35	41	0	0	0	0	0	0	0	18.79	0	0	13.2	0.1	1.5
2025	6	23	12	45	41	0	0	0	0	0	0	0	18.83	0	0	13.2	0.1	1.5
2025	6	23	12	55	41	0	0	0	0	0	0	0	18.88	0	0	13.2	0.1	1.5
2025	6	23	13	5	41	0	0	0	0	0	0	0	18.91	0	0	13.2	0.1	1.5
2025	6	23	13	15	41	0	0	0	0	0	0	0	18.95	0	0	13.2	0.1	1.5
2025	6	23	13	25	41	0	0	0	0	0	0	0	18.99	0	0	13.2	0.1	1.5
2025	6	23	13	35	41	0	0	0	0	0	0	0	19.03	0	0	13.2	0.1	1.5
2025	6	23	13	45	41	0	0	0	0	0	0	0	19.07	0	0	13.2	0.1	1.5
2025	6	23	13	55	41	0	0	0	0	0	0	0	19.1	0	0	13	0.1	1.5
2025	6	23	14	5	41	0	0	0	0	0	0	0	19.08	0	0	12.6	0.1	1.5
2025	6	23	14	15	41	0	0	0	0	0	0	0	19.09	0	0	13	0.1	1.5
2025	6	23	14	25	41	0	0	0	0	0	0	0	19.09	0	0	13.2	0.1	1.5
2025	6	23	14	35	41	0	0	0	0	0	0	0	19.13	0	0	13.2	0.1	1.5
2025	6	23	14	45	41	0	0	0	0	0	0	0	19.15	0	0	13.2	0.1	1.5
2025	6	23	14	55	41	0	0	0	0	0	0	0	19.18	0	0	13.2	0.1	1.5
2025	6	23	15	5	41	0	0	0	0	0	0	0	19.19	0	0	13.2	0.1	1.5
2025	6	23	15	15	41	0	0	0	0	0	0	0	19.22	0	0	13.2	0.1	1.5
2025	6	23	15	25	41	0	0	0	0	0	0	0	19.23	0	0	13.2	0.1	1.5
2025	6	23	15	35	41	0	0	0	0	0	0	0	19.25	0	0	13.2	0.1	1.5
2025	6	23	15	45	41	0	0	0	0	0	0	0	19.26	0	0	13.2	0.1	1.5
2025	6	23	15	55	41	0	0	0	0	0	0	0	19.26	0	0	13	0.1	1.5
2025	6	23	16	5	41	0	0	0	0	0	0	0	19.26	0	0	13.2	0.1	1.5
2025	6	23	16	15	41	0	0	0	0	0	0	0	19.27	0	0	13	0.1	1.5
2025	6	23	16	25	41	0	0	0	0	0	0	0	19.26	0	0	12.6	0.1	1.5
2025	6	23	16	35	41	0	0	0	0	0	0	0	19.26	0	0	12.6	0.1	1.5
2025	6	23	16	45	41	0	0	0	0	0	0	0	19.24	0	0	12.4	0.1	1.5
2025	6	23	16	55	41	0	0	0	0	0	0	0	19.23	0	0	12.4	0.1	1.5
2025	6	23	17	5	41	0	0	0	0	0	0	0	19.21	0	0	12.2	0.1	1.5
2025	6	23	17	15	41	0	0	0	0	0	0	0	19.19	0	0	12.2	0.1	1.5
2025	6	23	17	25	41	0	0	0	0	0	0	0	19.17	0	0	12	0.1	1.5
2025	6	23	17	35	41	0	0	0	0	0	0	0	19.16	0	0	12	0.1	1.5
2025	6	23	17	45	41	0	0	0	0	0	0	0	19.15	0	0	12	0.1	1.5
2025	6	23	17	55	41	0	0	0	0	0	0	0	19.13	0	0	12	0.1	1.5
2025	6	23	18	5	41	0	0	0	0	0	0	0	19.12	0	0	12	0.1	1.5
2025	6	23	18	15	41	0	0	0	0	0	0	0	19.1	0	0	12	0.1	1.5
2025	6	23	18	25	41	0	0	0	0	0	0	0	19.1	0	0	12	0.1	1.5
2025	6	23	18	35	41	0	0	0	0	0	0	0	19.08	0	0	11.8	0.1	1.5
2025	6	23	18	45	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.5
2025	6	23	18	55	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.5
2025	6	23	19	5	41	0	0	0	0	0	0	0	19.03	0	0	11.8	0.1	1.5
2025	6	23	19	15	41	0	0	0	0	0	0	0	19.01	0	0	11.8	0.1	1.5
2025	6	23	19	25	41	0	0	0	0	0	0	0	18.99	0	0	11.8	0.1	1.5
2025	6	23	19	35	41	0	0	0	0	0	0	0	18.97	0	0	11.8	0.1	1.5
2025	6	23	19	45	41	0	0	0	0	0	0	0	18.95	0	0	11.8	0.1	1.5
2025	6	23	19	55	41	0	0	0	0	0	0	0	18.93	0	0	11.8	0.1	1.5

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	23	20	5	41	0	0	0	0	0	0	0	18.92	0	0	11.8	0.1	1.5
2025	6	23	20	15	41	0	0	0	0	0	0	0	18.9	0	0	11.8	0.1	1.5
2025	6	23	20	25	41	0	0	0	0	0	0	0	18.88	0	0	11.8	0.1	1.5
2025	6	23	20	35	41	0	0	0	0	0	0	0	18.86	0	0	11.8	0.1	1.5
2025	6	23	20	45	41	0	0	0	0	0	0	0	18.84	0	0	11.8	0.1	1.5
2025	6	23	20	55	41	0	0	0	0	0	0	0	18.81	0	0	11.8	0.1	1.5
2025	6	23	21	5	41	0	0	0	0	0	0	0	18.8	0	0	11.8	0.1	1.5
2025	6	23	21	15	41	0	0	0	0	0	0	0	18.77	0	0	11.8	0.1	1.5
2025	6	23	21	25	41	0	0	0	0	0	0	0	18.75	0	0	11.8	0.1	1.5
2025	6	23	21	35	41	0	0	0	0	0	0	0	18.72	0	0	11.8	0.1	1.5
2025	6	23	21	45	41	0	0	0	0	0	0	0	18.7	0	0	11.8	0.1	1.5
2025	6	23	21	55	41	0	0	0	0	0	0	0	18.68	0	0	11.8	0.1	1.5
2025	6	23	22	5	41	0	0	0	0	0	0	0	18.67	0	0	11.8	0.1	1.5
2025	6	23	22	15	41	0	0	0	0	0	0	0	18.65	0	0	11.8	0.1	1.5
2025	6	23	22	25	41	0	0	0	0	0	0	0	18.63	0	0	11.8	0.1	1.5
2025	6	23	22	35	41	0	0	0	0	0	0	0	18.62	0	0	11.8	0.1	1.5
2025	6	23	22	45	41	0	0	0	0	0	0	0	18.6	0	0	11.8	0.1	1.5
2025	6	23	22	55	41	0	0	0	0	0	0	0	18.58	0	0	11.8	0.1	1.5
2025	6	23	23	5	41	0	0	0	0	0	0	0	18.57	0	0	11.8	0.1	1.5
2025	6	23	23	15	41	0	0	0	0	0	0	0	18.55	0	0	11.8	0.1	1.5
2025	6	23	23	25	41	0	0	0	0	0	0	0	18.53	0	0	11.8	0.1	1.5
2025	6	23	23	35	41	0	0	0	0	0	0	0	18.53	0	0	11.8	0.1	1.5
2025	6	23	23	45	41	0	0	0	0	0	0	0	18.51	0	0	11.8	0.1	1.5
2025	6	23	23	55	41	0	0	0	0	0	0	0	18.49	0	0	11.8	0.1	1.5
2025	6	24	0	5	41	0	0	0	0	0	0	0	18.48	0	0	11.8	0.1	1.5
2025	6	24	0	15	41	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1.5
2025	6	24	0	25	41	0	0	0	0	0	0	0	18.45	0	0	11.6	0.1	1.5
2025	6	24	0	35	41	0	0	0	0	0	0	0	18.43	0	0	11.6	0.1	1.5
2025	6	24	0	45	41	0	0	0	0	0	0	0	18.42	0	0	11.6	0.1	1.5
2025	6	24	0	55	41	0	0	0	0	0	0	0	18.41	0	0	11.6	0.1	1.5
2025	6	24	1	5	41	0	0	0	0	0	0	0	18.39	0	0	11.6	0.1	1.5
2025	6	24	1	15	41	0	0	0	0	0	0	0	18.38	0	0	11.6	0.1	1.5
2025	6	24	1	25	41	0	0	0	0	0	0	0	18.37	0	0	11.6	0.1	1.4
2025	6	24	1	35	41	0	0	0	0	0	0	0	18.35	0	0	11.6	0.1	1.4
2025	6	24	1	45	41	0	0	0	0	0	0	0	18.34	0	0	11.6	0.1	1.5
2025	6	24	1	55	41	0	0	0	0	0	0	0	18.32	0	0	11.6	0.1	1.4
2025	6	24	2	5	41	0	0	0	0	0	0	0	18.31	0	0	11.6	0.1	1.4
2025	6	24	2	15	41	0	0	0	0	0	0	0	18.29	0	0	11.6	0.1	1.4
2025	6	24	2	25	41	0	0	0	0	0	0	0	18.28	0	0	11.6	0.1	1.4
2025	6	24	2	35	41	0	0	0	0	0	0	0	18.26	0	0	11.6	0.1	1.4
2025	6	24	2	45	41	0	0	0	0	0	0	0	18.25	0	0	11.6	0.1	1.4
2025	6	24	2	55	41	0	0	0	0	0	0	0	18.23	0	0	11.6	0.1	1.4
2025	6	24	3	5	41	0	0	0	0	0	0	0	18.22	0	0	11.6	0.1	1.4
2025	6	24	3	15	41	0	0	0	0	0	0	0	18.2	0	0	11.6	0.1	1.4
2025	6	24	3	25	41	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1.4
2025	6	24	3	35	41	0	0	0	0	0	0	0	18.17	0	0	11.6	0.1	1.4
2025	6	24	3	45	41	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1.4
2025	6	24	3	55	41	0	0	0	0	0	0	0	18.13	0	0	11.6	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	24	4	5	41	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1.4
2025	6	24	4	15	41	0	0	0	0	0	0	0	18.09	0	0	11.6	0.1	1.4
2025	6	24	4	25	41	0	0	0	0	0	0	0	18.07	0	0	11.6	0.1	1.4
2025	6	24	4	35	41	0	0	0	0	0	0	0	18.06	0	0	11.6	0.1	1.4
2025	6	24	4	45	41	0	0	0	0	0	0	0	18.03	0	0	11.6	0.1	1.4
2025	6	24	4	55	41	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1.4
2025	6	24	5	5	41	0	0	0	0	0	0	0	17.99	0	0	11.6	0.1	1.4
2025	6	24	5	15	41	0	0	0	0	0	0	0	17.97	0	0	11.6	0.1	1.4
2025	6	24	5	25	41	0	0	0	0	0	0	0	17.95	0	0	11.6	0.1	1.4
2025	6	24	5	35	41	0	0	0	0	0	0	0	17.93	0	0	11.6	0.1	1.4
2025	6	24	5	45	41	0	0	0	0	0	0	0	17.91	0	0	11.6	0.1	1.4
2025	6	24	5	55	41	0	0	0	0	0	0	0	17.88	0	0	11.6	0.1	1.4
2025	6	24	6	5	41	0	0	0	0	0	0	0	17.86	0	0	11.6	0.1	1.4
2025	6	24	6	15	41	0	0	0	0	0	0	0	17.84	0	0	11.6	0.1	1.4
2025	6	24	6	25	41	0	0	0	0	0	0	0	17.82	0	0	11.6	0.1	1.4
2025	6	24	6	35	41	0	0	0	0	0	0	0	17.8	0	0	11.6	0.1	1.4
2025	6	24	6	45	41	0	0	0	0	0	0	0	17.78	0	0	11.6	0.1	1.4
2025	6	24	6	55	41	0	0	0	0	0	0	0	17.76	0	0	11.6	0.1	1.4
2025	6	24	7	5	41	0	0	0	0	0	0	0	17.75	0	0	11.8	0.1	1.4
2025	6	24	7	15	41	0	0	0	0	0	0	0	17.74	0	0	11.8	0.1	1.4
2025	6	24	7	25	41	0	0	0	0	0	0	0	17.72	0	0	11.6	0.1	1.4
2025	6	24	7	35	41	0	0	0	0	0	0	0	17.72	0	0	11.8	0.1	1.4
2025	6	24	7	45	41	0	0	0	0	0	0	0	17.72	0	0	12.2	0.1	1.4
2025	6	24	7	55	41	0	0	0	0	0	0	0	17.71	0	0	12.4	0.1	1.4
2025	6	24	8	5	41	0	0	0	0	0	0	0	17.71	0	0	12.4	0.1	1.4
2025	6	24	8	15	41	0	0	0	0	0	0	0	17.7	0	0	12.2	0.1	1.4
2025	6	24	8	25	41	0	0	0	0	0	0	0	17.71	0	0	12.6	0.1	1.4
2025	6	24	8	35	41	0	0	0	0	0	0	0	17.72	0	0	12.6	0.1	1.4
2025	6	24	8	45	41	0	0	0	0	0	0	0	17.72	0	0	12.4	0.1	1.4
2025	6	24	8	55	41	0	0	0	0	0	0	0	17.73	0	0	12.6	0.1	1.4
2025	6	24	9	5	41	0	0	0	0	0	0	0	17.75	0	0	12.6	0.1	1.4
2025	6	24	9	15	41	0	0	0	0	0	0	0	17.75	0	0	12.6	0.1	1.4
2025	6	24	9	25	41	0	0	0	0	0	0	0	17.76	0	0	12.6	0.1	1.4
2025	6	24	9	35	41	0	0	0	0	0	0	0	17.78	0	0	12.6	0.1	1.4
2025	6	24	9	45	41	0	0	0	0	0	0	0	17.79	0	0	12.8	0.1	1.4
2025	6	24	9	55	41	0	0	0	0	0	0	0	17.82	0	0	12.8	0.1	1.4
2025	6	24	10	5	41	0	0	0	0	0	0	0	17.85	0	0	13	0.1	1.4
2025	6	24	10	15	41	0	0	0	0	0	0	0	17.86	0	0	12.6	0.1	1.4
2025	6	24	10	25	41	0	0	0	0	0	0	0	17.86	0	0	12.6	0.1	1.4
2025	6	24	10	35	41	0	0	0	0	0	0	0	17.88	0	0	12.8	0.1	1.4
2025	6	24	10	45	41	0	0	0	0	0	0	0	17.91	0	0	13	0.1	1.4
2025	6	24	10	55	41	0	0	0	0	0	0	0	17.94	0	0	13	0.1	1.4
2025	6	24	11	5	41	0	0	0	0	0	0	0	17.96	0	0	12.8	0.1	1.4
2025	6	24	11	15	41	0	0	0	0	0	0	0	17.96	0	0	12.6	0.1	1.4
2025	6	24	11	25	41	0	0	0	0	0	0	0	17.96	0	0	12.6	0.1	1.4
2025	6	24	11	35	41	0	0	0	0	0	0	0	17.97	0	0	12.6	0.1	1.4
2025	6	24	11	45	41	0	0	0	0	0	0	0	17.99	0	0	12.8	0.1	1.4
2025	6	24	11	55	41	0	0	0	0	0	0	0	18.03	0	0	13.6	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	24	12	5	41	0	0	0	0	0	0	0	18.08	0	0	13.6	0.1	1.4
2025	6	24	12	15	41	0	0	0	0	0	0	0	18.14	0	0	13.4	0.1	1.4
2025	6	24	12	25	41	0	0	0	0	0	0	0	18.19	0	0	13.4	0.1	1.4
2025	6	24	12	35	41	0	0	0	0	0	0	0	18.26	0	0	13.2	0.1	1.4
2025	6	24	12	45	41	0	0	0	0	0	0	0	18.31	0	0	13.2	0.1	1.4
2025	6	24	12	55	41	0	0	0	0	0	0	0	18.35	0	0	13.2	0.1	1.4
2025	6	24	13	5	41	0	0	0	0	0	0	0	18.37	0	0	13.2	0.1	1.4
2025	6	24	13	15	41	0	0	0	0	0	0	0	18.4	0	0	13.2	0.1	1.4
2025	6	24	13	25	41	0	0	0	0	0	0	0	18.41	0	0	13.2	0.1	1.4
2025	6	24	13	35	41	0	0	0	0	0	0	0	18.45	0	0	13.2	0.1	1.4
2025	6	24	13	45	41	0	0	0	0	0	0	0	18.45	0	0	13.4	0.1	1.4
2025	6	24	13	55	41	0	0	0	0	0	0	0	18.47	0	0	13.4	0.1	1.4
2025	6	24	14	5	41	0	0	0	0	0	0	0	18.49	0	0	13.4	0.1	1.4
2025	6	24	14	15	41	0	0	0	0	0	0	0	18.52	0	0	13.2	0.1	1.4
2025	6	24	14	25	41	0	0	0	0	0	0	0	18.54	0	0	13.4	0.1	1.4
2025	6	24	14	35	41	0	0	0	0	0	0	0	18.6	0	0	13.4	0.1	1.4
2025	6	24	14	45	41	0	0	0	0	0	0	0	18.63	0	0	13.4	0.1	1.4
2025	6	24	14	55	41	0	0	0	0	0	0	0	18.65	0	0	13.2	0.1	1.4
2025	6	24	15	5	41	0	0	0	0	0	0	0	18.68	0	0	13.4	0.1	1.4
2025	6	24	15	15	41	0	0	0	0	0	0	0	18.71	0	0	13.2	0.1	1.4
2025	6	24	15	25	41	0	0	0	0	0	0	0	18.73	0	0	13.2	0.1	1.4
2025	6	24	15	35	41	0	0	0	0	0	0	0	18.76	0	0	13.2	0.1	1.4
2025	6	24	15	45	41	0	0	0	0	0	0	0	18.78	0	0	13.2	0.1	1.4
2025	6	24	15	55	41	0	0	0	0	0	0	0	18.8	0	0	13.2	0.1	1.4
2025	6	24	16	5	41	0	0	0	0	0	0	0	18.82	0	0	13.2	0.1	1.4
2025	6	24	16	15	41	0	0	0	0	0	0	0	18.84	0	0	13	0.1	1.4
2025	6	24	16	25	41	0	0	0	0	0	0	0	18.85	0	0	13	0.1	1.4
2025	6	24	16	35	41	0	0	0	0	0	0	0	18.86	0	0	12.8	0.1	1.4
2025	6	24	16	45	41	0	0	0	0	0	0	0	18.87	0	0	12.8	0.1	1.4
2025	6	24	16	55	41	0	0	0	0	0	0	0	18.88	0	0	12.8	0.1	1.4
2025	6	24	17	5	41	0	0	0	0	0	0	0	18.88	0	0	12.6	0.1	1.4
2025	6	24	17	15	41	0	0	0	0	0	0	0	18.88	0	0	12.6	0.1	1.4
2025	6	24	17	25	41	0	0	0	0	0	0	0	18.88	0	0	12.4	0.1	1.4
2025	6	24	17	35	41	0	0	0	0	0	0	0	18.88	0	0	12.2	0.1	1.4
2025	6	24	17	45	41	0	0	0	0	0	0	0	18.88	0	0	12.2	0.1	1.4
2025	6	24	17	55	41	0	0	0	0	0	0	0	18.87	0	0	12.2	0.1	1.4
2025	6	24	18	5	41	0	0	0	0	0	0	0	18.87	0	0	12	0.1	1.4
2025	6	24	18	15	41	0	0	0	0	0	0	0	18.87	0	0	12	0.1	1.4
2025	6	24	18	25	41	0	0	0	0	0	0	0	18.86	0	0	12	0.1	1.4
2025	6	24	18	35	41	0	0	0	0	0	0	0	18.85	0	0	12	0.1	1.4
2025	6	24	18	45	41	0	0	0	0	0	0	0	18.85	0	0	12	0.1	1.4
2025	6	24	18	55	41	0	0	0	0	0	0	0	18.84	0	0	12	0.1	1.4
2025	6	24	19	5	41	0	0	0	0	0	0	0	18.83	0	0	11.8	0.1	1.4
2025	6	24	19	15	41	0	0	0	0	0	0	0	18.82	0	0	11.8	0.1	1.4
2025	6	24	19	25	41	0	0	0	0	0	0	0	18.81	0	0	11.8	0.1	1.4
2025	6	24	19	35	41	0	0	0	0	0	0	0	18.8	0	0	11.8	0.1	1.4
2025	6	24	19	45	41	0	0	0	0	0	0	0	18.79	0	0	11.8	0.1	1.4
2025	6	24	19	55	41	0	0	0	0	0	0	0	18.77	0	0	11.8	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	24	20	5	41	0	0	0	0	0	0	0	18.75	0	0	11.8	0.1	1.4
2025	6	24	20	15	41	0	0	0	0	0	0	0	18.74	0	0	11.8	0.1	1.4
2025	6	24	20	25	41	0	0	0	0	0	0	0	18.73	0	0	11.8	0.1	1.4
2025	6	24	20	35	41	0	0	0	0	0	0	0	18.71	0	0	11.8	0.1	1.4
2025	6	24	20	45	41	0	0	0	0	0	0	0	18.7	0	0	11.8	0.1	1.4
2025	6	24	20	55	41	0	0	0	0	0	0	0	18.68	0	0	11.8	0.1	1.4
2025	6	24	21	5	41	0	0	0	0	0	0	0	18.67	0	0	11.8	0.1	1.4
2025	6	24	21	15	41	0	0	0	0	0	0	0	18.65	0	0	11.8	0.1	1.4
2025	6	24	21	25	41	0	0	0	0	0	0	0	18.63	0	0	11.8	0.1	1.4
2025	6	24	21	35	41	0	0	0	0	0	0	0	18.62	0	0	11.8	0.1	1.4
2025	6	24	21	45	41	0	0	0	0	0	0	0	18.6	0	0	11.8	0.1	1.4
2025	6	24	21	55	41	0	0	0	0	0	0	0	18.59	0	0	11.8	0.1	1.4
2025	6	24	22	5	41	0	0	0	0	0	0	0	18.57	0	0	11.8	0.1	1.4
2025	6	24	22	15	41	0	0	0	0	0	0	0	18.56	0	0	11.8	0.1	1.4
2025	6	24	22	25	41	0	0	0	0	0	0	0	18.54	0	0	11.8	0.1	1.4
2025	6	24	22	35	41	0	0	0	0	0	0	0	18.53	0	0	11.8	0.1	1.4
2025	6	24	22	45	41	0	0	0	0	0	0	0	18.51	0	0	11.8	0.1	1.4
2025	6	24	22	55	41	0	0	0	0	0	0	0	18.5	0	0	11.8	0.1	1.4
2025	6	24	23	5	41	0	0	0	0	0	0	0	18.49	0	0	11.8	0.1	1.4
2025	6	24	23	15	41	0	0	0	0	0	0	0	18.46	0	0	11.8	0.1	1.4
2025	6	24	23	25	41	0	0	0	0	0	0	0	18.45	0	0	11.8	0.1	1.4
2025	6	24	23	35	41	0	0	0	0	0	0	0	18.44	0	0	11.8	0.1	1.4
2025	6	24	23	45	41	0	0	0	0	0	0	0	18.42	0	0	11.8	0.1	1.4
2025	6	24	23	55	41	0	0	0	0	0	0	0	18.41	0	0	11.8	0.1	1.4
2025	6	25	0	5	41	0	0	0	0	0	0	0	18.39	0	0	11.8	0.1	1.4
2025	6	25	0	15	41	0	0	0	0	0	0	0	18.38	0	0	11.8	0.1	1.4
2025	6	25	0	25	41	0	0	0	0	0	0	0	18.36	0	0	11.8	0.1	1.4
2025	6	25	0	35	41	0	0	0	0	0	0	0	18.35	0	0	11.6	0.1	1.4
2025	6	25	0	45	41	0	0	0	0	0	0	0	18.34	0	0	11.6	0.1	1.4
2025	6	25	0	55	41	0	0	0	0	0	0	0	18.32	0	0	11.6	0.1	1.4
2025	6	25	1	5	41	0	0	0	0	0	0	0	18.31	0	0	11.6	0.1	1.4
2025	6	25	1	15	41	0	0	0	0	0	0	0	18.29	0	0	11.6	0.1	1.4
2025	6	25	1	25	41	0	0	0	0	0	0	0	18.28	0	0	11.6	0.1	1.4
2025	6	25	1	35	41	0	0	0	0	0	0	0	18.26	0	0	11.6	0.1	1.4
2025	6	25	1	45	41	0	0	0	0	0	0	0	18.26	0	0	11.6	0.1	1.4
2025	6	25	1	55	41	0	0	0	0	0	0	0	18.24	0	0	11.6	0.1	1.4
2025	6	25	2	5	41	0	0	0	0	0	0	0	18.23	0	0	11.6	0.1	1.4
2025	6	25	2	15	41	0	0	0	0	0	0	0	18.22	0	0	11.6	0.1	1.4
2025	6	25	2	25	41	0	0	0	0	0	0	0	18.2	0	0	11.6	0.1	1.4
2025	6	25	2	35	41	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1.4
2025	6	25	2	45	41	0	0	0	0	0	0	0	18.18	0	0	11.6	0.1	1.4
2025	6	25	2	55	41	0	0	0	0	0	0	0	18.16	0	0	11.6	0.1	1.4
2025	6	25	3	5	41	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1.4
2025	6	25	3	15	41	0	0	0	0	0	0	0	18.13	0	0	11.6	0.1	1.4
2025	6	25	3	25	41	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1.4
2025	6	25	3	35	41	0	0	0	0	0	0	0	18.1	0	0	11.6	0.1	1.4
2025	6	25	3	45	41	0	0	0	0	0	0	0	18.09	0	0	11.6	0.1	1.4
2025	6	25	3	55	41	0	0	0	0	0	0	0	18.07	0	0	11.6	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	25	4	5	41	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1.4
2025	6	25	4	15	41	0	0	0	0	0	0	0	18.04	0	0	11.6	0.1	1.4
2025	6	25	4	25	41	0	0	0	0	0	0	0	18.02	0	0	11.6	0.1	1.4
2025	6	25	4	35	41	0	0	0	0	0	0	0	18	0	0	11.6	0.1	1.4
2025	6	25	4	45	41	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1.4
2025	6	25	4	55	41	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1.4
2025	6	25	5	5	41	0	0	0	0	0	0	0	17.94	0	0	11.6	0.1	1.4
2025	6	25	5	15	41	0	0	0	0	0	0	0	17.93	0	0	11.6	0.1	1.4
2025	6	25	5	25	41	0	0	0	0	0	0	0	17.9	0	0	11.6	0.1	1.4
2025	6	25	5	35	41	0	0	0	0	0	0	0	17.88	0	0	11.6	0.1	1.4
2025	6	25	5	45	41	0	0	0	0	0	0	0	17.86	0	0	11.6	0.1	1.4
2025	6	25	5	55	41	0	0	0	0	0	0	0	17.84	0	0	11.6	0.1	1.4
2025	6	25	6	5	41	0	0	0	0	0	0	0	17.82	0	0	11.6	0.1	1.4
2025	6	25	6	15	41	0	0	0	0	0	0	0	17.8	0	0	11.6	0.1	1.4
2025	6	25	6	25	41	0	0	0	0	0	0	0	17.78	0	0	11.6	0.1	1.4
2025	6	25	6	35	41	0	0	0	0	0	0	0	17.77	0	0	11.6	0.1	1.4
2025	6	25	6	45	41	0	0	0	0	0	0	0	17.75	0	0	11.6	0.1	1.4
2025	6	25	6	55	41	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1.4
2025	6	25	7	5	41	0	0	0	0	0	0	0	17.72	0	0	11.8	0.1	1.4
2025	6	25	7	15	41	0	0	0	0	0	0	0	17.71	0	0	11.8	0.1	1.4
2025	6	25	7	25	41	0	0	0	0	0	0	0	17.71	0	0	12	0.1	1.4
2025	6	25	7	35	41	0	0	0	0	0	0	0	17.7	0	0	12	0.1	1.4
2025	6	25	7	45	41	0	0	0	0	0	0	0	17.7	0	0	12.2	0.1	1.4
2025	6	25	7	55	41	0	0	0	0	0	0	0	17.7	0	0	12.4	0.1	1.4
2025	6	25	8	5	41	0	0	0	0	0	0	0	17.7	0	0	12.4	0.1	1.4
2025	6	25	8	15	41	0	0	0	0	0	0	0	17.71	0	0	12.6	0.1	1.4
2025	6	25	8	25	41	0	0	0	0	0	0	0	17.71	0	0	12.6	0.1	1.4
2025	6	25	8	35	41	0	0	0	0	0	0	0	17.72	0	0	12.6	0.1	1.4
2025	6	25	8	45	41	0	0	0	0	0	0	0	17.74	0	0	12.6	0.1	1.4
2025	6	25	8	55	41	0	0	0	0	0	0	0	17.75	0	0	12.6	0.1	1.4
2025	6	25	9	5	41	0	0	0	0	0	0	0	17.77	0	0	12.6	0.1	1.4
2025	6	25	9	15	41	0	0	0	0	0	0	0	17.79	0	0	12.8	0.1	1.4
2025	6	25	9	25	41	0	0	0	0	0	0	0	17.81	0	0	12.8	0.1	1.4
2025	6	25	9	35	41	0	0	0	0	0	0	0	17.83	0	0	12.8	0.1	1.4
2025	6	25	9	45	41	0	0	0	0	0	0	0	17.86	0	0	12.8	0.1	1.4
2025	6	25	9	55	41	0	0	0	0	0	0	0	17.88	0	0	13	0.1	1.4
2025	6	25	10	5	41	0	0	0	0	0	0	0	17.91	0	0	13	0.1	1.4
2025	6	25	10	15	41	0	0	0	0	0	0	0	17.94	0	0	13.2	0.1	1.4
2025	6	25	10	25	41	0	0	0	0	0	0	0	17.97	0	0	13.6	0.1	1.4
2025	6	25	10	35	41	0	0	0	0	0	0	0	18	0	0	13.6	0.1	1.4
2025	6	25	10	45	41	0	0	0	0	0	0	0	18.04	0	0	13.4	0.1	1.4
2025	6	25	10	55	41	0	0	0	0	0	0	0	18.08	0	0	13.4	0.1	1.4
2025	6	25	11	5	41	0	0	0	0	0	0	0	18.11	0	0	13.2	0.1	1.4
2025	6	25	11	15	41	0	0	0	0	0	0	0	18.15	0	0	13.2	0.1	1.4
2025	6	25	11	25	41	0	0	0	0	0	0	0	18.19	0	0	13.2	0.1	1.4
2025	6	25	11	35	41	0	0	0	0	0	0	0	18.24	0	0	13.2	0.1	1.4
2025	6	25	11	45	41	0	0	0	0	0	0	0	18.28	0	0	13.4	0.1	1.4
2025	6	25	11	55	41	0	0	0	0	0	0	0	18.32	0	0	13.4	0.1	1.4

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	25	12	5	41	0	0	0	0	0	0	0	18.37	0	0	13.4	0.1	1.4
2025	6	25	12	15	41	0	0	0	0	0	0	0	18.42	0	0	13.4	0.1	1.4
2025	6	25	12	25	41	0	0	0	0	0	0	0	18.46	0	0	13.4	0.1	1.4
2025	6	25	12	35	41	0	0	0	0	0	0	0	18.51	0	0	13.2	0.1	1.4
2025	6	25	12	45	41	0	0	0	0	0	0	0	18.55	0	0	13.2	0.1	1.4
2025	6	25	12	55	41	0	0	0	0	0	0	0	18.6	0	0	13.2	0.1	1.4
2025	6	25	13	5	41	0	0	0	0	0	0	0	18.64	0	0	13.4	0.1	1.4
2025	6	25	13	15	41	0	0	0	0	0	0	0	18.69	0	0	13.4	0.1	1.4
2025	6	25	13	25	41	0	0	0	0	0	0	0	18.73	0	0	13.4	0.1	1.4
2025	6	25	13	35	41	0	0	0	0	0	0	0	18.76	0	0	13.2	0.1	1.4
2025	6	25	13	45	41	0	0	0	0	0	0	0	18.81	0	0	13.4	0.1	1.4
2025	6	25	13	55	41	0	0	0	0	0	0	0	18.85	0	0	13.4	0.1	1.4
2025	6	25	14	5	41	0	0	0	0	0	0	0	18.89	0	0	13.2	0.1	1.4
2025	6	25	14	15	41	0	0	0	0	0	0	0	18.93	0	0	13.2	0.1	1.3
2025	6	25	14	25	41	0	0	0	0	0	0	0	18.96	0	0	13.2	0.1	1.3
2025	6	25	14	35	41	0	0	0	0	0	0	0	18.99	0	0	13.2	0.1	1.3
2025	6	25	14	45	41	0	0	0	0	0	0	0	19.02	0	0	13.2	0.1	1.3
2025	6	25	14	55	41	0	0	0	0	0	0	0	19.05	0	0	13.2	0.1	1.3
2025	6	25	15	5	41	0	0	0	0	0	0	0	19.08	0	0	13.2	0.1	1.3
2025	6	25	15	15	41	0	0	0	0	0	0	0	19.09	0	0	13.2	0.1	1.3
2025	6	25	15	25	41	0	0	0	0	0	0	0	19.12	0	0	13.2	0.1	1.3
2025	6	25	15	35	41	0	0	0	0	0	0	0	19.14	0	0	13.2	0.1	1.3
2025	6	25	15	45	41	0	0	0	0	0	0	0	19.16	0	0	13	0.1	1.3
2025	6	25	15	55	41	0	0	0	0	0	0	0	19.18	0	0	13	0.1	1.3
2025	6	25	16	5	41	0	0	0	0	0	0	0	19.19	0	0	13	0.1	1.3
2025	6	25	16	15	41	0	0	0	0	0	0	0	19.2	0	0	12.8	0.1	1.3
2025	6	25	16	25	41	0	0	0	0	0	0	0	19.21	0	0	12.8	0.1	1.3
2025	6	25	16	35	41	0	0	0	0	0	0	0	19.23	0	0	12.8	0.1	1.3
2025	6	25	16	45	41	0	0	0	0	0	0	0	19.24	0	0	12.8	0.1	1.3
2025	6	25	16	55	41	0	0	0	0	0	0	0	19.24	0	0	12.6	0.1	1.3
2025	6	25	17	5	41	0	0	0	0	0	0	0	19.25	0	0	12.6	0.1	1.3
2025	6	25	17	15	41	0	0	0	0	0	0	0	19.24	0	0	12.4	0.1	1.3
2025	6	25	17	25	41	0	0	0	0	0	0	0	19.24	0	0	12.4	0.1	1.3
2025	6	25	17	35	41	0	0	0	0	0	0	0	19.24	0	0	12.2	0.1	1.3
2025	6	25	17	45	41	0	0	0	0	0	0	0	19.24	0	0	12.2	0.1	1.3
2025	6	25	17	55	41	0	0	0	0	0	0	0	19.24	0	0	12	0.1	1.3
2025	6	25	18	5	41	0	0	0	0	0	0	0	19.23	0	0	12	0.1	1.3
2025	6	25	18	15	41	0	0	0	0	0	0	0	19.23	0	0	12	0.1	1.3
2025	6	25	18	25	41	0	0	0	0	0	0	0	19.22	0	0	12	0.1	1.3
2025	6	25	18	35	41	0	0	0	0	0	0	0	19.22	0	0	12	0.1	1.3
2025	6	25	18	45	41	0	0	0	0	0	0	0	19.22	0	0	12	0.1	1.3
2025	6	25	18	55	41	0	0	0	0	0	0	0	19.21	0	0	12	0.1	1.3
2025	6	25	19	5	41	0	0	0	0	0	0	0	19.2	0	0	11.8	0.1	1.3
2025	6	25	19	15	41	0	0	0	0	0	0	0	19.19	0	0	11.8	0.1	1.3
2025	6	25	19	25	41	0	0	0	0	0	0	0	19.18	0	0	11.8	0.1	1.3
2025	6	25	19	35	41	0	0	0	0	0	0	0	19.17	0	0	11.8	0.1	1.3
2025	6	25	19	45	41	0	0	0	0	0	0	0	19.16	0	0	11.8	0.1	1.3
2025	6	25	19	55	41	0	0	0	0	0	0	0	19.15	0	0	11.8	0.1	1.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	25	20	5	41	0	0	0	0	0	0	0	19.14	0	0	11.8	0.1	1.3
2025	6	25	20	15	41	0	0	0	0	0	0	0	19.13	0	0	11.8	0.1	1.3
2025	6	25	20	25	41	0	0	0	0	0	0	0	19.12	0	0	11.8	0.1	1.3
2025	6	25	20	35	41	0	0	0	0	0	0	0	19.11	0	0	11.8	0.1	1.3
2025	6	25	20	45	41	0	0	0	0	0	0	0	19.1	0	0	11.8	0.1	1.3
2025	6	25	20	55	41	0	0	0	0	0	0	0	19.08	0	0	11.8	0.1	1.3
2025	6	25	21	5	41	0	0	0	0	0	0	0	19.07	0	0	11.8	0.1	1.3
2025	6	25	21	15	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	25	21	25	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	25	21	35	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	25	21	45	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	25	21	55	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	25	22	5	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	25	22	15	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	25	22	25	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	25	22	35	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	25	22	45	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	25	22	55	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	25	23	5	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	25	23	15	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	25	23	25	41	0	0	0	0	0	0	0	19.03	0	0	11.8	0.1	1.3
2025	6	25	23	35	41	0	0	0	0	0	0	0	19.03	0	0	11.8	0.1	1.3
2025	6	25	23	45	41	0	0	0	0	0	0	0	19.03	0	0	11.8	0.1	1.3
2025	6	25	23	55	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	26	0	5	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	26	0	15	41	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1.3
2025	6	26	0	25	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	26	0	35	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	26	0	45	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	26	0	55	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	26	1	5	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	26	1	15	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	26	1	25	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	26	1	35	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	26	1	45	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	26	1	55	41	0	0	0	0	0	0	0	19.06	0	0	11.8	0.1	1.3
2025	6	26	2	5	41	0	0	0	0	0	0	0	19.05	0	0	11.8	0.1	1.3
2025	6	26	2	15	41	0	0	0	0	0	0	0	19.05	0	0	11.6	0.1	1.3
2025	6	26	2	25	41	0	0	0	0	0	0	0	19.05	0	0	11.6	0.1	1.3
2025	6	26	2	35	41	0	0	0	0	0	0	0	19.05	0	0	11.6	0.1	1.3
2025	6	26	2	45	41	0	0	0	0	0	0	0	19.05	0	0	11.6	0.1	1.3
2025	6	26	2	55	41	0	0	0	0	0	0	0	19.05	0	0	11.6	0.1	1.3
2025	6	26	3	5	41	0	0	0	0	0	0	0	19.04	0	0	11.6	0.1	1.3
2025	6	26	3	15	41	0	0	0	0	0	0	0	19.04	0	0	11.6	0.1	1.3
2025	6	26	3	25	41	0	0	0	0	0	0	0	19.04	0	0	11.6	0.1	1.3
2025	6	26	3	35	41	0	0	0	0	0	0	0	19.03	0	0	11.6	0.1	1.3
2025	6	26	3	45	41	0	0	0	0	0	0	0	19.03	0	0	11.6	0.1	1.3
2025	6	26	3	55	41	0	0	0	0	0	0	0	19.02	0	0	11.6	0.1	1.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	26	4	5	41	0	0	0	0	0	0	0	19.01	0	0	11.6	0.1	1.3
2025	6	26	4	15	41	0	0	0	0	0	0	0	19	0	0	11.6	0.1	1.3
2025	6	26	4	25	41	0	0	0	0	0	0	0	18.99	0	0	11.6	0.1	1.3
2025	6	26	4	35	41	0	0	0	0	0	0	0	18.99	0	0	11.6	0.1	1.3
2025	6	26	4	45	41	0	0	0	0	0	0	0	18.98	0	0	11.6	0.1	1.3
2025	6	26	4	55	41	0	0	0	0	0	0	0	18.97	0	0	11.6	0.1	1.3
2025	6	26	5	5	41	0	0	0	0	0	0	0	18.95	0	0	11.6	0.1	1.3
2025	6	26	5	15	41	0	0	0	0	0	0	0	18.94	0	0	11.6	0.1	1.3
2025	6	26	5	25	41	0	0	0	0	0	0	0	18.94	0	0	11.6	0.1	1.3
2025	6	26	5	35	41	0	0	0	0	0	0	0	18.92	0	0	11.6	0.1	1.3
2025	6	26	5	45	41	0	0	0	0	0	0	0	18.91	0	0	11.6	0.1	1.3
2025	6	26	5	55	41	0	0	0	0	0	0	0	18.89	0	0	11.6	0.1	1.3
2025	6	26	6	5	41	0	0	0	0	0	0	0	18.88	0	0	11.6	0.1	1.3
2025	6	26	6	15	41	0	0	0	0	0	0	0	18.86	0	0	11.6	0.1	1.3
2025	6	26	6	25	41	0	0	0	0	0	0	0	18.84	0	0	11.6	0.1	1.3
2025	6	26	6	35	41	0	0	0	0	0	0	0	18.83	0	0	11.6	0.1	1.3
2025	6	26	6	45	41	0	0	0	0	0	0	0	18.81	0	0	11.6	0.1	1.3
2025	6	26	6	55	41	0	0	0	0	0	0	0	18.8	0	0	11.8	0.1	1.3
2025	6	26	7	5	41	0	0	0	0	0	0	0	18.79	0	0	11.8	0.1	1.3
2025	6	26	7	15	41	0	0	0	0	0	0	0	18.78	0	0	11.8	0.1	1.3
2025	6	26	7	25	41	0	0	0	0	0	0	0	18.78	0	0	12	0.1	1.3
2025	6	26	7	35	41	0	0	0	0	0	0	0	18.77	0	0	12	0.1	1.3
2025	6	26	7	45	41	0	0	0	0	0	0	0	18.77	0	0	12.2	0.1	1.3
2025	6	26	7	55	41	0	0	0	0	0	0	0	18.77	0	0	12.4	0.1	1.3
2025	6	26	8	5	41	0	0	0	0	0	0	0	18.77	0	0	12.4	0.1	1.3
2025	6	26	8	15	41	0	0	0	0	0	0	0	18.78	0	0	12.4	0.1	1.3
2025	6	26	8	25	41	0	0	0	0	0	0	0	18.79	0	0	12.6	0.1	1.3
2025	6	26	8	35	41	0	0	0	0	0	0	0	18.8	0	0	12.6	0.1	1.3
2025	6	26	8	45	41	0	0	0	0	0	0	0	18.81	0	0	12.6	0.1	1.3
2025	6	26	8	55	41	0	0	0	0	0	0	0	18.82	0	0	12.6	0.1	1.3
2025	6	26	9	5	41	0	0	0	0	0	0	0	18.83	0	0	12.6	0.1	1.3
2025	6	26	9	15	41	0	0	0	0	0	0	0	18.85	0	0	12.8	0.1	1.3
2025	6	26	9	25	41	0	0	0	0	0	0	0	18.86	0	0	12.8	0.1	1.3
2025	6	26	9	35	41	0	0	0	0	0	0	0	18.88	0	0	12.8	0.1	1.3
2025	6	26	9	45	41	0	0	0	0	0	0	0	18.91	0	0	12.8	0.1	1.3
2025	6	26	9	55	41	0	0	0	0	0	0	0	18.93	0	0	13	0.1	1.3
2025	6	26	10	5	41	0	0	0	0	0	0	0	18.95	0	0	13	0.1	1.3
2025	6	26	10	15	41	0	0	0	0	0	0	0	18.97	0	0	13.2	0.1	1.3
2025	6	26	10	25	41	0	0	0	0	0	0	0	19	0	0	13.2	0.1	1.3
2025	6	26	10	35	41	0	0	0	0	0	0	0	19.02	0	0	13.2	0.1	1.3
2025	6	26	10	45	41	0	0	0	0	0	0	0	19.05	0	0	13.2	0.1	1.3
2025	6	26	10	55	41	0	0	0	0	0	0	0	19.08	0	0	13.2	0.1	1.3
2025	6	26	11	5	41	0	0	0	0	0	0	0	19.11	0	0	13.4	0.1	1.3
2025	6	26	11	15	41	0	0	0	0	0	0	0	19.14	0	0	13.4	0.1	1.3
2025	6	26	11	25	41	0	0	0	0	0	0	0	19.17	0	0	13.4	0.1	1.3
2025	6	26	11	35	41	0	0	0	0	0	0	0	19.2	0	0	13.4	0.1	1.3
2025	6	26	11	45	41	0	0	0	0	0	0	0	19.23	0	0	13.4	0.1	1.3
2025	6	26	11	55	41	0	0	0	0	0	0	0	19.26	0	0	13.4	0.1	1.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	26	12	5	41	0	0	0	0	0	0	0	19.29	0	0	13.4	0.1	1.3
2025	6	26	12	15	41	0	0	0	0	0	0	0	19.32	0	0	13.4	0.1	1.3
2025	6	26	12	25	41	0	0	0	0	0	0	0	19.34	0	0	13.4	0.1	1.3
2025	6	26	12	35	41	0	0	0	0	0	0	0	19.37	0	0	13.4	0.1	1.3
2025	6	26	12	45	41	0	0	0	0	0	0	0	19.4	0	0	13.4	0.1	1.3
2025	6	26	12	55	41	0	0	0	0	0	0	0	19.41	0	0	13.4	0.1	1.3
2025	6	26	13	5	41	0	0	0	0	0	0	0	19.44	0	0	13.4	0.1	1.3
2025	6	26	13	15	41	0	0	0	0	0	0	0	19.47	0	0	13.4	0.1	1.3
2025	6	26	13	25	41	0	0	0	0	0	0	0	19.49	0	0	13.4	0.1	1.3
2025	6	26	13	35	41	0	0	0	0	0	0	0	19.52	0	0	13.4	0.1	1.2
2025	6	26	13	45	41	0	0	0	0	0	0	0	19.54	0	0	13.4	0.1	1.2
2025	6	26	13	55	41	0	0	0	0	0	0	0	19.56	0	0	13.4	0.1	1.2
2025	6	26	14	5	41	0	0	0	0	0	0	0	19.58	0	0	13.4	0.1	1.2
2025	6	26	14	15	41	0	0	0	0	0	0	0	19.6	0	0	13.4	0.1	1.2
2025	6	26	14	25	41	0	0	0	0	0	0	0	19.62	0	0	13.4	0.1	1.2
2025	6	26	14	35	41	0	0	0	0	0	0	0	19.64	0	0	13.4	0.1	1.2
2025	6	26	14	45	41	0	0	0	0	0	0	0	19.65	0	0	13.4	0.1	1.2
2025	6	26	14	55	41	0	0	0	0	0	0	0	19.66	0	0	13.4	0.1	1.2
2025	6	26	15	5	41	0	0	0	0	0	0	0	19.67	0	0	13.4	0.1	1.2
2025	6	26	15	15	41	0	0	0	0	0	0	0	19.69	0	0	13.2	0.1	1.2
2025	6	26	15	25	41	0	0	0	0	0	0	0	19.7	0	0	13.2	0.1	1.2
2025	6	26	15	35	41	0	0	0	0	0	0	0	19.71	0	0	13	0.1	1.2
2025	6	26	15	45	41	0	0	0	0	0	0	0	19.72	0	0	13	0.1	1.2
2025	6	26	15	55	41	0	0	0	0	0	0	0	19.73	0	0	13	0.1	1.2
2025	6	26	16	5	41	0	0	0	0	0	0	0	19.73	0	0	13	0.1	1.2
2025	6	26	16	15	41	0	0	0	0	0	0	0	19.73	0	0	12.8	0.1	1.2
2025	6	26	16	25	41	0	0	0	0	0	0	0	19.74	0	0	12.8	0.1	1.2
2025	6	26	16	35	41	0	0	0	0	0	0	0	19.74	0	0	12.8	0.1	1.2
2025	6	26	16	45	41	0	0	0	0	0	0	0	19.73	0	0	12.8	0.1	1.2
2025	6	26	16	55	41	0	0	0	0	0	0	0	19.74	0	0	12.6	0.1	1.2
2025	6	26	17	5	41	0	0	0	0	0	0	0	19.74	0	0	12.6	0.1	1.2
2025	6	26	17	15	41	0	0	0	0	0	0	0	19.73	0	0	12.4	0.1	1.2
2025	6	26	17	25	41	0	0	0	0	0	0	0	19.72	0	0	12.4	0.1	1.2
2025	6	26	17	35	41	0	0	0	0	0	0	0	19.72	0	0	12.2	0.1	1.2
2025	6	26	17	45	41	0	0	0	0	0	0	0	19.71	0	0	12.2	0.1	1.2
2025	6	26	17	55	41	0	0	0	0	0	0	0	19.7	0	0	12	0.1	1.2
2025	6	26	18	5	41	0	0	0	0	0	0	0	19.69	0	0	12	0.1	1.2
2025	6	26	18	15	41	0	0	0	0	0	0	0	19.68	0	0	12	0.1	1.2
2025	6	26	18	25	41	0	0	0	0	0	0	0	19.67	0	0	12	0.1	1.2
2025	6	26	18	35	41	0	0	0	0	0	0	0	19.66	0	0	12	0.1	1.2
2025	6	26	18	45	41	0	0	0	0	0	0	0	19.65	0	0	12	0.1	1.2
2025	6	26	18	55	41	0	0	0	0	0	0	0	19.64	0	0	11.8	0.1	1.2
2025	6	26	19	5	41	0	0	0	0	0	0	0	19.64	0	0	11.8	0.1	1.2
2025	6	26	19	15	41	0	0	0	0	0	0	0	19.63	0	0	11.8	0.1	1.2
2025	6	26	19	25	41	0	0	0	0	0	0	0	19.62	0	0	11.8	0.1	1.2
2025	6	26	19	35	41	0	0	0	0	0	0	0	19.61	0	0	11.8	0.1	1.2
2025	6	26	19	45	41	0	0	0	0	0	0	0	19.61	0	0	11.8	0.1	1.2
2025	6	26	19	55	41	0	0	0	0	0	0	0	19.59	0	0	11.8	0.1	1.2

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	26	20	5	41	0	0	0	0	0	0	0	19.6	0	0	11.8	0.1	1.2
2025	6	26	20	15	41	0	0	0	0	0	0	0	19.59	0	0	11.8	0.1	1.2
2025	6	26	20	25	41	0	0	0	0	0	0	0	19.58	0	0	11.8	0.1	1.2
2025	6	26	20	35	41	0	0	0	0	0	0	0	19.57	0	0	11.8	0.1	1.2
2025	6	26	20	45	41	0	0	0	0	0	0	0	19.56	0	0	11.8	0.1	1.2
2025	6	26	20	55	41	0	0	0	0	0	0	0	19.55	0	0	11.8	0.1	1.2
2025	6	26	21	5	41	0	0	0	0	0	0	0	19.54	0	0	11.8	0.1	1.2
2025	6	26	21	15	41	0	0	0	0	0	0	0	19.53	0	0	11.8	0.1	1.2
2025	6	26	21	25	41	0	0	0	0	0	0	0	19.53	0	0	11.8	0.1	1.2
2025	6	26	21	35	41	0	0	0	0	0	0	0	19.52	0	0	11.8	0.1	1.2
2025	6	26	21	45	41	0	0	0	0	0	0	0	19.52	0	0	11.8	0.1	1.2
2025	6	26	21	55	41	0	0	0	0	0	0	0	19.52	0	0	11.8	0.1	1.2
2025	6	26	22	5	41	0	0	0	0	0	0	0	19.53	0	0	11.8	0.1	1.2
2025	6	26	22	15	41	0	0	0	0	0	0	0	19.52	0	0	11.8	0.1	1.2
2025	6	26	22	25	41	0	0	0	0	0	0	0	19.52	0	0	11.8	0.1	1.2
2025	6	26	22	35	41	0	0	0	0	0	0	0	19.52	0	0	11.8	0.1	1.2
2025	6	26	22	45	41	0	0	0	0	0	0	0	19.53	0	0	11.8	0.1	1.2
2025	6	26	22	55	41	0	0	0	0	0	0	0	19.53	0	0	11.8	0.1	1.2
2025	6	26	23	5	41	0	0	0	0	0	0	0	19.53	0	0	11.8	0.1	1.2
2025	6	26	23	15	41	0	0	0	0	0	0	0	19.54	0	0	11.8	0.1	1.2
2025	6	26	23	25	41	0	0	0	0	0	0	0	19.54	0	0	11.8	0.1	1.2
2025	6	26	23	35	41	0	0	0	0	0	0	0	19.55	0	0	11.8	0.1	1.2
2025	6	26	23	45	41	0	0	0	0	0	0	0	19.56	0	0	11.8	0.1	1.2
2025	6	26	23	55	41	0	0	0	0	0	0	0	19.56	0	0	11.8	0.1	1.2
2025	6	27	0	5	41	0	0	0	0	0	0	0	19.57	0	0	11.8	0.1	1.2
2025	6	27	0	15	41	0	0	0	0	0	0	0	19.58	0	0	11.8	0.1	1.2
2025	6	27	0	25	41	0	0	0	0	0	0	0	19.58	0	0	11.8	0.1	1.2
2025	6	27	0	35	41	0	0	0	0	0	0	0	19.59	0	0	11.8	0.1	1.2
2025	6	27	0	45	41	0	0	0	0	0	0	0	19.6	0	0	11.8	0.1	1.2
2025	6	27	0	55	41	0	0	0	0	0	0	0	19.61	0	0	11.8	0.1	1.2
2025	6	27	1	5	41	0	0	0	0	0	0	0	19.62	0	0	11.8	0.1	1.2
2025	6	27	1	15	41	0	0	0	0	0	0	0	19.63	0	0	11.8	0.1	1.2
2025	6	27	1	25	41	0	0	0	0	0	0	0	19.64	0	0	11.8	0.1	1.2
2025	6	27	1	35	41	0	0	0	0	0	0	0	19.65	0	0	11.8	0.1	1.2
2025	6	27	1	45	41	0	0	0	0	0	0	0	19.66	0	0	11.8	0.1	1.2
2025	6	27	1	55	41	0	0	0	0	0	0	0	19.67	0	0	11.8	0.1	1.2
2025	6	27	2	5	41	0	0	0	0	0	0	0	19.67	0	0	11.8	0.1	1.2
2025	6	27	2	15	41	0	0	0	0	0	0	0	19.69	0	0	11.8	0.1	1.2
2025	6	27	2	25	41	0	0	0	0	0	0	0	19.69	0	0	11.8	0.1	1.2
2025	6	27	2	35	41	0	0	0	0	0	0	0	19.7	0	0	11.8	0.1	1.2
2025	6	27	2	45	41	0	0	0	0	0	0	0	19.71	0	0	11.8	0.1	1.2
2025	6	27	2	55	41	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1.2
2025	6	27	3	5	41	0	0	0	0	0	0	0	19.73	0	0	11.6	0.1	1.2
2025	6	27	3	15	41	0	0	0	0	0	0	0	19.74	0	0	11.6	0.1	1.2
2025	6	27	3	25	41	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1.2
2025	6	27	3	35	41	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1.2
2025	6	27	3	45	41	0	0	0	0	0	0	0	19.76	0	0	11.6	0.1	1.2
2025	6	27	3	55	41	0	0	0	0	0	0	0	19.76	0	0	11.6	0.1	1.2

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	27	4	5	41	0	0	0	0	0	0	0	19.77	0	0	11.6	0.1	1.2
2025	6	27	4	15	41	0	0	0	0	0	0	0	19.77	0	0	11.6	0.1	1.2
2025	6	27	4	25	41	0	0	0	0	0	0	0	19.77	0	0	11.6	0.1	1.2
2025	6	27	4	35	41	0	0	0	0	0	0	0	19.77	0	0	11.6	0.1	1.2
2025	6	27	4	45	41	0	0	0	0	0	0	0	19.77	0	0	11.6	0.1	1.2
2025	6	27	4	55	41	0	0	0	0	0	0	0	19.77	0	0	11.6	0.1	1.2
2025	6	27	5	5	41	0	0	0	0	0	0	0	19.76	0	0	11.6	0.1	1.2
2025	6	27	5	15	41	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1.2
2025	6	27	5	25	41	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1.2
2025	6	27	5	35	41	0	0	0	0	0	0	0	19.74	0	0	11.6	0.1	1.2
2025	6	27	5	45	41	0	0	0	0	0	0	0	19.72	0	0	11.6	0.1	1.2
2025	6	27	5	55	41	0	0	0	0	0	0	0	19.71	0	0	11.6	0.1	1.2
2025	6	27	6	5	41	0	0	0	0	0	0	0	19.7	0	0	11.6	0.1	1.2
2025	6	27	6	15	41	0	0	0	0	0	0	0	19.69	0	0	11.6	0.1	1.2
2025	6	27	6	25	41	0	0	0	0	0	0	0	19.67	0	0	11.6	0.1	1.2
2025	6	27	6	35	41	0	0	0	0	0	0	0	19.66	0	0	11.6	0.1	1.2
2025	6	27	6	45	41	0	0	0	0	0	0	0	19.65	0	0	11.6	0.1	1.2
2025	6	27	6	55	41	0	0	0	0	0	0	0	19.64	0	0	11.8	0.1	1.2
2025	6	27	7	5	41	0	0	0	0	0	0	0	19.64	0	0	11.8	0.1	1.2
2025	6	27	7	15	41	0	0	0	0	0	0	0	19.63	0	0	11.8	0.1	1.2
2025	6	27	7	25	41	0	0	0	0	0	0	0	19.64	0	0	12	0.1	1.2
2025	6	27	7	35	41	0	0	0	0	0	0	0	19.64	0	0	12	0.1	1.1
2025	6	27	7	45	41	0	0	0	0	0	0	0	19.64	0	0	12.2	0.1	1.1
2025	6	27	7	55	41	0	0	0	0	0	0	0	19.65	0	0	12.4	0.1	1.1
2025	6	27	8	5	41	0	0	0	0	0	0	0	19.65	0	0	12.4	0.1	1.1
2025	6	27	8	15	41	0	0	0	0	0	0	0	19.66	0	0	12.4	0.1	1.1
2025	6	27	8	25	41	0	0	0	0	0	0	0	19.67	0	0	12.6	0.1	1.1
2025	6	27	8	35	41	0	0	0	0	0	0	0	19.69	0	0	12.6	0.1	1.1
2025	6	27	8	45	41	0	0	0	0	0	0	0	19.7	0	0	12.6	0.1	1.1
2025	6	27	8	55	41	0	0	0	0	0	0	0	19.72	0	0	12.6	0.1	1.1
2025	6	27	9	5	41	0	0	0	0	0	0	0	19.74	0	0	12.6	0.1	1.1
2025	6	27	9	15	41	0	0	0	0	0	0	0	19.76	0	0	12.8	0.1	1.1
2025	6	27	9	25	41	0	0	0	0	0	0	0	19.77	0	0	12.8	0.1	1.1
2025	6	27	9	35	41	0	0	0	0	0	0	0	19.79	0	0	12.8	0.1	1.1
2025	6	27	9	45	41	0	0	0	0	0	0	0	19.82	0	0	12.8	0.1	1.1
2025	6	27	9	55	41	0	0	0	0	0	0	0	19.84	0	0	13	0.1	1.1
2025	6	27	10	5	41	0	0	0	0	0	0	0	19.87	0	0	13	0.1	1.1
2025	6	27	10	15	41	0	0	0	0	0	0	0	19.89	0	0	13.2	0.1	1.1
2025	6	27	10	25	41	0	0	0	0	0	0	0	19.92	0	0	13.2	0.1	1.1
2025	6	27	10	35	41	0	0	0	0	0	0	0	19.95	0	0	13.2	0.1	1.1
2025	6	27	10	45	41	0	0	0	0	0	0	0	19.98	0	0	13.2	0.1	1.1
2025	6	27	10	55	41	0	0	0	0	0	0	0	20.01	0	0	13.2	0.1	1.1
2025	6	27	11	5	41	0	0	0	0	0	0	0	20.04	0	0	13.2	0.1	1.1
2025	6	27	11	15	41	0	0	0	0	0	0	0	20.07	0	0	13.2	0.1	1.1
2025	6	27	11	25	41	0	0	0	0	0	0	0	20.1	0	0	13.2	0.1	1.1
2025	6	27	11	35	41	0	0	0	0	0	0	0	20.13	0	0	13.2	0.1	1.1
2025	6	27	11	45	41	0	0	0	0	0	0	0	20.16	0	0	13.2	0.1	1.1
2025	6	27	11	55	41	0	0	0	0	0	0	0	20.19	0	0	13.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	27	12	5	41	0	0	0	0	0	0	0	20.22	0	0	13.2	0.1	1.1
2025	6	27	12	15	41	0	0	0	0	0	0	0	20.25	0	0	13.2	0.1	1.1
2025	6	27	12	25	41	0	0	0	0	0	0	0	20.28	0	0	13.2	0.1	1.1
2025	6	27	12	35	41	0	0	0	0	0	0	0	20.3	0	0	13.2	0.1	1.1
2025	6	27	12	45	41	0	0	0	0	0	0	0	20.34	0	0	13.2	0.1	1.1
2025	6	27	12	55	41	0	0	0	0	0	0	0	20.36	0	0	13.2	0.1	1.1
2025	6	27	13	5	41	0	0	0	0	0	0	0	20.38	0	0	13.2	0.1	1.1
2025	6	27	13	15	41	0	0	0	0	0	0	0	20.41	0	0	13.4	0.1	1.1
2025	6	27	13	25	41	0	0	0	0	0	0	0	20.44	0	0	13.2	0.1	1.1
2025	6	27	13	35	41	0	0	0	0	0	0	0	20.46	0	0	13.2	0.1	1.1
2025	6	27	13	45	41	0	0	0	0	0	0	0	20.48	0	0	13.2	0.1	1.1
2025	6	27	13	55	41	0	0	0	0	0	0	0	20.51	0	0	13.2	0.1	1.1
2025	6	27	14	5	41	0	0	0	0	0	0	0	20.53	0	0	13.2	0.1	1.1
2025	6	27	14	15	41	0	0	0	0	0	0	0	20.55	0	0	13.2	0.1	1.1
2025	6	27	14	25	41	0	0	0	0	0	0	0	20.57	0	0	13.2	0.1	1.1
2025	6	27	14	35	41	0	0	0	0	0	0	0	20.57	0	0	13.2	0.1	1.1
2025	6	27	14	45	41	0	0	0	0	0	0	0	20.6	0	0	13.2	0.1	1.1
2025	6	27	14	55	41	0	0	0	0	0	0	0	20.6	0	0	13.2	0.1	1.1
2025	6	27	15	5	41	0	0	0	0	0	0	0	20.61	0	0	13.2	0.1	1.1
2025	6	27	15	15	41	0	0	0	0	0	0	0	20.62	0	0	13.2	0.1	1.1
2025	6	27	15	25	41	0	0	0	0	0	0	0	20.63	0	0	13.2	0.1	1.1
2025	6	27	15	35	41	0	0	0	0	0	0	0	20.64	0	0	13.2	0.1	1.1
2025	6	27	15	45	41	0	0	0	0	0	0	0	20.65	0	0	13.2	0.1	1.1
2025	6	27	15	55	41	0	0	0	0	0	0	0	20.65	0	0	13.2	0.1	1.1
2025	6	27	16	5	41	0	0	0	0	0	0	0	20.65	0	0	13	0.1	1.1
2025	6	27	16	15	41	0	0	0	0	0	0	0	20.65	0	0	13	0.1	1.1
2025	6	27	16	25	41	0	0	0	0	0	0	0	20.66	0	0	12.8	0.1	1.1
2025	6	27	16	35	41	0	0	0	0	0	0	0	20.65	0	0	12.8	0.1	1.1
2025	6	27	16	45	41	0	0	0	0	0	0	0	20.65	0	0	12.8	0.1	1.1
2025	6	27	16	55	41	0	0	0	0	0	0	0	20.64	0	0	12.8	0.1	1.1
2025	6	27	17	5	41	0	0	0	0	0	0	0	20.64	0	0	12.6	0.1	1.1
2025	6	27	17	15	41	0	0	0	0	0	0	0	20.63	0	0	12.4	0.1	1.1
2025	6	27	17	25	41	0	0	0	0	0	0	0	20.61	0	0	12.4	0.1	1.1
2025	6	27	17	35	41	0	0	0	0	0	0	0	20.6	0	0	12.2	0.1	1.1
2025	6	27	17	45	41	0	0	0	0	0	0	0	20.59	0	0	12.2	0.1	1.1
2025	6	27	17	55	41	0	0	0	0	0	0	0	20.57	0	0	12	0.1	1.1
2025	6	27	18	5	41	0	0	0	0	0	0	0	20.56	0	0	12	0.1	1.1
2025	6	27	18	15	41	0	0	0	0	0	0	0	20.54	0	0	12	0.1	1.1
2025	6	27	18	25	41	0	0	0	0	0	0	0	20.53	0	0	12	0.1	1.1
2025	6	27	18	35	41	0	0	0	0	0	0	0	20.51	0	0	12	0.1	1.1
2025	6	27	18	45	41	0	0	0	0	0	0	0	20.5	0	0	11.8	0.1	1.1
2025	6	27	18	55	41	0	0	0	0	0	0	0	20.48	0	0	11.8	0.1	1.1
2025	6	27	19	5	41	0	0	0	0	0	0	0	20.46	0	0	11.8	0.1	1.1
2025	6	27	19	15	41	0	0	0	0	0	0	0	20.45	0	0	11.8	0.1	1.1
2025	6	27	19	25	41	0	0	0	0	0	0	0	20.43	0	0	11.8	0.1	1.1
2025	6	27	19	35	41	0	0	0	0	0	0	0	20.41	0	0	11.8	0.1	1.1
2025	6	27	19	45	41	0	0	0	0	0	0	0	20.4	0	0	11.8	0.1	1.1
2025	6	27	19	55	41	0	0	0	0	0	0	0	20.39	0	0	11.8	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	27	20	5	41	0	0	0	0	0	0	0	20.37	0	0	11.8	0.1	1.1
2025	6	27	20	15	41	0	0	0	0	0	0	0	20.36	0	0	11.8	0.1	1.1
2025	6	27	20	25	41	0	0	0	0	0	0	0	20.34	0	0	11.8	0.1	1.1
2025	6	27	20	35	41	0	0	0	0	0	0	0	20.32	0	0	11.8	0.1	1.1
2025	6	27	20	45	41	0	0	0	0	0	0	0	20.31	0	0	11.8	0.1	1.1
2025	6	27	20	55	41	0	0	0	0	0	0	0	20.29	0	0	11.8	0.1	1.1
2025	6	27	21	5	41	0	0	0	0	0	0	0	20.28	0	0	11.8	0.1	1.1
2025	6	27	21	15	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1.1
2025	6	27	21	25	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1.1
2025	6	27	21	35	41	0	0	0	0	0	0	0	20.23	0	0	11.8	0.1	1.1
2025	6	27	21	45	41	0	0	0	0	0	0	0	20.23	0	0	11.8	0.1	1.1
2025	6	27	21	55	41	0	0	0	0	0	0	0	20.22	0	0	11.8	0.1	1.1
2025	6	27	22	5	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	27	22	15	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	27	22	25	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	27	22	35	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	27	22	45	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	27	22	55	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	27	23	5	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	27	23	15	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	27	23	25	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	27	23	35	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	27	23	45	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	27	23	55	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	0	5	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	0	15	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	0	25	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	0	35	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	28	0	45	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	0	55	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	1	5	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	1	15	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	28	1	25	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	28	1	35	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	28	1	45	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	28	1	55	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	28	2	5	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	28	2	15	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1.1
2025	6	28	2	25	41	0	0	0	0	0	0	0	20.21	0	0	11.6	0.1	1.1
2025	6	28	2	35	41	0	0	0	0	0	0	0	20.21	0	0	11.6	0.1	1.1
2025	6	28	2	45	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	2	55	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	3	5	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	3	15	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	3	25	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	3	35	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	3	45	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	3	55	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	28	4	5	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	4	15	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	4	25	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	4	35	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	4	45	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	4	55	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	5	5	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	5	15	41	0	0	0	0	0	0	0	20.23	0	0	11.6	0.1	1.1
2025	6	28	5	25	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	5	35	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	5	45	41	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1.1
2025	6	28	5	55	41	0	0	0	0	0	0	0	20.21	0	0	11.6	0.1	1.1
2025	6	28	6	5	41	0	0	0	0	0	0	0	20.21	0	0	11.6	0.1	1.1
2025	6	28	6	15	41	0	0	0	0	0	0	0	20.2	0	0	11.6	0.1	1.1
2025	6	28	6	25	41	0	0	0	0	0	0	0	20.2	0	0	11.6	0.1	1.1
2025	6	28	6	35	41	0	0	0	0	0	0	0	20.2	0	0	11.6	0.1	1.1
2025	6	28	6	45	41	0	0	0	0	0	0	0	20.19	0	0	11.6	0.1	1.1
2025	6	28	6	55	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	7	5	41	0	0	0	0	0	0	0	20.19	0	0	11.8	0.1	1.1
2025	6	28	7	15	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1.1
2025	6	28	7	25	41	0	0	0	0	0	0	0	20.2	0	0	12	0.1	1.1
2025	6	28	7	35	41	0	0	0	0	0	0	0	20.21	0	0	12	0.1	1.1
2025	6	28	7	45	41	0	0	0	0	0	0	0	20.22	0	0	12.2	0.1	1.1
2025	6	28	7	55	41	0	0	0	0	0	0	0	20.24	0	0	12.4	0.1	1.1
2025	6	28	8	5	41	0	0	0	0	0	0	0	20.25	0	0	12.4	0.1	1.1
2025	6	28	8	15	41	0	0	0	0	0	0	0	20.27	0	0	12.4	0.1	1.1
2025	6	28	8	25	41	0	0	0	0	0	0	0	20.29	0	0	12.6	0.1	1.1
2025	6	28	8	35	41	0	0	0	0	0	0	0	20.31	0	0	12.6	0.1	1.1
2025	6	28	8	45	41	0	0	0	0	0	0	0	20.33	0	0	12.6	0.1	1.1
2025	6	28	8	55	41	0	0	0	0	0	0	0	20.35	0	0	12.6	0.1	1.1
2025	6	28	9	5	41	0	0	0	0	0	0	0	20.38	0	0	12.6	0.1	1.1
2025	6	28	9	15	41	0	0	0	0	0	0	0	20.4	0	0	12.6	0.1	1.1
2025	6	28	9	25	41	0	0	0	0	0	0	0	20.43	0	0	12.8	0.1	1.1
2025	6	28	9	35	41	0	0	0	0	0	0	0	20.46	0	0	12.8	0.1	1.1
2025	6	28	9	45	41	0	0	0	0	0	0	0	20.49	0	0	12.8	0.1	1.1
2025	6	28	9	55	41	0	0	0	0	0	0	0	20.52	0	0	13	0.1	1.1
2025	6	28	10	5	41	0	0	0	0	0	0	0	20.55	0	0	13	0.1	1.1
2025	6	28	10	15	41	0	0	0	0	0	0	0	20.58	0	0	13.2	0.1	1.1
2025	6	28	10	25	41	0	0	0	0	0	0	0	20.62	0	0	13.2	0.1	1.1
2025	6	28	10	35	41	0	0	0	0	0	0	0	20.66	0	0	13.2	0.1	1.1
2025	6	28	10	45	41	0	0	0	0	0	0	0	20.69	0	0	13.2	0.1	1.1
2025	6	28	10	55	41	0	0	0	0	0	0	0	20.72	0	0	13.2	0.1	1.1
2025	6	28	11	5	41	0	0	0	0	0	0	0	20.76	0	0	13.2	0.1	1.1
2025	6	28	11	15	41	0	0	0	0	0	0	0	20.8	0	0	13.2	0.1	1.1
2025	6	28	11	25	41	0	0	0	0	0	0	0	20.84	0	0	13.2	0.1	1.1
2025	6	28	11	35	41	0	0	0	0	0	0	0	20.87	0	0	13.2	0.1	1.1
2025	6	28	11	45	41	0	0	0	0	0	0	0	20.91	0	0	13.2	0.1	1.1
2025	6	28	11	55	41	0	0	0	0	0	0	0	20.95	0	0	13.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	28	12	5	41	0	0	0	0	0	0	0	20.98	0	0	13.2	0.1	1.1
2025	6	28	12	15	41	0	0	0	0	0	0	0	21.03	0	0	13.2	0.1	1.1
2025	6	28	12	25	41	0	0	0	0	0	0	0	21.07	0	0	13.2	0.1	1.1
2025	6	28	12	35	41	0	0	0	0	0	0	0	21.11	0	0	13.2	0.1	1.1
2025	6	28	12	45	41	0	0	0	0	0	0	0	21.14	0	0	13.2	0.1	1.1
2025	6	28	12	55	41	0	0	0	0	0	0	0	21.17	0	0	13.2	0.1	1.1
2025	6	28	13	5	41	0	0	0	0	0	0	0	21.2	0	0	13.2	0.1	1.1
2025	6	28	13	15	41	0	0	0	0	0	0	0	21.24	0	0	13.2	0.1	1.1
2025	6	28	13	25	41	0	0	0	0	0	0	0	21.27	0	0	13.2	0.1	1.1
2025	6	28	13	35	41	0	0	0	0	0	0	0	21.29	0	0	13.2	0.1	1.1
2025	6	28	13	45	41	0	0	0	0	0	0	0	21.32	0	0	13.2	0.1	1.1
2025	6	28	13	55	41	0	0	0	0	0	0	0	21.34	0	0	13.2	0.1	1.1
2025	6	28	14	5	41	0	0	0	0	0	0	0	21.36	0	0	13.2	0.1	1.1
2025	6	28	14	15	41	0	0	0	0	0	0	0	21.38	0	0	13.2	0.1	1.1
2025	6	28	14	25	41	0	0	0	0	0	0	0	21.39	0	0	13.4	0.1	1.1
2025	6	28	14	35	41	0	0	0	0	0	0	0	21.41	0	0	13.4	0.1	1.1
2025	6	28	14	45	41	0	0	0	0	0	0	0	21.42	0	0	13.4	0.1	1.1
2025	6	28	14	55	41	0	0	0	0	0	0	0	21.43	0	0	13.4	0.1	1.1
2025	6	28	15	5	41	0	0	0	0	0	0	0	21.44	0	0	13.4	0.1	1.1
2025	6	28	15	15	41	0	0	0	0	0	0	0	21.45	0	0	13.4	0.1	1.1
2025	6	28	15	25	41	0	0	0	0	0	0	0	21.45	0	0	13.2	0.1	1.1
2025	6	28	15	35	41	0	0	0	0	0	0	0	21.45	0	0	13.2	0.1	1.1
2025	6	28	15	45	41	0	0	0	0	0	0	0	21.45	0	0	13	0.1	1.1
2025	6	28	15	55	41	0	0	0	0	0	0	0	21.45	0	0	13	0.1	1.1
2025	6	28	16	5	41	0	0	0	0	0	0	0	21.44	0	0	13	0.1	1.1
2025	6	28	16	15	41	0	0	0	0	0	0	0	21.44	0	0	13	0.1	1.1
2025	6	28	16	25	41	0	0	0	0	0	0	0	21.43	0	0	12.8	0.1	1.1
2025	6	28	16	35	41	0	0	0	0	0	0	0	21.42	0	0	12.8	0.1	1.1
2025	6	28	16	45	41	0	0	0	0	0	0	0	21.41	0	0	12.8	0.1	1.1
2025	6	28	16	55	41	0	0	0	0	0	0	0	21.39	0	0	12.6	0.1	1.1
2025	6	28	17	5	41	0	0	0	0	0	0	0	21.38	0	0	12.6	0.1	1.1
2025	6	28	17	15	41	0	0	0	0	0	0	0	21.35	0	0	12.4	0.1	1.1
2025	6	28	17	25	41	0	0	0	0	0	0	0	21.34	0	0	12.4	0.1	1.1
2025	6	28	17	35	41	0	0	0	0	0	0	0	21.32	0	0	12.2	0.1	1.1
2025	6	28	17	45	41	0	0	0	0	0	0	0	21.3	0	0	12.2	0.1	1.1
2025	6	28	17	55	41	0	0	0	0	0	0	0	21.28	0	0	12	0.1	1.1
2025	6	28	18	5	41	0	0	0	0	0	0	0	21.26	0	0	12	0.1	1.1
2025	6	28	18	15	41	0	0	0	0	0	0	0	21.24	0	0	12	0.1	1.1
2025	6	28	18	25	41	0	0	0	0	0	0	0	21.21	0	0	12	0.1	1.1
2025	6	28	18	35	41	0	0	0	0	0	0	0	21.19	0	0	11.8	0.1	1.1
2025	6	28	18	45	41	0	0	0	0	0	0	0	21.16	0	0	11.8	0.1	1.1
2025	6	28	18	55	41	0	0	0	0	0	0	0	21.14	0	0	11.8	0.1	1
2025	6	28	19	5	41	0	0	0	0	0	0	0	21.11	0	0	11.8	0.1	1
2025	6	28	19	15	41	0	0	0	0	0	0	0	21.08	0	0	11.8	0.1	1
2025	6	28	19	25	41	0	0	0	0	0	0	0	21.06	0	0	11.8	0.1	1
2025	6	28	19	35	41	0	0	0	0	0	0	0	21.03	0	0	11.8	0.1	1
2025	6	28	19	45	41	0	0	0	0	0	0	0	21	0	0	11.8	0.1	1
2025	6	28	19	55	41	0	0	0	0	0	0	0	20.98	0	0	11.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	28	20	5	41	0	0	0	0	0	0	0	20.95	0	0	11.8	0.1	1
2025	6	28	20	15	41	0	0	0	0	0	0	0	20.91	0	0	11.8	0.1	1
2025	6	28	20	25	41	0	0	0	0	0	0	0	20.88	0	0	11.8	0.1	1
2025	6	28	20	35	41	0	0	0	0	0	0	0	20.84	0	0	11.8	0.1	1
2025	6	28	20	45	41	0	0	0	0	0	0	0	20.81	0	0	11.8	0.1	1
2025	6	28	20	55	41	0	0	0	0	0	0	0	20.77	0	0	11.8	0.1	1
2025	6	28	21	5	41	0	0	0	0	0	0	0	20.74	0	0	11.8	0.1	1
2025	6	28	21	15	41	0	0	0	0	0	0	0	20.71	0	0	11.8	0.1	1
2025	6	28	21	25	41	0	0	0	0	0	0	0	20.67	0	0	11.8	0.1	1
2025	6	28	21	35	41	0	0	0	0	0	0	0	20.64	0	0	11.8	0.1	1
2025	6	28	21	45	41	0	0	0	0	0	0	0	20.61	0	0	11.8	0.1	1
2025	6	28	21	55	41	0	0	0	0	0	0	0	20.58	0	0	11.8	0.1	1
2025	6	28	22	5	41	0	0	0	0	0	0	0	20.55	0	0	11.8	0.1	1
2025	6	28	22	15	41	0	0	0	0	0	0	0	20.52	0	0	11.8	0.1	1
2025	6	28	22	25	41	0	0	0	0	0	0	0	20.5	0	0	11.8	0.1	1
2025	6	28	22	35	41	0	0	0	0	0	0	0	20.47	0	0	11.8	0.1	1
2025	6	28	22	45	41	0	0	0	0	0	0	0	20.46	0	0	11.8	0.1	1
2025	6	28	22	55	41	0	0	0	0	0	0	0	20.44	0	0	11.8	0.1	1
2025	6	28	23	5	41	0	0	0	0	0	0	0	20.41	0	0	11.8	0.1	1
2025	6	28	23	15	41	0	0	0	0	0	0	0	20.39	0	0	11.8	0.1	1
2025	6	28	23	25	41	0	0	0	0	0	0	0	20.37	0	0	11.8	0.1	1
2025	6	28	23	35	41	0	0	0	0	0	0	0	20.34	0	0	11.8	0.1	1
2025	6	28	23	45	41	0	0	0	0	0	0	0	20.32	0	0	11.8	0.1	1
2025	6	28	23	55	41	0	0	0	0	0	0	0	20.31	0	0	11.8	0.1	1
2025	6	29	0	5	41	0	0	0	0	0	0	0	20.29	0	0	11.8	0.1	1
2025	6	29	0	15	41	0	0	0	0	0	0	0	20.27	0	0	11.8	0.1	1
2025	6	29	0	25	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	1
2025	6	29	0	35	41	0	0	0	0	0	0	0	20.25	0	0	11.8	0.1	1
2025	6	29	0	45	41	0	0	0	0	0	0	0	20.24	0	0	11.8	0.1	1
2025	6	29	0	55	41	0	0	0	0	0	0	0	20.23	0	0	11.8	0.1	1
2025	6	29	1	5	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	1
2025	6	29	1	15	41	0	0	0	0	0	0	0	20.2	0	0	11.8	0.1	1
2025	6	29	1	25	41	0	0	0	0	0	0	0	20.18	0	0	11.8	0.1	1
2025	6	29	1	35	41	0	0	0	0	0	0	0	20.18	0	0	11.8	0.1	1
2025	6	29	1	45	41	0	0	0	0	0	0	0	20.17	0	0	11.8	0.1	1
2025	6	29	1	55	41	0	0	0	0	0	0	0	20.17	0	0	11.6	0.1	1
2025	6	29	2	5	41	0	0	0	0	0	0	0	20.15	0	0	11.6	0.1	1
2025	6	29	2	15	41	0	0	0	0	0	0	0	20.15	0	0	11.6	0.1	1
2025	6	29	2	25	41	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1
2025	6	29	2	35	41	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1
2025	6	29	2	45	41	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1
2025	6	29	2	55	41	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1
2025	6	29	3	5	41	0	0	0	0	0	0	0	20.14	0	0	11.6	0.1	1
2025	6	29	3	15	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	3	25	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	3	35	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	3	45	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	3	55	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	29	4	5	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	4	15	41	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1
2025	6	29	4	25	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	4	35	41	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1
2025	6	29	4	45	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	4	55	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	5	5	41	0	0	0	0	0	0	0	20.13	0	0	11.6	0.1	1
2025	6	29	5	15	41	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1
2025	6	29	5	25	41	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1
2025	6	29	5	35	41	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1
2025	6	29	5	45	41	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1
2025	6	29	5	55	41	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1
2025	6	29	6	5	41	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1
2025	6	29	6	15	41	0	0	0	0	0	0	0	20.11	0	0	11.6	0.1	1
2025	6	29	6	25	41	0	0	0	0	0	0	0	20.1	0	0	11.6	0.1	1
2025	6	29	6	35	41	0	0	0	0	0	0	0	20.1	0	0	11.6	0.1	1
2025	6	29	6	45	41	0	0	0	0	0	0	0	20.09	0	0	11.6	0.1	1
2025	6	29	6	55	41	0	0	0	0	0	0	0	20.1	0	0	11.8	0.1	1
2025	6	29	7	5	41	0	0	0	0	0	0	0	20.1	0	0	11.8	0.1	1
2025	6	29	7	15	41	0	0	0	0	0	0	0	20.1	0	0	11.8	0.1	1
2025	6	29	7	25	41	0	0	0	0	0	0	0	20.11	0	0	12	0.1	1
2025	6	29	7	35	41	0	0	0	0	0	0	0	20.12	0	0	12	0.1	1
2025	6	29	7	45	41	0	0	0	0	0	0	0	20.14	0	0	12.2	0.1	1
2025	6	29	7	55	41	0	0	0	0	0	0	0	20.15	0	0	12.4	0.1	1
2025	6	29	8	5	41	0	0	0	0	0	0	0	20.16	0	0	12.4	0.1	1
2025	6	29	8	15	41	0	0	0	0	0	0	0	20.19	0	0	12.6	0.1	1
2025	6	29	8	25	41	0	0	0	0	0	0	0	20.21	0	0	12.6	0.1	1
2025	6	29	8	35	41	0	0	0	0	0	0	0	20.23	0	0	12.6	0.1	1
2025	6	29	8	45	41	0	0	0	0	0	0	0	20.25	0	0	12.6	0.1	1
2025	6	29	8	55	41	0	0	0	0	0	0	0	20.28	0	0	12.6	0.1	1
2025	6	29	9	5	41	0	0	0	0	0	0	0	20.31	0	0	12.8	0.1	1
2025	6	29	9	15	41	0	0	0	0	0	0	0	20.34	0	0	12.8	0.1	1
2025	6	29	9	25	41	0	0	0	0	0	0	0	20.38	0	0	12.8	0.1	1
2025	6	29	9	35	41	0	0	0	0	0	0	0	20.41	0	0	12.8	0.1	1
2025	6	29	9	45	41	0	0	0	0	0	0	0	20.45	0	0	13	0.1	1
2025	6	29	9	55	41	0	0	0	0	0	0	0	20.48	0	0	13	0.1	1
2025	6	29	10	5	41	0	0	0	0	0	0	0	20.51	0	0	13.2	0.1	1
2025	6	29	10	15	41	0	0	0	0	0	0	0	20.55	0	0	13.4	0.1	1
2025	6	29	10	25	41	0	0	0	0	0	0	0	20.59	0	0	13.4	0.1	1
2025	6	29	10	35	41	0	0	0	0	0	0	0	20.64	0	0	13.2	0.1	1
2025	6	29	10	45	41	0	0	0	0	0	0	0	20.69	0	0	13.2	0.1	1
2025	6	29	10	55	41	0	0	0	0	0	0	0	20.73	0	0	13.2	0.1	1
2025	6	29	11	5	41	0	0	0	0	0	0	0	20.78	0	0	13.2	0.1	1
2025	6	29	11	15	41	0	0	0	0	0	0	0	20.83	0	0	13.2	0.1	1
2025	6	29	11	25	41	0	0	0	0	0	0	0	20.87	0	0	13.2	0.1	1
2025	6	29	11	35	41	0	0	0	0	0	0	0	20.93	0	0	13.2	0.1	1
2025	6	29	11	45	41	0	0	0	0	0	0	0	20.98	0	0	13.4	0.1	1
2025	6	29	11	55	41	0	0	0	0	0	0	0	21.03	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	29	12	5	41	0	0	0	0	0	0	0	21.08	0	0	13.4	0.1	1
2025	6	29	12	15	41	0	0	0	0	0	0	0	21.13	0	0	13.4	0.1	1
2025	6	29	12	25	41	0	0	0	0	0	0	0	21.19	0	0	13.4	0.1	1
2025	6	29	12	35	41	0	0	0	0	0	0	0	21.24	0	0	13.4	0.1	1
2025	6	29	12	45	41	0	0	0	0	0	0	0	21.29	0	0	13.4	0.1	1
2025	6	29	12	55	41	0	0	0	0	0	0	0	21.34	0	0	13.4	0.1	1
2025	6	29	13	5	41	0	0	0	0	0	0	0	21.37	0	0	13.4	0.1	1
2025	6	29	13	15	41	0	0	0	0	0	0	0	21.42	0	0	13.4	0.1	1
2025	6	29	13	25	41	0	0	0	0	0	0	0	21.46	0	0	13.4	0.1	1
2025	6	29	13	35	41	0	0	0	0	0	0	0	21.49	0	0	13.4	0.1	1
2025	6	29	13	45	41	0	0	0	0	0	0	0	21.53	0	0	13.4	0.1	1
2025	6	29	13	55	41	0	0	0	0	0	0	0	21.56	0	0	13.4	0.1	1
2025	6	29	14	5	41	0	0	0	0	0	0	0	21.59	0	0	13.4	0.1	1
2025	6	29	14	15	41	0	0	0	0	0	0	0	21.62	0	0	13.4	0.1	1
2025	6	29	14	25	41	0	0	0	0	0	0	0	21.65	0	0	13.2	0.1	1
2025	6	29	14	35	41	0	0	0	0	0	0	0	21.67	0	0	13.2	0.1	1
2025	6	29	14	45	41	0	0	0	0	0	0	0	21.69	0	0	13.4	0.1	1
2025	6	29	14	55	41	0	0	0	0	0	0	0	21.71	0	0	13.4	0.1	1
2025	6	29	15	5	41	0	0	0	0	0	0	0	21.72	0	0	13.4	0.1	1
2025	6	29	15	15	41	0	0	0	0	0	0	0	21.73	0	0	13.2	0.1	1
2025	6	29	15	25	41	0	0	0	0	0	0	0	21.73	0	0	13.2	0.1	1
2025	6	29	15	35	41	0	0	0	0	0	0	0	21.74	0	0	13	0.1	1
2025	6	29	15	45	41	0	0	0	0	0	0	0	21.74	0	0	13	0.1	1
2025	6	29	15	55	41	0	0	0	0	0	0	0	21.75	0	0	13	0.1	1
2025	6	29	16	5	41	0	0	0	0	0	0	0	21.74	0	0	13	0.1	1
2025	6	29	16	15	41	0	0	0	0	0	0	0	21.74	0	0	12.8	0.1	1
2025	6	29	16	25	41	0	0	0	0	0	0	0	21.72	0	0	12.8	0.1	1
2025	6	29	16	35	41	0	0	0	0	0	0	0	21.71	0	0	12.8	0.1	1
2025	6	29	16	45	41	0	0	0	0	0	0	0	21.7	0	0	12.8	0.1	1
2025	6	29	16	55	41	0	0	0	0	0	0	0	21.69	0	0	12.6	0.1	1
2025	6	29	17	5	41	0	0	0	0	0	0	0	21.66	0	0	12.6	0.1	1
2025	6	29	17	15	41	0	0	0	0	0	0	0	21.64	0	0	12.4	0.1	1
2025	6	29	17	25	41	0	0	0	0	0	0	0	21.61	0	0	12.4	0.1	1
2025	6	29	17	35	41	0	0	0	0	0	0	0	21.57	0	0	12.2	0.1	1
2025	6	29	17	45	41	0	0	0	0	0	0	0	21.54	0	0	12.2	0.1	1
2025	6	29	17	55	41	0	0	0	0	0	0	0	21.51	0	0	12	0.1	1
2025	6	29	18	5	41	0	0	0	0	0	0	0	21.48	0	0	12	0.1	1
2025	6	29	18	15	41	0	0	0	0	0	0	0	21.44	0	0	12	0.1	1
2025	6	29	18	25	41	0	0	0	0	0	0	0	21.41	0	0	12	0.1	1
2025	6	29	18	35	41	0	0	0	0	0	0	0	21.38	0	0	12	0.1	1
2025	6	29	18	45	41	0	0	0	0	0	0	0	21.33	0	0	11.8	0.1	1
2025	6	29	18	55	41	0	0	0	0	0	0	0	21.28	0	0	11.8	0.1	1
2025	6	29	19	5	41	0	0	0	0	0	0	0	21.24	0	0	11.8	0.1	1
2025	6	29	19	15	41	0	0	0	0	0	0	0	21.2	0	0	11.8	0.1	1
2025	6	29	19	25	41	0	0	0	0	0	0	0	21.15	0	0	11.8	0.1	1
2025	6	29	19	35	41	0	0	0	0	0	0	0	21.11	0	0	11.8	0.1	1
2025	6	29	19	45	41	0	0	0	0	0	0	0	21.06	0	0	11.8	0.1	1
2025	6	29	19	55	41	0	0	0	0	0	0	0	21.02	0	0	11.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	29	20	5	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1
2025	6	29	20	15	41	0	0	0	0	0	0	0	20.92	0	0	11.8	0.1	1
2025	6	29	20	25	41	0	0	0	0	0	0	0	20.87	0	0	11.8	0.1	1
2025	6	29	20	35	41	0	0	0	0	0	0	0	20.82	0	0	11.8	0.1	1
2025	6	29	20	45	41	0	0	0	0	0	0	0	20.78	0	0	11.8	0.1	0.9
2025	6	29	20	55	41	0	0	0	0	0	0	0	20.73	0	0	11.8	0.1	0.9
2025	6	29	21	5	41	0	0	0	0	0	0	0	20.68	0	0	11.8	0.1	0.9
2025	6	29	21	15	41	0	0	0	0	0	0	0	20.64	0	0	11.8	0.1	0.9
2025	6	29	21	25	41	0	0	0	0	0	0	0	20.59	0	0	11.8	0.1	0.9
2025	6	29	21	35	41	0	0	0	0	0	0	0	20.55	0	0	11.8	0.1	0.9
2025	6	29	21	45	41	0	0	0	0	0	0	0	20.5	0	0	11.8	0.1	0.9
2025	6	29	21	55	41	0	0	0	0	0	0	0	20.46	0	0	11.8	0.1	0.9
2025	6	29	22	5	41	0	0	0	0	0	0	0	20.42	0	0	11.8	0.1	0.9
2025	6	29	22	15	41	0	0	0	0	0	0	0	20.38	0	0	11.8	0.1	0.9
2025	6	29	22	25	41	0	0	0	0	0	0	0	20.34	0	0	11.8	0.1	0.9
2025	6	29	22	35	41	0	0	0	0	0	0	0	20.3	0	0	11.8	0.1	0.9
2025	6	29	22	45	41	0	0	0	0	0	0	0	20.27	0	0	11.8	0.1	0.9
2025	6	29	22	55	41	0	0	0	0	0	0	0	20.23	0	0	11.8	0.1	0.9
2025	6	29	23	5	41	0	0	0	0	0	0	0	20.21	0	0	11.8	0.1	0.9
2025	6	29	23	15	41	0	0	0	0	0	0	0	20.18	0	0	11.8	0.1	0.9
2025	6	29	23	25	41	0	0	0	0	0	0	0	20.15	0	0	11.8	0.1	0.9
2025	6	29	23	35	41	0	0	0	0	0	0	0	20.12	0	0	11.8	0.1	0.9
2025	6	29	23	45	41	0	0	0	0	0	0	0	20.09	0	0	11.8	0.1	0.9
2025	6	29	23	55	41	0	0	0	0	0	0	0	20.08	0	0	11.8	0.1	0.9
2025	6	30	0	5	41	0	0	0	0	0	0	0	20.06	0	0	11.8	0.1	0.9
2025	6	30	0	15	41	0	0	0	0	0	0	0	20.04	0	0	11.8	0.1	0.9
2025	6	30	0	25	41	0	0	0	0	0	0	0	20.03	0	0	11.8	0.1	0.9
2025	6	30	0	35	41	0	0	0	0	0	0	0	20.02	0	0	11.8	0.1	0.9
2025	6	30	0	45	41	0	0	0	0	0	0	0	20	0	0	11.8	0.1	0.9
2025	6	30	0	55	41	0	0	0	0	0	0	0	19.99	0	0	11.8	0.1	0.9
2025	6	30	1	5	41	0	0	0	0	0	0	0	19.98	0	0	11.8	0.1	0.9
2025	6	30	1	15	41	0	0	0	0	0	0	0	19.96	0	0	11.8	0.1	0.9
2025	6	30	1	25	41	0	0	0	0	0	0	0	19.95	0	0	11.6	0.1	0.9
2025	6	30	1	35	41	0	0	0	0	0	0	0	19.93	0	0	11.6	0.1	0.9
2025	6	30	1	45	41	0	0	0	0	0	0	0	19.92	0	0	11.6	0.1	0.9
2025	6	30	1	55	41	0	0	0	0	0	0	0	19.91	0	0	11.6	0.1	0.9
2025	6	30	2	5	41	0	0	0	0	0	0	0	19.89	0	0	11.6	0.1	0.9
2025	6	30	2	15	41	0	0	0	0	0	0	0	19.88	0	0	11.6	0.1	0.9
2025	6	30	2	25	41	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	0.9
2025	6	30	2	35	41	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	0.9
2025	6	30	2	45	41	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	0.9
2025	6	30	2	55	41	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	0.9
2025	6	30	3	5	41	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	0.9
2025	6	30	3	15	41	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	0.9
2025	6	30	3	25	41	0	0	0	0	0	0	0	19.81	0	0	11.6	0.1	0.9
2025	6	30	3	35	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	3	45	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	3	55	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	30	4	5	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	4	15	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	4	25	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	4	35	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	4	45	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	4	55	41	0	0	0	0	0	0	0	19.82	0	0	11.6	0.1	0.9
2025	6	30	5	5	41	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	0.9
2025	6	30	5	15	41	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	0.9
2025	6	30	5	25	41	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	0.9
2025	6	30	5	35	41	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	0.9
2025	6	30	5	45	41	0	0	0	0	0	0	0	19.84	0	0	11.6	0.1	0.9
2025	6	30	5	55	41	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	0.9
2025	6	30	6	5	41	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	0.9
2025	6	30	6	15	41	0	0	0	0	0	0	0	19.85	0	0	11.6	0.1	0.9
2025	6	30	6	25	41	0	0	0	0	0	0	0	19.86	0	0	11.6	0.1	0.9
2025	6	30	6	35	41	0	0	0	0	0	0	0	19.87	0	0	11.6	0.1	0.9
2025	6	30	6	45	41	0	0	0	0	0	0	0	19.87	0	0	11.6	0.1	0.9
2025	6	30	6	55	41	0	0	0	0	0	0	0	19.88	0	0	11.8	0.1	0.9
2025	6	30	7	5	41	0	0	0	0	0	0	0	19.9	0	0	11.8	0.1	0.9
2025	6	30	7	15	41	0	0	0	0	0	0	0	19.91	0	0	11.8	0.1	0.9
2025	6	30	7	25	41	0	0	0	0	0	0	0	19.94	0	0	12	0.1	0.9
2025	6	30	7	35	41	0	0	0	0	0	0	0	19.97	0	0	12.2	0.1	0.9
2025	6	30	7	45	41	0	0	0	0	0	0	0	19.99	0	0	12.2	0.1	0.9
2025	6	30	7	55	41	0	0	0	0	0	0	0	20.02	0	0	12.4	0.1	0.9
2025	6	30	8	5	41	0	0	0	0	0	0	0	20.05	0	0	12.6	0.1	0.9
2025	6	30	8	15	41	0	0	0	0	0	0	0	20.08	0	0	12.6	0.1	0.9
2025	6	30	8	25	41	0	0	0	0	0	0	0	20.11	0	0	12.6	0.1	0.9
2025	6	30	8	35	41	0	0	0	0	0	0	0	20.15	0	0	12.6	0.1	0.9
2025	6	30	8	45	41	0	0	0	0	0	0	0	20.19	0	0	12.6	0.1	0.9
2025	6	30	8	55	41	0	0	0	0	0	0	0	20.23	0	0	12.6	0.1	0.9
2025	6	30	9	5	41	0	0	0	0	0	0	0	20.28	0	0	12.8	0.1	0.9
2025	6	30	9	15	41	0	0	0	0	0	0	0	20.32	0	0	12.8	0.1	0.9
2025	6	30	9	25	41	0	0	0	0	0	0	0	20.36	0	0	12.8	0.1	0.9
2025	6	30	9	35	41	0	0	0	0	0	0	0	20.41	0	0	12.8	0.1	0.9
2025	6	30	9	45	41	0	0	0	0	0	0	0	20.46	0	0	13	0.1	0.9
2025	6	30	9	55	41	0	0	0	0	0	0	0	20.52	0	0	13	0.1	0.9
2025	6	30	10	5	41	0	0	0	0	0	0	0	20.57	0	0	13.2	0.1	0.9
2025	6	30	10	15	41	0	0	0	0	0	0	0	20.63	0	0	14	0.1	0.9
2025	6	30	10	25	41	0	0	0	0	0	0	0	20.68	0	0	13.4	0.1	0.9
2025	6	30	10	35	41	0	0	0	0	0	0	0	20.74	0	0	13.2	0.1	0.9
2025	6	30	10	45	41	0	0	0	0	0	0	0	20.8	0	0	13.2	0.1	0.9
2025	6	30	10	55	41	0	0	0	0	0	0	0	20.85	0	0	13.2	0.1	0.9
2025	6	30	11	5	41	0	0	0	0	0	0	0	20.9	0	0	13.2	0.1	0.9
2025	6	30	11	15	41	0	0	0	0	0	0	0	20.97	0	0	13.2	0.1	0.9
2025	6	30	11	25	41	0	0	0	0	0	0	0	21.02	0	0	13.2	0.1	0.9
2025	6	30	11	35	41	0	0	0	0	0	0	0	21.08	0	0	13.2	0.1	0.9
2025	6	30	11	45	41	0	0	0	0	0	0	0	21.12	0	0	13.2	0.1	0.9
2025	6	30	11	55	41	0	0	0	0	0	0	0	21.18	0	0	13.2	0.1	0.9

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	30	12	5	41	0	0	0	0	0	0	0	21.24	0	0	13.2	0.1	0.9
2025	6	30	12	15	41	0	0	0	0	0	0	0	21.29	0	0	13.2	0.1	0.9
2025	6	30	12	25	41	0	0	0	0	0	0	0	21.36	0	0	13.2	0.1	0.9
2025	6	30	12	35	41	0	0	0	0	0	0	0	21.41	0	0	13.2	0.1	0.9
2025	6	30	12	45	41	0	0	0	0	0	0	0	21.47	0	0	13.2	0.1	0.9
2025	6	30	12	55	41	0	0	0	0	0	0	0	21.52	0	0	13.2	0.1	0.9
2025	6	30	13	5	41	0	0	0	0	0	0	0	21.58	0	0	13.2	0.1	0.9
2025	6	30	13	15	41	0	0	0	0	0	0	0	21.63	0	0	13.2	0.1	0.9
2025	6	30	13	25	41	0	0	0	0	0	0	0	21.68	0	0	13.2	0.1	0.9
2025	6	30	13	35	41	0	0	0	0	0	0	0	21.73	0	0	13.2	0.1	0.9
2025	6	30	13	45	41	0	0	0	0	0	0	0	21.77	0	0	13.2	0.1	0.9
2025	6	30	13	55	41	0	0	0	0	0	0	0	21.81	0	0	13.2	0.1	0.9
2025	6	30	14	5	41	0	0	0	0	0	0	0	21.85	0	0	13.2	0.1	0.9
2025	6	30	14	15	41	0	0	0	0	0	0	0	21.89	0	0	13.2	0.1	0.9
2025	6	30	14	25	41	0	0	0	0	0	0	0	21.93	0	0	13.2	0.1	0.9
2025	6	30	14	35	41	0	0	0	0	0	0	0	21.95	0	0	13.2	0.1	0.9
2025	6	30	14	45	41	0	0	0	0	0	0	0	21.97	0	0	13.2	0.1	0.9
2025	6	30	14	55	41	0	0	0	0	0	0	0	22	0	0	13.2	0.1	0.9
2025	6	30	15	5	41	0	0	0	0	0	0	0	22.01	0	0	13.2	0.1	0.9
2025	6	30	15	15	41	0	0	0	0	0	0	0	22.03	0	0	13.2	0.1	0.9
2025	6	30	15	25	41	0	0	0	0	0	0	0	22.04	0	0	13.2	0.1	0.9
2025	6	30	15	35	41	0	0	0	0	0	0	0	22.05	0	0	13.2	0.1	0.9
2025	6	30	15	45	41	0	0	0	0	0	0	0	22.06	0	0	13.2	0.1	0.9
2025	6	30	15	55	41	0	0	0	0	0	0	0	22.07	0	0	13	0.1	0.9
2025	6	30	16	5	41	0	0	0	0	0	0	0	22.07	0	0	13	0.1	0.9
2025	6	30	16	15	41	0	0	0	0	0	0	0	22.06	0	0	13	0.1	0.9
2025	6	30	16	25	41	0	0	0	0	0	0	0	22.05	0	0	12.8	0.1	0.9
2025	6	30	16	35	41	0	0	0	0	0	0	0	22.04	0	0	12.8	0.1	0.9
2025	6	30	16	45	41	0	0	0	0	0	0	0	22.02	0	0	12.8	0.1	0.9
2025	6	30	16	55	41	0	0	0	0	0	0	0	22	0	0	12.8	0.1	0.9
2025	6	30	17	5	41	0	0	0	0	0	0	0	21.98	0	0	12.6	0.1	0.9
2025	6	30	17	15	41	0	0	0	0	0	0	0	21.95	0	0	12.4	0.1	0.9
2025	6	30	17	25	41	0	0	0	0	0	0	0	21.93	0	0	12.4	0.1	0.9
2025	6	30	17	35	41	0	0	0	0	0	0	0	21.89	0	0	12.2	0.1	0.9
2025	6	30	17	45	41	0	0	0	0	0	0	0	21.86	0	0	12.2	0.1	0.9
2025	6	30	17	55	41	0	0	0	0	0	0	0	21.83	0	0	12	0.1	0.9
2025	6	30	18	5	41	0	0	0	0	0	0	0	21.81	0	0	12	0.1	0.9
2025	6	30	18	15	41	0	0	0	0	0	0	0	21.76	0	0	12	0.1	0.9
2025	6	30	18	25	41	0	0	0	0	0	0	0	21.73	0	0	12	0.1	0.9
2025	6	30	18	35	41	0	0	0	0	0	0	0	21.7	0	0	12	0.1	0.9
2025	6	30	18	45	41	0	0	0	0	0	0	0	21.66	0	0	11.8	0.1	0.9
2025	6	30	18	55	41	0	0	0	0	0	0	0	21.61	0	0	11.8	0.1	0.9
2025	6	30	19	5	41	0	0	0	0	0	0	0	21.57	0	0	11.8	0.1	0.9
2025	6	30	19	15	41	0	0	0	0	0	0	0	21.52	0	0	11.8	0.1	0.9
2025	6	30	19	25	41	0	0	0	0	0	0	0	21.48	0	0	11.8	0.1	0.9
2025	6	30	19	35	41	0	0	0	0	0	0	0	21.43	0	0	11.8	0.1	0.9
2025	6	30	19	45	41	0	0	0	0	0	0	0	21.38	0	0	11.8	0.1	0.9
2025	6	30	19	55	41	0	0	0	0	0	0	0	21.34	0	0	11.8	0.1	0.9

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	6	30	20	5	41	0	0	0	0	0	0	0	21.29	0	0	11.8	0.1	0.9
2025	6	30	20	15	41	0	0	0	0	0	0	0	21.23	0	0	11.8	0.1	0.9
2025	6	30	20	25	41	0	0	0	0	0	0	0	21.19	0	0	11.8	0.1	0.9
2025	6	30	20	35	41	0	0	0	0	0	0	0	21.12	0	0	11.8	0.1	0.9
2025	6	30	20	45	41	0	0	0	0	0	0	0	21.08	0	0	11.8	0.1	0.9
2025	6	30	20	55	41	0	0	0	0	0	0	0	21.02	0	0	11.8	0.1	0.9
2025	6	30	21	5	41	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	0.9
2025	6	30	21	15	41	0	0	0	0	0	0	0	20.9	0	0	11.8	0.1	0.9
2025	6	30	21	25	41	0	0	0	0	0	0	0	20.85	0	0	11.8	0.1	0.9
2025	6	30	21	35	41	0	0	0	0	0	0	0	20.8	0	0	11.8	0.1	0.9
2025	6	30	21	45	41	0	0	0	0	0	0	0	20.75	0	0	11.8	0.1	0.9
2025	6	30	21	55	41	0	0	0	0	0	0	0	20.7	0	0	11.8	0.1	0.9
2025	6	30	22	5	41	0	0	0	0	0	0	0	20.65	0	0	11.8	0.1	0.9
2025	6	30	22	15	41	0	0	0	0	0	0	0	20.6	0	0	11.8	0.1	0.9
2025	6	30	22	25	41	0	0	0	0	0	0	0	20.56	0	0	11.8	0.1	0.9
2025	6	30	22	35	41	0	0	0	0	0	0	0	20.52	0	0	11.8	0.1	0.9
2025	6	30	22	45	41	0	0	0	0	0	0	0	20.49	0	0	11.8	0.1	0.9
2025	6	30	22	55	41	0	0	0	0	0	0	0	20.45	0	0	11.8	0.1	0.9
2025	6	30	23	5	41	0	0	0	0	0	0	0	20.42	0	0	11.8	0.1	0.9
2025	6	30	23	15	41	0	0	0	0	0	0	0	20.38	0	0	11.8	0.1	0.9
2025	6	30	23	25	41	0	0	0	0	0	0	0	20.35	0	0	11.8	0.1	0.9
2025	6	30	23	35	41	0	0	0	0	0	0	0	20.32	0	0	11.8	0.1	0.9
2025	6	30	23	45	41	0	0	0	0	0	0	0	20.29	0	0	11.8	0.1	0.9
2025	6	30	23	55	41	0	0	0	0	0	0	0	20.26	0	0	11.8	0.1	0.9

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	1	0	5	24	23.58	94.6	6.6898	52.4448
2025	6	1	0	15	24	24.09	97.2	6.6837	53.2866
2025	6	1	0	25	24	23.53	96.1	6.6898	52.2217
2025	6	1	0	35	24	22.19	95.2	6.6898	49.3205
2025	6	1	0	45	24	23.19	97.4	6.6837	51.28
2025	6	1	0	55	24	23.33	96.2	6.6837	51.726
2025	6	1	1	5	24	23.95	93.8	6.6898	53.3376
2025	6	1	1	15	24	24.29	95	6.6837	53.9555
2025	6	1	1	25	24	23.22	92.5	6.6837	51.726
2025	6	1	1	35	24	24.02	95.7	6.6837	53.2867
2025	6	1	1	45	24	23.68	94.6	6.6898	52.6681
2025	6	1	1	55	24	23.67	96.8	6.6837	52.3948
2025	6	1	2	5	24	22.22	92.6	6.6837	49.4964
2025	6	1	2	15	24	24.5	95.2	6.6837	54.4015
2025	6	1	2	25	24	23.98	94.5	6.6837	53.2867
2025	6	1	2	35	24	23.49	95.1	6.6837	52.1719
2025	6	1	2	45	24	23.55	93.7	6.6837	52.3948
2025	6	1	2	55	24	23.02	92.5	6.6837	51.28
2025	6	1	3	5	24	23.77	94.3	6.6898	52.8912
2025	6	1	3	15	24	22.82	92.3	6.6837	50.8341
2025	6	1	3	25	24	24.86	93.9	6.6837	55.2933
2025	6	1	3	35	24	22.74	96.3	6.6837	50.3882
2025	6	1	3	45	24	22.63	96.1	6.6898	50.2132
2025	6	1	3	55	24	24.06	94.1	6.6837	53.5096
2025	6	1	4	5	24	23.2	95.4	6.6837	51.5029
2025	6	1	4	15	24	23.68	94.6	6.6837	52.6177
2025	6	1	4	25	24	23.75	93.9	6.6837	52.8407
2025	6	1	4	35	24	24.01	95.5	6.6837	53.2866
2025	6	1	4	45	24	23.25	93.7	6.6837	51.7259
2025	6	1	4	55	24	24.47	94.5	6.6837	54.4013
2025	6	1	5	5	24	23.47	94.4	6.6837	52.1718
2025	6	1	5	15	24	24.59	94.9	6.6837	54.6243
2025	6	1	5	25	24	23.93	92.6	6.6898	53.3374
2025	6	1	5	35	24	22.56	94.1	6.6898	50.2131
2025	6	1	5	45	24	23.82	97.7	6.6898	52.6679
2025	6	1	5	55	24	23.86	96.7	6.6898	52.8911
2025	6	1	6	5	24	22.53	98.2	6.6898	49.7667
2025	6	1	6	15	24	23.33	96.2	6.6898	51.7752
2025	6	1	6	25	24	22.46	94.1	6.6898	49.9898
2025	6	1	6	35	24	24.12	95.7	6.6837	53.5094
2025	6	1	6	45	24	23.15	93.7	6.6898	51.552
2025	6	1	6	55	24	23.99	95	6.6837	53.2864
2025	6	1	7	5	24	22.93	96	6.6837	50.8339
2025	6	1	7	15	24	22.52	95.9	6.6837	49.9421
2025	6	1	7	25	24	22.13	96.2	6.6837	49.0502
2025	6	1	7	35	24	23.33	96.2	6.6776	51.6763
2025	6	1	7	45	24	24.19	95	6.6837	53.7323
2025	6	1	7	55	24	23.14	98.2	6.6837	51.0568

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	1	8	5	24	22.63	96.1	6.6776	50.117
2025	6	1	8	15	24	23.69	97.3	6.6776	52.3444
2025	6	1	8	25	24	23.39	97.4	6.6776	51.6761
2025	6	1	8	35	24	23.07	97	6.6776	51.0079
2025	6	1	8	45	24	23.2	95.2	6.6715	51.4041
2025	6	1	8	55	24	24.17	94.3	6.6715	53.6294
2025	6	1	9	5	24	23.25	98.4	6.6776	51.2306
2025	6	1	9	15	24	22.91	95.5	6.6776	50.785
2025	6	1	9	25	24	23.75	93.6	6.6776	52.7897
2025	6	1	9	35	24	22.63	96.1	6.6715	50.0688
2025	6	1	9	45	24	23.82	95.8	6.6715	52.7391
2025	6	1	9	55	24	23.02	95.7	6.6715	50.9589
2025	6	1	10	5	24	24.3	97.3	6.6715	53.6291
2025	6	1	10	15	24	22.36	94.4	6.6776	49.6711
2025	6	1	10	25	24	23.26	94.2	6.6776	51.6757
2025	6	1	10	35	24	22.7	95.3	6.6715	50.2911
2025	6	1	10	45	24	23.83	98	6.6715	52.5163
2025	6	1	10	55	24	24.35	98.3	6.6654	53.5776
2025	6	1	11	5	24	24.48	94.7	6.6593	54.1925
2025	6	1	11	15	24	24	97.4	6.6593	52.8599
2025	6	1	11	25	24	24.03	96	6.6593	53.0819
2025	6	1	11	35	24	24.03	96	6.6593	53.0819
2025	6	1	11	45	24	23.24	93.5	6.6593	51.5271
2025	6	1	11	55	24	23.25	93.7	6.6532	51.4777
2025	6	1	12	5	24	25.16	96.4	6.6532	55.4716
2025	6	1	12	15	24	23.16	94.2	6.6532	51.2557
2025	6	1	12	25	24	22.87	94.5	6.6471	50.5415
2025	6	1	12	35	24	23.67	96.8	6.6532	52.1432
2025	6	1	12	45	24	23.21	97.7	6.6532	51.0337
2025	6	1	12	55	24	23.39	95.2	6.6532	51.6994
2025	6	1	13	5	24	23.21	95.7	6.6471	51.2064
2025	6	1	13	15	24	24.03	96	6.6532	53.0306
2025	6	1	13	25	24	22.81	95.5	6.641	50.2713
2025	6	1	13	35	24	23.22	95.9	6.6471	51.2063
2025	6	1	13	45	24	23.2	95.2	6.6471	51.2062
2025	6	1	13	55	24	22.13	93.1	6.6532	49.0366
2025	6	1	14	5	24	22.86	94	6.6471	50.5412
2025	6	1	14	15	24	22.85	96.5	6.641	50.2712
2025	6	1	14	25	24	22.56	96.9	6.641	49.6068
2025	6	1	14	35	24	24.13	92.9	6.6349	53.3202
2025	6	1	14	45	24	22.26	94.1	6.641	49.1638
2025	6	1	14	55	24	22.82	95.8	6.641	50.2711
2025	6	1	15	5	24	22.63	92.8	6.6349	50.0016
2025	6	1	15	15	24	22.67	94.6	6.6288	49.9535
2025	6	1	15	25	24	22.59	95.1	6.6349	49.7803
2025	6	1	15	35	24	24.23	93.1	6.6288	53.49
2025	6	1	15	45	24	22.45	96.7	6.6288	49.2904
2025	6	1	15	55	24	23.49	97.3	6.6288	51.5007

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	1	16	5	24	23.27	94.4	6.6288	51.2797
2025	6	1	16	15	24	24.13	95.9	6.6288	53.048
2025	6	1	16	25	24	22.26	97	6.6288	48.8483
2025	6	1	16	35	24	23.29	95.2	6.6227	51.2303
2025	6	1	16	45	24	23.23	96.2	6.6227	51.0095
2025	6	1	16	55	24	24.97	94.4	6.6227	54.9843
2025	6	1	17	5	24	24.24	93.3	6.6227	53.4386
2025	6	1	17	15	24	22.46	94.1	6.6227	49.4638
2025	6	1	17	25	24	23.69	95.1	6.6349	52.2142
2025	6	1	17	35	24	23.35	96.4	6.6349	51.3292
2025	6	1	17	45	24	24.37	96.8	6.6349	53.5417
2025	6	1	17	55	24	22.1	95.5	6.6288	48.6274
2025	6	1	18	5	24	23.15	93.7	6.6288	51.0588
2025	6	1	18	15	24	24.48	94.7	6.6349	53.9842
2025	6	1	18	25	24	23.62	92.4	6.6349	52.2143
2025	6	1	18	35	24	23.87	94.3	6.6349	52.6568
2025	6	1	18	45	24	22.09	95.2	6.6349	48.6744
2025	6	1	18	55	24	23.6	95.3	6.6349	51.9931
2025	6	1	19	5	24	23.52	95.9	6.6349	51.7719
2025	6	1	19	15	24	23.55	93.7	6.6349	51.9932
2025	6	1	19	25	24	23.98	94.8	6.6349	52.8782
2025	6	1	19	35	24	22.42	95.9	6.6349	49.3383
2025	6	1	19	45	24	24.08	94.5	6.6349	53.0996
2025	6	1	19	55	24	21.32	92.2	6.6349	47.1259
2025	6	1	20	5	24	23.71	95.6	6.6349	52.2147
2025	6	1	20	15	24	23.55	93.7	6.6349	51.9935
2025	6	1	20	25	24	22.65	93.8	6.6349	50.0023
2025	6	1	20	35	24	22.19	95.2	6.6349	48.896
2025	6	1	20	45	24	21.64	93.4	6.6349	47.7898
2025	6	1	20	55	24	23.28	94.7	6.6349	51.3299
2025	6	1	21	5	24	24.77	94.4	6.6349	54.6486
2025	6	1	21	15	24	23.35	93.7	6.6349	51.5512
2025	6	1	21	25	24	23.19	97.4	6.6349	50.8875
2025	6	1	21	35	24	23.39	97.4	6.6349	51.33
2025	6	1	21	45	24	21.78	95	6.6349	48.0113
2025	6	1	21	55	24	23.33	92.9	6.6349	51.5513
2025	6	1	22	5	24	23.82	95.8	6.6349	52.4363
2025	6	1	22	15	24	23.53	96.1	6.6349	51.7726
2025	6	1	22	25	24	23.43	96.1	6.6349	51.5514
2025	6	1	22	35	24	23.42	95.9	6.6349	51.5514
2025	6	1	22	45	24	23.42	95.9	6.641	51.6011
2025	6	1	22	55	24	23.71	95.6	6.6349	52.2152
2025	6	1	23	5	24	23.68	94.8	6.641	52.2655
2025	6	1	23	15	24	23.74	93.1	6.641	52.487
2025	6	1	23	25	24	22.25	96.7	6.641	48.9436
2025	6	1	23	35	24	23.6	95.3	6.6349	51.9941
2025	6	1	23	45	24	22.23	96.2	6.641	48.9436
2025	6	1	23	55	24	22.26	94.1	6.641	49.1651

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	2	0	5	24	23.41	97.6	6.641	51.3798
2025	6	2	0	15	24	23.68	94.8	6.641	52.2656
2025	6	2	0	25	24	23.15	93.7	6.641	51.1583
2025	6	2	0	35	24	22.39	95.1	6.641	49.3866
2025	6	2	0	45	24	24.1	97.4	6.641	52.9301
2025	6	2	0	55	24	22.97	94.5	6.641	50.7154
2025	6	2	1	5	24	22.1	95.5	6.641	48.7223
2025	6	2	1	15	24	24.84	96	6.641	54.7018
2025	6	2	1	25	24	23.16	96.7	6.641	50.9369
2025	6	2	1	35	24	22.96	94	6.641	50.7155
2025	6	2	1	45	24	22.8	97.6	6.641	50.0511
2025	6	2	1	55	24	23.26	96.7	6.641	51.1584
2025	6	2	2	5	24	24.32	95.7	6.641	53.5945
2025	6	2	2	15	24	23.51	95.6	6.641	51.8228
2025	6	2	2	25	24	23.17	94.5	6.641	51.1584
2025	6	2	2	35	24	23.65	93.6	6.641	52.2657
2025	6	2	2	45	24	24.21	97.6	6.641	53.1516
2025	6	2	2	55	24	23.23	96.2	6.641	51.1584
2025	6	2	3	5	24	23.05	96.5	6.641	50.7155
2025	6	2	3	15	24	24.7	97.2	6.641	54.2589
2025	6	2	3	25	24	24.17	96.9	6.641	53.1516
2025	6	2	3	35	24	24.34	96.1	6.641	53.5945
2025	6	2	3	45	24	24.4	97.3	6.641	53.5945
2025	6	2	3	55	24	24.02	92.4	6.641	53.1516
2025	6	2	4	5	24	23.34	93.4	6.6471	51.6509
2025	6	2	4	15	24	22.93	96	6.641	50.494
2025	6	2	4	25	24	22.09	95.2	6.641	48.7223
2025	6	2	4	35	24	24.17	94.5	6.6471	53.4243
2025	6	2	4	45	24	24.81	97.4	6.6471	54.5327
2025	6	2	4	55	24	23.03	93	6.6471	50.9859
2025	6	2	5	5	24	23.16	96.7	6.6471	50.9859
2025	6	2	5	15	24	23.45	93.9	6.6532	51.9224
2025	6	2	5	25	24	21.74	93.4	6.6532	48.1503
2025	6	2	5	35	24	23.92	95.8	6.6532	52.8099
2025	6	2	5	45	24	23.22	95.9	6.6532	51.2567
2025	6	2	5	55	24	22.18	94.9	6.6471	48.9907
2025	6	2	6	5	24	24.1	97.4	6.6532	53.0318
2025	6	2	6	15	24	23.49	97.3	6.6532	51.7005
2025	6	2	6	25	24	23.68	94.8	6.6532	52.3661
2025	6	2	6	35	24	23.05	96.5	6.6532	50.8129
2025	6	2	6	45	24	24.52	95.6	6.6532	54.1413
2025	6	2	6	55	24	23.59	97.3	6.6471	51.8725
2025	6	2	7	5	24	23.19	94.9	6.6532	51.2567
2025	6	2	7	15	24	23.71	95.6	6.6532	52.3661
2025	6	2	7	25	24	23.1	95.5	6.6532	51.0347
2025	6	2	7	35	24	22.17	94.7	6.6532	49.0377
2025	6	2	7	45	24	24.52	95.6	6.6532	54.1412
2025	6	2	7	55	24	23.31	95.7	6.6532	51.4785

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	2	8	5	24	22.76	94.3	6.6532	50.369
2025	6	2	8	15	24	22.67	94.6	6.6532	50.1471
2025	6	2	8	25	24	24.01	97.7	6.6532	52.8097
2025	6	2	8	35	24	22.87	98.8	6.6471	50.0989
2025	6	2	8	45	24	23.79	97.2	6.6532	52.3659
2025	6	2	8	55	24	23.75	93.6	6.6532	52.5878
2025	6	2	9	5	24	22.29	95.1	6.6471	49.2121
2025	6	2	9	15	24	24.56	96.5	6.6471	54.089
2025	6	2	9	25	24	23.87	94.3	6.6471	52.7589
2025	6	2	9	35	24	22.67	94.6	6.6471	50.0987
2025	6	2	9	45	24	23.58	94.9	6.6471	52.0938
2025	6	2	9	55	24	23.69	97.3	6.6471	52.0937
2025	6	2	10	5	24	23.58	94.9	6.6471	52.0937
2025	6	2	10	15	24	24.01	95.5	6.6471	52.9804
2025	6	2	10	25	24	23.35	93.9	6.6471	51.6503
2025	6	2	10	35	24	24.44	93.3	6.6471	54.0886
2025	6	2	10	45	24	23.98	94.5	6.6471	52.9802
2025	6	2	10	55	24	24.29	97.1	6.6471	53.4235
2025	6	2	11	5	24	23.94	96.2	6.6471	52.7585
2025	6	2	11	15	24	23.99	95	6.6471	52.9801
2025	6	2	11	25	24	23.16	94	6.6471	51.2067
2025	6	2	11	35	24	23.26	94.2	6.6471	51.4284
2025	6	2	11	45	24	23.79	97.2	6.6471	52.3151
2025	6	2	11	55	24	23.75	93.6	6.6471	52.5368
2025	6	2	12	5	24	23.98	94.5	6.6471	52.9801
2025	6	2	12	15	24	22.58	94.8	6.6471	49.8766
2025	6	2	12	25	24	24.11	95.5	6.6471	53.2017
2025	6	2	12	35	24	22.47	94.6	6.6471	49.655
2025	6	2	12	45	24	23.85	93.8	6.6471	52.7584
2025	6	2	12	55	24	22.75	96.6	6.6471	50.0983
2025	6	2	13	5	24	23.99	95	6.6471	52.9801
2025	6	2	13	15	24	22.46	94.1	6.6471	49.655
2025	6	2	13	25	24	22.81	95.5	6.6471	50.32
2025	6	2	13	35	24	23.03	93	6.6471	50.985
2025	6	2	13	45	24	23.67	94.4	6.6471	52.3151
2025	6	2	13	55	24	23.05	98.5	6.6471	50.5417
2025	6	2	14	5	24	23.47	96.9	6.6471	51.6501
2025	6	2	14	15	24	23.73	96	6.6471	52.3151
2025	6	2	14	25	24	24.37	96.8	6.6471	53.6451
2025	6	2	14	35	24	23.6	95.3	6.6471	52.0934
2025	6	2	14	45	24	23.98	94.8	6.6471	52.9801
2025	6	2	14	55	24	24.04	96.2	6.6532	53.031
2025	6	2	15	5	24	24.53	95.9	6.6532	54.1404
2025	6	2	15	15	24	23.89	97.2	6.6532	52.5872
2025	6	2	15	25	24	23.65	93.6	6.6532	52.3654
2025	6	2	15	35	24	24.77	94.4	6.6532	54.8061
2025	6	2	15	45	24	23	95.2	6.6532	50.8121
2025	6	2	15	55	24	23.85	96.5	6.6532	52.5872

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	2	16	5	24	23.71	95.6	6.6532	52.3654
2025	6	2	16	15	24	23.53	92.7	6.6532	52.1435
2025	6	2	16	25	24	23.64	93.2	6.6593	52.4156
2025	6	2	16	35	24	24.07	98.6	6.6532	52.8091
2025	6	2	16	45	24	23.17	94.5	6.6593	51.3051
2025	6	2	16	55	24	23.78	94.8	6.6532	52.5872
2025	6	2	17	5	24	25.13	93	6.6532	55.6936
2025	6	2	17	15	24	23.1	95.2	6.6593	51.083
2025	6	2	17	25	24	22.56	94.3	6.6593	49.9725
2025	6	2	17	35	24	24.87	94.2	6.6593	55.0809
2025	6	2	17	45	24	23.78	94.8	6.6593	52.6378
2025	6	2	17	55	24	23.42	92.4	6.6593	51.9715
2025	6	2	18	5	24	24.32	92.6	6.6593	53.9705
2025	6	2	18	15	24	24.08	94.5	6.6593	53.3042
2025	6	2	18	25	24	22.08	94.9	6.6654	48.9091
2025	6	2	18	35	24	24.26	94	6.6715	53.8515
2025	6	2	18	45	24	22.22	92.3	6.6776	49.4483
2025	6	2	18	55	24	22.94	93.2	6.6776	51.0075
2025	6	2	19	5	24	23.65	96.6	6.6837	52.394
2025	6	2	19	15	24	24.46	96.6	6.6837	54.1777
2025	6	2	19	25	24	24.43	95.9	6.6837	54.1777
2025	6	2	19	35	24	23.07	97	6.6837	51.0564
2025	6	2	19	45	24	23.24	93.5	6.6898	51.7747
2025	6	2	19	55	24	24.21	95.5	6.6898	53.7832
2025	6	2	20	5	24	23.69	95.1	6.6898	52.6674
2025	6	2	20	15	24	23.75	93.6	6.6898	52.8906
2025	6	2	20	25	24	24.01	95.5	6.6958	53.3879
2025	6	2	20	35	24	23.74	96.3	6.6958	52.7178
2025	6	2	20	45	24	23.84	96.3	6.6958	52.9412
2025	6	2	20	55	24	24.23	95.9	6.6958	53.8347
2025	6	2	21	5	24	24.31	95.4	6.6958	54.0582
2025	6	2	21	15	24	23.42	95.9	6.6958	52.0478
2025	6	2	21	25	24	22.89	95	6.6958	50.9309
2025	6	2	21	35	24	24.04	93.3	6.6958	53.6115
2025	6	2	21	45	24	24.3	99	6.7019	53.6626
2025	6	2	21	55	24	24.86	98.3	6.7019	55.0042
2025	6	2	22	5	24	23.66	94.1	6.7019	52.7683
2025	6	2	22	15	24	23.84	96.3	6.7019	52.9919
2025	6	2	22	25	24	24.25	93.5	6.7019	54.1099
2025	6	2	22	35	24	23.68	94.8	6.708	52.8186
2025	6	2	22	45	24	23.26	93.9	6.708	51.9234
2025	6	2	22	55	24	24.15	93.8	6.708	53.9377
2025	6	2	23	5	24	23.86	94.1	6.708	53.2663
2025	6	2	23	15	24	24.08	94.8	6.708	53.7139
2025	6	2	23	25	24	24.12	95.7	6.7141	53.7651
2025	6	2	23	35	24	23.16	96.7	6.7141	51.5249
2025	6	2	23	45	24	24.57	94.4	6.7202	54.9374
2025	6	2	23	55	24	23.81	95.5	6.7263	53.194

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	3	0	5	24	24.08	94.8	6.7263	53.8674
2025	6	3	0	15	24	24.57	96.8	6.7385	54.8691
2025	6	3	0	25	24	25.37	96.6	6.7446	56.7218
2025	6	3	0	35	24	24.13	95.9	6.7446	54.0208
2025	6	3	0	45	24	24.09	97.2	6.7446	53.7957
2025	6	3	0	55	24	23.23	96.2	6.7507	52.0442
2025	6	3	1	5	24	24.14	93.3	6.7507	54.2973
2025	6	3	1	15	24	24.18	94.7	6.7507	54.2973
2025	6	3	1	25	24	24.47	94.5	6.7507	54.9732
2025	6	3	1	35	24	23.09	95	6.7568	51.868
2025	6	3	1	45	24	24.67	94.4	6.7568	55.4762
2025	6	3	1	55	24	22.84	93.5	6.7568	51.417
2025	6	3	2	5	24	23.57	94.4	6.7568	52.9956
2025	6	3	2	15	24	24.23	95.9	6.7568	54.3487
2025	6	3	2	25	24	24.27	94.5	6.7629	54.6258
2025	6	3	2	35	24	24.4	97.3	6.7629	54.6258
2025	6	3	2	45	24	24.07	94.3	6.7629	54.1744
2025	6	3	2	55	24	24.41	91.6	6.7629	55.0773
2025	6	3	3	5	24	23.66	94.1	6.7629	53.2715
2025	6	3	3	15	24	23.12	92.5	6.769	52.1921
2025	6	3	3	25	24	24.31	95.4	6.769	54.6774
2025	6	3	3	35	24	23.75	93.6	6.769	53.5478
2025	6	3	3	45	24	25.04	93.2	6.769	56.485
2025	6	3	3	55	24	23.06	96.7	6.769	51.7403
2025	6	3	4	5	24	24.22	95.7	6.7751	54.5029
2025	6	3	4	15	24	22.93	93	6.7751	51.7891
2025	6	3	4	25	24	23.53	98.1	6.7751	52.6937
2025	6	3	4	35	24	24.98	94.6	6.7812	56.3652
2025	6	3	4	45	24	24.86	96.5	6.7812	55.9125
2025	6	3	4	55	24	24.89	97.2	6.7873	55.9651
2025	6	3	5	5	24	23.55	93.7	6.7934	53.2962
2025	6	3	5	15	24	24.72	92.5	6.7995	56.0704
2025	6	3	5	25	24	23.88	94.8	6.8056	54.0781
2025	6	3	5	35	24	23.88	94.8	6.8056	54.0781
2025	6	3	5	45	24	23.31	95.7	6.8117	52.7642
2025	6	3	5	55	24	23.88	94.8	6.8117	54.1288
2025	6	3	6	5	24	23.57	94.4	6.8117	53.4465
2025	6	3	6	15	24	25.41	95.4	6.8178	57.5941
2025	6	3	6	25	24	23.68	94.6	6.8178	53.7242
2025	6	3	6	35	24	24.62	95.6	6.8178	55.773
2025	6	3	6	45	24	24.27	94.5	6.8239	55.1416
2025	6	3	6	55	24	24.77	94.4	6.8239	56.2809
2025	6	3	7	5	24	24.66	98.4	6.8239	55.5973
2025	6	3	7	15	24	25.49	94.7	6.8239	57.8758
2025	6	3	7	25	24	24.47	94.5	6.83	55.6492
2025	6	3	7	35	24	24.54	96.1	6.83	55.6492
2025	6	3	7	45	24	24.14	93.3	6.83	54.965
2025	6	3	7	55	24	24.52	95.6	6.83	55.6492

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	3	8	5	24	24.06	94.1	6.8361	54.788
2025	6	3	8	15	24	24.18	94.7	6.8361	55.0163
2025	6	3	8	25	24	24.85	93.5	6.8361	56.6142
2025	6	3	8	35	24	23.88	94.6	6.8361	54.3314
2025	6	3	8	45	24	25.25	93.6	6.8361	57.5273
2025	6	3	8	55	24	26.02	92.2	6.8361	59.3536
2025	6	3	9	5	24	25.07	94.3	6.8361	57.0707
2025	6	3	9	15	24	25.37	94.3	6.8421	57.8094
2025	6	3	9	25	24	25.57	96.5	6.8421	58.0379
2025	6	3	9	35	24	24.65	93.5	6.8421	56.2099
2025	6	3	9	45	24	24.68	94.6	6.8421	56.2099
2025	6	3	9	55	24	24.37	94.5	6.8421	55.5243
2025	6	3	10	5	24	25.97	96.6	6.8482	59.0067
2025	6	3	10	15	24	25.63	92.9	6.8482	58.5493
2025	6	3	10	25	24	25.58	94.5	6.8482	58.3205
2025	6	3	10	35	24	25.69	94.9	6.8482	58.5492
2025	6	3	10	45	24	25.24	93.2	6.8482	57.6343
2025	6	3	10	55	24	25.71	95.4	6.8482	58.5491
2025	6	3	11	5	24	24.54	96.1	6.8543	55.8566
2025	6	3	11	15	24	24.42	97.8	6.8482	55.3472
2025	6	3	11	25	24	25.22	95.7	6.8543	57.459
2025	6	3	11	35	24	24.56	94	6.8543	56.0854
2025	6	3	11	45	24	24.54	96.1	6.8543	55.8565
2025	6	3	11	55	24	23.88	94.6	6.8543	54.4829
2025	6	3	12	5	24	25.59	94.9	6.8604	58.4289
2025	6	3	12	15	24	24.43	95.9	6.8543	55.6274
2025	6	3	12	25	24	25.59	94.9	6.8604	58.4288
2025	6	3	12	35	24	22.84	96.3	6.8543	51.9647
2025	6	3	12	45	24	25.32	95.7	6.8543	57.6876
2025	6	3	12	55	24	23.87	94.3	6.8604	54.5335
2025	6	3	13	5	24	24.32	97.8	6.8665	55.2722
2025	6	3	13	15	24	24.74	93.2	6.8665	56.6483
2025	6	3	13	25	24	23.82	95.8	6.8604	54.3043
2025	6	3	13	35	24	23.98	94.5	6.8665	54.8134
2025	6	3	13	45	24	24.82	95.5	6.8665	56.6482
2025	6	3	13	55	24	24.91	95.3	6.8604	56.8247
2025	6	3	14	5	24	26.09	94.8	6.8604	59.5743
2025	6	3	14	15	24	24.65	93.7	6.8604	56.3665
2025	6	3	14	25	24	25.28	94.5	6.8604	57.7413
2025	6	3	14	35	24	24.97	94.4	6.8665	57.107
2025	6	3	14	45	24	26.43	97.6	6.8604	60.0327
2025	6	3	14	55	24	24.87	96.7	6.8665	56.6484
2025	6	3	15	5	24	25.3	95	6.8665	57.7951
2025	6	3	15	15	24	23.85	93.6	6.8665	54.5843
2025	6	3	15	25	24	25.48	98.6	6.8726	57.8488
2025	6	3	15	35	24	24.35	93.8	6.8726	55.7828
2025	6	3	15	45	24	25.67	94.2	6.8726	58.767
2025	6	3	15	55	24	24.15	93.6	6.8787	55.375

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	3	16	5	24	23.54	93.4	6.8787	53.9964
2025	6	3	16	15	24	24.87	94.2	6.8848	57.0363
2025	6	3	16	25	24	25.87	94.2	6.8787	59.2812
2025	6	3	16	35	24	23.78	94.6	6.8848	54.5065
2025	6	3	16	45	24	24.57	94.4	6.8848	56.3464
2025	6	3	16	55	24	23.93	96	6.8848	54.7366
2025	6	3	17	5	24	25.06	93.9	6.8848	57.4964
2025	6	3	17	15	24	24.93	95.8	6.8848	57.0365
2025	6	3	17	25	24	24.43	95.9	6.8909	55.9384
2025	6	3	17	35	24	24.23	95.9	6.8848	55.4266
2025	6	3	17	45	24	24.38	94.7	6.8848	55.8866
2025	6	3	17	55	24	24.88	94.6	6.8909	57.0894
2025	6	3	18	5	24	23.9	95.3	6.8909	54.7875
2025	6	3	18	15	24	25.42	95.6	6.9031	58.3484
2025	6	3	18	25	24	24.19	95	6.9031	55.5809
2025	6	3	18	35	24	24.42	92.3	6.9092	56.3248
2025	6	3	18	45	24	25.41	95.4	6.9092	58.4024
2025	6	3	18	55	24	24.13	95.9	6.9092	55.4015
2025	6	3	19	5	24	25.76	96.5	6.9092	59.0949
2025	6	3	19	15	24	25.47	96.5	6.9092	58.4024
2025	6	3	19	25	24	25.69	94.9	6.9092	59.095
2025	6	3	19	35	24	25.59	94.9	6.9092	58.8642
2025	6	3	19	45	24	24.62	92.6	6.9153	56.8391
2025	6	3	19	55	24	25.11	95.5	6.9153	57.7633
2025	6	3	20	5	24	23.75	93.6	6.9153	54.7597
2025	6	3	20	15	24	24.1	95.2	6.9153	55.4529
2025	6	3	20	25	24	24.9	95.1	6.9153	57.3013
2025	6	3	20	35	24	24.64	97.9	6.9153	56.3771
2025	6	3	20	45	24	23.54	93.4	6.9153	54.2977
2025	6	3	20	55	24	23.9	95.3	6.9153	54.9909
2025	6	3	21	5	24	25.5	95.2	6.9214	58.7419
2025	6	3	21	15	24	26.09	94.8	6.9214	60.1296
2025	6	3	21	25	24	25.66	93.8	6.9214	59.2045
2025	6	3	21	35	24	25.79	94.7	6.9214	59.4358
2025	6	3	21	45	24	25.89	94.9	6.9275	59.7221
2025	6	3	21	55	24	24.57	96.8	6.9275	56.4814
2025	6	3	22	5	24	25.47	96.5	6.9275	58.5647
2025	6	3	22	15	24	24.44	93.3	6.9275	56.4814
2025	6	3	22	25	24	25.95	93.5	6.9336	60.0089
2025	6	3	22	35	24	25.55	96.3	6.9397	58.9046
2025	6	3	22	45	24	25.86	96.4	6.9458	59.6551
2025	6	3	22	55	24	25.53	95.8	6.9519	59.0129
2025	6	3	23	5	24	26.06	94	6.958	60.4624
2025	6	3	23	15	24	26.17	94.2	6.958	60.6949
2025	6	3	23	25	24	25.47	94.3	6.958	59.0671
2025	6	3	23	35	24	25.96	96.4	6.958	59.9973
2025	6	3	23	45	24	25.84	93.1	6.9641	60.0523
2025	6	3	23	55	24	25.25	93.6	6.9641	58.6557

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	4	0	5	24	24.44	93.3	6.9641	56.7936
2025	6	4	0	15	24	24.42	95.6	6.9641	56.5609
2025	6	4	0	25	24	24.7	95.1	6.9702	57.3116
2025	6	4	0	35	24	26.19	94.8	6.9702	60.8062
2025	6	4	0	45	24	26.15	96.1	6.9702	60.5732
2025	6	4	0	55	24	24.81	95.3	6.9702	57.5446
2025	6	4	1	5	24	25.34	93.4	6.9763	58.9963
2025	6	4	1	15	24	25.65	96.3	6.9763	59.4627
2025	6	4	1	25	24	26.19	94.8	6.9763	60.8618
2025	6	4	1	35	24	25.42	95.6	6.9763	58.9963
2025	6	4	1	45	24	26.97	94	6.9763	62.7273
2025	6	4	1	55	24	25.99	94.9	6.9763	60.3954
2025	6	4	2	5	24	25.94	93.1	6.9763	60.3954
2025	6	4	2	15	24	26.08	94.6	6.9824	60.684
2025	6	4	2	25	24	27.64	95.8	6.9824	64.185
2025	6	4	2	35	24	25.94	96	6.9824	60.2172
2025	6	4	2	45	24	25.76	94	6.9824	59.9838
2025	6	4	2	55	24	26.19	94.8	6.9824	60.9174
2025	6	4	3	5	24	27.27	96.3	6.9885	63.3092
2025	6	4	3	15	24	26.14	93.3	6.9885	60.9731
2025	6	4	3	25	24	25.24	93.2	6.9885	58.8705
2025	6	4	3	35	24	25.01	95.3	6.9885	58.1697
2025	6	4	3	45	24	25.41	95.4	6.9885	59.1041
2025	6	4	3	55	24	25.29	94.8	6.9885	58.8705
2025	6	4	4	5	24	27.28	94.4	6.9885	63.5428
2025	6	4	4	15	24	25.93	92.7	6.9945	60.5611
2025	6	4	4	25	24	25.5	97.2	6.9945	59.1581
2025	6	4	4	35	24	25.72	95.6	6.9945	59.8596
2025	6	4	4	45	24	26.44	93	6.9945	61.7302
2025	6	4	4	55	24	26.44	93	7.0006	61.7865
2025	6	4	5	5	24	26.64	97.8	7.0006	61.7865
2025	6	4	5	15	24	25.34	93.2	7.0006	59.2121
2025	6	4	5	25	24	25.71	95.4	7.0067	59.9688
2025	6	4	5	35	24	25.31	95.4	7.0189	59.1393
2025	6	4	5	45	24	25.36	93.8	7.025	59.4279
2025	6	4	5	55	24	25.56	94	7.025	59.8977
2025	6	4	6	5	24	25.52	95.6	7.025	59.6628
2025	6	4	6	15	24	24.67	94.4	7.0311	57.8361
2025	6	4	6	25	24	25.3	95.2	7.0311	59.2468
2025	6	4	6	35	24	25.27	94.3	7.0311	59.2468
2025	6	4	6	45	24	25.92	92.4	7.0311	60.8925
2025	6	4	6	55	24	26.26	93.9	7.0372	61.6537
2025	6	4	7	5	24	25.97	94.2	7.0372	60.9478
2025	6	4	7	15	24	25.94	93.1	7.0372	60.9478
2025	6	4	7	25	24	27.06	96.2	7.0372	63.301
2025	6	4	7	35	24	26.28	94.6	7.0433	61.7096
2025	6	4	7	45	24	25.77	94.2	7.0433	60.5319
2025	6	4	7	55	24	27.46	96.3	7.0433	64.3004

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	4	8	5	24	26.85	96	7.0433	62.8872
2025	6	4	8	15	24	26.08	94.4	7.0433	61.2385
2025	6	4	8	25	24	24.94	93.2	7.0433	58.6476
2025	6	4	8	35	24	24.45	93.5	7.0433	57.4699
2025	6	4	8	45	24	27.43	95.6	7.0433	64.3004
2025	6	4	8	55	24	25.94	96	7.0433	60.7674
2025	6	4	9	5	24	25.83	95.8	7.0433	60.5318
2025	6	4	9	15	24	26.16	93.7	7.0433	61.474
2025	6	4	9	25	24	25.62	95.6	7.0433	60.0608
2025	6	4	9	35	24	27.89	94.7	7.0433	65.478
2025	6	4	9	45	24	25.58	94.5	7.0494	60.1151
2025	6	4	9	55	24	27.14	95.9	7.0494	63.6513
2025	6	4	10	5	24	25.46	94.1	7.0494	59.8793
2025	6	4	10	15	24	25.59	97	7.0494	59.8793
2025	6	4	10	25	24	24.64	93.3	7.0494	57.9933
2025	6	4	10	35	24	25.57	94.3	7.0494	60.115
2025	6	4	10	45	24	26.8	94.9	7.0494	62.9439
2025	6	4	10	55	24	27.14	93	7.0494	63.8869
2025	6	4	11	5	24	25.09	97.1	7.0494	58.7004
2025	6	4	11	15	24	26.15	96.1	7.0494	61.2936
2025	6	4	11	25	24	27.6	95	7.0494	64.8298
2025	6	4	11	35	24	25.61	95.4	7.0494	60.1148
2025	6	4	11	45	24	25.79	96.9	7.0555	60.4052
2025	6	4	11	55	24	26.62	95.4	7.0494	62.4722
2025	6	4	12	5	24	25.76	96.5	7.0555	60.4051
2025	6	4	12	15	24	26.31	95.2	7.0555	61.8208
2025	6	4	12	25	24	26.34	99.2	7.0555	61.3489
2025	6	4	12	35	24	26.52	97.4	7.0494	62.0006
2025	6	4	12	45	24	25.37	94.3	7.0433	59.5892
2025	6	4	12	55	24	26.16	93.9	7.0555	61.5847
2025	6	4	13	5	24	26.33	95.7	7.0555	61.8207
2025	6	4	13	15	24	26.54	93.2	7.0494	62.472
2025	6	4	13	25	24	25.34	93.4	7.0433	59.5891
2025	6	4	13	35	24	26.16	96.4	7.0494	61.2933
2025	6	4	13	45	24	26.38	94.3	7.0433	61.9444
2025	6	4	13	55	24	25.3	95	7.0494	59.4073
2025	6	4	14	5	24	25.52	95.6	7.0433	59.8246
2025	6	4	14	15	24	25.44	96.1	7.0494	59.643
2025	6	4	14	25	24	25.29	94.8	7.0433	59.3535
2025	6	4	14	35	24	26.51	95.2	7.0494	62.2362
2025	6	4	14	45	24	26.32	92.2	7.0433	61.9443
2025	6	4	14	55	24	25.79	94.7	7.0433	60.5312
2025	6	4	15	5	24	25.46	94.1	7.0372	59.7704
2025	6	4	15	15	24	25.97	94.2	7.0372	60.947
2025	6	4	15	25	24	26.05	96.2	7.0433	61.0023
2025	6	4	15	35	24	26.08	96.8	7.0494	61.0575
2025	6	4	15	45	24	26	97.1	7.0494	60.8218
2025	6	4	15	55	24	26.3	95	7.0372	61.653

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	4	16	5	24	25.8	95.1	7.0311	60.4216
2025	6	4	16	15	24	25.54	93.1	7.0372	60.0058
2025	6	4	16	25	24	25.82	95.6	7.0372	60.4764
2025	6	4	16	35	24	25.42	95.6	7.0372	59.5352
2025	6	4	16	45	24	25.82	95.6	7.0433	60.5313
2025	6	4	16	55	24	26.05	96.2	7.0433	61.0023
2025	6	4	17	5	24	25.06	96.4	7.0433	58.647
2025	6	4	17	15	24	25.33	95.9	7.0372	59.2999
2025	6	4	17	25	24	25.53	95.8	7.0433	59.8247
2025	6	4	17	35	24	26.54	93.2	7.0433	62.4156
2025	6	4	17	45	24	25.21	95.5	7.0372	59.0646
2025	6	4	17	55	24	25.57	94.3	7.0433	60.0603
2025	6	4	18	5	24	26.83	95.6	7.0433	62.8867
2025	6	4	18	15	24	25.88	98.4	7.0433	60.2959
2025	6	4	18	25	24	26	95.1	7.0372	60.9473
2025	6	4	18	35	24	26.42	92.2	7.0433	62.1802
2025	6	4	18	45	24	26.17	94.2	7.0433	61.4737
2025	6	4	18	55	24	26.36	98.1	7.0433	61.4737
2025	6	4	19	5	24	25.47	94.3	7.0433	59.825
2025	6	4	19	15	24	26.22	97.5	7.0494	61.2937
2025	6	4	19	25	24	26.67	96.5	7.0494	62.4724
2025	6	4	19	35	24	27.03	92.8	7.0494	63.6512
2025	6	4	19	45	24	26.41	95.2	7.0555	62.0571
2025	6	4	19	55	24	25.63	97.6	7.0555	59.9335
2025	6	4	20	5	24	26.04	93.1	7.0555	61.3493
2025	6	4	20	15	24	25.86	93.8	7.0494	60.8224
2025	6	4	20	25	24	26.28	94.6	7.0555	61.8213
2025	6	4	20	35	24	26.3	95	7.0555	61.8213
2025	6	4	20	45	24	24.81	95.3	7.0555	58.2819
2025	6	4	20	55	24	27.64	95.8	7.0555	64.8888
2025	6	4	21	5	24	27.77	93.9	7.0555	65.3608
2025	6	4	21	15	24	26.65	93.7	7.0555	62.7652
2025	6	4	21	25	24	25.07	94.3	7.0555	58.9899
2025	6	4	21	35	24	26.3	97	7.0555	61.5855
2025	6	4	21	45	24	26.11	95.3	7.0555	61.3495
2025	6	4	21	55	24	25.89	94.7	7.0555	60.8777
2025	6	4	22	5	24	27.39	94.6	7.0555	64.4171
2025	6	4	22	15	24	25.24	93.2	7.0616	59.5157
2025	6	4	22	25	24	27.64	92.9	7.0616	65.1839
2025	6	4	22	35	24	26.52	95.4	7.0616	62.3498
2025	6	4	22	45	24	26.36	93.9	7.0616	62.1136
2025	6	4	22	55	24	26.35	96.1	7.0616	61.8775
2025	6	4	23	5	24	26.28	94.6	7.0616	61.8775
2025	6	4	23	15	24	26.48	94.3	7.0616	62.3498
2025	6	4	23	25	24	26.83	95.6	7.0616	63.0584
2025	6	4	23	35	24	25.25	93.6	7.0677	59.5695
2025	6	4	23	45	24	26.63	95.6	7.0677	62.6425
2025	6	4	23	55	24	25.86	96.4	7.0677	60.7515

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	5	0	5	24	26.37	94.1	7.0677	62.1698
2025	6	5	0	15	24	26.74	95.8	7.0677	62.8789
2025	6	5	0	25	24	26.34	93.3	7.0738	62.2259
2025	6	5	0	35	24	26.21	95.3	7.0738	61.7527
2025	6	5	0	45	24	27.14	93	7.0799	64.1765
2025	6	5	0	55	24	26.96	96.2	7.086	63.5232
2025	6	5	1	5	24	26.26	96.3	7.086	61.8641
2025	6	5	1	15	24	25.33	95.9	7.0921	59.7846
2025	6	5	1	25	24	25.96	93.8	7.0921	61.4453
2025	6	5	1	35	24	25.94	93.1	7.0921	61.4453
2025	6	5	1	45	24	25.99	94.9	7.0982	61.5005
2025	6	5	1	55	24	27	97	7.0982	63.6376
2025	6	5	2	5	24	25.21	95.5	7.0982	59.6009
2025	6	5	2	15	24	25.81	95.3	7.0982	61.0256
2025	6	5	2	25	24	27.44	95.9	7.0982	64.8249
2025	6	5	2	35	24	26.35	96.1	7.0982	62.2129
2025	6	5	2	45	24	25.76	96.5	7.1043	60.8428
2025	6	5	2	55	24	26.03	92.9	7.1043	61.7934
2025	6	5	3	5	24	27.17	94.2	7.1043	64.4078
2025	6	5	3	15	24	26.8	94.9	7.1043	63.4571
2025	6	5	3	25	24	27.94	93.1	7.1043	66.3091
2025	6	5	3	35	24	25.39	94.7	7.1104	60.1837
2025	6	5	3	45	24	26.61	95.2	7.1104	63.0383
2025	6	5	3	55	24	25.09	94.8	7.1104	59.4701
2025	6	5	4	5	24	26.95	96	7.1104	63.7519
2025	6	5	4	15	24	25.61	95.4	7.1104	60.6595
2025	6	5	4	25	24	26.64	93.2	7.1104	63.2761
2025	6	5	4	35	24	25.96	93.8	7.1165	61.6662
2025	6	5	4	45	24	26.86	93.8	7.1165	63.8091
2025	6	5	4	55	24	26.53	97.6	7.1165	62.6186
2025	6	5	5	5	24	25.8	95.1	7.1165	61.19
2025	6	5	5	15	24	26.01	95.3	7.1165	61.6662
2025	6	5	5	25	24	25.99	94.9	7.1165	61.6662
2025	6	5	5	35	24	27.11	95.1	7.1165	64.2852
2025	6	5	5	45	24	25.97	96.6	7.1165	61.4281
2025	6	5	5	55	24	25.54	93.1	7.1165	60.7138
2025	6	5	6	5	24	26.45	96.1	7.1165	62.6186
2025	6	5	6	15	24	26.85	93.6	7.1165	63.809
2025	6	5	6	25	24	26.88	94.5	7.1165	63.809
2025	6	5	6	35	24	26.53	92.8	7.1226	63.1513
2025	6	5	6	45	24	25.74	93.1	7.1226	61.2448
2025	6	5	6	55	24	26.78	94.5	7.1226	63.6279
2025	6	5	7	5	24	25.95	96.2	7.1226	61.4831
2025	6	5	7	15	24	26.96	96.2	7.1226	63.8662
2025	6	5	7	25	24	26.83	95.6	7.1226	63.6279
2025	6	5	7	35	24	25.66	93.8	7.1226	61.0065
2025	6	5	7	45	24	26.06	94	7.1226	61.9597
2025	6	5	7	55	24	27.34	95.9	7.1226	64.8194

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	5	8	5	24	25.99	94.9	7.1226	61.7214
2025	6	5	8	15	24	27.15	93.6	7.1226	64.581
2025	6	5	8	25	24	26.89	94.7	7.1226	63.8661
2025	6	5	8	35	24	27.6	94.8	7.1226	65.5342
2025	6	5	8	45	24	26.45	93.7	7.1287	62.9692
2025	6	5	8	55	24	25.34	93.2	7.1226	60.2914
2025	6	5	9	5	24	25.86	93.8	7.1287	61.538
2025	6	5	9	15	24	25.54	96.1	7.1287	60.5839
2025	6	5	9	25	24	26.37	94.1	7.1287	62.7306
2025	6	5	9	35	24	25.8	95.1	7.1287	61.2994
2025	6	5	9	45	24	26.6	95	7.1287	63.2075
2025	6	5	9	55	24	26.02	95.5	7.1287	61.7764
2025	6	5	10	5	24	26.94	93.2	7.1287	64.1616
2025	6	5	10	15	24	26.25	93.5	7.1287	62.4919
2025	6	5	10	25	24	27.19	94.6	7.1287	64.6385
2025	6	5	10	35	24	26.5	95	7.1287	62.9689
2025	6	5	10	45	24	26.18	94.4	7.1287	62.2533
2025	6	5	10	55	24	25.72	95.6	7.1287	61.0607
2025	6	5	11	5	24	25.59	94.7	7.1287	60.8221
2025	6	5	11	15	24	26.64	93	7.1287	63.4458
2025	6	5	11	25	24	25.96	96.4	7.1287	61.5376
2025	6	5	11	35	24	27.37	94.2	7.1287	65.1153
2025	6	5	11	45	24	25.42	95.6	7.1287	60.345
2025	6	5	11	55	24	27.41	95	7.1287	65.1153
2025	6	5	12	5	24	25.89	94.9	7.1287	61.5375
2025	6	5	12	15	24	26.72	95.4	7.1348	63.5023
2025	6	5	12	25	24	26.28	94.6	7.1287	62.4915
2025	6	5	12	35	24	26.38	94.3	7.1287	62.73
2025	6	5	12	45	24	27.17	96.3	7.1287	64.3996
2025	6	5	12	55	24	26.46	96.3	7.1287	62.7299
2025	6	5	13	5	24	26.67	94.1	7.1287	63.4454
2025	6	5	13	15	24	27.82	95.4	7.1287	66.0691
2025	6	5	13	25	24	26.28	94.6	7.1287	62.4913
2025	6	5	13	35	24	27.6	96.9	7.1226	65.2951
2025	6	5	13	45	24	26.79	94.7	7.1287	63.6839
2025	6	5	13	55	24	25.97	96.6	7.1287	61.5372
2025	6	5	14	5	24	26.05	96.2	7.1287	61.7757
2025	6	5	14	15	24	26.97	96.4	7.1226	63.8652
2025	6	5	14	25	24	26.69	96.9	7.1165	63.0937
2025	6	5	14	35	24	26.31	95.2	7.1226	62.4353
2025	6	5	14	45	24	26.06	93.7	7.1226	61.9587
2025	6	5	14	55	24	27.08	96.6	7.1165	64.046
2025	6	5	15	5	24	26.37	94.1	7.1165	62.6175
2025	6	5	15	15	24	25.39	94.7	7.1165	60.2366
2025	6	5	15	25	24	26.28	96.8	7.1165	62.1413
2025	6	5	15	35	24	26.02	95.5	7.1165	61.6651
2025	6	5	15	45	24	25.79	94.9	7.1165	61.1889
2025	6	5	15	55	24	26.88	96.6	7.1104	63.5129

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	5	16	5	24	25.48	96.8	7.1104	60.1827
2025	6	5	16	15	24	25.4	95.2	7.1104	60.1827
2025	6	5	16	25	24	26.2	97	7.1104	61.8478
2025	6	5	16	35	24	26.36	93.9	7.1104	62.5615
2025	6	5	16	45	24	25.28	94.5	7.1165	59.9986
2025	6	5	16	55	24	26.74	95.8	7.1165	63.3319
2025	6	5	17	5	24	27.11	95.1	7.1165	64.2843
2025	6	5	17	15	24	27.2	94.9	7.1165	64.5224
2025	6	5	17	25	24	26.57	94.1	7.1104	63.0373
2025	6	5	17	35	24	26.28	94.6	7.1043	62.2678
2025	6	5	17	45	24	28.03	92.5	7.1104	66.6055
2025	6	5	17	55	24	26.23	92.8	7.1104	62.3238
2025	6	5	18	5	24	25.79	94.9	7.1165	61.1892
2025	6	5	18	15	24	26.65	93.4	7.1104	63.2753
2025	6	5	18	25	24	26.68	94.5	7.1165	63.3321
2025	6	5	18	35	24	27.76	93.7	7.1165	65.9511
2025	6	5	18	45	24	25.57	94.3	7.1165	60.7131
2025	6	5	18	55	24	25.83	95.8	7.1165	61.1893
2025	6	5	19	5	24	26.21	95.3	7.1165	62.1417
2025	6	5	19	15	24	27.45	93.3	7.1165	65.2369
2025	6	5	19	25	24	26.69	94.7	7.1165	63.3322
2025	6	5	19	35	24	26.17	94.2	7.1165	62.1418
2025	6	5	19	45	24	26.42	95.4	7.1165	62.618
2025	6	5	19	55	24	27.41	95	7.1165	64.999
2025	6	5	20	5	24	26.47	96.5	7.1165	62.6181
2025	6	5	20	15	24	25.36	93.8	7.1165	60.2372
2025	6	5	20	25	24	25.16	93.9	7.1226	59.8146
2025	6	5	20	35	24	27.31	95	7.1165	64.761
2025	6	5	20	45	24	24.97	94.4	7.1226	59.3381
2025	6	5	20	55	24	27.41	95	7.1226	65.0574
2025	6	5	21	5	24	26.81	95.1	7.1226	63.6276
2025	6	5	21	15	24	27.41	95.2	7.1226	65.0575
2025	6	5	21	25	24	25.69	94.9	7.1226	61.0063
2025	6	5	21	35	24	26.87	94.1	7.1226	63.866
2025	6	5	21	45	24	27.53	92.7	7.1226	65.5342
2025	6	5	21	55	24	26.95	93.6	7.1226	64.1043
2025	6	5	22	5	24	25.83	95.8	7.1226	61.2447
2025	6	5	22	15	24	27.32	92.3	7.1226	65.0576
2025	6	5	22	25	24	26.04	93.1	7.1226	61.9596
2025	6	5	22	35	24	26.49	94.8	7.1226	62.9129
2025	6	5	22	45	24	27.17	94.2	7.1226	64.5811
2025	6	5	22	55	24	25.51	95.4	7.1226	60.5299
2025	6	5	23	5	24	26.83	95.6	7.1226	63.6279
2025	6	5	23	15	24	26.45	96.1	7.1226	62.6746
2025	6	5	23	25	24	26.44	95.9	7.1226	62.6747
2025	6	5	23	35	24	25.17	94.3	7.1226	59.815
2025	6	5	23	45	24	27.02	95.3	7.1226	64.1045
2025	6	5	23	55	24	25.44	96.1	7.1226	60.2916

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	6	0	5	24	27.32	95.5	7.1287	64.8775
2025	6	6	0	15	24	27	91.1	7.1287	64.4004
2025	6	6	0	25	24	27.4	94.8	7.1287	65.116
2025	6	6	0	35	24	26.01	95.3	7.1287	61.7767
2025	6	6	0	45	24	25.74	96	7.1287	61.0612
2025	6	6	0	55	24	27.87	96.4	7.1287	66.0701
2025	6	6	1	5	24	25.57	96.5	7.1287	60.5841
2025	6	6	1	15	24	27.96	93.9	7.1287	66.5471
2025	6	6	1	25	24	27.41	95.2	7.1287	65.116
2025	6	6	1	35	24	26.46	96.3	7.1348	62.7869
2025	6	6	1	45	24	26.51	95.2	7.1287	62.9693
2025	6	6	1	55	24	26.87	94.1	7.1348	63.9805
2025	6	6	2	5	24	28.21	95.1	7.1348	67.0841
2025	6	6	2	15	24	26.21	95.3	7.1348	62.3094
2025	6	6	2	25	24	25.8	95.1	7.1348	61.3544
2025	6	6	2	35	24	26.87	94.1	7.1348	63.9805
2025	6	6	2	45	24	26.92	95.3	7.1348	63.9805
2025	6	6	2	55	24	26.85	96	7.1348	63.7417
2025	6	6	3	5	24	26.13	95.7	7.1409	62.1261
2025	6	6	3	15	24	26.54	95.8	7.1409	63.0819
2025	6	6	3	25	24	26.38	96.7	7.1409	62.604
2025	6	6	3	35	24	28.17	96.3	7.1409	66.905
2025	6	6	3	45	24	25.8	95.1	7.1409	61.4092
2025	6	6	3	55	24	26.13	95.7	7.1409	62.126
2025	6	6	4	5	24	24.98	94.6	7.1409	59.4976
2025	6	6	4	15	24	26.22	95.5	7.1409	62.365
2025	6	6	4	25	24	27.67	94.1	7.147	66.008
2025	6	6	4	35	24	25.34	93.2	7.147	60.5074
2025	6	6	4	45	24	26.71	95.2	7.147	63.6164
2025	6	6	4	55	24	27.5	95	7.147	65.5297
2025	6	6	5	5	24	26.06	96.4	7.153	61.9976
2025	6	6	5	15	24	27.7	95	7.1652	66.1847
2025	6	6	5	25	24	27.71	95.2	7.1652	66.1847
2025	6	6	5	35	24	27.02	95.3	7.1713	64.5635
2025	6	6	5	45	24	28.35	93.4	7.1652	67.8633
2025	6	6	5	55	24	26.33	95.7	7.1713	62.8834
2025	6	6	6	5	24	27.63	92.5	7.1713	66.2435
2025	6	6	6	15	24	26.77	94.1	7.1713	64.0834
2025	6	6	6	25	24	27.53	95.6	7.1713	65.7635
2025	6	6	6	35	24	26.71	95.2	7.1713	63.8434
2025	6	6	6	45	24	27.12	95.5	7.1774	64.8611
2025	6	6	6	55	24	27.52	95.4	7.1774	65.822
2025	6	6	7	5	24	26.53	92.8	7.1774	63.6599
2025	6	6	7	15	24	26.07	94.2	7.1774	62.4588
2025	6	6	7	25	24	25.71	95.4	7.1774	61.4979
2025	6	6	7	35	24	24.85	93.5	7.1774	59.576
2025	6	6	7	45	24	26.72	92.1	7.1774	64.1403
2025	6	6	7	55	24	27.07	94	7.1774	64.861

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	6	8	5	24	26.63	95.6	7.1835	63.7164
2025	6	6	8	15	24	26.13	95.7	7.1835	62.5142
2025	6	6	8	25	24	27.03	92.5	7.1835	64.9185
2025	6	6	8	35	24	26.46	96.3	7.1835	63.2355
2025	6	6	8	45	24	27.17	94.2	7.1835	65.1589
2025	6	6	8	55	24	27.61	95.2	7.1835	66.1207
2025	6	6	9	5	24	27.74	95.8	7.1835	66.3611
2025	6	6	9	15	24	27.48	94.4	7.1835	65.8802
2025	6	6	9	25	24	27.17	96.3	7.1835	64.9184
2025	6	6	9	35	24	27.65	96	7.1835	66.1206
2025	6	6	9	45	24	26.63	95.6	7.1835	63.7162
2025	6	6	9	55	24	27.03	95.5	7.1774	64.6205
2025	6	6	10	5	24	28.09	94.7	7.1835	67.3227
2025	6	6	10	15	24	25.77	94.2	7.1835	61.7926
2025	6	6	10	25	24	26.16	93.9	7.1774	62.6986
2025	6	6	10	35	24	28.19	94.5	7.1774	67.5031
2025	6	6	10	45	24	26.66	96.2	7.1774	63.6594
2025	6	6	10	55	24	26.17	96.6	7.1774	62.4583
2025	6	6	11	5	24	26.96	93.8	7.1713	64.5629
2025	6	6	11	15	24	27.06	96.2	7.1713	64.5628
2025	6	6	11	25	24	27.22	95.5	7.1713	65.0428
2025	6	6	11	35	24	26.46	96.3	7.1713	63.1227
2025	6	6	11	45	24	26.94	95.8	7.1652	64.2656
2025	6	6	11	55	24	26.81	95.1	7.1591	63.9687
2025	6	6	12	5	24	27.65	93.3	7.1591	66.125
2025	6	6	12	15	24	26.79	94.7	7.1591	63.9687
2025	6	6	12	25	24	27.11	95.1	7.1591	64.6874
2025	6	6	12	35	24	26.3	95	7.1591	62.7707
2025	6	6	12	45	24	25.79	94.9	7.1652	61.6276
2025	6	6	12	55	24	26.11	95.3	7.1591	62.2915
2025	6	6	13	5	24	26.08	98.4	7.153	61.7573
2025	6	6	13	15	24	26.58	94.3	7.153	63.4328
2025	6	6	13	25	24	26.71	95.2	7.1591	63.7289
2025	6	6	13	35	24	25.82	95.6	7.1591	61.5727
2025	6	6	13	45	24	26.75	96	7.153	63.6722
2025	6	6	13	55	24	25.39	94.7	7.153	60.5603
2025	6	6	14	5	24	26.62	95.4	7.153	63.4328
2025	6	6	14	15	24	26.97	94	7.153	64.3902
2025	6	6	14	25	24	26.11	95.3	7.147	62.1804
2025	6	6	14	35	24	26.62	95.4	7.147	63.3762
2025	6	6	14	45	24	26.77	94.3	7.153	63.9114
2025	6	6	14	55	24	27.39	94.6	7.147	65.2894
2025	6	6	15	5	24	26.58	94.3	7.147	63.3761
2025	6	6	15	15	24	26.71	95.2	7.1409	63.5585
2025	6	6	15	25	24	26.21	95.3	7.1409	62.3638
2025	6	6	15	35	24	26.44	95.9	7.1409	62.8417
2025	6	6	15	45	24	26.76	96.2	7.1409	63.5585
2025	6	6	15	55	24	25.98	94.6	7.1409	61.886

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	6	16	5	24	26.44	93.3	7.1409	63.0807
2025	6	6	16	15	24	27.02	95.3	7.1409	64.2754
2025	6	6	16	25	24	27.05	97.9	7.1409	64.0364
2025	6	6	16	35	24	26.31	95.2	7.1348	62.5469
2025	6	6	16	45	24	25.59	94.9	7.1409	60.9302
2025	6	6	16	55	24	26.9	94.9	7.1348	63.9793
2025	6	6	17	5	24	25.68	96.7	7.1348	60.8759
2025	6	6	17	15	24	25.78	94.4	7.1287	61.2985
2025	6	6	17	25	24	25.95	96.2	7.1348	61.5921
2025	6	6	17	35	24	26.16	96.4	7.1348	62.0696
2025	6	6	17	45	24	25.52	95.6	7.1348	60.6372
2025	6	6	17	55	24	25.98	94.6	7.1287	61.7756
2025	6	6	18	5	24	27.66	96.2	7.1348	65.6506
2025	6	6	18	15	24	25.87	94.2	7.1348	61.5922
2025	6	6	18	25	24	26.16	93.9	7.1348	62.3084
2025	6	6	18	35	24	26.98	94.5	7.1348	64.2183
2025	6	6	18	45	24	27.27	94	7.1348	64.9345
2025	6	6	18	55	24	27.21	95.1	7.1348	64.6958
2025	6	6	19	5	24	26.66	96.2	7.1348	63.2635
2025	6	6	19	15	24	26.46	93.9	7.1348	63.0248
2025	6	6	19	25	24	27.19	96.8	7.1348	64.4572
2025	6	6	19	35	24	27.19	94.6	7.1348	64.6959
2025	6	6	19	45	24	26.98	94.5	7.1287	64.1611
2025	6	6	19	55	24	27.55	93.5	7.1287	65.5923
2025	6	6	20	5	24	27.37	94	7.1287	65.1152
2025	6	6	20	15	24	25.67	94.2	7.1287	61.0605
2025	6	6	20	25	24	26.63	92.8	7.1348	63.5024
2025	6	6	20	35	24	26.08	96.8	7.1287	61.7761
2025	6	6	20	45	24	26.97	94	7.1287	64.1613
2025	6	6	20	55	24	26.54	93	7.1287	63.2073
2025	6	6	21	5	24	27.5	94.8	7.1287	65.354
2025	6	6	21	15	24	26.15	96.1	7.1287	62.0147
2025	6	6	21	25	24	25.72	92.2	7.1287	61.2992
2025	6	6	21	35	24	27.07	94.2	7.1287	64.4
2025	6	6	21	45	24	26.89	94.7	7.1287	63.923
2025	6	6	21	55	24	26.36	98.1	7.1287	62.2533
2025	6	6	22	5	24	26.38	94.3	7.1287	62.7304
2025	6	6	22	15	24	25.54	93.1	7.1287	60.8223
2025	6	6	22	25	24	26.51	95.2	7.1287	62.9689
2025	6	6	22	35	24	27.54	95.8	7.1287	65.3542
2025	6	6	22	45	24	26.03	95.7	7.1287	61.7764
2025	6	6	22	55	24	26.04	96	7.1287	61.7764
2025	6	6	23	5	24	27.1	94.9	7.1287	64.4001
2025	6	6	23	15	24	26.08	96.8	7.1287	61.7764
2025	6	6	23	25	24	25.31	95.4	7.1287	60.1068
2025	6	6	23	35	24	27.99	94.7	7.1287	66.5468
2025	6	6	23	45	24	26.77	94.1	7.1287	63.6846
2025	6	6	23	55	24	26.6	95	7.1287	63.2076

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	7	0	5	24	26.3	95	7.1287	62.4921
2025	6	7	0	15	24	25.45	93.6	7.1287	60.5839
2025	6	7	0	25	24	26.49	94.8	7.1287	62.9691
2025	6	7	0	35	24	26.78	94.5	7.1287	63.6847
2025	6	7	0	45	24	27.07	94	7.1287	64.4002
2025	6	7	0	55	24	26.07	96.6	7.1287	61.7765
2025	6	7	1	5	24	27.62	95.4	7.1287	65.5928
2025	6	7	1	15	24	26.87	94.1	7.1287	63.9232
2025	6	7	1	25	24	26.08	94.6	7.1287	62.015
2025	6	7	1	35	24	26.57	94.1	7.1287	63.2076
2025	6	7	1	45	24	26.1	95.1	7.1287	62.015
2025	6	7	1	55	24	25.98	94.6	7.1287	61.7765
2025	6	7	2	5	24	26.74	93	7.1287	63.6847
2025	6	7	2	15	24	25.1	95	7.1287	59.6298
2025	6	7	2	25	24	25.75	93.6	7.1287	61.2995
2025	6	7	2	35	24	26.13	95.7	7.1287	62.015
2025	6	7	2	45	24	25.68	94.5	7.1287	61.061
2025	6	7	2	55	24	25.6	95.2	7.1287	60.8224
2025	6	7	3	5	24	26.17	94.2	7.1287	62.2535
2025	6	7	3	15	24	25.92	92.2	7.1287	61.7765
2025	6	7	3	25	24	26.02	95.5	7.1287	61.7765
2025	6	7	3	35	24	27.49	94.6	7.1287	65.3543
2025	6	7	3	45	24	26.09	94.8	7.1287	62.015
2025	6	7	3	55	24	26.16	96.4	7.1287	62.015
2025	6	7	4	5	24	26.07	96.6	7.1287	61.7765
2025	6	7	4	15	24	26.07	94.2	7.1287	62.015
2025	6	7	4	25	24	26.54	95.8	7.1287	62.969
2025	6	7	4	35	24	26.08	94.6	7.1287	62.0149
2025	6	7	4	45	24	27.8	94.7	7.1287	66.0698
2025	6	7	4	55	24	26.92	95.3	7.1287	63.9231
2025	6	7	5	5	24	27.12	95.5	7.1287	64.4001
2025	6	7	5	15	24	28.02	92.2	7.1287	66.7853
2025	6	7	5	25	24	27.34	95.9	7.1287	64.8772
2025	6	7	5	35	24	26.22	92.2	7.1287	62.492
2025	6	7	5	45	24	26.03	95.7	7.1287	61.7764
2025	6	7	5	55	24	26.46	93.9	7.1287	62.969
2025	6	7	6	5	24	26.69	94.7	7.1287	63.446
2025	6	7	6	15	24	26.49	94.8	7.1287	62.969
2025	6	7	6	25	24	26.81	95.1	7.1287	63.6845
2025	6	7	6	35	24	27.65	97.7	7.1287	65.3542
2025	6	7	6	45	24	25.81	95.3	7.1287	61.2993
2025	6	7	6	55	24	27.25	96.1	7.1287	64.6386
2025	6	7	7	5	24	26.49	94.8	7.1287	62.969
2025	6	7	7	15	24	27.07	94.2	7.1287	64.4001
2025	6	7	7	25	24	25.42	97.5	7.1287	60.1067
2025	6	7	7	35	24	26.58	94.5	7.1287	63.2074
2025	6	7	7	45	24	26.96	96.2	7.1287	63.923
2025	6	7	7	55	24	26.37	94.1	7.1287	62.7304

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	7	8	5	24	26.55	96.1	7.1287	62.9689
2025	6	7	8	15	24	27.34	93.1	7.1287	65.1155
2025	6	7	8	25	24	27.8	95	7.1287	66.0696
2025	6	7	8	35	24	27.44	95.9	7.1287	65.1155
2025	6	7	8	45	24	26.26	96.3	7.1287	62.2533
2025	6	7	8	55	24	27.16	96.1	7.1287	64.3999
2025	6	7	9	5	24	26.63	95.6	7.1287	63.2073
2025	6	7	9	15	24	26.08	94.4	7.1287	62.0147
2025	6	7	9	25	24	26.55	93.7	7.1287	63.2072
2025	6	7	9	35	24	26.65	96	7.1287	63.2072
2025	6	7	9	45	24	28.19	94.5	7.1287	67.0234
2025	6	7	9	55	24	25.47	94.3	7.1287	60.5834
2025	6	7	10	5	24	26.8	94.9	7.1287	63.6841
2025	6	7	10	15	24	25.42	95.6	7.1287	60.3449
2025	6	7	10	25	24	26.39	94.8	7.1287	62.73
2025	6	7	10	35	24	25.92	95.5	7.1287	61.5374
2025	6	7	10	45	24	26.91	95.1	7.1226	63.8653
2025	6	7	10	55	24	27.66	97.9	7.1226	65.2951
2025	6	7	11	5	24	27.01	95.1	7.1226	64.1036
2025	6	7	11	15	24	27.37	94.2	7.1226	65.0567
2025	6	7	11	25	24	27.13	95.7	7.1226	64.3418
2025	6	7	11	35	24	25.79	94.9	7.1226	61.2438
2025	6	7	11	45	24	26.46	96.3	7.1226	62.6736
2025	6	7	11	55	24	26.85	96	7.1226	63.6268
2025	6	7	12	5	24	25.96	94	7.1165	61.6651
2025	6	7	12	15	24	27.41	95	7.1165	64.9983
2025	6	7	12	25	24	25.59	97	7.1165	60.4745
2025	6	7	12	35	24	26.43	95.6	7.1104	62.5612
2025	6	7	12	45	24	25.74	93.1	7.1043	61.0791
2025	6	7	12	55	24	26.03	95.7	7.0982	61.4991
2025	6	7	13	5	24	27.47	94	7.0982	65.0608
2025	6	7	13	15	24	25.7	95.1	7.0921	60.7321
2025	6	7	13	25	24	26.02	95.5	7.086	61.3885
2025	6	7	13	35	24	26.02	95.5	7.0921	61.4438
2025	6	7	13	45	24	25.77	94.2	7.0921	60.9693
2025	6	7	13	55	24	26.12	95.5	7.086	61.6255
2025	6	7	14	5	24	26.65	93.4	7.086	63.0476
2025	6	7	14	15	24	26.32	95.5	7.086	62.0995
2025	6	7	14	25	24	26.17	94.2	7.086	61.8625
2025	6	7	14	35	24	26.77	94.3	7.086	63.2846
2025	6	7	14	45	24	26.59	94.7	7.086	62.8105
2025	6	7	14	55	24	26.77	96.4	7.086	63.0476
2025	6	7	15	5	24	26.34	95.9	7.0738	61.9877
2025	6	7	15	15	24	25.42	95.6	7.0799	59.9123
2025	6	7	15	25	24	27.05	93.6	7.0799	63.938
2025	6	7	15	35	24	26.61	95.2	7.0799	62.754
2025	6	7	15	45	24	24.94	96	7.0799	58.7283
2025	6	7	15	55	24	23.29	95.2	7.0799	54.9394

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	7	16	5	24	23.96	96.7	7.0799	56.3602
2025	6	7	16	15	24	27.69	96.6	7.0738	65.0634
2025	6	7	16	25	24	26.55	96.1	7.0738	62.4609
2025	6	7	16	35	24	27.07	94	7.0677	63.8229
2025	6	7	16	45	24	25.54	93.1	7.0738	60.3316
2025	6	7	16	55	24	26.16	96.4	7.0738	61.5146
2025	6	7	17	5	24	26.46	93.9	7.0738	62.461
2025	6	7	17	15	24	25.44	93.4	7.0738	60.095
2025	6	7	17	25	24	27.16	96.1	7.0738	63.8806
2025	6	7	17	35	24	25.78	94.4	7.0738	60.8049
2025	6	7	17	45	24	26.79	94.7	7.0738	63.1708
2025	6	7	17	55	24	24.99	94.8	7.0677	58.859
2025	6	7	18	5	24	25.51	95.4	7.0677	60.041
2025	6	7	18	15	24	26.41	95.2	7.0677	62.1684
2025	6	7	18	25	24	26.49	96.9	7.0677	62.1685
2025	6	7	18	35	24	27.06	96.2	7.0677	63.5868
2025	6	7	18	45	24	25.15	96.2	7.0677	59.0956
2025	6	7	18	55	24	26.78	96.6	7.0677	62.8777
2025	6	7	19	5	24	25.45	93.6	7.0677	60.0411
2025	6	7	19	15	24	26.84	95.8	7.0677	63.1142
2025	6	7	19	25	24	26.76	96.2	7.0677	62.8778
2025	6	7	19	35	24	26.76	93.9	7.0677	63.1142
2025	6	7	19	45	24	26.47	94.1	7.0677	62.4051
2025	6	7	19	55	24	26.36	93.9	7.0677	62.1688
2025	6	7	20	5	24	25.26	93.9	7.0677	59.5686
2025	6	7	20	15	24	26.75	93.4	7.0677	63.1143
2025	6	7	20	25	24	26.98	94.5	7.0677	63.5872
2025	6	7	20	35	24	26.56	96.3	7.0677	62.4053
2025	6	7	20	45	24	25.67	94.2	7.0677	60.5142
2025	6	7	20	55	24	26.97	94	7.0677	63.5872
2025	6	7	21	5	24	26.45	93.5	7.0677	62.4054
2025	6	7	21	15	24	26.89	94.7	7.0677	63.3509
2025	6	7	21	25	24	27.05	93.6	7.0677	63.8237
2025	6	7	21	35	24	26.61	95.2	7.0677	62.6418
2025	6	7	21	45	24	27.43	95.6	7.0738	64.5912
2025	6	7	21	55	24	26.53	92.6	7.0677	62.6419
2025	6	7	22	5	24	26.15	93.5	7.0677	61.6964
2025	6	7	22	15	24	26.78	94.5	7.0677	63.1147
2025	6	7	22	25	24	26.2	95	7.0738	61.7521
2025	6	7	22	35	24	25.59	94.9	7.0738	60.3325
2025	6	7	22	45	24	24.83	92.8	7.0677	58.6234
2025	6	7	22	55	24	25.94	93.1	7.0738	61.2789
2025	6	7	23	5	24	26.8	94.9	7.0738	63.1717
2025	6	7	23	15	24	25.22	95.7	7.0738	59.3862
2025	6	7	23	25	24	26.22	95.5	7.0738	61.7522
2025	6	7	23	35	24	25.53	95.8	7.0738	60.096
2025	6	7	23	45	24	28	94.9	7.0738	66.011
2025	6	7	23	55	24	26.41	95.2	7.0738	62.2254

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	8	0	5	24	26.35	93.7	7.0738	62.2254
2025	6	8	0	15	24	26.31	95.2	7.0738	61.9888
2025	6	8	0	25	24	25.51	95.4	7.0738	60.096
2025	6	8	0	35	24	27.15	93.6	7.0738	64.1182
2025	6	8	0	45	24	25.98	94.6	7.0738	61.279
2025	6	8	0	55	24	26.19	94.8	7.0738	61.7522
2025	6	8	1	5	24	26.49	94.8	7.0799	62.5183
2025	6	8	1	15	24	25.55	96.3	7.0799	60.1502
2025	6	8	1	25	24	25.59	94.9	7.0799	60.387
2025	6	8	1	35	24	25.12	92.3	7.0799	59.4398
2025	6	8	1	45	24	26.97	96.4	7.0921	63.5799
2025	6	8	1	55	24	25.57	96.5	7.0921	60.2586
2025	6	8	2	5	24	26.04	93.1	7.0982	61.7375
2025	6	8	2	15	24	26.05	96.2	7.1043	61.5553
2025	6	8	2	25	24	25.94	96	7.1043	61.3176
2025	6	8	2	35	24	26.2	97	7.1043	61.7929
2025	6	8	2	45	24	27	94.9	7.1104	63.9893
2025	6	8	2	55	24	25.77	94.2	7.1104	61.1348
2025	6	8	3	5	24	26.06	98.2	7.1104	61.3726
2025	6	8	3	15	24	27.41	95.2	7.1104	64.9408
2025	6	8	3	25	24	26.27	96.6	7.1165	62.1419
2025	6	8	3	35	24	26.19	94.8	7.1165	62.1419
2025	6	8	3	45	24	27.57	94	7.1165	65.4752
2025	6	8	3	55	24	26.12	95.5	7.1165	61.9038
2025	6	8	4	5	24	27.4	96.9	7.1226	64.8189
2025	6	8	4	15	24	25.59	94.9	7.1226	60.7677
2025	6	8	4	25	24	26.22	95.5	7.1226	62.1976
2025	6	8	4	35	24	26.32	92	7.1226	62.6741
2025	6	8	4	45	24	26.76	93.9	7.1226	63.6274
2025	6	8	4	55	24	27.04	93.2	7.1287	64.3999
2025	6	8	5	5	24	26.57	94.1	7.1287	63.2073
2025	6	8	5	15	24	26.64	95.8	7.1287	63.2073
2025	6	8	5	25	24	26.06	93.7	7.1287	62.0146
2025	6	8	5	35	24	26.66	96.2	7.1287	63.2072
2025	6	8	5	45	24	26.33	95.7	7.1287	62.4917
2025	6	8	5	55	24	26.17	94.2	7.1287	62.2531
2025	6	8	6	5	24	26.94	95.8	7.1348	63.9799
2025	6	8	6	15	24	27.89	94.7	7.1348	66.3672
2025	6	8	6	25	24	25.62	92.5	7.1348	61.1152
2025	6	8	6	35	24	26.25	96.1	7.1348	62.3088
2025	6	8	6	45	24	25.47	94.3	7.1348	60.6377
2025	6	8	6	55	24	27.22	92.3	7.1409	64.9929
2025	6	8	7	5	24	25.88	94.4	7.1348	61.5926
2025	6	8	7	15	24	26.55	93.7	7.1409	63.3202
2025	6	8	7	25	24	26.62	92.2	7.1409	63.5592
2025	6	8	7	35	24	25.06	96.4	7.1409	59.4971
2025	6	8	7	45	24	25.81	95.3	7.1409	61.4086
2025	6	8	7	55	24	27.89	94.7	7.1409	66.4265

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	8	8	5	24	26.68	94.5	7.1409	63.5591
2025	6	8	8	15	24	25.86	93.8	7.147	61.7026
2025	6	8	8	25	24	26.62	95.4	7.147	63.3767
2025	6	8	8	35	24	26.7	94.9	7.147	63.6158
2025	6	8	8	45	24	27.21	95.1	7.147	64.8116
2025	6	8	8	55	24	26.69	94.7	7.147	63.6158
2025	6	8	9	5	24	27.07	94	7.147	64.5724
2025	6	8	9	15	24	27.7	94.8	7.147	66.0073
2025	6	8	9	25	24	27.12	95.3	7.147	64.5723
2025	6	8	9	35	24	27.33	95.7	7.147	65.0506
2025	6	8	9	45	24	26.33	92.6	7.147	62.8982
2025	6	8	9	55	24	26.38	94.6	7.147	62.8981
2025	6	8	10	5	24	25.61	95.4	7.147	60.9848
2025	6	8	10	15	24	25.22	95.7	7.147	60.0282
2025	6	8	10	25	24	27.2	94.9	7.147	64.8113
2025	6	8	10	35	24	26.2	97	7.147	62.1805
2025	6	8	10	45	24	27.51	97.1	7.147	65.2895
2025	6	8	10	55	24	27.89	94.7	7.147	66.4852
2025	6	8	11	5	24	26.2	95	7.153	62.4753
2025	6	8	11	15	24	26.17	94.2	7.153	62.4752
2025	6	8	11	25	24	26.95	93.6	7.153	64.3901
2025	6	8	11	35	24	26.48	94.5	7.153	63.1932
2025	6	8	11	45	24	25.81	95.3	7.153	61.5176
2025	6	8	11	55	24	27.29	94.6	7.153	65.1081
2025	6	8	12	5	24	27.12	92.3	7.147	64.8109
2025	6	8	12	15	24	26.16	96.4	7.153	62.2356
2025	6	8	12	25	24	26.52	95.4	7.153	63.1931
2025	6	8	12	35	24	27.01	95.1	7.147	64.3325
2025	6	8	12	45	24	26.79	94.7	7.147	63.8541
2025	6	8	12	55	24	26.38	94.6	7.153	62.9536
2025	6	8	13	5	24	26.97	94	7.153	64.3898
2025	6	8	13	15	24	26.65	96	7.153	63.4323
2025	6	8	13	25	24	26.49	94.8	7.147	63.1366
2025	6	8	13	35	24	27.74	95.8	7.147	66.0064
2025	6	8	13	45	24	26.73	95.6	7.147	63.6148
2025	6	8	13	55	24	27.07	94	7.147	64.5714
2025	6	8	14	5	24	27.31	95.3	7.147	65.0497
2025	6	8	14	15	24	26.49	94.8	7.153	63.1928
2025	6	8	14	25	24	26.63	95.6	7.153	63.4322
2025	6	8	14	35	24	26.57	94.1	7.147	63.3756
2025	6	8	14	45	24	26.99	94.7	7.147	64.3322
2025	6	8	14	55	24	25.7	95.1	7.147	61.2232
2025	6	8	15	5	24	25.74	93.3	7.147	61.4624
2025	6	8	15	15	24	26.16	96.4	7.147	62.1798
2025	6	8	15	25	24	26.28	94.4	7.147	62.6581
2025	6	8	15	35	24	26.91	95.1	7.1409	64.0359
2025	6	8	15	45	24	27.29	94.6	7.147	65.0497
2025	6	8	15	55	24	26.43	95.6	7.1409	62.8412

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	8	16	5	24	27.64	95.8	7.1348	65.6498
2025	6	8	16	15	24	26.08	98.4	7.1409	61.6465
2025	6	8	16	25	24	27.33	95.7	7.1409	64.9917
2025	6	8	16	35	24	26.94	93.2	7.1409	64.2749
2025	6	8	16	45	24	26.64	95.8	7.1409	63.3191
2025	6	8	16	55	24	26.74	93	7.1409	63.797
2025	6	8	17	5	24	26.59	94.7	7.1409	63.3192
2025	6	8	17	15	24	26.02	95.5	7.1348	61.8303
2025	6	8	17	25	24	25.92	95.5	7.1409	61.6466
2025	6	8	17	35	24	27.04	95.7	7.1409	64.275
2025	6	8	17	45	24	26.61	95.2	7.1409	63.3192
2025	6	8	17	55	24	26.81	95.1	7.1409	63.7972
2025	6	8	18	5	24	26.27	94.1	7.1409	62.6025
2025	6	8	18	15	24	26.2	95	7.1409	62.3636
2025	6	8	18	25	24	27.07	94.2	7.1409	64.514
2025	6	8	18	35	24	27.75	96	7.1409	65.9477
2025	6	8	18	45	24	26.59	94.7	7.1409	63.3194
2025	6	8	18	55	24	26.58	96.7	7.1409	63.0805
2025	6	8	19	5	24	25.53	95.8	7.1409	60.6911
2025	6	8	19	15	24	26.18	94.6	7.1409	62.3637
2025	6	8	19	25	24	26.07	96.6	7.1409	61.8859
2025	6	8	19	35	24	27.02	95.3	7.1409	64.2753
2025	6	8	19	45	24	26.11	95.3	7.1409	62.1249
2025	6	8	19	55	24	25.4	95.2	7.1409	60.4523
2025	6	8	20	5	24	26.95	93.6	7.1409	64.2754
2025	6	8	20	15	24	26.64	93	7.1348	63.5019
2025	6	8	20	25	24	26.65	93.4	7.1348	63.5019
2025	6	8	20	35	24	28.36	96.1	7.1348	67.3216
2025	6	8	20	45	24	26.37	94.1	7.1348	62.7858
2025	6	8	20	55	24	27.31	95	7.1348	64.9344
2025	6	8	21	5	24	27.21	95.1	7.1348	64.6957
2025	6	8	21	15	24	25.83	92.7	7.1348	61.5922
2025	6	8	21	25	24	26.75	93.6	7.1287	63.6838
2025	6	8	21	35	24	26.85	96	7.1287	63.6839
2025	6	8	21	45	24	27.32	95.5	7.1348	64.9345
2025	6	8	21	55	24	26.61	95.2	7.1287	63.2069
2025	6	8	22	5	24	26.73	92.8	7.1287	63.6839
2025	6	8	22	15	24	26.31	95.2	7.1287	62.4914
2025	6	8	22	25	24	26.91	95.1	7.1287	63.9225
2025	6	8	22	35	24	27.37	94.2	7.1287	65.1151
2025	6	8	22	45	24	26.77	94.1	7.1287	63.684
2025	6	8	22	55	24	27.5	95	7.1287	65.3536
2025	6	8	23	5	24	26.78	94.5	7.1287	63.684
2025	6	8	23	15	24	26.62	95.4	7.1226	63.1504
2025	6	8	23	25	24	26.77	96.4	7.1226	63.3888
2025	6	8	23	35	24	26.23	92.6	7.1226	62.4356
2025	6	8	23	45	24	25.3	91.1	7.1287	60.3448
2025	6	8	23	55	24	27.11	91.3	7.1226	64.5803

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	9	0	5	24	27.66	93.7	7.1226	65.7718
2025	6	9	0	15	24	26.41	95.2	7.1226	62.6739
2025	6	9	0	25	24	26.95	93.4	7.1226	64.1037
2025	6	9	0	35	24	26.57	94.1	7.1226	63.1505
2025	6	9	0	45	24	26.47	94.1	7.1226	62.9122
2025	6	9	0	55	24	26.13	92.9	7.1226	62.1973
2025	6	9	1	5	24	26.41	95.2	7.1165	62.6178
2025	6	9	1	15	24	26.2	95	7.1165	62.1416
2025	6	9	1	25	24	26.55	96.1	7.1165	62.8558
2025	6	9	1	35	24	22.21	87.9	7.1226	52.9034
2025	6	9	1	45	24	26.78	94.5	7.1165	63.5701
2025	6	9	1	55	24	26.12	95.5	7.1165	61.9035
2025	6	9	2	5	24	25.8	95.1	7.1165	61.1892
2025	6	9	2	15	24	27.24	95.9	7.1104	64.4646
2025	6	9	2	25	24	25.7	95.1	7.1165	60.9511
2025	6	9	2	35	24	27.17	94	7.1104	64.4646
2025	6	9	2	45	24	26.83	95.6	7.1104	63.5131
2025	6	9	2	55	24	25.31	95.4	7.1104	59.9449
2025	6	9	3	5	24	26.28	94.6	7.1104	62.3237
2025	6	9	3	15	24	25.81	95.3	7.1043	61.0794
2025	6	9	3	25	24	25.56	93.8	7.1043	60.6041
2025	6	9	3	35	24	26.81	95.1	7.0982	63.3991
2025	6	9	3	45	24	25.34	93.4	7.0982	60.0748
2025	6	9	3	55	24	26.23	95.7	7.0921	61.9187
2025	6	9	4	5	24	26.64	95.8	7.0921	62.8676
2025	6	9	4	15	24	27.45	93.3	7.0921	65.0027
2025	6	9	4	25	24	25.23	92.7	7.086	59.7298
2025	6	9	4	35	24	26.47	94.1	7.086	62.574
2025	6	9	4	45	24	25.61	95.4	7.086	60.4408
2025	6	9	4	55	24	27.5	94.8	7.086	64.9442
2025	6	9	5	5	24	20.96	80.9	7.086	49.0637
2025	6	9	5	15	24	26.08	94.4	7.086	61.6259
2025	6	9	5	25	24	24.58	94.7	7.086	58.0705
2025	6	9	5	35	24	26.62	92.2	7.086	63.048
2025	6	9	5	45	24	26.11	95.3	7.0799	61.5704
2025	6	9	5	55	24	25.41	95.4	7.0799	59.9127
2025	6	9	6	5	24	25.54	93.4	7.0799	60.3863
2025	6	9	6	15	24	26.98	94.5	7.0799	63.7017
2025	6	9	6	25	24	25.95	93.5	7.0799	61.3336
2025	6	9	6	35	24	25.91	95.3	7.0799	61.0968
2025	6	9	6	45	24	25.4	95	7.0799	59.9127
2025	6	9	6	55	24	26.66	93.9	7.0799	62.9912
2025	6	9	7	5	24	26.45	96.1	7.0799	62.2808
2025	6	9	7	15	24	26.51	95.2	7.0799	62.5176
2025	6	9	7	25	24	26.44	95.9	7.0799	62.2807
2025	6	9	7	35	24	26.74	93.2	7.0799	63.228
2025	6	9	7	45	24	26.74	93.2	7.0799	63.2279
2025	6	9	7	55	24	25.4	95	7.0799	59.9126

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	9	8	5	24	26.09	94.8	7.0799	61.5702
2025	6	9	8	15	24	27.83	95.6	7.0799	65.596
2025	6	9	8	25	24	26.64	93	7.0799	62.9911
2025	6	9	8	35	24	26.14	93.1	7.0738	61.7513
2025	6	9	8	45	24	25.91	95.3	7.0738	61.0415
2025	6	9	8	55	24	26.53	95.6	7.0738	62.4611
2025	6	9	9	5	24	25.89	94.9	7.0738	61.0415
2025	6	9	9	15	24	26.55	96.1	7.0738	62.461
2025	6	9	9	25	24	26.79	94.7	7.0738	63.1708
2025	6	9	9	35	24	25.56	93.8	7.0738	60.3316
2025	6	9	9	45	24	25.47	94.3	7.0738	60.095
2025	6	9	9	55	24	27.49	94.6	7.0738	64.8269
2025	6	9	10	5	24	25.96	93.8	7.0738	61.278
2025	6	9	10	15	24	26.45	93.7	7.0738	62.4609
2025	6	9	10	25	24	26.12	95.5	7.0738	61.5145
2025	6	9	10	35	24	25.67	94.2	7.0738	60.5681
2025	6	9	10	45	24	27.37	94	7.0738	64.5901
2025	6	9	10	55	24	26.37	94.1	7.0738	62.2242
2025	6	9	11	5	24	26.54	93.2	7.0738	62.6973
2025	6	9	11	15	24	26.95	93.6	7.0738	63.6437
2025	6	9	11	25	24	26.31	91.7	7.0738	62.2241
2025	6	9	11	35	24	26.51	97.2	7.0738	62.2241
2025	6	9	11	45	24	26.27	94.1	7.0677	61.9315
2025	6	9	11	55	24	25.48	94.5	7.0677	60.0405
2025	6	9	12	5	24	27.21	97.2	7.0677	63.8225
2025	6	9	12	15	24	26.43	95.6	7.0677	62.1678
2025	6	9	12	25	24	26.54	95.8	7.0677	62.4042
2025	6	9	12	35	24	26.8	97.1	7.0616	62.8202
2025	6	9	12	45	24	26.6	95	7.0616	62.584
2025	6	9	12	55	24	26.37	94.1	7.0616	62.1116
2025	6	9	13	5	24	25.75	96.2	7.0616	60.4584
2025	6	9	13	15	24	25.66	93.8	7.0616	60.4584
2025	6	9	13	25	24	25.43	97.7	7.0555	59.46
2025	6	9	13	35	24	25.68	94.5	7.0555	60.4038
2025	6	9	13	45	24	25.95	96.2	7.0433	60.7656
2025	6	9	13	55	24	26.12	95.5	7.0494	61.2921
2025	6	9	14	5	24	25.32	95.7	7.0372	59.2986
2025	6	9	14	15	24	27.28	94.4	7.0372	64.0049
2025	6	9	14	25	24	26.17	94.2	7.0372	61.4164
2025	6	9	14	35	24	27.26	93.8	7.0311	63.9468
2025	6	9	14	45	24	25.79	94.7	7.0311	60.4204
2025	6	9	14	55	24	26.54	95.8	7.0311	62.066
2025	6	9	15	5	24	25.82	95.6	7.025	60.3655
2025	6	9	15	15	24	24.78	94.6	7.025	58.0167
2025	6	9	15	25	24	26.64	93.2	7.025	62.4795
2025	6	9	15	35	24	26.24	93.1	7.025	61.54
2025	6	9	15	45	24	27.12	95.5	7.025	63.419
2025	6	9	15	55	24	26.26	96.3	7.025	61.3051

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	9	16	5	24	26.1	95.1	7.025	61.0702
2025	6	9	16	15	24	25.54	96.1	7.0189	59.6067
2025	6	9	16	25	24	25.46	93.8	7.0189	59.6067
2025	6	9	16	35	24	26.18	94.4	7.0189	61.2494
2025	6	9	16	45	24	26.85	93.4	7.0189	62.8922
2025	6	9	16	55	24	25.94	93.1	7.0189	60.7801
2025	6	9	17	5	24	27.1	94.9	7.0189	63.3615
2025	6	9	17	15	24	25.26	93.9	7.0189	59.1374
2025	6	9	17	25	24	26.17	94.2	7.0189	61.2495
2025	6	9	17	35	24	25.55	93.6	7.0128	59.7871
2025	6	9	17	45	24	24.65	93.7	7.0128	57.677
2025	6	9	17	55	24	26.48	94.3	7.0128	61.8973
2025	6	9	18	5	24	25.94	93.3	7.0128	60.725
2025	6	9	18	15	24	26.25	93.5	7.0128	61.4284
2025	6	9	18	25	24	27.13	92.7	7.0067	63.4808
2025	6	9	18	35	24	24.13	95.9	7.0067	56.2192
2025	6	9	18	45	24	25.26	96.4	7.0067	58.7959
2025	6	9	18	55	24	24.52	95.6	7.0067	57.1562
2025	6	9	19	5	24	26.94	93.2	7.0067	63.0124
2025	6	9	19	15	24	25.63	92.9	7.0006	59.9126
2025	6	9	19	25	24	21.31	91.6	7.0128	49.94
2025	6	9	19	35	24	24.77	94.4	7.0128	57.9117
2025	6	9	19	45	24	26.63	92.6	7.0128	62.3665
2025	6	9	19	55	24	25.56	94	7.0128	59.7875
2025	6	9	20	5	24	27.22	95.5	7.0067	63.4811
2025	6	9	20	15	24	26.02	97.5	7.0128	60.4909
2025	6	9	20	25	24	25.69	94.7	7.0067	59.9674
2025	6	9	20	35	24	26.61	95.2	7.0067	62.0757
2025	6	9	20	45	24	26.65	93.4	7.0067	62.31
2025	6	9	20	55	24	26.25	96.1	7.0067	61.1388
2025	6	9	21	5	24	26.59	96.9	7.0067	61.8415
2025	6	9	21	15	24	26.38	98.3	7.0067	61.1388
2025	6	9	21	25	24	25.49	94.7	7.0067	59.4991
2025	6	9	21	35	24	25.44	93.4	7.0067	59.4991
2025	6	9	21	45	24	25.43	95.9	7.0067	59.2649
2025	6	9	21	55	24	26.55	97.8	7.0067	61.6074
2025	6	9	22	5	24	25.26	96.4	7.0006	58.7429
2025	6	9	22	15	24	24.76	98.4	7.0006	57.3387
2025	6	9	22	25	24	25.97	96.6	7.0006	60.3812
2025	6	9	22	35	24	25.34	96.1	7.0006	58.977
2025	6	9	22	45	24	26.11	97.3	7.0006	60.6153
2025	6	9	22	55	24	25.86	96.4	7.0006	60.1472
2025	6	9	23	5	24	26.48	96.7	7.0006	61.5515
2025	6	9	23	15	24	23.8	95.3	7.0006	55.4665
2025	6	9	23	25	24	26.67	94.1	7.0006	62.2536
2025	6	9	23	35	24	26.39	98.5	7.0006	61.0834
2025	6	9	23	45	24	26.21	95.3	7.0006	61.0834
2025	6	9	23	55	24	26.86	96.2	6.9945	62.4307

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	10	0	5	24	24.37	96.8	7.0006	56.6368
2025	6	10	0	15	24	25.95	96.2	6.9945	60.3263
2025	6	10	0	25	24	26.28	96.8	6.9945	61.0278
2025	6	10	0	35	24	24.4	95.2	6.9945	56.819
2025	6	10	0	45	24	25.01	99	6.9945	57.7543
2025	6	10	0	55	24	25.07	98.5	6.9945	57.9881
2025	6	10	1	5	24	25.06	96.4	6.9945	58.2219
2025	6	10	1	15	24	24.97	96.7	6.9945	57.9881
2025	6	10	1	25	24	24.32	95.7	6.9885	56.5335
2025	6	10	1	35	24	24.73	99.3	6.9885	57.0007
2025	6	10	1	45	24	25.07	96.6	6.9885	58.1688
2025	6	10	1	55	24	24.62	95.6	6.9885	57.2343
2025	6	10	2	5	24	24.37	94.5	6.9885	56.7671
2025	6	10	2	15	24	24.6	97.2	6.9824	56.9487
2025	6	10	2	25	24	24.67	96.8	6.9824	57.1821
2025	6	10	2	35	24	25.05	96.2	6.9824	58.1156
2025	6	10	2	45	24	25.04	96	6.9824	58.1156
2025	6	10	2	55	24	26.22	97.5	6.9763	60.6275
2025	6	10	3	5	24	25.47	94.3	6.9763	59.2284
2025	6	10	3	15	24	27.18	94.4	6.9763	63.1925
2025	6	10	3	25	24	25.02	95.5	6.9702	58.0094
2025	6	10	3	35	24	25.19	94.8	6.9702	58.4753
2025	6	10	3	45	24	25.51	95.4	6.958	59.0659
2025	6	10	3	55	24	25.03	95.7	6.9519	57.8501
2025	6	10	4	5	24	24.76	93.9	6.9458	57.3327
2025	6	10	4	15	24	25.36	94.1	6.9458	58.7254
2025	6	10	4	25	24	26.81	95.1	6.9397	61.9181
2025	6	10	4	35	24	25.19	94.8	6.9397	58.2076
2025	6	10	4	45	24	25.47	94.3	6.9336	58.8491
2025	6	10	4	55	24	24.85	93.5	6.9336	57.459
2025	6	10	5	5	24	24.78	94.6	6.9336	57.2273
2025	6	10	5	15	24	24.97	94.4	6.9336	57.6907
2025	6	10	5	25	24	25.46	93.8	6.9336	58.8491
2025	6	10	5	35	24	25.52	95.6	6.9275	58.7949
2025	6	10	5	45	24	25.97	94.2	6.9275	59.9523
2025	6	10	5	55	24	25.52	95.6	6.9275	58.7949
2025	6	10	6	5	24	26.16	96.4	6.9214	60.1283
2025	6	10	6	15	24	24.93	92.8	6.9214	57.5844
2025	6	10	6	25	24	25.46	93.8	6.9214	58.7407
2025	6	10	6	35	24	26.31	95.2	6.9153	60.535
2025	6	10	6	45	24	26.24	93.1	6.9153	60.5349
2025	6	10	6	55	24	26.07	96.6	6.9092	59.7866
2025	6	10	7	5	24	25.35	93.6	6.9092	58.4015
2025	6	10	7	15	24	25.22	95.7	6.9031	57.8863
2025	6	10	7	25	24	25.59	94.9	6.8909	58.7001
2025	6	10	7	35	24	24.85	96.2	6.8787	56.7532
2025	6	10	7	45	24	25.07	94.3	6.8787	57.4425
2025	6	10	7	55	24	27.44	92.9	6.8726	62.8985

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	10	8	5	24	24.47	94.5	6.8726	56.0118
2025	6	10	8	15	24	25.57	94.3	6.8665	58.4825
2025	6	10	8	25	24	25.65	96.3	6.8665	58.4825
2025	6	10	8	35	24	25.19	97.1	6.8604	57.2825
2025	6	10	8	45	24	24.85	93.5	6.8604	56.8242
2025	6	10	8	55	24	25.09	94.8	6.8604	57.2824
2025	6	10	9	5	24	26.31	95.2	6.8543	59.9761
2025	6	10	9	15	24	25.3	95	6.8543	57.6869
2025	6	10	9	25	24	25.01	91.8	6.8482	57.1758
2025	6	10	9	35	24	24.73	95.8	6.8421	56.2085
2025	6	10	9	45	24	25.56	94	6.8361	58.2105
2025	6	10	9	55	24	24.98	94.6	6.8239	56.7347
2025	6	10	10	5	24	24.55	96.3	6.8117	55.4914
2025	6	10	10	15	24	25.06	94.1	6.8056	56.8027
2025	6	10	10	25	24	24.89	94.8	6.8056	56.3482
2025	6	10	10	35	24	24.89	94.8	6.7995	56.2953
2025	6	10	10	45	24	24.62	92.3	6.7995	55.8413
2025	6	10	10	55	24	25.75	93.6	6.7934	58.2835
2025	6	10	11	5	24	25.43	95.9	6.7934	57.3763
2025	6	10	11	15	24	23.51	97.6	6.7934	52.8406
2025	6	10	11	25	24	24.55	96.3	6.7873	55.2832
2025	6	10	11	35	24	24.64	96.1	6.7873	55.5097
2025	6	10	11	45	24	24.43	95.9	6.7812	55.0048
2025	6	10	11	55	24	24.98	94.6	6.7629	56.2037
2025	6	10	12	5	24	25.16	93.9	6.7568	56.6016
2025	6	10	12	15	24	23.85	93.8	6.7568	53.6701
2025	6	10	12	25	24	25.18	94.6	6.7446	56.4946
2025	6	10	12	35	24	23.57	94.4	6.7385	52.8433
2025	6	10	12	45	24	23.52	95.9	6.7324	52.5686
2025	6	10	12	55	24	24.4	95.2	6.7263	54.5386
2025	6	10	13	5	24	23.5	95.4	6.7263	52.5186
2025	6	10	13	15	24	24.43	93	6.7263	54.763
2025	6	10	13	25	24	24.54	93.3	6.7202	54.9352
2025	6	10	13	35	24	23.23	92.7	6.7141	51.9709
2025	6	10	13	45	24	23.37	96.9	6.708	51.9214
2025	6	10	13	55	24	24.95	96.2	6.7019	55.4494
2025	6	10	14	5	24	23.98	94.5	6.6898	53.3352
2025	6	10	14	15	24	22.79	95	6.6837	50.609
2025	6	10	14	25	24	23.49	94.9	6.6776	52.1197
2025	6	10	14	35	24	24.12	95.7	6.6715	53.405
2025	6	10	14	45	24	24.06	96.7	6.6654	53.1316
2025	6	10	14	55	24	23.29	95.2	6.6654	51.5754
2025	6	10	15	5	24	22.55	96.6	6.6593	49.7493
2025	6	10	15	15	24	24.05	96.4	6.6532	53.0298
2025	6	10	15	25	24	24.36	96.6	6.6532	53.6954
2025	6	10	15	35	24	23.34	93.4	6.6471	51.6489
2025	6	10	15	45	24	23.43	98.1	6.641	51.3778
2025	6	10	15	55	24	22.9	97.5	6.6349	50.2222

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	10	16	5	24	24.45	93.8	6.6288	53.9314
2025	6	10	16	15	24	23.81	95.5	6.6227	52.3337
2025	6	10	16	25	24	23.72	95.8	6.6105	52.0124
2025	6	10	16	35	24	23.45	93.9	6.6044	51.5218
2025	6	10	16	45	24	23.38	94.7	6.6044	51.3016
2025	6	10	16	55	24	23.12	98	6.6044	50.4209
2025	6	10	17	5	24	22.7	95.3	6.5922	49.6641
2025	6	10	17	15	24	23.22	95.9	6.5922	50.7629
2025	6	10	17	25	24	23.94	96.2	6.5922	52.3012
2025	6	10	17	35	24	22.93	96	6.58	50.0066
2025	6	10	17	45	24	23.36	96.6	6.58	50.884
2025	6	10	17	55	24	24.13	92.9	6.5739	52.8066
2025	6	10	18	5	24	24.4	95.2	6.5739	53.2449
2025	6	10	18	15	24	22.43	93.1	6.5678	49.034
2025	6	10	18	25	24	22.92	95.8	6.5617	49.8611
2025	6	10	18	35	24	23.21	97.7	6.5617	50.2985
2025	6	10	18	45	24	23.14	96.2	6.5556	50.2496
2025	6	10	18	55	24	22.4	95.4	6.5556	48.7203
2025	6	10	19	5	24	22.31	92.1	6.5495	48.6729
2025	6	10	19	15	24	21.7	95.6	6.5434	47.0991
2025	6	10	19	25	24	23.31	95.7	6.5374	50.5385
2025	6	10	19	35	24	23.34	93.4	6.5374	50.7564
2025	6	10	19	45	24	23.14	96.2	6.5313	50.054
2025	6	10	19	55	24	23.85	93.8	6.5252	51.7443
2025	6	10	20	5	24	24.3	97.3	6.5252	52.3966
2025	6	10	20	15	24	20.76	94.4	6.5191	44.9605
2025	6	10	20	25	24	23.41	95.6	6.5191	50.6078
2025	6	10	20	35	24	23.11	95.7	6.5191	49.9562
2025	6	10	20	45	24	23.23	96.2	6.513	50.1242
2025	6	10	20	55	24	23.58	94.9	6.513	50.9922
2025	6	10	21	5	24	24.55	93.5	6.513	53.1621
2025	6	10	21	15	24	24.25	93.5	6.5069	52.4597
2025	6	10	21	25	24	24.35	96.4	6.5069	52.4597
2025	6	10	21	35	24	24.07	94.3	6.5069	52.0262
2025	6	10	21	45	24	23.69	95.1	6.5008	51.1089
2025	6	10	21	55	24	23.74	96.3	6.5008	51.1089
2025	6	10	22	5	24	23.49	97.3	6.5008	50.4593
2025	6	10	22	15	24	23.35	93.9	6.5008	50.4593
2025	6	10	22	25	24	22.24	96.5	6.4947	47.8135
2025	6	10	22	35	24	22.86	94	6.4947	49.328
2025	6	10	22	45	24	22.63	96.1	6.4947	48.679
2025	6	10	22	55	24	23.1	97.5	6.4947	49.5444
2025	6	10	23	5	24	23.25	98.4	6.4947	49.7608
2025	6	10	23	15	24	22.37	94.6	6.4886	48.1989
2025	6	10	23	25	24	23.57	96.8	6.4886	50.5764
2025	6	10	23	35	24	21.83	96.3	6.4886	46.9021
2025	6	10	23	45	24	22.86	94	6.4825	49.2311
2025	6	10	23	55	24	22.61	92	6.4825	48.7992

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	11	0	5	24	22.13	96.2	6.4825	47.5037
2025	6	11	0	15	24	23	95.2	6.4764	49.3983
2025	6	11	0	25	24	22.39	95.1	6.4764	48.1041
2025	6	11	0	35	24	22.42	95.9	6.4764	48.1041
2025	6	11	0	45	24	22.66	94	6.4703	48.7031
2025	6	11	0	55	24	22.87	94.5	6.4703	49.1341
2025	6	11	1	5	24	22.24	93.6	6.4642	47.7939
2025	6	11	1	15	24	22.93	93	6.4642	49.3009
2025	6	11	1	25	24	22.41	91.8	6.4581	48.1768
2025	6	11	1	35	24	22.46	94.1	6.452	48.1292
2025	6	11	1	45	24	22.78	94.8	6.4459	48.7255
2025	6	11	1	55	24	24.15	93.8	6.4398	51.6793
2025	6	11	2	5	24	22.65	93.8	6.4398	48.4628
2025	6	11	2	15	24	22.77	97.1	6.4337	48.4147
2025	6	11	2	25	24	22.7	95.3	6.4337	48.4147
2025	6	11	2	35	24	22.1	95.5	6.4337	47.1294
2025	6	11	2	45	24	22.63	92.8	6.4337	48.4147
2025	6	11	2	55	24	22.1	95.5	6.4276	47.0826
2025	6	11	3	5	24	22.07	94.4	6.4276	47.0826
2025	6	11	3	15	24	23.16	94	6.4276	49.4367
2025	6	11	3	25	24	21.31	95.9	6.4276	45.3705
2025	6	11	3	35	24	21.92	98.1	6.4215	46.3944
2025	6	11	3	45	24	22.97	94.5	6.4215	48.96
2025	6	11	3	55	24	22.94	96.3	6.4215	48.7462
2025	6	11	4	5	24	23.33	96.2	6.4215	49.6014
2025	6	11	4	15	24	21.87	94.5	6.4215	46.6082
2025	6	11	4	25	24	23.51	95.6	6.4215	50.029
2025	6	11	4	35	24	21.56	96.9	6.4154	45.7075
2025	6	11	4	45	24	22.02	96	6.4154	46.7754
2025	6	11	4	55	24	19.51	96.2	6.4154	41.4358
2025	6	11	5	5	24	23.15	93.7	6.4154	49.3384
2025	6	11	5	15	24	23.02	95.7	6.4154	48.9113
2025	6	11	5	25	24	23.12	96	6.4154	49.1249
2025	6	11	5	35	24	21.55	96.7	6.4093	45.6619
2025	6	11	5	45	24	23.02	95.7	6.4093	48.8626
2025	6	11	5	55	24	21.35	94	6.4093	45.4486
2025	6	11	6	5	24	21.72	96.1	6.4093	46.0887
2025	6	11	6	15	24	22.63	96.1	6.4093	48.0091
2025	6	11	6	25	24	22.1	95.5	6.4032	46.8954
2025	6	11	6	35	24	21.66	94.2	6.4032	46.0427
2025	6	11	6	45	24	22.83	92.8	6.4032	48.6007
2025	6	11	6	55	24	21.8	95.5	6.4032	46.2559
2025	6	11	7	5	24	21.8	95.5	6.3971	46.2097
2025	6	11	7	15	24	21.91	92.1	6.3971	46.6356
2025	6	11	7	25	24	22.69	97.3	6.3971	47.9133
2025	6	11	7	35	24	22.24	93.6	6.3971	47.2744
2025	6	11	7	45	24	21.99	97.6	6.391	46.3763
2025	6	11	7	55	24	21.83	96.3	6.385	46.1174

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	11	8	5	24	22.64	96.3	6.385	47.8175
2025	6	11	8	15	24	21.96	94.2	6.3728	46.4492
2025	6	11	8	25	24	21.5	95.6	6.3728	45.3887
2025	6	11	8	35	24	21.97	94.7	6.3667	46.4026
2025	6	11	8	45	24	21.25	93.8	6.3667	44.9194
2025	6	11	8	55	24	21.93	98.4	6.3667	45.9788
2025	6	11	9	5	24	23.44	93.4	6.3606	49.531
2025	6	11	9	15	24	22.78	94.8	6.3606	48.0493
2025	6	11	9	25	24	23.04	96.2	6.3606	48.4726
2025	6	11	9	35	24	23.21	95.7	6.3606	48.8959
2025	6	11	9	45	24	22.13	96.2	6.3545	46.5207
2025	6	11	9	55	24	22.74	96.3	6.3545	47.7894
2025	6	11	10	5	24	22.61	95.6	6.3545	47.5779
2025	6	11	10	15	24	22.16	94.1	6.3545	46.732
2025	6	11	10	25	24	22.79	99.1	6.3545	47.5778
2025	6	11	10	35	24	21.66	96.9	6.3545	45.4632
2025	6	11	10	45	24	23.25	96.4	6.3545	48.8465
2025	6	11	10	55	24	21.2	95.7	6.3545	44.6173
2025	6	11	11	5	24	23.14	93.2	6.3545	48.8464
2025	6	11	11	15	24	21.71	95.8	6.3545	45.6746
2025	6	11	11	25	24	21.28	95.1	6.3484	44.7836
2025	6	11	11	35	24	22.56	96.9	6.3484	47.3185
2025	6	11	11	45	24	22.97	97	6.3484	48.1634
2025	6	11	11	55	24	22.12	96	6.3484	46.4734
2025	6	11	12	5	24	22.87	94.5	6.3423	48.1148
2025	6	11	12	15	24	22.5	95.4	6.3423	47.2707
2025	6	11	12	25	24	22.73	92.8	6.3423	47.9037
2025	6	11	12	35	24	22.14	96.5	6.3301	46.3329
2025	6	11	12	45	24	21.55	94	6.3301	45.2799
2025	6	11	12	55	24	22.97	98.8	6.3301	47.8071
2025	6	11	13	5	24	21.51	95.9	6.3179	44.9782
2025	6	11	13	15	24	21.83	96.3	6.3118	45.5625
2025	6	11	13	25	24	21.95	96.8	6.3057	45.7261
2025	6	11	13	35	24	21.94	93.7	6.3057	45.9358
2025	6	11	13	45	24	22.5	95.4	6.3118	47.0322
2025	6	11	13	55	24	21.74	93.4	6.3057	45.5163
2025	6	11	14	5	24	21.51	95.9	6.3057	44.887
2025	6	16	10	15	41	24.69	94.9	6.7507	55.423
2025	6	16	10	25	41	23.93	97.9	6.7507	53.3953
2025	6	16	10	35	41	24.93	95.8	6.7568	55.9264
2025	6	16	10	45	41	24.87	94.4	6.7568	55.9264
2025	6	16	10	55	41	25.3	95	6.7568	56.8284
2025	6	16	11	5	41	25.34	93.4	6.7568	57.0538
2025	6	16	11	15	41	25.04	93.4	6.7629	56.4305
2025	6	16	11	25	41	26.14	95.9	6.7629	58.6877
2025	6	16	11	35	41	25.43	97.7	6.7629	56.8819
2025	6	16	11	45	41	24.71	97.4	6.7629	55.3018
2025	6	16	11	55	41	25.44	93.4	6.769	57.3874

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	16	12	5	41	25.4	95.2	6.769	57.1614
2025	6	16	12	15	41	25.96	93.8	6.769	58.517
2025	6	16	12	25	41	24.37	94.5	6.769	54.902
2025	6	16	12	35	41	25.82	95.6	6.7751	58.1198
2025	6	16	12	45	41	24.65	96.3	6.7751	55.406
2025	6	16	12	55	41	23.52	92.4	6.7751	53.1445
2025	6	16	13	5	41	25.37	96.6	6.7751	56.9889
2025	6	16	13	15	41	25.92	95.5	6.7812	58.4008
2025	6	16	13	25	41	26.48	96.7	6.7812	59.5325
2025	6	16	13	35	41	26.17	94.2	6.7812	59.0798
2025	6	16	13	45	41	25.68	94.5	6.7812	57.948
2025	6	16	13	55	41	24.67	94.4	6.7812	55.6843
2025	6	16	14	5	41	24.69	94.9	6.7812	55.6843
2025	6	16	14	15	41	24.9	90.9	6.7812	56.3634
2025	6	16	14	25	41	24.44	96.1	6.7812	55.0052
2025	6	16	14	35	41	24.48	94.7	6.7812	55.2316
2025	6	16	14	45	41	24.98	94.6	6.7812	56.3634
2025	6	16	14	55	41	24.71	95.3	6.7812	55.6843
2025	6	16	15	5	41	26.9	94.9	6.7812	60.6642
2025	6	16	15	15	41	25.26	96.4	6.7873	56.8696
2025	6	16	15	25	41	25.23	95.9	6.7873	56.8696
2025	6	16	15	35	41	25.52	95.6	6.7873	57.5493
2025	6	16	15	45	41	24.93	95.8	6.7873	56.1899
2025	6	16	15	55	41	25.99	94.9	6.7873	58.6822
2025	6	16	16	5	41	25.7	95.1	6.7873	58.0025
2025	6	16	16	15	41	26.13	92.6	6.7873	59.1353
2025	6	16	16	25	41	25.74	93.3	6.7873	58.2291
2025	6	16	16	35	41	26.29	94.8	6.7873	59.3619
2025	6	16	16	45	41	25.73	95.8	6.7934	58.0571
2025	6	16	16	55	41	24.63	95.8	6.7934	55.5625
2025	6	16	17	5	41	26.18	94.4	6.7934	59.1911
2025	6	16	17	15	41	26.81	95.1	6.7934	60.5518
2025	6	16	17	25	41	26.67	96.5	6.7934	60.0983
2025	6	16	17	35	41	25.97	94.2	6.7995	58.7928
2025	6	16	17	45	41	26.41	95.2	6.7934	59.6448
2025	6	16	17	55	41	25.51	95.4	6.7995	57.6579
2025	6	16	18	5	41	24.85	96.2	6.8056	56.1216
2025	6	16	18	15	41	24.87	94.2	6.7995	56.296
2025	6	16	18	25	41	25.65	93.6	6.8056	58.1666
2025	6	16	18	35	41	26.67	96.5	6.8056	60.2115
2025	6	16	18	45	41	25.64	96	6.8056	57.9394
2025	6	16	18	55	41	25.9	95.1	6.8117	58.6761
2025	6	16	19	5	41	24.45	96.3	6.8117	55.2647
2025	6	16	19	15	41	24.93	93	6.8178	56.6824
2025	6	16	19	25	41	25.57	96.5	6.8239	57.8748
2025	6	16	19	35	41	26.51	95.2	6.8239	60.1534
2025	6	16	19	45	41	24.97	94.4	6.83	56.7887
2025	6	16	19	55	41	25.5	95.2	6.83	57.929

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	16	20	5	41	26.26	93.7	6.8361	59.8095
2025	6	16	20	15	41	24.32	92.6	6.8361	55.4722
2025	6	16	20	25	41	25.69	94.7	6.8361	58.4399
2025	6	16	20	35	41	25.17	96.6	6.8421	57.1235
2025	6	16	20	45	41	23.65	96.6	6.8421	53.6961
2025	6	16	20	55	41	25.83	95.8	6.8421	58.723
2025	6	16	21	5	41	25.27	94.3	6.8421	57.5806
2025	6	16	21	15	41	24.92	97.6	6.8421	56.4381
2025	6	16	21	25	41	25.71	95.4	6.8482	58.5492
2025	6	16	21	35	41	25.15	93.6	6.8482	57.4057
2025	6	16	21	45	41	25.67	94.2	6.8482	58.5492
2025	6	16	21	55	41	25.61	95.4	6.8482	58.3206
2025	6	16	22	5	41	25.51	95.4	6.8543	58.146
2025	6	16	22	15	41	25.61	95.4	6.8543	58.375
2025	6	16	22	25	41	26.15	93.5	6.8543	59.7485
2025	6	16	22	35	41	25.98	94.6	6.8604	59.3459
2025	6	16	22	45	41	26.34	93.3	6.8604	60.2625
2025	6	16	22	55	41	25.71	95.4	6.8665	58.7131
2025	6	16	23	5	41	26.48	94.5	6.8726	60.6042
2025	6	16	23	15	41	25.74	93.1	6.8848	59.1069
2025	6	16	23	25	41	24.55	93.7	6.8909	56.3993
2025	6	16	23	35	41	24.97	94.4	6.8909	57.3201
2025	6	16	23	45	41	26.27	96.6	6.8909	60.0825
2025	6	16	23	55	41	25.14	93.2	6.897	57.834
2025	6	17	0	5	41	26.31	95.2	6.897	60.3686
2025	6	17	0	15	41	25.26	94.1	6.897	58.0644
2025	6	17	0	25	41	25.18	94.6	6.9031	57.8875
2025	6	17	0	35	41	27.48	94.4	6.9031	63.1919
2025	6	17	0	45	41	26.07	94.2	6.9031	59.9632
2025	6	17	0	55	41	25.71	95.4	6.9031	59.0407
2025	6	17	1	5	41	25.08	94.6	6.9031	57.6569
2025	6	17	1	15	41	25.55	96.3	6.9092	58.6335
2025	6	17	1	25	41	26.55	93.5	6.9092	61.1728
2025	6	17	1	35	41	27.1	94.9	6.9092	62.327
2025	6	17	1	45	41	26.25	93.5	6.9092	60.4803
2025	6	17	1	55	41	26.28	94.6	6.9153	60.5361
2025	6	17	2	5	41	26.52	95.4	6.9153	60.9982
2025	6	17	2	15	41	26.28	94.6	6.9153	60.5361
2025	6	17	2	25	41	25.69	94.9	6.9153	59.1498
2025	6	17	2	35	41	26.54	95.8	6.9214	61.0545
2025	6	17	2	45	41	26.19	94.8	6.9214	60.3607
2025	6	17	2	55	41	27.25	93.4	6.9214	62.9046
2025	6	17	3	5	41	25.37	96.6	6.9275	58.333
2025	6	17	3	15	41	25.89	94.9	6.9275	59.7219
2025	6	17	3	25	41	26.47	96.5	6.9336	60.9354
2025	6	17	3	35	41	24.96	94.1	6.9336	57.6916
2025	6	17	3	45	41	24.93	93	6.9397	57.7447
2025	6	17	3	55	41	26.72	95.4	6.9519	61.8006

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	17	4	5	41	24.38	94.7	6.958	56.5087
2025	6	17	4	15	41	26.17	94.2	6.958	60.6946
2025	6	17	4	25	41	26.64	97.8	6.9641	61.4485
2025	6	17	4	35	41	26.37	94.1	6.9641	61.2157
2025	6	17	4	45	41	25.03	92.7	6.9641	58.1898
2025	6	17	4	55	41	25.49	94.7	6.9702	59.175
2025	6	17	5	5	41	24.55	93.7	6.9702	57.0783
2025	6	17	5	15	41	26.45	93.5	6.9702	61.5048
2025	6	17	5	25	41	26.66	96.2	6.9763	61.7942
2025	6	17	5	35	41	26.69	94.7	6.9763	62.0274
2025	6	17	5	45	41	26.81	95.1	6.9763	62.2606
2025	6	17	5	55	41	26.76	93.9	6.9763	62.2606
2025	6	17	6	5	41	25.92	97.5	6.9824	59.9836
2025	6	17	6	15	41	26.06	93.7	6.9824	60.6838
2025	6	17	6	25	41	26.52	97.4	6.9824	61.384
2025	6	17	6	35	41	25.74	93.1	6.9824	59.9836
2025	6	17	6	45	41	26.08	94.6	6.9824	60.6838
2025	6	17	6	55	41	26.28	94.6	6.9824	61.1506
2025	6	17	7	5	41	26.12	95.5	6.9885	60.7392
2025	6	17	7	15	41	27.28	94.4	6.9885	63.5426
2025	6	17	7	25	41	25.47	94.3	6.9885	59.3375
2025	6	17	7	35	41	26.25	93.5	6.9885	61.2064
2025	6	17	7	45	41	27.17	96.3	6.9945	63.1329
2025	6	17	7	55	41	27.54	95.8	6.9945	64.0682
2025	6	17	8	5	41	26.47	94.1	6.9945	61.7299
2025	6	17	8	15	41	25.69	94.9	6.9945	59.8593
2025	6	17	8	25	41	26.59	94.7	7.0006	62.0202
2025	6	17	8	35	41	25.49	94.7	7.0006	59.4458
2025	6	17	8	45	41	26.57	94.1	7.0006	62.0202
2025	6	17	8	55	41	27.14	95.9	7.0006	63.1904
2025	6	17	9	5	41	24.61	95.4	7.0067	57.3917
2025	6	17	9	15	41	25.67	94.2	7.0067	59.9684
2025	6	17	9	25	41	26.87	94.3	7.0067	62.7794
2025	6	17	9	35	41	25.07	94.3	7.0128	58.6162
2025	6	17	9	45	41	25.88	94.4	7.0189	60.5469
2025	6	17	9	55	41	27.54	95.8	7.0189	64.3017
2025	6	17	10	5	41	26.38	94.3	7.0189	61.7203
2025	6	17	10	15	41	28.04	95.7	7.0189	65.4751
2025	6	17	10	25	41	28.68	96.4	7.025	66.9439
2025	6	17	10	35	41	28.18	96.5	7.0311	65.8292
2025	6	17	10	45	41	26.09	94.8	7.0372	61.1825
2025	6	17	10	55	41	27.32	95.5	7.0372	64.0063
2025	6	17	11	5	41	27.99	94.7	7.0372	65.6535
2025	6	17	11	15	41	27.34	95.9	7.0433	64.0643
2025	6	17	11	25	41	27.5	94.8	7.0433	64.5353
2025	6	17	11	35	41	26.89	94.7	7.0494	63.1792
2025	6	17	11	45	41	25.53	95.8	7.0494	59.8788
2025	6	17	11	55	41	26.81	95.1	7.0494	62.9434

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	17	12	5	41	26.07	94.2	7.0494	61.2932
2025	6	17	12	15	41	27.74	93.1	7.0494	65.3008
2025	6	17	12	25	41	28.27	96.3	7.0555	66.3037
2025	6	17	12	35	41	26.87	94.1	7.0555	63.2362
2025	6	17	12	45	41	27	94.9	7.0555	63.4721
2025	6	17	12	55	41	27.4	94.8	7.0555	64.4159
2025	6	17	13	5	41	27.17	96.3	7.0616	63.7656
2025	6	17	13	15	41	26.06	93.7	7.0616	61.4039
2025	6	17	13	25	41	27.34	92.9	7.0616	64.4741
2025	6	17	13	35	41	26.37	94.1	7.0616	62.1124
2025	6	17	13	45	41	26.87	96.4	7.0616	63.0571
2025	6	17	13	55	41	26.2	95	7.0616	61.64
2025	6	17	14	5	41	26.48	94.5	7.0677	62.4048
2025	6	17	14	15	41	27.43	95.6	7.0677	64.5323
2025	6	17	14	25	41	26.12	95.5	7.0677	61.4593
2025	6	17	14	35	41	26.42	95.4	7.0677	62.1684
2025	6	17	14	45	41	26.75	93.6	7.0677	63.114
2025	6	17	14	55	41	25.73	97.6	7.0677	60.2774
2025	6	17	15	5	41	25.95	96.2	7.0677	60.9865
2025	6	17	15	15	41	27.25	96.1	7.0677	64.0595
2025	6	17	15	25	41	25.78	94.4	7.0738	60.805
2025	6	17	15	35	41	26.94	93	7.0738	63.6441
2025	6	17	15	45	41	27.75	93.5	7.0738	65.5369
2025	6	17	15	55	41	26.41	95.2	7.0738	62.2246
2025	6	17	16	5	41	27.77	93.9	7.0738	65.5369
2025	6	17	16	15	41	25.18	96.8	7.0738	59.1488
2025	6	17	16	25	41	26.58	94.3	7.0738	62.6978
2025	6	17	16	35	41	26.77	94.1	7.0799	63.2279
2025	6	17	16	45	41	26.66	93.9	7.0799	62.9911
2025	6	17	16	55	41	27.09	94.7	7.0799	63.9384
2025	6	17	17	5	41	26.58	94.3	7.0799	62.7544
2025	6	17	17	15	41	28.02	95.3	7.0799	66.0697
2025	6	17	17	25	41	26.39	94.8	7.086	62.3369
2025	6	17	17	35	41	27.89	94.7	7.086	65.8922
2025	6	17	17	45	41	25.57	94.3	7.0921	60.4951
2025	6	17	17	55	41	27.44	92.9	7.0982	65.0611
2025	6	17	18	5	41	26.48	94.5	7.0982	62.6866
2025	6	17	18	15	41	27.27	94	7.1104	64.7023
2025	6	17	18	25	41	27.01	95.1	7.1104	63.9887
2025	6	17	18	35	41	27.11	95.1	7.1165	64.2842
2025	6	17	18	45	41	25.93	92.9	7.1165	61.6653
2025	6	17	18	55	41	27.3	94.8	7.1165	64.7605
2025	6	17	19	5	41	27.21	95.1	7.1226	64.5802
2025	6	17	19	15	41	27.74	92.9	7.1226	66.0101
2025	6	17	19	25	41	27.57	94.2	7.1287	65.5921
2025	6	17	19	35	41	26.22	95.5	7.1287	62.2529
2025	6	17	19	45	41	27.68	94.4	7.1287	65.8307
2025	6	17	19	55	41	26.61	95.2	7.1287	63.2071

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	17	20	5	41	27.09	94.7	7.1348	64.4573
2025	6	17	20	15	41	27.37	94.2	7.1348	65.1735
2025	6	17	20	25	41	26.86	96.2	7.1348	63.7411
2025	6	17	20	35	41	26.77	96.4	7.1348	63.5024
2025	6	17	20	45	41	27.2	94.9	7.1348	64.6961
2025	6	17	20	55	41	26.75	93.4	7.1409	63.7982
2025	6	17	21	5	41	27.22	95.3	7.1409	64.754
2025	6	17	21	15	41	27.71	97	7.1409	65.7098
2025	6	17	21	25	41	27.25	96.1	7.1409	64.754
2025	6	17	21	35	41	27.73	95.6	7.147	66.0077
2025	6	17	21	45	41	27.44	95.9	7.147	65.2902
2025	6	17	21	55	41	27.48	94.4	7.153	65.5879
2025	6	17	22	5	41	27.85	96	7.153	66.306
2025	6	17	22	15	41	27.07	94	7.1652	64.7457
2025	6	17	22	25	41	26.17	94.2	7.1713	62.6432
2025	6	17	22	35	41	28.04	95.7	7.1774	67.023
2025	6	17	22	45	41	28	96.8	7.1774	66.7828
2025	6	17	22	55	41	27.02	92.3	7.1835	64.9186
2025	6	17	23	5	41	28.41	95	7.1835	68.0443
2025	6	17	23	15	41	28.34	93	7.1896	68.1047
2025	6	17	23	25	41	27.78	96.6	7.1896	66.4201
2025	6	17	23	35	41	26.14	95.9	7.1896	62.5697
2025	6	17	23	45	41	27.5	95	7.1896	65.9389
2025	6	17	23	55	41	25.8	95.1	7.1957	61.9026
2025	6	18	0	5	41	26.76	96.2	7.1957	64.0704
2025	6	18	0	15	41	28.19	94.7	7.1957	67.6834
2025	6	18	0	25	41	27.91	95.1	7.1957	66.9608
2025	6	18	0	35	41	27.69	94.6	7.2018	66.538
2025	6	18	0	45	41	28.3	94.9	7.2018	67.9845
2025	6	18	0	55	41	28.04	95.7	7.2018	67.2612
2025	6	18	1	5	41	28.98	94.4	7.2018	69.672
2025	6	18	1	15	41	26.48	94.3	7.2079	63.7014
2025	6	18	1	25	41	28.23	95.5	7.2079	67.8034
2025	6	18	1	35	41	27.5	96.9	7.2079	65.873
2025	6	18	1	45	41	27.54	95.8	7.214	66.1728
2025	6	18	1	55	41	27.54	95.8	7.214	66.1728
2025	6	18	2	5	41	27.26	93.8	7.214	65.6898
2025	6	18	2	15	41	28.97	94	7.2201	69.857
2025	6	18	2	25	41	27.46	96.3	7.2262	66.0478
2025	6	18	2	35	41	26.53	95.6	7.2384	63.9831
2025	6	18	2	45	41	28	96.8	7.2445	67.4354
2025	6	18	2	55	41	27.54	95.8	7.2506	66.5236
2025	6	18	3	5	41	28.88	96.4	7.2506	69.6799
2025	6	18	3	15	41	27.14	95.9	7.2506	65.5525
2025	6	18	3	25	41	28.12	95.3	7.2567	68.0401
2025	6	18	3	35	41	27.17	96.3	7.2567	65.6101
2025	6	18	3	45	41	27.3	94.8	7.2628	66.1542
2025	6	18	3	55	41	28.85	95.8	7.2628	69.8023

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	18	4	5	41	26.09	94.8	7.2628	63.2356
2025	6	18	4	15	41	27.55	93.3	7.2628	66.8838
2025	6	18	4	25	41	26.58	94.5	7.2689	64.5082
2025	6	18	4	35	41	27.55	93.5	7.2689	66.9425
2025	6	18	4	45	41	28.38	94.2	7.2689	68.8899
2025	6	18	4	55	41	28.52	95.2	7.2689	69.1333
2025	6	18	5	5	41	26.63	95.6	7.2689	64.5082
2025	6	18	5	15	41	27.7	95	7.275	67.2448
2025	6	18	5	25	41	28.83	92.8	7.275	70.1685
2025	6	18	5	35	41	28.43	92.6	7.275	69.1939
2025	6	18	5	45	41	27.21	95.1	7.275	66.0266
2025	6	18	5	55	41	28.05	95.9	7.2811	68.0353
2025	6	18	6	5	41	28.07	96.3	7.2811	68.0353
2025	6	18	6	15	41	28.87	94	7.2811	70.23
2025	6	18	6	25	41	27.49	96.7	7.2811	66.5722
2025	6	18	6	35	41	27.11	95.1	7.2872	65.8982
2025	6	18	6	45	41	28.26	96.1	7.2872	68.583
2025	6	18	6	55	41	28.65	95.8	7.2872	69.5593
2025	6	18	7	5	41	27.31	91.9	7.2933	66.6887
2025	6	18	7	15	41	27.95	93.3	7.2933	68.1544
2025	6	18	7	25	41	28.43	92.6	7.2933	69.3758
2025	6	18	7	35	41	28.95	95.7	7.3054	70.4759
2025	6	18	7	45	41	28.19	94.5	7.3115	68.8229
2025	6	18	7	55	41	29.14	93	7.3176	71.3343
2025	6	18	8	5	41	28.21	95.1	7.3237	68.9429
2025	6	18	8	15	41	27.54	95.8	7.3237	67.2254
2025	6	18	8	25	41	27.68	98.1	7.3298	67.2839
2025	6	18	8	35	41	28.45	93.2	7.3298	69.7395
2025	6	18	8	45	41	25.76	94	7.3298	63.1094
2025	6	18	8	55	41	28.68	96.4	7.3359	70.0459
2025	6	18	9	5	41	28.56	93.6	7.3359	70.0459
2025	6	18	9	15	41	28.39	94.4	7.3359	69.5543
2025	6	18	9	25	41	27.98	94.3	7.3359	68.5712
2025	6	18	9	35	41	28.41	95	7.342	69.6147
2025	6	18	9	45	41	28.96	93.6	7.342	71.0906
2025	6	18	9	55	41	27.99	94.7	7.342	68.6307
2025	6	18	10	5	41	28.69	96.6	7.3481	70.1675
2025	6	18	10	15	41	28.61	95	7.3481	70.1674
2025	6	18	10	25	41	28.46	93.8	7.3481	69.9212
2025	6	18	10	35	41	28.09	94.7	7.3481	68.9364
2025	6	18	10	45	41	26.86	96.2	7.3481	65.7357
2025	6	18	10	55	41	28.49	94.6	7.3481	69.9211
2025	6	18	11	5	41	28.17	94.1	7.3542	69.2425
2025	6	18	11	15	41	28.3	96.9	7.3542	69.2424
2025	6	18	11	25	41	27.35	93.6	7.3542	67.2711
2025	6	18	11	35	41	29.81	95	7.3542	73.185
2025	6	18	11	45	41	28.79	96.6	7.3542	70.4744
2025	6	18	11	55	41	28.11	95.1	7.3542	68.9959

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	18	12	5	41	28.72	95.2	7.3603	70.5354
2025	6	18	12	15	41	28.81	95	7.3603	70.782
2025	6	18	12	25	41	27.42	95.4	7.3603	67.3292
2025	6	18	12	35	41	27.7	94.8	7.3603	68.0691
2025	6	18	12	45	41	28.5	94.8	7.3603	70.0421
2025	6	18	12	55	41	27.61	95.2	7.3603	67.8224
2025	6	18	13	5	41	27.41	95	7.3603	67.3291
2025	6	18	13	15	41	27.61	95.2	7.3664	67.8811
2025	6	18	13	25	41	28.85	95.8	7.3603	70.7819
2025	6	18	13	35	41	27.54	95.8	7.3664	67.6342
2025	6	18	13	45	41	27.97	96.4	7.3664	68.6215
2025	6	18	13	55	41	28.35	93.2	7.3664	69.8557
2025	6	18	14	5	41	29.26	96.1	7.3664	71.8304
2025	6	18	14	15	41	28.93	95.4	7.3664	71.0899
2025	6	18	14	25	41	27.39	96.7	7.3664	67.1405
2025	6	18	14	35	41	27.9	98.4	7.3725	68.1868
2025	6	18	14	45	41	29.04	95.5	7.3725	71.3984
2025	6	18	14	55	41	28.07	96.3	7.3725	68.9279
2025	6	18	15	5	41	27.87	94.1	7.3725	68.6809
2025	6	18	15	15	41	28.8	94.8	7.3725	70.9043
2025	6	18	15	25	41	28.87	94	7.3725	71.1514
2025	6	18	15	35	41	28.77	96.2	7.3725	70.6573
2025	6	18	15	45	41	28.43	95.4	7.3786	69.9765
2025	6	18	15	55	41	27.98	94.3	7.3786	68.9875
2025	6	18	16	5	41	28.19	94.7	7.3786	69.482
2025	6	18	16	15	41	27.67	93.9	7.3786	68.2457
2025	6	18	16	25	41	27.96	93.7	7.3786	68.9875
2025	6	18	16	35	41	28.45	93.2	7.3847	70.2845
2025	6	18	16	45	41	27.96	93.9	7.3908	69.1067
2025	6	18	16	55	41	28.93	95.4	7.3908	71.336
2025	6	18	17	5	41	28.4	94.8	7.3969	70.158
2025	6	18	17	15	41	28.15	95.9	7.403	69.4741
2025	6	18	17	25	41	28.76	93.6	7.403	71.211
2025	6	18	17	35	41	28.22	95.3	7.403	69.7223
2025	6	18	17	45	41	29.02	95.1	7.4091	71.769
2025	6	18	17	55	41	28.74	95.6	7.4152	71.0851
2025	6	18	18	5	41	29.21	96.9	7.4213	72.1412
2025	6	18	18	15	41	26.71	95.2	7.4213	66.171
2025	6	18	18	25	41	29.36	97.6	7.4274	72.4522
2025	6	18	18	35	41	28.24	95.7	7.4274	69.9625
2025	6	18	18	45	41	29.58	96.4	7.4335	73.262
2025	6	18	18	55	41	29.69	94.4	7.4335	73.7604
2025	6	18	19	5	41	29.21	94.9	7.4396	72.5766
2025	6	18	19	15	41	29.14	95.7	7.4457	72.3892
2025	6	18	19	25	41	29.1	96.7	7.4518	72.2014
2025	6	18	19	35	41	28.29	96.7	7.4639	70.3228
2025	6	18	19	45	41	29.08	94.3	7.47	72.6371
2025	6	18	19	55	41	27.84	93.1	7.4822	69.7502

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	18	20	5	41	29.22	95.3	7.4822	73.0119
2025	6	18	20	15	41	28.7	94.8	7.4883	71.8185
2025	6	18	20	25	41	28.21	95.1	7.4883	70.563
2025	6	18	20	35	41	29	94.7	7.4883	72.5719
2025	6	18	20	45	41	30.08	96.3	7.4944	75.1469
2025	6	18	20	55	41	29.09	94.5	7.5005	72.9469
2025	6	18	21	5	41	28.68	94.4	7.5066	72.0019
2025	6	18	21	15	41	29.26	93.5	7.5066	73.5124
2025	6	18	21	25	41	28.17	94.1	7.5127	70.8031
2025	6	18	21	35	41	29.03	92.8	7.5188	73.1328
2025	6	18	21	45	41	29.75	95.8	7.531	74.7724
2025	6	18	21	55	41	29.57	93.9	7.5371	74.5829
2025	6	18	22	5	41	29.24	95.7	7.5432	73.6338
2025	6	18	22	15	41	29.24	93.1	7.5493	73.9492
2025	6	18	22	25	41	30.07	96.1	7.5554	75.7858
2025	6	18	22	35	41	29.42	95.3	7.5615	74.3277
2025	6	18	22	45	41	29.83	95.4	7.5615	75.3424
2025	6	18	22	55	41	28.93	95.4	7.5676	73.1208
2025	6	18	23	5	41	29.86	96	7.5676	75.4059
2025	6	18	23	15	41	30.69	94.3	7.5737	77.7563
2025	6	18	23	25	41	30.51	94.9	7.5737	77.2481
2025	6	18	23	35	41	29.9	94.8	7.5798	75.7871
2025	6	18	23	45	41	29.72	95.2	7.5859	75.3417
2025	6	18	23	55	41	29.38	94.3	7.592	74.6407
2025	6	19	0	5	41	28.71	95	7.6041	72.9797
2025	6	19	0	15	41	30.11	95	7.6163	76.6804
2025	6	19	0	25	41	29.61	94.8	7.6224	75.4654
2025	6	19	0	35	41	30.65	93.4	7.6285	78.3448
2025	6	19	0	45	41	30.07	93.8	7.6346	76.8728
2025	6	19	0	55	41	29.99	94.4	7.6346	76.6165
2025	6	19	1	5	41	29.79	94.4	7.6346	76.104
2025	6	19	1	15	41	28.98	94.2	7.6407	74.1159
2025	6	19	1	25	41	29.23	92.7	7.6407	74.8852
2025	6	19	1	35	41	30.53	95.3	7.6468	78.0277
2025	6	19	1	45	41	29.47	96.2	7.6468	75.2043
2025	6	19	1	55	41	29.57	94.1	7.6529	75.7807
2025	6	19	2	5	41	30.16	95.9	7.6529	77.0651
2025	6	19	2	15	41	29.59	94.5	7.659	75.8438
2025	6	19	2	25	41	30.04	93.1	7.6651	77.1934
2025	6	19	2	35	41	31.26	93.5	7.6773	80.4145
2025	6	19	2	45	41	31.28	94.2	7.6895	80.5479
2025	6	19	2	55	41	31.48	96.2	7.6956	80.873
2025	6	19	3	5	41	29.14	95.7	7.6956	74.9303
2025	6	19	3	15	41	29.55	95.8	7.7017	76.0267
2025	6	19	3	25	41	29.21	94.9	7.7078	75.3131
2025	6	19	3	35	41	30.85	93.3	7.7078	79.7128
2025	6	19	3	45	41	30.46	93.6	7.7078	78.6776
2025	6	19	3	55	41	30.94	92.8	7.7139	80.0377

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	19	4	5	41	29.98	94.2	7.7139	77.4475
2025	6	19	4	15	41	30	94.8	7.7139	77.4475
2025	6	19	4	25	41	30.39	96.4	7.72	78.2891
2025	6	19	4	35	41	30.51	94.9	7.72	78.8076
2025	6	19	4	45	41	29.61	95	7.7261	76.5376
2025	6	19	4	55	41	29.54	93.1	7.7261	76.5376
2025	6	19	5	5	41	31.07	93.9	7.7322	80.4956
2025	6	19	5	15	41	30.92	95	7.7444	80.108
2025	6	19	5	25	41	30.82	95	7.7565	79.9792
2025	6	19	5	35	41	30.71	96.7	7.7626	79.5234
2025	6	19	5	45	41	29.12	92.4	7.7687	75.9354
2025	6	19	5	55	41	30.49	96.4	7.7687	79.0668
2025	6	19	6	5	41	31.85	95.6	7.7748	82.7878
2025	6	19	6	15	41	30.33	95.3	7.7748	78.8704
2025	6	19	6	25	41	30.45	93.4	7.7809	79.4578
2025	6	19	6	35	41	29.99	94.4	7.7809	78.1509
2025	6	19	6	45	41	30.95	93.3	7.7809	80.7647
2025	6	19	6	55	41	29.93	92.7	7.7809	78.151
2025	6	19	7	5	41	30.7	94.7	7.787	80.046
2025	6	19	7	15	41	30.48	96.2	7.787	79.2613
2025	6	19	7	25	41	30.73	95.2	7.7931	80.1115
2025	6	19	7	35	41	29.24	93.1	7.7931	76.4463
2025	6	19	7	45	41	31.32	94.9	7.7992	81.749
2025	6	19	7	55	41	30.94	95.4	7.7992	80.701
2025	6	19	8	5	41	31.13	97	7.8114	81.0951
2025	6	19	8	15	41	31.63	95.3	7.8236	82.8045
2025	6	19	8	25	41	30.23	95.3	7.8297	79.1887
2025	6	19	8	35	41	31.43	95.3	7.8358	82.4127
2025	6	19	8	45	41	30.87	93.9	7.8358	81.0961
2025	6	19	8	55	41	31.06	93.5	7.8419	81.689
2025	6	19	9	5	41	30.87	93.9	7.8419	81.162
2025	6	19	9	15	41	30.95	95.6	7.848	81.2279
2025	6	19	9	25	41	32.3	94.6	7.848	84.92
2025	6	19	9	35	41	31.42	96.8	7.8541	82.3495
2025	6	19	9	45	41	31.7	94.5	7.8541	83.4052
2025	6	19	9	55	41	30.22	95.1	7.8541	79.4461
2025	6	19	10	5	41	31.26	95.9	7.8602	82.152
2025	6	19	10	15	41	30.92	91.9	7.8602	81.6236
2025	6	19	10	25	41	31.86	95.8	7.8663	83.8046
2025	6	19	10	35	41	30.95	95.6	7.8663	81.4253
2025	6	19	10	45	41	30.82	95	7.8724	81.2266
2025	6	19	10	55	41	31.34	98.4	7.8724	82.0203
2025	6	19	11	5	41	31.11	94.8	7.8785	82.0866
2025	6	19	11	15	41	30.99	94.3	7.8846	81.8879
2025	6	19	11	25	41	30.49	94.5	7.8907	80.6278
2025	6	19	11	35	41	30.3	96.6	7.8968	79.8965
2025	6	19	11	45	41	30.69	94.3	7.9029	81.2891
2025	6	19	11	55	41	30.75	95.6	7.909	81.3546

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	19	12	5	41	30.46	93.6	7.915	80.8879
2025	6	19	12	15	41	31.12	95	7.915	82.4843
2025	6	19	12	25	41	30.13	95.3	7.9211	79.8877
2025	6	19	12	35	41	31.46	93.6	7.9211	83.6157
2025	6	19	12	45	41	30.27	94	7.9272	80.4848
2025	6	19	12	55	41	30.76	93.5	7.9272	81.8173
2025	6	19	13	5	41	30.95	93.3	7.9272	82.3503
2025	6	19	13	15	41	31.28	94.2	7.9333	83.2166
2025	6	19	13	25	41	30.19	94.4	7.9333	80.2826
2025	6	19	13	35	41	31.38	94.2	7.9394	83.5502
2025	6	19	13	45	41	30.69	94.5	7.9455	81.7471
2025	6	19	13	55	41	30.99	94.3	7.9455	82.5486
2025	6	19	14	5	41	31.29	94.4	7.9455	83.35
2025	6	19	14	15	41	30.42	95.1	7.9516	81.0105
2025	6	19	14	25	41	30.77	96	7.9516	81.8125
2025	6	19	14	35	41	31.16	93.5	7.9577	83.2159
2025	6	19	14	45	41	30.93	92.4	7.9577	82.6807
2025	6	19	14	55	41	30.16	93.6	7.9699	80.6689
2025	6	19	15	5	41	30.71	94.9	7.9638	81.9435
2025	6	19	15	15	41	31.06	93.7	7.9699	83.0809
2025	6	19	15	25	41	32.47	93.7	7.9699	86.833
2025	6	19	15	35	41	31.02	95	7.9821	82.9452
2025	6	19	15	45	41	30.69	94.3	7.9882	82.2054
2025	6	19	15	55	41	30.56	93.6	7.9943	82.002
2025	6	19	16	5	41	31.9	94.5	8.0004	85.5652
2025	6	19	16	15	41	31.31	94.8	7.9943	83.884
2025	6	19	16	25	41	32.05	93	8.0065	86.1718
2025	6	19	16	35	41	31.16	93.5	8.0065	83.7482
2025	6	19	16	45	41	30.28	96.3	8.0126	81.1198
2025	6	19	16	55	41	30.7	94.7	8.0126	82.4673
2025	6	19	17	5	41	32.11	94.8	8.0187	86.3088
2025	6	19	17	15	41	31.18	94.2	8.0187	83.8814
2025	6	19	17	25	41	31.86	95.8	8.0187	85.4997
2025	6	19	17	35	41	31.19	96.3	8.0248	83.678
2025	6	19	17	45	41	31.44	92.9	8.0248	84.7577
2025	6	19	17	55	41	30.67	93.9	8.037	82.7293
2025	6	19	18	5	41	31.58	94.2	8.037	85.1625
2025	6	19	18	15	41	30.63	95.2	8.0431	82.5243
2025	6	19	18	25	41	30.73	92.4	8.0431	83.0654
2025	6	19	18	35	41	31.16	93.7	8.0553	84.2808
2025	6	19	18	45	41	31.52	94.9	8.0613	85.1611
2025	6	19	18	55	41	31.65	95.6	8.0553	85.3649
2025	6	19	19	5	41	31.79	94.3	8.0613	85.9748
2025	6	19	19	15	41	30.89	94.3	8.0674	83.5998
2025	6	19	19	25	41	31.08	94.1	8.0735	84.209
2025	6	19	19	35	41	31.94	95.4	8.0796	86.4502
2025	6	19	19	45	41	31.03	97	8.0735	83.6658
2025	6	19	19	55	41	32.24	95.3	8.0796	87.2658

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	19	20	5	41	32.36	95.7	8.0796	87.5377
2025	6	19	20	15	41	31.59	96.4	8.0857	85.4301
2025	6	19	20	25	41	32.68	96	8.0857	88.4229
2025	6	19	20	35	41	31.15	95.7	8.0918	84.4082
2025	6	19	20	45	41	32.71	94.7	8.0918	88.7647
2025	6	19	20	55	41	32.08	94.1	8.0979	87.1995
2025	6	19	21	5	41	30.99	94.3	8.1101	84.3343
2025	6	19	21	15	41	31.1	94.6	8.1223	84.74
2025	6	19	21	25	41	33.3	94.5	8.1223	90.7538
2025	6	19	21	35	41	32.38	94.1	8.1284	88.3628
2025	6	19	21	45	41	31.05	95.5	8.1284	84.5328
2025	6	19	21	55	41	31.98	94.1	8.1284	87.2685
2025	6	19	22	5	41	31.74	92.9	8.1345	86.7892
2025	6	19	22	15	41	32.84	92.8	8.1406	89.8711
2025	6	19	22	25	41	30.53	92.4	8.1406	83.5691
2025	6	19	22	35	41	32.57	93.7	8.1406	89.0491
2025	6	19	22	45	41	31.92	92	8.1406	87.4051
2025	6	19	22	55	41	31.72	95.1	8.1406	86.5831
2025	6	19	23	5	41	31.68	94	8.1467	86.6508
2025	6	19	23	15	41	31	94.6	8.1467	84.7313
2025	6	19	23	25	41	31.25	93.3	8.1467	85.554
2025	6	19	23	35	41	32.37	93.9	8.1467	88.5703
2025	6	19	23	45	41	33.15	93.1	8.1467	90.764
2025	6	19	23	55	41	32.2	94.5	8.1528	88.0906
2025	6	20	0	5	41	31.63	92.5	8.1528	86.7185
2025	6	20	0	15	41	33.52	94.8	8.1528	91.6581
2025	6	20	0	25	41	31.29	94.4	8.1528	85.6208
2025	6	20	0	35	41	30.91	94.8	8.1589	84.589
2025	6	20	0	45	41	31.9	94.5	8.1589	87.3354
2025	6	20	0	55	41	31.98	93.9	8.1589	87.61
2025	6	20	1	5	41	32.54	92.8	8.1589	89.2579
2025	6	20	1	15	41	31.88	94	8.1589	87.3354
2025	6	20	1	25	41	32.67	93.9	8.165	89.6023
2025	6	20	1	35	41	32.01	94.8	8.165	87.6783
2025	6	20	1	45	41	32.04	92.9	8.1711	88.0217
2025	6	20	1	55	41	32.81	94.7	8.1711	89.9471
2025	6	20	2	5	41	32.53	92.5	8.1772	89.4666
2025	6	20	2	15	41	31.41	91.3	8.1833	86.5057
2025	6	20	2	25	41	31.84	92.9	8.1894	87.6758
2025	6	20	2	35	41	31.27	93.9	8.1955	86.0883
2025	6	20	2	45	41	31.9	94.5	8.2016	87.812
2025	6	20	2	55	41	30.96	93.5	8.2016	85.3267
2025	6	20	3	5	41	31.91	94.7	8.2016	87.812
2025	6	20	3	15	41	31.28	94.2	8.2077	86.222
2025	6	20	3	25	41	31.35	93.1	8.2077	86.4983
2025	6	20	3	35	41	31.78	94.1	8.2137	87.6716
2025	6	20	3	45	41	32.63	92.6	8.2137	90.1607
2025	6	20	3	55	41	32.33	95.1	8.2137	89.0544

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	20	4	5	41	33.25	93.3	8.2137	91.8201
2025	6	20	4	15	41	31.85	93.1	8.2137	87.9482
2025	6	20	4	25	41	33.68	93.9	8.2198	92.9983
2025	6	20	4	35	41	32.75	95.4	8.2198	90.2305
2025	6	20	4	45	41	33.31	94.6	8.2198	91.8912
2025	6	20	4	55	41	33.04	95.2	8.2198	91.0609
2025	6	20	5	5	41	32.67	93.9	8.2198	90.2306
2025	6	20	5	15	41	31.7	94.5	8.2259	87.5304
2025	6	20	5	25	41	32.37	93.7	8.2259	89.4694
2025	6	20	5	35	41	32.94	93	8.2259	91.1314
2025	6	20	5	45	41	32.9	94.5	8.232	90.9247
2025	6	20	5	55	41	32.09	94.3	8.232	88.707
2025	6	20	6	5	41	32.11	94.6	8.232	88.707
2025	6	20	6	15	41	32.26	93.6	8.2381	89.3304
2025	6	20	6	25	41	33.11	94.7	8.2381	91.5498
2025	6	20	6	35	41	32.97	93.8	8.2442	91.3429
2025	6	20	6	45	41	32.7	96.3	8.2564	90.3715
2025	6	20	6	55	41	33.21	94.7	8.2625	92.1108
2025	6	20	7	5	41	33.45	95.5	8.2686	92.7387
2025	6	20	7	15	41	33.39	94.1	8.2686	92.7387
2025	6	20	7	25	41	33.83	96.6	8.2747	93.6462
2025	6	20	7	35	41	31.72	95.1	8.2747	88.072
2025	6	20	7	45	41	31.55	93.3	8.2747	87.7933
2025	6	20	7	55	41	32.37	95.9	8.2808	89.8132
2025	6	20	8	5	41	32.31	94.8	8.2808	89.8132
2025	6	20	8	15	41	32.07	95.9	8.2869	89.0448
2025	6	20	8	25	41	32.7	94.6	8.2869	90.9987
2025	6	20	8	35	41	32.8	96.3	8.2869	90.9987
2025	6	20	8	45	41	32.86	97.2	8.2869	90.9987
2025	6	20	8	55	41	33.41	94.6	8.2869	92.9527
2025	6	20	9	5	41	32.5	96.4	8.293	90.2305
2025	6	20	9	15	41	32.31	94.8	8.293	89.9511
2025	6	20	9	25	41	32.01	94.8	8.293	89.1131
2025	6	20	9	35	41	31.72	95.1	8.293	88.275
2025	6	20	9	45	41	33.27	95.9	8.2991	92.5361
2025	6	20	9	55	41	32.79	96.1	8.2991	91.1383
2025	6	20	10	5	41	32.11	96.6	8.3052	89.2496
2025	6	20	10	15	41	32.5	94.4	8.3052	90.6485
2025	6	20	10	25	41	32.81	94.7	8.3052	91.4879
2025	6	20	10	35	41	32.36	95.7	8.3113	90.1579
2025	6	20	10	45	41	32.83	95.1	8.3113	91.5579
2025	6	20	10	55	41	33.17	93.8	8.3235	92.8196
2025	6	20	11	5	41	32.16	95.7	8.3296	89.8035
2025	6	20	11	15	41	33.07	93.6	8.3357	92.6805
2025	6	20	11	25	41	32.87	95.8	8.3418	91.908
2025	6	20	11	35	41	31.41	96.6	8.3418	87.692
2025	6	20	11	45	41	32.26	93.6	8.3479	90.5716
2025	6	20	11	55	41	33.04	95.2	8.3479	92.5405

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	20	12	5	41	32.74	95.3	8.3479	91.6967
2025	6	20	12	15	41	32.9	94.5	8.354	92.3295
2025	6	20	12	25	41	32.48	96	8.354	90.922
2025	6	20	12	35	41	32.75	95.4	8.3601	91.8362
2025	6	20	12	45	41	32.99	94.3	8.3601	92.6813
2025	6	20	12	55	41	33.03	96.8	8.3601	92.3996
2025	6	20	13	5	41	32.68	94	8.3601	91.8362
2025	6	20	13	15	41	32.41	94.8	8.3662	91.0602
2025	6	20	13	25	41	33.65	95.5	8.3662	94.4432
2025	6	20	13	35	41	33.16	93.5	8.3662	93.3155
2025	6	20	13	45	41	32.81	94.7	8.3662	92.1878
2025	6	20	13	55	41	33.63	94.9	8.3722	94.5149
2025	6	20	14	5	41	32.88	94	8.3722	92.5399
2025	6	20	14	15	41	32.33	95.1	8.3722	90.8471
2025	6	20	14	25	41	34.68	97.3	8.3722	97.054
2025	6	20	14	35	41	32.99	94.3	8.3783	92.8924
2025	6	20	14	45	41	33.35	97.1	8.3783	93.4571
2025	6	20	14	55	41	32.81	94.7	8.3783	92.3277
2025	6	20	15	5	41	34.36	95.5	8.3844	96.6362
2025	6	20	15	15	41	33.09	94.2	8.3844	93.2454
2025	6	20	15	25	41	33.01	94.7	8.3844	92.9628
2025	6	20	15	35	41	34.78	93.8	8.3905	98.1232
2025	6	20	15	45	41	33.1	94.5	8.3905	93.316
2025	6	20	15	55	41	34.08	94	8.3966	96.2166
2025	6	20	16	5	41	33.42	91.9	8.3966	94.5187
2025	6	20	16	15	41	32.57	93.9	8.4027	92.0414
2025	6	20	16	25	41	33.23	92.4	8.4088	94.0949
2025	6	20	16	35	41	33.1	94.5	8.4088	93.5281
2025	6	20	16	45	41	32.93	92.4	8.4149	93.3152
2025	6	20	16	55	41	33.55	93.1	8.421	95.0887
2025	6	20	17	5	41	33.98	93.9	8.4271	96.2968
2025	6	20	17	15	41	31.96	95.7	8.4332	90.3996
2025	6	20	17	25	41	32.54	92.8	8.4332	92.3895
2025	6	20	17	35	41	33.28	94	8.4332	94.3795
2025	6	20	17	45	41	33.74	92.7	8.4393	95.8731
2025	6	20	17	55	41	32.58	94	8.4393	92.4592
2025	6	20	18	5	41	34.08	93.9	8.4393	96.7266
2025	6	20	18	15	41	33.25	93.3	8.4454	94.5218
2025	6	20	18	25	41	32.29	94.3	8.4393	91.6058
2025	6	20	18	35	41	33.09	94.2	8.4454	93.9524
2025	6	20	18	45	41	33.31	94.6	8.4454	94.5218
2025	6	20	18	55	41	33.01	94.7	8.4454	93.6677
2025	6	20	19	5	41	33.57	93.8	8.4515	95.4478
2025	6	20	19	15	41	32.78	94	8.4515	93.1684
2025	6	20	19	25	41	34.37	93.7	8.4515	97.7272
2025	6	20	19	35	41	34.31	94.5	8.4515	97.4423
2025	6	20	19	45	41	32.97	93.7	8.4576	93.8088
2025	6	20	19	55	41	33.08	94	8.4637	94.1647

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	20	20	5	41	33.83	95.1	8.4698	96.2344
2025	6	20	20	15	41	33.4	94.5	8.4759	95.1635
2025	6	20	20	25	41	33.53	92.4	8.4881	95.8786
2025	6	20	20	35	41	34.4	94.3	8.4942	98.2418
2025	6	20	20	45	41	34.25	93.2	8.5003	98.0287
2025	6	20	20	55	41	34.31	94.5	8.5003	98.0287
2025	6	20	21	5	41	33.93	92.4	8.5064	97.2415
2025	6	20	21	15	41	33.4	94.5	8.5064	95.5204
2025	6	20	21	25	41	33.59	94.1	8.5125	96.1659
2025	6	20	21	35	41	33.19	94.3	8.5125	95.0176
2025	6	20	21	45	41	34.64	95.1	8.5186	99.1105
2025	6	20	21	55	41	34.23	92.3	8.5186	98.2486
2025	6	20	22	5	41	33.84	92.7	8.5246	97.172
2025	6	20	22	15	41	33.27	93.6	8.5246	95.447
2025	6	20	22	25	41	34.23	92.5	8.5368	98.4685
2025	6	20	22	35	41	33.75	93.2	8.5429	97.1012
2025	6	20	22	45	41	32.87	93.7	8.5551	94.6486
2025	6	20	22	55	41	34.6	94.3	8.5673	99.702
2025	6	20	23	5	41	34.74	92.8	8.5734	100.3544
2025	6	20	23	15	41	34.6	94.3	8.5795	99.85
2025	6	20	23	25	41	34.26	93.3	8.5795	98.9817
2025	6	20	23	35	41	35.1	94.2	8.5856	101.3721
2025	6	20	23	45	41	34.42	92	8.5856	99.6342
2025	6	20	23	55	41	34.79	94.1	8.5917	100.5775
2025	6	21	0	5	41	34.69	96	8.5917	99.9978
2025	6	21	0	15	41	33.89	96.1	8.5978	97.7513
2025	6	21	0	25	41	34.76	95.4	8.61	100.5102
2025	6	21	0	35	41	33.82	94.7	8.6222	98.0402
2025	6	21	0	45	41	34.38	94	8.6344	99.9328
2025	6	21	0	55	41	35.64	95	8.6405	103.5051
2025	6	21	1	5	41	35.72	94.7	8.6466	103.873
2025	6	21	1	15	41	34.04	92.7	8.6527	99.2775
2025	6	21	1	25	41	34.56	95.5	8.6527	100.4454
2025	6	21	1	35	41	35.06	95.4	8.6588	101.9802
2025	6	21	1	45	41	34.51	94.5	8.6588	100.5192
2025	6	21	1	55	41	35.2	94.2	8.6649	102.6399
2025	6	21	2	5	41	34.18	94	8.6709	99.7888
2025	6	21	2	15	41	34.52	96.5	8.677	100.4476
2025	6	21	2	25	41	35.15	93.1	8.6831	102.8657
2025	6	21	2	35	41	34.68	95.8	8.7075	101.4032
2025	6	21	2	45	41	34.74	95.1	8.7136	101.7713
2025	6	21	2	55	41	35.04	95.1	8.7197	102.7286
2025	6	21	3	5	41	35.27	95.7	8.7197	103.3173
2025	6	21	3	15	41	35.56	95.5	8.7258	104.2763
2025	6	21	3	25	41	36.06	95.4	8.7258	105.7491
2025	6	21	3	35	41	35.22	94.7	8.7319	103.4679
2025	6	21	3	45	41	34.9	94.3	8.738	102.6581
2025	6	21	3	55	41	35.05	95.2	8.738	102.9532

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	21	4	5	41	35.92	94.6	8.7441	105.6849
2025	6	21	4	15	41	34.79	94.1	8.7563	102.5865
2025	6	21	4	25	41	36.33	94.9	8.7746	107.254
2025	6	21	4	35	41	35.17	95.7	8.7807	103.7737
2025	6	21	4	45	41	35.68	95.8	8.7868	105.3323
2025	6	21	4	55	41	35.88	95.8	8.7929	106.0023
2025	6	21	5	5	41	36.31	96.2	8.7929	107.1901
2025	6	21	5	15	41	35.24	96.7	8.799	103.999
2025	6	21	5	25	41	34.61	94.5	8.799	102.5133
2025	6	21	5	35	41	35.29	96	8.799	104.2962
2025	6	21	5	45	41	36.31	94.4	8.8051	107.6424
2025	6	21	5	55	41	34.41	94.5	8.8112	102.0663
2025	6	21	6	5	41	35.83	94.8	8.8112	106.2323
2025	6	21	6	15	41	34.85	96.9	8.8173	103.0332
2025	6	21	6	25	41	35.4	96.2	8.8416	105.122
2025	6	21	6	35	41	36.45	96.8	8.8477	108.1861
2025	6	21	6	45	41	35.82	94.6	8.8538	106.7684
2025	6	21	6	55	41	35.3	94.2	8.8599	105.3486
2025	6	21	7	5	41	35.4	96.2	8.8599	105.3486
2025	6	21	7	15	41	36.79	93.9	8.8599	109.8379
2025	6	21	7	25	41	35.23	94.9	8.866	105.1247
2025	6	21	7	35	41	35.79	94	8.866	106.9217
2025	6	21	7	45	41	34.05	93	8.866	101.8302
2025	6	21	7	55	41	35.4	96.2	8.8721	105.4997
2025	6	21	8	5	41	36.43	94.9	8.8782	108.8745
2025	6	21	8	15	41	35.87	93.5	8.8782	107.3748
2025	6	21	8	25	41	35.33	94.9	8.8843	105.6508
2025	6	21	8	35	41	35.98	98.3	8.8965	107.0041
2025	6	21	8	45	41	36.48	95.7	8.9087	109.2639
2025	6	21	8	55	41	36.21	94.4	8.9148	108.7393
2025	6	21	9	5	41	36.44	96.6	8.9209	109.1182
2025	6	21	9	15	41	35.28	93.9	8.9209	106.1039
2025	6	21	9	25	41	36.03	96.5	8.927	107.9892
2025	6	21	9	35	41	36.5	94.2	8.927	109.7991
2025	6	21	9	45	41	35.43	94.9	8.9331	106.5567
2025	6	21	9	55	41	35.69	94.2	8.9331	107.4623
2025	6	21	10	5	41	36.57	96.9	8.9392	109.6532
2025	6	21	10	15	41	36.8	95.9	8.9392	110.5594
2025	6	21	10	25	41	36.11	94.4	8.9453	108.8241
2025	6	21	10	35	41	36.27	97	8.9453	108.8241
2025	6	21	10	45	41	36.75	96.7	8.9514	110.4138
2025	6	21	10	55	41	36.21	96.2	8.9575	108.9785
2025	6	21	11	5	41	36.3	96	8.9575	109.2812
2025	6	21	11	15	41	36.91	96.1	8.9697	111.255
2025	6	21	11	25	41	35.39	96	8.9818	106.8588
2025	6	21	11	35	41	35.82	94.6	8.9879	108.4533
2025	6	21	11	45	41	37.25	96.6	8.994	112.4819
2025	6	21	11	55	41	37.12	94.6	9.0001	112.5612

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	21	12	5	41	36.35	95.2	9.0001	110.1274
2025	6	21	12	15	41	35.61	94.5	9.0062	108.074
2025	6	21	12	25	41	36.83	96.4	9.0123	111.5013
2025	6	21	12	35	41	35.93	94.8	9.0123	109.0641
2025	6	21	12	45	41	36.11	96.2	9.0123	109.3687
2025	6	21	12	55	41	36.31	94.4	9.0123	110.2826
2025	6	21	13	5	41	36.39	94.1	9.0184	110.6651
2025	6	21	13	15	41	35.6	96.1	9.0184	107.9213
2025	6	21	13	25	41	35.5	97.4	9.0184	107.3115
2025	6	21	13	35	41	35.73	95	9.0245	108.6073
2025	6	21	13	45	41	37.55	95.2	9.0245	114.0987
2025	6	21	13	55	41	36.55	96.8	9.0306	110.8207
2025	6	21	14	5	41	37	97.3	9.0306	112.0418
2025	6	21	14	15	41	36.52	94.7	9.0306	111.1259
2025	6	21	14	25	41	35.57	93.7	9.0367	108.4544
2025	6	21	14	35	41	35.81	96.3	9.0367	108.7599
2025	6	21	14	45	41	37.61	96.1	9.0367	114.259
2025	6	21	14	55	41	37	95.9	9.0428	112.5048
2025	6	21	15	5	41	37.56	96.7	9.0428	114.0334
2025	6	21	15	15	41	36.88	93.7	9.055	112.6627
2025	6	21	15	25	41	36.26	93.2	9.055	110.8258
2025	6	21	15	35	41	36.72	94.7	9.055	112.0504
2025	6	21	15	45	41	36.51	91.6	9.055	111.7443
2025	6	21	15	55	41	36.68	93.8	9.0611	112.129
2025	6	21	16	5	41	37.01	94.3	9.0672	113.1273
2025	6	21	16	15	41	37.18	93.7	9.0672	113.7404
2025	6	21	16	25	41	36.93	92.5	9.0672	113.1273
2025	6	21	16	35	41	37.56	93.2	9.0733	115.0472
2025	6	21	16	45	41	37.34	92.6	9.0794	114.5137
2025	6	21	16	55	41	37.07	93.6	9.0794	113.5927
2025	6	21	17	5	41	38.42	91.6	9.0794	117.8909
2025	6	21	17	15	41	36.62	92	9.0794	112.3648
2025	6	21	17	25	41	37.79	93.9	9.0794	115.7419
2025	6	21	17	35	41	37.56	93.2	9.0855	115.2084
2025	6	21	17	45	41	36.95	92.9	9.0855	113.3651
2025	6	21	17	55	41	37.58	93.8	9.0916	115.289
2025	6	21	18	5	41	38.3	94	9.0916	117.4411
2025	6	21	18	15	41	38.61	94.3	9.0977	118.4461
2025	6	21	18	25	41	37.31	94.3	9.0977	114.4466
2025	6	21	18	35	41	37.18	93.9	9.0977	114.139
2025	6	21	18	45	41	38.41	94.3	9.0977	117.8309
2025	6	21	18	55	41	38.25	92.8	9.1038	117.6053
2025	6	21	19	5	41	37.28	93.7	9.1099	114.6065
2025	6	21	19	15	41	37.83	92.3	9.116	116.5362
2025	6	21	19	25	41	38.07	93.5	9.1221	117.2344
2025	6	21	19	35	41	37.56	93.2	9.1221	115.692
2025	6	21	19	45	41	38.38	93.7	9.1282	118.2423
2025	6	21	19	55	41	37.45	92.9	9.1282	115.4639

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	21	20	5	41	37.64	92.6	9.1282	116.0814
2025	6	21	20	15	41	38.06	93.3	9.1342	117.3979
2025	6	21	20	25	41	38.47	93.4	9.1403	118.7162
2025	6	21	20	35	41	37.06	93.2	9.1403	114.388
2025	6	21	20	45	41	37.48	93.8	9.1403	115.6247
2025	6	21	20	55	41	37.04	92.6	9.1403	114.3882
2025	6	21	21	5	41	37.84	94.9	9.1464	116.6333
2025	6	21	21	15	41	37.12	94.6	9.1525	114.5471
2025	6	21	21	25	41	37.35	92.9	9.1525	115.476
2025	6	21	21	35	41	38.46	93.1	9.1525	118.8815
2025	6	21	21	45	41	38.08	93.8	9.1586	117.7248
2025	6	21	21	55	41	37.73	92.4	9.1647	116.8764
2025	6	21	22	5	41	38.04	95	9.1647	117.4965
2025	6	21	22	15	41	37.97	93.5	9.1647	117.4965
2025	6	21	22	25	41	37.77	93.5	9.1708	116.9575
2025	6	21	22	35	41	37.84	92.6	9.1708	117.2678
2025	6	21	22	45	41	38.04	92.7	9.1708	117.8883
2025	6	21	22	55	41	38.05	92.9	9.1769	117.9699
2025	6	21	23	5	41	37.76	93.2	9.1769	117.0386
2025	6	21	23	15	41	37.79	93.9	9.1769	117.0387
2025	6	21	23	25	41	37.94	92.7	9.1891	117.8223
2025	6	21	23	35	41	38.16	93.3	9.1891	118.4442
2025	6	21	23	45	41	36.83	92.2	9.1891	114.4028
2025	6	21	23	55	41	37.35	92.9	9.1952	116.0373
2025	6	22	0	5	41	38.81	94.3	9.2013	120.4757
2025	6	22	0	15	41	38.09	93.9	9.2013	118.2966
2025	6	22	0	25	41	37.79	93.9	9.2013	117.3627
2025	6	22	0	35	41	37.5	94.1	9.2074	116.5091
2025	6	22	0	45	41	37.18	93.7	9.2074	115.5746
2025	6	22	0	55	41	37.07	93.4	9.2074	115.2631
2025	6	22	1	5	41	38.27	93.4	9.2074	119.0014
2025	6	22	1	15	41	38.16	93.3	9.2074	118.6899
2025	6	22	1	25	41	38.04	92.6	9.2074	118.3784
2025	6	22	1	35	41	37.78	93.8	9.2135	117.5248
2025	6	22	1	45	41	38.71	94.3	9.2135	120.3304
2025	6	22	1	55	41	39.05	92.8	9.2135	121.5774
2025	6	22	2	5	41	39.04	92.6	9.2196	121.6611
2025	6	22	2	15	41	38.28	93.7	9.2196	119.1655
2025	6	22	2	25	41	39.12	94.4	9.2196	121.6612
2025	6	22	2	35	41	38.33	94.8	9.2257	119.2476
2025	6	22	2	45	41	37.88	95.6	9.2379	117.8487
2025	6	22	2	55	41	38.07	93.5	9.244	118.8681
2025	6	22	3	5	41	38.21	94.4	9.2501	119.2627
2025	6	22	3	15	41	38.71	94.3	9.2562	120.9107
2025	6	22	3	25	41	37.8	94.1	9.2562	118.0916
2025	6	22	3	35	41	38.7	94.1	9.2623	120.9937
2025	6	22	3	45	41	38.95	95	9.2623	121.6206
2025	6	22	3	55	41	38.6	94.2	9.2684	120.7629

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	22	4	5	41	38.19	95.7	9.2684	119.1946
2025	6	22	4	15	41	38.21	94.4	9.2684	119.5083
2025	6	22	4	25	41	38.95	92.9	9.2684	122.0177
2025	6	22	4	35	41	37.8	95.9	9.2684	117.94
2025	6	22	4	45	41	37.78	93.8	9.2684	118.2537
2025	6	22	4	55	41	38.1	94.1	9.2745	119.2764
2025	6	22	5	5	41	38.44	92.5	9.2745	120.532
2025	6	22	5	15	41	37.45	92.9	9.2806	117.4735
2025	6	22	5	25	41	39.17	95.3	9.2806	122.4991
2025	6	22	5	35	41	38.46	93.1	9.2806	120.6145
2025	6	22	5	45	41	39.12	94.4	9.2806	122.4992
2025	6	22	5	55	41	38.48	93.7	9.2866	120.6971
2025	6	22	6	5	41	39.51	94.2	9.2866	123.8403
2025	6	22	6	15	41	38.98	93.7	9.2903	122.3202
2025	6	22	6	25	41	38.71	94.3	9.2903	121.3866
2025	6	22	6	35	41	37.98	93.8	9.2903	119.1885
2025	6	22	6	45	41	38.53	94.8	9.2903	120.7609
2025	6	22	6	55	41	37.67	93.5	9.2903	118.2483
2025	6	22	7	5	41	39.1	94.1	9.2903	122.6512
2025	6	22	7	15	41	38.02	94.5	9.2903	119.1918
2025	6	22	7	25	41	39.59	93.9	9.2903	124.227
2025	6	22	7	35	41	37.98	93.8	9.2903	119.1951
2025	6	22	7	45	41	38.81	95.9	9.2903	121.3966
2025	6	22	7	55	41	38.86	93.2	9.2903	122.0256
2025	6	22	8	5	41	38.48	95.5	9.2903	120.4563
2025	6	22	8	15	41	38.58	95.5	9.2903	120.7709
2025	6	22	8	25	41	39.11	95.9	9.2903	122.3434
2025	6	22	8	35	41	39.04	96.3	9.2903	122.0289
2025	6	22	8	45	41	38.88	95.5	9.2903	121.7176
2025	6	22	8	55	41	38.42	94.5	9.2903	120.4596
2025	6	22	9	5	41	39.22	97.3	9.2903	122.3467
2025	6	22	9	15	41	38.64	92.5	9.2903	121.4031
2025	6	22	9	25	41	39.12	94.5	9.2903	122.6644
2025	6	22	9	35	41	39.62	94.5	9.2903	124.237
2025	6	22	9	45	41	38.23	94.7	9.2903	119.8337
2025	6	22	9	55	41	38.1	94.1	9.2903	119.5223
2025	6	22	10	5	41	38.75	96.5	9.2903	121.095
2025	6	22	10	15	41	38.27	96.8	9.2903	119.5255
2025	6	22	10	25	41	38.83	96.2	9.2903	121.4127
2025	6	22	10	35	41	39.25	96.4	9.2903	122.6773
2025	6	22	10	45	41	37.94	92.7	9.2903	119.2203
2025	6	22	10	55	41	38.62	96.1	9.2903	120.7963
2025	6	22	11	5	41	38.42	96.1	9.2903	120.1671
2025	6	22	11	15	41	38.72	94.6	9.2903	121.4286
2025	6	22	11	25	41	39.14	92.6	9.2903	123.0014
2025	6	22	11	35	41	39.64	96.4	9.2903	123.9451
2025	6	22	11	45	41	40.3	94.1	9.2903	126.4651
2025	6	22	11	55	41	38.96	95.2	9.2903	122.0608

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	22	12	5	41	39	94.1	9.2903	122.3785
2025	6	22	12	15	41	39.33	94.7	9.2903	123.3223
2025	6	22	12	25	41	40.09	93.9	9.2903	125.839
2025	6	22	12	35	41	39.25	95	9.2903	123.0076
2025	6	22	12	45	41	39.16	95.1	9.2903	122.6962
2025	6	22	12	55	41	38.03	94.8	9.2903	119.2355
2025	6	22	13	5	41	40.31	95.8	9.2903	126.1567
2025	6	22	13	15	41	40.15	96.4	9.2903	125.5308
2025	6	22	13	25	41	39.44	97.6	9.2903	123.0138
2025	6	22	13	35	41	39.82	96.1	9.2903	124.5868
2025	6	22	13	45	41	38.99	94	9.2903	122.3845
2025	6	22	13	55	41	38.71	97.3	9.2903	120.8114
2025	6	22	14	5	41	38.97	93.5	9.2903	122.3844
2025	6	22	14	15	41	40.56	96.5	9.2903	126.789
2025	6	22	14	25	41	39.03	92.3	9.2903	122.7022
2025	6	22	14	35	41	39.11	94.3	9.2903	122.6989
2025	6	22	14	45	41	38.89	95.6	9.2903	121.7583
2025	6	22	14	55	41	38.83	94.7	9.2903	121.7582
2025	6	22	15	5	41	40.02	94.4	9.2903	125.5337
2025	6	22	15	15	41	38.97	95.3	9.2903	122.0728
2025	6	22	15	25	41	39.97	95.3	9.2903	125.219
2025	6	22	15	35	41	38.34	94.9	9.2903	120.1882
2025	6	22	15	45	41	38.41	96	9.2903	120.1882
2025	6	22	15	55	41	39.86	95.2	9.2903	124.9076
2025	6	22	16	5	41	39.17	95.3	9.2903	122.7052
2025	6	22	16	15	41	38.89	96.9	9.2903	121.4467
2025	6	22	16	25	41	39.47	93.3	9.2903	123.9637
2025	6	22	16	35	41	39.45	92.9	9.2903	123.9669
2025	6	22	16	45	41	39.78	93.6	9.2903	124.9108
2025	6	22	16	55	41	39.57	97.8	9.2903	123.3377
2025	6	22	17	5	41	39.91	94.3	9.2903	125.2255
2025	6	22	17	15	41	39.87	93.3	9.2903	125.2288
2025	6	22	17	25	41	39.24	92.5	9.2903	123.3409
2025	6	22	17	35	41	38.83	94.7	9.2903	121.7677
2025	6	22	17	45	41	39.71	94.2	9.2903	124.5995
2025	6	22	17	55	41	39.56	97.7	9.2903	123.3442
2025	6	22	18	5	41	39.58	95.5	9.2903	123.9735
2025	6	22	18	15	41	40.4	94.1	9.2903	126.8054
2025	6	22	18	25	41	39.03	94.7	9.2903	122.4003
2025	6	22	18	35	41	38.66	93.1	9.2903	121.4627
2025	6	22	18	45	41	40.04	94.9	9.2903	125.5534
2025	6	22	18	55	41	40.08	93.6	9.2903	125.8714
2025	6	22	19	5	41	39.58	93.6	9.2903	124.298
2025	6	22	19	15	41	38.58	93.7	9.2903	121.1544
2025	6	22	19	25	41	38.55	96.6	9.2903	120.525
2025	6	22	19	35	41	40.25	97.6	9.2903	125.5601
2025	6	22	19	45	41	39.04	94.8	9.2903	122.4132
2025	6	22	19	55	41	39.65	95.1	9.2903	124.3046

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	22	20	5	41	40.09	93.9	9.2903	125.8781
2025	6	22	20	15	41	40.51	97.1	9.2903	126.5108
2025	6	22	20	25	41	39.94	96.3	9.2903	124.9373
2025	6	22	20	35	41	39.75	97.7	9.2903	123.9932
2025	6	22	20	45	41	40.06	95.2	9.2903	125.5667
2025	6	22	20	55	41	39.31	94.2	9.2903	123.3638
2025	6	22	21	5	41	40.24	96.3	9.2903	125.8814
2025	6	22	21	15	41	40.39	95.5	9.2903	126.5109
2025	6	22	21	25	41	40.01	95.9	9.2903	125.2553
2025	6	22	21	35	41	38.59	94	9.2903	121.1641
2025	6	22	21	45	41	40.48	95.4	9.2903	126.8289
2025	6	22	21	55	41	39.91	94.2	9.2903	125.2553
2025	6	22	22	5	41	39.73	94.6	9.2903	124.6259
2025	6	22	22	15	41	39.35	95	9.2903	123.3671
2025	6	22	22	25	41	39.71	94.2	9.2903	124.626
2025	6	22	22	35	41	40.2	95.7	9.2903	125.8848
2025	6	22	22	45	41	38.89	93.8	9.2903	122.1114
2025	6	22	22	55	41	39.78	95.5	9.2903	124.6292
2025	6	22	23	5	41	40.6	95.7	9.2903	127.147
2025	6	22	23	15	41	38.17	93.5	9.2903	119.9084
2025	6	22	23	25	41	39.94	94.7	9.2903	125.2587
2025	6	22	23	35	41	40.03	96.2	9.2903	125.2587
2025	6	22	23	45	41	39.36	95.2	9.2903	123.3704
2025	6	22	23	55	41	39.29	93.9	9.2903	123.3704
2025	6	23	0	5	41	39.37	95.4	9.2903	123.3736
2025	6	23	0	15	41	39.77	95.3	9.2903	124.6325
2025	6	23	0	25	41	38.31	94.3	9.2903	120.2263
2025	6	23	0	35	41	39.36	95.1	9.2903	123.3736
2025	6	23	0	45	41	40.5	94	9.2903	127.1537
2025	6	23	0	55	41	39.29	93.8	9.2903	123.3768
2025	6	23	1	5	41	39.74	96.4	9.2903	124.321
2025	6	23	1	15	41	38.17	93.5	9.2903	119.9178
2025	6	23	1	25	41	38.53	96.3	9.2903	120.5473
2025	6	23	1	35	41	38.62	94.5	9.2903	121.18
2025	6	23	1	45	41	38.51	94.3	9.2903	120.8684
2025	6	23	1	55	41	39.41	94.4	9.2903	123.7012
2025	6	23	2	5	41	39.29	93.8	9.2903	123.3897
2025	6	23	2	15	41	39.29	95.7	9.2903	123.0749
2025	6	23	2	25	41	38.95	92.9	9.2903	122.4485
2025	6	23	2	35	41	40.18	95.4	9.2903	125.9111
2025	6	23	2	45	41	39.68	93.6	9.2903	124.652
2025	6	23	2	55	41	40.06	95.2	9.2903	125.5964
2025	6	23	3	5	41	38.9	95.8	9.2903	121.8191
2025	6	23	3	15	41	39.33	94.7	9.2903	123.3961
2025	6	23	3	25	41	39.7	94	9.2903	124.6553
2025	6	23	3	35	41	40.16	95.1	9.2903	125.9145
2025	6	23	3	45	41	40.92	94.3	9.2903	128.4328
2025	6	23	3	55	41	39.6	94.1	9.2903	124.3406

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	23	4	5	41	40.28	93.7	9.2903	126.5441
2025	6	23	4	15	41	39.63	94.6	9.2903	124.3407
2025	6	23	4	25	41	39.91	94.3	9.2903	125.2883
2025	6	23	4	35	41	40.66	95.1	9.2903	127.4919
2025	6	23	4	45	41	39.27	93.4	9.2903	123.3996
2025	6	23	4	55	41	40.46	95.1	9.2903	126.8624
2025	6	23	5	5	41	39.63	94.6	9.2903	124.344
2025	6	23	5	15	41	39.6	95.8	9.2903	124.0293
2025	6	23	5	25	41	39.7	94	9.2903	124.6589
2025	6	23	5	35	41	38.79	93.8	9.2903	121.8257
2025	6	23	5	45	41	39.12	94.4	9.2903	122.7702
2025	6	23	5	55	41	38.43	94.8	9.2903	120.5666
2025	6	23	6	5	41	39.77	93.3	9.2903	124.9738
2025	6	23	6	15	41	39.33	94.7	9.2903	123.3998
2025	6	23	6	25	41	39.99	95.6	9.2903	125.2919
2025	6	23	6	35	41	39.54	92.6	9.2903	124.3443
2025	6	23	6	45	41	39.06	93.1	9.2903	122.7735
2025	6	23	6	55	41	39.94	94.9	9.2903	125.2887
2025	6	23	7	5	41	39.21	96	9.2903	122.7735
2025	6	23	7	15	41	38.25	92.8	9.2903	120.2551
2025	6	23	7	25	41	40.44	94.8	9.2903	126.866
2025	6	23	7	35	41	39.33	94.7	9.2903	123.4032
2025	6	23	7	45	41	39.36	93.2	9.2903	123.718
2025	6	23	7	55	41	39.39	95.7	9.2903	123.4032
2025	6	23	8	5	41	38.57	93.6	9.2903	121.1996
2025	6	23	8	15	41	38.89	94	9.2903	122.144
2025	6	23	8	25	41	38.63	94.8	9.2903	121.1996
2025	6	23	8	35	41	40.56	95.1	9.2903	127.1808
2025	6	23	8	45	41	39.51	96	9.2903	123.7211
2025	6	23	8	55	41	38.63	92.1	9.2903	121.5174
2025	6	23	9	5	41	38.83	94.7	9.2903	121.8322
2025	6	23	9	15	41	39.89	93.9	9.2903	125.2952
2025	6	23	9	25	41	39.27	93.4	9.2903	123.4063
2025	6	23	9	35	41	39.27	93.4	9.2903	123.4062
2025	6	23	9	45	41	39.88	93.7	9.2903	125.2951
2025	6	23	9	55	41	39.27	95.3	9.2903	123.0914
2025	6	23	10	5	41	38.64	94.9	9.2903	121.2025
2025	6	23	10	15	41	39.33	92.3	9.2903	123.7209
2025	6	23	10	25	41	40.71	94.2	9.2903	127.8167
2025	6	23	10	35	41	41.16	95	9.2903	129.076
2025	6	23	10	45	41	39.38	93.6	9.2903	123.7208
2025	6	23	10	55	41	39.15	92.8	9.2903	123.0944
2025	6	23	11	5	41	38.73	92.2	9.2903	121.835
2025	6	23	11	15	41	39.31	96	9.2903	123.0943
2025	6	23	11	25	41	39.11	95.9	9.2903	122.4646
2025	6	23	11	35	41	39.1	94.1	9.2903	122.7793
2025	6	23	11	45	41	40.19	96.9	9.2903	125.6126
2025	6	23	11	55	41	39.59	93.9	9.2903	124.3533

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	23	12	5	41	40.42	96	9.2903	126.557
2025	6	23	12	15	41	39.43	94.7	9.2903	123.7235
2025	6	23	12	25	41	38.95	96.5	9.2903	121.8346
2025	6	23	12	35	41	39.27	93.5	9.2903	123.4086
2025	6	23	12	45	41	39.93	94.6	9.2903	125.2975
2025	6	23	12	55	41	39.4	95.8	9.2903	123.4085
2025	6	23	13	5	41	39.39	93.9	9.2903	123.7233
2025	6	23	13	15	41	40.58	95.4	9.2903	127.1862
2025	6	23	13	25	41	39.51	96	9.2903	123.7231
2025	6	23	13	35	41	40.53	96.1	9.2903	126.8713
2025	6	23	13	45	41	40.33	96.1	9.2903	126.2416
2025	6	23	13	55	41	40.14	94.7	9.2903	125.9267
2025	6	23	14	5	41	39.34	94.8	9.2903	123.4082
2025	6	23	14	15	41	40.87	95.2	9.2903	128.1304
2025	6	23	14	25	41	39.65	95.1	9.2903	124.3526
2025	6	23	14	35	41	39.02	96	9.2903	122.1489
2025	6	23	14	45	41	38.26	93.3	9.2903	120.2599
2025	6	23	14	55	41	39.85	95	9.2903	124.9821
2025	6	23	15	5	41	39.33	94.7	9.2903	123.408
2025	6	23	15	15	41	39.75	92.9	9.2903	124.9821
2025	6	23	15	25	41	38.98	93.7	9.2903	122.4635
2025	6	23	15	35	41	38.89	96.9	9.2903	121.5191
2025	6	23	15	45	41	39.87	93.3	9.2903	125.2968
2025	6	23	15	55	41	39.88	93.7	9.2903	125.2968
2025	6	23	16	5	41	39.97	93.3	9.2903	125.6117
2025	6	23	16	15	41	39.73	94.6	9.2903	124.6672
2025	6	23	16	25	41	40.06	95.2	9.2903	125.6117
2025	6	23	16	35	41	39.87	93.3	9.2903	125.2968
2025	6	23	16	45	41	39.05	92.8	9.2903	122.7783
2025	6	23	16	55	41	40.04	94.9	9.2903	125.6117
2025	6	23	17	5	41	39.05	92.8	9.2903	122.7784
2025	6	23	17	15	41	39.14	94.8	9.2903	122.7784
2025	6	23	17	25	41	40.29	95.6	9.2903	126.2382
2025	6	23	17	35	41	40.34	96.3	9.2903	126.2414
2025	6	23	17	45	41	39.25	95	9.2903	123.0933
2025	6	23	17	55	41	40.69	95.5	9.2903	127.5007
2025	6	23	18	5	41	39.85	94.9	9.2903	124.9822
2025	6	23	18	15	41	40.4	97	9.2903	126.2415
2025	6	23	18	25	41	40.16	95.1	9.2903	125.9235
2025	6	23	18	35	41	40.28	95.4	9.2903	126.2416
2025	6	23	18	45	41	40.75	94.9	9.2903	127.8124
2025	6	23	18	55	41	40.14	96.3	9.2903	125.6088
2025	6	23	19	5	41	39.83	94.6	9.2903	124.9791
2025	6	23	19	15	41	41.12	95.9	9.2903	128.7569
2025	6	23	19	25	41	40.23	94.6	9.2903	126.2385
2025	6	23	19	35	41	39.94	94.7	9.2903	125.294
2025	6	23	19	45	41	39.76	95.2	9.2903	124.6645
2025	6	23	19	55	41	40.41	94.3	9.2903	126.8682

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	23	20	5	41	40.11	94.3	9.2903	125.9237
2025	6	23	20	15	41	39.24	94.8	9.2903	123.0905
2025	6	23	20	25	41	39.85	95	9.2903	124.9794
2025	6	23	20	35	41	38.56	93.1	9.2903	121.2017
2025	6	23	20	45	41	40.2	95.7	9.2903	125.9239
2025	6	23	20	55	41	40.3	94	9.2903	126.5535
2025	6	23	21	5	41	39.91	94.3	9.2903	125.2943
2025	6	23	21	15	41	39.26	93.2	9.2903	123.4055
2025	6	23	21	25	41	39.93	94.6	9.2903	125.2912
2025	6	23	21	35	41	40.9	93.9	9.2903	128.4392
2025	6	23	21	45	41	40.68	93.5	9.2903	127.8097
2025	6	23	21	55	41	40.14	96.3	9.2903	125.6061
2025	6	23	22	5	41	40.18	93.6	9.2903	126.2357
2025	6	23	22	15	41	40.02	94.4	9.2903	125.6061
2025	6	23	22	25	41	39.7	94	9.2903	124.6617
2025	6	23	22	35	41	39.2	95.9	9.2903	122.7729
2025	6	23	22	45	41	40.39	95.5	9.2903	126.5506
2025	6	23	22	55	41	39.13	94.7	9.2903	122.773
2025	6	23	23	5	41	40.36	95.1	9.2903	126.5506
2025	6	23	23	15	41	39.71	94.3	9.2903	124.6619
2025	6	23	23	25	41	39.65	94.9	9.2903	124.3471
2025	6	23	23	35	41	40.49	95.5	9.2903	126.8622
2025	6	23	23	45	41	39.36	95.2	9.2903	123.3995
2025	6	23	23	55	41	40.25	93	9.2903	126.5475
2025	6	24	0	5	41	39.26	93.1	9.2903	123.3996
2025	6	24	0	15	41	40.31	94.3	9.2903	126.5476
2025	6	24	0	25	41	40.01	95.9	9.2903	125.2884
2025	6	24	0	35	41	40.23	94.6	9.2903	126.2328
2025	6	24	0	45	41	40.47	93.4	9.2903	127.1772
2025	6	24	0	55	41	38.93	94.7	9.2903	122.1405
2025	6	24	1	5	41	40.26	95.1	9.2903	126.2329
2025	6	24	1	15	41	39.59	97	9.2903	123.7145
2025	6	24	1	25	41	38.6	95.8	9.2903	120.8783
2025	6	24	1	35	41	40.02	96	9.2903	125.2853
2025	6	24	1	45	41	40.35	93	9.2903	126.8625
2025	6	24	1	55	41	39.91	94.2	9.2903	125.2854
2025	6	24	2	5	41	38.99	93.8	9.2903	122.4523
2025	6	24	2	15	41	38.69	94	9.2903	121.508
2025	6	24	2	25	41	39.79	93.7	9.2903	124.9706
2025	6	24	2	35	41	39.18	93.7	9.2903	123.0819
2025	6	24	2	45	41	39.65	94.9	9.2903	124.3411
2025	6	24	2	55	41	38.72	94.6	9.2903	121.5081
2025	6	24	3	5	41	40.69	95.5	9.2903	127.489
2025	6	24	3	15	41	40.29	93.8	9.2903	126.5447
2025	6	24	3	25	41	39.31	96	9.2903	123.082
2025	6	24	3	35	41	39.74	94.8	9.2903	124.656
2025	6	24	3	45	41	40.35	95	9.2903	126.5415
2025	6	24	3	55	41	39.66	93.2	9.2903	124.6529

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	24	4	5	41	40.23	94.6	9.2903	126.2268
2025	6	24	4	15	41	39.71	94.3	9.2903	124.6529
2025	6	24	4	25	41	39.49	93.9	9.2903	124.0234
2025	6	24	4	35	41	39.55	92.9	9.2903	124.3382
2025	6	24	4	45	41	40.22	96	9.2903	125.9121
2025	6	24	4	55	41	40.94	94.8	9.2903	128.4304
2025	6	24	5	5	41	39.49	95.7	9.2903	123.7055
2025	6	24	5	15	41	39.41	94.2	9.2903	123.7056
2025	6	24	5	25	41	40.2	94	9.2903	126.2238
2025	6	24	5	35	41	40.01	94.3	9.2903	125.5943
2025	6	24	5	45	41	40.3	95.7	9.2903	126.2239
2025	6	24	5	55	41	39.81	94.3	9.2903	124.9648
2025	6	24	6	5	41	39.79	93.9	9.2903	124.9616
2025	6	24	6	15	41	39.38	95.5	9.2903	123.3878
2025	6	24	6	25	41	39.32	94.5	9.2903	123.3878
2025	6	24	6	35	41	39.27	93.5	9.2903	123.3879
2025	6	24	6	45	41	40.02	94.4	9.2903	125.5913
2025	6	24	6	55	41	39.64	94.8	9.2903	124.3322
2025	6	24	7	5	41	40.27	95.3	9.2903	126.2176
2025	6	24	7	15	41	39.41	94.2	9.2903	123.6995
2025	6	24	7	25	41	39.54	94.8	9.2903	124.0143
2025	6	24	7	35	41	39.88	93.7	9.2903	125.2734
2025	6	24	7	45	41	38.74	92.7	9.2903	121.811
2025	6	24	7	55	41	38.9	94.1	9.2903	122.1258
2025	6	24	8	5	41	38.65	95	9.2903	121.1784
2025	6	24	8	15	41	39.63	94.6	9.2903	124.3259
2025	6	24	8	25	41	39.15	92.9	9.2903	123.0637
2025	6	24	8	35	41	39.93	94.6	9.2903	125.2636
2025	6	24	8	45	41	38.79	95.6	9.2903	121.4869
2025	6	24	8	55	41	39.64	94.8	9.2903	124.3162
2025	6	24	9	5	41	40.12	94.4	9.2903	125.8865
2025	6	24	9	15	41	39.81	94.3	9.2903	124.9392
2025	6	24	9	25	41	38.86	93.2	9.2903	122.1068
2025	6	24	9	35	41	39.54	94.8	9.2903	123.995
2025	6	24	9	45	41	40.02	94.4	9.2903	125.5685
2025	6	24	9	55	41	39.04	94.8	9.2903	122.4182
2025	6	24	10	5	41	40.15	95	9.2903	125.8799
2025	6	24	10	15	41	38.73	94.7	9.2903	121.4741
2025	6	24	10	25	41	39.4	94.1	9.2903	123.6769
2025	6	24	10	35	41	39.6	94.1	9.2903	124.3063
2025	6	24	10	45	41	39.54	97.6	9.2903	123.359
2025	6	24	10	55	41	38.64	96.4	9.2903	120.8414
2025	6	24	11	5	41	38.36	93.3	9.2903	120.5267
2025	6	24	11	15	41	38.6	94.2	9.2903	121.1561
2025	6	24	11	25	41	39.58	95.5	9.2903	123.9883
2025	6	24	11	35	41	38.93	94.7	9.2903	122.1001
2025	6	24	11	45	41	39.55	96.4	9.2903	123.6703
2025	6	24	11	55	41	38.82	94.6	9.2903	121.7822

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	24	12	5	41	38.32	96.1	9.2903	119.894
2025	6	24	12	15	41	37.98	95.6	9.2903	118.9499
2025	6	24	12	25	41	38.99	94	9.2903	122.4113
2025	6	24	12	35	41	39.94	94.9	9.2903	125.2401
2025	6	24	12	45	41	37.71	94.4	9.2903	118.3172
2025	6	24	12	55	41	38.74	96.4	9.2903	121.1492
2025	6	24	13	5	41	39.16	96.6	9.2903	122.4047
2025	6	24	13	15	41	39.85	94.9	9.2903	124.9187
2025	6	24	13	25	41	39.39	95.7	9.2903	123.3422
2025	6	24	13	35	41	39.21	97.2	9.2903	122.3917
2025	6	24	13	45	41	38.52	96.1	9.2903	120.504
2025	6	24	13	55	41	38.42	94.5	9.2903	120.5039
2025	6	24	14	5	41	38.71	95.9	9.2903	121.13
2025	6	24	14	15	41	38.43	98.5	9.2903	119.5568
2025	6	24	14	25	41	39.29	97	9.2903	122.6998
2025	6	24	14	35	41	38.3	97.2	9.2903	119.5536
2025	6	24	14	45	41	39.66	95.2	9.2903	124.2728
2025	6	24	14	55	41	38.43	96.3	9.2903	120.1827
2025	6	24	15	5	41	39.77	96.6	9.2903	124.2694
2025	6	24	15	15	41	38.77	95.3	9.2903	121.4379
2025	6	24	15	25	41	39.71	95.9	9.2903	124.2693
2025	6	24	15	35	41	39.04	96.3	9.2903	122.0671
2025	6	24	15	45	41	38.82	96.1	9.2903	121.4378
2025	6	24	15	55	41	37.78	95.6	9.2903	118.2886
2025	6	24	16	5	41	38.08	98.2	9.2903	118.6032
2025	6	24	16	15	41	38.35	96.6	9.2903	119.8616
2025	6	24	16	25	41	39.31	96	9.2903	123.0043
2025	6	24	16	35	41	38.93	96.2	9.2903	121.7459
2025	6	24	16	45	41	39.5	95.8	9.2903	123.6302
2025	6	24	16	55	41	38.95	95	9.2903	122.0573
2025	6	24	17	5	41	39.48	96.8	9.2903	123.3058
2025	6	24	17	15	41	39.53	96.2	9.2903	123.6171
2025	6	24	17	25	41	39.44	94.8	9.2903	123.6138
2025	6	24	17	35	41	39.59	95.7	9.2903	123.9284
2025	6	24	17	45	41	39.36	95.2	9.2903	123.2993
2025	6	24	17	55	41	38.45	95.1	9.2903	120.4653
2025	6	24	18	5	41	38.91	97.2	9.2903	121.4089
2025	6	24	18	15	41	38.66	96.7	9.2903	120.7798
2025	6	24	18	25	41	38.61	94.3	9.2903	121.0912
2025	6	24	18	35	41	38.23	94.7	9.2903	119.8331
2025	6	24	18	45	41	39.11	95.9	9.2903	122.346
2025	6	24	18	55	41	38.77	95.3	9.2903	121.4057
2025	6	24	19	5	41	39.73	94.6	9.2903	124.5443
2025	6	24	19	15	41	39.52	94.5	9.2903	123.912
2025	6	24	19	25	41	39.18	93.7	9.2903	122.9718
2025	6	24	19	35	41	39.11	95.9	9.2903	122.3428
2025	6	24	19	45	41	39.35	92.9	9.2903	123.5976
2025	6	24	19	55	41	37.82	94.5	9.2903	118.5657

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	24	20	5	41	38.09	95.7	9.2903	119.1979
2025	6	24	20	15	41	38.33	98.6	9.2903	119.1947
2025	6	24	20	25	41	38.09	95.7	9.2903	119.1947
2025	6	24	20	35	41	38.03	94.8	9.2903	119.1916
2025	6	24	20	45	41	37.64	94.9	9.2903	117.9336
2025	6	24	20	55	41	38.58	95.5	9.2903	120.7641
2025	6	24	21	5	41	38.27	95.4	9.2903	119.8174
2025	6	24	21	15	41	39.16	95.1	9.2903	122.6478
2025	6	24	21	25	41	38.91	95.9	9.2903	121.7011
2025	6	24	21	35	41	38.1	95.9	9.2903	119.179
2025	6	24	21	45	41	37.3	94.2	9.2866	116.9255
2025	6	24	21	55	41	39.2	95.9	9.2866	122.5832
2025	6	24	22	5	41	38.8	94.1	9.2806	121.5572
2025	6	24	22	15	41	39.39	93.9	9.2806	123.4418
2025	6	24	22	25	41	39.01	95.9	9.2806	121.8713
2025	6	24	22	35	41	37.61	94.4	9.2745	117.7075
2025	6	24	22	45	41	37.24	94.9	9.2745	116.452
2025	6	24	22	55	41	37.15	95.1	9.2745	116.1381
2025	6	24	23	5	41	38.42	94.5	9.2684	120.1364
2025	6	24	23	15	41	37.38	95.7	9.2684	116.6861
2025	6	24	23	25	41	37.94	92.7	9.2623	118.8004
2025	6	24	23	35	41	37.94	94.8	9.2623	118.487
2025	6	24	23	45	41	36.8	94.2	9.2623	115.039
2025	6	24	23	55	41	37.8	94.1	9.2623	118.1736
2025	6	25	0	5	41	38.01	94.4	9.2562	118.7191
2025	6	25	0	15	41	37.82	94.5	9.2562	118.0927
2025	6	25	0	25	41	39.01	97.2	9.2562	121.2251
2025	6	25	0	35	41	39.23	94.7	9.2501	122.3941
2025	6	25	0	45	41	37.43	94.8	9.2501	116.7596
2025	6	25	0	55	41	37.45	95.1	9.2501	116.7597
2025	6	25	1	5	41	37.8	94.2	9.244	117.9309
2025	6	25	1	15	41	36.88	93.9	9.244	115.1155
2025	6	25	1	25	41	37.87	98	9.2379	117.2248
2025	6	25	1	35	41	37.46	95.4	9.2379	116.5996
2025	6	25	1	45	41	38.74	94.9	9.2318	120.5805
2025	6	25	1	55	41	38.37	95.4	9.2196	119.1669
2025	6	25	2	5	41	37.39	94	9.2135	116.2793
2025	6	25	2	15	41	37.32	94.6	9.2074	115.8877
2025	6	25	2	25	41	37.84	95	9.2013	117.3644
2025	6	25	2	35	41	38.18	95.6	9.2013	118.2983
2025	6	25	2	45	41	37.9	94.1	9.1952	117.5946
2025	6	25	2	55	41	37.38	93.8	9.1952	116.0391
2025	6	25	3	5	41	37.48	95.7	9.1952	116.0391
2025	6	25	3	15	41	37.69	94	9.1891	116.8917
2025	6	25	3	25	41	37.4	96	9.1891	115.6482
2025	6	25	3	35	41	37.06	95.3	9.183	114.6364
2025	6	25	3	45	41	37.01	94.5	9.183	114.6364
2025	6	25	3	55	41	37.73	94.7	9.183	116.8111

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	25	4	5	41	37.5	94.3	9.183	116.1898
2025	6	25	4	15	41	37.08	93.7	9.1769	114.8677
2025	6	25	4	25	41	36.93	94.8	9.1769	114.2468
2025	6	25	4	35	41	37.82	94.5	9.1769	117.0409
2025	6	25	4	45	41	36.69	93.9	9.1708	113.5474
2025	6	25	4	55	41	36.88	93.9	9.1708	114.1679
2025	6	25	5	5	41	37.68	93.7	9.1647	116.5691
2025	6	25	5	15	41	37.27	93.5	9.1647	115.3291
2025	6	25	5	25	41	37.19	94	9.1586	114.9394
2025	6	25	5	35	41	36.99	94	9.1525	114.2406
2025	6	25	5	45	41	37.28	93.7	9.1525	115.1694
2025	6	25	5	55	41	38.05	92.9	9.1282	117.3199
2025	6	25	6	5	41	37.45	93.1	9.1282	115.4676
2025	6	25	6	15	41	36.44	95	9.1221	111.9935
2025	6	25	6	25	41	37.41	94.4	9.1221	115.0788
2025	6	25	6	35	41	38.08	93.6	9.1221	117.2385
2025	6	25	6	45	41	36.95	93.1	9.116	113.7656
2025	6	25	6	55	41	38.09	93.9	9.116	117.157
2025	6	25	7	5	41	36.46	93.3	9.1099	112.1459
2025	6	25	7	15	41	37.69	95.8	9.1099	115.535
2025	6	25	7	25	41	37.55	95	9.1099	115.2269
2025	6	25	7	35	41	38.09	95.7	9.1038	116.686
2025	6	25	7	45	41	36.4	94.3	9.1038	111.7599
2025	6	25	7	55	41	37.25	95.1	9.1038	114.223
2025	6	25	8	5	41	36.92	94.7	9.0977	113.2203
2025	6	25	8	15	41	36.47	93.6	9.0977	111.9897
2025	6	25	8	25	41	36.3	94.3	9.0977	111.3743
2025	6	25	8	35	41	36.81	94.5	9.0916	112.8339
2025	6	25	8	45	41	36.4	94.3	9.0916	111.604
2025	6	25	8	55	41	36.47	93.6	9.0855	111.8334
2025	6	25	9	5	41	36.38	93.8	9.0794	111.4482
2025	6	25	9	15	41	36.59	93.9	9.0672	111.9055
2025	6	25	9	25	41	36.58	93.8	9.055	111.7488
2025	6	25	9	35	41	37.49	94	9.0489	114.424
2025	6	25	9	45	41	36.05	95.3	9.0489	109.8347
2025	6	25	9	55	41	36.16	93.2	9.0489	110.4466
2025	6	25	10	5	41	36.04	92.5	9.0428	110.0634
2025	6	25	10	15	41	37.38	93.7	9.0428	114.0378
2025	6	25	10	25	41	36.09	94	9.0367	109.986
2025	6	25	10	35	41	37.14	94.9	9.0367	113.0412
2025	6	25	10	45	41	35.18	93.7	9.0367	107.2363
2025	6	25	10	55	41	35.61	94.5	9.0367	108.4583
2025	6	25	11	5	41	36.25	95.2	9.0306	110.2139
2025	6	25	11	15	41	35.72	94.7	9.0245	108.6109
2025	6	25	11	25	41	36.09	94.1	9.0245	109.8312
2025	6	25	11	35	41	36.3	94.3	9.0184	110.3636
2025	6	25	11	45	41	37.3	94.2	9.0062	113.2526
2025	6	25	11	55	41	37.11	96	9.0001	112.2601

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	25	12	5	41	36.39	93.9	8.9879	110.2788
2025	6	25	12	15	41	35.39	94.1	8.9879	107.2408
2025	6	25	12	25	41	36.4	96	8.9818	109.8972
2025	6	25	12	35	41	36.06	98.1	8.9818	108.3793
2025	6	25	12	45	41	35.51	99.7	8.9758	106.179
2025	6	25	12	55	41	36.68	93.8	8.9758	111.0329
2025	6	25	13	5	41	36.05	96.7	8.9758	108.6059
2025	6	25	13	15	41	36.43	96.5	8.9697	109.7416
2025	6	25	13	25	41	36.3	96	8.9697	109.4384
2025	6	25	13	35	41	36.94	96.5	8.9697	111.2573
2025	6	25	13	45	41	36.07	95.6	8.9636	108.755
2025	6	25	13	55	41	36.4	96	8.9575	109.586
2025	6	25	14	5	41	36	96.1	8.9453	108.2215
2025	6	25	14	15	41	35.66	95.5	8.9331	107.1622
2025	6	25	14	25	41	36.72	94.7	8.927	110.4042
2025	6	25	14	35	41	36.68	95.6	8.927	110.1025
2025	6	25	14	45	41	35.6	94.3	8.9209	107.0097
2025	6	25	14	55	41	34.94	96.7	8.9209	104.5982
2025	6	25	15	5	41	35.29	94.1	8.9148	106.0299
2025	6	25	15	15	41	35.55	95.3	8.9148	106.6323
2025	6	25	15	25	41	35.85	95.3	8.9087	107.4593
2025	6	25	15	35	41	35.55	96.8	8.9087	106.2552
2025	6	25	15	45	41	35.53	92.3	8.9026	106.7811
2025	6	25	15	55	41	35.47	98.3	8.9026	105.5779
2025	6	25	16	5	41	36.2	94.3	8.8965	108.5084
2025	6	25	16	15	41	35.66	96.9	8.8904	106.3284
2025	6	25	16	25	41	34.99	94.1	8.8843	104.7517
2025	6	25	16	35	41	35.23	96.5	8.866	104.8265
2025	6	25	16	45	41	35.79	94	8.8599	106.8465
2025	6	25	16	55	41	35.47	98.3	8.8599	105.0507
2025	6	25	17	5	41	35.43	98.9	8.8538	104.6764
2025	6	25	17	15	41	35.46	97	8.8538	105.2745
2025	6	25	17	25	41	36.69	95.8	8.8477	109.0842
2025	6	25	17	35	41	35.77	98.2	8.8477	105.7967
2025	6	25	17	45	41	36.03	94.9	8.8416	107.2141
2025	6	25	17	55	41	34.76	95.4	8.8416	103.3317
2025	6	25	18	5	41	35.48	98.4	8.8416	104.8249
2025	6	25	18	15	41	35.06	98.2	8.8355	103.5559
2025	6	25	18	25	41	34.94	96.7	8.8355	103.5559
2025	6	25	18	35	41	35.35	95.4	8.8233	104.897
2025	6	25	18	45	41	36.71	94.5	8.8051	108.8336
2025	6	25	18	55	41	37.86	93.2	8.8112	112.483
2025	6	25	19	5	41	35.86	95.4	8.8051	106.1574
2025	6	25	19	15	41	36.94	96.5	8.799	109.0523
2025	6	25	19	25	41	36.38	95.7	8.7929	107.4889
2025	6	25	19	35	41	36.16	95.4	8.7868	106.8178
2025	6	25	19	45	41	36.85	95.1	8.7868	108.8949
2025	6	25	19	55	41	35.36	95.5	8.7807	104.3687

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	25	20	5	41	35.47	95.7	8.7807	104.6652
2025	6	25	20	15	41	35.16	95.5	8.7807	103.7757
2025	6	25	20	25	41	35.08	95.7	8.7746	103.4043
2025	6	25	20	35	41	34.71	94.6	8.7746	102.5155
2025	6	25	20	45	41	34.25	98.2	8.7685	100.3688
2025	6	25	20	55	41	34.53	96.7	8.7685	101.5531
2025	6	25	21	5	41	35.54	95	8.7685	104.8099
2025	6	25	21	15	41	34.58	94	8.7624	102.0713
2025	6	25	21	25	41	34.51	94.7	8.7624	101.7754
2025	6	25	21	35	41	36.21	96.2	8.7624	106.5092
2025	6	25	21	45	41	34.4	96.2	8.7563	101.1104
2025	6	25	21	55	41	35.27	95.7	8.7563	103.7712
2025	6	25	22	5	41	33.94	95.2	8.7502	99.8553
2025	6	25	22	15	41	35.27	95.7	8.7441	103.6206
2025	6	25	22	25	41	35.47	95.7	8.738	104.1354
2025	6	25	22	35	41	34	96.2	8.7258	99.5654
2025	6	25	22	45	41	34.41	96.3	8.7136	100.597
2025	6	25	22	55	41	34	94.4	8.7136	99.7146
2025	6	25	23	5	41	34.09	96.1	8.7075	99.6419
2025	6	25	23	15	41	34.47	97.2	8.7075	100.5237
2025	6	25	23	25	41	34.61	96.3	8.7014	101.0378
2025	6	25	23	35	41	34.31	94.7	8.7014	100.4504
2025	6	25	23	45	41	34.43	95	8.7014	100.7441
2025	6	25	23	55	41	34.83	96.6	8.6953	101.551
2025	6	26	0	5	41	33.98	95.9	8.6953	99.203
2025	6	26	0	15	41	34.31	94.7	8.6953	100.377
2025	6	26	0	25	41	34.04	95.2	8.6892	99.4238
2025	6	26	0	35	41	33.44	92.7	8.6892	97.9574
2025	6	26	0	45	41	33.76	95.6	8.6831	98.4719
2025	6	26	0	55	41	34.28	95.9	8.6831	99.9373
2025	6	26	1	5	41	35.51	94.5	8.677	103.6713
2025	6	26	1	15	41	34.15	95.4	8.677	99.5713
2025	6	26	1	25	41	35.4	96.2	8.6709	103.0101
2025	6	26	1	35	41	34.84	95.1	8.6588	101.3981
2025	6	26	1	45	41	34.28	95.9	8.6466	99.4986
2025	6	26	1	55	41	34.32	94.8	8.6405	99.7171
2025	6	26	2	5	41	34.39	94.2	8.6405	100.0087
2025	6	26	2	15	41	34.3	94.3	8.6344	99.6438
2025	6	26	2	25	41	34.02	94.7	8.6344	98.7697
2025	6	26	2	35	41	33.64	95.3	8.6283	97.5325
2025	6	26	2	45	41	34.67	93.6	8.6283	100.735
2025	6	26	2	55	41	34.7	94.3	8.6283	100.735
2025	6	26	3	5	41	33.58	96	8.6222	97.1697
2025	6	26	3	15	41	32.58	94	8.6222	94.5514
2025	6	26	3	25	41	33.44	95.3	8.6222	96.8788
2025	6	26	3	35	41	35.11	96.2	8.6161	101.4588
2025	6	26	3	45	41	35.09	95.9	8.6161	101.4588
2025	6	26	3	55	41	33.77	93.7	8.61	97.8981

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	26	4	5	41	34.41	96.3	8.61	99.3506
2025	6	26	4	15	41	33.45	95.5	8.6039	96.6647
2025	6	26	4	25	41	34.06	95.6	8.5917	98.2611
2025	6	26	4	35	41	33.74	95.3	8.5795	97.2475
2025	6	26	4	45	41	33.92	94.7	8.5734	97.7539
2025	6	26	4	55	41	33.89	94.1	8.5673	97.6815
2025	6	26	5	5	41	34.21	94.7	8.5673	98.5485
2025	6	26	5	15	41	34.74	95.1	8.5612	99.9193
2025	6	26	5	25	41	33.58	96	8.5612	96.4539
2025	6	26	5	35	41	34.42	94.8	8.5551	98.9795
2025	6	26	5	45	41	33.1	94.5	8.5551	95.2281
2025	6	26	5	55	41	33.77	93.6	8.549	97.1759
2025	6	26	6	5	41	34.1	94.4	8.549	98.0409
2025	6	26	6	15	41	32.87	93.8	8.549	94.5807
2025	6	26	6	25	41	33.27	93.6	8.5429	95.663
2025	6	26	6	35	41	31.95	93.2	8.5429	91.9171
2025	6	26	6	45	41	33.65	93.1	8.5368	96.7436
2025	6	26	6	55	41	32.91	94.7	8.5307	94.3699
2025	6	26	7	5	41	32.52	94.9	8.5307	93.219
2025	6	26	7	15	41	32.87	93.8	8.5246	94.2996
2025	6	26	7	25	41	33.6	94.4	8.5186	96.2403
2025	6	26	7	35	41	33.54	92.9	8.5003	96.0249
2025	6	26	7	45	41	33.39	94.1	8.4942	95.3803
2025	6	26	7	55	41	32.94	93	8.4942	94.2346
2025	6	26	8	5	41	34.41	94.5	8.4881	98.171
2025	6	26	8	15	41	32.5	94.6	8.482	92.6636
2025	6	26	8	25	41	32.97	95.7	8.482	93.8075
2025	6	26	8	35	41	33.04	95.2	8.4759	94.023
2025	6	26	8	45	41	33.81	94.6	8.4759	96.3093
2025	6	26	8	55	41	33.39	94.3	8.4759	95.1661
2025	6	26	9	5	41	34.61	94.5	8.4698	98.5216
2025	6	26	9	15	41	33.18	94	8.4698	94.5236
2025	6	26	9	25	41	32.23	92.5	8.4637	91.8845
2025	6	26	9	35	41	33.55	93.2	8.4637	95.594
2025	6	26	9	45	41	32.85	95.4	8.4576	93.2411
2025	6	26	9	55	41	33.41	94.6	8.4515	94.8806
2025	6	26	10	5	41	33.57	95.8	8.4332	94.9508
2025	6	26	10	15	41	33.1	96.2	8.421	93.3884
2025	6	26	10	25	41	32.79	94.2	8.421	92.8206
2025	6	26	10	35	41	32.8	96.3	8.4149	92.4669
2025	6	26	10	45	41	32.61	94.7	8.4149	92.1832
2025	6	26	10	55	41	33.3	96.2	8.4088	93.8141
2025	6	26	11	5	41	32.53	95.1	8.4088	91.8301
2025	6	26	11	15	41	32.88	95.9	8.4027	92.6103
2025	6	26	11	25	41	32.31	94.8	8.4027	91.1942
2025	6	26	11	35	41	32.08	94.1	8.3966	90.5592
2025	6	26	11	45	41	32.65	95.4	8.3905	91.9045
2025	6	26	11	55	41	33.43	95.1	8.3844	94.0954

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	26	12	5	41	32.31	96.6	8.3662	90.4982
2025	6	26	12	15	41	32.61	94.7	8.3662	91.6259
2025	6	26	12	25	41	32.17	95.9	8.354	90.0791
2025	6	26	12	35	41	31.48	94.2	8.354	88.3901
2025	6	26	12	45	41	31.14	95.5	8.3479	87.1977
2025	6	26	12	55	41	31.72	94.9	8.3418	88.8177
2025	6	26	13	5	41	31.56	95.8	8.3418	88.2555
2025	6	26	13	15	41	32.85	95.4	8.3296	91.7693
2025	6	26	13	25	41	31.15	93.3	8.3296	87.279
2025	6	26	13	35	41	31.56	95.8	8.3235	88.0536
2025	6	26	13	45	41	31.58	96.2	8.3113	87.9191
2025	6	26	13	55	41	31.65	95.6	8.3052	88.1316
2025	6	26	14	5	41	32.01	94.7	8.2991	89.1824
2025	6	26	14	15	41	32.16	93.4	8.2869	89.604
2025	6	26	14	25	41	30.55	93.2	8.2869	85.1378
2025	6	26	14	35	41	31.71	94.7	8.2747	88.0729
2025	6	26	14	45	41	32.06	95.7	8.2747	88.909
2025	6	26	14	55	41	31.78	96.1	8.2625	87.9375
2025	6	26	15	5	41	31.91	94.9	8.2564	88.426
2025	6	26	15	15	41	32.1	94.5	8.2503	88.9136
2025	6	26	15	25	41	30.23	92.7	8.2442	83.8475
2025	6	26	15	35	41	31.22	95	8.2381	86.2797
2025	6	26	15	45	41	31.45	95.7	8.2259	86.7005
2025	6	26	15	55	41	31.09	94.2	8.2198	85.8031
2025	6	26	16	5	41	31.83	92.5	8.2137	87.9493
2025	6	26	16	15	41	32.01	94.8	8.2077	88.1575
2025	6	26	16	25	41	31.06	93.7	8.2077	85.6703
2025	6	26	16	35	41	30.44	95.5	8.2016	83.6709
2025	6	26	16	45	41	31.22	95	8.1955	85.8135
2025	6	26	16	55	41	31.35	93.3	8.1894	86.2983
2025	6	26	17	5	41	32.06	95.7	8.1833	87.8843
2025	6	26	17	15	41	32.61	94.7	8.1772	89.4677
2025	6	26	17	25	41	30.25	93.2	8.1589	82.9422
2025	6	26	17	35	41	31.92	95	8.1528	87.2684
2025	6	26	17	45	41	31.55	93.1	8.1528	86.4451
2025	6	26	17	55	41	31.78	94.1	8.1406	86.8583
2025	6	26	18	5	41	31.47	93.8	8.1345	85.9691
2025	6	26	18	15	41	31.71	94.7	8.1345	86.5166
2025	6	26	18	25	41	31.26	95.9	8.1284	85.0811
2025	6	26	18	35	41	31.41	96.6	8.1223	85.2879
2025	6	26	18	45	41	30.96	95.7	8.1223	84.1945
2025	6	26	18	55	41	31.21	94.8	8.1223	85.0146
2025	6	26	19	5	41	31.43	92.6	8.1162	85.7674
2025	6	26	19	15	41	30.99	94.3	8.1101	84.3356
2025	6	26	19	25	41	32.86	95.6	8.104	89.1784
2025	6	26	19	35	41	31.01	96.7	8.0857	83.799
2025	6	26	19	45	41	31.4	96.4	8.0735	84.7537
2025	6	26	19	55	41	31.25	95.7	8.0735	84.4821

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	26	20	5	41	32.41	94.8	8.0674	87.6727
2025	6	26	20	15	41	32.01	94.7	8.0613	86.5187
2025	6	26	20	25	41	32.1	94.5	8.0613	86.7899
2025	6	26	20	35	41	31.89	94.3	8.0553	86.1795
2025	6	26	20	45	41	31.31	96.6	8.0553	84.2824
2025	6	26	20	55	41	31.56	95.8	8.0492	85.0282
2025	6	26	21	5	41	31.93	95.2	8.0492	86.1114
2025	6	26	21	15	41	32.23	95.2	8.0431	86.8551
2025	6	26	21	25	41	32	96.5	8.037	85.9753
2025	6	26	21	35	41	30.39	94.5	8.0309	81.855
2025	6	26	21	45	41	29.81	94.8	8.0248	80.1706
2025	6	26	21	55	41	31.52	96.7	8.0065	84.2886
2025	6	26	22	5	41	31.45	95.7	8.0004	84.2216
2025	6	26	22	15	41	32.17	95.9	7.9943	86.0367
2025	6	26	22	25	41	30.44	95.5	7.9882	81.4012
2025	6	26	22	35	41	30.89	94.5	7.9882	82.7444
2025	6	26	22	45	41	30.99	94.3	7.9882	83.013
2025	6	26	22	55	41	31.07	95.9	7.9821	82.9469
2025	6	26	23	5	41	30.48	94.1	7.9821	81.6047
2025	6	26	23	15	41	31.91	94.9	7.976	85.2948
2025	6	26	23	25	41	30.57	93.9	7.976	81.8079
2025	6	26	23	35	41	30.57	96	7.9699	81.4746
2025	6	26	23	45	41	31.02	95	7.9638	82.7485
2025	6	26	23	55	41	30.47	96	7.9577	81.0769
2025	6	27	0	5	41	30.82	95	7.9394	81.9502
2025	6	27	0	15	41	30.67	96	7.9272	81.2858
2025	6	27	0	25	41	31.25	95.7	7.9272	82.8849
2025	6	27	0	35	41	30.26	95.9	7.9211	80.1553
2025	6	27	0	45	41	31.09	94.2	7.9211	82.552
2025	6	27	0	55	41	30.75	93.4	7.915	81.6874
2025	6	27	1	5	41	30.58	94.1	7.915	81.1553
2025	6	27	1	15	41	30.8	94.7	7.909	81.6217
2025	6	27	1	25	41	30.35	95.7	7.909	80.2924
2025	6	27	1	35	41	31.57	97.5	7.909	83.2169
2025	6	27	1	45	41	31.49	94.4	7.9029	83.4156
2025	6	27	1	55	41	30.6	96.6	7.8968	80.694
2025	6	27	2	5	41	31.03	95.2	7.8968	82.0212
2025	6	27	2	15	41	30.77	96	7.8907	81.1594
2025	6	27	2	25	41	29.72	95.2	7.8663	78.2539
2025	6	27	2	35	41	30.67	93.9	7.8602	80.8321
2025	6	27	2	45	41	30.23	95.3	7.8541	79.447
2025	6	27	2	55	41	30.13	95.3	7.8541	79.183
2025	6	27	3	5	41	30.87	96	7.848	80.9649
2025	6	27	3	15	41	30.19	94.4	7.848	79.3825
2025	6	27	3	25	41	30.61	94.9	7.8419	80.3722
2025	6	27	3	35	41	30.49	96.4	7.8419	79.8452
2025	6	27	3	45	41	32.19	96.2	7.8419	84.3249
2025	6	27	3	55	41	31.62	95.1	7.8358	82.94

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	27	4	5	41	30.37	96	7.8297	79.4525
2025	6	27	4	15	41	30.64	97.1	7.8297	79.9786
2025	6	27	4	25	41	31.07	95.9	7.8236	81.228
2025	6	27	4	35	41	30.8	94.7	7.8175	80.6366
2025	6	27	4	45	41	30.57	93.8	7.8053	79.9808
2025	6	27	4	55	41	31.5	94.6	7.7931	82.2066
2025	6	27	5	5	41	30.69	94.3	7.787	80.0467
2025	6	27	5	15	41	30.68	94.1	7.787	80.0467
2025	6	27	5	25	41	29.03	92.8	7.7809	75.7993
2025	6	27	5	35	41	30.23	95.3	7.7748	78.6101
2025	6	27	5	45	41	28.88	96.4	7.7748	74.9538
2025	6	27	5	55	41	30	94.8	7.7687	78.0238
2025	6	27	6	5	41	31.38	94.2	7.7687	81.6771
2025	6	27	6	15	41	29.83	95.4	7.7687	77.5019
2025	6	27	6	25	41	29.72	95.2	7.7626	77.1777
2025	6	27	6	35	41	29.65	93.5	7.7626	77.1777
2025	6	27	6	45	41	31.52	95.1	7.7565	81.8038
2025	6	27	6	55	41	29.5	96.6	7.7505	76.2702
2025	6	27	7	5	41	29.7	94.6	7.7505	77.0512
2025	6	27	7	15	41	30.25	93.2	7.7444	78.5484
2025	6	27	7	25	41	29.52	95.2	7.7322	76.342
2025	6	27	7	35	41	29.95	93.3	7.7139	77.4485
2025	6	27	7	45	41	30.11	95	7.7139	77.7075
2025	6	27	7	55	41	30.23	95.3	7.7139	77.9665
2025	6	27	8	5	41	30.14	95.5	7.7078	77.6434
2025	6	27	8	15	41	30.17	96.1	7.7017	77.5792
2025	6	27	8	25	41	31.52	95.1	7.7017	81.1996
2025	6	27	8	35	41	30	94.8	7.6956	77.2567
2025	6	27	8	45	41	30.66	95.8	7.6956	78.807
2025	6	27	8	55	41	30.59	94.5	7.6956	78.807
2025	6	27	9	5	41	29.48	94.3	7.6895	75.9019
2025	6	27	9	15	41	30.55	95.6	7.6895	78.4835
2025	6	27	9	25	41	30.03	95.3	7.6834	77.1288
2025	6	27	9	35	41	29.88	96.3	7.6773	76.5493
2025	6	27	9	45	41	29.83	95.4	7.6773	76.5493
2025	6	27	9	55	41	28.5	98.3	7.659	72.5023
2025	6	27	10	5	41	29.47	96.2	7.6468	75.2051
2025	6	27	10	15	41	30.32	95.1	7.6407	77.4506
2025	6	27	10	25	41	29.29	94.5	7.6407	74.886
2025	6	27	10	35	41	28.84	93.2	7.6346	73.7986
2025	6	27	10	45	41	29.22	95.3	7.6346	74.5673
2025	6	27	10	55	41	29.39	96.4	7.6285	74.7611
2025	6	27	11	5	41	29.75	95.8	7.6285	75.7852
2025	6	27	11	15	41	28.76	96	7.6224	73.1637
2025	6	27	11	25	41	28.9	94.8	7.6163	73.6138
2025	6	27	11	35	41	28.98	94.4	7.6163	73.8694
2025	6	27	11	45	41	29.64	97.4	7.6102	75.0845
2025	6	27	11	55	41	28.9	94.8	7.6102	73.5521

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	27	12	5	41	28.52	97.1	7.5981	72.1542
2025	6	27	12	15	41	28.63	92.4	7.592	72.8579
2025	6	27	12	25	41	29.08	94.1	7.592	73.8769
2025	6	27	12	35	41	29.23	95.5	7.5798	74.0072
2025	6	27	12	45	41	27.47	94.2	7.5798	69.6838
2025	6	27	12	55	41	28.21	96.9	7.5737	71.1498
2025	6	27	13	5	41	28.82	95.2	7.5676	72.8672
2025	6	27	13	15	41	28.21	95.1	7.5676	71.3438
2025	6	27	13	25	41	28.99	96.5	7.5615	73.0595
2025	6	27	13	35	41	28.94	95.6	7.5493	72.9364
2025	6	27	13	45	41	28.49	96.7	7.5493	71.6701
2025	6	27	13	55	41	28.96	95.9	7.5432	72.8748
2025	6	27	14	5	41	27.78	94.3	7.5371	70.0322
2025	6	27	14	15	41	28.13	92.4	7.531	70.9834
2025	6	27	14	25	41	27.07	94.2	7.531	68.2047
2025	6	27	14	35	41	27.87	96.4	7.5188	69.8546
2025	6	27	14	45	41	27.32	95.5	7.5188	68.5937
2025	6	27	14	55	41	28.53	92.6	7.5188	71.8721
2025	6	27	15	5	41	28.16	93.9	7.5127	70.8033
2025	6	27	15	15	41	27.8	94.7	7.5066	69.7362
2025	6	27	15	25	41	29.56	96	7.4883	73.8276
2025	6	27	15	35	41	28.1	94.9	7.4944	70.3718
2025	6	27	15	45	41	28.59	96.6	7.4883	71.3164
2025	6	27	15	55	41	27.64	95.8	7.4883	69.0564
2025	6	27	16	5	41	28.06	93.9	7.4883	70.312
2025	6	27	16	15	41	28.75	97.6	7.4761	71.4458
2025	6	27	16	25	41	28.03	98.8	7.4761	69.4403
2025	6	27	16	35	41	28.09	96.7	7.4639	69.8225
2025	6	27	16	45	41	27.96	96.2	7.4639	69.5722
2025	6	27	16	55	41	27.93	95.5	7.4518	69.4534
2025	6	27	17	5	41	27.24	95.9	7.4518	67.7046
2025	6	27	17	15	41	28.26	96.1	7.4457	70.1429
2025	6	27	17	25	41	28.67	96.2	7.4396	71.0805
2025	6	27	17	35	41	27.98	96.6	7.4335	69.2753
2025	6	27	17	45	41	28.12	97.2	7.4274	69.4649
2025	6	27	17	55	41	27.87	94.1	7.4274	69.216
2025	6	27	18	5	41	28.8	94.8	7.4274	71.4568
2025	6	27	18	15	41	27.6	95	7.4213	68.4103
2025	6	27	18	25	41	28.46	96.1	7.4213	70.4005
2025	6	27	18	35	41	27.61	95.2	7.4213	68.4104
2025	6	27	18	45	41	28.49	94.4	7.4213	70.6493
2025	6	27	18	55	41	28.98	96.3	7.4152	71.5828
2025	6	27	19	5	41	28.6	94.8	7.4152	70.8372
2025	6	27	19	15	41	29.53	95.4	7.4152	73.0742
2025	6	27	19	25	41	28.68	96.4	7.4091	70.7763
2025	6	27	19	35	41	28.87	96.2	7.4091	71.273
2025	6	27	19	45	41	27.35	96.1	7.4091	67.548
2025	6	27	19	55	41	27.31	95	7.4091	67.548

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	27	20	5	41	28.05	93.3	7.403	69.4749
2025	6	27	20	15	41	28.17	96.3	7.403	69.4749
2025	6	27	20	25	41	28.44	93	7.3969	70.4068
2025	6	27	20	35	41	28.54	95.6	7.3969	70.4068
2025	6	27	20	45	41	27.24	97.6	7.3908	66.8784
2025	6	27	20	55	41	28.04	95.7	7.3908	69.1077
2025	6	27	21	5	41	27.37	94.2	7.3786	67.5049
2025	6	27	21	15	41	28.06	93.7	7.3725	69.176
2025	6	27	21	25	41	28.09	96.7	7.3664	68.8694
2025	6	27	21	35	41	28.09	96.7	7.3664	68.8694
2025	6	27	21	45	41	29.55	93.5	7.3664	72.8189
2025	6	27	21	55	41	28.41	95	7.3603	69.7963
2025	6	27	22	5	41	29.34	95.7	7.3603	72.016
2025	6	27	22	15	41	27.85	93.5	7.3542	68.5038
2025	6	27	22	25	41	27.25	96.1	7.3542	66.7789
2025	6	27	22	35	41	27.98	94.3	7.3542	68.7503
2025	6	27	22	45	41	27.82	95.4	7.3542	68.2574
2025	6	27	22	55	41	28.94	95.6	7.3481	70.9065
2025	6	27	23	5	41	28.51	95	7.3481	69.9217
2025	6	27	23	15	41	28.5	96.9	7.3481	69.6755
2025	6	27	23	25	41	27.78	96.6	7.3481	67.9521
2025	6	27	23	35	41	28.32	95.3	7.3481	69.4293
2025	6	27	23	45	41	27.87	94.1	7.342	68.3851
2025	6	27	23	55	41	27.67	94.1	7.342	67.8932
2025	6	28	0	5	41	28.07	96.3	7.342	68.6311
2025	6	28	0	15	41	27.06	96.2	7.342	66.1712
2025	6	28	0	25	41	27.67	94.1	7.342	67.8932
2025	6	28	0	35	41	28.67	94	7.342	70.353
2025	6	28	0	45	41	28.93	95.4	7.342	70.845
2025	6	28	0	55	41	27.89	94.7	7.3359	68.3258
2025	6	28	1	5	41	28.78	94.2	7.3359	70.5378
2025	6	28	1	15	41	27.97	94.1	7.3359	68.5715
2025	6	28	1	25	41	27.3	94.8	7.3359	66.8511
2025	6	28	1	35	41	28.15	95.9	7.3298	68.7575
2025	6	28	1	45	41	29.14	95.7	7.3298	71.2132
2025	6	28	1	55	41	27.31	95	7.3298	66.793
2025	6	28	2	5	41	27.47	94	7.3298	67.2841
2025	6	28	2	15	41	27.05	95.9	7.3237	65.9989
2025	6	28	2	25	41	27.1	94.9	7.3237	66.2442
2025	6	28	2	35	41	26.86	96.2	7.3237	65.5082
2025	6	28	2	45	41	28.11	96.9	7.3176	68.3928
2025	6	28	2	55	41	28.4	94.8	7.3115	69.3129
2025	6	28	3	5	41	26.97	94.3	7.3115	65.884
2025	6	28	3	15	41	27.17	94	7.3054	66.316
2025	6	28	3	25	41	26.26	96.3	7.2994	63.8132
2025	6	28	3	35	41	28.24	95.7	7.2933	68.6431
2025	6	28	3	45	41	28.48	96.5	7.2933	69.1317
2025	6	28	3	55	41	28.54	95.6	7.2872	69.3153

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	28	4	5	41	25.96	96.4	7.2872	62.9695
2025	6	28	4	15	41	28.88	94.4	7.2872	70.2916
2025	6	28	4	25	41	29.22	95.3	7.2872	71.0238
2025	6	28	4	35	41	28.01	95.1	7.2811	68.0354
2025	6	28	4	45	41	27.25	96.1	7.2811	66.0846
2025	6	28	4	55	41	27.58	94.4	7.2811	67.06
2025	6	28	5	5	41	26.92	95.3	7.2811	65.353
2025	6	28	5	15	41	28.1	94.9	7.2811	68.2793
2025	6	28	5	25	41	28.28	94.3	7.275	68.7068
2025	6	28	5	35	41	26.8	94.9	7.275	65.0522
2025	6	28	5	45	41	26.75	93.4	7.275	65.0522
2025	6	28	5	55	41	27.49	94.6	7.275	66.7577
2025	6	28	6	5	41	26.97	94.3	7.275	65.5395
2025	6	28	6	15	41	28.73	95.4	7.275	69.6814
2025	6	28	6	25	41	28.34	93	7.2689	68.89
2025	6	28	6	35	41	28.34	95.7	7.2689	68.6466
2025	6	28	6	45	41	27.07	96.4	7.2689	65.482
2025	6	28	6	55	41	28.03	95.5	7.2689	67.9163
2025	6	28	7	5	41	26.15	96.1	7.2689	63.2912
2025	6	28	7	15	41	27.91	97	7.2689	67.4295
2025	6	28	7	25	41	27.37	94.2	7.2689	66.4557
2025	6	28	7	35	41	27.67	94.1	7.2689	67.186
2025	6	28	7	45	41	26.54	93	7.2689	64.5083
2025	6	28	7	55	41	28.41	95	7.2628	68.8296
2025	6	28	8	5	41	27.3	94.8	7.2628	66.1542
2025	6	28	8	15	41	28.4	94.8	7.2628	68.8295
2025	6	28	8	25	41	27.46	96.3	7.2628	66.3974
2025	6	28	8	35	41	27.8	96.8	7.2567	67.0681
2025	6	28	8	45	41	28.68	96.4	7.2567	69.2551
2025	6	28	8	55	41	24.6	90.5	7.2567	59.7781
2025	6	28	9	5	41	27.89	94.7	7.2567	67.554
2025	6	28	9	15	41	27.9	96.8	7.2506	67.2519
2025	6	28	9	25	41	27.33	97.4	7.2506	65.7951
2025	6	28	9	35	41	27.16	96.1	7.2445	65.4947
2025	6	28	9	45	41	27.11	95.1	7.2445	65.4947
2025	6	28	9	55	41	27.64	95.8	7.2323	66.5901
2025	6	28	10	5	41	27.08	94.4	7.2262	65.3217
2025	6	28	10	15	41	28.04	93.1	7.2262	67.741
2025	6	28	10	25	41	28.66	93.8	7.2201	69.1315
2025	6	28	10	35	41	27.06	96.2	7.2201	65.0223
2025	6	28	10	45	41	27.59	98.3	7.214	65.9309
2025	6	28	10	55	41	27.39	94.6	7.214	65.9308
2025	6	28	11	5	41	27.45	96.1	7.214	65.9308
2025	6	28	11	15	41	26.73	97.5	7.214	63.9987
2025	6	28	11	25	41	27.82	95.4	7.214	66.8968
2025	6	28	11	35	41	28.37	96.3	7.2079	68.0441
2025	6	28	11	45	41	25.9	98.7	7.2079	61.7705
2025	6	28	11	55	41	27.48	94.4	7.2079	66.1137

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	28	12	5	41	26.75	96	7.2018	64.1266
2025	6	28	12	15	41	26.51	95.2	7.2079	63.7007
2025	6	28	12	25	41	26.62	95.4	7.2018	63.8854
2025	6	28	12	35	41	28.35	95.9	7.2018	67.9837
2025	6	28	12	45	41	27.29	94.6	7.2018	65.5729
2025	6	28	12	55	41	27.41	95.2	7.1957	65.7557
2025	6	28	13	5	41	26.64	93	7.1957	64.0696
2025	6	28	13	15	41	26.82	95.3	7.1896	64.2535
2025	6	28	13	25	41	27.44	95.9	7.1896	65.6973
2025	6	28	13	35	41	27.15	93.4	7.1774	65.1003
2025	6	28	13	45	41	26.45	93.5	7.1835	63.4751
2025	6	28	13	55	41	26.64	95.8	7.1835	63.7155
2025	6	28	14	5	41	26.47	94.1	7.1774	63.4187
2025	6	28	14	15	41	26.21	95.3	7.1713	62.6424
2025	6	28	14	25	41	26.94	95.8	7.1713	64.3224
2025	6	28	14	35	41	26.54	93.2	7.1652	63.5458
2025	6	28	14	45	41	26.22	97.5	7.1591	62.2913
2025	6	28	14	55	41	25.73	95.8	7.1591	61.333
2025	6	28	15	5	41	26.5	95	7.1713	63.3623
2025	6	28	15	15	41	26.07	94.2	7.1591	62.2913
2025	6	28	15	25	41	27.08	96.6	7.153	64.3902
2025	6	28	15	35	41	26.59	94.7	7.153	63.4327
2025	6	28	15	45	41	25.47	94.3	7.153	60.7996
2025	6	28	15	55	41	26.43	95.6	7.147	62.8978
2025	6	28	16	5	41	26.84	93	7.147	64.0936
2025	6	28	16	15	41	26.61	97.1	7.1409	63.0807
2025	6	28	16	25	41	26.03	95.7	7.1409	61.886
2025	6	28	16	35	41	26.41	95.2	7.1409	62.8417
2025	6	28	16	45	41	26.08	94.4	7.1348	62.0694
2025	6	28	16	55	41	26.06	96.4	7.1348	61.8307
2025	6	28	17	5	41	27.41	95	7.1287	65.1147
2025	6	28	17	15	41	26.43	95.6	7.1287	62.7296
2025	6	28	17	25	41	27.03	95.5	7.1287	64.1607
2025	6	28	17	35	41	26.7	94.9	7.1287	63.4451
2025	6	28	17	45	41	26.84	95.8	7.1226	63.6267
2025	6	28	17	55	41	25.82	92.2	7.1226	61.482
2025	6	28	18	5	41	27.59	94.6	7.1226	65.5331
2025	6	28	18	15	41	25.97	96.6	7.1226	61.482
2025	6	28	18	25	41	26.82	95.3	7.1226	63.6268
2025	6	28	18	35	41	27.04	93.2	7.1104	64.2265
2025	6	28	18	45	41	26.84	95.8	7.1104	63.5129
2025	6	28	18	55	41	25.33	92.9	7.1043	60.1286
2025	6	28	19	5	41	25.96	94	7.1043	61.5546
2025	6	28	19	15	41	26.98	94.5	7.0982	63.8739
2025	6	28	19	25	41	27.77	96.4	7.0921	65.4772
2025	6	28	19	35	41	26.59	94.7	7.086	62.8111
2025	6	28	19	45	41	27.08	96.6	7.086	63.7592
2025	6	28	19	55	41	27.41	95	7.0799	64.6491

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	28	20	5	41	27.5	94.8	7.0799	64.8859
2025	6	28	20	15	41	27.37	94	7.0799	64.6491
2025	6	28	20	25	41	26.21	95.3	7.0738	61.7518
2025	6	28	20	35	41	26.34	93	7.0677	62.1689
2025	6	28	20	45	41	25.76	96.5	7.0677	60.5142
2025	6	28	20	55	41	26.84	97.7	7.0616	62.8213
2025	6	28	21	5	41	27.2	97	7.0616	63.766
2025	6	28	21	15	41	26.55	96.1	7.0555	62.2927
2025	6	28	21	25	41	26.07	94.2	7.0555	61.3489
2025	6	28	21	35	41	26.67	96.5	7.0555	62.5287
2025	6	28	21	45	41	26.41	97.2	7.0494	61.765
2025	6	28	21	55	41	26.16	96.4	7.0433	61.2381
2025	6	28	22	5	41	26.55	93.7	7.0372	62.3592
2025	6	28	22	15	41	25.5	95.2	7.0372	59.7708
2025	6	28	22	25	41	26.83	95.6	7.0372	62.8299
2025	6	28	22	35	41	26.98	94.5	7.0311	63.2432
2025	6	28	22	45	41	26.38	96.7	7.0189	61.4857
2025	6	28	22	55	41	26.51	95.2	7.0067	61.8425
2025	6	28	23	5	41	26.76	97.9	7.0006	62.0202
2025	6	28	23	15	41	25.21	95.5	7.0006	58.7437
2025	6	28	23	25	41	25.57	94.3	6.9945	59.6255
2025	6	28	23	35	41	26.46	96.3	6.9885	61.4401
2025	6	28	23	45	41	25.41	95.4	6.9885	59.1039
2025	6	28	23	55	41	25.65	96.3	6.9824	59.5168
2025	6	29	0	5	41	26.7	97.1	6.9824	61.8508
2025	6	29	0	15	41	26.87	94.3	6.9824	62.551
2025	6	29	0	25	41	26.36	96.3	6.9763	61.0948
2025	6	29	0	35	41	26.13	95.7	6.9763	60.6284
2025	6	29	0	45	41	26.56	96.3	6.9702	61.5049
2025	6	29	0	55	41	24.33	92.8	6.9702	56.6124
2025	6	29	1	5	41	25.57	98.3	6.9641	58.8882
2025	6	29	1	15	41	24.7	97.2	6.958	56.9739
2025	6	29	1	25	41	26.63	95.6	6.958	61.6249
2025	6	29	1	35	41	26.05	96.2	6.9397	60.0639
2025	6	29	1	45	41	24.88	98.6	6.9275	56.9442
2025	6	29	1	55	41	25.2	95	6.9275	58.1016
2025	6	29	2	5	41	25.36	96.3	6.9214	58.2794
2025	6	29	2	15	41	25.87	94.2	6.9214	59.667
2025	6	29	2	25	41	27.08	96.6	6.9153	62.1536
2025	6	29	2	35	41	24.22	95.7	6.9153	55.6841
2025	6	29	2	45	41	24.18	98.8	6.9153	55.222
2025	6	29	2	55	41	24.55	96.3	6.9092	56.3252
2025	6	29	3	5	41	25.91	95.3	6.9092	59.557
2025	6	29	3	15	41	26.03	95.7	6.9092	59.7878
2025	6	29	3	25	41	25.47	94.3	6.9031	58.5795
2025	6	29	3	35	41	24.27	94.3	6.9031	55.812
2025	6	29	3	45	41	24.82	95.5	6.9031	56.9651
2025	6	29	3	55	41	25.65	96.3	6.897	58.7558

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	29	4	5	41	23.73	92.7	6.897	54.6083
2025	6	29	4	15	41	24.95	96.2	6.8909	57.09
2025	6	29	4	25	41	25.27	96.6	6.8909	57.7806
2025	6	29	4	35	41	25.06	93.9	6.8848	57.4971
2025	6	29	4	45	41	25.12	95.7	6.8787	57.4438
2025	6	29	4	55	41	25.07	96.6	6.8665	57.1079
2025	6	29	5	5	41	26.13	95.7	6.8604	59.5753
2025	6	29	5	15	41	25.72	95.6	6.8543	58.6042
2025	6	29	5	25	41	25.11	95.3	6.8543	57.2307
2025	6	29	5	35	41	25.5	95.2	6.8482	58.0922
2025	6	29	5	45	41	25.17	94.3	6.8482	57.4061
2025	6	29	5	55	41	27.2	97	6.8421	61.694
2025	6	29	6	5	41	26	95.1	6.8421	59.1806
2025	6	29	6	15	41	25.2	95	6.8421	57.3526
2025	6	29	6	25	41	24.93	95.8	6.8361	56.6143
2025	6	29	6	35	41	24.97	94.4	6.8361	56.8425
2025	6	29	6	45	41	24.16	96.7	6.8361	54.788
2025	6	29	6	55	41	27.12	95.5	6.83	61.5789
2025	6	29	7	5	41	25.18	96.8	6.83	57.0175
2025	6	29	7	15	41	25.27	94.3	6.83	57.4737
2025	6	29	7	25	41	24.25	93.8	6.8239	55.1414
2025	6	29	7	35	41	24.55	96.3	6.8239	55.5971
2025	6	29	7	45	41	25.11	95.5	6.8178	56.9109
2025	6	29	7	55	41	25.61	95.4	6.8178	58.0492
2025	6	29	8	5	41	24.62	95.6	6.8117	55.7205
2025	6	29	8	15	41	25.66	93.8	6.7995	58.1131
2025	6	29	8	25	41	25.84	93.3	6.7873	58.4571
2025	6	29	8	35	41	24.38	94.7	6.7812	55.0067
2025	6	29	8	45	41	25.37	94.3	6.7812	57.2703
2025	6	29	8	55	41	24.23	95.9	6.7751	54.5026
2025	6	29	9	5	41	24.02	95.7	6.7751	54.0502
2025	6	29	9	15	41	25.22	95.7	6.769	56.7105
2025	6	29	9	25	41	24.38	94.7	6.769	54.903
2025	6	29	9	35	41	24.62	95.6	6.769	55.3549
2025	6	29	9	45	41	24.62	95.6	6.7629	55.3026
2025	6	29	9	55	41	24.57	96.8	6.7629	55.0769
2025	6	29	10	5	41	24.62	95.6	6.7568	55.2504
2025	6	29	10	15	41	24.23	95.9	6.7568	54.3483
2025	6	29	10	25	41	22.99	95	6.7507	51.5933
2025	6	29	10	35	41	23.88	94.6	6.7385	53.5196
2025	6	29	10	45	41	23.68	94.8	6.7263	52.9693
2025	6	29	10	55	41	23.79	95.1	6.7202	53.1432
2025	6	29	11	5	41	25.36	93.8	6.7141	56.677
2025	6	29	11	15	41	24.76	96.5	6.7141	55.1088
2025	6	29	11	25	41	23.3	95.4	6.708	51.9231
2025	6	29	11	35	41	24.04	96.2	6.7019	53.4388
2025	6	29	11	45	41	24.93	95.8	6.7019	55.4511
2025	6	29	11	55	41	23.48	97.1	6.6958	52.0475

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	29	12	5	41	22.19	95.2	6.6958	49.3669
2025	6	29	12	15	41	22.99	95	6.6958	51.1539
2025	6	29	12	25	41	23.88	94.8	6.6898	53.1136
2025	6	29	12	35	41	23.89	95	6.6837	53.0629
2025	6	29	12	45	41	24.44	96.1	6.6776	54.1259
2025	6	29	12	55	41	23.39	95.2	6.6654	51.7992
2025	6	29	13	5	41	23.18	97.2	6.6593	51.0832
2025	6	29	13	15	41	23.98	94.5	6.6532	53.0312
2025	6	29	13	25	41	23.89	97.2	6.6532	52.5874
2025	6	29	13	35	41	23.49	94.9	6.6532	51.9217
2025	6	29	13	45	41	24.04	96.2	6.641	52.9293
2025	6	29	13	55	41	24.26	94	6.641	53.5937
2025	6	29	14	5	41	24.48	94.7	6.6349	53.9846
2025	6	29	14	15	41	23.41	95.6	6.6288	51.5013
2025	6	29	14	25	41	23.39	95.2	6.6288	51.5012
2025	6	29	14	35	41	22.91	97.8	6.6227	50.1267
2025	6	29	14	45	41	22.61	92	6.6166	49.8577
2025	6	29	14	55	41	23.26	94.2	6.6166	51.1814
2025	6	29	15	5	41	23.33	92.7	6.6105	51.3524
2025	6	29	15	15	41	23.59	95.1	6.6044	51.7431
2025	6	29	15	25	41	23.99	97.2	6.5983	52.353
2025	6	29	15	35	41	22.9	95.3	6.5922	50.1047
2025	6	29	15	45	41	23.53	92.7	6.5861	51.593
2025	6	29	15	55	41	23.39	94.9	6.5861	51.1539
2025	6	29	16	5	41	23.07	97	6.5739	50.1782
2025	6	29	16	15	41	22.51	95.6	6.5739	49.0826
2025	6	29	16	25	41	23.79	97.2	6.5739	51.712
2025	6	29	16	35	41	23.36	96.6	6.5678	50.7862
2025	6	29	16	45	41	24.08	96.9	6.5617	52.2676
2025	6	29	16	55	41	23.43	96.1	6.5617	50.9555
2025	6	29	17	5	41	23.05	98.5	6.5617	49.862
2025	6	29	17	15	41	23.96	94.1	6.5556	52.2168
2025	6	29	17	25	41	23.85	93.6	6.5556	51.9983
2025	6	29	17	35	41	22.74	93.5	6.5556	49.5951
2025	6	29	17	45	41	22.2	95.4	6.5495	48.2372
2025	6	29	17	55	41	23.96	94.1	6.5434	52.1151
2025	6	29	18	5	41	23.02	95.7	6.5374	49.8859
2025	6	29	18	15	41	24.32	97.8	6.5374	52.5
2025	6	29	18	25	41	22.3	95.4	6.5374	48.361
2025	6	29	18	35	41	23.02	95.7	6.5313	49.8372
2025	6	29	18	45	41	23.19	97.4	6.5252	50.0059
2025	6	29	18	55	41	23.23	96.2	6.5191	50.1742
2025	6	29	19	5	41	23.98	96.9	6.5191	51.6946
2025	6	29	19	15	41	22.56	94.3	6.513	48.8231
2025	6	29	19	25	41	22.75	96.6	6.513	49.0401
2025	6	29	19	35	41	23.8	97.5	6.5069	51.1598
2025	6	29	19	45	41	23.59	99	6.5069	50.5095
2025	6	29	19	55	41	22.77	98.8	6.5008	48.7274

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	29	20	5	41	24.15	96.4	6.5069	52.0271
2025	6	29	20	15	41	22.8	95.3	6.5008	49.1606
2025	6	29	20	25	41	23.14	96.2	6.5008	49.8104
2025	6	29	20	35	41	22.52	95.9	6.5008	48.511
2025	6	29	20	45	41	22.83	96	6.4947	49.1124
2025	6	29	20	55	41	23.23	96.2	6.4947	49.9779
2025	6	29	21	5	41	23.59	97.3	6.4947	50.627
2025	6	29	21	15	41	23.25	96.4	6.4947	49.9779
2025	6	29	21	25	41	23.07	97	6.4886	49.4965
2025	6	29	21	35	41	23.86	94.1	6.4886	51.4418
2025	6	29	21	45	41	22.85	96.5	6.4886	49.0643
2025	6	29	21	55	41	23.64	99.7	6.4886	50.3612
2025	6	29	22	5	41	22.68	94.8	6.4886	48.8482
2025	6	29	22	15	41	23.95	96.5	6.4825	51.3913
2025	6	29	22	25	41	22.83	93	6.4825	49.232
2025	6	29	22	35	41	22.9	97.5	6.4825	49.0161
2025	6	29	22	45	41	22.2	97.8	6.4825	47.5046
2025	6	29	22	55	41	24.47	96.8	6.4764	52.4193
2025	6	29	23	5	41	21.67	94.5	6.4764	46.595
2025	6	29	23	15	41	23.1	95.2	6.4764	49.615
2025	6	29	23	25	41	22.04	96.5	6.4764	47.2422
2025	6	29	23	35	41	23.37	96.9	6.4764	50.0465
2025	6	29	23	45	41	23.7	95.3	6.4764	50.9094
2025	6	29	23	55	41	22.63	96.1	6.4764	48.5365
2025	6	30	0	5	41	21.93	96.3	6.4764	47.0265
2025	6	30	0	15	41	23.56	96.6	6.4764	50.478
2025	6	30	0	25	41	23.1	95.2	6.4764	49.6151
2025	6	30	0	35	41	22.76	94	6.4764	48.968
2025	6	30	0	45	41	23.82	92.2	6.4764	51.3409
2025	6	30	0	55	41	22.03	98.4	6.4703	46.9802
2025	6	30	1	5	41	23.05	93.7	6.4703	49.5662
2025	6	30	1	15	41	21.55	96.7	6.4703	46.1181
2025	6	30	1	25	41	22.73	96.1	6.4703	48.7042
2025	6	30	1	35	41	22.2	97.8	6.4703	47.4112
2025	6	30	1	45	41	22.25	93.9	6.4703	47.8422
2025	6	30	1	55	41	21.33	93.2	6.4703	45.9027
2025	6	30	2	5	41	21.49	95.3	6.4642	46.0727
2025	6	30	2	15	41	22.9	97.5	6.4642	48.8715
2025	6	30	2	25	41	21.05	96.8	6.4642	44.9962
2025	6	30	2	35	41	21.54	93.5	6.4642	46.288
2025	6	30	2	45	41	23.02	95.7	6.4642	49.3021
2025	6	30	2	55	41	21.96	94.2	6.4642	47.1491
2025	6	30	3	5	41	23.43	96.1	6.4642	50.1633
2025	6	30	3	15	41	23.78	97	6.4642	50.8091
2025	6	30	3	25	41	22.53	96.1	6.4581	48.178
2025	6	30	3	35	41	21.97	97.1	6.4581	46.8875
2025	6	30	3	45	41	22.55	96.6	6.4581	48.178
2025	6	30	3	55	41	22.6	97.6	6.4581	48.178

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	30	4	5	41	22.48	94.8	6.4581	48.178
2025	6	30	4	15	41	21.66	96.9	6.4581	46.2422
2025	6	30	4	25	41	22.49	95.1	6.4581	48.178
2025	6	30	4	35	41	22.36	94.1	6.452	47.9154
2025	6	30	4	45	41	23.9	95.3	6.452	51.1384
2025	6	30	4	55	41	23.05	96.5	6.452	49.2046
2025	6	30	5	5	41	23.12	98	6.452	49.2046
2025	6	30	5	15	41	22.96	96.8	6.452	48.9898
2025	6	30	5	25	41	22.96	94	6.452	49.2046
2025	6	30	5	35	41	22.85	93.8	6.452	48.9898
2025	6	30	5	45	41	23.41	97.6	6.4459	49.7999
2025	6	30	5	55	41	22.34	96.4	6.4459	47.6533
2025	6	30	6	5	41	22.8	97.6	6.4459	48.5119
2025	6	30	6	15	41	22.35	96.7	6.4459	47.6533
2025	6	30	6	25	41	22.93	92.8	6.4459	49.1559
2025	6	30	6	35	41	22.57	97.1	6.4459	48.0826
2025	6	30	6	45	41	23.68	94.8	6.4459	50.6585
2025	6	30	6	55	41	22.71	95.6	6.4459	48.5119
2025	6	30	7	5	41	22.42	97.9	6.4459	47.6533
2025	6	30	7	15	41	23.1	97.5	6.4398	49.1071
2025	6	30	7	25	41	22.97	94.5	6.4398	49.1071
2025	6	30	7	35	41	22.49	95.1	6.4459	48.0825
2025	6	30	7	45	41	21.6	95.6	6.4459	46.1506
2025	6	30	7	55	41	23.89	97.2	6.4398	50.8226
2025	6	30	8	5	41	21.79	95.3	6.4398	46.5337
2025	6	30	8	15	41	20.42	92.8	6.4337	43.7026
2025	6	30	8	25	41	22.52	95.9	6.4337	47.9871
2025	6	30	8	35	41	22.38	94.9	6.4337	47.7729
2025	6	30	8	45	41	21.61	95.8	6.4276	46.0133
2025	6	30	8	55	41	22.79	97.3	6.4276	48.3674
2025	6	30	9	5	41	20.83	93.3	6.4276	44.5151
2025	6	30	9	15	41	21.86	96.8	6.4215	46.395
2025	6	30	9	25	41	22.13	96.2	6.4215	47.0364
2025	6	30	9	35	41	24.01	95.5	6.4215	51.0986
2025	6	30	9	45	41	22.84	96.3	6.4215	48.533
2025	6	30	9	55	41	21.61	95.8	6.4215	45.9673
2025	6	30	10	5	41	21.46	98.8	6.4215	45.3259
2025	6	30	10	15	41	22.69	97.3	6.4215	48.1053
2025	6	30	10	25	41	23.67	94.4	6.4215	50.457
2025	6	30	10	35	41	23.02	95.7	6.4215	48.9604
2025	6	30	10	45	41	21.84	96.6	6.4215	46.3947
2025	6	30	10	55	41	23.26	93.9	6.4215	49.6017
2025	6	30	11	5	41	21.68	99.3	6.4154	45.7077
2025	6	30	11	15	41	21.28	95.1	6.4154	45.2805
2025	6	30	11	25	41	22.87	97	6.4215	48.5326
2025	6	30	11	35	41	22.5	95.4	6.4154	47.8435
2025	6	30	11	45	41	22.49	95.1	6.4154	47.8435
2025	6	30	11	55	41	21.92	92.6	6.4154	46.7755

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	30	12	5	41	22.66	96.8	6.4154	48.057
2025	6	30	12	15	41	22.08	97.3	6.4154	46.7754
2025	6	30	12	25	41	21.54	98.5	6.4093	45.4486
2025	6	30	12	35	41	21.52	96.1	6.4093	45.6619
2025	6	30	12	45	41	22.46	96.9	6.4093	47.5822
2025	6	30	12	55	41	22.34	96.4	6.4032	47.3216
2025	6	30	13	5	41	21.64	96.6	6.4032	45.8294
2025	6	30	13	15	41	21.74	96.6	6.4032	46.0426
2025	6	30	13	25	41	21.57	97.2	6.3971	45.5707
2025	6	30	13	35	41	22.01	91.8	6.3971	46.8483
2025	6	30	13	45	41	23.29	95.2	6.3971	49.4037
2025	6	30	13	55	41	21.67	94.8	6.391	45.9506
2025	6	30	14	5	41	22.22	95.9	6.385	46.9672
2025	6	30	14	15	41	21.6	95.6	6.385	45.692
2025	6	30	14	25	41	21.99	95.2	6.385	46.5421
2025	6	30	14	35	41	20.95	94.1	6.385	44.4169
2025	6	30	14	45	41	23.39	94.9	6.3789	49.4678
2025	6	30	14	55	41	22.4	95.4	6.3789	47.3447
2025	6	30	15	5	41	22.39	95.1	6.3728	47.2973
2025	6	30	15	15	41	21.5	95.6	6.3789	45.4339
2025	6	30	15	25	41	22.05	96.8	6.3667	46.4023
2025	6	30	15	35	41	20.58	95	6.3728	43.4795
2025	6	30	15	45	41	22.73	98.1	6.3728	47.7214
2025	6	30	15	55	41	22.59	99.2	6.3667	47.2498
2025	6	30	16	5	41	21.77	94.5	6.3667	45.9785
2025	6	30	16	15	41	21.69	97.7	6.3667	45.5547
2025	6	30	16	25	41	21.66	96.9	6.3606	45.509
2025	6	30	16	35	41	20.81	95.8	6.3606	43.8157
2025	6	30	16	45	41	21.86	96.8	6.3606	45.9324
2025	6	30	16	55	41	22.69	95.1	6.3606	47.8374
2025	6	30	17	5	41	23.25	98.4	6.3606	48.6841
2025	6	30	17	15	41	22.33	96.2	6.3545	46.9435
2025	6	30	17	25	41	22.65	96.6	6.3545	47.5779
2025	6	30	17	35	41	22.6	95.3	6.3484	47.5301
2025	6	30	17	45	41	21.09	97.6	6.3484	44.1502
2025	6	30	17	55	41	22.3	95.4	6.3484	46.8964
2025	6	30	18	5	41	21.51	95.9	6.3484	45.2064
2025	6	30	18	15	41	21.48	97.5	6.3484	44.9952
2025	6	30	18	25	41	22.28	94.9	6.3484	46.8965
2025	6	30	18	35	41	22.61	95.6	6.3423	47.4823
2025	6	30	18	45	41	22.17	97	6.3484	46.474
2025	6	30	18	55	41	21.56	96.9	6.3423	45.161
2025	6	30	19	5	41	21.67	94.8	6.3423	45.5831
2025	6	30	19	15	41	21.84	96.6	6.3423	45.7942
2025	6	30	19	25	41	21.95	96.8	6.3423	46.0053
2025	6	30	19	35	41	20.9	95.5	6.3362	43.8507
2025	6	30	19	45	41	21.19	95.4	6.3423	44.5281
2025	6	30	19	55	41	21.89	95.2	6.3423	46.0053

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	6	30	20	5	41	21.64	93.4	6.3423	45.5833
2025	6	30	20	15	41	22.17	94.7	6.3362	46.5915
2025	6	30	20	25	41	22.61	97.9	6.3362	47.224
2025	6	30	20	35	41	21.2	97.9	6.3423	44.3172
2025	6	30	20	45	41	21.79	95.3	6.3423	45.7945
2025	6	30	20	55	41	21.64	96.6	6.3362	45.3267
2025	6	30	21	5	41	21.14	96.5	6.3362	44.2726
2025	6	30	21	15	41	22.76	94	6.3362	47.8566
2025	6	30	21	25	41	21.55	96.7	6.3362	45.116
2025	6	30	21	35	41	21.44	93.5	6.3362	45.116
2025	6	30	21	45	41	21.96	98.9	6.3362	45.7485
2025	6	30	21	55	41	22.87	97	6.3301	47.8085
2025	6	30	22	5	41	22.59	95.1	6.3362	47.4352
2025	6	30	22	15	41	22.75	96.6	6.3362	47.646
2025	6	30	22	25	41	21.8	95.5	6.3301	45.7025
2025	6	30	22	35	41	22.49	97.4	6.3362	47.0136
2025	6	30	22	45	41	22.69	95.1	6.3301	47.598
2025	6	30	22	55	41	21.87	94.5	6.3362	45.9595
2025	6	30	23	5	41	22.02	96	6.3362	46.1704
2025	6	30	23	15	41	22.35	96.7	6.3301	46.7556
2025	6	30	23	25	41	21.63	93.2	6.3301	45.492
2025	6	30	23	35	41	21.61	95.8	6.3301	45.2814
2025	6	30	23	45	41	22.79	95	6.3301	47.8088
2025	6	30	23	55	41	22.97	94.5	6.3301	48.23

Alabama Gates Release

Station 0087

Date	Flow (cfs)
6/1/2025	0.00
6/2/2025	0.00
6/3/2025	0.00
6/4/2025	0.00
6/5/2025	0.00
6/6/2025	0.00
6/7/2025	0.00
6/8/2025	0.00
6/9/2025	0.00
6/10/2025	0.00
6/11/2025	0.00
6/12/2025	0.00
6/13/2025	0.00
6/14/2025	0.00
6/15/2025	0.00
6/16/2025	0.00
6/17/2025	0.00
6/18/2025	0.00
6/19/2025	0.00
6/20/2025	0.00
6/21/2025	0.00
6/22/2025	0.00
6/23/2025	0.00
6/24/2025	0.00
6/25/2025	0.00
6/26/2025	0.00
6/27/2025	0.00
6/28/2025	0.00
6/29/2025	0.00
6/30/2025	0.00

Langemann Gate to Delta Weir to Delta Pumpback Station Discharge

DATE	FLOW (CFS)	FLOW (CFS)	FLOW (CFS)
6/1/2025	3	0	38
6/2/2025	3	0	38
6/3/2025	3	0	38
6/4/2025	3	0	38
6/5/2025	3	0	38
6/6/2025	3	0	38
6/7/2025	3	0	39
6/8/2025	3	0	40
6/9/2025	3	0	41
6/10/2025	3	0	40
6/11/2025	3	0	40
6/12/2025	3	0	38
6/13/2025	3	0	35
6/14/2025	3	0	33
6/15/2025	3	0	31
6/16/2025	3	0	28
6/17/2025	3	0	27
6/18/2025	3	0	28
6/19/2025	3	0	30
6/20/2025	3	0	33
6/21/2025	3	0	36
6/22/2025	3	0	42
6/23/2025	3	0	48
6/24/2025	3	8	48
6/25/2025	3	22	48
6/26/2025	3	32	48
6/27/2025	3	38	48
6/28/2025	3	34	48
6/29/2025	3	21	48
6/30/2025	3	6	48

Pumpback Station Discharge (0364)

6/1/25 0:00 == 33.7	6/1/25 4:30 == 47.9	6/1/25 9:00 == 34.2	6/1/25 13:30 == 48.1
6/1/25 0:05 == 33.6	6/1/25 4:35 == 48	6/1/25 9:05 == 33.6	6/1/25 13:35 == 48.1
6/1/25 0:10 == 33.6	6/1/25 4:40 == 41.1	6/1/25 9:10 == 33.7	6/1/25 13:40 == 47.9
6/1/25 0:15 == 33.5	6/1/25 4:45 == 34.9	6/1/25 9:15 == 33.7	6/1/25 13:45 == 48.2
6/1/25 0:20 == 33.5	6/1/25 4:50 == 33.7	6/1/25 9:20 == 33.9	6/1/25 13:50 == 47.8
6/1/25 0:25 == 33.4	6/1/25 4:55 == 33.7	6/1/25 9:25 == 33.8	6/1/25 13:55 == 43.9
6/1/25 0:30 == 33.5	6/1/25 5:00 == 33.6	6/1/25 9:30 == 33.7	6/1/25 14:00 == 33.5
6/1/25 0:35 == 33.6	6/1/25 5:05 == 33.6	6/1/25 9:35 == 33.6	6/1/25 14:05 == 33.5
6/1/25 0:40 == 33.6	6/1/25 5:10 == 33.6	6/1/25 9:40 == 33.6	6/1/25 14:10 == 33.5
6/1/25 0:45 == 33.5	6/1/25 5:15 == 33.5	6/1/25 9:45 == 33.6	6/1/25 14:15 == 33.5
6/1/25 0:50 == 33.5	6/1/25 5:20 == 33.6	6/1/25 9:50 == 33.8	6/1/25 14:20 == 33.5
6/1/25 0:55 == 33.6	6/1/25 5:25 == 33.8	6/1/25 9:55 == 33.9	6/1/25 14:25 == 33.5
6/1/25 1:00 == 33.6	6/1/25 5:30 == 33.6	6/1/25 10:00 == 33.8	6/1/25 14:30 == 33.5
6/1/25 1:05 == 33.6	6/1/25 5:35 == 33.4	6/1/25 10:05 == 33.7	6/1/25 14:35 == 33.6
6/1/25 1:10 == 33.6	6/1/25 5:40 == 33.6	6/1/25 10:10 == 33.9	6/1/25 14:40 == 33.7
6/1/25 1:15 == 33.3	6/1/25 5:45 == 33.8	6/1/25 10:15 == 34	6/1/25 14:45 == 33.5
6/1/25 1:20 == 33.4	6/1/25 5:50 == 33.7	6/1/25 10:20 == 33.9	6/1/25 14:50 == 33.5
6/1/25 1:25 == 38.4	6/1/25 5:55 == 33.6	6/1/25 10:25 == 33.8	6/1/25 14:55 == 33.5
6/1/25 1:30 == 46.1	6/1/25 6:00 == 33.6	6/1/25 10:30 == 33.6	6/1/25 15:00 == 33.6
6/1/25 1:35 == 47.8	6/1/25 6:05 == 33.5	6/1/25 10:35 == 33.8	6/1/25 15:05 == 33.7
6/1/25 1:40 == 48	6/1/25 6:10 == 33.4	6/1/25 10:40 == 37	6/1/25 15:10 == 33.7
6/1/25 1:45 == 48.1	6/1/25 6:15 == 33.5	6/1/25 10:45 == 46.4	6/1/25 15:15 == 33.7
6/1/25 1:50 == 48.1	6/1/25 6:20 == 33.4	6/1/25 10:50 == 47.9	6/1/25 15:20 == 33.8
6/1/25 1:55 == 48	6/1/25 6:25 == 33.3	6/1/25 10:55 == 47.5	6/1/25 15:25 == 33.9
6/1/25 2:00 == 47.9	6/1/25 6:30 == 33.3	6/1/25 11:00 == 48	6/1/25 15:30 == 33.9
6/1/25 2:05 == 48	6/1/25 6:35 == 33.3	6/1/25 11:05 == 48	6/1/25 15:35 == 33.9
6/1/25 2:10 == 40.7	6/1/25 6:40 == 33.8	6/1/25 11:10 == 47.9	6/1/25 15:40 == 33.8
6/1/25 2:15 == 34.1	6/1/25 6:45 == 33.6	6/1/25 11:15 == 47.8	6/1/25 15:45 == 33.9
6/1/25 2:20 == 33.4	6/1/25 6:50 == 33.6	6/1/25 11:20 == 47.7	6/1/25 15:50 == 33.9
6/1/25 2:25 == 33.4	6/1/25 6:55 == 34	6/1/25 11:25 == 43.2	6/1/25 15:55 == 33.9
6/1/25 2:30 == 33.4	6/1/25 7:00 == 33.9	6/1/25 11:30 == 34.4	6/1/25 16:00 == 34
6/1/25 2:35 == 33.4	6/1/25 7:05 == 34	6/1/25 11:35 == 34	6/1/25 16:05 == 33.8
6/1/25 2:40 == 33.4	6/1/25 7:10 == 34	6/1/25 11:40 == 34.1	6/1/25 16:10 == 33.8
6/1/25 2:45 == 33.5	6/1/25 7:15 == 34	6/1/25 11:45 == 34	6/1/25 16:15 == 33.8
6/1/25 2:50 == 33.5	6/1/25 7:20 == 34.1	6/1/25 11:50 == 34.2	6/1/25 16:20 == 33.7
6/1/25 2:55 == 33.4	6/1/25 7:25 == 34	6/1/25 11:55 == 34.1	6/1/25 16:25 == 33.8
6/1/25 3:00 == 33.4	6/1/25 7:30 == 34	6/1/25 12:00 == 33.8	6/1/25 16:30 == 33.8
6/1/25 3:05 == 33.3	6/1/25 7:35 == 34.2	6/1/25 12:05 == 33.9	6/1/25 16:35 == 33.7
6/1/25 3:10 == 33.4	6/1/25 7:40 == 34.2	6/1/25 12:10 == 33.9	6/1/25 16:40 == 33.9
6/1/25 3:15 == 33.4	6/1/25 7:45 == 34.1	6/1/25 12:15 == 33.9	6/1/25 16:45 == 33.7
6/1/25 3:20 == 33.5	6/1/25 7:50 == 34.1	6/1/25 12:20 == 33.9	6/1/25 16:50 == 33.7
6/1/25 3:25 == 33.3	6/1/25 7:55 == 34.1	6/1/25 12:25 == 34	6/1/25 16:55 == 33.6
6/1/25 3:30 == 33.4	6/1/25 8:00 == 33.8	6/1/25 12:30 == 34	6/1/25 17:00 == 33.4
6/1/25 3:35 == 33.3	6/1/25 8:05 == 33.8	6/1/25 12:35 == 34	6/1/25 17:05 == 33.5
6/1/25 3:40 == 37.5	6/1/25 8:10 == 36.9	6/1/25 12:40 == 33.9	6/1/25 17:10 == 36.5
6/1/25 3:45 == 47.7	6/1/25 8:15 == 47.2	6/1/25 12:45 == 34	6/1/25 17:15 == 44.7
6/1/25 3:50 == 47.9	6/1/25 8:20 == 47.9	6/1/25 12:50 == 34	6/1/25 17:20 == 48
6/1/25 3:55 == 47.9	6/1/25 8:25 == 47.8	6/1/25 12:55 == 37.8	6/1/25 17:25 == 47.6
6/1/25 4:00 == 48	6/1/25 8:30 == 48	6/1/25 13:00 == 45.2	6/1/25 17:30 == 47.8
6/1/25 4:05 == 48	6/1/25 8:35 == 48	6/1/25 13:05 == 48	6/1/25 17:35 == 47.9
6/1/25 4:10 == 47.5	6/1/25 8:40 == 48.1	6/1/25 13:10 == 48.1	6/1/25 17:40 == 47.9
6/1/25 4:15 == 47.9	6/1/25 8:45 == 48	6/1/25 13:15 == 48.1	6/1/25 17:45 == 48
6/1/25 4:20 == 48.1	6/1/25 8:50 == 48	6/1/25 13:20 == 48.1	6/1/25 17:50 == 48
6/1/25 4:25 == 47.9	6/1/25 8:55 == 42.6	6/1/25 13:25 == 47.9	6/1/25 17:55 == 43

Pumpback Station Discharge (0364)

6/1/25 18:00 == 35.5	6/1/25 22:30 == 48.2	6/2/25 3:00 == 33.2	6/2/25 7:30 == 34
6/1/25 18:05 == 33.7	6/1/25 22:35 == 48.1	6/2/25 3:05 == 33.3	6/2/25 7:35 == 33.9
6/1/25 18:10 == 33.7	6/1/25 22:40 == 47.6	6/2/25 3:10 == 33.3	6/2/25 7:40 == 33.9
6/1/25 18:15 == 33.6	6/1/25 22:45 == 47.6	6/2/25 3:15 == 33.3	6/2/25 7:45 == 33.9
6/1/25 18:20 == 33.5	6/1/25 22:50 == 48	6/2/25 3:20 == 33.4	6/2/25 7:50 == 33.9
6/1/25 18:25 == 33.5	6/1/25 22:55 == 43	6/2/25 3:25 == 33.3	6/2/25 7:55 == 33.5
6/1/25 18:30 == 33.4	6/1/25 23:00 == 36.1	6/2/25 3:30 == 33.2	6/2/25 8:00 == 33.3
6/1/25 18:35 == 33.5	6/1/25 23:05 == 33.8	6/2/25 3:35 == 33.3	6/2/25 8:05 == 33.1
6/1/25 18:40 == 33.7	6/1/25 23:10 == 33.9	6/2/25 3:40 == 36	6/2/25 8:10 == 33.4
6/1/25 18:45 == 33.7	6/1/25 23:15 == 33.9	6/2/25 3:45 == 44	6/2/25 8:15 == 33.2
6/1/25 18:50 == 33.6	6/1/25 23:20 == 33.8	6/2/25 3:50 == 47.8	6/2/25 8:20 == 33.3
6/1/25 18:55 == 33.6	6/1/25 23:25 == 33.7	6/2/25 3:55 == 47.9	6/2/25 8:25 == 33.3
6/1/25 19:00 == 33.7	6/1/25 23:30 == 33.6	6/2/25 4:00 == 48	6/2/25 8:30 == 33.2
6/1/25 19:05 == 33.6	6/1/25 23:35 == 33.6	6/2/25 4:05 == 47.9	6/2/25 8:35 == 33.3
6/1/25 19:10 == 33.7	6/1/25 23:40 == 33.5	6/2/25 4:10 == 47.8	6/2/25 8:40 == 33.2
6/1/25 19:15 == 33.7	6/1/25 23:45 == 33.6	6/2/25 4:15 == 47.8	6/2/25 8:45 == 33.2
6/1/25 19:20 == 33.6	6/1/25 23:50 == 33.6	6/2/25 4:20 == 47.8	6/2/25 8:50 == 33.3
6/1/25 19:25 == 33.6	6/1/25 23:55 == 33.6	6/2/25 4:25 == 43.8	6/2/25 8:55 == 33.3
6/1/25 19:30 == 33.6	6/2/25 0:00 == 33.5	6/2/25 4:30 == 36.4	6/2/25 9:00 == 33.6
6/1/25 19:35 == 33.6	6/2/25 0:05 == 33.5	6/2/25 4:35 == 33.7	6/2/25 9:05 == 33.7
6/1/25 19:40 == 36.1	6/2/25 0:10 == 33.7	6/2/25 4:40 == 33.8	6/2/25 9:10 == 33.7
6/1/25 19:45 == 44.7	6/2/25 0:15 == 33.5	6/2/25 4:45 == 33.7	6/2/25 9:15 == 33.7
6/1/25 19:50 == 47.7	6/2/25 0:20 == 33.5	6/2/25 4:50 == 33.6	6/2/25 9:20 == 33.7
6/1/25 19:55 == 47.9	6/2/25 0:25 == 33.6	6/2/25 4:55 == 33.6	6/2/25 9:25 == 33.6
6/1/25 20:00 == 47.6	6/2/25 0:30 == 33.6	6/2/25 5:00 == 33.4	6/2/25 9:30 == 33.6
6/1/25 20:05 == 47.8	6/2/25 0:35 == 33.6	6/2/25 5:05 == 33.5	6/2/25 9:35 == 33.6
6/1/25 20:10 == 47.6	6/2/25 0:40 == 34.7	6/2/25 5:10 == 33.5	6/2/25 9:40 == 33.5
6/1/25 20:15 == 47.8	6/2/25 0:45 == 45.3	6/2/25 5:15 == 33.5	6/2/25 9:45 == 33.6
6/1/25 20:20 == 48	6/2/25 0:50 == 47.9	6/2/25 5:20 == 33.6	6/2/25 9:50 == 33.7
6/1/25 20:25 == 43	6/2/25 0:55 == 47.8	6/2/25 5:25 == 33.7	6/2/25 9:55 == 34
6/1/25 20:30 == 36	6/2/25 1:00 == 48	6/2/25 5:30 == 33.5	6/2/25 10:00 == 34
6/1/25 20:35 == 33.7	6/2/25 1:05 == 48.1	6/2/25 5:35 == 33.5	6/2/25 10:05 == 33.9
6/1/25 20:40 == 33.6	6/2/25 1:10 == 47.6	6/2/25 5:40 == 33.6	6/2/25 10:10 == 35.4
6/1/25 20:45 == 33.5	6/2/25 1:15 == 47.9	6/2/25 5:45 == 33.7	6/2/25 10:15 == 44.1
6/1/25 20:50 == 33.5	6/2/25 1:20 == 47.9	6/2/25 5:50 == 33.6	6/2/25 10:20 == 47.9
6/1/25 20:55 == 33.6	6/2/25 1:25 == 42.9	6/2/25 5:55 == 33.5	6/2/25 10:25 == 48
6/1/25 21:00 == 33.5	6/2/25 1:30 == 36.3	6/2/25 6:00 == 33.5	6/2/25 10:30 == 47.9
6/1/25 21:05 == 33.5	6/2/25 1:35 == 33.7	6/2/25 6:05 == 33.4	6/2/25 10:35 == 48.1
6/1/25 21:10 == 33.6	6/2/25 1:40 == 33.6	6/2/25 6:10 == 35.3	6/2/25 10:40 == 47.4
6/1/25 21:15 == 33.4	6/2/25 1:45 == 33.5	6/2/25 6:15 == 43.9	6/2/25 10:45 == 47.8
6/1/25 21:20 == 33.5	6/2/25 1:50 == 33.6	6/2/25 6:20 == 47.8	6/2/25 10:50 == 48
6/1/25 21:25 == 33.6	6/2/25 1:55 == 33.5	6/2/25 6:25 == 48	6/2/25 10:55 == 45.3
6/1/25 21:30 == 33.5	6/2/25 2:00 == 33.4	6/2/25 6:30 == 48	6/2/25 11:00 == 36.2
6/1/25 21:35 == 33.6	6/2/25 2:05 == 33.4	6/2/25 6:35 == 48.2	6/2/25 11:05 == 34.6
6/1/25 21:40 == 33.6	6/2/25 2:10 == 33.3	6/2/25 6:40 == 43.8	6/2/25 11:10 == 34.6
6/1/25 21:45 == 33.4	6/2/25 2:15 == 33.3	6/2/25 6:45 == 36.6	6/2/25 11:15 == 34.6
6/1/25 21:50 == 33.5	6/2/25 2:20 == 33.5	6/2/25 6:50 == 33.6	6/2/25 11:20 == 34.6
6/1/25 21:55 == 33.6	6/2/25 2:25 == 33.6	6/2/25 6:55 == 33.6	6/2/25 11:25 == 34.6
6/1/25 22:00 == 33.4	6/2/25 2:30 == 33.4	6/2/25 7:00 == 33.5	6/2/25 11:30 == 34.5
6/1/25 22:05 == 33.4	6/2/25 2:35 == 33.2	6/2/25 7:05 == 33.7	6/2/25 11:35 == 34.7
6/1/25 22:10 == 35.8	6/2/25 2:40 == 33.2	6/2/25 7:10 == 33.8	6/2/25 11:40 == 34.7
6/1/25 22:15 == 44.9	6/2/25 2:45 == 33.5	6/2/25 7:15 == 33.9	6/2/25 11:45 == 34.7
6/1/25 22:20 == 47.7	6/2/25 2:50 == 33.4	6/2/25 7:20 == 34	6/2/25 11:50 == 34.6
6/1/25 22:25 == 48	6/2/25 2:55 == 33.2	6/2/25 7:25 == 33.9	6/2/25 11:55 == 34.1

Pumpback Station Discharge (0364)

6/2/25 12:00 == 33.8	6/2/25 16:30 == 34	6/2/25 21:00 == 33.8	6/3/25 1:30 == 33.7
6/2/25 12:05 == 34	6/2/25 16:35 == 33.9	6/2/25 21:05 == 33.9	6/3/25 1:35 == 33.7
6/2/25 12:10 == 34.1	6/2/25 16:40 == 33.9	6/2/25 21:10 == 34	6/3/25 1:40 == 33.8
6/2/25 12:15 == 34.1	6/2/25 16:45 == 33.9	6/2/25 21:15 == 33.9	6/3/25 1:45 == 33.8
6/2/25 12:20 == 34.1	6/2/25 16:50 == 33.9	6/2/25 21:20 == 33.8	6/3/25 1:50 == 33.9
6/2/25 12:25 == 34.2	6/2/25 16:55 == 33.7	6/2/25 21:25 == 34.1	6/3/25 1:55 == 33.8
6/2/25 12:30 == 34.3	6/2/25 17:00 == 33.6	6/2/25 21:30 == 44.1	6/3/25 2:00 == 33.7
6/2/25 12:35 == 34.3	6/2/25 17:05 == 33.7	6/2/25 21:35 == 47.9	6/3/25 2:05 == 33.7
6/2/25 12:40 == 35.8	6/2/25 17:10 == 33.8	6/2/25 21:40 == 47.7	6/3/25 2:10 == 33.8
6/2/25 12:45 == 43	6/2/25 17:15 == 33.7	6/2/25 21:45 == 47.9	6/3/25 2:15 == 34
6/2/25 12:50 == 47.7	6/2/25 17:20 == 33.9	6/2/25 21:50 == 48.1	6/3/25 2:20 == 34
6/2/25 12:55 == 48	6/2/25 17:25 == 34	6/2/25 21:55 == 47.6	6/3/25 2:25 == 34.4
6/2/25 13:00 == 47.9	6/2/25 17:30 == 33.8	6/2/25 22:00 == 47.8	6/3/25 2:30 == 43
6/2/25 13:05 == 48.3	6/2/25 17:35 == 33.9	6/2/25 22:05 == 47.9	6/3/25 2:35 == 47.2
6/2/25 13:10 == 47.9	6/2/25 17:40 == 33.9	6/2/25 22:10 == 47.9	6/3/25 2:40 == 47.9
6/2/25 13:15 == 48	6/2/25 17:45 == 33.9	6/2/25 22:15 == 47.9	6/3/25 2:45 == 48
6/2/25 13:20 == 47.8	6/2/25 17:50 == 34	6/2/25 22:20 == 47.9	6/3/25 2:50 == 48.1
6/2/25 13:25 == 46.8	6/2/25 17:55 == 34.1	6/2/25 22:25 == 45.3	6/3/25 2:55 == 47.1
6/2/25 13:30 == 35.4	6/2/25 18:00 == 34	6/2/25 22:30 == 38.5	6/3/25 3:00 == 47.6
6/2/25 13:35 == 33.8	6/2/25 18:05 == 33.9	6/2/25 22:35 == 33.8	6/3/25 3:05 == 48.1
6/2/25 13:40 == 33.8	6/2/25 18:10 == 33.8	6/2/25 22:40 == 34	6/3/25 3:10 == 46.4
6/2/25 13:45 == 33.9	6/2/25 18:15 == 33.6	6/2/25 22:45 == 33.8	6/3/25 3:15 == 38.7
6/2/25 13:50 == 33.7	6/2/25 18:20 == 33.7	6/2/25 22:50 == 33.9	6/3/25 3:20 == 33.5
6/2/25 13:55 == 33.7	6/2/25 18:25 == 34	6/2/25 22:55 == 33.9	6/3/25 3:25 == 33.6
6/2/25 14:00 == 33.8	6/2/25 18:30 == 43.7	6/2/25 23:00 == 33.8	6/3/25 3:30 == 33.5
6/2/25 14:05 == 33.8	6/2/25 18:35 == 47.6	6/2/25 23:05 == 33.9	6/3/25 3:35 == 33.5
6/2/25 14:10 == 33.8	6/2/25 18:40 == 47.6	6/2/25 23:10 == 33.9	6/3/25 3:40 == 33.5
6/2/25 14:15 == 33.7	6/2/25 18:45 == 48	6/2/25 23:15 == 33.9	6/3/25 3:45 == 33.6
6/2/25 14:20 == 33.6	6/2/25 18:50 == 48.1	6/2/25 23:20 == 33.8	6/3/25 3:50 == 33.6
6/2/25 14:25 == 33.6	6/2/25 18:55 == 48.1	6/2/25 23:25 == 33.9	6/3/25 3:55 == 33.6
6/2/25 14:30 == 33.7	6/2/25 19:00 == 48	6/2/25 23:30 == 33.8	6/3/25 4:00 == 33.5
6/2/25 14:35 == 33.8	6/2/25 19:05 == 48	6/2/25 23:35 == 33.8	6/3/25 4:05 == 33.4
6/2/25 14:40 == 33.8	6/2/25 19:10 == 48	6/2/25 23:40 == 33.6	6/3/25 4:10 == 33.6
6/2/25 14:45 == 33.6	6/2/25 19:15 == 47.8	6/2/25 23:45 == 33.8	6/3/25 4:15 == 33.6
6/2/25 14:50 == 33.6	6/2/25 19:20 == 47.9	6/2/25 23:50 == 33.6	6/3/25 4:20 == 33.7
6/2/25 14:55 == 33.8	6/2/25 19:25 == 45.6	6/2/25 23:55 == 33.6	6/3/25 4:25 == 34.3
6/2/25 15:00 == 33.8	6/2/25 19:30 == 38.3	6/3/25 0:00 == 42.9	6/3/25 4:30 == 41.1
6/2/25 15:05 == 33.8	6/2/25 19:35 == 33.8	6/3/25 0:05 == 47.2	6/3/25 4:35 == 47.5
6/2/25 15:10 == 35.7	6/2/25 19:40 == 33.7	6/3/25 0:10 == 48	6/3/25 4:40 == 47.9
6/2/25 15:15 == 42.8	6/2/25 19:45 == 33.6	6/3/25 0:15 == 48.2	6/3/25 4:45 == 48
6/2/25 15:20 == 47.5	6/2/25 19:50 == 33.7	6/3/25 0:20 == 48.1	6/3/25 4:50 == 48
6/2/25 15:25 == 47.6	6/2/25 19:55 == 33.8	6/3/25 0:25 == 48	6/3/25 4:55 == 48
6/2/25 15:30 == 48	6/2/25 20:00 == 33.7	6/3/25 0:30 == 48	6/3/25 5:00 == 47.9
6/2/25 15:35 == 48	6/2/25 20:05 == 33.8	6/3/25 0:35 == 48	6/3/25 5:05 == 48.1
6/2/25 15:40 == 48	6/2/25 20:10 == 33.9	6/3/25 0:40 == 48	6/3/25 5:10 == 48
6/2/25 15:45 == 47.9	6/2/25 20:15 == 33.9	6/3/25 0:45 == 48.1	6/3/25 5:15 == 36.7
6/2/25 15:50 == 47.6	6/2/25 20:20 == 33.8	6/3/25 0:50 == 48.2	6/3/25 5:20 == 33.6
6/2/25 15:55 == 47.4	6/2/25 20:25 == 33.7	6/3/25 0:55 == 45.6	6/3/25 5:25 == 33.7
6/2/25 16:00 == 47.7	6/2/25 20:30 == 33.8	6/3/25 1:00 == 38.8	6/3/25 5:30 == 33.8
6/2/25 16:05 == 47.9	6/2/25 20:35 == 33.8	6/3/25 1:05 == 33.7	6/3/25 5:35 == 33.8
6/2/25 16:10 == 46.7	6/2/25 20:40 == 33.8	6/3/25 1:10 == 33.7	6/3/25 5:40 == 33.6
6/2/25 16:15 == 36.2	6/2/25 20:45 == 33.8	6/3/25 1:15 == 33.5	6/3/25 5:45 == 33.6
6/2/25 16:20 == 34	6/2/25 20:50 == 33.7	6/3/25 1:20 == 33.6	6/3/25 5:50 == 33.8
6/2/25 16:25 == 33.9	6/2/25 20:55 == 34	6/3/25 1:25 == 33.7	6/3/25 5:55 == 33.9

Pumpback Station Discharge (0364)

6/3/25 6:00 == 34	6/3/25 10:30 == 41.6	6/3/25 15:00 == 34.1	6/3/25 19:30 == 48.2
6/3/25 6:05 == 34	6/3/25 10:35 == 46.9	6/3/25 15:05 == 34	6/3/25 19:35 == 48.1
6/3/25 6:10 == 33.9	6/3/25 10:40 == 47.4	6/3/25 15:10 == 34.2	6/3/25 19:40 == 47.9
6/3/25 6:15 == 33.9	6/3/25 10:45 == 47.9	6/3/25 15:15 == 34	6/3/25 19:45 == 48.1
6/3/25 6:20 == 33.9	6/3/25 10:50 == 48.2	6/3/25 15:20 == 34.1	6/3/25 19:50 == 48.1
6/3/25 6:25 == 33.8	6/3/25 10:55 == 47.6	6/3/25 15:25 == 34.2	6/3/25 19:55 == 47.5
6/3/25 6:30 == 33.7	6/3/25 11:00 == 47.6	6/3/25 15:30 == 34.2	6/3/25 20:00 == 40.5
6/3/25 6:35 == 33.7	6/3/25 11:05 == 48	6/3/25 15:35 == 34.3	6/3/25 20:05 == 33.5
6/3/25 6:40 == 35	6/3/25 11:10 == 48	6/3/25 15:40 == 34.3	6/3/25 20:10 == 34
6/3/25 6:45 == 40.7	6/3/25 11:15 == 48	6/3/25 15:45 == 34	6/3/25 20:15 == 33.5
6/3/25 6:50 == 47.4	6/3/25 11:20 == 48.1	6/3/25 15:50 == 34	6/3/25 20:20 == 33.7
6/3/25 6:55 == 47.5	6/3/25 11:25 == 46.5	6/3/25 15:55 == 34.1	6/3/25 20:25 == 33.6
6/3/25 7:00 == 47.9	6/3/25 11:30 == 40.6	6/3/25 16:00 == 34.2	6/3/25 20:30 == 33.7
6/3/25 7:05 == 48	6/3/25 11:35 == 34.5	6/3/25 16:05 == 34.2	6/3/25 20:35 == 33.7
6/3/25 7:10 == 47.5	6/3/25 11:40 == 34.6	6/3/25 16:10 == 34	6/3/25 20:40 == 33.6
6/3/25 7:15 == 48	6/3/25 11:45 == 34.5	6/3/25 16:15 == 40.1	6/3/25 20:45 == 33.9
6/3/25 7:20 == 48	6/3/25 11:50 == 34.3	6/3/25 16:20 == 46.9	6/3/25 20:50 == 33.9
6/3/25 7:25 == 47.9	6/3/25 11:55 == 33.7	6/3/25 16:25 == 47.9	6/3/25 20:55 == 33.8
6/3/25 7:30 == 37.9	6/3/25 12:00 == 33.6	6/3/25 16:30 == 48	6/3/25 21:00 == 33.8
6/3/25 7:35 == 34.7	6/3/25 12:05 == 33.8	6/3/25 16:35 == 48.1	6/3/25 21:05 == 33.8
6/3/25 7:40 == 34.7	6/3/25 12:10 == 34	6/3/25 16:40 == 48	6/3/25 21:10 == 33.7
6/3/25 7:45 == 34.9	6/3/25 12:15 == 33.9	6/3/25 16:45 == 48.1	6/3/25 21:15 == 33.7
6/3/25 7:50 == 34.8	6/3/25 12:20 == 33.9	6/3/25 16:50 == 48	6/3/25 21:20 == 33.8
6/3/25 7:55 == 34.2	6/3/25 12:25 == 34.1	6/3/25 16:55 == 47.9	6/3/25 21:25 == 33.8
6/3/25 8:00 == 34.1	6/3/25 12:30 == 33.9	6/3/25 17:00 == 48	6/3/25 21:30 == 33.7
6/3/25 8:05 == 34.2	6/3/25 12:35 == 33.9	6/3/25 17:05 == 48	6/3/25 21:35 == 33.7
6/3/25 8:10 == 34.1	6/3/25 12:40 == 33.8	6/3/25 17:10 == 46.3	6/3/25 21:40 == 33.7
6/3/25 8:15 == 34	6/3/25 12:45 == 41.3	6/3/25 17:15 == 40.1	6/3/25 21:45 == 38.9
6/3/25 8:20 == 34	6/3/25 12:50 == 47.1	6/3/25 17:20 == 33.6	6/3/25 21:50 == 47.4
6/3/25 8:25 == 33.9	6/3/25 12:55 == 47.5	6/3/25 17:25 == 33.9	6/3/25 21:55 == 47.9
6/3/25 8:30 == 33.8	6/3/25 13:00 == 47.8	6/3/25 17:30 == 33.6	6/3/25 22:00 == 48
6/3/25 8:35 == 33.8	6/3/25 13:05 == 47.9	6/3/25 17:35 == 33.7	6/3/25 22:05 == 48
6/3/25 8:40 == 33.8	6/3/25 13:10 == 48	6/3/25 17:40 == 33.8	6/3/25 22:10 == 48
6/3/25 8:45 == 33.8	6/3/25 13:15 == 47.9	6/3/25 17:45 == 33.7	6/3/25 22:15 == 48
6/3/25 8:50 == 33.8	6/3/25 13:20 == 47.6	6/3/25 17:50 == 33.8	6/3/25 22:20 == 48.2
6/3/25 8:55 == 33.8	6/3/25 13:25 == 47.7	6/3/25 17:55 == 33.9	6/3/25 22:25 == 47.2
6/3/25 9:00 == 33.9	6/3/25 13:30 == 47.9	6/3/25 18:00 == 34	6/3/25 22:30 == 41.4
6/3/25 9:05 == 33.9	6/3/25 13:35 == 48.1	6/3/25 18:05 == 33.8	6/3/25 22:35 == 33.8
6/3/25 9:10 == 33.8	6/3/25 13:40 == 46.7	6/3/25 18:10 == 33.6	6/3/25 22:40 == 33.7
6/3/25 9:15 == 33.9	6/3/25 13:45 == 39.8	6/3/25 18:15 == 33.6	6/3/25 22:45 == 33.8
6/3/25 9:20 == 33.9	6/3/25 13:50 == 34	6/3/25 18:20 == 33.7	6/3/25 22:50 == 33.7
6/3/25 9:25 == 33.9	6/3/25 13:55 == 33.9	6/3/25 18:25 == 33.6	6/3/25 22:55 == 33.8
6/3/25 9:30 == 33.9	6/3/25 14:00 == 33.8	6/3/25 18:30 == 33.5	6/3/25 23:00 == 33.7
6/3/25 9:35 == 33.8	6/3/25 14:05 == 33.8	6/3/25 18:35 == 33.5	6/3/25 23:05 == 33.7
6/3/25 9:40 == 33.6	6/3/25 14:10 == 33.6	6/3/25 18:40 == 33.5	6/3/25 23:10 == 33.7
6/3/25 9:45 == 33.7	6/3/25 14:15 == 33.5	6/3/25 18:45 == 33.6	6/3/25 23:15 == 33.6
6/3/25 9:50 == 33.7	6/3/25 14:20 == 33.6	6/3/25 18:50 == 33.5	6/3/25 23:20 == 33.6
6/3/25 9:55 == 34	6/3/25 14:25 == 33.6	6/3/25 18:55 == 33.5	6/3/25 23:25 == 33.7
6/3/25 10:00 == 33.9	6/3/25 14:30 == 33.7	6/3/25 19:00 == 33.5	6/3/25 23:30 == 33.6
6/3/25 10:05 == 33.8	6/3/25 14:35 == 33.8	6/3/25 19:05 == 33.4	6/3/25 23:35 == 33.7
6/3/25 10:10 == 33.8	6/3/25 14:40 == 33.8	6/3/25 19:10 == 33.6	6/3/25 23:40 == 33.6
6/3/25 10:15 == 34.1	6/3/25 14:45 == 33.6	6/3/25 19:15 == 38.7	6/3/25 23:45 == 33.6
6/3/25 10:20 == 34.2	6/3/25 14:50 == 33.8	6/3/25 19:20 == 47.4	6/3/25 23:50 == 33.5
6/3/25 10:25 == 33.9	6/3/25 14:55 == 33.9	6/3/25 19:25 == 47.8	6/3/25 23:55 == 33.6

Pumpback Station Discharge (0364)

6/4/25 0:00 == 33.7	6/4/25 4:30 == 33.8	6/4/25 9:00 == 47.9	6/4/25 13:30 == 33.6
6/4/25 0:05 == 33.8	6/4/25 4:35 == 33.8	6/4/25 9:05 == 48	6/4/25 13:35 == 44.5
6/4/25 0:10 == 33.7	6/4/25 4:40 == 33.8	6/4/25 9:10 == 48	6/4/25 13:40 == 47.7
6/4/25 0:15 == 38.7	6/4/25 4:45 == 33.7	6/4/25 9:15 == 48.1	6/4/25 13:45 == 48
6/4/25 0:20 == 46.6	6/4/25 4:50 == 33.8	6/4/25 9:20 == 48.1	6/4/25 13:50 == 47.9
6/4/25 0:25 == 47.9	6/4/25 4:55 == 33.7	6/4/25 9:25 == 48.1	6/4/25 13:55 == 48
6/4/25 0:30 == 47.8	6/4/25 5:00 == 39.4	6/4/25 9:30 == 44.2	6/4/25 14:00 == 47.9
6/4/25 0:35 == 47.9	6/4/25 5:05 == 45.8	6/4/25 9:35 == 37.2	6/4/25 14:05 == 47.9
6/4/25 0:40 == 48	6/4/25 5:10 == 47.7	6/4/25 9:40 == 33.6	6/4/25 14:10 == 47.5
6/4/25 0:45 == 48.1	6/4/25 5:15 == 47.7	6/4/25 9:45 == 33.6	6/4/25 14:15 == 45
6/4/25 0:50 == 47.9	6/4/25 5:20 == 47.8	6/4/25 9:50 == 33.9	6/4/25 14:20 == 37.2
6/4/25 0:55 == 47.1	6/4/25 5:25 == 47.8	6/4/25 9:55 == 34.1	6/4/25 14:25 == 33.4
6/4/25 1:00 == 41.4	6/4/25 5:30 == 47.9	6/4/25 10:00 == 33.9	6/4/25 14:30 == 33.5
6/4/25 1:05 == 33.4	6/4/25 5:35 == 47.9	6/4/25 10:05 == 33.8	6/4/25 14:35 == 33.5
6/4/25 1:10 == 33.5	6/4/25 5:40 == 47.9	6/4/25 10:10 == 33.9	6/4/25 14:40 == 33.5
6/4/25 1:15 == 33.4	6/4/25 5:45 == 47.9	6/4/25 10:15 == 34	6/4/25 14:45 == 33.5
6/4/25 1:20 == 33.5	6/4/25 5:50 == 47.9	6/4/25 10:20 == 34.1	6/4/25 14:50 == 33.6
6/4/25 1:25 == 33.6	6/4/25 5:55 == 46.8	6/4/25 10:25 == 33.9	6/4/25 14:55 == 33.7
6/4/25 1:30 == 33.7	6/4/25 6:00 == 42.7	6/4/25 10:30 == 33.7	6/4/25 15:00 == 33.7
6/4/25 1:35 == 33.8	6/4/25 6:05 == 33.5	6/4/25 10:35 == 33.9	6/4/25 15:05 == 33.8
6/4/25 1:40 == 33.9	6/4/25 6:10 == 33.5	6/4/25 10:40 == 34.1	6/4/25 15:10 == 33.9
6/4/25 1:45 == 33.8	6/4/25 6:15 == 33.5	6/4/25 10:45 == 33.8	6/4/25 15:15 == 34
6/4/25 1:50 == 33.8	6/4/25 6:20 == 33.5	6/4/25 10:50 == 33.8	6/4/25 15:20 == 33.9
6/4/25 1:55 == 33.7	6/4/25 6:25 == 33.7	6/4/25 10:55 == 34.6	6/4/25 15:25 == 33.9
6/4/25 2:00 == 33.7	6/4/25 6:30 == 33.6	6/4/25 11:00 == 34.5	6/4/25 15:30 == 34.1
6/4/25 2:05 == 33.8	6/4/25 6:35 == 33.5	6/4/25 11:05 == 34.5	6/4/25 15:35 == 34.1
6/4/25 2:10 == 33.8	6/4/25 6:40 == 33.8	6/4/25 11:10 == 34.2	6/4/25 15:40 == 34
6/4/25 2:15 == 33.7	6/4/25 6:45 == 33.7	6/4/25 11:15 == 34.3	6/4/25 15:45 == 33.9
6/4/25 2:20 == 33.8	6/4/25 6:50 == 33.8	6/4/25 11:20 == 44.8	6/4/25 15:50 == 34.1
6/4/25 2:25 == 33.9	6/4/25 6:55 == 34.3	6/4/25 11:25 == 47.7	6/4/25 15:55 == 33.9
6/4/25 2:30 == 33.9	6/4/25 7:00 == 34.1	6/4/25 11:30 == 48	6/4/25 16:00 == 34
6/4/25 2:35 == 33.9	6/4/25 7:05 == 34	6/4/25 11:35 == 47.9	6/4/25 16:05 == 34
6/4/25 2:40 == 33.9	6/4/25 7:10 == 34.1	6/4/25 11:40 == 47.9	6/4/25 16:10 == 34
6/4/25 2:45 == 39.2	6/4/25 7:15 == 34.1	6/4/25 11:45 == 47.9	6/4/25 16:15 == 34
6/4/25 2:50 == 46.3	6/4/25 7:20 == 34.1	6/4/25 11:50 == 48	6/4/25 16:20 == 44.4
6/4/25 2:55 == 47.6	6/4/25 7:25 == 34.1	6/4/25 11:55 == 47.6	6/4/25 16:25 == 47.6
6/4/25 3:00 == 48	6/4/25 7:30 == 34.1	6/4/25 12:00 == 43.9	6/4/25 16:30 == 47.9
6/4/25 3:05 == 48.1	6/4/25 7:35 == 34.1	6/4/25 12:05 == 37.4	6/4/25 16:35 == 47.9
6/4/25 3:10 == 47.9	6/4/25 7:40 == 34	6/4/25 12:10 == 33.7	6/4/25 16:40 == 48.1
6/4/25 3:15 == 47.9	6/4/25 7:45 == 34	6/4/25 12:15 == 33.7	6/4/25 16:45 == 47.9
6/4/25 3:20 == 48	6/4/25 7:50 == 34.1	6/4/25 12:20 == 33.9	6/4/25 16:50 == 47.9
6/4/25 3:25 == 47.4	6/4/25 7:55 == 33.9	6/4/25 12:25 == 33.8	6/4/25 16:55 == 47.8
6/4/25 3:30 == 42.3	6/4/25 8:00 == 33.7	6/4/25 12:30 == 33.9	6/4/25 17:00 == 44.8
6/4/25 3:35 == 33.7	6/4/25 8:05 == 33.7	6/4/25 12:35 == 34.1	6/4/25 17:05 == 37.7
6/4/25 3:40 == 33.7	6/4/25 8:10 == 33.7	6/4/25 12:40 == 33.9	6/4/25 17:10 == 33.7
6/4/25 3:45 == 33.7	6/4/25 8:15 == 33.8	6/4/25 12:45 == 33.9	6/4/25 17:15 == 33.6
6/4/25 3:50 == 33.7	6/4/25 8:20 == 33.8	6/4/25 12:50 == 34	6/4/25 17:20 == 33.7
6/4/25 3:55 == 33.7	6/4/25 8:25 == 33.8	6/4/25 12:55 == 33.9	6/4/25 17:25 == 33.8
6/4/25 4:00 == 33.7	6/4/25 8:30 == 33.8	6/4/25 13:00 == 33.9	6/4/25 17:30 == 33.8
6/4/25 4:05 == 33.5	6/4/25 8:35 == 33.8	6/4/25 13:05 == 33.9	6/4/25 17:35 == 33.9
6/4/25 4:10 == 33.9	6/4/25 8:40 == 34.1	6/4/25 13:10 == 33.7	6/4/25 17:40 == 33.8
6/4/25 4:15 == 33.7	6/4/25 8:45 == 36.8	6/4/25 13:15 == 33.9	6/4/25 17:45 == 33.9
6/4/25 4:20 == 33.8	6/4/25 8:50 == 47.6	6/4/25 13:20 == 33.8	6/4/25 17:50 == 33.9
6/4/25 4:25 == 34	6/4/25 8:55 == 48.1	6/4/25 13:25 == 33.9	6/4/25 17:55 == 33.9

Pumpback Station Discharge (0364)

6/4/25 18:00 == 33.9	6/4/25 22:30 == 33.8	6/5/25 3:00 == 46.9	6/5/25 7:30 == 34
6/4/25 18:05 == 33.7	6/4/25 22:35 == 33.8	6/5/25 3:05 == 37.8	6/5/25 7:35 == 34
6/4/25 18:10 == 33.6	6/4/25 22:40 == 33.7	6/5/25 3:10 == 33.7	6/5/25 7:40 == 34.3
6/4/25 18:15 == 33.6	6/4/25 22:45 == 33.6	6/5/25 3:15 == 33.7	6/5/25 7:45 == 33.9
6/4/25 18:20 == 33.5	6/4/25 22:50 == 33.6	6/5/25 3:20 == 33.8	6/5/25 7:50 == 33.9
6/4/25 18:25 == 33.6	6/4/25 22:55 == 33.8	6/5/25 3:25 == 33.7	6/5/25 7:55 == 33.8
6/4/25 18:30 == 33.6	6/4/25 23:00 == 33.8	6/5/25 3:30 == 33.6	6/5/25 8:00 == 33.6
6/4/25 18:35 == 33.6	6/4/25 23:05 == 33.8	6/5/25 3:35 == 33.7	6/5/25 8:05 == 33.7
6/4/25 18:40 == 33.7	6/4/25 23:10 == 33.8	6/5/25 3:40 == 33.7	6/5/25 8:10 == 33.8
6/4/25 18:45 == 33.6	6/4/25 23:15 == 33.7	6/5/25 3:45 == 33.6	6/5/25 8:15 == 33.8
6/4/25 18:50 == 33.6	6/4/25 23:20 == 33.8	6/5/25 3:50 == 33.5	6/5/25 8:20 == 33.8
6/4/25 18:55 == 33.5	6/4/25 23:25 == 33.7	6/5/25 3:55 == 33.5	6/5/25 8:25 == 33.8
6/4/25 19:00 == 33.5	6/4/25 23:30 == 33.7	6/5/25 4:00 == 33.6	6/5/25 8:30 == 33.7
6/4/25 19:05 == 43.4	6/4/25 23:35 == 33.7	6/5/25 4:05 == 33.7	6/5/25 8:35 == 33.7
6/4/25 19:10 == 47.3	6/4/25 23:40 == 33.5	6/5/25 4:10 == 33.8	6/5/25 8:40 == 33.9
6/4/25 19:15 == 47.9	6/4/25 23:45 == 33.4	6/5/25 4:15 == 33.7	6/5/25 8:45 == 33.8
6/4/25 19:20 == 48	6/4/25 23:50 == 33.5	6/5/25 4:20 == 33.8	6/5/25 8:50 == 33.8
6/4/25 19:25 == 48	6/4/25 23:55 == 33.5	6/5/25 4:25 == 33.8	6/5/25 8:55 == 33.8
6/4/25 19:30 == 47.9	6/5/25 0:00 == 33.6	6/5/25 4:30 == 33.8	6/5/25 9:00 == 34.7
6/4/25 19:35 == 47.9	6/5/25 0:05 == 43	6/5/25 4:35 == 33.8	6/5/25 9:05 == 40.5
6/4/25 19:40 == 47.9	6/5/25 0:10 == 46.9	6/5/25 4:40 == 33.9	6/5/25 9:10 == 48.1
6/4/25 19:45 == 45.2	6/5/25 0:15 == 47.8	6/5/25 4:45 == 34	6/5/25 9:15 == 48
6/4/25 19:50 == 38.3	6/5/25 0:20 == 48	6/5/25 4:50 == 41.7	6/5/25 9:20 == 48
6/4/25 19:55 == 33.7	6/5/25 0:25 == 47.9	6/5/25 4:55 == 47.5	6/5/25 9:25 == 48
6/4/25 20:00 == 33.6	6/5/25 0:30 == 48	6/5/25 5:00 == 47.9	6/5/25 9:30 == 47.9
6/4/25 20:05 == 33.7	6/5/25 0:35 == 48.1	6/5/25 5:05 == 47.9	6/5/25 9:35 == 47.9
6/4/25 20:10 == 33.9	6/5/25 0:40 == 48	6/5/25 5:10 == 47.4	6/5/25 9:40 == 48
6/4/25 20:15 == 33.7	6/5/25 0:45 == 45.6	6/5/25 5:15 == 47.8	6/5/25 9:45 == 47.1
6/4/25 20:20 == 33.7	6/5/25 0:50 == 38.1	6/5/25 5:20 == 48	6/5/25 9:50 == 39.2
6/4/25 20:25 == 33.7	6/5/25 0:55 == 33.5	6/5/25 5:25 == 48	6/5/25 9:55 == 34.1
6/4/25 20:30 == 33.7	6/5/25 1:00 == 33.5	6/5/25 5:30 == 47.2	6/5/25 10:00 == 34.1
6/4/25 20:35 == 33.9	6/5/25 1:05 == 33.5	6/5/25 5:35 == 37.6	6/5/25 10:05 == 34.1
6/4/25 20:40 == 33.9	6/5/25 1:10 == 33.4	6/5/25 5:40 == 33.7	6/5/25 10:10 == 34.1
6/4/25 20:45 == 33.9	6/5/25 1:15 == 33.3	6/5/25 5:45 == 33.7	6/5/25 10:15 == 34
6/4/25 20:50 == 34.1	6/5/25 1:20 == 33.5	6/5/25 5:50 == 33.8	6/5/25 10:20 == 34.1
6/4/25 20:55 == 34	6/5/25 1:25 == 33.6	6/5/25 5:55 == 33.6	6/5/25 10:25 == 34
6/4/25 21:00 == 33.8	6/5/25 1:30 == 33.6	6/5/25 6:00 == 33.4	6/5/25 10:30 == 33.9
6/4/25 21:05 == 33.9	6/5/25 1:35 == 33.6	6/5/25 6:05 == 33.6	6/5/25 10:35 == 34.1
6/4/25 21:10 == 33.9	6/5/25 1:40 == 33.6	6/5/25 6:10 == 33.6	6/5/25 10:40 == 34.1
6/4/25 21:15 == 33.8	6/5/25 1:45 == 33.6	6/5/25 6:15 == 33.5	6/5/25 10:45 == 34
6/4/25 21:20 == 43.3	6/5/25 1:50 == 33.6	6/5/25 6:20 == 33.6	6/5/25 10:50 == 34.1
6/4/25 21:25 == 47.4	6/5/25 1:55 == 33.7	6/5/25 6:25 == 33.6	6/5/25 10:55 == 34.6
6/4/25 21:30 == 48	6/5/25 2:00 == 33.5	6/5/25 6:30 == 33.5	6/5/25 11:00 == 34.6
6/4/25 21:35 == 48	6/5/25 2:05 == 33.7	6/5/25 6:35 == 33.6	6/5/25 11:05 == 34.7
6/4/25 21:40 == 47.9	6/5/25 2:10 == 33.6	6/5/25 6:40 == 33.6	6/5/25 11:10 == 34.6
6/4/25 21:45 == 48.1	6/5/25 2:15 == 33.6	6/5/25 6:45 == 33.7	6/5/25 11:15 == 34.6
6/4/25 21:50 == 48.1	6/5/25 2:20 == 41.9	6/5/25 6:50 == 33.8	6/5/25 11:20 == 34.6
6/4/25 21:55 == 47.8	6/5/25 2:25 == 47.2	6/5/25 6:55 == 34	6/5/25 11:25 == 34.6
6/4/25 22:00 == 46.1	6/5/25 2:30 == 47.4	6/5/25 7:00 == 34.1	6/5/25 11:30 == 35.1
6/4/25 22:05 == 38	6/5/25 2:35 == 47.8	6/5/25 7:05 == 34.2	6/5/25 11:35 == 40.5
6/4/25 22:10 == 33.7	6/5/25 2:40 == 48	6/5/25 7:10 == 34.1	6/5/25 11:40 == 47.7
6/4/25 22:15 == 33.7	6/5/25 2:45 == 48	6/5/25 7:15 == 34.2	6/5/25 11:45 == 48
6/4/25 22:20 == 33.7	6/5/25 2:50 == 48	6/5/25 7:20 == 34.1	6/5/25 11:50 == 48
6/4/25 22:25 == 33.8	6/5/25 2:55 == 47.4	6/5/25 7:25 == 34.1	6/5/25 11:55 == 47.5

Pumpback Station Discharge (0364)

6/5/25 12:00 == 47.7	6/5/25 16:30 == 33.6	6/5/25 21:00 == 33.5	6/6/25 1:30 == 33.3
6/5/25 12:05 == 47.8	6/5/25 16:35 == 33.7	6/5/25 21:05 == 33.7	6/6/25 1:35 == 33.4
6/5/25 12:10 == 47.6	6/5/25 16:40 == 33.6	6/5/25 21:10 == 33.6	6/6/25 1:40 == 33.4
6/5/25 12:15 == 47.9	6/5/25 16:45 == 33.4	6/5/25 21:15 == 33.5	6/6/25 1:45 == 33.5
6/5/25 12:20 == 48	6/5/25 16:50 == 33.5	6/5/25 21:20 == 33.6	6/6/25 1:50 == 33.5
6/5/25 12:25 == 47.9	6/5/25 16:55 == 33.5	6/5/25 21:25 == 33.6	6/6/25 1:55 == 33.6
6/5/25 12:30 == 47.7	6/5/25 17:00 == 33.3	6/5/25 21:30 == 33.6	6/6/25 2:00 == 33.5
6/5/25 12:35 == 38.6	6/5/25 17:05 == 33.5	6/5/25 21:35 == 33.7	6/6/25 2:05 == 33.5
6/5/25 12:40 == 33.8	6/5/25 17:10 == 33.7	6/5/25 21:40 == 33.5	6/6/25 2:10 == 33.5
6/5/25 12:45 == 33.8	6/5/25 17:15 == 34.1	6/5/25 21:45 == 33.5	6/6/25 2:15 == 33.4
6/5/25 12:50 == 33.6	6/5/25 17:20 == 38.7	6/5/25 21:50 == 33.5	6/6/25 2:20 == 39.3
6/5/25 12:55 == 33.6	6/5/25 17:25 == 47.6	6/5/25 21:55 == 33.4	6/6/25 2:25 == 45.1
6/5/25 13:00 == 33.7	6/5/25 17:30 == 48	6/5/25 22:00 == 33.5	6/6/25 2:30 == 47.5
6/5/25 13:05 == 33.7	6/5/25 17:35 == 48.1	6/5/25 22:05 == 37.9	6/6/25 2:35 == 47.9
6/5/25 13:10 == 33.9	6/5/25 17:40 == 48.1	6/5/25 22:10 == 47.3	6/6/25 2:40 == 47.9
6/5/25 13:15 == 33.7	6/5/25 17:45 == 47.9	6/5/25 22:15 == 48	6/6/25 2:45 == 48
6/5/25 13:20 == 33.6	6/5/25 17:50 == 48	6/5/25 22:20 == 47.9	6/6/25 2:50 == 47.6
6/5/25 13:25 == 33.6	6/5/25 17:55 == 47.9	6/5/25 22:25 == 47.5	6/6/25 2:55 == 47.3
6/5/25 13:30 == 33.5	6/5/25 18:00 == 48	6/5/25 22:30 == 47.9	6/6/25 3:00 == 47.1
6/5/25 13:35 == 33.5	6/5/25 18:05 == 39.3	6/5/25 22:35 == 47.9	6/6/25 3:05 == 41.6
6/5/25 13:40 == 33.6	6/5/25 18:10 == 34.1	6/5/25 22:40 == 47.9	6/6/25 3:10 == 33.7
6/5/25 13:45 == 33.6	6/5/25 18:15 == 33.4	6/5/25 22:45 == 47.8	6/6/25 3:15 == 33.8
6/5/25 13:50 == 33.7	6/5/25 18:20 == 33.5	6/5/25 22:50 == 40.7	6/6/25 3:20 == 33.6
6/5/25 13:55 == 33.6	6/5/25 18:25 == 33.5	6/5/25 22:55 == 33.8	6/6/25 3:25 == 33.5
6/5/25 14:00 == 33.7	6/5/25 18:30 == 33.3	6/5/25 23:00 == 33.5	6/6/25 3:30 == 33.5
6/5/25 14:05 == 39.6	6/5/25 18:35 == 33.4	6/5/25 23:05 == 33.6	6/6/25 3:35 == 33.5
6/5/25 14:10 == 47.5	6/5/25 18:40 == 33.5	6/5/25 23:10 == 33.6	6/6/25 3:40 == 33.5
6/5/25 14:15 == 47.9	6/5/25 18:45 == 33.5	6/5/25 23:15 == 33.6	6/6/25 3:45 == 33.4
6/5/25 14:20 == 48	6/5/25 18:50 == 33.4	6/5/25 23:20 == 33.4	6/6/25 3:50 == 33.4
6/5/25 14:25 == 48.1	6/5/25 18:55 == 33.5	6/5/25 23:25 == 33.6	6/6/25 3:55 == 33.5
6/5/25 14:30 == 48.2	6/5/25 19:00 == 33.5	6/5/25 23:30 == 33.6	6/6/25 4:00 == 33.4
6/5/25 14:35 == 48	6/5/25 19:05 == 33.5	6/5/25 23:35 == 33.6	6/6/25 4:05 == 33.5
6/5/25 14:40 == 48	6/5/25 19:10 == 33.5	6/5/25 23:40 == 33.5	6/6/25 4:10 == 33.8
6/5/25 14:45 == 46.9	6/5/25 19:15 == 33.4	6/5/25 23:45 == 33.4	6/6/25 4:15 == 33.7
6/5/25 14:50 == 39.9	6/5/25 19:20 == 33.5	6/5/25 23:50 == 33.5	6/6/25 4:20 == 33.5
6/5/25 14:55 == 33.6	6/5/25 19:25 == 33.5	6/5/25 23:55 == 33.4	6/6/25 4:25 == 33.6
6/5/25 15:00 == 33.8	6/5/25 19:30 == 33.9	6/6/25 0:00 == 33.4	6/6/25 4:30 == 33.5
6/5/25 15:05 == 33.7	6/5/25 19:35 == 38.5	6/6/25 0:05 == 33.5	6/6/25 4:35 == 33.6
6/5/25 15:10 == 33.8	6/5/25 19:40 == 47.5	6/6/25 0:10 == 33.5	6/6/25 4:40 == 33.6
6/5/25 15:15 == 33.5	6/5/25 19:45 == 48	6/6/25 0:15 == 33.3	6/6/25 4:45 == 33.6
6/5/25 15:20 == 33.7	6/5/25 19:50 == 47.9	6/6/25 0:20 == 38.9	6/6/25 4:50 == 33.6
6/5/25 15:25 == 33.8	6/5/25 19:55 == 48	6/6/25 0:25 == 46.6	6/6/25 4:55 == 33.6
6/5/25 15:30 == 33.8	6/5/25 20:00 == 47.9	6/6/25 0:30 == 47.9	6/6/25 5:00 == 33.5
6/5/25 15:35 == 33.9	6/5/25 20:05 == 48	6/6/25 0:35 == 48	6/6/25 5:05 == 38.9
6/5/25 15:40 == 33.9	6/5/25 20:10 == 47.2	6/6/25 0:40 == 48.2	6/6/25 5:10 == 45.3
6/5/25 15:45 == 33.9	6/5/25 20:15 == 47.8	6/6/25 0:45 == 48	6/6/25 5:15 == 47.7
6/5/25 15:50 == 33.7	6/5/25 20:20 == 39.6	6/6/25 0:50 == 48	6/6/25 5:20 == 48
6/5/25 15:55 == 33.7	6/5/25 20:25 == 33.6	6/6/25 0:55 == 47.9	6/6/25 5:25 == 48
6/5/25 16:00 == 33.7	6/5/25 20:30 == 33.5	6/6/25 1:00 == 47	6/6/25 5:30 == 48
6/5/25 16:05 == 33.7	6/5/25 20:35 == 33.6	6/6/25 1:05 == 41.8	6/6/25 5:35 == 48
6/5/25 16:10 == 33.7	6/5/25 20:40 == 33.5	6/6/25 1:10 == 33.3	6/6/25 5:40 == 48
6/5/25 16:15 == 33.6	6/5/25 20:45 == 33.6	6/6/25 1:15 == 33.2	6/6/25 5:45 == 48.1
6/5/25 16:20 == 33.7	6/5/25 20:50 == 33.7	6/6/25 1:20 == 33.4	6/6/25 5:50 == 47.9
6/5/25 16:25 == 33.6	6/5/25 20:55 == 33.6	6/6/25 1:25 == 33.5	6/6/25 5:55 == 47.6

Pumpback Station Discharge (0364)

6/6/25 6:00 == 47.2	6/6/25 10:30 == 47.9	6/6/25 15:00 == 33.5	6/6/25 19:30 == 48.1
6/6/25 6:05 == 42.7	6/6/25 10:35 == 41.8	6/6/25 15:05 == 33.5	6/6/25 19:35 == 48.2
6/6/25 6:10 == 33.4	6/6/25 10:40 == 34.7	6/6/25 15:10 == 33.6	6/6/25 19:40 == 48.1
6/6/25 6:15 == 33.4	6/6/25 10:45 == 33.6	6/6/25 15:15 == 33.6	6/6/25 19:45 == 48.1
6/6/25 6:20 == 33.3	6/6/25 10:50 == 33.8	6/6/25 15:20 == 33.5	6/6/25 19:50 == 43.1
6/6/25 6:25 == 33.4	6/6/25 10:55 == 34.2	6/6/25 15:25 == 33.4	6/6/25 19:55 == 34.4
6/6/25 6:30 == 33.5	6/6/25 11:00 == 34.3	6/6/25 15:30 == 33.4	6/6/25 20:00 == 33.4
6/6/25 6:35 == 33.4	6/6/25 11:05 == 34.3	6/6/25 15:35 == 33.5	6/6/25 20:05 == 33.7
6/6/25 6:40 == 33.5	6/6/25 11:10 == 34.3	6/6/25 15:40 == 33.4	6/6/25 20:10 == 33.7
6/6/25 6:45 == 33.6	6/6/25 11:15 == 34.2	6/6/25 15:45 == 33.3	6/6/25 20:15 == 33.5
6/6/25 6:50 == 33.6	6/6/25 11:20 == 34.1	6/6/25 15:50 == 33.2	6/6/25 20:20 == 33.6
6/6/25 6:55 == 33.9	6/6/25 11:25 == 34.3	6/6/25 15:55 == 33.3	6/6/25 20:25 == 33.6
6/6/25 7:00 == 34	6/6/25 11:30 == 34.2	6/6/25 16:00 == 33.4	6/6/25 20:30 == 33.4
6/6/25 7:05 == 34	6/6/25 11:35 == 34.1	6/6/25 16:05 == 33.4	6/6/25 20:35 == 33.4
6/6/25 7:10 == 34.1	6/6/25 11:40 == 34.1	6/6/25 16:10 == 33.4	6/6/25 20:40 == 33.5
6/6/25 7:15 == 33.9	6/6/25 11:45 == 34	6/6/25 16:15 == 33.3	6/6/25 20:45 == 33.4
6/6/25 7:20 == 33.9	6/6/25 11:50 == 36.6	6/6/25 16:20 == 36.4	6/6/25 20:50 == 33.5
6/6/25 7:25 == 34	6/6/25 11:55 == 47.1	6/6/25 16:25 == 45.6	6/6/25 20:55 == 33.3
6/6/25 7:30 == 33.9	6/6/25 12:00 == 47.7	6/6/25 16:30 == 47.7	6/6/25 21:00 == 33.2
6/6/25 7:35 == 34	6/6/25 12:05 == 48	6/6/25 16:35 == 48	6/6/25 21:05 == 33.3
6/6/25 7:40 == 34	6/6/25 12:10 == 48.1	6/6/25 16:40 == 48	6/6/25 21:10 == 33.3
6/6/25 7:45 == 34.1	6/6/25 12:15 == 48	6/6/25 16:45 == 48	6/6/25 21:15 == 33.3
6/6/25 7:50 == 34.1	6/6/25 12:20 == 48	6/6/25 16:50 == 47.9	6/6/25 21:20 == 36.4
6/6/25 7:55 == 33.6	6/6/25 12:25 == 47.9	6/6/25 16:55 == 48.1	6/6/25 21:25 == 44.4
6/6/25 8:00 == 33.5	6/6/25 12:30 == 48.1	6/6/25 17:00 == 47.9	6/6/25 21:30 == 47.8
6/6/25 8:05 == 33.6	6/6/25 12:35 == 48.1	6/6/25 17:05 == 43.9	6/6/25 21:35 == 48.1
6/6/25 8:10 == 33.6	6/6/25 12:40 == 47.9	6/6/25 17:10 == 33.7	6/6/25 21:40 == 48.2
6/6/25 8:15 == 33.6	6/6/25 12:45 == 47.6	6/6/25 17:15 == 33.1	6/6/25 21:45 == 47.9
6/6/25 8:20 == 33.6	6/6/25 12:50 == 41.3	6/6/25 17:20 == 33.2	6/6/25 21:50 == 47.9
6/6/25 8:25 == 33.5	6/6/25 12:55 == 35.1	6/6/25 17:25 == 33.6	6/6/25 21:55 == 47.4
6/6/25 8:30 == 33.5	6/6/25 13:00 == 33.4	6/6/25 17:30 == 33.5	6/6/25 22:00 == 47.9
6/6/25 8:35 == 33.6	6/6/25 13:05 == 33.4	6/6/25 17:35 == 33.4	6/6/25 22:05 == 45.3
6/6/25 8:40 == 33.5	6/6/25 13:10 == 33.4	6/6/25 17:40 == 33.5	6/6/25 22:10 == 33.4
6/6/25 8:45 == 33.4	6/6/25 13:15 == 33.4	6/6/25 17:45 == 33.4	6/6/25 22:15 == 33.2
6/6/25 8:50 == 33.6	6/6/25 13:20 == 33.4	6/6/25 17:50 == 33.4	6/6/25 22:20 == 33.2
6/6/25 8:55 == 33.5	6/6/25 13:25 == 33.5	6/6/25 17:55 == 33.3	6/6/25 22:25 == 33.5
6/6/25 9:00 == 33.5	6/6/25 13:30 == 33.5	6/6/25 18:00 == 33.4	6/6/25 22:30 == 33.4
6/6/25 9:05 == 33.5	6/6/25 13:35 == 33.5	6/6/25 18:05 == 33.3	6/6/25 22:35 == 33.5
6/6/25 9:10 == 33.6	6/6/25 13:40 == 33.5	6/6/25 18:10 == 33	6/6/25 22:40 == 33.5
6/6/25 9:15 == 33.5	6/6/25 13:45 == 33.5	6/6/25 18:15 == 33	6/6/25 22:45 == 33.5
6/6/25 9:20 == 33.5	6/6/25 13:50 == 33.5	6/6/25 18:20 == 33.3	6/6/25 22:50 == 33.6
6/6/25 9:25 == 33.6	6/6/25 13:55 == 33.4	6/6/25 18:25 == 33.3	6/6/25 22:55 == 33.6
6/6/25 9:30 == 33.3	6/6/25 14:00 == 33.4	6/6/25 18:30 == 33.3	6/6/25 23:00 == 33.7
6/6/25 9:35 == 37.1	6/6/25 14:05 == 35.1	6/6/25 18:35 == 33.3	6/6/25 23:05 == 33.6
6/6/25 9:40 == 46.2	6/6/25 14:10 == 46.9	6/6/25 18:40 == 33.4	6/6/25 23:10 == 33.6
6/6/25 9:45 == 47.8	6/6/25 14:15 == 47.4	6/6/25 18:45 == 33.4	6/6/25 23:15 == 33.7
6/6/25 9:50 == 47.9	6/6/25 14:20 == 48	6/6/25 18:50 == 36.5	6/6/25 23:20 == 33.8
6/6/25 9:55 == 47.2	6/6/25 14:25 == 47.8	6/6/25 18:55 == 45.3	6/6/25 23:25 == 33.9
6/6/25 10:00 == 47.6	6/6/25 14:30 == 48	6/6/25 19:00 == 47.9	6/6/25 23:30 == 33.8
6/6/25 10:05 == 47.6	6/6/25 14:35 == 48	6/6/25 19:05 == 48	6/6/25 23:35 == 33.8
6/6/25 10:10 == 47.8	6/6/25 14:40 == 48	6/6/25 19:10 == 47.8	6/6/25 23:40 == 33.7
6/6/25 10:15 == 48	6/6/25 14:45 == 47.8	6/6/25 19:15 == 48	6/6/25 23:45 == 33.6
6/6/25 10:20 == 48	6/6/25 14:50 == 41.9	6/6/25 19:20 == 48.2	6/6/25 23:50 == 36.9
6/6/25 10:25 == 47.9	6/6/25 14:55 == 34.8	6/6/25 19:25 == 48.2	6/6/25 23:55 == 44.4

Pumpback Station Discharge (0364)

6/7/25 0:00 == 47.9	6/7/25 4:30 == 33.5	6/7/25 9:00 == 47.9	6/7/25 13:30 == 48
6/7/25 0:05 == 47.9	6/7/25 4:35 == 33.5	6/7/25 9:05 == 44.8	6/7/25 13:35 == 48
6/7/25 0:10 == 48	6/7/25 4:40 == 33.4	6/7/25 9:10 == 36	6/7/25 13:40 == 47.9
6/7/25 0:15 == 48.1	6/7/25 4:45 == 33.4	6/7/25 9:15 == 33.5	6/7/25 13:45 == 48.1
6/7/25 0:20 == 47.8	6/7/25 4:50 == 33.4	6/7/25 9:20 == 33.5	6/7/25 13:50 == 46.7
6/7/25 0:25 == 48.1	6/7/25 4:55 == 33.5	6/7/25 9:25 == 33.4	6/7/25 13:55 == 34.5
6/7/25 0:30 == 47.9	6/7/25 5:00 == 33.5	6/7/25 9:30 == 33.4	6/7/25 14:00 == 33.5
6/7/25 0:35 == 47.9	6/7/25 5:05 == 33.5	6/7/25 9:35 == 33.4	6/7/25 14:05 == 33.5
6/7/25 0:40 == 47.8	6/7/25 5:10 == 33.5	6/7/25 9:40 == 33.4	6/7/25 14:10 == 33.3
6/7/25 0:45 == 48.1	6/7/25 5:15 == 33.5	6/7/25 9:45 == 33.4	6/7/25 14:15 == 33.3
6/7/25 0:50 == 45.5	6/7/25 5:20 == 33.6	6/7/25 9:50 == 33.4	6/7/25 14:20 == 33.3
6/7/25 0:55 == 33.6	6/7/25 5:25 == 33.4	6/7/25 9:55 == 33.3	6/7/25 14:25 == 33.2
6/7/25 1:00 == 33.2	6/7/25 5:30 == 33.5	6/7/25 10:00 == 33.2	6/7/25 14:30 == 33.2
6/7/25 1:05 == 33.2	6/7/25 5:35 == 35	6/7/25 10:05 == 33.3	6/7/25 14:35 == 33.3
6/7/25 1:10 == 33.1	6/7/25 5:40 == 44.7	6/7/25 10:10 == 33.3	6/7/25 14:40 == 33.4
6/7/25 1:15 == 33	6/7/25 5:45 == 47.9	6/7/25 10:15 == 33.4	6/7/25 14:45 == 33.3
6/7/25 1:20 == 33	6/7/25 5:50 == 48	6/7/25 10:20 == 33.3	6/7/25 14:50 == 33.4
6/7/25 1:25 == 33.3	6/7/25 5:55 == 48.1	6/7/25 10:25 == 33.2	6/7/25 14:55 == 33.3
6/7/25 1:30 == 33.2	6/7/25 6:00 == 47.9	6/7/25 10:30 == 33.3	6/7/25 15:00 == 33.3
6/7/25 1:35 == 33.1	6/7/25 6:05 == 47.9	6/7/25 10:35 == 33.3	6/7/25 15:05 == 33.6
6/7/25 1:40 == 33.1	6/7/25 6:10 == 47.7	6/7/25 10:40 == 33.4	6/7/25 15:10 == 33.6
6/7/25 1:45 == 33.1	6/7/25 6:15 == 48	6/7/25 10:45 == 33.4	6/7/25 15:15 == 33.6
6/7/25 1:50 == 36.7	6/7/25 6:20 == 44.5	6/7/25 10:50 == 34.3	6/7/25 15:20 == 35.9
6/7/25 1:55 == 44.2	6/7/25 6:25 == 34.9	6/7/25 10:55 == 43.4	6/7/25 15:25 == 42.6
6/7/25 2:00 == 48.1	6/7/25 6:30 == 33.3	6/7/25 11:00 == 47.9	6/7/25 15:30 == 47.7
6/7/25 2:05 == 48	6/7/25 6:35 == 33.4	6/7/25 11:05 == 47.9	6/7/25 15:35 == 48
6/7/25 2:10 == 47.9	6/7/25 6:40 == 33.4	6/7/25 11:10 == 47.8	6/7/25 15:40 == 47.8
6/7/25 2:15 == 47.9	6/7/25 6:45 == 33.6	6/7/25 11:15 == 48	6/7/25 15:45 == 47.7
6/7/25 2:20 == 47.8	6/7/25 6:50 == 33.6	6/7/25 11:20 == 47.9	6/7/25 15:50 == 47.9
6/7/25 2:25 == 47.6	6/7/25 6:55 == 33.7	6/7/25 11:25 == 47.5	6/7/25 15:55 == 48.1
6/7/25 2:30 == 47.6	6/7/25 7:00 == 33.8	6/7/25 11:30 == 47.8	6/7/25 16:00 == 48.1
6/7/25 2:35 == 44.1	6/7/25 7:05 == 33.7	6/7/25 11:35 == 48	6/7/25 16:05 == 48.1
6/7/25 2:40 == 34.7	6/7/25 7:10 == 33.7	6/7/25 11:40 == 48	6/7/25 16:10 == 48.2
6/7/25 2:45 == 33.3	6/7/25 7:15 == 33.6	6/7/25 11:45 == 47.9	6/7/25 16:15 == 48.1
6/7/25 2:50 == 33.4	6/7/25 7:20 == 33.6	6/7/25 11:50 == 44.5	6/7/25 16:20 == 47.9
6/7/25 2:55 == 33.2	6/7/25 7:25 == 33.6	6/7/25 11:55 == 36.6	6/7/25 16:25 == 34.2
6/7/25 3:00 == 33.3	6/7/25 7:30 == 33.6	6/7/25 12:00 == 33.5	6/7/25 16:30 == 33.4
6/7/25 3:05 == 33.2	6/7/25 7:35 == 33.7	6/7/25 12:05 == 33.6	6/7/25 16:35 == 33.4
6/7/25 3:10 == 33.4	6/7/25 7:40 == 33.8	6/7/25 12:10 == 33.6	6/7/25 16:40 == 33.3
6/7/25 3:15 == 33.4	6/7/25 7:45 == 33.8	6/7/25 12:15 == 33.6	6/7/25 16:45 == 33.3
6/7/25 3:20 == 33.2	6/7/25 7:50 == 33.8	6/7/25 12:20 == 33.6	6/7/25 16:50 == 33.2
6/7/25 3:25 == 33.2	6/7/25 7:55 == 33.7	6/7/25 12:25 == 33.6	6/7/25 16:55 == 33.2
6/7/25 3:30 == 33.1	6/7/25 8:00 == 33.5	6/7/25 12:30 == 33.6	6/7/25 17:00 == 33.2
6/7/25 3:35 == 34.2	6/7/25 8:05 == 35.3	6/7/25 12:35 == 33.5	6/7/25 17:05 == 33.3
6/7/25 3:40 == 45.6	6/7/25 8:10 == 44.4	6/7/25 12:40 == 33.4	6/7/25 17:10 == 33.2
6/7/25 3:45 == 47.9	6/7/25 8:15 == 47.7	6/7/25 12:45 == 33.4	6/7/25 17:15 == 33.2
6/7/25 3:50 == 48.1	6/7/25 8:20 == 47.9	6/7/25 12:50 == 35.9	6/7/25 17:20 == 33.4
6/7/25 3:55 == 47.7	6/7/25 8:25 == 47.9	6/7/25 12:55 == 42.7	6/7/25 17:25 == 33.3
6/7/25 4:00 == 48	6/7/25 8:30 == 47.9	6/7/25 13:00 == 47.4	6/7/25 17:30 == 33.3
6/7/25 4:05 == 48.1	6/7/25 8:35 == 48.1	6/7/25 13:05 == 47.8	6/7/25 17:35 == 33.3
6/7/25 4:10 == 47.5	6/7/25 8:40 == 48	6/7/25 13:10 == 47.8	6/7/25 17:40 == 33.3
6/7/25 4:15 == 47.8	6/7/25 8:45 == 47.9	6/7/25 13:15 == 48	6/7/25 17:45 == 33.3
6/7/25 4:20 == 43.5	6/7/25 8:50 == 48.1	6/7/25 13:20 == 48.1	6/7/25 17:50 == 35.5
6/7/25 4:25 == 36.5	6/7/25 8:55 == 48	6/7/25 13:25 == 47.9	6/7/25 17:55 == 42

Pumpback Station Discharge (0364)

6/7/25 18:00 == 47.7	6/7/25 22:30 == 47.7	6/8/25 3:00 == 33.3	6/8/25 7:30 == 33.5
6/7/25 18:05 == 47.7	6/7/25 22:35 == 48.1	6/8/25 3:05 == 33.2	6/8/25 7:35 == 33.5
6/7/25 18:10 == 47.3	6/7/25 22:40 == 48.1	6/8/25 3:10 == 33.3	6/8/25 7:40 == 34
6/7/25 18:15 == 47.6	6/7/25 22:45 == 48	6/8/25 3:15 == 33.3	6/8/25 7:45 == 33.7
6/7/25 18:20 == 47.8	6/7/25 22:50 == 47.8	6/8/25 3:20 == 33.2	6/8/25 7:50 == 33.7
6/7/25 18:25 == 47.2	6/7/25 22:55 == 47.7	6/8/25 3:25 == 33.2	6/8/25 7:55 == 33.4
6/7/25 18:30 == 48	6/7/25 23:00 == 47.9	6/8/25 3:30 == 33.1	6/8/25 8:00 == 33.4
6/7/25 18:35 == 48	6/7/25 23:05 == 48.1	6/8/25 3:35 == 33.2	6/8/25 8:05 == 33.5
6/7/25 18:40 == 47.5	6/7/25 23:10 == 48	6/8/25 3:40 == 33.2	6/8/25 8:10 == 41.9
6/7/25 18:45 == 47.9	6/7/25 23:15 == 48	6/8/25 3:45 == 33.2	6/8/25 8:15 == 47.1
6/7/25 18:50 == 48	6/7/25 23:20 == 45.7	6/8/25 3:50 == 34.2	6/8/25 8:20 == 48.1
6/7/25 18:55 == 33.8	6/7/25 23:25 == 37.7	6/8/25 3:55 == 41.1	6/8/25 8:25 == 48
6/7/25 19:00 == 33.3	6/7/25 23:30 == 33.5	6/8/25 4:00 == 47.5	6/8/25 8:30 == 47.6
6/7/25 19:05 == 33.3	6/7/25 23:35 == 33.7	6/8/25 4:05 == 47.7	6/8/25 8:35 == 47.9
6/7/25 19:10 == 33.2	6/7/25 23:40 == 33.6	6/8/25 4:10 == 47.7	6/8/25 8:40 == 47.9
6/7/25 19:15 == 33.2	6/7/25 23:45 == 33.7	6/8/25 4:15 == 48	6/8/25 8:45 == 47.9
6/7/25 19:20 == 33.2	6/7/25 23:50 == 33.4	6/8/25 4:20 == 48.1	6/8/25 8:50 == 46.5
6/7/25 19:25 == 33.3	6/7/25 23:55 == 33.2	6/8/25 4:25 == 48.1	6/8/25 8:55 == 38.6
6/7/25 19:30 == 33.3	6/8/25 0:00 == 33.4	6/8/25 4:30 == 47.9	6/8/25 9:00 == 33.3
6/7/25 19:35 == 33.3	6/8/25 0:05 == 33.4	6/8/25 4:35 == 47.9	6/8/25 9:05 == 33.4
6/7/25 19:40 == 33.4	6/8/25 0:10 == 33.2	6/8/25 4:40 == 47.9	6/8/25 9:10 == 33.3
6/7/25 19:45 == 33.3	6/8/25 0:15 == 33.2	6/8/25 4:45 == 47.9	6/8/25 9:15 == 33.4
6/7/25 19:50 == 33.3	6/8/25 0:20 == 33.2	6/8/25 4:50 == 46.8	6/8/25 9:20 == 33.5
6/7/25 19:55 == 33.3	6/8/25 0:25 == 42.9	6/8/25 4:55 == 37.6	6/8/25 9:25 == 33.5
6/7/25 20:00 == 33.3	6/8/25 0:30 == 47.4	6/8/25 5:00 == 33.4	6/8/25 9:30 == 33.5
6/7/25 20:05 == 35	6/8/25 0:35 == 48	6/8/25 5:05 == 33.4	6/8/25 9:35 == 33.3
6/7/25 20:10 == 42.2	6/8/25 0:40 == 47.9	6/8/25 5:10 == 33.4	6/8/25 9:40 == 33.3
6/7/25 20:15 == 48.1	6/8/25 0:45 == 47.9	6/8/25 5:15 == 33.3	6/8/25 9:45 == 33.3
6/7/25 20:20 == 48	6/8/25 0:50 == 48	6/8/25 5:20 == 33.3	6/8/25 9:50 == 33.3
6/7/25 20:25 == 47.9	6/8/25 0:55 == 48	6/8/25 5:25 == 33.3	6/8/25 9:55 == 33.4
6/7/25 20:30 == 48	6/8/25 1:00 == 47.9	6/8/25 5:30 == 33.4	6/8/25 10:00 == 33.5
6/7/25 20:35 == 48	6/8/25 1:05 == 45.7	6/8/25 5:35 == 33.5	6/8/25 10:05 == 34
6/7/25 20:40 == 48	6/8/25 1:10 == 37.9	6/8/25 5:40 == 33.2	6/8/25 10:10 == 40.8
6/7/25 20:45 == 48.1	6/8/25 1:15 == 33.1	6/8/25 5:45 == 33.3	6/8/25 10:15 == 47.5
6/7/25 20:50 == 47.8	6/8/25 1:20 == 33.2	6/8/25 5:50 == 33.2	6/8/25 10:20 == 47.9
6/7/25 20:55 == 47.2	6/8/25 1:25 == 33.2	6/8/25 5:55 == 33.2	6/8/25 10:25 == 48.2
6/7/25 21:00 == 47	6/8/25 1:30 == 33.3	6/8/25 6:00 == 33.2	6/8/25 10:30 == 47.9
6/7/25 21:05 == 46.4	6/8/25 1:35 == 33.3	6/8/25 6:05 == 33.2	6/8/25 10:35 == 48.1
6/7/25 21:10 == 36.2	6/8/25 1:40 == 33.3	6/8/25 6:10 == 42	6/8/25 10:40 == 47.8
6/7/25 21:15 == 33.3	6/8/25 1:45 == 33.2	6/8/25 6:15 == 47.7	6/8/25 10:45 == 47.9
6/7/25 21:20 == 33.2	6/8/25 1:50 == 35	6/8/25 6:20 == 48	6/8/25 10:50 == 48
6/7/25 21:25 == 33.2	6/8/25 1:55 == 41.1	6/8/25 6:25 == 48	6/8/25 10:55 == 47.3
6/7/25 21:30 == 33.3	6/8/25 2:00 == 47.2	6/8/25 6:30 == 47.8	6/8/25 11:00 == 47.8
6/7/25 21:35 == 33.3	6/8/25 2:05 == 47.9	6/8/25 6:35 == 47.6	6/8/25 11:05 == 47.9
6/7/25 21:40 == 33.3	6/8/25 2:10 == 47.9	6/8/25 6:40 == 47.6	6/8/25 11:10 == 48
6/7/25 21:45 == 33.3	6/8/25 2:15 == 47.9	6/8/25 6:45 == 47.8	6/8/25 11:15 == 48
6/7/25 21:50 == 33.3	6/8/25 2:20 == 47.9	6/8/25 6:50 == 45.9	6/8/25 11:20 == 48
6/7/25 21:55 == 33.3	6/8/25 2:25 == 47.2	6/8/25 6:55 == 39.3	6/8/25 11:25 == 47.5
6/7/25 22:00 == 33.3	6/8/25 2:30 == 48	6/8/25 7:00 == 33.5	6/8/25 11:30 == 47.5
6/7/25 22:05 == 33.4	6/8/25 2:35 == 48.1	6/8/25 7:05 == 33.6	6/8/25 11:35 == 46.6
6/7/25 22:10 == 33.3	6/8/25 2:40 == 48	6/8/25 7:10 == 33.6	6/8/25 11:40 == 39.8
6/7/25 22:15 == 33.2	6/8/25 2:45 == 48	6/8/25 7:15 == 33.6	6/8/25 11:45 == 34
6/7/25 22:20 == 34.2	6/8/25 2:50 == 48.1	6/8/25 7:20 == 33.7	6/8/25 11:50 == 33.9
6/7/25 22:25 == 42.7	6/8/25 2:55 == 35.6	6/8/25 7:25 == 33.6	6/8/25 11:55 == 33.7

Pumpback Station Discharge (0364)

6/8/25 12:00 == 33.5	6/8/25 16:30 == 33.4	6/8/25 21:00 == 33.2	6/9/25 1:30 == 47.5
6/8/25 12:05 == 33.5	6/8/25 16:35 == 33.5	6/8/25 21:05 == 33.3	6/9/25 1:35 == 48
6/8/25 12:10 == 33.6	6/8/25 16:40 == 33.4	6/8/25 21:10 == 33.3	6/9/25 1:40 == 48
6/8/25 12:15 == 33.6	6/8/25 16:45 == 33.1	6/8/25 21:15 == 33.3	6/9/25 1:45 == 47.9
6/8/25 12:20 == 33.4	6/8/25 16:50 == 33.1	6/8/25 21:20 == 33.3	6/9/25 1:50 == 48.1
6/8/25 12:25 == 33.4	6/8/25 16:55 == 33.2	6/8/25 21:25 == 40.4	6/9/25 1:55 == 47.3
6/8/25 12:30 == 33.5	6/8/25 17:00 == 33.2	6/8/25 21:30 == 46.3	6/9/25 2:00 == 47.4
6/8/25 12:35 == 33.4	6/8/25 17:05 == 33.8	6/8/25 21:35 == 47.9	6/9/25 2:05 == 48
6/8/25 12:40 == 33.5	6/8/25 17:10 == 39.3	6/8/25 21:40 == 47.9	6/9/25 2:10 == 48.1
6/8/25 12:45 == 33.4	6/8/25 17:15 == 47.7	6/8/25 21:45 == 48	6/9/25 2:15 == 48
6/8/25 12:50 == 33.5	6/8/25 17:20 == 47.9	6/8/25 21:50 == 48	6/9/25 2:20 == 47.9
6/8/25 12:55 == 40.6	6/8/25 17:25 == 47.5	6/8/25 21:55 == 47.9	6/9/25 2:25 == 47.3
6/8/25 13:00 == 47.4	6/8/25 17:30 == 47.7	6/8/25 22:00 == 48	6/9/25 2:30 == 47.8
6/8/25 13:05 == 47.8	6/8/25 17:35 == 47.9	6/8/25 22:05 == 48	6/9/25 2:35 == 48
6/8/25 13:10 == 48.1	6/8/25 17:40 == 47.9	6/8/25 22:10 == 47.8	6/9/25 2:40 == 39.7
6/8/25 13:15 == 47.9	6/8/25 17:45 == 47.9	6/8/25 22:15 == 48	6/9/25 2:45 == 34.3
6/8/25 13:20 == 47.9	6/8/25 17:50 == 48.1	6/8/25 22:20 == 46.6	6/9/25 2:50 == 33.5
6/8/25 13:25 == 47.9	6/8/25 17:55 == 48.1	6/8/25 22:25 == 40.5	6/9/25 2:55 == 33.3
6/8/25 13:30 == 47.9	6/8/25 18:00 == 48	6/8/25 22:30 == 33.4	6/9/25 3:00 == 33.3
6/8/25 13:35 == 47.9	6/8/25 18:05 == 48	6/8/25 22:35 == 33.5	6/9/25 3:05 == 33.4
6/8/25 13:40 == 48	6/8/25 18:10 == 47.8	6/8/25 22:40 == 33.6	6/9/25 3:10 == 33.3
6/8/25 13:45 == 47.7	6/8/25 18:15 == 47.8	6/8/25 22:45 == 33.5	6/9/25 3:15 == 33.4
6/8/25 13:50 == 46.8	6/8/25 18:20 == 48.2	6/8/25 22:50 == 33.5	6/9/25 3:20 == 33.5
6/8/25 13:55 == 38.3	6/8/25 18:25 == 38.1	6/8/25 22:55 == 33.7	6/9/25 3:25 == 33.3
6/8/25 14:00 == 33.5	6/8/25 18:30 == 33.6	6/8/25 23:00 == 33.6	6/9/25 3:30 == 33.3
6/8/25 14:05 == 33.4	6/8/25 18:35 == 33.1	6/8/25 23:05 == 33.6	6/9/25 3:35 == 33.4
6/8/25 14:10 == 33.1	6/8/25 18:40 == 33.2	6/8/25 23:10 == 33.7	6/9/25 3:40 == 33.3
6/8/25 14:15 == 33.1	6/8/25 18:45 == 33.3	6/8/25 23:15 == 33.6	6/9/25 3:45 == 33.2
6/8/25 14:20 == 33.1	6/8/25 18:50 == 33.2	6/8/25 23:20 == 33.6	6/9/25 3:50 == 33.6
6/8/25 14:25 == 33.1	6/8/25 18:55 == 33.3	6/8/25 23:25 == 39.2	6/9/25 3:55 == 37.1
6/8/25 14:30 == 33	6/8/25 19:00 == 33.3	6/8/25 23:30 == 46.9	6/9/25 4:00 == 47.3
6/8/25 14:35 == 33	6/8/25 19:05 == 33.4	6/8/25 23:35 == 47.9	6/9/25 4:05 == 47.9
6/8/25 14:40 == 33.1	6/8/25 19:10 == 33.4	6/8/25 23:40 == 48	6/9/25 4:10 == 47.6
6/8/25 14:45 == 33.2	6/8/25 19:15 == 33.3	6/8/25 23:45 == 48	6/9/25 4:15 == 48
6/8/25 14:50 == 34.1	6/8/25 19:20 == 33.3	6/8/25 23:50 == 48	6/9/25 4:20 == 48
6/8/25 14:55 == 39.2	6/8/25 19:25 == 39.6	6/8/25 23:55 == 47.9	6/9/25 4:25 == 48.1
6/8/25 15:00 == 47.7	6/8/25 19:30 == 46.9	6/9/25 0:00 == 48	6/9/25 4:30 == 48
6/8/25 15:05 == 47.9	6/8/25 19:35 == 47.9	6/9/25 0:05 == 48.1	6/9/25 4:35 == 47.9
6/8/25 15:10 == 47.4	6/8/25 19:40 == 47.9	6/9/25 0:10 == 47.6	6/9/25 4:40 == 48.1
6/8/25 15:15 == 47.5	6/8/25 19:45 == 48	6/9/25 0:15 == 47.7	6/9/25 4:45 == 48
6/8/25 15:20 == 47.8	6/8/25 19:50 == 48	6/9/25 0:20 == 48	6/9/25 4:50 == 48
6/8/25 15:25 == 47.5	6/8/25 19:55 == 48	6/9/25 0:25 == 39.7	6/9/25 4:55 == 39.8
6/8/25 15:30 == 48	6/8/25 20:00 == 48	6/9/25 0:30 == 33.2	6/9/25 5:00 == 34.5
6/8/25 15:35 == 47.9	6/8/25 20:05 == 47.9	6/9/25 0:35 == 33.1	6/9/25 5:05 == 33.5
6/8/25 15:40 == 48	6/8/25 20:10 == 47.3	6/9/25 0:40 == 33.2	6/9/25 5:10 == 33.6
6/8/25 15:45 == 48.1	6/8/25 20:15 == 47.9	6/9/25 0:45 == 33.2	6/9/25 5:15 == 33.6
6/8/25 15:50 == 48	6/8/25 20:20 == 46.9	6/9/25 0:50 == 33.3	6/9/25 5:20 == 33.6
6/8/25 15:55 == 38.2	6/8/25 20:25 == 40.4	6/9/25 0:55 == 33.1	6/9/25 5:25 == 33.5
6/8/25 16:00 == 34	6/8/25 20:30 == 33.4	6/9/25 1:00 == 33.2	6/9/25 5:30 == 33.5
6/8/25 16:05 == 33.6	6/8/25 20:35 == 33.5	6/9/25 1:05 == 33.2	6/9/25 5:35 == 33.5
6/8/25 16:10 == 33.5	6/8/25 20:40 == 33.5	6/9/25 1:10 == 33.2	6/9/25 5:40 == 33.4
6/8/25 16:15 == 33.5	6/8/25 20:45 == 33.4	6/9/25 1:15 == 33.2	6/9/25 5:45 == 33.3
6/8/25 16:20 == 33.5	6/8/25 20:50 == 33.6	6/9/25 1:20 == 33.7	6/9/25 5:50 == 33.4
6/8/25 16:25 == 33.4	6/8/25 20:55 == 33.1	6/9/25 1:25 == 37.9	6/9/25 5:55 == 38.4

Pumpback Station Discharge (0364)

6/9/25 6:00 == 46.2	6/9/25 10:30 == 48.1	6/9/25 15:00 == 47.7	6/9/25 19:30 == 33.6
6/9/25 6:05 == 47.8	6/9/25 10:35 == 48	6/9/25 15:05 == 47.8	6/9/25 19:35 == 33.6
6/9/25 6:10 == 47.8	6/9/25 10:40 == 47.3	6/9/25 15:10 == 47.4	6/9/25 19:40 == 33.6
6/9/25 6:15 == 48	6/9/25 10:45 == 47.4	6/9/25 15:15 == 47.8	6/9/25 19:45 == 33.5
6/9/25 6:20 == 48	6/9/25 10:50 == 48	6/9/25 15:20 == 47.9	6/9/25 19:50 == 33.4
6/9/25 6:25 == 47.9	6/9/25 10:55 == 47.8	6/9/25 15:25 == 41.5	6/9/25 19:55 == 33.5
6/9/25 6:30 == 48	6/9/25 11:00 == 47.7	6/9/25 15:30 == 35.3	6/9/25 20:00 == 33.5
6/9/25 6:35 == 48.1	6/9/25 11:05 == 47.7	6/9/25 15:35 == 33.8	6/9/25 20:05 == 33.7
6/9/25 6:40 == 47.9	6/9/25 11:10 == 42.1	6/9/25 15:40 == 33.6	6/9/25 20:10 == 33.7
6/9/25 6:45 == 48	6/9/25 11:15 == 33.9	6/9/25 15:45 == 33.7	6/9/25 20:15 == 33.6
6/9/25 6:50 == 47.6	6/9/25 11:20 == 33.9	6/9/25 15:50 == 33.7	6/9/25 20:20 == 33.5
6/9/25 6:55 == 41.8	6/9/25 11:25 == 34.1	6/9/25 15:55 == 33.6	6/9/25 20:25 == 33.6
6/9/25 7:00 == 33.6	6/9/25 11:30 == 34.1	6/9/25 16:00 == 33.6	6/9/25 20:30 == 33.5
6/9/25 7:05 == 33.5	6/9/25 11:35 == 34.3	6/9/25 16:05 == 33.8	6/9/25 20:35 == 33.6
6/9/25 7:10 == 33.7	6/9/25 11:40 == 34.4	6/9/25 16:10 == 38.1	6/9/25 20:40 == 37.6
6/9/25 7:15 == 33.5	6/9/25 11:45 == 34.2	6/9/25 16:15 == 45.1	6/9/25 20:45 == 44.9
6/9/25 7:20 == 33.6	6/9/25 11:50 == 34.1	6/9/25 16:20 == 47.9	6/9/25 20:50 == 47.9
6/9/25 7:25 == 33.5	6/9/25 11:55 == 34.1	6/9/25 16:25 == 48	6/9/25 20:55 == 47.4
6/9/25 7:30 == 33.6	6/9/25 12:00 == 34	6/9/25 16:30 == 47.9	6/9/25 21:00 == 47.6
6/9/25 7:35 == 33.8	6/9/25 12:05 == 33.9	6/9/25 16:35 == 47.9	6/9/25 21:05 == 48.1
6/9/25 7:40 == 33.7	6/9/25 12:10 == 36.4	6/9/25 16:40 == 47.9	6/9/25 21:10 == 47.9
6/9/25 7:45 == 33.6	6/9/25 12:15 == 48	6/9/25 16:45 == 48	6/9/25 21:15 == 47.7
6/9/25 7:50 == 33.5	6/9/25 12:20 == 48.1	6/9/25 16:50 == 47.5	6/9/25 21:20 == 47.8
6/9/25 7:55 == 33.7	6/9/25 12:25 == 48.1	6/9/25 16:55 == 43.3	6/9/25 21:25 == 48
6/9/25 8:00 == 33.8	6/9/25 12:30 == 48.3	6/9/25 17:00 == 33.2	6/9/25 21:30 == 48
6/9/25 8:05 == 33.7	6/9/25 12:35 == 48.1	6/9/25 17:05 == 33.3	6/9/25 21:35 == 47.9
6/9/25 8:10 == 39.1	6/9/25 12:40 == 47.9	6/9/25 17:10 == 33.4	6/9/25 21:40 == 47.9
6/9/25 8:15 == 45.7	6/9/25 12:45 == 47.9	6/9/25 17:15 == 33.3	6/9/25 21:45 == 48.1
6/9/25 8:20 == 48	6/9/25 12:50 == 48.1	6/9/25 17:20 == 33.2	6/9/25 21:50 == 48
6/9/25 8:25 == 48	6/9/25 12:55 == 48.1	6/9/25 17:25 == 33.7	6/9/25 21:55 == 48
6/9/25 8:30 == 47.9	6/9/25 13:00 == 48.1	6/9/25 17:30 == 33.6	6/9/25 22:00 == 48
6/9/25 8:35 == 48	6/9/25 13:05 == 48.1	6/9/25 17:35 == 33.6	6/9/25 22:05 == 47.6
6/9/25 8:40 == 48	6/9/25 13:10 == 48.1	6/9/25 17:40 == 33.7	6/9/25 22:10 == 44.7
6/9/25 8:45 == 47.9	6/9/25 13:15 == 48.1	6/9/25 17:45 == 33.6	6/9/25 22:15 == 33.2
6/9/25 8:50 == 47.9	6/9/25 13:20 == 48.1	6/9/25 17:50 == 33.6	6/9/25 22:20 == 33.3
6/9/25 8:55 == 48	6/9/25 13:25 == 41.5	6/9/25 17:55 == 33.7	6/9/25 22:25 == 33.5
6/9/25 9:00 == 47.9	6/9/25 13:30 == 34.7	6/9/25 18:00 == 33.7	6/9/25 22:30 == 33.5
6/9/25 9:05 == 47.1	6/9/25 13:35 == 33.7	6/9/25 18:05 == 33.6	6/9/25 22:35 == 33.5
6/9/25 9:10 == 42	6/9/25 13:40 == 33.7	6/9/25 18:10 == 37.9	6/9/25 22:40 == 33.8
6/9/25 9:15 == 33.5	6/9/25 13:45 == 33.8	6/9/25 18:15 == 44.8	6/9/25 22:45 == 33.8
6/9/25 9:20 == 33.7	6/9/25 13:50 == 33.8	6/9/25 18:20 == 47.8	6/9/25 22:50 == 33.7
6/9/25 9:25 == 33.7	6/9/25 13:55 == 33.7	6/9/25 18:25 == 47.6	6/9/25 22:55 == 33.8
6/9/25 9:30 == 33.6	6/9/25 14:00 == 33.7	6/9/25 18:30 == 47.6	6/9/25 23:00 == 33.8
6/9/25 9:35 == 33.6	6/9/25 14:05 == 33.6	6/9/25 18:35 == 48	6/9/25 23:05 == 33.8
6/9/25 9:40 == 33.5	6/9/25 14:10 == 33.4	6/9/25 18:40 == 48	6/9/25 23:10 == 33.8
6/9/25 9:45 == 33.5	6/9/25 14:15 == 33.5	6/9/25 18:45 == 48	6/9/25 23:15 == 33.8
6/9/25 9:50 == 33.5	6/9/25 14:20 == 33.5	6/9/25 18:50 == 47.8	6/9/25 23:20 == 33.8
6/9/25 9:55 == 33.7	6/9/25 14:25 == 33.4	6/9/25 18:55 == 47.7	6/9/25 23:25 == 37.3
6/9/25 10:00 == 33.4	6/9/25 14:30 == 33.5	6/9/25 19:00 == 47.9	6/9/25 23:30 == 44.2
6/9/25 10:05 == 33.5	6/9/25 14:35 == 33.7	6/9/25 19:05 == 47.9	6/9/25 23:35 == 47.7
6/9/25 10:10 == 38.7	6/9/25 14:40 == 35.8	6/9/25 19:10 == 43.8	6/9/25 23:40 == 47.9
6/9/25 10:15 == 45.3	6/9/25 14:45 == 47.9	6/9/25 19:15 == 33.8	6/9/25 23:45 == 47.9
6/9/25 10:20 == 47.6	6/9/25 14:50 == 48.1	6/9/25 19:20 == 33.8	6/9/25 23:50 == 47.9
6/9/25 10:25 == 47.9	6/9/25 14:55 == 47.5	6/9/25 19:25 == 33.7	6/9/25 23:55 == 48

Pumpback Station Discharge (0364)

6/10/25 0:00 == 48.1	6/10/25 4:30 == 33	6/10/25 9:00 == 33.3	6/10/25 13:30 == 33.8
6/10/25 0:05 == 48	6/10/25 4:35 == 33.1	6/10/25 9:05 == 33.3	6/10/25 13:35 == 33.9
6/10/25 0:10 == 48	6/10/25 4:40 == 33.1	6/10/25 9:10 == 33.5	6/10/25 13:40 == 33.7
6/10/25 0:15 == 48.1	6/10/25 4:45 == 33.1	6/10/25 9:15 == 33.5	6/10/25 13:45 == 33.7
6/10/25 0:20 == 48	6/10/25 4:50 == 33.1	6/10/25 9:20 == 33.4	6/10/25 13:50 == 33.9
6/10/25 0:25 == 44	6/10/25 4:55 == 36.9	6/10/25 9:25 == 35.3	6/10/25 13:55 == 33.8
6/10/25 0:30 == 33.1	6/10/25 5:00 == 43.8	6/10/25 9:30 == 45.2	6/10/25 14:00 == 44.9
6/10/25 0:35 == 32.9	6/10/25 5:05 == 47.8	6/10/25 9:35 == 48	6/10/25 14:05 == 47.7
6/10/25 0:40 == 32.8	6/10/25 5:10 == 47.9	6/10/25 9:40 == 48.1	6/10/25 14:10 == 47.9
6/10/25 0:45 == 32.8	6/10/25 5:15 == 47.9	6/10/25 9:45 == 47.9	6/10/25 14:15 == 47.9
6/10/25 0:50 == 32.8	6/10/25 5:20 == 48	6/10/25 9:50 == 48.1	6/10/25 14:20 == 48
6/10/25 0:55 == 32.8	6/10/25 5:25 == 48	6/10/25 9:55 == 47.4	6/10/25 14:25 == 48
6/10/25 1:00 == 32.9	6/10/25 5:30 == 48	6/10/25 10:00 == 47.4	6/10/25 14:30 == 47.8
6/10/25 1:05 == 33	6/10/25 5:35 == 48	6/10/25 10:05 == 48	6/10/25 14:35 == 47.7
6/10/25 1:10 == 33.9	6/10/25 5:40 == 47.9	6/10/25 10:10 == 48	6/10/25 14:40 == 47.9
6/10/25 1:15 == 47.3	6/10/25 5:45 == 48	6/10/25 10:15 == 47.9	6/10/25 14:45 == 48
6/10/25 1:20 == 47.8	6/10/25 5:50 == 47.7	6/10/25 10:20 == 47.9	6/10/25 14:50 == 48.2
6/10/25 1:25 == 47.5	6/10/25 5:55 == 45.1	6/10/25 10:25 == 43.9	6/10/25 14:55 == 43.7
6/10/25 1:30 == 48	6/10/25 6:00 == 33.5	6/10/25 10:30 == 36.3	6/10/25 15:00 == 36.3
6/10/25 1:35 == 48.1	6/10/25 6:05 == 33.4	6/10/25 10:35 == 33.6	6/10/25 15:05 == 33.5
6/10/25 1:40 == 48.1	6/10/25 6:10 == 33.4	6/10/25 10:40 == 33.6	6/10/25 15:10 == 33.5
6/10/25 1:45 == 47.9	6/10/25 6:15 == 33.4	6/10/25 10:45 == 33.4	6/10/25 15:15 == 33.4
6/10/25 1:50 == 48	6/10/25 6:20 == 33.5	6/10/25 10:50 == 33.6	6/10/25 15:20 == 33.5
6/10/25 1:55 == 42.2	6/10/25 6:25 == 33.3	6/10/25 10:55 == 34.1	6/10/25 15:25 == 33.6
6/10/25 2:00 == 35.1	6/10/25 6:30 == 33.3	6/10/25 11:00 == 34.2	6/10/25 15:30 == 33.5
6/10/25 2:05 == 32.9	6/10/25 6:35 == 33.3	6/10/25 11:05 == 34.2	6/10/25 15:35 == 33.5
6/10/25 2:10 == 32.8	6/10/25 6:40 == 33.5	6/10/25 11:10 == 34.2	6/10/25 15:40 == 33.5
6/10/25 2:15 == 32.8	6/10/25 6:45 == 33.5	6/10/25 11:15 == 34.2	6/10/25 15:45 == 33.4
6/10/25 2:20 == 33.1	6/10/25 6:50 == 33.6	6/10/25 11:20 == 34.2	6/10/25 15:50 == 33.4
6/10/25 2:25 == 33	6/10/25 6:55 == 33.7	6/10/25 11:25 == 34.3	6/10/25 15:55 == 33.4
6/10/25 2:30 == 32.9	6/10/25 7:00 == 33.6	6/10/25 11:30 == 34.1	6/10/25 16:00 == 33.5
6/10/25 2:35 == 33	6/10/25 7:05 == 33.6	6/10/25 11:35 == 34	6/10/25 16:05 == 33.5
6/10/25 2:40 == 32.9	6/10/25 7:10 == 33.5	6/10/25 11:40 == 34.2	6/10/25 16:10 == 35.1
6/10/25 2:45 == 32.9	6/10/25 7:15 == 33.5	6/10/25 11:45 == 46.4	6/10/25 16:15 == 43.7
6/10/25 2:50 == 32.9	6/10/25 7:20 == 33.5	6/10/25 11:50 == 48	6/10/25 16:20 == 47.7
6/10/25 2:55 == 35.8	6/10/25 7:25 == 36.5	6/10/25 11:55 == 47.6	6/10/25 16:25 == 48
6/10/25 3:00 == 44	6/10/25 7:30 == 43.7	6/10/25 12:00 == 47.6	6/10/25 16:30 == 48.1
6/10/25 3:05 == 47.6	6/10/25 7:35 == 47.9	6/10/25 12:05 == 47.9	6/10/25 16:35 == 48
6/10/25 3:10 == 48.1	6/10/25 7:40 == 48	6/10/25 12:10 == 48	6/10/25 16:40 == 48
6/10/25 3:15 == 48	6/10/25 7:45 == 48	6/10/25 12:15 == 48.1	6/10/25 16:45 == 47.7
6/10/25 3:20 == 47.9	6/10/25 7:50 == 47.8	6/10/25 12:20 == 48.2	6/10/25 16:50 == 48
6/10/25 3:25 == 47.9	6/10/25 7:55 == 47.7	6/10/25 12:25 == 48	6/10/25 16:55 == 45.9
6/10/25 3:30 == 48	6/10/25 8:00 == 48	6/10/25 12:30 == 48	6/10/25 17:00 == 34.8
6/10/25 3:35 == 48	6/10/25 8:05 == 48.1	6/10/25 12:35 == 48	6/10/25 17:05 == 33.2
6/10/25 3:40 == 48	6/10/25 8:10 == 44.6	6/10/25 12:40 == 48	6/10/25 17:10 == 33.2
6/10/25 3:45 == 48	6/10/25 8:15 == 34.5	6/10/25 12:45 == 48.1	6/10/25 17:15 == 33.2
6/10/25 3:50 == 48	6/10/25 8:20 == 33.3	6/10/25 12:50 == 48.1	6/10/25 17:20 == 33.3
6/10/25 3:55 == 44.2	6/10/25 8:25 == 33.4	6/10/25 12:55 == 43.8	6/10/25 17:25 == 33.3
6/10/25 4:00 == 33.8	6/10/25 8:30 == 33.4	6/10/25 13:00 == 36.5	6/10/25 17:30 == 33.4
6/10/25 4:05 == 32.8	6/10/25 8:35 == 33.3	6/10/25 13:05 == 33.9	6/10/25 17:35 == 33.4
6/10/25 4:10 == 33.1	6/10/25 8:40 == 33.4	6/10/25 13:10 == 33.9	6/10/25 17:40 == 33.4
6/10/25 4:15 == 33	6/10/25 8:45 == 33.5	6/10/25 13:15 == 33.9	6/10/25 17:45 == 33.3
6/10/25 4:20 == 33.1	6/10/25 8:50 == 33.3	6/10/25 13:20 == 33.9	6/10/25 17:50 == 33.4
6/10/25 4:25 == 33.2	6/10/25 8:55 == 33.4	6/10/25 13:25 == 33.9	6/10/25 17:55 == 33.4

Pumpback Station Discharge (0364)

6/10/25 18:00 == 33.4	6/10/25 22:30 == 33.3	6/11/25 3:00 == 32.9	6/11/25 7:30 == 33.5
6/10/25 18:05 == 33.4	6/10/25 22:35 == 33.3	6/11/25 3:05 == 33.1	6/11/25 7:35 == 33.6
6/10/25 18:10 == 33.1	6/10/25 22:40 == 34.3	6/11/25 3:10 == 33	6/11/25 7:40 == 33.6
6/10/25 18:15 == 33.1	6/10/25 22:45 == 42.9	6/11/25 3:15 == 43.2	6/11/25 7:45 == 33.3
6/10/25 18:20 == 33.2	6/10/25 22:50 == 47.8	6/11/25 3:20 == 47.4	6/11/25 7:50 == 33.4
6/10/25 18:25 == 35.3	6/10/25 22:55 == 47.6	6/11/25 3:25 == 47.9	6/11/25 7:55 == 33.2
6/10/25 18:30 == 42.4	6/10/25 23:00 == 47.7	6/11/25 3:30 == 48	6/11/25 8:00 == 33.3
6/10/25 18:35 == 47.7	6/10/25 23:05 == 48.1	6/11/25 3:35 == 48	6/11/25 8:05 == 33.2
6/10/25 18:40 == 47.8	6/10/25 23:10 == 48	6/11/25 3:40 == 48	6/11/25 8:10 == 33.1
6/10/25 18:45 == 47.9	6/10/25 23:15 == 48	6/11/25 3:45 == 47.9	6/11/25 8:15 == 42.5
6/10/25 18:50 == 48.1	6/10/25 23:20 == 48	6/11/25 3:50 == 48	6/11/25 8:20 == 47.4
6/10/25 18:55 == 48	6/10/25 23:25 == 48	6/11/25 3:55 == 47.9	6/11/25 8:25 == 47.9
6/10/25 19:00 == 47.8	6/10/25 23:30 == 48.1	6/11/25 4:00 == 47.8	6/11/25 8:30 == 48
6/10/25 19:05 == 48	6/10/25 23:35 == 48	6/11/25 4:05 == 47.9	6/11/25 8:35 == 48
6/10/25 19:10 == 48	6/10/25 23:40 == 45.3	6/11/25 4:10 == 45	6/11/25 8:40 == 47.9
6/10/25 19:15 == 33.7	6/10/25 23:45 == 36.8	6/11/25 4:15 == 37.8	6/11/25 8:45 == 47.9
6/10/25 19:20 == 33.5	6/10/25 23:50 == 33.2	6/11/25 4:20 == 33.2	6/11/25 8:50 == 48
6/10/25 19:25 == 33.2	6/10/25 23:55 == 33.1	6/11/25 4:25 == 33.3	6/11/25 8:55 == 46.6
6/10/25 19:30 == 33.2	6/11/25 0:00 == 33.1	6/11/25 4:30 == 33.2	6/11/25 9:00 == 37.5
6/10/25 19:35 == 33.2	6/11/25 0:05 == 33.1	6/11/25 4:35 == 33.3	6/11/25 9:05 == 33.2
6/10/25 19:40 == 33.3	6/11/25 0:10 == 33.2	6/11/25 4:40 == 33.3	6/11/25 9:10 == 33.3
6/10/25 19:45 == 33.2	6/11/25 0:15 == 33.1	6/11/25 4:45 == 33.3	6/11/25 9:15 == 33.2
6/10/25 19:50 == 33.3	6/11/25 0:20 == 33.2	6/11/25 4:50 == 33.3	6/11/25 9:20 == 33.3
6/10/25 19:55 == 33.2	6/11/25 0:25 == 33.1	6/11/25 4:55 == 33.4	6/11/25 9:25 == 33.3
6/10/25 20:00 == 33.2	6/11/25 0:30 == 33	6/11/25 5:00 == 33.4	6/11/25 9:30 == 33.2
6/10/25 20:05 == 33.3	6/11/25 0:35 == 33.1	6/11/25 5:05 == 33.4	6/11/25 9:35 == 33.1
6/10/25 20:10 == 35.1	6/11/25 0:40 == 33.1	6/11/25 5:10 == 34.3	6/11/25 9:40 == 33.1
6/10/25 20:15 == 43	6/11/25 0:45 == 43.9	6/11/25 5:15 == 41.8	6/11/25 9:45 == 33.1
6/10/25 20:20 == 47.7	6/11/25 0:50 == 47.5	6/11/25 5:20 == 47.5	6/11/25 9:50 == 33.2
6/10/25 20:25 == 47.9	6/11/25 0:55 == 48	6/11/25 5:25 == 47.9	6/11/25 9:55 == 33.5
6/10/25 20:30 == 48	6/11/25 1:00 == 48	6/11/25 5:30 == 48.2	6/11/25 10:00 == 33.5
6/10/25 20:35 == 47.9	6/11/25 1:05 == 48.1	6/11/25 5:35 == 48.1	6/11/25 10:05 == 33.4
6/10/25 20:40 == 47.9	6/11/25 1:10 == 48	6/11/25 5:40 == 47.9	6/11/25 10:10 == 34.5
6/10/25 20:45 == 48	6/11/25 1:15 == 47.9	6/11/25 5:45 == 47.9	6/11/25 10:15 == 40.6
6/10/25 20:50 == 47.9	6/11/25 1:20 == 47.9	6/11/25 5:50 == 48.1	6/11/25 10:20 == 47.4
6/10/25 20:55 == 47.6	6/11/25 1:25 == 47.5	6/11/25 5:55 == 47.8	6/11/25 10:25 == 47.9
6/10/25 21:00 == 47.8	6/11/25 1:30 == 47.7	6/11/25 6:00 == 47.9	6/11/25 10:30 == 47.9
6/10/25 21:05 == 48.1	6/11/25 1:35 == 47.9	6/11/25 6:05 == 47.9	6/11/25 10:35 == 48
6/10/25 21:10 == 48.1	6/11/25 1:40 == 44.6	6/11/25 6:10 == 47.9	6/11/25 10:40 == 48
6/10/25 21:15 == 48	6/11/25 1:45 == 37.5	6/11/25 6:15 == 47.9	6/11/25 10:45 == 48
6/10/25 21:20 == 48.1	6/11/25 1:50 == 33.1	6/11/25 6:20 == 48	6/11/25 10:50 == 47.8
6/10/25 21:25 == 46.2	6/11/25 1:55 == 33.2	6/11/25 6:25 == 46.1	6/11/25 10:55 == 47.6
6/10/25 21:30 == 35.8	6/11/25 2:00 == 33.1	6/11/25 6:30 == 37.7	6/11/25 11:00 == 48
6/10/25 21:35 == 32.9	6/11/25 2:05 == 33	6/11/25 6:35 == 33.6	6/11/25 11:05 == 48
6/10/25 21:40 == 33.2	6/11/25 2:10 == 33	6/11/25 6:40 == 33.7	6/11/25 11:10 == 48.1
6/10/25 21:45 == 33.1	6/11/25 2:15 == 33	6/11/25 6:45 == 33.7	6/11/25 11:15 == 36.8
6/10/25 21:50 == 33.2	6/11/25 2:20 == 33.1	6/11/25 6:50 == 33.8	6/11/25 11:20 == 34.1
6/10/25 21:55 == 33.1	6/11/25 2:25 == 33.3	6/11/25 6:55 == 33.8	6/11/25 11:25 == 34.1
6/10/25 22:00 == 33.2	6/11/25 2:30 == 33.1	6/11/25 7:00 == 33.6	6/11/25 11:30 == 34.1
6/10/25 22:05 == 33.2	6/11/25 2:35 == 33.2	6/11/25 7:05 == 33.7	6/11/25 11:35 == 34.1
6/10/25 22:10 == 33.2	6/11/25 2:40 == 33.2	6/11/25 7:10 == 33.7	6/11/25 11:40 == 34.2
6/10/25 22:15 == 33.1	6/11/25 2:45 == 33.2	6/11/25 7:15 == 33.7	6/11/25 11:45 == 34.2
6/10/25 22:20 == 33.1	6/11/25 2:50 == 33.1	6/11/25 7:20 == 33.6	6/11/25 11:50 == 34
6/10/25 22:25 == 33.2	6/11/25 2:55 == 33	6/11/25 7:25 == 33.6	6/11/25 11:55 == 33.4

Pumpback Station Discharge (0364)

6/11/25 12:00 == 33.2	6/11/25 16:30 == 48.2	6/11/25 21:00 == 33	6/12/25 1:30 == 33.1
6/11/25 12:05 == 33.3	6/11/25 16:35 == 48	6/11/25 21:05 == 33.1	6/12/25 1:35 == 33.1
6/11/25 12:10 == 34.2	6/11/25 16:40 == 47.7	6/11/25 21:10 == 33.2	6/12/25 1:40 == 33
6/11/25 12:15 == 40.5	6/11/25 16:45 == 38	6/11/25 21:15 == 33.2	6/12/25 1:45 == 32.9
6/11/25 12:20 == 48	6/11/25 16:50 == 33	6/11/25 21:20 == 33.1	6/12/25 1:50 == 33
6/11/25 12:25 == 47.9	6/11/25 16:55 == 32.9	6/11/25 21:25 == 33	6/12/25 1:55 == 33.4
6/11/25 12:30 == 47.8	6/11/25 17:00 == 33	6/11/25 21:30 == 40	6/12/25 2:00 == 37.8
6/11/25 12:35 == 48	6/11/25 17:05 == 33.1	6/11/25 21:35 == 46.6	6/12/25 2:05 == 47.5
6/11/25 12:40 == 48	6/11/25 17:10 == 33.1	6/11/25 21:40 == 48	6/12/25 2:10 == 47.9
6/11/25 12:45 == 47.8	6/11/25 17:15 == 33	6/11/25 21:45 == 48.1	6/12/25 2:15 == 48
6/11/25 12:50 == 47.6	6/11/25 17:20 == 33.1	6/11/25 21:50 == 48	6/12/25 2:20 == 47.8
6/11/25 12:55 == 48	6/11/25 17:25 == 33.1	6/11/25 21:55 == 48	6/12/25 2:25 == 47.5
6/11/25 13:00 == 48.1	6/11/25 17:30 == 33.1	6/11/25 22:00 == 48	6/12/25 2:30 == 47.8
6/11/25 13:05 == 47.9	6/11/25 17:35 == 33.2	6/11/25 22:05 == 48	6/12/25 2:35 == 47.9
6/11/25 13:10 == 47.6	6/11/25 17:40 == 34.1	6/11/25 22:10 == 47.9	6/12/25 2:40 == 47.9
6/11/25 13:15 == 37.8	6/11/25 17:45 == 39.3	6/11/25 22:15 == 48	6/12/25 2:45 == 38.6
6/11/25 13:20 == 33.3	6/11/25 17:50 == 48.1	6/11/25 22:20 == 48	6/12/25 2:50 == 33.8
6/11/25 13:25 == 33.1	6/11/25 17:55 == 48.1	6/11/25 22:25 == 46.2	6/12/25 2:55 == 32.9
6/11/25 13:30 == 33	6/11/25 18:00 == 47.9	6/11/25 22:30 == 39.4	6/12/25 3:00 == 32.9
6/11/25 13:35 == 33.1	6/11/25 18:05 == 48	6/11/25 22:35 == 33.2	6/12/25 3:05 == 33
6/11/25 13:40 == 33.1	6/11/25 18:10 == 47.4	6/11/25 22:40 == 33.4	6/12/25 3:10 == 33
6/11/25 13:45 == 33.2	6/11/25 18:15 == 48	6/11/25 22:45 == 33.3	6/12/25 3:15 == 33
6/11/25 13:50 == 33.1	6/11/25 18:20 == 47.8	6/11/25 22:50 == 33.4	6/12/25 3:20 == 33
6/11/25 13:55 == 32.8	6/11/25 18:25 == 47.5	6/11/25 22:55 == 33.5	6/12/25 3:25 == 33
6/11/25 14:00 == 40.5	6/11/25 18:30 == 37.7	6/11/25 23:00 == 33.5	6/12/25 3:30 == 33
6/11/25 14:05 == 46.4	6/11/25 18:35 == 33.2	6/11/25 23:05 == 33.5	6/12/25 3:35 == 32.9
6/11/25 14:10 == 47.6	6/11/25 18:40 == 33.2	6/11/25 23:10 == 33.5	6/12/25 3:40 == 32.9
6/11/25 14:15 == 47.7	6/11/25 18:45 == 33	6/11/25 23:15 == 33.4	6/12/25 3:45 == 38.5
6/11/25 14:20 == 48	6/11/25 18:50 == 33	6/11/25 23:20 == 33.4	6/12/25 3:50 == 47.3
6/11/25 14:25 == 48	6/11/25 18:55 == 33.2	6/11/25 23:25 == 33.3	6/12/25 3:55 == 47.9
6/11/25 14:30 == 48	6/11/25 19:00 == 33.2	6/11/25 23:30 == 33.2	6/12/25 4:00 == 48
6/11/25 14:35 == 48.1	6/11/25 19:05 == 33.3	6/11/25 23:35 == 33.2	6/12/25 4:05 == 48
6/11/25 14:40 == 46.1	6/11/25 19:10 == 33.3	6/11/25 23:40 == 33.1	6/12/25 4:10 == 48
6/11/25 14:45 == 38.9	6/11/25 19:15 == 33.3	6/11/25 23:45 == 39.8	6/12/25 4:15 == 48.1
6/11/25 14:50 == 32.8	6/11/25 19:20 == 33.3	6/11/25 23:50 == 46.9	6/12/25 4:20 == 48.1
6/11/25 14:55 == 33.1	6/11/25 19:25 == 33.1	6/11/25 23:55 == 47.8	6/12/25 4:25 == 48
6/11/25 15:00 == 33.1	6/11/25 19:30 == 40.5	6/12/25 0:00 == 48	6/12/25 4:30 == 48
6/11/25 15:05 == 33.1	6/11/25 19:35 == 46.7	6/12/25 0:05 == 48	6/12/25 4:35 == 47.9
6/11/25 15:10 == 33.3	6/11/25 19:40 == 47.5	6/12/25 0:10 == 48	6/12/25 4:40 == 47.6
6/11/25 15:15 == 33.3	6/11/25 19:45 == 47.7	6/12/25 0:15 == 48.1	6/12/25 4:45 == 40.2
6/11/25 15:20 == 33.2	6/11/25 19:50 == 48	6/12/25 0:20 == 48	6/12/25 4:50 == 33.2
6/11/25 15:25 == 33.4	6/11/25 19:55 == 48	6/12/25 0:25 == 48	6/12/25 4:55 == 33.1
6/11/25 15:30 == 33.4	6/11/25 20:00 == 48	6/12/25 0:30 == 48	6/12/25 5:00 == 33
6/11/25 15:35 == 33.4	6/11/25 20:05 == 47.8	6/12/25 0:35 == 48	6/12/25 5:05 == 33.1
6/11/25 15:40 == 33.2	6/11/25 20:10 == 47.4	6/12/25 0:40 == 47.8	6/12/25 5:10 == 33.1
6/11/25 15:45 == 33.2	6/11/25 20:15 == 47.4	6/12/25 0:45 == 39.4	6/12/25 5:15 == 33.1
6/11/25 15:50 == 33.3	6/11/25 20:20 == 48	6/12/25 0:50 == 33.2	6/12/25 5:20 == 33.1
6/11/25 15:55 == 33.1	6/11/25 20:25 == 46.5	6/12/25 0:55 == 33	6/12/25 5:25 == 33.1
6/11/25 16:00 == 41.4	6/11/25 20:30 == 39.9	6/12/25 1:00 == 32.9	6/12/25 5:30 == 33.1
6/11/25 16:05 == 47.6	6/11/25 20:35 == 33.1	6/12/25 1:05 == 33	6/12/25 5:35 == 33.2
6/11/25 16:10 == 47.8	6/11/25 20:40 == 33.1	6/12/25 1:10 == 32.9	6/12/25 5:40 == 33.1
6/11/25 16:15 == 48.2	6/11/25 20:45 == 33.2	6/12/25 1:15 == 32.8	6/12/25 5:45 == 33.2
6/11/25 16:20 == 48.1	6/11/25 20:50 == 33.1	6/12/25 1:20 == 32.9	6/12/25 5:50 == 33.4
6/11/25 16:25 == 47.9	6/11/25 20:55 == 33	6/12/25 1:25 == 33	6/12/25 5:55 == 33.2

Pumpback Station Discharge (0364)

6/12/25 6:00 == 39	6/12/25 10:30 == 32.6	6/12/25 15:00 == 32.9	6/12/25 19:30 == 32.2
6/12/25 6:05 == 46	6/12/25 10:35 == 32.6	6/12/25 15:05 == 32.9	6/12/25 19:35 == 32.4
6/12/25 6:10 == 47.7	6/12/25 10:40 == 32.6	6/12/25 15:10 == 32.9	6/12/25 19:40 == 32.5
6/12/25 6:15 == 47.8	6/12/25 10:45 == 32.7	6/12/25 15:15 == 32.8	6/12/25 19:45 == 32.4
6/12/25 6:20 == 48	6/12/25 10:50 == 32.8	6/12/25 15:20 == 33	6/12/25 19:50 == 32.6
6/12/25 6:25 == 48	6/12/25 10:55 == 33	6/12/25 15:25 == 33	6/12/25 19:55 == 32.5
6/12/25 6:30 == 48.2	6/12/25 11:00 == 39.2	6/12/25 15:30 == 32.7	6/12/25 20:00 == 32.4
6/12/25 6:35 == 48.2	6/12/25 11:05 == 46	6/12/25 15:35 == 32.7	6/12/25 20:05 == 32.6
6/12/25 6:40 == 47	6/12/25 11:10 == 47.7	6/12/25 15:40 == 32.7	6/12/25 20:10 == 32.3
6/12/25 6:45 == 41.3	6/12/25 11:15 == 47.6	6/12/25 15:45 == 38	6/12/25 20:15 == 34.3
6/12/25 6:50 == 33.3	6/12/25 11:20 == 47.9	6/12/25 15:50 == 45.3	6/12/25 20:20 == 47.1
6/12/25 6:55 == 33.7	6/12/25 11:25 == 47.9	6/12/25 15:55 == 47.8	6/12/25 20:25 == 47.9
6/12/25 7:00 == 33.6	6/12/25 11:30 == 47.9	6/12/25 16:00 == 48	6/12/25 20:30 == 47.9
6/12/25 7:05 == 33.6	6/12/25 11:35 == 48.1	6/12/25 16:05 == 48	6/12/25 20:35 == 48.2
6/12/25 7:10 == 33.5	6/12/25 11:40 == 48	6/12/25 16:10 == 47.8	6/12/25 20:40 == 47.8
6/12/25 7:15 == 33.1	6/12/25 11:45 == 48	6/12/25 16:15 == 47.9	6/12/25 20:45 == 48.1
6/12/25 7:20 == 33.3	6/12/25 11:50 == 48	6/12/25 16:20 == 48	6/12/25 20:50 == 48
6/12/25 7:25 == 33.1	6/12/25 11:55 == 46.7	6/12/25 16:25 == 47.9	6/12/25 20:55 == 47.9
6/12/25 7:30 == 32.9	6/12/25 12:00 == 41.7	6/12/25 16:30 == 41.4	6/12/25 21:00 == 41.3
6/12/25 7:35 == 33.1	6/12/25 12:05 == 32.7	6/12/25 16:35 == 33.4	6/12/25 21:05 == 34.5
6/12/25 7:40 == 32.8	6/12/25 12:10 == 32.9	6/12/25 16:40 == 32.4	6/12/25 21:10 == 32.5
6/12/25 7:45 == 32.9	6/12/25 12:15 == 32.7	6/12/25 16:45 == 32.4	6/12/25 21:15 == 32.6
6/12/25 7:50 == 33	6/12/25 12:20 == 32.9	6/12/25 16:50 == 32.4	6/12/25 21:20 == 32.5
6/12/25 7:55 == 32.6	6/12/25 12:25 == 32.5	6/12/25 16:55 == 32.4	6/12/25 21:25 == 32.6
6/12/25 8:00 == 32.7	6/12/25 12:30 == 32.8	6/12/25 17:00 == 32.5	6/12/25 21:30 == 32.6
6/12/25 8:05 == 32.7	6/12/25 12:35 == 32.7	6/12/25 17:05 == 32.5	6/12/25 21:35 == 32.6
6/12/25 8:10 == 32.8	6/12/25 12:40 == 32.6	6/12/25 17:10 == 32.5	6/12/25 21:40 == 32.7
6/12/25 8:15 == 32.8	6/12/25 12:45 == 32.8	6/12/25 17:15 == 32.6	6/12/25 21:45 == 32.6
6/12/25 8:20 == 32.8	6/12/25 12:50 == 32.5	6/12/25 17:20 == 32.5	6/12/25 21:50 == 32.6
6/12/25 8:25 == 32.7	6/12/25 12:55 == 32.6	6/12/25 17:25 == 32.7	6/12/25 21:55 == 32.7
6/12/25 8:30 == 38.8	6/12/25 13:00 == 32.5	6/12/25 17:30 == 32.4	6/12/25 22:00 == 32.7
6/12/25 8:35 == 45.8	6/12/25 13:05 == 32.6	6/12/25 17:35 == 32.6	6/12/25 22:05 == 32.6
6/12/25 8:40 == 48	6/12/25 13:10 == 32.6	6/12/25 17:40 == 32.5	6/12/25 22:10 == 32.6
6/12/25 8:45 == 48	6/12/25 13:15 == 37.9	6/12/25 17:45 == 32.5	6/12/25 22:15 == 32.5
6/12/25 8:50 == 48	6/12/25 13:20 == 45.5	6/12/25 17:50 == 32.6	6/12/25 22:20 == 32.4
6/12/25 8:55 == 48	6/12/25 13:25 == 47.9	6/12/25 17:55 == 32.7	6/12/25 22:25 == 32.5
6/12/25 9:00 == 47.8	6/12/25 13:30 == 48	6/12/25 18:00 == 32.7	6/12/25 22:30 == 32.5
6/12/25 9:05 == 47.9	6/12/25 13:35 == 48	6/12/25 18:05 == 32.5	6/12/25 22:35 == 32.6
6/12/25 9:10 == 47.1	6/12/25 13:40 == 48	6/12/25 18:10 == 32.4	6/12/25 22:40 == 32.6
6/12/25 9:15 == 41.8	6/12/25 13:45 == 47.8	6/12/25 18:15 == 32.4	6/12/25 22:45 == 34.3
6/12/25 9:20 == 32.5	6/12/25 13:50 == 47.7	6/12/25 18:20 == 32.4	6/12/25 22:50 == 47.1
6/12/25 9:25 == 32.8	6/12/25 13:55 == 47.9	6/12/25 18:25 == 32.3	6/12/25 22:55 == 47.9
6/12/25 9:30 == 32.8	6/12/25 14:00 == 41.3	6/12/25 18:30 == 32.5	6/12/25 23:00 == 47.9
6/12/25 9:35 == 32.7	6/12/25 14:05 == 32.7	6/12/25 18:35 == 32.5	6/12/25 23:05 == 48
6/12/25 9:40 == 32.6	6/12/25 14:10 == 32.6	6/12/25 18:40 == 32.5	6/12/25 23:10 == 47.9
6/12/25 9:45 == 32.7	6/12/25 14:15 == 32.6	6/12/25 18:45 == 37.8	6/12/25 23:15 == 48
6/12/25 9:50 == 32.7	6/12/25 14:20 == 32.5	6/12/25 18:50 == 45	6/12/25 23:20 == 47.9
6/12/25 9:55 == 32.8	6/12/25 14:25 == 32.5	6/12/25 18:55 == 47.9	6/12/25 23:25 == 47.8
6/12/25 10:00 == 32.7	6/12/25 14:30 == 32.5	6/12/25 19:00 == 47.9	6/12/25 23:30 == 41.7
6/12/25 10:05 == 32.8	6/12/25 14:35 == 32.6	6/12/25 19:05 == 47.8	6/12/25 23:35 == 34.4
6/12/25 10:10 == 32.9	6/12/25 14:40 == 32.7	6/12/25 19:10 == 47.8	6/12/25 23:40 == 32.4
6/12/25 10:15 == 32.8	6/12/25 14:45 == 32.7	6/12/25 19:15 == 41.9	6/12/25 23:45 == 32.5
6/12/25 10:20 == 32.8	6/12/25 14:50 == 32.8	6/12/25 19:20 == 32.8	6/12/25 23:50 == 32.5
6/12/25 10:25 == 32.6	6/12/25 14:55 == 32.7	6/12/25 19:25 == 32.3	6/12/25 23:55 == 32.5

Pumpback Station Discharge (0364)

6/13/25 0:00 == 32.5	6/13/25 4:30 == 48	6/13/25 9:00 == 32.5	6/13/25 13:30 == 32.5
6/13/25 0:05 == 32.6	6/13/25 4:35 == 47.9	6/13/25 9:05 == 32.7	6/13/25 13:35 == 32.5
6/13/25 0:10 == 32.6	6/13/25 4:40 == 47.9	6/13/25 9:10 == 32.5	6/13/25 13:40 == 32.6
6/13/25 0:15 == 32.5	6/13/25 4:45 == 47.9	6/13/25 9:15 == 32.6	6/13/25 13:45 == 32.6
6/13/25 0:20 == 32.4	6/13/25 4:50 == 48.1	6/13/25 9:20 == 32.7	6/13/25 13:50 == 32.5
6/13/25 0:25 == 32.4	6/13/25 4:55 == 48	6/13/25 9:25 == 32.6	6/13/25 13:55 == 32.3
6/13/25 0:30 == 32.4	6/13/25 5:00 == 42.1	6/13/25 9:30 == 32.5	6/13/25 14:00 == 32.6
6/13/25 0:35 == 32.5	6/13/25 5:05 == 35.1	6/13/25 9:35 == 32.6	6/13/25 14:05 == 32.6
6/13/25 0:40 == 32.5	6/13/25 5:10 == 32.5	6/13/25 9:40 == 32.5	6/13/25 14:10 == 32.5
6/13/25 0:45 == 32.6	6/13/25 5:15 == 32.6	6/13/25 9:45 == 34.7	6/13/25 14:15 == 32.5
6/13/25 0:50 == 32.6	6/13/25 5:20 == 32.7	6/13/25 9:50 == 44.9	6/13/25 14:20 == 32.4
6/13/25 0:55 == 32.6	6/13/25 5:25 == 32.7	6/13/25 9:55 == 47.6	6/13/25 14:25 == 32.6
6/13/25 1:00 == 32.6	6/13/25 5:30 == 32.6	6/13/25 10:00 == 48	6/13/25 14:30 == 32.5
6/13/25 1:05 == 32.5	6/13/25 5:35 == 32.6	6/13/25 10:05 == 48	6/13/25 14:35 == 32.8
6/13/25 1:10 == 32.5	6/13/25 5:40 == 32.6	6/13/25 10:10 == 47.6	6/13/25 14:40 == 32.5
6/13/25 1:15 == 33.8	6/13/25 5:45 == 32.5	6/13/25 10:15 == 47.8	6/13/25 14:45 == 32.5
6/13/25 1:20 == 47.3	6/13/25 5:50 == 32.5	6/13/25 10:20 == 48	6/13/25 14:50 == 32.4
6/13/25 1:25 == 48.1	6/13/25 5:55 == 32.5	6/13/25 10:25 == 47.9	6/13/25 14:55 == 32.5
6/13/25 1:30 == 47.8	6/13/25 6:00 == 32.5	6/13/25 10:30 == 42.8	6/13/25 15:00 == 32.6
6/13/25 1:35 == 48.1	6/13/25 6:05 == 32.6	6/13/25 10:35 == 35.4	6/13/25 15:05 == 32.7
6/13/25 1:40 == 47.8	6/13/25 6:10 == 32.5	6/13/25 10:40 == 32.8	6/13/25 15:10 == 32.7
6/13/25 1:45 == 47.9	6/13/25 6:15 == 32.5	6/13/25 10:45 == 32.8	6/13/25 15:15 == 32.7
6/13/25 1:50 == 47.9	6/13/25 6:20 == 32.5	6/13/25 10:50 == 32.8	6/13/25 15:20 == 32.9
6/13/25 1:55 == 47.4	6/13/25 6:25 == 32.7	6/13/25 10:55 == 33	6/13/25 15:25 == 32.7
6/13/25 2:00 == 41.7	6/13/25 6:30 == 32.5	6/13/25 11:00 == 32.9	6/13/25 15:30 == 35.5
6/13/25 2:05 == 34.4	6/13/25 6:35 == 32.6	6/13/25 11:05 == 33	6/13/25 15:35 == 43.2
6/13/25 2:10 == 32.5	6/13/25 6:40 == 32.8	6/13/25 11:10 == 33.3	6/13/25 15:40 == 47.9
6/13/25 2:15 == 32.5	6/13/25 6:45 == 32.6	6/13/25 11:15 == 33.2	6/13/25 15:45 == 47.9
6/13/25 2:20 == 32.7	6/13/25 6:50 == 32.7	6/13/25 11:20 == 33.1	6/13/25 15:50 == 48.1
6/13/25 2:25 == 32.6	6/13/25 6:55 == 32.8	6/13/25 11:25 == 33.1	6/13/25 15:55 == 48
6/13/25 2:30 == 32.6	6/13/25 7:00 == 32.8	6/13/25 11:30 == 33.1	6/13/25 16:00 == 44
6/13/25 2:35 == 32.6	6/13/25 7:05 == 32.6	6/13/25 11:35 == 33.2	6/13/25 16:05 == 35.8
6/13/25 2:40 == 32.6	6/13/25 7:10 == 32.8	6/13/25 11:40 == 33.3	6/13/25 16:10 == 32.8
6/13/25 2:45 == 32.6	6/13/25 7:15 == 32.8	6/13/25 11:45 == 33.1	6/13/25 16:15 == 32.7
6/13/25 2:50 == 32.5	6/13/25 7:20 == 32.8	6/13/25 11:50 == 33.1	6/13/25 16:20 == 32.8
6/13/25 2:55 == 32.5	6/13/25 7:25 == 32.8	6/13/25 11:55 == 32.8	6/13/25 16:25 == 32.9
6/13/25 3:00 == 32.6	6/13/25 7:30 == 32.7	6/13/25 12:00 == 32.7	6/13/25 16:30 == 32.8
6/13/25 3:05 == 32.6	6/13/25 7:35 == 32.8	6/13/25 12:05 == 32.6	6/13/25 16:35 == 32.8
6/13/25 3:10 == 32.5	6/13/25 7:40 == 32.8	6/13/25 12:10 == 32.6	6/13/25 16:40 == 32.5
6/13/25 3:15 == 32.5	6/13/25 7:45 == 32.8	6/13/25 12:15 == 33.9	6/13/25 16:45 == 32.5
6/13/25 3:20 == 32.6	6/13/25 7:50 == 32.7	6/13/25 12:20 == 44.6	6/13/25 16:50 == 32.4
6/13/25 3:25 == 32.4	6/13/25 7:55 == 32.5	6/13/25 12:25 == 47.7	6/13/25 16:55 == 32.5
6/13/25 3:30 == 32.4	6/13/25 8:00 == 32.5	6/13/25 12:30 == 47.9	6/13/25 17:00 == 32.3
6/13/25 3:35 == 32.4	6/13/25 8:05 == 32.5	6/13/25 12:35 == 47.8	6/13/25 17:05 == 32.5
6/13/25 3:40 == 32.5	6/13/25 8:10 == 32.5	6/13/25 12:40 == 47.9	6/13/25 17:10 == 32.6
6/13/25 3:45 == 32.6	6/13/25 8:15 == 32.4	6/13/25 12:45 == 43.3	6/13/25 17:15 == 32.6
6/13/25 3:50 == 32.5	6/13/25 8:20 == 32.3	6/13/25 12:50 == 35.7	6/13/25 17:20 == 32.5
6/13/25 3:55 == 32.4	6/13/25 8:25 == 32.4	6/13/25 12:55 == 32.5	6/13/25 17:25 == 32.8
6/13/25 4:00 == 32.5	6/13/25 8:30 == 32.6	6/13/25 13:00 == 32.5	6/13/25 17:30 == 32.7
6/13/25 4:05 == 32.6	6/13/25 8:35 == 32.6	6/13/25 13:05 == 32.6	6/13/25 17:35 == 32.7
6/13/25 4:10 == 32.5	6/13/25 8:40 == 32.4	6/13/25 13:10 == 32.6	6/13/25 17:40 == 32.7
6/13/25 4:15 == 34.1	6/13/25 8:45 == 32.5	6/13/25 13:15 == 32.6	6/13/25 17:45 == 32.6
6/13/25 4:20 == 46	6/13/25 8:50 == 32.5	6/13/25 13:20 == 32.6	6/13/25 17:50 == 32.7
6/13/25 4:25 == 47.9	6/13/25 8:55 == 32.5	6/13/25 13:25 == 32.5	6/13/25 17:55 == 32.7

Pumpback Station Discharge (0364)

6/13/25 18:00 == 32.7	6/13/25 22:30 == 32.5	6/14/25 3:00 == 32.4	6/14/25 7:30 == 32.6
6/13/25 18:05 == 32.8	6/13/25 22:35 == 32.6	6/14/25 3:05 == 32.5	6/14/25 7:35 == 32.7
6/13/25 18:10 == 32.5	6/13/25 22:40 == 32.6	6/14/25 3:10 == 32.7	6/14/25 7:40 == 32.7
6/13/25 18:15 == 32.5	6/13/25 22:45 == 32.5	6/14/25 3:15 == 32.7	6/14/25 7:45 == 32.7
6/13/25 18:20 == 32.6	6/13/25 22:50 == 32.5	6/14/25 3:20 == 32.6	6/14/25 7:50 == 32.6
6/13/25 18:25 == 32.6	6/13/25 22:55 == 32.7	6/14/25 3:25 == 32.6	6/14/25 7:55 == 32.4
6/13/25 18:30 == 32.5	6/13/25 23:00 == 32.6	6/14/25 3:30 == 32.5	6/14/25 8:00 == 32.6
6/13/25 18:35 == 32.5	6/13/25 23:05 == 32.7	6/14/25 3:35 == 32.6	6/14/25 8:05 == 32.6
6/13/25 18:40 == 32.5	6/13/25 23:10 == 32.7	6/14/25 3:40 == 32.6	6/14/25 8:10 == 32.5
6/13/25 18:45 == 32.5	6/13/25 23:15 == 32.7	6/14/25 3:45 == 32.6	6/14/25 8:15 == 32.4
6/13/25 18:50 == 32.5	6/13/25 23:20 == 32.8	6/14/25 3:50 == 32.6	6/14/25 8:20 == 32.6
6/13/25 18:55 == 32.5	6/13/25 23:25 == 32.5	6/14/25 3:55 == 32.7	6/14/25 8:25 == 32.5
6/13/25 19:00 == 32.5	6/13/25 23:30 == 32.4	6/14/25 4:00 == 32.6	6/14/25 8:30 == 32.5
6/13/25 19:05 == 32.5	6/13/25 23:35 == 32.5	6/14/25 4:05 == 32.6	6/14/25 8:35 == 32.5
6/13/25 19:10 == 32.3	6/13/25 23:40 == 32.4	6/14/25 4:10 == 32.7	6/14/25 8:40 == 32.5
6/13/25 19:15 == 32.4	6/13/25 23:45 == 32.5	6/14/25 4:15 == 32.7	6/14/25 8:45 == 32.5
6/13/25 19:20 == 32.6	6/13/25 23:50 == 32.6	6/14/25 4:20 == 32.7	6/14/25 8:50 == 32.6
6/13/25 19:25 == 32.6	6/13/25 23:55 == 32.5	6/14/25 4:25 == 32.6	6/14/25 8:55 == 32.5
6/13/25 19:30 == 32.5	6/14/25 0:00 == 32.5	6/14/25 4:30 == 34	6/14/25 9:00 == 32.6
6/13/25 19:35 == 32.3	6/14/25 0:05 == 32.6	6/14/25 4:35 == 41.4	6/14/25 9:05 == 32.6
6/13/25 19:40 == 32.5	6/14/25 0:10 == 32.8	6/14/25 4:40 == 47.6	6/14/25 9:10 == 32.5
6/13/25 19:45 == 32.4	6/14/25 0:15 == 32.6	6/14/25 4:45 == 47.7	6/14/25 9:15 == 32.6
6/13/25 19:50 == 32.5	6/14/25 0:20 == 32.5	6/14/25 4:50 == 47.9	6/14/25 9:20 == 32.6
6/13/25 19:55 == 32.5	6/14/25 0:25 == 32.5	6/14/25 4:55 == 48	6/14/25 9:25 == 32.5
6/13/25 20:00 == 32.5	6/14/25 0:30 == 32.5	6/14/25 5:00 == 45	6/14/25 9:30 == 32.5
6/13/25 20:05 == 32.5	6/14/25 0:35 == 32.5	6/14/25 5:05 == 37.1	6/14/25 9:35 == 32.4
6/13/25 20:10 == 32.7	6/14/25 0:40 == 32.5	6/14/25 5:10 == 32.7	6/14/25 9:40 == 32.4
6/13/25 20:15 == 32.6	6/14/25 0:45 == 32.6	6/14/25 5:15 == 32.6	6/14/25 9:45 == 32.4
6/13/25 20:20 == 32.7	6/14/25 0:50 == 32.6	6/14/25 5:20 == 32.7	6/14/25 9:50 == 32.5
6/13/25 20:25 == 32.5	6/14/25 0:55 == 32.5	6/14/25 5:25 == 32.6	6/14/25 9:55 == 32.6
6/13/25 20:30 == 32.5	6/14/25 1:00 == 32.5	6/14/25 5:30 == 32.5	6/14/25 10:00 == 32.5
6/13/25 20:35 == 32.5	6/14/25 1:05 == 32.5	6/14/25 5:35 == 32.6	6/14/25 10:05 == 32.5
6/13/25 20:40 == 32.5	6/14/25 1:10 == 32.5	6/14/25 5:40 == 32.6	6/14/25 10:10 == 32.5
6/13/25 20:45 == 34.7	6/14/25 1:15 == 32.4	6/14/25 5:45 == 32.6	6/14/25 10:15 == 32.6
6/13/25 20:50 == 41.9	6/14/25 1:20 == 32.5	6/14/25 5:50 == 32.6	6/14/25 10:20 == 32.6
6/13/25 20:55 == 47.4	6/14/25 1:25 == 32.5	6/14/25 5:55 == 32.5	6/14/25 10:25 == 32.5
6/13/25 21:00 == 47.8	6/14/25 1:30 == 32.5	6/14/25 6:00 == 32.7	6/14/25 10:30 == 32.6
6/13/25 21:05 == 48	6/14/25 1:35 == 32.6	6/14/25 6:05 == 32.6	6/14/25 10:35 == 32.6
6/13/25 21:10 == 47.9	6/14/25 1:40 == 32.5	6/14/25 6:10 == 32.6	6/14/25 10:40 == 32.8
6/13/25 21:15 == 44.3	6/14/25 1:45 == 32.5	6/14/25 6:15 == 32.4	6/14/25 10:45 == 32.7
6/13/25 21:20 == 35.9	6/14/25 1:50 == 32.6	6/14/25 6:20 == 32.6	6/14/25 10:50 == 32.7
6/13/25 21:25 == 32.6	6/14/25 1:55 == 32.6	6/14/25 6:25 == 32.6	6/14/25 10:55 == 33
6/13/25 21:30 == 32.6	6/14/25 2:00 == 32.7	6/14/25 6:30 == 32.5	6/14/25 11:00 == 32.8
6/13/25 21:35 == 32.6	6/14/25 2:05 == 32.8	6/14/25 6:35 == 32.5	6/14/25 11:05 == 32.8
6/13/25 21:40 == 32.4	6/14/25 2:10 == 32.7	6/14/25 6:40 == 32.7	6/14/25 11:10 == 33.3
6/13/25 21:45 == 32.4	6/14/25 2:15 == 32.6	6/14/25 6:45 == 32.6	6/14/25 11:15 == 33.2
6/13/25 21:50 == 32.5	6/14/25 2:20 == 32.7	6/14/25 6:50 == 32.6	6/14/25 11:20 == 33.2
6/13/25 21:55 == 32.6	6/14/25 2:25 == 32.8	6/14/25 6:55 == 32.7	6/14/25 11:25 == 33.2
6/13/25 22:00 == 32.6	6/14/25 2:30 == 32.6	6/14/25 7:00 == 32.6	6/14/25 11:30 == 33.1
6/13/25 22:05 == 32.7	6/14/25 2:35 == 32.6	6/14/25 7:05 == 32.5	6/14/25 11:35 == 33.2
6/13/25 22:10 == 32.4	6/14/25 2:40 == 32.6	6/14/25 7:10 == 32.6	6/14/25 11:40 == 33.2
6/13/25 22:15 == 32.4	6/14/25 2:45 == 32.5	6/14/25 7:15 == 32.7	6/14/25 11:45 == 33.1
6/13/25 22:20 == 32.4	6/14/25 2:50 == 32.7	6/14/25 7:20 == 32.8	6/14/25 11:50 == 33.1
6/13/25 22:25 == 32.6	6/14/25 2:55 == 32.5	6/14/25 7:25 == 32.8	6/14/25 11:55 == 32.5

Pumpback Station Discharge (0364)

6/14/25 12:00 == 32.6	6/14/25 16:30 == 32.7	6/14/25 21:00 == 32.6	6/15/25 1:30 == 32.4
6/14/25 12:05 == 32.7	6/14/25 16:35 == 32.6	6/14/25 21:05 == 32.4	6/15/25 1:35 == 32.4
6/14/25 12:10 == 32.7	6/14/25 16:40 == 32.5	6/14/25 21:10 == 32.5	6/15/25 1:40 == 32.6
6/14/25 12:15 == 32.6	6/14/25 16:45 == 32.5	6/14/25 21:15 == 32.4	6/15/25 1:45 == 32.5
6/14/25 12:20 == 32.6	6/14/25 16:50 == 32.5	6/14/25 21:20 == 32.5	6/15/25 1:50 == 32.4
6/14/25 12:25 == 32.6	6/14/25 16:55 == 32.4	6/14/25 21:25 == 32.6	6/15/25 1:55 == 32.4
6/14/25 12:30 == 32.4	6/14/25 17:00 == 32.4	6/14/25 21:30 == 32.4	6/15/25 2:00 == 31
6/14/25 12:35 == 32.4	6/14/25 17:05 == 32.6	6/14/25 21:35 == 32.4	6/15/25 2:05 == 24.1
6/14/25 12:40 == 32.6	6/14/25 17:10 == 32.5	6/14/25 21:40 == 32.6	6/15/25 2:10 == 16.3
6/14/25 12:45 == 32.5	6/14/25 17:15 == 32.5	6/14/25 21:45 == 32.5	6/15/25 2:15 == 16.2
6/14/25 12:50 == 32.5	6/14/25 17:20 == 32.6	6/14/25 21:50 == 32.5	6/15/25 2:20 == 16.4
6/14/25 12:55 == 32.5	6/14/25 17:25 == 32.6	6/14/25 21:55 == 32.4	6/15/25 2:25 == 16.5
6/14/25 13:00 == 32.5	6/14/25 17:30 == 32.5	6/14/25 22:00 == 32.4	6/15/25 2:30 == 16.4
6/14/25 13:05 == 32.5	6/14/25 17:35 == 32.6	6/14/25 22:05 == 32.4	6/15/25 2:35 == 22.9
6/14/25 13:10 == 32.5	6/14/25 17:40 == 32.5	6/14/25 22:10 == 32.5	6/15/25 2:40 == 32.4
6/14/25 13:15 == 32.5	6/14/25 17:45 == 32.5	6/14/25 22:15 == 32.4	6/15/25 2:45 == 32.6
6/14/25 13:20 == 32.5	6/14/25 17:50 == 32.6	6/14/25 22:20 == 32.4	6/15/25 2:50 == 32.6
6/14/25 13:25 == 32.5	6/14/25 17:55 == 32.8	6/14/25 22:25 == 32.4	6/15/25 2:55 == 32.3
6/14/25 13:30 == 32.6	6/14/25 18:00 == 32.7	6/14/25 22:30 == 32.4	6/15/25 3:00 == 32.5
6/14/25 13:35 == 32.4	6/14/25 18:05 == 32.5	6/14/25 22:35 == 32.5	6/15/25 3:05 == 32.6
6/14/25 13:40 == 32.4	6/14/25 18:10 == 32.4	6/14/25 22:40 == 32.4	6/15/25 3:10 == 32.5
6/14/25 13:45 == 32.5	6/14/25 18:15 == 32.5	6/14/25 22:45 == 32.5	6/15/25 3:15 == 32.5
6/14/25 13:50 == 32.5	6/14/25 18:20 == 32.4	6/14/25 22:50 == 32.6	6/15/25 3:20 == 32.5
6/14/25 13:55 == 32.3	6/14/25 18:25 == 32.4	6/14/25 22:55 == 32.6	6/15/25 3:25 == 32.5
6/14/25 14:00 == 32.4	6/14/25 18:30 == 32.4	6/14/25 23:00 == 32.6	6/15/25 3:30 == 32.4
6/14/25 14:05 == 32.4	6/14/25 18:35 == 32.4	6/14/25 23:05 == 32.5	6/15/25 3:35 == 32.5
6/14/25 14:10 == 32.3	6/14/25 18:40 == 32.5	6/14/25 23:10 == 32.5	6/15/25 3:40 == 32.5
6/14/25 14:15 == 32.4	6/14/25 18:45 == 32.3	6/14/25 23:15 == 32.4	6/15/25 3:45 == 32.5
6/14/25 14:20 == 32.3	6/14/25 18:50 == 32.4	6/14/25 23:20 == 32.4	6/15/25 3:50 == 32.5
6/14/25 14:25 == 32.4	6/14/25 18:55 == 32.5	6/14/25 23:25 == 32.5	6/15/25 3:55 == 32.4
6/14/25 14:30 == 32.4	6/14/25 19:00 == 32.5	6/14/25 23:30 == 32.4	6/15/25 4:00 == 32.4
6/14/25 14:35 == 32.4	6/14/25 19:05 == 32.4	6/14/25 23:35 == 32.4	6/15/25 4:05 == 32.5
6/14/25 14:40 == 32.4	6/14/25 19:10 == 32.5	6/14/25 23:40 == 32.2	6/15/25 4:10 == 32.5
6/14/25 14:45 == 32.5	6/14/25 19:15 == 32.4	6/14/25 23:45 == 32.5	6/15/25 4:15 == 32.5
6/14/25 14:50 == 32.5	6/14/25 19:20 == 32.5	6/14/25 23:50 == 32.6	6/15/25 4:20 == 32.5
6/14/25 14:55 == 32.4	6/14/25 19:25 == 32.4	6/14/25 23:55 == 32.4	6/15/25 4:25 == 32.5
6/14/25 15:00 == 32.5	6/14/25 19:30 == 32.4	6/15/25 0:00 == 32.5	6/15/25 4:30 == 32.5
6/14/25 15:05 == 32.8	6/14/25 19:35 == 32.4	6/15/25 0:05 == 32.4	6/15/25 4:35 == 32.5
6/14/25 15:10 == 32.8	6/14/25 19:40 == 32.4	6/15/25 0:10 == 32.5	6/15/25 4:40 == 32.5
6/14/25 15:15 == 32.9	6/14/25 19:45 == 32.4	6/15/25 0:15 == 32.5	6/15/25 4:45 == 32.6
6/14/25 15:20 == 33	6/14/25 19:50 == 32.5	6/15/25 0:20 == 32.4	6/15/25 4:50 == 32.5
6/14/25 15:25 == 33.1	6/14/25 19:55 == 32.5	6/15/25 0:25 == 32.4	6/15/25 4:55 == 32.5
6/14/25 15:30 == 32.8	6/14/25 20:00 == 32.4	6/15/25 0:30 == 32.4	6/15/25 5:00 == 32.4
6/14/25 15:35 == 32.9	6/14/25 20:05 == 32.5	6/15/25 0:35 == 32.3	6/15/25 5:05 == 32.5
6/14/25 15:40 == 32.7	6/14/25 20:10 == 32.5	6/15/25 0:40 == 32.4	6/15/25 5:10 == 32.5
6/14/25 15:45 == 32.8	6/14/25 20:15 == 32.5	6/15/25 0:45 == 32.5	6/15/25 5:15 == 32.6
6/14/25 15:50 == 32.7	6/14/25 20:20 == 32.5	6/15/25 0:50 == 32.3	6/15/25 5:20 == 32.5
6/14/25 15:55 == 32.9	6/14/25 20:25 == 32.5	6/15/25 0:55 == 32.5	6/15/25 5:25 == 32.6
6/14/25 16:00 == 32.9	6/14/25 20:30 == 32.6	6/15/25 1:00 == 32.3	6/15/25 5:30 == 32.6
6/14/25 16:05 == 33	6/14/25 20:35 == 32.5	6/15/25 1:05 == 32.4	6/15/25 5:35 == 32.6
6/14/25 16:10 == 32.9	6/14/25 20:40 == 32.3	6/15/25 1:10 == 32.3	6/15/25 5:40 == 32.4
6/14/25 16:15 == 32.7	6/14/25 20:45 == 32.3	6/15/25 1:15 == 32.3	6/15/25 5:45 == 32.5
6/14/25 16:20 == 32.5	6/14/25 20:50 == 32.4	6/15/25 1:20 == 32.4	6/15/25 5:50 == 32.5
6/14/25 16:25 == 32.7	6/14/25 20:55 == 32.5	6/15/25 1:25 == 32.4	6/15/25 5:55 == 32.5

Pumpback Station Discharge (0364)

6/15/25 6:00 == 32.4	6/15/25 10:30 == 32.4	6/15/25 15:00 == 32.6	6/15/25 19:30 == 32.4
6/15/25 6:05 == 32.5	6/15/25 10:35 == 32.6	6/15/25 15:05 == 32.5	6/15/25 19:35 == 32.5
6/15/25 6:10 == 32.4	6/15/25 10:40 == 32.8	6/15/25 15:10 == 32.5	6/15/25 19:40 == 32.5
6/15/25 6:15 == 32.4	6/15/25 10:45 == 32.7	6/15/25 15:15 == 32.6	6/15/25 19:45 == 32.5
6/15/25 6:20 == 32.5	6/15/25 10:50 == 32.8	6/15/25 15:20 == 32.6	6/15/25 19:50 == 32.5
6/15/25 6:25 == 32.5	6/15/25 10:55 == 33	6/15/25 15:25 == 32.8	6/15/25 19:55 == 32.5
6/15/25 6:30 == 32.4	6/15/25 11:00 == 33.1	6/15/25 15:30 == 32.7	6/15/25 20:00 == 31.8
6/15/25 6:35 == 32.5	6/15/25 11:05 == 33.2	6/15/25 15:35 == 32.8	6/15/25 20:05 == 26.8
6/15/25 6:40 == 32.6	6/15/25 11:10 == 33.6	6/15/25 15:40 == 32.7	6/15/25 20:10 == 16.4
6/15/25 6:45 == 31.3	6/15/25 11:15 == 33.6	6/15/25 15:45 == 32.6	6/15/25 20:15 == 16.4
6/15/25 6:50 == 24.9	6/15/25 11:20 == 33.6	6/15/25 15:50 == 32.6	6/15/25 20:20 == 16.4
6/15/25 6:55 == 16.4	6/15/25 11:25 == 33.5	6/15/25 15:55 == 32.7	6/15/25 20:25 == 16.5
6/15/25 7:00 == 16.4	6/15/25 11:30 == 33.4	6/15/25 16:00 == 32.8	6/15/25 20:30 == 16.6
6/15/25 7:05 == 16.3	6/15/25 11:35 == 33.5	6/15/25 16:05 == 32.8	6/15/25 20:35 == 19.5
6/15/25 7:10 == 16.4	6/15/25 11:40 == 33.4	6/15/25 16:10 == 32.8	6/15/25 20:40 == 32.5
6/15/25 7:15 == 16.8	6/15/25 11:45 == 33.4	6/15/25 16:15 == 32.8	6/15/25 20:45 == 32.6
6/15/25 7:20 == 20.6	6/15/25 11:50 == 33.3	6/15/25 16:20 == 32.7	6/15/25 20:50 == 32.6
6/15/25 7:25 == 33	6/15/25 11:55 == 33.1	6/15/25 16:25 == 32.8	6/15/25 20:55 == 32.6
6/15/25 7:30 == 32.9	6/15/25 12:00 == 32.9	6/15/25 16:30 == 32.8	6/15/25 21:00 == 32.7
6/15/25 7:35 == 32.9	6/15/25 12:05 == 33	6/15/25 16:35 == 32.8	6/15/25 21:05 == 32.6
6/15/25 7:40 == 32.8	6/15/25 12:10 == 33.1	6/15/25 16:40 == 32.7	6/15/25 21:10 == 32.4
6/15/25 7:45 == 32.8	6/15/25 12:15 == 33.1	6/15/25 16:45 == 32.6	6/15/25 21:15 == 32.5
6/15/25 7:50 == 32.8	6/15/25 12:20 == 33.1	6/15/25 16:50 == 32.7	6/15/25 21:20 == 32.4
6/15/25 7:55 == 32.5	6/15/25 12:25 == 33	6/15/25 16:55 == 32.7	6/15/25 21:25 == 32.5
6/15/25 8:00 == 32.7	6/15/25 12:30 == 32.9	6/15/25 17:00 == 32.1	6/15/25 21:30 == 32.6
6/15/25 8:05 == 32.7	6/15/25 12:35 == 33	6/15/25 17:05 == 25.8	6/15/25 21:35 == 32.7
6/15/25 8:10 == 32.8	6/15/25 12:40 == 32.7	6/15/25 17:10 == 16.5	6/15/25 21:40 == 32.5
6/15/25 8:15 == 32.9	6/15/25 12:45 == 33	6/15/25 17:15 == 16.5	6/15/25 21:45 == 32.5
6/15/25 8:20 == 32.8	6/15/25 12:50 == 32.7	6/15/25 17:20 == 16.5	6/15/25 21:50 == 32.6
6/15/25 8:25 == 32.7	6/15/25 12:55 == 32.6	6/15/25 17:25 == 16.6	6/15/25 21:55 == 32.6
6/15/25 8:30 == 32.8	6/15/25 13:00 == 32.8	6/15/25 17:30 == 16.5	6/15/25 22:00 == 32.6
6/15/25 8:35 == 32.8	6/15/25 13:05 == 32.9	6/15/25 17:35 == 16.6	6/15/25 22:05 == 32.6
6/15/25 8:40 == 32.8	6/15/25 13:10 == 32.8	6/15/25 17:40 == 16.7	6/15/25 22:10 == 32.5
6/15/25 8:45 == 32.8	6/15/25 13:15 == 32.7	6/15/25 17:45 == 16.8	6/15/25 22:15 == 32.3
6/15/25 8:50 == 32.7	6/15/25 13:20 == 32.7	6/15/25 17:50 == 20	6/15/25 22:20 == 32.4
6/15/25 8:55 == 32.7	6/15/25 13:25 == 32.7	6/15/25 17:55 == 32.7	6/15/25 22:25 == 32.5
6/15/25 9:00 == 32.6	6/15/25 13:30 == 32.6	6/15/25 18:00 == 32.7	6/15/25 22:30 == 32.6
6/15/25 9:05 == 32.7	6/15/25 13:35 == 32.6	6/15/25 18:05 == 32.7	6/15/25 22:35 == 32.6
6/15/25 9:10 == 32.9	6/15/25 13:40 == 32.7	6/15/25 18:10 == 32.5	6/15/25 22:40 == 32.5
6/15/25 9:15 == 32.9	6/15/25 13:45 == 32.7	6/15/25 18:15 == 32.5	6/15/25 22:45 == 32
6/15/25 9:20 == 32.9	6/15/25 13:50 == 32.8	6/15/25 18:20 == 32.5	6/15/25 22:50 == 27.7
6/15/25 9:25 == 32.9	6/15/25 13:55 == 32.6	6/15/25 18:25 == 32.7	6/15/25 22:55 == 16.5
6/15/25 9:30 == 31.4	6/15/25 14:00 == 32.5	6/15/25 18:30 == 32.5	6/15/25 23:00 == 16.5
6/15/25 9:35 == 25.1	6/15/25 14:05 == 24.5	6/15/25 18:35 == 32.5	6/15/25 23:05 == 16.5
6/15/25 9:40 == 16.5	6/15/25 14:10 == 17.1	6/15/25 18:40 == 32.6	6/15/25 23:10 == 16.6
6/15/25 9:45 == 16.6	6/15/25 14:15 == 16.4	6/15/25 18:45 == 32.7	6/15/25 23:15 == 16.5
6/15/25 9:50 == 16.5	6/15/25 14:20 == 16.4	6/15/25 18:50 == 32.7	6/15/25 23:20 == 16.4
6/15/25 9:55 == 16.6	6/15/25 14:25 == 16.4	6/15/25 18:55 == 32.6	6/15/25 23:25 == 16.4
6/15/25 10:00 == 16.9	6/15/25 14:30 == 16.4	6/15/25 19:00 == 32.6	6/15/25 23:30 == 16.4
6/15/25 10:05 == 20.3	6/15/25 14:35 == 21.4	6/15/25 19:05 == 32.6	6/15/25 23:35 == 20.5
6/15/25 10:10 == 32.8	6/15/25 14:40 == 31.5	6/15/25 19:10 == 32.5	6/15/25 23:40 == 30.9
6/15/25 10:15 == 32.8	6/15/25 14:45 == 32.6	6/15/25 19:15 == 32.5	6/15/25 23:45 == 32.4
6/15/25 10:20 == 32.7	6/15/25 14:50 == 32.6	6/15/25 19:20 == 32.6	6/15/25 23:50 == 32.4
6/15/25 10:25 == 32.7	6/15/25 14:55 == 32.5	6/15/25 19:25 == 32.5	6/15/25 23:55 == 32.3

Pumpback Station Discharge (0364)

6/16/25 0:00 == 32.4	6/16/25 4:30 == 32.6	6/16/25 9:00 == 32.8	6/16/25 13:30 == 32.7
6/16/25 0:05 == 32.6	6/16/25 4:35 == 26.7	6/16/25 9:05 == 32.8	6/16/25 13:35 == 32.7
6/16/25 0:10 == 32.5	6/16/25 4:40 == 17.1	6/16/25 9:10 == 33	6/16/25 13:40 == 32.7
6/16/25 0:15 == 32.5	6/16/25 4:45 == 16.3	6/16/25 9:15 == 32.8	6/16/25 13:45 == 32.6
6/16/25 0:20 == 32.6	6/16/25 4:50 == 16.4	6/16/25 9:20 == 32.9	6/16/25 13:50 == 32.6
6/16/25 0:25 == 32.6	6/16/25 4:55 == 16.3	6/16/25 9:25 == 32.8	6/16/25 13:55 == 32.6
6/16/25 0:30 == 32.5	6/16/25 5:00 == 16.3	6/16/25 9:30 == 32.7	6/16/25 14:00 == 32.4
6/16/25 0:35 == 32.4	6/16/25 5:05 == 20.7	6/16/25 9:35 == 32.8	6/16/25 14:05 == 32.5
6/16/25 0:40 == 32.4	6/16/25 5:10 == 29.6	6/16/25 9:40 == 32.7	6/16/25 14:10 == 32.4
6/16/25 0:45 == 32.3	6/16/25 5:15 == 32.7	6/16/25 9:45 == 32.6	6/16/25 14:15 == 32.4
6/16/25 0:50 == 32.4	6/16/25 5:20 == 32.7	6/16/25 9:50 == 32.7	6/16/25 14:20 == 32.3
6/16/25 0:55 == 32.5	6/16/25 5:25 == 32.6	6/16/25 9:55 == 33.1	6/16/25 14:25 == 32.3
6/16/25 1:00 == 32.4	6/16/25 5:30 == 32.5	6/16/25 10:00 == 32.8	6/16/25 14:30 == 32.3
6/16/25 1:05 == 32.3	6/16/25 5:35 == 32.6	6/16/25 10:05 == 27.6	6/16/25 14:35 == 32.5
6/16/25 1:10 == 32.4	6/16/25 5:40 == 32.6	6/16/25 10:10 == 18.9	6/16/25 14:40 == 32.4
6/16/25 1:15 == 32.4	6/16/25 5:45 == 32.5	6/16/25 10:15 == 16.8	6/16/25 14:45 == 32.4
6/16/25 1:20 == 32.4	6/16/25 5:50 == 32.5	6/16/25 10:20 == 16.7	6/16/25 14:50 == 29.4
6/16/25 1:25 == 32.5	6/16/25 5:55 == 32.5	6/16/25 10:25 == 16.6	6/16/25 14:55 == 17
6/16/25 1:30 == 32.5	6/16/25 6:00 == 32.6	6/16/25 10:30 == 16.6	6/16/25 15:00 == 16.6
6/16/25 1:35 == 32.4	6/16/25 6:05 == 32.6	6/16/25 10:35 == 20.6	6/16/25 15:05 == 16.6
6/16/25 1:40 == 32.6	6/16/25 6:10 == 32.5	6/16/25 10:40 == 28.8	6/16/25 15:10 == 16.6
6/16/25 1:45 == 32.4	6/16/25 6:15 == 32.3	6/16/25 10:45 == 33	6/16/25 15:15 == 16.6
6/16/25 1:50 == 32.4	6/16/25 6:20 == 28.5	6/16/25 10:50 == 33.2	6/16/25 15:20 == 16.6
6/16/25 1:55 == 32.4	6/16/25 6:25 == 16.4	6/16/25 10:55 == 33.3	6/16/25 15:25 == 16.7
6/16/25 2:00 == 32.6	6/16/25 6:30 == 16.4	6/16/25 11:00 == 33.2	6/16/25 15:30 == 16.6
6/16/25 2:05 == 26.8	6/16/25 6:35 == 16.4	6/16/25 11:05 == 33.3	6/16/25 15:35 == 19.7
6/16/25 2:10 == 17.6	6/16/25 6:40 == 16.4	6/16/25 11:10 == 33.5	6/16/25 15:40 == 28.7
6/16/25 2:15 == 16.4	6/16/25 6:45 == 16.4	6/16/25 11:15 == 33.5	6/16/25 15:45 == 32.8
6/16/25 2:20 == 16.5	6/16/25 6:50 == 17.2	6/16/25 11:20 == 33.5	6/16/25 15:50 == 32.7
6/16/25 2:25 == 16.5	6/16/25 6:55 == 31.4	6/16/25 11:25 == 33.4	6/16/25 15:55 == 32.7
6/16/25 2:30 == 16.4	6/16/25 7:00 == 32.6	6/16/25 11:30 == 33.4	6/16/25 16:00 == 32.8
6/16/25 2:35 == 20.8	6/16/25 7:05 == 32.6	6/16/25 11:35 == 33.4	6/16/25 16:05 == 32.7
6/16/25 2:40 == 29.5	6/16/25 7:10 == 32.9	6/16/25 11:40 == 33.7	6/16/25 16:10 == 32.7
6/16/25 2:45 == 32.7	6/16/25 7:15 == 32.5	6/16/25 11:45 == 33.4	6/16/25 16:15 == 32.7
6/16/25 2:50 == 32.6	6/16/25 7:20 == 32.5	6/16/25 11:50 == 33.4	6/16/25 16:20 == 32.9
6/16/25 2:55 == 32.4	6/16/25 7:25 == 33	6/16/25 11:55 == 32.9	6/16/25 16:25 == 33
6/16/25 3:00 == 32.4	6/16/25 7:30 == 33	6/16/25 12:00 == 32.8	6/16/25 16:30 == 33
6/16/25 3:05 == 32.6	6/16/25 7:35 == 26.7	6/16/25 12:05 == 32.6	6/16/25 16:35 == 32.9
6/16/25 3:10 == 32.6	6/16/25 7:40 == 18.7	6/16/25 12:10 == 32.9	6/16/25 16:40 == 32.8
6/16/25 3:15 == 32.5	6/16/25 7:45 == 16.7	6/16/25 12:15 == 32.8	6/16/25 16:45 == 32.7
6/16/25 3:20 == 32.5	6/16/25 7:50 == 16.8	6/16/25 12:20 == 32.8	6/16/25 16:50 == 29.9
6/16/25 3:25 == 32.5	6/16/25 7:55 == 16.6	6/16/25 12:25 == 32.8	6/16/25 16:55 == 17.2
6/16/25 3:30 == 32.4	6/16/25 8:00 == 16.6	6/16/25 12:30 == 32.7	6/16/25 17:00 == 16.4
6/16/25 3:35 == 32.4	6/16/25 8:05 == 16.6	6/16/25 12:35 == 28	6/16/25 17:05 == 16.4
6/16/25 3:40 == 32.5	6/16/25 8:10 == 16.6	6/16/25 12:40 == 18.4	6/16/25 17:10 == 16.6
6/16/25 3:45 == 32.6	6/16/25 8:15 == 16.6	6/16/25 12:45 == 16.4	6/16/25 17:15 == 16.5
6/16/25 3:50 == 32.5	6/16/25 8:20 == 21.2	6/16/25 12:50 == 16.5	6/16/25 17:20 == 16.5
6/16/25 3:55 == 32.4	6/16/25 8:25 == 29.1	6/16/25 12:55 == 16.5	6/16/25 17:25 == 16.8
6/16/25 4:00 == 32.4	6/16/25 8:30 == 32.8	6/16/25 13:00 == 16.5	6/16/25 17:30 == 16.6
6/16/25 4:05 == 32.4	6/16/25 8:35 == 32.9	6/16/25 13:05 == 19.8	6/16/25 17:35 == 16.9
6/16/25 4:10 == 32.5	6/16/25 8:40 == 32.8	6/16/25 13:10 == 28.4	6/16/25 17:40 == 30.6
6/16/25 4:15 == 32.5	6/16/25 8:45 == 32.7	6/16/25 13:15 == 32.6	6/16/25 17:45 == 32.8
6/16/25 4:20 == 32.5	6/16/25 8:50 == 32.7	6/16/25 13:20 == 32.7	6/16/25 17:50 == 32.7
6/16/25 4:25 == 32.4	6/16/25 8:55 == 32.7	6/16/25 13:25 == 32.6	6/16/25 17:55 == 32.9

Pumpback Station Discharge (0364)

6/16/25 18:00 == 32.9	6/16/25 22:30 == 32.6	6/17/25 3:00 == 32.6	6/17/25 7:30 == 16.6
6/16/25 18:05 == 32.8	6/16/25 22:35 == 32.6	6/17/25 3:05 == 32.6	6/17/25 7:35 == 16.8
6/16/25 18:10 == 32.5	6/16/25 22:40 == 32.7	6/17/25 3:10 == 32.7	6/17/25 7:40 == 16.8
6/16/25 18:15 == 32.4	6/16/25 22:45 == 32.6	6/17/25 3:15 == 32.7	6/17/25 7:45 == 16.8
6/16/25 18:20 == 32.6	6/16/25 22:50 == 32.5	6/17/25 3:20 == 32.7	6/17/25 7:50 == 16.7
6/16/25 18:25 == 32.5	6/16/25 22:55 == 32.8	6/17/25 3:25 == 32.6	6/17/25 7:55 == 16.7
6/16/25 18:30 == 32.5	6/16/25 23:00 == 32.7	6/17/25 3:30 == 32.5	6/17/25 8:00 == 16.8
6/16/25 18:35 == 32.7	6/16/25 23:05 == 29	6/17/25 3:35 == 32.5	6/17/25 8:05 == 18.9
6/16/25 18:40 == 32.6	6/16/25 23:10 == 19.4	6/17/25 3:40 == 32.4	6/17/25 8:10 == 26.4
6/16/25 18:45 == 32.5	6/16/25 23:15 == 16.5	6/17/25 3:45 == 32.6	6/17/25 8:15 == 32.9
6/16/25 18:50 == 32.6	6/16/25 23:20 == 16.4	6/17/25 3:50 == 31.7	6/17/25 8:20 == 33
6/16/25 18:55 == 32.5	6/16/25 23:25 == 16.5	6/17/25 3:55 == 17.7	6/17/25 8:25 == 32.9
6/16/25 19:00 == 32.4	6/16/25 23:30 == 16.4	6/17/25 4:00 == 16.4	6/17/25 8:30 == 32.9
6/16/25 19:05 == 28.4	6/16/25 23:35 == 16.5	6/17/25 4:05 == 16.3	6/17/25 8:35 == 32.9
6/16/25 19:10 == 18.8	6/16/25 23:40 == 16.4	6/17/25 4:10 == 16.5	6/17/25 8:40 == 32.8
6/16/25 19:15 == 16.4	6/16/25 23:45 == 16.3	6/17/25 4:15 == 16.4	6/17/25 8:45 == 32.9
6/16/25 19:20 == 16.4	6/16/25 23:50 == 19.1	6/17/25 4:20 == 17	6/17/25 8:50 == 32.9
6/16/25 19:25 == 16.4	6/16/25 23:55 == 26.8	6/17/25 4:25 == 28.2	6/17/25 8:55 == 32.9
6/16/25 19:30 == 16.4	6/17/25 0:00 == 32.5	6/17/25 4:30 == 32.6	6/17/25 9:00 == 32.8
6/16/25 19:35 == 17.8	6/17/25 0:05 == 32.5	6/17/25 4:35 == 32.7	6/17/25 9:05 == 32.9
6/16/25 19:40 == 29.2	6/17/25 0:10 == 32.5	6/17/25 4:40 == 32.6	6/17/25 9:10 == 32.9
6/16/25 19:45 == 32.5	6/17/25 0:15 == 32.4	6/17/25 4:45 == 32.5	6/17/25 9:15 == 32.9
6/16/25 19:50 == 32.5	6/17/25 0:20 == 32.5	6/17/25 4:50 == 32.4	6/17/25 9:20 == 32.9
6/16/25 19:55 == 32.6	6/17/25 0:25 == 32.6	6/17/25 4:55 == 32.6	6/17/25 9:25 == 33
6/16/25 20:00 == 32.4	6/17/25 0:30 == 32.5	6/17/25 5:00 == 32.7	6/17/25 9:30 == 33
6/16/25 20:05 == 32.6	6/17/25 0:35 == 32.5	6/17/25 5:05 == 32.6	6/17/25 9:35 == 30.7
6/16/25 20:10 == 32.4	6/17/25 0:40 == 32.5	6/17/25 5:10 == 32.6	6/17/25 9:40 == 20.8
6/16/25 20:15 == 32.6	6/17/25 0:45 == 32.5	6/17/25 5:15 == 32.6	6/17/25 9:45 == 16.7
6/16/25 20:20 == 32.6	6/17/25 0:50 == 32.4	6/17/25 5:20 == 32.6	6/17/25 9:50 == 16.8
6/16/25 20:25 == 32.7	6/17/25 0:55 == 32.5	6/17/25 5:25 == 32.6	6/17/25 9:55 == 16.8
6/16/25 20:30 == 32.5	6/17/25 1:00 == 32.4	6/17/25 5:30 == 32.8	6/17/25 10:00 == 16.6
6/16/25 20:35 == 32.6	6/17/25 1:05 == 32.5	6/17/25 5:35 == 29.9	6/17/25 10:05 == 16.7
6/16/25 20:40 == 32.5	6/17/25 1:10 == 32.5	6/17/25 5:40 == 20.3	6/17/25 10:10 == 16.7
6/16/25 20:45 == 32.5	6/17/25 1:15 == 32.3	6/17/25 5:45 == 16.3	6/17/25 10:15 == 16.7
6/16/25 20:50 == 28.1	6/17/25 1:20 == 30.9	6/17/25 5:50 == 16.4	6/17/25 10:20 == 18.6
6/16/25 20:55 == 20	6/17/25 1:25 == 18.1	6/17/25 5:55 == 16.4	6/17/25 10:25 == 25.7
6/16/25 21:00 == 16.5	6/17/25 1:30 == 16.5	6/17/25 6:00 == 16.4	6/17/25 10:30 == 32.8
6/16/25 21:05 == 16.5	6/17/25 1:35 == 16.5	6/17/25 6:05 == 16.5	6/17/25 10:35 == 32.8
6/16/25 21:10 == 16.5	6/17/25 1:40 == 16.5	6/17/25 6:10 == 16.4	6/17/25 10:40 == 33
6/16/25 21:15 == 16.5	6/17/25 1:45 == 16.5	6/17/25 6:15 == 16.4	6/17/25 10:45 == 32.9
6/16/25 21:20 == 16.6	6/17/25 1:50 == 16.6	6/17/25 6:20 == 16.4	6/17/25 10:50 == 33
6/16/25 21:25 == 16.6	6/17/25 1:55 == 16.6	6/17/25 6:25 == 27	6/17/25 10:55 == 33.2
6/16/25 21:30 == 16.6	6/17/25 2:00 == 16.6	6/17/25 6:30 == 32.1	6/17/25 11:00 == 33.3
6/16/25 21:35 == 19.5	6/17/25 2:05 == 18.4	6/17/25 6:35 == 32.5	6/17/25 11:05 == 33
6/16/25 21:40 == 27.4	6/17/25 2:10 == 27.2	6/17/25 6:40 == 32.7	6/17/25 11:10 == 33.6
6/16/25 21:45 == 32.7	6/17/25 2:15 == 32.7	6/17/25 6:45 == 32.5	6/17/25 11:15 == 33.8
6/16/25 21:50 == 32.7	6/17/25 2:20 == 32.8	6/17/25 6:50 == 32.5	6/17/25 11:20 == 33.6
6/16/25 21:55 == 32.7	6/17/25 2:25 == 32.8	6/17/25 6:55 == 32.7	6/17/25 11:25 == 33.6
6/16/25 22:00 == 32.5	6/17/25 2:30 == 32.6	6/17/25 7:00 == 32.7	6/17/25 11:30 == 33.7
6/16/25 22:05 == 32.5	6/17/25 2:35 == 32.6	6/17/25 7:05 == 32.6	6/17/25 11:35 == 34
6/16/25 22:10 == 32.5	6/17/25 2:40 == 32.7	6/17/25 7:10 == 32.6	6/17/25 11:40 == 33.8
6/16/25 22:15 == 32.5	6/17/25 2:45 == 32.7	6/17/25 7:15 == 32.5	6/17/25 11:45 == 33.6
6/16/25 22:20 == 32.6	6/17/25 2:50 == 32.6	6/17/25 7:20 == 29	6/17/25 11:50 == 33
6/16/25 22:25 == 32.7	6/17/25 2:55 == 32.5	6/17/25 7:25 == 21.1	6/17/25 11:55 == 19.8

Pumpback Station Discharge (0364)

6/17/25 12:00 == 17	6/17/25 16:30 == 17.1	6/17/25 21:00 == 33	6/18/25 1:30 == 33
6/17/25 12:05 == 16.9	6/17/25 16:35 == 17.1	6/17/25 21:05 == 33	6/18/25 1:35 == 33.1
6/17/25 12:10 == 17.1	6/17/25 16:40 == 17.2	6/17/25 21:10 == 33.1	6/18/25 1:40 == 33.1
6/17/25 12:15 == 17.1	6/17/25 16:45 == 17	6/17/25 21:15 == 33	6/18/25 1:45 == 33.1
6/17/25 12:20 == 17.1	6/17/25 16:50 == 17	6/17/25 21:20 == 33.2	6/18/25 1:50 == 33.1
6/17/25 12:25 == 17.1	6/17/25 16:55 == 27.1	6/17/25 21:25 == 33.1	6/18/25 1:55 == 33.1
6/17/25 12:30 == 17	6/17/25 17:00 == 32.2	6/17/25 21:30 == 33.2	6/18/25 2:00 == 33.1
6/17/25 12:35 == 17.5	6/17/25 17:05 == 33	6/17/25 21:35 == 33.1	6/18/25 2:05 == 33.1
6/17/25 12:40 == 25.7	6/17/25 17:10 == 33.3	6/17/25 21:40 == 33.3	6/18/25 2:10 == 33.1
6/17/25 12:45 == 33	6/17/25 17:15 == 33.3	6/17/25 21:45 == 33.1	6/18/25 2:15 == 33
6/17/25 12:50 == 33.1	6/17/25 17:20 == 33.3	6/17/25 21:50 == 33.1	6/18/25 2:20 == 31.4
6/17/25 12:55 == 33	6/17/25 17:25 == 33.4	6/17/25 21:55 == 33.1	6/18/25 2:25 == 23.8
6/17/25 13:00 == 33	6/17/25 17:30 == 33.4	6/17/25 22:00 == 32.9	6/18/25 2:30 == 16.9
6/17/25 13:05 == 33	6/17/25 17:35 == 33.3	6/17/25 22:05 == 33	6/18/25 2:35 == 16.9
6/17/25 13:10 == 33.1	6/17/25 17:40 == 33.3	6/17/25 22:10 == 33	6/18/25 2:40 == 17
6/17/25 13:15 == 33	6/17/25 17:45 == 33.3	6/17/25 22:15 == 33	6/18/25 2:45 == 16.9
6/17/25 13:20 == 33	6/17/25 17:50 == 30.8	6/17/25 22:20 == 32.9	6/18/25 2:50 == 17.1
6/17/25 13:25 == 33	6/17/25 17:55 == 23	6/17/25 22:25 == 21	6/18/25 2:55 == 24.4
6/17/25 13:30 == 33	6/17/25 18:00 == 17.1	6/17/25 22:30 == 16.8	6/18/25 3:00 == 32.7
6/17/25 13:35 == 33	6/17/25 18:05 == 17.1	6/17/25 22:35 == 16.8	6/18/25 3:05 == 32.9
6/17/25 13:40 == 33	6/17/25 18:10 == 17	6/17/25 22:40 == 16.8	6/18/25 3:10 == 33
6/17/25 13:45 == 33.1	6/17/25 18:15 == 16.9	6/17/25 22:45 == 16.9	6/18/25 3:15 == 33.1
6/17/25 13:50 == 33	6/17/25 18:20 == 16.9	6/17/25 22:50 == 17	6/18/25 3:20 == 33
6/17/25 13:55 == 32.9	6/17/25 18:25 == 17	6/17/25 22:55 == 17	6/18/25 3:25 == 32.9
6/17/25 14:00 == 32.9	6/17/25 18:30 == 16.9	6/17/25 23:00 == 17	6/18/25 3:30 == 32.9
6/17/25 14:05 == 32.8	6/17/25 18:35 == 18.2	6/17/25 23:05 == 17.7	6/18/25 3:35 == 33
6/17/25 14:10 == 19.3	6/17/25 18:40 == 24.8	6/17/25 23:10 == 24.9	6/18/25 3:40 == 32.9
6/17/25 14:15 == 16.9	6/17/25 18:45 == 33	6/17/25 23:15 == 33	6/18/25 3:45 == 33
6/17/25 14:20 == 16.7	6/17/25 18:50 == 33.2	6/17/25 23:20 == 33.2	6/18/25 3:50 == 33
6/17/25 14:25 == 16.7	6/17/25 18:55 == 33.1	6/17/25 23:25 == 33.1	6/18/25 3:55 == 32.8
6/17/25 14:30 == 16.7	6/17/25 19:00 == 33.1	6/17/25 23:30 == 33	6/18/25 4:00 == 32.8
6/17/25 14:35 == 16.8	6/17/25 19:05 == 33	6/17/25 23:35 == 32.9	6/18/25 4:05 == 33
6/17/25 14:40 == 16.8	6/17/25 19:10 == 32.9	6/17/25 23:40 == 32.9	6/18/25 4:10 == 33
6/17/25 14:45 == 16.8	6/17/25 19:15 == 32.8	6/17/25 23:45 == 32.9	6/18/25 4:15 == 33
6/17/25 14:50 == 16.8	6/17/25 19:20 == 32.9	6/17/25 23:50 == 32.9	6/18/25 4:20 == 31.4
6/17/25 14:55 == 27	6/17/25 19:25 == 32.9	6/17/25 23:55 == 32.7	6/18/25 4:25 == 24.2
6/17/25 15:00 == 32.9	6/17/25 19:30 == 32.8	6/18/25 0:00 == 32.8	6/18/25 4:30 == 16.8
6/17/25 15:05 == 33.2	6/17/25 19:35 == 32.9	6/18/25 0:05 == 32.8	6/18/25 4:35 == 16.9
6/17/25 15:10 == 33.2	6/17/25 19:40 == 32.7	6/18/25 0:10 == 32.9	6/18/25 4:40 == 16.9
6/17/25 15:15 == 33.2	6/17/25 19:45 == 32.8	6/18/25 0:15 == 32.9	6/18/25 4:45 == 16.9
6/17/25 15:20 == 33.3	6/17/25 19:50 == 32.3	6/18/25 0:20 == 32.9	6/18/25 4:50 == 16.9
6/17/25 15:25 == 33.3	6/17/25 19:55 == 21.1	6/18/25 0:25 == 32.9	6/18/25 4:55 == 16.8
6/17/25 15:30 == 33.2	6/17/25 20:00 == 16.7	6/18/25 0:30 == 32.9	6/18/25 5:00 == 16.9
6/17/25 15:35 == 33.3	6/17/25 20:05 == 16.7	6/18/25 0:35 == 32.9	6/18/25 5:05 == 17.6
6/17/25 15:40 == 33.3	6/17/25 20:10 == 16.8	6/18/25 0:40 == 21.5	6/18/25 5:10 == 23.2
6/17/25 15:45 == 33.2	6/17/25 20:15 == 16.8	6/18/25 0:45 == 17.2	6/18/25 5:15 == 33.2
6/17/25 15:50 == 33.2	6/17/25 20:20 == 16.8	6/18/25 0:50 == 16.8	6/18/25 5:20 == 33.2
6/17/25 15:55 == 33.3	6/17/25 20:25 == 16.8	6/18/25 0:55 == 16.8	6/18/25 5:25 == 33.2
6/17/25 16:00 == 33.3	6/17/25 20:30 == 16.8	6/18/25 1:00 == 16.7	6/18/25 5:30 == 33.2
6/17/25 16:05 == 31.4	6/17/25 20:35 == 17.8	6/18/25 1:05 == 16.7	6/18/25 5:35 == 33
6/17/25 16:10 == 21.9	6/17/25 20:40 == 24.8	6/18/25 1:10 == 25.5	6/18/25 5:40 == 33
6/17/25 16:15 == 17.1	6/17/25 20:45 == 32.9	6/18/25 1:15 == 31.7	6/18/25 5:45 == 33
6/17/25 16:20 == 17.1	6/17/25 20:50 == 33	6/18/25 1:20 == 32.9	6/18/25 5:50 == 33
6/17/25 16:25 == 17.1	6/17/25 20:55 == 33.1	6/18/25 1:25 == 32.9	6/18/25 5:55 == 33.1

Pumpback Station Discharge (0364)

6/18/25 6:00 == 33	6/18/25 10:30 == 32.8	6/18/25 15:00 == 32.5	6/18/25 19:30 == 16.6
6/18/25 6:05 == 32.9	6/18/25 10:35 == 32.9	6/18/25 15:05 == 33	6/18/25 19:35 == 16.7
6/18/25 6:10 == 33	6/18/25 10:40 == 33.2	6/18/25 15:10 == 33	6/18/25 19:40 == 22.6
6/18/25 6:15 == 33	6/18/25 10:45 == 33.1	6/18/25 15:15 == 33.1	6/18/25 19:45 == 30.5
6/18/25 6:20 == 32.9	6/18/25 10:50 == 33	6/18/25 15:20 == 33.1	6/18/25 19:50 == 32.8
6/18/25 6:25 == 32.8	6/18/25 10:55 == 33.4	6/18/25 15:25 == 33.2	6/18/25 19:55 == 32.6
6/18/25 6:30 == 32.8	6/18/25 11:00 == 33.3	6/18/25 15:30 == 33.2	6/18/25 20:00 == 32.7
6/18/25 6:35 == 33	6/18/25 11:05 == 33.3	6/18/25 15:35 == 33.1	6/18/25 20:05 == 32.7
6/18/25 6:40 == 33.1	6/18/25 11:10 == 24	6/18/25 15:40 == 33	6/18/25 20:10 == 32.8
6/18/25 6:45 == 33	6/18/25 11:15 == 18.3	6/18/25 15:45 == 33	6/18/25 20:15 == 32.6
6/18/25 6:50 == 31.7	6/18/25 11:20 == 17.3	6/18/25 15:50 == 33	6/18/25 20:20 == 32.6
6/18/25 6:55 == 24.2	6/18/25 11:25 == 17.3	6/18/25 15:55 == 33.1	6/18/25 20:25 == 32.7
6/18/25 7:00 == 16.9	6/18/25 11:30 == 17.3	6/18/25 16:00 == 33.1	6/18/25 20:30 == 32.6
6/18/25 7:05 == 16.9	6/18/25 11:35 == 17.3	6/18/25 16:05 == 33.1	6/18/25 20:35 == 32.7
6/18/25 7:10 == 17	6/18/25 11:40 == 24.9	6/18/25 16:10 == 33.1	6/18/25 20:40 == 32.8
6/18/25 7:15 == 17	6/18/25 11:45 == 31.9	6/18/25 16:15 == 33.1	6/18/25 20:45 == 32.8
6/18/25 7:20 == 17	6/18/25 11:50 == 33.6	6/18/25 16:20 == 33	6/18/25 20:50 == 32.7
6/18/25 7:25 == 17.2	6/18/25 11:55 == 33.2	6/18/25 16:25 == 33.1	6/18/25 20:55 == 32.7
6/18/25 7:30 == 17.2	6/18/25 12:00 == 33	6/18/25 16:30 == 33.2	6/18/25 21:00 == 32.9
6/18/25 7:35 == 17.2	6/18/25 12:05 == 33.1	6/18/25 16:35 == 33.2	6/18/25 21:05 == 32.8
6/18/25 7:40 == 17.1	6/18/25 12:10 == 33.1	6/18/25 16:40 == 24.2	6/18/25 21:10 == 33
6/18/25 7:45 == 17.1	6/18/25 12:15 == 33.1	6/18/25 16:45 == 17.9	6/18/25 21:15 == 33
6/18/25 7:50 == 17.5	6/18/25 12:20 == 33.1	6/18/25 16:50 == 16.8	6/18/25 21:20 == 32.9
6/18/25 7:55 == 23.3	6/18/25 12:25 == 33	6/18/25 16:55 == 16.7	6/18/25 21:25 == 24.7
6/18/25 8:00 == 33.4	6/18/25 12:30 == 32.9	6/18/25 17:00 == 16.6	6/18/25 21:30 == 17.9
6/18/25 8:05 == 33.2	6/18/25 12:35 == 32.9	6/18/25 17:05 == 16.7	6/18/25 21:35 == 16.7
6/18/25 8:10 == 33.3	6/18/25 12:40 == 32.8	6/18/25 17:10 == 16.6	6/18/25 21:40 == 16.9
6/18/25 8:15 == 33.3	6/18/25 12:45 == 32.7	6/18/25 17:15 == 16.6	6/18/25 21:45 == 16.8
6/18/25 8:20 == 33.2	6/18/25 12:50 == 32.7	6/18/25 17:20 == 16.7	6/18/25 21:50 == 16.7
6/18/25 8:25 == 33.2	6/18/25 12:55 == 32.9	6/18/25 17:25 == 22.1	6/18/25 21:55 == 22.9
6/18/25 8:30 == 33.2	6/18/25 13:00 == 32.9	6/18/25 17:30 == 31.6	6/18/25 22:00 == 30.3
6/18/25 8:35 == 33.2	6/18/25 13:05 == 32.9	6/18/25 17:35 == 32.9	6/18/25 22:05 == 32.9
6/18/25 8:40 == 33	6/18/25 13:10 == 32.7	6/18/25 17:40 == 33.2	6/18/25 22:10 == 32.9
6/18/25 8:45 == 33	6/18/25 13:15 == 32.8	6/18/25 17:45 == 33	6/18/25 22:15 == 32.8
6/18/25 8:50 == 33.2	6/18/25 13:20 == 32.8	6/18/25 17:50 == 33.1	6/18/25 22:20 == 32.8
6/18/25 8:55 == 33.2	6/18/25 13:25 == 32.8	6/18/25 17:55 == 33.1	6/18/25 22:25 == 32.8
6/18/25 9:00 == 33.1	6/18/25 13:30 == 32.6	6/18/25 18:00 == 33.1	6/18/25 22:30 == 32.7
6/18/25 9:05 == 33.1	6/18/25 13:35 == 32.8	6/18/25 18:05 == 33.1	6/18/25 22:35 == 32.9
6/18/25 9:10 == 23.7	6/18/25 13:40 == 32.7	6/18/25 18:10 == 32.8	6/18/25 22:40 == 32.9
6/18/25 9:15 == 17	6/18/25 13:45 == 32.7	6/18/25 18:15 == 32.7	6/18/25 22:45 == 32.8
6/18/25 9:20 == 17	6/18/25 13:50 == 32.8	6/18/25 18:20 == 32.7	6/18/25 22:50 == 32.7
6/18/25 9:25 == 17	6/18/25 13:55 == 32.6	6/18/25 18:25 == 32.8	6/18/25 22:55 == 32.9
6/18/25 9:30 == 16.9	6/18/25 14:00 == 32.6	6/18/25 18:30 == 32.6	6/18/25 23:00 == 32.9
6/18/25 9:35 == 16.8	6/18/25 14:05 == 32.7	6/18/25 18:35 == 32.7	6/18/25 23:05 == 33
6/18/25 9:40 == 22.9	6/18/25 14:10 == 23.3	6/18/25 18:40 == 32.5	6/18/25 23:10 == 32.9
6/18/25 9:45 == 32.8	6/18/25 14:15 == 17.2	6/18/25 18:45 == 32.6	6/18/25 23:15 == 32.8
6/18/25 9:50 == 33	6/18/25 14:20 == 16.6	6/18/25 18:50 == 32.8	6/18/25 23:20 == 32.8
6/18/25 9:55 == 33.1	6/18/25 14:25 == 16.5	6/18/25 18:55 == 32.7	6/18/25 23:25 == 32.7
6/18/25 10:00 == 33	6/18/25 14:30 == 16.5	6/18/25 19:00 == 32.7	6/18/25 23:30 == 32.7
6/18/25 10:05 == 33.1	6/18/25 14:35 == 16.6	6/18/25 19:05 == 32.7	6/18/25 23:35 == 32.6
6/18/25 10:10 == 33.3	6/18/25 14:40 == 16.6	6/18/25 19:10 == 24.2	6/18/25 23:40 == 32.6
6/18/25 10:15 == 33.2	6/18/25 14:45 == 16.5	6/18/25 19:15 == 18	6/18/25 23:45 == 32.7
6/18/25 10:20 == 33.1	6/18/25 14:50 == 16.5	6/18/25 19:20 == 16.6	6/18/25 23:50 == 32.6
6/18/25 10:25 == 33	6/18/25 14:55 == 22.1	6/18/25 19:25 == 16.6	6/18/25 23:55 == 25.5

Pumpback Station Discharge (0364)

6/19/25 0:00 == 17.7	6/19/25 4:30 == 32.8	6/19/25 9:00 == 33.1	6/19/25 13:30 == 33
6/19/25 0:05 == 16.6	6/19/25 4:35 == 32.9	6/19/25 9:05 == 33.1	6/19/25 13:35 == 33
6/19/25 0:10 == 16.6	6/19/25 4:40 == 32.6	6/19/25 9:10 == 33.3	6/19/25 13:40 == 32.9
6/19/25 0:15 == 16.6	6/19/25 4:45 == 32.7	6/19/25 9:15 == 33.2	6/19/25 13:45 == 32.9
6/19/25 0:20 == 16.6	6/19/25 4:50 == 32.8	6/19/25 9:20 == 33.3	6/19/25 13:50 == 33
6/19/25 0:25 == 22.2	6/19/25 4:55 == 32.7	6/19/25 9:25 == 33.3	6/19/25 13:55 == 32.9
6/19/25 0:30 == 29.9	6/19/25 5:00 == 32.7	6/19/25 9:30 == 33	6/19/25 14:00 == 32.9
6/19/25 0:35 == 32.8	6/19/25 5:05 == 32.8	6/19/25 9:35 == 33	6/19/25 14:05 == 32.8
6/19/25 0:40 == 32.8	6/19/25 5:10 == 32.9	6/19/25 9:40 == 33.1	6/19/25 14:10 == 32.7
6/19/25 0:45 == 32.8	6/19/25 5:15 == 32.8	6/19/25 9:45 == 32.9	6/19/25 14:15 == 32.7
6/19/25 0:50 == 33	6/19/25 5:20 == 32.7	6/19/25 9:50 == 33	6/19/25 14:20 == 32.6
6/19/25 0:55 == 33	6/19/25 5:25 == 32.8	6/19/25 9:55 == 33.3	6/19/25 14:25 == 32.6
6/19/25 1:00 == 32.9	6/19/25 5:30 == 32.7	6/19/25 10:00 == 33	6/19/25 14:30 == 32.7
6/19/25 1:05 == 32.9	6/19/25 5:35 == 32.8	6/19/25 10:05 == 33	6/19/25 14:35 == 32.7
6/19/25 1:10 == 32.9	6/19/25 5:40 == 32.7	6/19/25 10:10 == 33.3	6/19/25 14:40 == 32.7
6/19/25 1:15 == 32.8	6/19/25 5:45 == 32.8	6/19/25 10:15 == 33.2	6/19/25 14:45 == 32.7
6/19/25 1:20 == 32.8	6/19/25 5:50 == 33	6/19/25 10:20 == 33.1	6/19/25 14:50 == 32.8
6/19/25 1:25 == 33	6/19/25 5:55 == 26	6/19/25 10:25 == 33	6/19/25 14:55 == 32.7
6/19/25 1:30 == 33	6/19/25 6:00 == 18.4	6/19/25 10:30 == 32.9	6/19/25 15:00 == 32.8
6/19/25 1:35 == 33	6/19/25 6:05 == 16.6	6/19/25 10:35 == 33	6/19/25 15:05 == 32.8
6/19/25 1:40 == 33	6/19/25 6:10 == 16.6	6/19/25 10:40 == 33	6/19/25 15:10 == 33
6/19/25 1:45 == 33	6/19/25 6:15 == 16.5	6/19/25 10:45 == 33	6/19/25 15:15 == 32.7
6/19/25 1:50 == 33	6/19/25 6:20 == 16.6	6/19/25 10:50 == 33.2	6/19/25 15:20 == 32.8
6/19/25 1:55 == 32.9	6/19/25 6:25 == 21.1	6/19/25 10:55 == 33.2	6/19/25 15:25 == 32.9
6/19/25 2:00 == 32.9	6/19/25 6:30 == 30.4	6/19/25 11:00 == 33.2	6/19/25 15:30 == 33
6/19/25 2:05 == 32.7	6/19/25 6:35 == 33	6/19/25 11:05 == 33.4	6/19/25 15:35 == 33
6/19/25 2:10 == 32.8	6/19/25 6:40 == 32.9	6/19/25 11:10 == 33.6	6/19/25 15:40 == 33
6/19/25 2:15 == 32.6	6/19/25 6:45 == 32.9	6/19/25 11:15 == 33.6	6/19/25 15:45 == 32.9
6/19/25 2:20 == 32.5	6/19/25 6:50 == 32.9	6/19/25 11:20 == 33.7	6/19/25 15:50 == 32.9
6/19/25 2:25 == 25.8	6/19/25 6:55 == 32.8	6/19/25 11:25 == 33.7	6/19/25 15:55 == 33
6/19/25 2:30 == 17.6	6/19/25 7:00 == 32.7	6/19/25 11:30 == 33.8	6/19/25 16:00 == 33.1
6/19/25 2:35 == 16.7	6/19/25 7:05 == 32.8	6/19/25 11:35 == 33.8	6/19/25 16:05 == 33
6/19/25 2:40 == 16.6	6/19/25 7:10 == 33.1	6/19/25 11:40 == 29	6/19/25 16:10 == 32.8
6/19/25 2:45 == 16.6	6/19/25 7:15 == 33	6/19/25 11:45 == 18.4	6/19/25 16:15 == 32.8
6/19/25 2:50 == 16.6	6/19/25 7:20 == 33.1	6/19/25 11:50 == 17.2	6/19/25 16:20 == 32.9
6/19/25 2:55 == 21.9	6/19/25 7:25 == 33.6	6/19/25 11:55 == 16.9	6/19/25 16:25 == 33
6/19/25 3:00 == 30	6/19/25 7:30 == 33.3	6/19/25 12:00 == 16.8	6/19/25 16:30 == 33
6/19/25 3:05 == 32.7	6/19/25 7:35 == 33.3	6/19/25 12:05 == 16.8	6/19/25 16:35 == 33
6/19/25 3:10 == 32.8	6/19/25 7:40 == 33.4	6/19/25 12:10 == 18.7	6/19/25 16:40 == 32.9
6/19/25 3:15 == 32.8	6/19/25 7:45 == 33.3	6/19/25 12:15 == 31.7	6/19/25 16:45 == 32.9
6/19/25 3:20 == 32.8	6/19/25 7:50 == 33.2	6/19/25 12:20 == 33.4	6/19/25 16:50 == 32.8
6/19/25 3:25 == 32.7	6/19/25 7:55 == 33	6/19/25 12:25 == 33.3	6/19/25 16:55 == 32.7
6/19/25 3:30 == 32.6	6/19/25 8:00 == 33.1	6/19/25 12:30 == 33.2	6/19/25 17:00 == 32.7
6/19/25 3:35 == 32.7	6/19/25 8:05 == 33.1	6/19/25 12:35 == 33.2	6/19/25 17:05 == 32.8
6/19/25 3:40 == 32.7	6/19/25 8:10 == 26.5	6/19/25 12:40 == 33	6/19/25 17:10 == 32.8
6/19/25 3:45 == 32.6	6/19/25 8:15 == 19.2	6/19/25 12:45 == 33	6/19/25 17:15 == 32.9
6/19/25 3:50 == 32.6	6/19/25 8:20 == 16.9	6/19/25 12:50 == 32.9	6/19/25 17:20 == 32.7
6/19/25 3:55 == 32.7	6/19/25 8:25 == 16.8	6/19/25 12:55 == 33.1	6/19/25 17:25 == 29.7
6/19/25 4:00 == 32.8	6/19/25 8:30 == 16.7	6/19/25 13:00 == 33.1	6/19/25 17:30 == 16.6
6/19/25 4:05 == 32.7	6/19/25 8:35 == 16.8	6/19/25 13:05 == 33.1	6/19/25 17:35 == 16.5
6/19/25 4:10 == 32.7	6/19/25 8:40 == 21.5	6/19/25 13:10 == 33	6/19/25 17:40 == 16.8
6/19/25 4:15 == 32.8	6/19/25 8:45 == 29.4	6/19/25 13:15 == 33.1	6/19/25 17:45 == 16.8
6/19/25 4:20 == 32.8	6/19/25 8:50 == 33	6/19/25 13:20 == 33.1	6/19/25 17:50 == 16.7
6/19/25 4:25 == 32.8	6/19/25 8:55 == 33.1	6/19/25 13:25 == 33.1	6/19/25 17:55 == 18

Pumpback Station Discharge (0364)

6/19/25 18:00 == 31.1	6/19/25 22:30 == 32.7	6/20/25 3:00 == 32.8	6/20/25 7:30 == 33.3
6/19/25 18:05 == 32.9	6/19/25 22:35 == 32.9	6/20/25 3:05 == 32.7	6/20/25 7:35 == 33.2
6/19/25 18:10 == 32.7	6/19/25 22:40 == 32.9	6/20/25 3:10 == 32.6	6/20/25 7:40 == 33
6/19/25 18:15 == 32.8	6/19/25 22:45 == 32.9	6/20/25 3:15 == 32.7	6/20/25 7:45 == 32.9
6/19/25 18:20 == 32.7	6/19/25 22:50 == 32.9	6/20/25 3:20 == 32.6	6/20/25 7:50 == 33
6/19/25 18:25 == 32.7	6/19/25 22:55 == 32.9	6/20/25 3:25 == 32.6	6/20/25 7:55 == 32.8
6/19/25 18:30 == 32.7	6/19/25 23:00 == 32.8	6/20/25 3:30 == 32.7	6/20/25 8:00 == 32.6
6/19/25 18:35 == 32.6	6/19/25 23:05 == 32.8	6/20/25 3:35 == 32.6	6/20/25 8:05 == 32.7
6/19/25 18:40 == 32.8	6/19/25 23:10 == 32.9	6/20/25 3:40 == 32.5	6/20/25 8:10 == 29
6/19/25 18:45 == 32.8	6/19/25 23:15 == 32.8	6/20/25 3:45 == 32.6	6/20/25 8:15 == 20.8
6/19/25 18:50 == 32.8	6/19/25 23:20 == 32.7	6/20/25 3:50 == 32.6	6/20/25 8:20 == 16.5
6/19/25 18:55 == 32.8	6/19/25 23:25 == 32.7	6/20/25 3:55 == 32.7	6/20/25 8:25 == 16.4
6/19/25 19:00 == 32.7	6/19/25 23:30 == 32.6	6/20/25 4:00 == 32.7	6/20/25 8:30 == 16.5
6/19/25 19:05 == 32.8	6/19/25 23:35 == 32.6	6/20/25 4:05 == 32.5	6/20/25 8:35 == 16.4
6/19/25 19:10 == 32.6	6/19/25 23:40 == 32.6	6/20/25 4:10 == 32.7	6/20/25 8:40 == 18.2
6/19/25 19:15 == 32.5	6/19/25 23:45 == 32.7	6/20/25 4:15 == 32.7	6/20/25 8:45 == 26.9
6/19/25 19:20 == 32.5	6/19/25 23:50 == 32.7	6/20/25 4:20 == 32.5	6/20/25 8:50 == 32.7
6/19/25 19:25 == 32.6	6/19/25 23:55 == 32.6	6/20/25 4:25 == 32.6	6/20/25 8:55 == 32.7
6/19/25 19:30 == 32.7	6/20/25 0:00 == 32.6	6/20/25 4:30 == 32.6	6/20/25 9:00 == 32.8
6/19/25 19:35 == 32.7	6/20/25 0:05 == 32.8	6/20/25 4:35 == 32.8	6/20/25 9:05 == 32.7
6/19/25 19:40 == 32.6	6/20/25 0:10 == 32.8	6/20/25 4:40 == 32.7	6/20/25 9:10 == 32.9
6/19/25 19:45 == 32.6	6/20/25 0:15 == 32.7	6/20/25 4:45 == 32.6	6/20/25 9:15 == 32.7
6/19/25 19:50 == 32.6	6/20/25 0:20 == 32.8	6/20/25 4:50 == 32.7	6/20/25 9:20 == 32.9
6/19/25 19:55 == 32.6	6/20/25 0:25 == 32.8	6/20/25 4:55 == 32.6	6/20/25 9:25 == 32.8
6/19/25 20:00 == 32.6	6/20/25 0:30 == 32.9	6/20/25 5:00 == 32.6	6/20/25 9:30 == 32.8
6/19/25 20:05 == 32.8	6/20/25 0:35 == 32.8	6/20/25 5:05 == 32.7	6/20/25 9:35 == 32.6
6/19/25 20:10 == 32.6	6/20/25 0:40 == 32.7	6/20/25 5:10 == 32.8	6/20/25 9:40 == 32.6
6/19/25 20:15 == 32.7	6/20/25 0:45 == 32.7	6/20/25 5:15 == 32.8	6/20/25 9:45 == 32.6
6/19/25 20:20 == 32.5	6/20/25 0:50 == 32.8	6/20/25 5:20 == 32.7	6/20/25 9:50 == 32.8
6/19/25 20:25 == 32.7	6/20/25 0:55 == 32.8	6/20/25 5:25 == 32.7	6/20/25 9:55 == 32.9
6/19/25 20:30 == 32.7	6/20/25 1:00 == 32.6	6/20/25 5:30 == 32.8	6/20/25 10:00 == 32.8
6/19/25 20:35 == 32.7	6/20/25 1:05 == 32.8	6/20/25 5:35 == 32.8	6/20/25 10:05 == 32.7
6/19/25 20:40 == 32.6	6/20/25 1:10 == 32.8	6/20/25 5:40 == 32.8	6/20/25 10:10 == 32.9
6/19/25 20:45 == 32.7	6/20/25 1:15 == 32.5	6/20/25 5:45 == 32.8	6/20/25 10:15 == 32.9
6/19/25 20:50 == 32.7	6/20/25 1:20 == 32.7	6/20/25 5:50 == 32.8	6/20/25 10:20 == 32.9
6/19/25 20:55 == 32.7	6/20/25 1:25 == 32.7	6/20/25 5:55 == 32.8	6/20/25 10:25 == 32.8
6/19/25 21:00 == 32.7	6/20/25 1:30 == 32.7	6/20/25 6:00 == 32.9	6/20/25 10:30 == 32.8
6/19/25 21:05 == 32.7	6/20/25 1:35 == 32.7	6/20/25 6:05 == 32.8	6/20/25 10:35 == 32.8
6/19/25 21:10 == 32.7	6/20/25 1:40 == 32.9	6/20/25 6:10 == 32.8	6/20/25 10:40 == 32.9
6/19/25 21:15 == 32.8	6/20/25 1:45 == 32.7	6/20/25 6:15 == 32.8	6/20/25 10:45 == 33
6/19/25 21:20 == 32.8	6/20/25 1:50 == 32.9	6/20/25 6:20 == 32.8	6/20/25 10:50 == 33
6/19/25 21:25 == 32.7	6/20/25 1:55 == 32.7	6/20/25 6:25 == 32.9	6/20/25 10:55 == 33.1
6/19/25 21:30 == 32.8	6/20/25 2:00 == 32.7	6/20/25 6:30 == 32.8	6/20/25 11:00 == 33
6/19/25 21:35 == 32.8	6/20/25 2:05 == 32.8	6/20/25 6:35 == 32.8	6/20/25 11:05 == 33.1
6/19/25 21:40 == 32.8	6/20/25 2:10 == 32.6	6/20/25 6:40 == 32.9	6/20/25 11:10 == 33.5
6/19/25 21:45 == 32.8	6/20/25 2:15 == 32.7	6/20/25 6:45 == 32.7	6/20/25 11:15 == 33.3
6/19/25 21:50 == 32.8	6/20/25 2:20 == 32.8	6/20/25 6:50 == 32.7	6/20/25 11:20 == 33.5
6/19/25 21:55 == 32.8	6/20/25 2:25 == 32.9	6/20/25 6:55 == 32.8	6/20/25 11:25 == 33.7
6/19/25 22:00 == 32.8	6/20/25 2:30 == 32.8	6/20/25 7:00 == 32.6	6/20/25 11:30 == 33.5
6/19/25 22:05 == 32.8	6/20/25 2:35 == 32.8	6/20/25 7:05 == 32.6	6/20/25 11:35 == 33.4
6/19/25 22:10 == 32.7	6/20/25 2:40 == 32.7	6/20/25 7:10 == 32.8	6/20/25 11:40 == 33.5
6/19/25 22:15 == 32.5	6/20/25 2:45 == 32.7	6/20/25 7:15 == 32.9	6/20/25 11:45 == 33.5
6/19/25 22:20 == 32.8	6/20/25 2:50 == 32.6	6/20/25 7:20 == 32.9	6/20/25 11:50 == 33.6
6/19/25 22:25 == 32.8	6/20/25 2:55 == 32.7	6/20/25 7:25 == 33.2	6/20/25 11:55 == 32.9

Pumpback Station Discharge (0364)

6/20/25 12:00 == 33	6/20/25 16:30 == 33	6/20/25 21:00 == 32.6	6/21/25 1:30 == 48
6/20/25 12:05 == 32.8	6/20/25 16:35 == 33	6/20/25 21:05 == 32.6	6/21/25 1:35 == 48.1
6/20/25 12:10 == 32.8	6/20/25 16:40 == 32.8	6/20/25 21:10 == 34	6/21/25 1:40 == 46.6
6/20/25 12:15 == 32.7	6/20/25 16:45 == 32.8	6/20/25 21:15 == 40.2	6/21/25 1:45 == 38
6/20/25 12:20 == 32.8	6/20/25 16:50 == 32.9	6/20/25 21:20 == 47.9	6/21/25 1:50 == 32.8
6/20/25 12:25 == 32.7	6/20/25 16:55 == 32.7	6/20/25 21:25 == 48	6/21/25 1:55 == 32.8
6/20/25 12:30 == 32.7	6/20/25 17:00 == 32.6	6/20/25 21:30 == 48	6/21/25 2:00 == 32.7
6/20/25 12:35 == 32.6	6/20/25 17:05 == 32.8	6/20/25 21:35 == 47.8	6/21/25 2:05 == 32.7
6/20/25 12:40 == 32.5	6/20/25 17:10 == 32.9	6/20/25 21:40 == 46	6/21/25 2:10 == 32.7
6/20/25 12:45 == 32.6	6/20/25 17:15 == 32.9	6/20/25 21:45 == 37.4	6/21/25 2:15 == 32.7
6/20/25 12:50 == 32.6	6/20/25 17:20 == 32.7	6/20/25 21:50 == 32.6	6/21/25 2:20 == 32.8
6/20/25 12:55 == 32.7	6/20/25 17:25 == 32.8	6/20/25 21:55 == 32.7	6/21/25 2:25 == 32.9
6/20/25 13:00 == 32.6	6/20/25 17:30 == 32.9	6/20/25 22:00 == 32.7	6/21/25 2:30 == 32.6
6/20/25 13:05 == 32.6	6/20/25 17:35 == 32.9	6/20/25 22:05 == 32.7	6/21/25 2:35 == 32.6
6/20/25 13:10 == 32.6	6/20/25 17:40 == 33	6/20/25 22:10 == 32.7	6/21/25 2:40 == 32.6
6/20/25 13:15 == 32.5	6/20/25 17:45 == 42.3	6/20/25 22:15 == 32.6	6/21/25 2:45 == 32.8
6/20/25 13:20 == 32.5	6/20/25 17:50 == 47.5	6/20/25 22:20 == 32.7	6/21/25 2:50 == 32.7
6/20/25 13:25 == 32.5	6/20/25 17:55 == 47.9	6/20/25 22:25 == 32.7	6/21/25 2:55 == 32.5
6/20/25 13:30 == 32.6	6/20/25 18:00 == 47.6	6/20/25 22:30 == 32.7	6/21/25 3:00 == 32.6
6/20/25 13:35 == 32.5	6/20/25 18:05 == 47.6	6/20/25 22:35 == 32.7	6/21/25 3:05 == 32.7
6/20/25 13:40 == 32.5	6/20/25 18:10 == 45.4	6/20/25 22:40 == 32.8	6/21/25 3:10 == 32.7
6/20/25 13:45 == 32.5	6/20/25 18:15 == 37.9	6/20/25 22:45 == 32.8	6/21/25 3:15 == 32.6
6/20/25 13:50 == 32.6	6/20/25 18:20 == 32.5	6/20/25 22:50 == 32.7	6/21/25 3:20 == 32.7
6/20/25 13:55 == 32.6	6/20/25 18:25 == 32.6	6/20/25 22:55 == 32.7	6/21/25 3:25 == 32.6
6/20/25 14:00 == 32.6	6/20/25 18:30 == 32.5	6/20/25 23:00 == 32.7	6/21/25 3:30 == 40.6
6/20/25 14:05 == 32.6	6/20/25 18:35 == 32.5	6/20/25 23:05 == 32.8	6/21/25 3:35 == 46.7
6/20/25 14:10 == 32.5	6/20/25 18:40 == 32.6	6/20/25 23:10 == 32.7	6/21/25 3:40 == 47.7
6/20/25 14:15 == 32.6	6/20/25 18:45 == 32.5	6/20/25 23:15 == 32.7	6/21/25 3:45 == 47.9
6/20/25 14:20 == 32.4	6/20/25 18:50 == 32.4	6/20/25 23:20 == 32.7	6/21/25 3:50 == 48
6/20/25 14:25 == 32.6	6/20/25 18:55 == 32.5	6/20/25 23:25 == 32.5	6/21/25 3:55 == 48.1
6/20/25 14:30 == 32.6	6/20/25 19:00 == 32.4	6/20/25 23:30 == 32.5	6/21/25 4:00 == 48
6/20/25 14:35 == 32.6	6/20/25 19:05 == 32.5	6/20/25 23:35 == 32.5	6/21/25 4:05 == 48
6/20/25 14:40 == 32.7	6/20/25 19:10 == 32.6	6/20/25 23:40 == 32.5	6/21/25 4:10 == 47.1
6/20/25 14:45 == 32.6	6/20/25 19:15 == 32.6	6/20/25 23:45 == 32.5	6/21/25 4:15 == 37.8
6/20/25 14:50 == 32.6	6/20/25 19:20 == 32.6	6/20/25 23:50 == 32.6	6/21/25 4:20 == 32.5
6/20/25 14:55 == 32.5	6/20/25 19:25 == 32.5	6/20/25 23:55 == 32.7	6/21/25 4:25 == 32.5
6/20/25 15:00 == 32.6	6/20/25 19:30 == 32.4	6/21/25 0:00 == 32.6	6/21/25 4:30 == 32.4
6/20/25 15:05 == 32.7	6/20/25 19:35 == 32.6	6/21/25 0:05 == 32.6	6/21/25 4:35 == 32.4
6/20/25 15:10 == 32.8	6/20/25 19:40 == 32.5	6/21/25 0:10 == 32.7	6/21/25 4:40 == 32.5
6/20/25 15:15 == 32.8	6/20/25 19:45 == 32.5	6/21/25 0:15 == 32.6	6/21/25 4:45 == 32.5
6/20/25 15:20 == 32.8	6/20/25 19:50 == 32.6	6/21/25 0:20 == 32.6	6/21/25 4:50 == 32.5
6/20/25 15:25 == 32.8	6/20/25 19:55 == 32.5	6/21/25 0:25 == 32.6	6/21/25 4:55 == 32.5
6/20/25 15:30 == 32.8	6/20/25 20:00 == 32.5	6/21/25 0:30 == 32.7	6/21/25 5:00 == 32.4
6/20/25 15:35 == 32.8	6/20/25 20:05 == 32.6	6/21/25 0:35 == 32.6	6/21/25 5:05 == 32.6
6/20/25 15:40 == 32.8	6/20/25 20:10 == 32.7	6/21/25 0:40 == 32.5	6/21/25 5:10 == 32.6
6/20/25 15:45 == 32.7	6/20/25 20:15 == 32.7	6/21/25 0:45 == 32.7	6/21/25 5:15 == 32.6
6/20/25 15:50 == 32.8	6/20/25 20:20 == 32.7	6/21/25 0:50 == 32.6	6/21/25 5:20 == 32.7
6/20/25 15:55 == 32.8	6/20/25 20:25 == 32.5	6/21/25 0:55 == 32.7	6/21/25 5:25 == 32.7
6/20/25 16:00 == 32.8	6/20/25 20:30 == 32.6	6/21/25 1:00 == 32.7	6/21/25 5:30 == 32.6
6/20/25 16:05 == 32.9	6/20/25 20:35 == 32.7	6/21/25 1:05 == 32.6	6/21/25 5:35 == 32.7
6/20/25 16:10 == 32.8	6/20/25 20:40 == 32.6	6/21/25 1:10 == 32.6	6/21/25 5:40 == 32.8
6/20/25 16:15 == 32.8	6/20/25 20:45 == 32.6	6/21/25 1:15 == 41.4	6/21/25 5:45 == 32.4
6/20/25 16:20 == 32.8	6/20/25 20:50 == 32.7	6/21/25 1:20 == 47	6/21/25 5:50 == 32.7
6/20/25 16:25 == 33.1	6/20/25 20:55 == 32.6	6/21/25 1:25 == 48	6/21/25 5:55 == 32.5

Pumpback Station Discharge (0364)

6/21/25 6:00 == 39.9	6/21/25 10:30 == 32.7	6/21/25 15:00 == 32.4	6/21/25 19:30 == 32.4
6/21/25 6:05 == 46.9	6/21/25 10:35 == 32.6	6/21/25 15:05 == 32.5	6/21/25 19:35 == 32.4
6/21/25 6:10 == 47.8	6/21/25 10:40 == 33.4	6/21/25 15:10 == 32.8	6/21/25 19:40 == 32.3
6/21/25 6:15 == 47.8	6/21/25 10:45 == 38	6/21/25 15:15 == 32.8	6/21/25 19:45 == 32.4
6/21/25 6:20 == 48	6/21/25 10:50 == 47.6	6/21/25 15:20 == 32.8	6/21/25 19:50 == 32.5
6/21/25 6:25 == 47.5	6/21/25 10:55 == 47.6	6/21/25 15:25 == 32.8	6/21/25 19:55 == 32.5
6/21/25 6:30 == 47.8	6/21/25 11:00 == 48	6/21/25 15:30 == 32.8	6/21/25 20:00 == 32.5
6/21/25 6:35 == 48	6/21/25 11:05 == 48	6/21/25 15:35 == 32.8	6/21/25 20:05 == 32.5
6/21/25 6:40 == 48	6/21/25 11:10 == 47.5	6/21/25 15:40 == 32.9	6/21/25 20:10 == 32.5
6/21/25 6:45 == 38.1	6/21/25 11:15 == 47.9	6/21/25 15:45 == 32.9	6/21/25 20:15 == 32.4
6/21/25 6:50 == 33	6/21/25 11:20 == 47.9	6/21/25 15:50 == 32.8	6/21/25 20:20 == 32.4
6/21/25 6:55 == 33	6/21/25 11:25 == 47.6	6/21/25 15:55 == 33.1	6/21/25 20:25 == 32.5
6/21/25 7:00 == 32.9	6/21/25 11:30 == 38.5	6/21/25 16:00 == 37.7	6/21/25 20:30 == 37
6/21/25 7:05 == 33	6/21/25 11:35 == 34.1	6/21/25 16:05 == 47.6	6/21/25 20:35 == 46.9
6/21/25 7:10 == 33.1	6/21/25 11:40 == 33.4	6/21/25 16:10 == 48	6/21/25 20:40 == 47.8
6/21/25 7:15 == 33	6/21/25 11:45 == 33.3	6/21/25 16:15 == 47.9	6/21/25 20:45 == 48
6/21/25 7:20 == 33.2	6/21/25 11:50 == 33.4	6/21/25 16:20 == 48	6/21/25 20:50 == 47.8
6/21/25 7:25 == 33.3	6/21/25 11:55 == 33.2	6/21/25 16:25 == 48	6/21/25 20:55 == 47.9
6/21/25 7:30 == 33.3	6/21/25 12:00 == 33.1	6/21/25 16:30 == 48	6/21/25 21:00 == 47.4
6/21/25 7:35 == 33.2	6/21/25 12:05 == 33.2	6/21/25 16:35 == 48	6/21/25 21:05 == 47.9
6/21/25 7:40 == 33.2	6/21/25 12:10 == 33.2	6/21/25 16:40 == 48	6/21/25 21:10 == 47.9
6/21/25 7:45 == 33.2	6/21/25 12:15 == 33.2	6/21/25 16:45 == 39.1	6/21/25 21:15 == 47.9
6/21/25 7:50 == 33.3	6/21/25 12:20 == 33.2	6/21/25 16:50 == 33.7	6/21/25 21:20 == 48
6/21/25 7:55 == 33.4	6/21/25 12:25 == 33.1	6/21/25 16:55 == 32.7	6/21/25 21:25 == 48
6/21/25 8:00 == 33.2	6/21/25 12:30 == 33	6/21/25 17:00 == 32.7	6/21/25 21:30 == 40.6
6/21/25 8:05 == 33.1	6/21/25 12:35 == 32.9	6/21/25 17:05 == 32.9	6/21/25 21:35 == 33.2
6/21/25 8:10 == 33.1	6/21/25 12:40 == 32.9	6/21/25 17:10 == 32.8	6/21/25 21:40 == 32.7
6/21/25 8:15 == 33.1	6/21/25 12:45 == 32.8	6/21/25 17:15 == 32.7	6/21/25 21:45 == 32.6
6/21/25 8:20 == 33	6/21/25 12:50 == 32.8	6/21/25 17:20 == 32.7	6/21/25 21:50 == 32.7
6/21/25 8:25 == 32.8	6/21/25 12:55 == 32.8	6/21/25 17:25 == 32.8	6/21/25 21:55 == 32.6
6/21/25 8:30 == 32.8	6/21/25 13:00 == 32.8	6/21/25 17:30 == 32.8	6/21/25 22:00 == 32.6
6/21/25 8:35 == 32.9	6/21/25 13:05 == 32.8	6/21/25 17:35 == 32.9	6/21/25 22:05 == 32.7
6/21/25 8:40 == 32.8	6/21/25 13:10 == 33.3	6/21/25 17:40 == 32.9	6/21/25 22:10 == 32.7
6/21/25 8:45 == 32.9	6/21/25 13:15 == 37.9	6/21/25 17:45 == 32.9	6/21/25 22:15 == 32.5
6/21/25 8:50 == 32.8	6/21/25 13:20 == 48	6/21/25 17:50 == 33	6/21/25 22:20 == 32.6
6/21/25 8:55 == 32.9	6/21/25 13:25 == 47.9	6/21/25 17:55 == 33	6/21/25 22:25 == 32.7
6/21/25 9:00 == 32.9	6/21/25 13:30 == 47.8	6/21/25 18:00 == 32.9	6/21/25 22:30 == 32.6
6/21/25 9:05 == 32.9	6/21/25 13:35 == 48	6/21/25 18:05 == 32.7	6/21/25 22:35 == 32.6
6/21/25 9:10 == 33	6/21/25 13:40 == 48	6/21/25 18:10 == 32.6	6/21/25 22:40 == 32.7
6/21/25 9:15 == 33	6/21/25 13:45 == 48	6/21/25 18:15 == 32.5	6/21/25 22:45 == 37.3
6/21/25 9:20 == 33.1	6/21/25 13:50 == 47.4	6/21/25 18:20 == 32.5	6/21/25 22:50 == 44.8
6/21/25 9:25 == 33.1	6/21/25 13:55 == 47.8	6/21/25 18:25 == 32.9	6/21/25 22:55 == 47.6
6/21/25 9:30 == 32.9	6/21/25 14:00 == 47.9	6/21/25 18:30 == 36.5	6/21/25 23:00 == 48
6/21/25 9:35 == 32.8	6/21/25 14:05 == 48	6/21/25 18:35 == 47.8	6/21/25 23:05 == 48.1
6/21/25 9:40 == 32.9	6/21/25 14:10 == 47.9	6/21/25 18:40 == 47.9	6/21/25 23:10 == 48
6/21/25 9:45 == 32.8	6/21/25 14:15 == 38.9	6/21/25 18:45 == 48.1	6/21/25 23:15 == 48
6/21/25 9:50 == 32.8	6/21/25 14:20 == 33.5	6/21/25 18:50 == 47.9	6/21/25 23:20 == 47.9
6/21/25 9:55 == 32.9	6/21/25 14:25 == 32.5	6/21/25 18:55 == 47.9	6/21/25 23:25 == 47.9
6/21/25 10:00 == 32.8	6/21/25 14:30 == 32.5	6/21/25 19:00 == 47.9	6/21/25 23:30 == 47.7
6/21/25 10:05 == 32.8	6/21/25 14:35 == 32.7	6/21/25 19:05 == 47.8	6/21/25 23:35 == 47.9
6/21/25 10:10 == 32.7	6/21/25 14:40 == 32.7	6/21/25 19:10 == 48	6/21/25 23:40 == 47.5
6/21/25 10:15 == 32.8	6/21/25 14:45 == 32.6	6/21/25 19:15 == 39.3	6/21/25 23:45 == 41.6
6/21/25 10:20 == 32.8	6/21/25 14:50 == 32.6	6/21/25 19:20 == 33.5	6/21/25 23:50 == 32.5
6/21/25 10:25 == 32.7	6/21/25 14:55 == 32.5	6/21/25 19:25 == 32.4	6/21/25 23:55 == 32.4

Pumpback Station Discharge (0364)

6/22/25 0:00 == 32.4	6/22/25 4:30 == 32.3	6/22/25 9:00 == 41.8	6/22/25 13:30 == 48
6/22/25 0:05 == 32.4	6/22/25 4:35 == 32.5	6/22/25 9:05 == 34.4	6/22/25 13:35 == 48
6/22/25 0:10 == 32.6	6/22/25 4:40 == 32.6	6/22/25 9:10 == 32.9	6/22/25 13:40 == 47.8
6/22/25 0:15 == 32.6	6/22/25 4:45 == 35.1	6/22/25 9:15 == 32.8	6/22/25 13:45 == 47.6
6/22/25 0:20 == 32.4	6/22/25 4:50 == 47.4	6/22/25 9:20 == 32.7	6/22/25 13:50 == 47.8
6/22/25 0:25 == 32.5	6/22/25 4:55 == 48	6/22/25 9:25 == 32.8	6/22/25 13:55 == 47.9
6/22/25 0:30 == 32.5	6/22/25 5:00 == 47.9	6/22/25 9:30 == 32.8	6/22/25 14:00 == 47.9
6/22/25 0:35 == 32.6	6/22/25 5:05 == 47.8	6/22/25 9:35 == 32.7	6/22/25 14:05 == 47.8
6/22/25 0:40 == 32.4	6/22/25 5:10 == 48	6/22/25 9:40 == 32.7	6/22/25 14:10 == 47.7
6/22/25 0:45 == 38.4	6/22/25 5:15 == 48	6/22/25 9:45 == 32.8	6/22/25 14:15 == 47.8
6/22/25 0:50 == 45.5	6/22/25 5:20 == 48	6/22/25 9:50 == 32.9	6/22/25 14:20 == 48
6/22/25 0:55 == 47.8	6/22/25 5:25 == 47.8	6/22/25 9:55 == 33	6/22/25 14:25 == 48
6/22/25 1:00 == 48	6/22/25 5:30 == 47.9	6/22/25 10:00 == 34.4	6/22/25 14:30 == 43.1
6/22/25 1:05 == 48.1	6/22/25 5:35 == 48	6/22/25 10:05 == 47.1	6/22/25 14:35 == 33.7
6/22/25 1:10 == 48	6/22/25 5:40 == 47.8	6/22/25 10:10 == 47.6	6/22/25 14:40 == 32.5
6/22/25 1:15 == 47.9	6/22/25 5:45 == 41	6/22/25 10:15 == 47.8	6/22/25 14:45 == 32.6
6/22/25 1:20 == 47.9	6/22/25 5:50 == 34.2	6/22/25 10:20 == 48	6/22/25 14:50 == 32.6
6/22/25 1:25 == 48	6/22/25 5:55 == 32.4	6/22/25 10:25 == 47.9	6/22/25 14:55 == 32.6
6/22/25 1:30 == 47.9	6/22/25 6:00 == 32.5	6/22/25 10:30 == 48	6/22/25 15:00 == 34.6
6/22/25 1:35 == 47.9	6/22/25 6:05 == 32.7	6/22/25 10:35 == 48	6/22/25 15:05 == 45.7
6/22/25 1:40 == 47.4	6/22/25 6:10 == 32.5	6/22/25 10:40 == 47.6	6/22/25 15:10 == 47.7
6/22/25 1:45 == 42.2	6/22/25 6:15 == 32.5	6/22/25 10:45 == 47.9	6/22/25 15:15 == 47.2
6/22/25 1:50 == 32.6	6/22/25 6:20 == 32.6	6/22/25 10:50 == 48	6/22/25 15:20 == 47.9
6/22/25 1:55 == 32.7	6/22/25 6:25 == 32.6	6/22/25 10:55 == 48.1	6/22/25 15:25 == 47.9
6/22/25 2:00 == 32.5	6/22/25 6:30 == 36.7	6/22/25 11:00 == 48.1	6/22/25 15:30 == 47.9
6/22/25 2:05 == 32.5	6/22/25 6:35 == 44.4	6/22/25 11:05 == 48.1	6/22/25 15:35 == 48.2
6/22/25 2:10 == 32.4	6/22/25 6:40 == 47.9	6/22/25 11:10 == 47.5	6/22/25 15:40 == 47.9
6/22/25 2:15 == 32.3	6/22/25 6:45 == 47.9	6/22/25 11:15 == 47.7	6/22/25 15:45 == 47.9
6/22/25 2:20 == 32.5	6/22/25 6:50 == 48	6/22/25 11:20 == 48	6/22/25 15:50 == 47.9
6/22/25 2:25 == 32.7	6/22/25 6:55 == 47.9	6/22/25 11:25 == 48.1	6/22/25 15:55 == 47.5
6/22/25 2:30 == 32.5	6/22/25 7:00 == 47.7	6/22/25 11:30 == 48	6/22/25 16:00 == 47.8
6/22/25 2:35 == 32.6	6/22/25 7:05 == 47.6	6/22/25 11:35 == 48.1	6/22/25 16:05 == 48.2
6/22/25 2:40 == 32.4	6/22/25 7:10 == 47.3	6/22/25 11:40 == 48.1	6/22/25 16:10 == 48
6/22/25 2:45 == 36.3	6/22/25 7:15 == 42.7	6/22/25 11:45 == 42.6	6/22/25 16:15 == 42
6/22/25 2:50 == 46.7	6/22/25 7:20 == 32.6	6/22/25 11:50 == 34.4	6/22/25 16:20 == 35
6/22/25 2:55 == 47.4	6/22/25 7:25 == 33	6/22/25 11:55 == 33	6/22/25 16:25 == 32.7
6/22/25 3:00 == 47.8	6/22/25 7:30 == 32.9	6/22/25 12:00 == 32.8	6/22/25 16:30 == 32.7
6/22/25 3:05 == 48	6/22/25 7:35 == 32.9	6/22/25 12:05 == 32.8	6/22/25 16:35 == 32.8
6/22/25 3:10 == 47.8	6/22/25 7:40 == 32.9	6/22/25 12:10 == 33	6/22/25 16:40 == 32.7
6/22/25 3:15 == 48	6/22/25 7:45 == 33	6/22/25 12:15 == 32.9	6/22/25 16:45 == 32.5
6/22/25 3:20 == 48	6/22/25 7:50 == 32.9	6/22/25 12:20 == 33	6/22/25 16:50 == 32.6
6/22/25 3:25 == 48	6/22/25 7:55 == 32.9	6/22/25 12:25 == 33	6/22/25 16:55 == 32.6
6/22/25 3:30 == 48	6/22/25 8:00 == 32.9	6/22/25 12:30 == 34.4	6/22/25 17:00 == 36.2
6/22/25 3:35 == 48	6/22/25 8:05 == 32.8	6/22/25 12:35 == 47.1	6/22/25 17:05 == 43.8
6/22/25 3:40 == 47.9	6/22/25 8:10 == 32.8	6/22/25 12:40 == 47.9	6/22/25 17:10 == 47.3
6/22/25 3:45 == 40.7	6/22/25 8:15 == 37.2	6/22/25 12:45 == 48.1	6/22/25 17:15 == 47.5
6/22/25 3:50 == 33.4	6/22/25 8:20 == 45.6	6/22/25 12:50 == 47.9	6/22/25 17:20 == 47.6
6/22/25 3:55 == 32.4	6/22/25 8:25 == 48	6/22/25 12:55 == 47.9	6/22/25 17:25 == 47.8
6/22/25 4:00 == 32.4	6/22/25 8:30 == 47.9	6/22/25 13:00 == 47.9	6/22/25 17:30 == 48
6/22/25 4:05 == 32.4	6/22/25 8:35 == 48.1	6/22/25 13:05 == 48.1	6/22/25 17:35 == 48
6/22/25 4:10 == 32.5	6/22/25 8:40 == 48	6/22/25 13:10 == 48	6/22/25 17:40 == 47.6
6/22/25 4:15 == 32.4	6/22/25 8:45 == 47.9	6/22/25 13:15 == 48	6/22/25 17:45 == 48
6/22/25 4:20 == 32.4	6/22/25 8:50 == 48.1	6/22/25 13:20 == 48	6/22/25 17:50 == 47.8
6/22/25 4:25 == 32.6	6/22/25 8:55 == 48	6/22/25 13:25 == 48	6/22/25 17:55 == 47.9

Pumpback Station Discharge (0364)

6/22/25 18:00 == 48.1	6/22/25 22:30 == 47.9	6/23/25 3:00 == 47.7	6/23/25 7:30 == 47.9
6/22/25 18:05 == 47.9	6/22/25 22:35 == 47.9	6/23/25 3:05 == 48	6/23/25 7:35 == 48
6/22/25 18:10 == 47.6	6/22/25 22:40 == 48	6/23/25 3:10 == 48	6/23/25 7:40 == 48
6/22/25 18:15 == 47.9	6/22/25 22:45 == 48.1	6/23/25 3:15 == 47.9	6/23/25 7:45 == 47.9
6/22/25 18:20 == 48	6/22/25 22:50 == 48	6/23/25 3:20 == 48	6/23/25 7:50 == 47.9
6/22/25 18:25 == 47.4	6/22/25 22:55 == 48	6/23/25 3:25 == 48.1	6/23/25 7:55 == 47.5
6/22/25 18:30 == 47.7	6/22/25 23:00 == 47.9	6/23/25 3:30 == 48	6/23/25 8:00 == 47.7
6/22/25 18:35 == 47.8	6/22/25 23:05 == 47.8	6/23/25 3:35 == 48	6/23/25 8:05 == 47.8
6/22/25 18:40 == 47.9	6/22/25 23:10 == 47.8	6/23/25 3:40 == 47.8	6/23/25 8:10 == 47.7
6/22/25 18:45 == 48	6/22/25 23:15 == 48	6/23/25 3:45 == 47.6	6/23/25 8:15 == 47.9
6/22/25 18:50 == 48	6/22/25 23:20 == 48.2	6/23/25 3:50 == 48.1	6/23/25 8:20 == 47.9
6/22/25 18:55 == 47.8	6/22/25 23:25 == 47.9	6/23/25 3:55 == 47.9	6/23/25 8:25 == 47.8
6/22/25 19:00 == 47.8	6/22/25 23:30 == 48	6/23/25 4:00 == 48	6/23/25 8:30 == 47.9
6/22/25 19:05 == 48	6/22/25 23:35 == 48.1	6/23/25 4:05 == 48.1	6/23/25 8:35 == 47.9
6/22/25 19:10 == 47.9	6/22/25 23:40 == 47.9	6/23/25 4:10 == 48	6/23/25 8:40 == 47.8
6/22/25 19:15 == 42.3	6/22/25 23:45 == 47.7	6/23/25 4:15 == 48.1	6/23/25 8:45 == 47.9
6/22/25 19:20 == 34.9	6/22/25 23:50 == 47.9	6/23/25 4:20 == 47.8	6/23/25 8:50 == 47.8
6/22/25 19:25 == 32.5	6/22/25 23:55 == 48	6/23/25 4:25 == 48	6/23/25 8:55 == 47.4
6/22/25 19:30 == 32.4	6/23/25 0:00 == 47.8	6/23/25 4:30 == 48	6/23/25 9:00 == 48
6/22/25 19:35 == 32.4	6/23/25 0:05 == 47.9	6/23/25 4:35 == 48	6/23/25 9:05 == 48
6/22/25 19:40 == 32.5	6/23/25 0:10 == 47.9	6/23/25 4:40 == 48.2	6/23/25 9:10 == 47.8
6/22/25 19:45 == 35.9	6/23/25 0:15 == 42.8	6/23/25 4:45 == 48	6/23/25 9:15 == 47.8
6/22/25 19:50 == 44.2	6/23/25 0:20 == 35.6	6/23/25 4:50 == 47.9	6/23/25 9:20 == 48
6/22/25 19:55 == 47.9	6/23/25 0:25 == 32.6	6/23/25 4:55 == 47.9	6/23/25 9:25 == 47.8
6/22/25 20:00 == 48	6/23/25 0:30 == 32.5	6/23/25 5:00 == 48	6/23/25 9:30 == 47.7
6/22/25 20:05 == 48	6/23/25 0:35 == 32.5	6/23/25 5:05 == 47.9	6/23/25 9:35 == 47.8
6/22/25 20:10 == 47.7	6/23/25 0:40 == 32.5	6/23/25 5:10 == 47.8	6/23/25 9:40 == 48
6/22/25 20:15 == 48	6/23/25 0:45 == 35.7	6/23/25 5:15 == 47.9	6/23/25 9:45 == 47.9
6/22/25 20:20 == 47.8	6/23/25 0:50 == 43.2	6/23/25 5:20 == 48	6/23/25 9:50 == 48
6/22/25 20:25 == 48	6/23/25 0:55 == 47.9	6/23/25 5:25 == 47.6	6/23/25 9:55 == 47.3
6/22/25 20:30 == 48	6/23/25 1:00 == 47.9	6/23/25 5:30 == 47.6	6/23/25 10:00 == 47.7
6/22/25 20:35 == 48	6/23/25 1:05 == 47.7	6/23/25 5:35 == 47.9	6/23/25 10:05 == 47.9
6/22/25 20:40 == 47.8	6/23/25 1:10 == 48	6/23/25 5:40 == 48	6/23/25 10:10 == 48
6/22/25 20:45 == 47.9	6/23/25 1:15 == 48	6/23/25 5:45 == 48	6/23/25 10:15 == 48.1
6/22/25 20:50 == 47.8	6/23/25 1:20 == 48	6/23/25 5:50 == 48	6/23/25 10:20 == 48.2
6/22/25 20:55 == 47.5	6/23/25 1:25 == 48	6/23/25 5:55 == 48	6/23/25 10:25 == 47.9
6/22/25 21:00 == 48	6/23/25 1:30 == 47.9	6/23/25 6:00 == 47.9	6/23/25 10:30 == 47.9
6/22/25 21:05 == 47.9	6/23/25 1:35 == 47.9	6/23/25 6:05 == 48	6/23/25 10:35 == 48
6/22/25 21:10 == 47.9	6/23/25 1:40 == 47.8	6/23/25 6:10 == 48.1	6/23/25 10:40 == 47.9
6/22/25 21:15 == 48	6/23/25 1:45 == 47.9	6/23/25 6:15 == 48	6/23/25 10:45 == 47.9
6/22/25 21:20 == 48.1	6/23/25 1:50 == 48.2	6/23/25 6:20 == 48	6/23/25 10:50 == 48
6/22/25 21:25 == 48	6/23/25 1:55 == 47.9	6/23/25 6:25 == 48	6/23/25 10:55 == 48
6/22/25 21:30 == 48	6/23/25 2:00 == 48	6/23/25 6:30 == 48	6/23/25 11:00 == 48
6/22/25 21:35 == 48.1	6/23/25 2:05 == 47.9	6/23/25 6:35 == 47.6	6/23/25 11:05 == 47.9
6/22/25 21:40 == 48	6/23/25 2:10 == 47.8	6/23/25 6:40 == 47.7	6/23/25 11:10 == 47.7
6/22/25 21:45 == 48	6/23/25 2:15 == 47.8	6/23/25 6:45 == 47.9	6/23/25 11:15 == 47.9
6/22/25 21:50 == 48	6/23/25 2:20 == 47.8	6/23/25 6:50 == 48	6/23/25 11:20 == 48
6/22/25 21:55 == 47.9	6/23/25 2:25 == 47.4	6/23/25 6:55 == 48	6/23/25 11:25 == 47.9
6/22/25 22:00 == 47.9	6/23/25 2:30 == 47.7	6/23/25 7:00 == 47.9	6/23/25 11:30 == 48
6/22/25 22:05 == 48	6/23/25 2:35 == 47.9	6/23/25 7:05 == 48	6/23/25 11:35 == 48.1
6/22/25 22:10 == 47.9	6/23/25 2:40 == 47.9	6/23/25 7:10 == 47.9	6/23/25 11:40 == 47.9
6/22/25 22:15 == 48	6/23/25 2:45 == 47.9	6/23/25 7:15 == 48.1	6/23/25 11:45 == 48
6/22/25 22:20 == 47.9	6/23/25 2:50 == 47.9	6/23/25 7:20 == 48	6/23/25 11:50 == 48
6/22/25 22:25 == 47.7	6/23/25 2:55 == 47.6	6/23/25 7:25 == 47.4	6/23/25 11:55 == 47.6

Pumpback Station Discharge (0364)

6/23/25 12:00 == 47.5	6/23/25 16:30 == 48	6/23/25 21:00 == 48	6/24/25 1:30 == 48.1
6/23/25 12:05 == 47.8	6/23/25 16:35 == 48.1	6/23/25 21:05 == 47.9	6/24/25 1:35 == 47.9
6/23/25 12:10 == 47.4	6/23/25 16:40 == 48	6/23/25 21:10 == 48	6/24/25 1:40 == 47.9
6/23/25 12:15 == 48.1	6/23/25 16:45 == 48	6/23/25 21:15 == 48.1	6/24/25 1:45 == 48
6/23/25 12:20 == 48	6/23/25 16:50 == 47.9	6/23/25 21:20 == 48.1	6/24/25 1:50 == 47.7
6/23/25 12:25 == 48	6/23/25 16:55 == 47.8	6/23/25 21:25 == 47.9	6/24/25 1:55 == 47.7
6/23/25 12:30 == 47.9	6/23/25 17:00 == 48	6/23/25 21:30 == 47.9	6/24/25 2:00 == 48
6/23/25 12:35 == 48	6/23/25 17:05 == 47.9	6/23/25 21:35 == 47.9	6/24/25 2:05 == 48
6/23/25 12:40 == 47.8	6/23/25 17:10 == 47.5	6/23/25 21:40 == 48	6/24/25 2:10 == 47.9
6/23/25 12:45 == 47.9	6/23/25 17:15 == 48.1	6/23/25 21:45 == 47.9	6/24/25 2:15 == 47.9
6/23/25 12:50 == 48	6/23/25 17:20 == 48	6/23/25 21:50 == 48.1	6/24/25 2:20 == 48
6/23/25 12:55 == 47.4	6/23/25 17:25 == 48.1	6/23/25 21:55 == 47.9	6/24/25 2:25 == 47.8
6/23/25 13:00 == 47.5	6/23/25 17:30 == 48	6/23/25 22:00 == 47.9	6/24/25 2:30 == 47.8
6/23/25 13:05 == 48	6/23/25 17:35 == 48.1	6/23/25 22:05 == 48	6/24/25 2:35 == 48.2
6/23/25 13:10 == 47.9	6/23/25 17:40 == 47.8	6/23/25 22:10 == 47.9	6/24/25 2:40 == 48
6/23/25 13:15 == 47.9	6/23/25 17:45 == 48	6/23/25 22:15 == 48.1	6/24/25 2:45 == 48
6/23/25 13:20 == 48	6/23/25 17:50 == 48	6/23/25 22:20 == 48	6/24/25 2:50 == 47.9
6/23/25 13:25 == 47.9	6/23/25 17:55 == 48.1	6/23/25 22:25 == 47.9	6/24/25 2:55 == 47.3
6/23/25 13:30 == 48	6/23/25 18:00 == 47.9	6/23/25 22:30 == 47.8	6/24/25 3:00 == 47.7
6/23/25 13:35 == 48	6/23/25 18:05 == 47.8	6/23/25 22:35 == 48	6/24/25 3:05 == 47.9
6/23/25 13:40 == 47.9	6/23/25 18:10 == 47.9	6/23/25 22:40 == 47.9	6/24/25 3:10 == 48
6/23/25 13:45 == 47.9	6/23/25 18:15 == 48	6/23/25 22:45 == 48	6/24/25 3:15 == 48
6/23/25 13:50 == 48.1	6/23/25 18:20 == 48.2	6/23/25 22:50 == 47.5	6/24/25 3:20 == 47.9
6/23/25 13:55 == 48	6/23/25 18:25 == 48	6/23/25 22:55 == 47.8	6/24/25 3:25 == 47.9
6/23/25 14:00 == 48.1	6/23/25 18:30 == 47.9	6/23/25 23:00 == 48.1	6/24/25 3:30 == 48.1
6/23/25 14:05 == 48	6/23/25 18:35 == 48	6/23/25 23:05 == 48	6/24/25 3:35 == 48.1
6/23/25 14:10 == 48	6/23/25 18:40 == 48.1	6/23/25 23:10 == 48	6/24/25 3:40 == 48.2
6/23/25 14:15 == 48	6/23/25 18:45 == 48	6/23/25 23:15 == 48	6/24/25 3:45 == 48
6/23/25 14:20 == 47.3	6/23/25 18:50 == 47.9	6/23/25 23:20 == 48	6/24/25 3:50 == 47.9
6/23/25 14:25 == 47.9	6/23/25 18:55 == 48	6/23/25 23:25 == 48.1	6/24/25 3:55 == 48
6/23/25 14:30 == 48.1	6/23/25 19:00 == 48	6/23/25 23:30 == 48.1	6/24/25 4:00 == 48
6/23/25 14:35 == 48.1	6/23/25 19:05 == 48	6/23/25 23:35 == 47.9	6/24/25 4:05 == 48.1
6/23/25 14:40 == 47.8	6/23/25 19:10 == 48	6/23/25 23:40 == 48	6/24/25 4:10 == 47.9
6/23/25 14:45 == 48.1	6/23/25 19:15 == 48	6/23/25 23:45 == 48	6/24/25 4:15 == 47.9
6/23/25 14:50 == 48	6/23/25 19:20 == 48	6/23/25 23:50 == 47.9	6/24/25 4:20 == 48
6/23/25 14:55 == 48	6/23/25 19:25 == 47.9	6/23/25 23:55 == 48	6/24/25 4:25 == 48.1
6/23/25 15:00 == 48	6/23/25 19:30 == 48	6/24/25 0:00 == 48.1	6/24/25 4:30 == 47.9
6/23/25 15:05 == 48	6/23/25 19:35 == 48	6/24/25 0:05 == 47.9	6/24/25 4:35 == 48
6/23/25 15:10 == 47.6	6/23/25 19:40 == 48	6/24/25 0:10 == 47.6	6/24/25 4:40 == 48
6/23/25 15:15 == 47.9	6/23/25 19:45 == 47.8	6/24/25 0:15 == 47.8	6/24/25 4:45 == 47.9
6/23/25 15:20 == 48	6/23/25 19:50 == 48.2	6/24/25 0:20 == 47.9	6/24/25 4:50 == 48.1
6/23/25 15:25 == 47.6	6/23/25 19:55 == 47.9	6/24/25 0:25 == 48.1	6/24/25 4:55 == 47.8
6/23/25 15:30 == 47.9	6/23/25 20:00 == 48.1	6/24/25 0:30 == 48	6/24/25 5:00 == 47.6
6/23/25 15:35 == 48	6/23/25 20:05 == 47.5	6/24/25 0:35 == 48	6/24/25 5:05 == 48.1
6/23/25 15:40 == 47.9	6/23/25 20:10 == 47.8	6/24/25 0:40 == 48.1	6/24/25 5:10 == 48
6/23/25 15:45 == 48	6/23/25 20:15 == 48	6/24/25 0:45 == 48	6/24/25 5:15 == 48
6/23/25 15:50 == 48	6/23/25 20:20 == 48.1	6/24/25 0:50 == 47.9	6/24/25 5:20 == 48.1
6/23/25 15:55 == 47.7	6/23/25 20:25 == 48.2	6/24/25 0:55 == 47.9	6/24/25 5:25 == 48
6/23/25 16:00 == 47.8	6/23/25 20:30 == 47.9	6/24/25 1:00 == 47.9	6/24/25 5:30 == 48
6/23/25 16:05 == 48	6/23/25 20:35 == 48.1	6/24/25 1:05 == 48	6/24/25 5:35 == 48
6/23/25 16:10 == 48	6/23/25 20:40 == 48	6/24/25 1:10 == 48.1	6/24/25 5:40 == 47.9
6/23/25 16:15 == 48	6/23/25 20:45 == 48	6/24/25 1:15 == 47.5	6/24/25 5:45 == 47.9
6/23/25 16:20 == 48	6/23/25 20:50 == 48.1	6/24/25 1:20 == 48	6/24/25 5:50 == 48
6/23/25 16:25 == 47.9	6/23/25 20:55 == 48.1	6/24/25 1:25 == 48.1	6/24/25 5:55 == 48.1

Pumpback Station Discharge (0364)

6/24/25 6:00 == 48.1	6/24/25 10:30 == 47.8	6/24/25 15:00 == 47.6	6/24/25 19:30 == 48
6/24/25 6:05 == 47.9	6/24/25 10:35 == 47.8	6/24/25 15:05 == 48.1	6/24/25 19:35 == 47.9
6/24/25 6:10 == 48	6/24/25 10:40 == 47.9	6/24/25 15:10 == 48.1	6/24/25 19:40 == 47.8
6/24/25 6:15 == 48.1	6/24/25 10:45 == 48	6/24/25 15:15 == 47.7	6/24/25 19:45 == 47.9
6/24/25 6:20 == 47.9	6/24/25 10:50 == 48	6/24/25 15:20 == 47.8	6/24/25 19:50 == 48.1
6/24/25 6:25 == 47.7	6/24/25 10:55 == 47.9	6/24/25 15:25 == 48	6/24/25 19:55 == 48
6/24/25 6:30 == 48.1	6/24/25 11:00 == 48	6/24/25 15:30 == 47.9	6/24/25 20:00 == 47.9
6/24/25 6:35 == 48.1	6/24/25 11:05 == 47.8	6/24/25 15:35 == 47.9	6/24/25 20:05 == 48
6/24/25 6:40 == 48.2	6/24/25 11:10 == 47.3	6/24/25 15:40 == 48	6/24/25 20:10 == 48.1
6/24/25 6:45 == 48.1	6/24/25 11:15 == 47.9	6/24/25 15:45 == 48	6/24/25 20:15 == 48
6/24/25 6:50 == 48.1	6/24/25 11:20 == 47.9	6/24/25 15:50 == 48.1	6/24/25 20:20 == 48.1
6/24/25 6:55 == 48	6/24/25 11:25 == 48	6/24/25 15:55 == 47.9	6/24/25 20:25 == 48
6/24/25 7:00 == 47.6	6/24/25 11:30 == 48	6/24/25 16:00 == 48.1	6/24/25 20:30 == 48
6/24/25 7:05 == 47.8	6/24/25 11:35 == 47.9	6/24/25 16:05 == 48	6/24/25 20:35 == 48
6/24/25 7:10 == 47.8	6/24/25 11:40 == 47.7	6/24/25 16:10 == 48	6/24/25 20:40 == 48
6/24/25 7:15 == 47.5	6/24/25 11:45 == 48	6/24/25 16:15 == 48.2	6/24/25 20:45 == 48
6/24/25 7:20 == 47.6	6/24/25 11:50 == 47.9	6/24/25 16:20 == 48.1	6/24/25 20:50 == 48
6/24/25 7:25 == 47.6	6/24/25 11:55 == 47.6	6/24/25 16:25 == 48.1	6/24/25 20:55 == 48.2
6/24/25 7:30 == 47.7	6/24/25 12:00 == 47.7	6/24/25 16:30 == 48	6/24/25 21:00 == 48
6/24/25 7:35 == 48	6/24/25 12:05 == 48.1	6/24/25 16:35 == 47.9	6/24/25 21:05 == 47.9
6/24/25 7:40 == 48	6/24/25 12:10 == 48.1	6/24/25 16:40 == 48	6/24/25 21:10 == 47.9
6/24/25 7:45 == 48	6/24/25 12:15 == 48	6/24/25 16:45 == 48.1	6/24/25 21:15 == 48
6/24/25 7:50 == 47.9	6/24/25 12:20 == 48	6/24/25 16:50 == 48	6/24/25 21:20 == 48.1
6/24/25 7:55 == 47.7	6/24/25 12:25 == 48	6/24/25 16:55 == 48	6/24/25 21:25 == 47.8
6/24/25 8:00 == 47.7	6/24/25 12:30 == 48	6/24/25 17:00 == 48	6/24/25 21:30 == 48.2
6/24/25 8:05 == 48	6/24/25 12:35 == 48.1	6/24/25 17:05 == 48.1	6/24/25 21:35 == 48.1
6/24/25 8:10 == 48	6/24/25 12:40 == 48	6/24/25 17:10 == 48.1	6/24/25 21:40 == 47.7
6/24/25 8:15 == 48	6/24/25 12:45 == 48	6/24/25 17:15 == 48	6/24/25 21:45 == 48.1
6/24/25 8:20 == 48	6/24/25 12:50 == 48.1	6/24/25 17:20 == 47.9	6/24/25 21:50 == 48.2
6/24/25 8:25 == 47.9	6/24/25 12:55 == 48	6/24/25 17:25 == 47.9	6/24/25 21:55 == 48
6/24/25 8:30 == 47.9	6/24/25 13:00 == 47.9	6/24/25 17:30 == 48	6/24/25 22:00 == 48.2
6/24/25 8:35 == 48.1	6/24/25 13:05 == 48	6/24/25 17:35 == 48	6/24/25 22:05 == 48.1
6/24/25 8:40 == 47.8	6/24/25 13:10 == 48.1	6/24/25 17:40 == 47.6	6/24/25 22:10 == 48.1
6/24/25 8:45 == 48	6/24/25 13:15 == 48.1	6/24/25 17:45 == 47.7	6/24/25 22:15 == 48
6/24/25 8:50 == 48	6/24/25 13:20 == 47.9	6/24/25 17:50 == 48.1	6/24/25 22:20 == 47.9
6/24/25 8:55 == 48.1	6/24/25 13:25 == 48	6/24/25 17:55 == 48.1	6/24/25 22:25 == 48.1
6/24/25 9:00 == 47.9	6/24/25 13:30 == 48.1	6/24/25 18:00 == 48	6/24/25 22:30 == 48
6/24/25 9:05 == 48.1	6/24/25 13:35 == 48	6/24/25 18:05 == 48	6/24/25 22:35 == 48.2
6/24/25 9:10 == 47.9	6/24/25 13:40 == 47.9	6/24/25 18:10 == 47.8	6/24/25 22:40 == 47.7
6/24/25 9:15 == 47.9	6/24/25 13:45 == 48	6/24/25 18:15 == 47.7	6/24/25 22:45 == 47.7
6/24/25 9:20 == 48	6/24/25 13:50 == 48.1	6/24/25 18:20 == 48	6/24/25 22:50 == 48
6/24/25 9:25 == 48	6/24/25 13:55 == 48	6/24/25 18:25 == 47.9	6/24/25 22:55 == 48.1
6/24/25 9:30 == 47.9	6/24/25 14:00 == 47.8	6/24/25 18:30 == 47.8	6/24/25 23:00 == 48
6/24/25 9:35 == 47.9	6/24/25 14:05 == 47.9	6/24/25 18:35 == 47.9	6/24/25 23:05 == 48.1
6/24/25 9:40 == 48.1	6/24/25 14:10 == 48	6/24/25 18:40 == 48.1	6/24/25 23:10 == 48.1
6/24/25 9:45 == 48.2	6/24/25 14:15 == 48	6/24/25 18:45 == 48	6/24/25 23:15 == 48
6/24/25 9:50 == 48	6/24/25 14:20 == 48	6/24/25 18:50 == 48	6/24/25 23:20 == 47.9
6/24/25 9:55 == 47.3	6/24/25 14:25 == 47.9	6/24/25 18:55 == 48.1	6/24/25 23:25 == 47.9
6/24/25 10:00 == 47.4	6/24/25 14:30 == 48.1	6/24/25 19:00 == 48	6/24/25 23:30 == 48
6/24/25 10:05 == 48	6/24/25 14:35 == 47.9	6/24/25 19:05 == 48	6/24/25 23:35 == 47.9
6/24/25 10:10 == 48	6/24/25 14:40 == 47.9	6/24/25 19:10 == 48	6/24/25 23:40 == 47.9
6/24/25 10:15 == 48.1	6/24/25 14:45 == 48	6/24/25 19:15 == 48.1	6/24/25 23:45 == 48
6/24/25 10:20 == 48.1	6/24/25 14:50 == 48.2	6/24/25 19:20 == 48	6/24/25 23:50 == 48
6/24/25 10:25 == 47.9	6/24/25 14:55 == 47.7	6/24/25 19:25 == 48	6/24/25 23:55 == 48.1

Pumpback Station Discharge (0364)

6/25/25 0:00 == 48	6/25/25 4:30 == 47.9	6/25/25 9:00 == 48	6/25/25 13:30 == 48.1
6/25/25 0:05 == 47.9	6/25/25 4:35 == 47.9	6/25/25 9:05 == 48.1	6/25/25 13:35 == 47.9
6/25/25 0:10 == 48.1	6/25/25 4:40 == 48	6/25/25 9:10 == 48.1	6/25/25 13:40 == 47.8
6/25/25 0:15 == 47.7	6/25/25 4:45 == 47.9	6/25/25 9:15 == 48	6/25/25 13:45 == 48
6/25/25 0:20 == 47.7	6/25/25 4:50 == 47.9	6/25/25 9:20 == 48	6/25/25 13:50 == 47.9
6/25/25 0:25 == 47.9	6/25/25 4:55 == 48	6/25/25 9:25 == 47.9	6/25/25 13:55 == 47.6
6/25/25 0:30 == 48.1	6/25/25 5:00 == 48	6/25/25 9:30 == 47.9	6/25/25 14:00 == 47.8
6/25/25 0:35 == 47.9	6/25/25 5:05 == 47.9	6/25/25 9:35 == 47.8	6/25/25 14:05 == 48.1
6/25/25 0:40 == 47.9	6/25/25 5:10 == 48	6/25/25 9:40 == 47.7	6/25/25 14:10 == 47.7
6/25/25 0:45 == 47.8	6/25/25 5:15 == 48	6/25/25 9:45 == 48	6/25/25 14:15 == 47.8
6/25/25 0:50 == 48	6/25/25 5:20 == 48	6/25/25 9:50 == 48	6/25/25 14:20 == 48.1
6/25/25 0:55 == 47.9	6/25/25 5:25 == 47.2	6/25/25 9:55 == 47.9	6/25/25 14:25 == 48.1
6/25/25 1:00 == 48	6/25/25 5:30 == 47.9	6/25/25 10:00 == 47.6	6/25/25 14:30 == 48.1
6/25/25 1:05 == 48	6/25/25 5:35 == 48	6/25/25 10:05 == 48.1	6/25/25 14:35 == 47.9
6/25/25 1:10 == 48	6/25/25 5:40 == 48	6/25/25 10:10 == 48	6/25/25 14:40 == 47.5
6/25/25 1:15 == 47.7	6/25/25 5:45 == 48.1	6/25/25 10:15 == 48	6/25/25 14:45 == 47.6
6/25/25 1:20 == 47.7	6/25/25 5:50 == 48.2	6/25/25 10:20 == 48.1	6/25/25 14:50 == 47.9
6/25/25 1:25 == 47.9	6/25/25 5:55 == 48.1	6/25/25 10:25 == 48	6/25/25 14:55 == 47.7
6/25/25 1:30 == 47.9	6/25/25 6:00 == 48	6/25/25 10:30 == 48	6/25/25 15:00 == 47.6
6/25/25 1:35 == 48	6/25/25 6:05 == 47.9	6/25/25 10:35 == 48.1	6/25/25 15:05 == 47.7
6/25/25 1:40 == 48	6/25/25 6:10 == 48.1	6/25/25 10:40 == 48.1	6/25/25 15:10 == 47.5
6/25/25 1:45 == 48	6/25/25 6:15 == 48	6/25/25 10:45 == 47.5	6/25/25 15:15 == 48
6/25/25 1:50 == 48.1	6/25/25 6:20 == 48.1	6/25/25 10:50 == 48	6/25/25 15:20 == 47.9
6/25/25 1:55 == 48	6/25/25 6:25 == 48.1	6/25/25 10:55 == 47.9	6/25/25 15:25 == 48
6/25/25 2:00 == 48	6/25/25 6:30 == 48	6/25/25 11:00 == 47.9	6/25/25 15:30 == 48
6/25/25 2:05 == 48	6/25/25 6:35 == 48	6/25/25 11:05 == 47.8	6/25/25 15:35 == 48
6/25/25 2:10 == 48	6/25/25 6:40 == 48	6/25/25 11:10 == 47.7	6/25/25 15:40 == 48
6/25/25 2:15 == 48.1	6/25/25 6:45 == 48	6/25/25 11:15 == 48.1	6/25/25 15:45 == 47.8
6/25/25 2:20 == 47.7	6/25/25 6:50 == 47.9	6/25/25 11:20 == 48.2	6/25/25 15:50 == 48.1
6/25/25 2:25 == 47.7	6/25/25 6:55 == 47.9	6/25/25 11:25 == 47.6	6/25/25 15:55 == 47.9
6/25/25 2:30 == 47.9	6/25/25 7:00 == 48	6/25/25 11:30 == 47.7	6/25/25 16:00 == 47.8
6/25/25 2:35 == 48.1	6/25/25 7:05 == 47.9	6/25/25 11:35 == 48	6/25/25 16:05 == 48.1
6/25/25 2:40 == 47.9	6/25/25 7:10 == 47.6	6/25/25 11:40 == 47.7	6/25/25 16:10 == 48
6/25/25 2:45 == 48	6/25/25 7:15 == 47.8	6/25/25 11:45 == 47.7	6/25/25 16:15 == 48
6/25/25 2:50 == 48.1	6/25/25 7:20 == 47.7	6/25/25 11:50 == 47.9	6/25/25 16:20 == 48
6/25/25 2:55 == 47.9	6/25/25 7:25 == 47.4	6/25/25 11:55 == 48	6/25/25 16:25 == 48
6/25/25 3:00 == 47.5	6/25/25 7:30 == 47.9	6/25/25 12:00 == 48	6/25/25 16:30 == 48
6/25/25 3:05 == 47.9	6/25/25 7:35 == 47.9	6/25/25 12:05 == 47.9	6/25/25 16:35 == 48
6/25/25 3:10 == 47.8	6/25/25 7:40 == 48	6/25/25 12:10 == 47.8	6/25/25 16:40 == 48
6/25/25 3:15 == 47.9	6/25/25 7:45 == 47.9	6/25/25 12:15 == 47.9	6/25/25 16:45 == 48.1
6/25/25 3:20 == 48	6/25/25 7:50 == 48	6/25/25 12:20 == 48	6/25/25 16:50 == 48.1
6/25/25 3:25 == 48	6/25/25 7:55 == 48	6/25/25 12:25 == 48	6/25/25 16:55 == 48
6/25/25 3:30 == 47.9	6/25/25 8:00 == 48.1	6/25/25 12:30 == 47.9	6/25/25 17:00 == 48
6/25/25 3:35 == 47.9	6/25/25 8:05 == 47.9	6/25/25 12:35 == 47.9	6/25/25 17:05 == 48.1
6/25/25 3:40 == 48	6/25/25 8:10 == 48.2	6/25/25 12:40 == 48.1	6/25/25 17:10 == 48
6/25/25 3:45 == 48	6/25/25 8:15 == 48.1	6/25/25 12:45 == 48.2	6/25/25 17:15 == 47.9
6/25/25 3:50 == 48	6/25/25 8:20 == 48	6/25/25 12:50 == 47.8	6/25/25 17:20 == 48.1
6/25/25 3:55 == 48	6/25/25 8:25 == 48	6/25/25 12:55 == 48	6/25/25 17:25 == 48
6/25/25 4:00 == 47.9	6/25/25 8:30 == 48	6/25/25 13:00 == 48	6/25/25 17:30 == 48
6/25/25 4:05 == 47.9	6/25/25 8:35 == 48.1	6/25/25 13:05 == 47.9	6/25/25 17:35 == 47.9
6/25/25 4:10 == 47.7	6/25/25 8:40 == 48	6/25/25 13:10 == 48.1	6/25/25 17:40 == 47.7
6/25/25 4:15 == 47.8	6/25/25 8:45 == 48	6/25/25 13:15 == 48.1	6/25/25 17:45 == 48
6/25/25 4:20 == 48	6/25/25 8:50 == 48.1	6/25/25 13:20 == 48	6/25/25 17:50 == 48
6/25/25 4:25 == 48	6/25/25 8:55 == 48	6/25/25 13:25 == 47.9	6/25/25 17:55 == 48.2

Pumpback Station Discharge (0364)

6/25/25 18:00 == 48.1	6/25/25 22:30 == 47.9	6/26/25 3:00 == 47.8	6/26/25 7:30 == 47.9
6/25/25 18:05 == 47.9	6/25/25 22:35 == 47.8	6/26/25 3:05 == 47.9	6/26/25 7:35 == 47.9
6/25/25 18:10 == 48	6/25/25 22:40 == 47.6	6/26/25 3:10 == 48	6/26/25 7:40 == 47.9
6/25/25 18:15 == 47.4	6/25/25 22:45 == 47.8	6/26/25 3:15 == 48	6/26/25 7:45 == 48
6/25/25 18:20 == 47.9	6/25/25 22:50 == 48.1	6/26/25 3:20 == 48.1	6/26/25 7:50 == 48.2
6/25/25 18:25 == 47.4	6/25/25 22:55 == 48.1	6/26/25 3:25 == 48	6/26/25 7:55 == 48
6/25/25 18:30 == 47.9	6/25/25 23:00 == 47.9	6/26/25 3:30 == 48	6/26/25 8:00 == 48
6/25/25 18:35 == 48.1	6/25/25 23:05 == 47.9	6/26/25 3:35 == 48	6/26/25 8:05 == 48.1
6/25/25 18:40 == 48.2	6/25/25 23:10 == 48.1	6/26/25 3:40 == 48	6/26/25 8:10 == 48
6/25/25 18:45 == 48.1	6/25/25 23:15 == 47.9	6/26/25 3:45 == 48	6/26/25 8:15 == 47.9
6/25/25 18:50 == 47.9	6/25/25 23:20 == 47.9	6/26/25 3:50 == 48	6/26/25 8:20 == 47.9
6/25/25 18:55 == 48.1	6/25/25 23:25 == 48	6/26/25 3:55 == 48	6/26/25 8:25 == 48
6/25/25 19:00 == 48	6/25/25 23:30 == 48	6/26/25 4:00 == 48.1	6/26/25 8:30 == 48
6/25/25 19:05 == 48.1	6/25/25 23:35 == 48.1	6/26/25 4:05 == 47.9	6/26/25 8:35 == 47.9
6/25/25 19:10 == 48	6/25/25 23:40 == 48	6/26/25 4:10 == 47.6	6/26/25 8:40 == 48
6/25/25 19:15 == 48.1	6/25/25 23:45 == 48	6/26/25 4:15 == 47.9	6/26/25 8:45 == 48.1
6/25/25 19:20 == 48	6/25/25 23:50 == 48.2	6/26/25 4:20 == 48	6/26/25 8:50 == 48.1
6/25/25 19:25 == 48	6/25/25 23:55 == 48.1	6/26/25 4:25 == 47.9	6/26/25 8:55 == 48.1
6/25/25 19:30 == 48.2	6/26/25 0:00 == 47.9	6/26/25 4:30 == 47.9	6/26/25 9:00 == 48
6/25/25 19:35 == 48	6/26/25 0:05 == 47.9	6/26/25 4:35 == 48	6/26/25 9:05 == 47.8
6/25/25 19:40 == 47.9	6/26/25 0:10 == 48	6/26/25 4:40 == 48.1	6/26/25 9:10 == 47.8
6/25/25 19:45 == 47.9	6/26/25 0:15 == 48.1	6/26/25 4:45 == 48	6/26/25 9:15 == 48
6/25/25 19:50 == 47.9	6/26/25 0:20 == 48	6/26/25 4:50 == 48.1	6/26/25 9:20 == 48.1
6/25/25 19:55 == 47.9	6/26/25 0:25 == 48	6/26/25 4:55 == 47.9	6/26/25 9:25 == 48.1
6/25/25 20:00 == 48	6/26/25 0:30 == 47.9	6/26/25 5:00 == 47.9	6/26/25 9:30 == 47.9
6/25/25 20:05 == 48	6/26/25 0:35 == 47.9	6/26/25 5:05 == 47.8	6/26/25 9:35 == 48
6/25/25 20:10 == 48	6/26/25 0:40 == 47.9	6/26/25 5:10 == 48	6/26/25 9:40 == 47.4
6/25/25 20:15 == 48.1	6/26/25 0:45 == 48	6/26/25 5:15 == 48	6/26/25 9:45 == 48
6/25/25 20:20 == 48	6/26/25 0:50 == 48.2	6/26/25 5:20 == 48	6/26/25 9:50 == 47.9
6/25/25 20:25 == 48	6/26/25 0:55 == 48.2	6/26/25 5:25 == 48	6/26/25 9:55 == 47.8
6/25/25 20:30 == 48	6/26/25 1:00 == 48	6/26/25 5:30 == 48.1	6/26/25 10:00 == 48.1
6/25/25 20:35 == 47.9	6/26/25 1:05 == 47.9	6/26/25 5:35 == 48.1	6/26/25 10:05 == 48.2
6/25/25 20:40 == 47.9	6/26/25 1:10 == 48	6/26/25 5:40 == 47.9	6/26/25 10:10 == 47.7
6/25/25 20:45 == 47.9	6/26/25 1:15 == 48.1	6/26/25 5:45 == 48	6/26/25 10:15 == 47.6
6/25/25 20:50 == 48.1	6/26/25 1:20 == 48.1	6/26/25 5:50 == 48	6/26/25 10:20 == 48
6/25/25 20:55 == 48.1	6/26/25 1:25 == 48.1	6/26/25 5:55 == 48.1	6/26/25 10:25 == 48.1
6/25/25 21:00 == 47.9	6/26/25 1:30 == 48	6/26/25 6:00 == 48.1	6/26/25 10:30 == 48.1
6/25/25 21:05 == 47.9	6/26/25 1:35 == 48	6/26/25 6:05 == 48	6/26/25 10:35 == 48.1
6/25/25 21:10 == 47.9	6/26/25 1:40 == 47.9	6/26/25 6:10 == 48	6/26/25 10:40 == 48
6/25/25 21:15 == 48.1	6/26/25 1:45 == 47.7	6/26/25 6:15 == 47.8	6/26/25 10:45 == 48
6/25/25 21:20 == 48	6/26/25 1:50 == 48	6/26/25 6:20 == 47.9	6/26/25 10:50 == 47.9
6/25/25 21:25 == 48	6/26/25 1:55 == 48	6/26/25 6:25 == 48	6/26/25 10:55 == 47.8
6/25/25 21:30 == 48	6/26/25 2:00 == 48	6/26/25 6:30 == 48	6/26/25 11:00 == 47.9
6/25/25 21:35 == 48.1	6/26/25 2:05 == 47.9	6/26/25 6:35 == 48.2	6/26/25 11:05 == 48.1
6/25/25 21:40 == 47.6	6/26/25 2:10 == 48.1	6/26/25 6:40 == 48.1	6/26/25 11:10 == 47.7
6/25/25 21:45 == 47.8	6/26/25 2:15 == 47.8	6/26/25 6:45 == 48	6/26/25 11:15 == 47.6
6/25/25 21:50 == 48.1	6/26/25 2:20 == 48	6/26/25 6:50 == 48.1	6/26/25 11:20 == 47.8
6/25/25 21:55 == 48.1	6/26/25 2:25 == 47.4	6/26/25 6:55 == 47.9	6/26/25 11:25 == 47.6
6/25/25 22:00 == 48	6/26/25 2:30 == 47.8	6/26/25 7:00 == 47.8	6/26/25 11:30 == 47.8
6/25/25 22:05 == 48.1	6/26/25 2:35 == 47.9	6/26/25 7:05 == 48.1	6/26/25 11:35 == 47.9
6/25/25 22:10 == 48	6/26/25 2:40 == 48	6/26/25 7:10 == 47.7	6/26/25 11:40 == 47.9
6/25/25 22:15 == 47.9	6/26/25 2:45 == 48.1	6/26/25 7:15 == 47.8	6/26/25 11:45 == 47.9
6/25/25 22:20 == 48.1	6/26/25 2:50 == 48.1	6/26/25 7:20 == 48.1	6/26/25 11:50 == 47.9
6/25/25 22:25 == 48.1	6/26/25 2:55 == 47.6	6/26/25 7:25 == 47.7	6/26/25 11:55 == 47.7

Pumpback Station Discharge (0364)

6/26/25 12:00 == 48	6/26/25 16:30 == 47.8	6/26/25 21:00 == 47.4	6/27/25 1:30 == 47.8
6/26/25 12:05 == 48	6/26/25 16:35 == 48	6/26/25 21:05 == 47.6	6/27/25 1:35 == 48
6/26/25 12:10 == 47.4	6/26/25 16:40 == 47.8	6/26/25 21:10 == 47.9	6/27/25 1:40 == 48.1
6/26/25 12:15 == 47.8	6/26/25 16:45 == 47.8	6/26/25 21:15 == 48	6/27/25 1:45 == 47.8
6/26/25 12:20 == 48	6/26/25 16:50 == 47.7	6/26/25 21:20 == 47.9	6/27/25 1:50 == 47.8
6/26/25 12:25 == 48.1	6/26/25 16:55 == 47.4	6/26/25 21:25 == 47.9	6/27/25 1:55 == 47.9
6/26/25 12:30 == 47.6	6/26/25 17:00 == 47.8	6/26/25 21:30 == 47.9	6/27/25 2:00 == 47.9
6/26/25 12:35 == 48.1	6/26/25 17:05 == 47.8	6/26/25 21:35 == 47.7	6/27/25 2:05 == 48.1
6/26/25 12:40 == 47.9	6/26/25 17:10 == 47.8	6/26/25 21:40 == 47.6	6/27/25 2:10 == 47.9
6/26/25 12:45 == 47.5	6/26/25 17:15 == 48.1	6/26/25 21:45 == 47.8	6/27/25 2:15 == 47.9
6/26/25 12:50 == 47.9	6/26/25 17:20 == 48	6/26/25 21:50 == 48	6/27/25 2:20 == 47.9
6/26/25 12:55 == 47.9	6/26/25 17:25 == 47.6	6/26/25 21:55 == 47.9	6/27/25 2:25 == 47.5
6/26/25 13:00 == 48.1	6/26/25 17:30 == 47.8	6/26/25 22:00 == 48.1	6/27/25 2:30 == 47.6
6/26/25 13:05 == 48	6/26/25 17:35 == 47.9	6/26/25 22:05 == 48.1	6/27/25 2:35 == 48
6/26/25 13:10 == 47.9	6/26/25 17:40 == 47.1	6/26/25 22:10 == 48	6/27/25 2:40 == 48
6/26/25 13:15 == 47.6	6/26/25 17:45 == 47.8	6/26/25 22:15 == 47.9	6/27/25 2:45 == 47.9
6/26/25 13:20 == 47.8	6/26/25 17:50 == 47.9	6/26/25 22:20 == 48	6/27/25 2:50 == 47.7
6/26/25 13:25 == 48	6/26/25 17:55 == 47.8	6/26/25 22:25 == 48	6/27/25 2:55 == 47.4
6/26/25 13:30 == 48	6/26/25 18:00 == 47.9	6/26/25 22:30 == 48	6/27/25 3:00 == 47.5
6/26/25 13:35 == 48	6/26/25 18:05 == 47.9	6/26/25 22:35 == 48	6/27/25 3:05 == 48
6/26/25 13:40 == 48	6/26/25 18:10 == 47.3	6/26/25 22:40 == 47.3	6/27/25 3:10 == 48
6/26/25 13:45 == 48.1	6/26/25 18:15 == 47.6	6/26/25 22:45 == 47.8	6/27/25 3:15 == 48
6/26/25 13:50 == 48.1	6/26/25 18:20 == 47.9	6/26/25 22:50 == 48	6/27/25 3:20 == 48.1
6/26/25 13:55 == 48	6/26/25 18:25 == 47.8	6/26/25 22:55 == 47.9	6/27/25 3:25 == 48.1
6/26/25 14:00 == 48.1	6/26/25 18:30 == 47.7	6/26/25 23:00 == 47.9	6/27/25 3:30 == 48
6/26/25 14:05 == 48	6/26/25 18:35 == 47.8	6/26/25 23:05 == 47.9	6/27/25 3:35 == 47.8
6/26/25 14:10 == 47.9	6/26/25 18:40 == 47.8	6/26/25 23:10 == 48	6/27/25 3:40 == 47.9
6/26/25 14:15 == 47.9	6/26/25 18:45 == 47.8	6/26/25 23:15 == 48	6/27/25 3:45 == 48.1
6/26/25 14:20 == 48	6/26/25 18:50 == 47.9	6/26/25 23:20 == 48	6/27/25 3:50 == 48
6/26/25 14:25 == 48.1	6/26/25 18:55 == 48.1	6/26/25 23:25 == 47.7	6/27/25 3:55 == 48
6/26/25 14:30 == 48.1	6/26/25 19:00 == 48	6/26/25 23:30 == 47.9	6/27/25 4:00 == 47.9
6/26/25 14:35 == 47.9	6/26/25 19:05 == 48	6/26/25 23:35 == 47.8	6/27/25 4:05 == 47.9
6/26/25 14:40 == 47.9	6/26/25 19:10 == 48	6/26/25 23:40 == 47.9	6/27/25 4:10 == 47.6
6/26/25 14:45 == 47.9	6/26/25 19:15 == 48	6/26/25 23:45 == 48	6/27/25 4:15 == 47.8
6/26/25 14:50 == 48	6/26/25 19:20 == 47.9	6/26/25 23:50 == 48	6/27/25 4:20 == 47.8
6/26/25 14:55 == 47.6	6/26/25 19:25 == 47.9	6/26/25 23:55 == 47.9	6/27/25 4:25 == 47.9
6/26/25 15:00 == 48.1	6/26/25 19:30 == 47.8	6/27/25 0:00 == 47.9	6/27/25 4:30 == 47.8
6/26/25 15:05 == 47.9	6/26/25 19:35 == 47.9	6/27/25 0:05 == 48	6/27/25 4:35 == 47.9
6/26/25 15:10 == 47.6	6/26/25 19:40 == 48	6/27/25 0:10 == 48	6/27/25 4:40 == 48
6/26/25 15:15 == 47.7	6/26/25 19:45 == 48	6/27/25 0:15 == 47.9	6/27/25 4:45 == 48.1
6/26/25 15:20 == 47.8	6/26/25 19:50 == 48	6/27/25 0:20 == 48	6/27/25 4:50 == 48
6/26/25 15:25 == 47.9	6/26/25 19:55 == 47.9	6/27/25 0:25 == 47.9	6/27/25 4:55 == 47.9
6/26/25 15:30 == 47.9	6/26/25 20:00 == 48	6/27/25 0:30 == 47.8	6/27/25 5:00 == 48
6/26/25 15:35 == 47.9	6/26/25 20:05 == 48	6/27/25 0:35 == 47.9	6/27/25 5:05 == 47.9
6/26/25 15:40 == 47.9	6/26/25 20:10 == 48	6/27/25 0:40 == 47.7	6/27/25 5:10 == 47.9
6/26/25 15:45 == 47.9	6/26/25 20:15 == 47.9	6/27/25 0:45 == 47.8	6/27/25 5:15 == 47.9
6/26/25 15:50 == 47.9	6/26/25 20:20 == 47.9	6/27/25 0:50 == 47.9	6/27/25 5:20 == 47.9
6/26/25 15:55 == 48	6/26/25 20:25 == 47.8	6/27/25 0:55 == 47.8	6/27/25 5:25 == 48
6/26/25 16:00 == 48	6/26/25 20:30 == 47.9	6/27/25 1:00 == 47.9	6/27/25 5:30 == 47.9
6/26/25 16:05 == 48.1	6/26/25 20:35 == 47.8	6/27/25 1:05 == 47.9	6/27/25 5:35 == 47.8
6/26/25 16:10 == 47.9	6/26/25 20:40 == 48	6/27/25 1:10 == 48	6/27/25 5:40 == 47.9
6/26/25 16:15 == 47.8	6/26/25 20:45 == 48	6/27/25 1:15 == 47.9	6/27/25 5:45 == 47.9
6/26/25 16:20 == 47.8	6/26/25 20:50 == 48	6/27/25 1:20 == 48	6/27/25 5:50 == 47.9
6/26/25 16:25 == 47.7	6/26/25 20:55 == 47.9	6/27/25 1:25 == 47.4	6/27/25 5:55 == 48

Pumpback Station Discharge (0364)

6/27/25 6:00 == 47.8	6/27/25 10:30 == 48	6/27/25 15:00 == 48	6/27/25 19:30 == 48.2
6/27/25 6:05 == 48	6/27/25 10:35 == 48	6/27/25 15:05 == 48.1	6/27/25 19:35 == 48
6/27/25 6:10 == 47.9	6/27/25 10:40 == 47.9	6/27/25 15:10 == 48	6/27/25 19:40 == 48
6/27/25 6:15 == 48	6/27/25 10:45 == 47.9	6/27/25 15:15 == 47.9	6/27/25 19:45 == 48.1
6/27/25 6:20 == 48.1	6/27/25 10:50 == 47.9	6/27/25 15:20 == 48.1	6/27/25 19:50 == 48
6/27/25 6:25 == 47.5	6/27/25 10:55 == 47.6	6/27/25 15:25 == 48.1	6/27/25 19:55 == 48
6/27/25 6:30 == 48	6/27/25 11:00 == 47.8	6/27/25 15:30 == 48.1	6/27/25 20:00 == 47.9
6/27/25 6:35 == 47.8	6/27/25 11:05 == 47.9	6/27/25 15:35 == 48	6/27/25 20:05 == 48
6/27/25 6:40 == 47.9	6/27/25 11:10 == 47.1	6/27/25 15:40 == 48	6/27/25 20:10 == 47.9
6/27/25 6:45 == 47.9	6/27/25 11:15 == 47.6	6/27/25 15:45 == 48	6/27/25 20:15 == 47.9
6/27/25 6:50 == 47.8	6/27/25 11:20 == 48	6/27/25 15:50 == 47.9	6/27/25 20:20 == 48
6/27/25 6:55 == 48	6/27/25 11:25 == 48.1	6/27/25 15:55 == 47.6	6/27/25 20:25 == 47.9
6/27/25 7:00 == 48	6/27/25 11:30 == 48	6/27/25 16:00 == 47.6	6/27/25 20:30 == 47.9
6/27/25 7:05 == 48	6/27/25 11:35 == 48	6/27/25 16:05 == 47.8	6/27/25 20:35 == 48
6/27/25 7:10 == 48	6/27/25 11:40 == 48	6/27/25 16:10 == 47.8	6/27/25 20:40 == 48
6/27/25 7:15 == 47.5	6/27/25 11:45 == 47.9	6/27/25 16:15 == 47.7	6/27/25 20:45 == 47.9
6/27/25 7:20 == 47.8	6/27/25 11:50 == 48.1	6/27/25 16:20 == 47.9	6/27/25 20:50 == 47.9
6/27/25 7:25 == 47.4	6/27/25 11:55 == 47.2	6/27/25 16:25 == 47.5	6/27/25 20:55 == 47.7
6/27/25 7:30 == 47.6	6/27/25 12:00 == 47.6	6/27/25 16:30 == 47.7	6/27/25 21:00 == 47.8
6/27/25 7:35 == 48.1	6/27/25 12:05 == 48.1	6/27/25 16:35 == 48	6/27/25 21:05 == 48
6/27/25 7:40 == 48	6/27/25 12:10 == 47.6	6/27/25 16:40 == 48	6/27/25 21:10 == 47.9
6/27/25 7:45 == 47.7	6/27/25 12:15 == 47.8	6/27/25 16:45 == 48	6/27/25 21:15 == 47.7
6/27/25 7:50 == 47.7	6/27/25 12:20 == 47.9	6/27/25 16:50 == 48	6/27/25 21:20 == 47.7
6/27/25 7:55 == 47.7	6/27/25 12:25 == 48	6/27/25 16:55 == 47.5	6/27/25 21:25 == 48
6/27/25 8:00 == 47.7	6/27/25 12:30 == 48.1	6/27/25 17:00 == 48	6/27/25 21:30 == 48.1
6/27/25 8:05 == 47.7	6/27/25 12:35 == 48	6/27/25 17:05 == 47.7	6/27/25 21:35 == 48
6/27/25 8:10 == 47.6	6/27/25 12:40 == 47.8	6/27/25 17:10 == 48	6/27/25 21:40 == 48
6/27/25 8:15 == 48	6/27/25 12:45 == 47.8	6/27/25 17:15 == 48	6/27/25 21:45 == 48.1
6/27/25 8:20 == 48.1	6/27/25 12:50 == 48	6/27/25 17:20 == 48	6/27/25 21:50 == 48
6/27/25 8:25 == 48.1	6/27/25 12:55 == 47.7	6/27/25 17:25 == 47.9	6/27/25 21:55 == 48.1
6/27/25 8:30 == 48	6/27/25 13:00 == 47.6	6/27/25 17:30 == 48	6/27/25 22:00 == 48.1
6/27/25 8:35 == 48.1	6/27/25 13:05 == 47.9	6/27/25 17:35 == 48.1	6/27/25 22:05 == 48
6/27/25 8:40 == 47.9	6/27/25 13:10 == 48	6/27/25 17:40 == 47.5	6/27/25 22:10 == 48.1
6/27/25 8:45 == 48	6/27/25 13:15 == 47.9	6/27/25 17:45 == 47.8	6/27/25 22:15 == 48.1
6/27/25 8:50 == 47.8	6/27/25 13:20 == 47.9	6/27/25 17:50 == 48	6/27/25 22:20 == 47.9
6/27/25 8:55 == 47.4	6/27/25 13:25 == 48	6/27/25 17:55 == 48.2	6/27/25 22:25 == 47.5
6/27/25 9:00 == 48	6/27/25 13:30 == 48.1	6/27/25 18:00 == 48.1	6/27/25 22:30 == 48
6/27/25 9:05 == 47.7	6/27/25 13:35 == 47.9	6/27/25 18:05 == 47.9	6/27/25 22:35 == 48.1
6/27/25 9:10 == 47.5	6/27/25 13:40 == 47.9	6/27/25 18:10 == 47.5	6/27/25 22:40 == 47.6
6/27/25 9:15 == 47.9	6/27/25 13:45 == 48	6/27/25 18:15 == 47.5	6/27/25 22:45 == 47.9
6/27/25 9:20 == 48	6/27/25 13:50 == 48	6/27/25 18:20 == 47.8	6/27/25 22:50 == 48
6/27/25 9:25 == 47.6	6/27/25 13:55 == 47.8	6/27/25 18:25 == 47.7	6/27/25 22:55 == 47.9
6/27/25 9:30 == 47.7	6/27/25 14:00 == 47.6	6/27/25 18:30 == 47.9	6/27/25 23:00 == 47.9
6/27/25 9:35 == 48	6/27/25 14:05 == 47.5	6/27/25 18:35 == 48.1	6/27/25 23:05 == 48
6/27/25 9:40 == 47.8	6/27/25 14:10 == 47.8	6/27/25 18:40 == 48	6/27/25 23:10 == 47.9
6/27/25 9:45 == 47.9	6/27/25 14:15 == 47.9	6/27/25 18:45 == 47.9	6/27/25 23:15 == 47.9
6/27/25 9:50 == 47.9	6/27/25 14:20 == 47.9	6/27/25 18:50 == 48.1	6/27/25 23:20 == 47.9
6/27/25 9:55 == 47.9	6/27/25 14:25 == 47.5	6/27/25 18:55 == 48	6/27/25 23:25 == 47.9
6/27/25 10:00 == 48	6/27/25 14:30 == 47.8	6/27/25 19:00 == 48	6/27/25 23:30 == 47.9
6/27/25 10:05 == 48.1	6/27/25 14:35 == 48.1	6/27/25 19:05 == 48	6/27/25 23:35 == 47.9
6/27/25 10:10 == 47.5	6/27/25 14:40 == 47.5	6/27/25 19:10 == 48.1	6/27/25 23:40 == 48
6/27/25 10:15 == 47.7	6/27/25 14:45 == 48	6/27/25 19:15 == 47.9	6/27/25 23:45 == 48.1
6/27/25 10:20 == 48	6/27/25 14:50 == 48.1	6/27/25 19:20 == 48.1	6/27/25 23:50 == 48
6/27/25 10:25 == 48	6/27/25 14:55 == 48	6/27/25 19:25 == 48	6/27/25 23:55 == 47.9

Pumpback Station Discharge (0364)

6/28/25 0:00 == 48	6/28/25 4:30 == 48	6/28/25 9:00 == 48.1	6/28/25 13:30 == 48.1
6/28/25 0:05 == 47.9	6/28/25 4:35 == 48	6/28/25 9:05 == 47.9	6/28/25 13:35 == 47.9
6/28/25 0:10 == 48	6/28/25 4:40 == 47.9	6/28/25 9:10 == 48	6/28/25 13:40 == 48
6/28/25 0:15 == 48.1	6/28/25 4:45 == 48.1	6/28/25 9:15 == 48	6/28/25 13:45 == 48.1
6/28/25 0:20 == 48.1	6/28/25 4:50 == 48	6/28/25 9:20 == 48.1	6/28/25 13:50 == 48.1
6/28/25 0:25 == 48	6/28/25 4:55 == 47.9	6/28/25 9:25 == 48	6/28/25 13:55 == 48
6/28/25 0:30 == 48.2	6/28/25 5:00 == 48.1	6/28/25 9:30 == 48.1	6/28/25 14:00 == 48.1
6/28/25 0:35 == 48	6/28/25 5:05 == 48.1	6/28/25 9:35 == 48	6/28/25 14:05 == 47.6
6/28/25 0:40 == 48.1	6/28/25 5:10 == 47.8	6/28/25 9:40 == 47.7	6/28/25 14:10 == 47.9
6/28/25 0:45 == 48	6/28/25 5:15 == 48.1	6/28/25 9:45 == 47.6	6/28/25 14:15 == 48.1
6/28/25 0:50 == 48	6/28/25 5:20 == 48.1	6/28/25 9:50 == 47.6	6/28/25 14:20 == 48.1
6/28/25 0:55 == 48	6/28/25 5:25 == 48.2	6/28/25 9:55 == 47.7	6/28/25 14:25 == 48.1
6/28/25 1:00 == 47.9	6/28/25 5:30 == 48	6/28/25 10:00 == 48	6/28/25 14:30 == 48
6/28/25 1:05 == 47.9	6/28/25 5:35 == 48.1	6/28/25 10:05 == 48	6/28/25 14:35 == 48
6/28/25 1:10 == 47.9	6/28/25 5:40 == 48.1	6/28/25 10:10 == 47.8	6/28/25 14:40 == 48
6/28/25 1:15 == 48.1	6/28/25 5:45 == 48.1	6/28/25 10:15 == 48	6/28/25 14:45 == 47.9
6/28/25 1:20 == 48.1	6/28/25 5:50 == 48	6/28/25 10:20 == 47.9	6/28/25 14:50 == 47.8
6/28/25 1:25 == 48.1	6/28/25 5:55 == 48	6/28/25 10:25 == 48	6/28/25 14:55 == 47.5
6/28/25 1:30 == 47.9	6/28/25 6:00 == 48.2	6/28/25 10:30 == 47.9	6/28/25 15:00 == 47.5
6/28/25 1:35 == 47.9	6/28/25 6:05 == 48.1	6/28/25 10:35 == 48.1	6/28/25 15:05 == 47.9
6/28/25 1:40 == 48	6/28/25 6:10 == 48.1	6/28/25 10:40 == 48	6/28/25 15:10 == 47.9
6/28/25 1:45 == 48	6/28/25 6:15 == 48	6/28/25 10:45 == 47.9	6/28/25 15:15 == 47.9
6/28/25 1:50 == 47.7	6/28/25 6:20 == 47.9	6/28/25 10:50 == 47.8	6/28/25 15:20 == 47.8
6/28/25 1:55 == 47.7	6/28/25 6:25 == 47.4	6/28/25 10:55 == 47.8	6/28/25 15:25 == 47.4
6/28/25 2:00 == 47.9	6/28/25 6:30 == 48	6/28/25 11:00 == 48	6/28/25 15:30 == 48
6/28/25 2:05 == 48	6/28/25 6:35 == 48.2	6/28/25 11:05 == 48	6/28/25 15:35 == 47.9
6/28/25 2:10 == 47.9	6/28/25 6:40 == 48	6/28/25 11:10 == 47.2	6/28/25 15:40 == 48
6/28/25 2:15 == 48.1	6/28/25 6:45 == 48	6/28/25 11:15 == 47.8	6/28/25 15:45 == 48
6/28/25 2:20 == 47.9	6/28/25 6:50 == 48	6/28/25 11:20 == 47.7	6/28/25 15:50 == 47.8
6/28/25 2:25 == 47.5	6/28/25 6:55 == 47.7	6/28/25 11:25 == 47.7	6/28/25 15:55 == 47.9
6/28/25 2:30 == 47.6	6/28/25 7:00 == 47.8	6/28/25 11:30 == 48	6/28/25 16:00 == 47.2
6/28/25 2:35 == 48	6/28/25 7:05 == 48	6/28/25 11:35 == 48.1	6/28/25 16:05 == 48
6/28/25 2:40 == 47.9	6/28/25 7:10 == 48	6/28/25 11:40 == 47.9	6/28/25 16:10 == 48
6/28/25 2:45 == 48	6/28/25 7:15 == 48	6/28/25 11:45 == 47.9	6/28/25 16:15 == 47.9
6/28/25 2:50 == 47.9	6/28/25 7:20 == 47.7	6/28/25 11:50 == 48	6/28/25 16:20 == 48
6/28/25 2:55 == 47.2	6/28/25 7:25 == 47.5	6/28/25 11:55 == 47.6	6/28/25 16:25 == 48
6/28/25 3:00 == 47.3	6/28/25 7:30 == 47.8	6/28/25 12:00 == 47.7	6/28/25 16:30 == 47.9
6/28/25 3:05 == 48	6/28/25 7:35 == 47.9	6/28/25 12:05 == 48	6/28/25 16:35 == 47.8
6/28/25 3:10 == 48.1	6/28/25 7:40 == 48	6/28/25 12:10 == 48.1	6/28/25 16:40 == 47.8
6/28/25 3:15 == 48	6/28/25 7:45 == 48	6/28/25 12:15 == 48.1	6/28/25 16:45 == 48
6/28/25 3:20 == 48	6/28/25 7:50 == 47.8	6/28/25 12:20 == 48.1	6/28/25 16:50 == 48.1
6/28/25 3:25 == 47.7	6/28/25 7:55 == 47.7	6/28/25 12:25 == 47.8	6/28/25 16:55 == 47.6
6/28/25 3:30 == 47.9	6/28/25 8:00 == 47.2	6/28/25 12:30 == 47.6	6/28/25 17:00 == 47.7
6/28/25 3:35 == 48	6/28/25 8:05 == 47.9	6/28/25 12:35 == 47.6	6/28/25 17:05 == 48
6/28/25 3:40 == 48	6/28/25 8:10 == 48	6/28/25 12:40 == 47.9	6/28/25 17:10 == 47.6
6/28/25 3:45 == 48	6/28/25 8:15 == 48	6/28/25 12:45 == 48.1	6/28/25 17:15 == 47.5
6/28/25 3:50 == 48	6/28/25 8:20 == 48	6/28/25 12:50 == 48	6/28/25 17:20 == 47.7
6/28/25 3:55 == 48	6/28/25 8:25 == 47.9	6/28/25 12:55 == 48	6/28/25 17:25 == 47.9
6/28/25 4:00 == 48	6/28/25 8:30 == 47.9	6/28/25 13:00 == 48	6/28/25 17:30 == 48
6/28/25 4:05 == 48.1	6/28/25 8:35 == 48.1	6/28/25 13:05 == 48.1	6/28/25 17:35 == 48
6/28/25 4:10 == 47.8	6/28/25 8:40 == 48	6/28/25 13:10 == 48	6/28/25 17:40 == 47.6
6/28/25 4:15 == 47.9	6/28/25 8:45 == 47.9	6/28/25 13:15 == 48	6/28/25 17:45 == 47.6
6/28/25 4:20 == 48	6/28/25 8:50 == 47.9	6/28/25 13:20 == 48	6/28/25 17:50 == 47.9
6/28/25 4:25 == 48	6/28/25 8:55 == 48	6/28/25 13:25 == 47.9	6/28/25 17:55 == 47.9

Pumpback Station Discharge (0364)

6/28/25 18:00 == 48	6/28/25 22:30 == 48.1	6/29/25 3:00 == 47.8	6/29/25 7:30 == 48
6/28/25 18:05 == 48.1	6/28/25 22:35 == 48	6/29/25 3:05 == 48	6/29/25 7:35 == 48
6/28/25 18:10 == 47.6	6/28/25 22:40 == 47.7	6/29/25 3:10 == 47.9	6/29/25 7:40 == 48
6/28/25 18:15 == 47.5	6/28/25 22:45 == 47.6	6/29/25 3:15 == 47.9	6/29/25 7:45 == 47.9
6/28/25 18:20 == 48	6/28/25 22:50 == 47.9	6/29/25 3:20 == 48	6/29/25 7:50 == 48.1
6/28/25 18:25 == 47.4	6/28/25 22:55 == 48	6/29/25 3:25 == 48	6/29/25 7:55 == 48.1
6/28/25 18:30 == 47.8	6/28/25 23:00 == 48	6/29/25 3:30 == 47.9	6/29/25 8:00 == 48.1
6/28/25 18:35 == 48	6/28/25 23:05 == 48	6/29/25 3:35 == 48	6/29/25 8:05 == 48.1
6/28/25 18:40 == 48.1	6/28/25 23:10 == 47.9	6/29/25 3:40 == 48	6/29/25 8:10 == 48
6/28/25 18:45 == 47.8	6/28/25 23:15 == 47.9	6/29/25 3:45 == 47.9	6/29/25 8:15 == 48
6/28/25 18:50 == 48	6/28/25 23:20 == 47.8	6/29/25 3:50 == 48	6/29/25 8:20 == 48
6/28/25 18:55 == 47.9	6/28/25 23:25 == 48	6/29/25 3:55 == 48	6/29/25 8:25 == 48
6/28/25 19:00 == 48.1	6/28/25 23:30 == 47.9	6/29/25 4:00 == 48.1	6/29/25 8:30 == 48.1
6/28/25 19:05 == 48.2	6/28/25 23:35 == 48.1	6/29/25 4:05 == 47.9	6/29/25 8:35 == 48.1
6/28/25 19:10 == 47.9	6/28/25 23:40 == 48	6/29/25 4:10 == 47.8	6/29/25 8:40 == 48
6/28/25 19:15 == 47.9	6/28/25 23:45 == 48	6/29/25 4:15 == 48.1	6/29/25 8:45 == 48
6/28/25 19:20 == 48	6/28/25 23:50 == 48	6/29/25 4:20 == 48.2	6/29/25 8:50 == 48.1
6/28/25 19:25 == 47.9	6/28/25 23:55 == 48	6/29/25 4:25 == 47.9	6/29/25 8:55 == 48
6/28/25 19:30 == 48	6/29/25 0:00 == 48	6/29/25 4:30 == 47.9	6/29/25 9:00 == 47.9
6/28/25 19:35 == 48	6/29/25 0:05 == 48.2	6/29/25 4:35 == 47.9	6/29/25 9:05 == 48
6/28/25 19:40 == 48	6/29/25 0:10 == 48	6/29/25 4:40 == 47.9	6/29/25 9:10 == 48.1
6/28/25 19:45 == 48	6/29/25 0:15 == 47.9	6/29/25 4:45 == 48	6/29/25 9:15 == 48.1
6/28/25 19:50 == 48.1	6/29/25 0:20 == 47.9	6/29/25 4:50 == 48	6/29/25 9:20 == 48.1
6/28/25 19:55 == 47.9	6/29/25 0:25 == 47.9	6/29/25 4:55 == 48.3	6/29/25 9:25 == 47.9
6/28/25 20:00 == 47.9	6/29/25 0:30 == 47.9	6/29/25 5:00 == 47.9	6/29/25 9:30 == 48
6/28/25 20:05 == 48	6/29/25 0:35 == 47.9	6/29/25 5:05 == 48	6/29/25 9:35 == 48
6/28/25 20:10 == 48.1	6/29/25 0:40 == 47.9	6/29/25 5:10 == 48	6/29/25 9:40 == 47.3
6/28/25 20:15 == 48	6/29/25 0:45 == 48.1	6/29/25 5:15 == 48	6/29/25 9:45 == 47.7
6/28/25 20:20 == 47.9	6/29/25 0:50 == 48	6/29/25 5:20 == 48	6/29/25 9:50 == 47.9
6/28/25 20:25 == 48	6/29/25 0:55 == 48.1	6/29/25 5:25 == 47.6	6/29/25 9:55 == 47.6
6/28/25 20:30 == 48.1	6/29/25 1:00 == 47.9	6/29/25 5:30 == 47.8	6/29/25 10:00 == 47.9
6/28/25 20:35 == 48.2	6/29/25 1:05 == 47.9	6/29/25 5:35 == 48.1	6/29/25 10:05 == 48
6/28/25 20:40 == 48	6/29/25 1:10 == 48	6/29/25 5:40 == 48	6/29/25 10:10 == 48
6/28/25 20:45 == 48.1	6/29/25 1:15 == 47.9	6/29/25 5:45 == 47.9	6/29/25 10:15 == 48.1
6/28/25 20:50 == 48	6/29/25 1:20 == 47.9	6/29/25 5:50 == 48	6/29/25 10:20 == 47.8
6/28/25 20:55 == 47.9	6/29/25 1:25 == 48.1	6/29/25 5:55 == 48	6/29/25 10:25 == 47.6
6/28/25 21:00 == 47.9	6/29/25 1:30 == 48.1	6/29/25 6:00 == 48.1	6/29/25 10:30 == 47.8
6/28/25 21:05 == 48	6/29/25 1:35 == 48.1	6/29/25 6:05 == 48.2	6/29/25 10:35 == 47.9
6/28/25 21:10 == 48.1	6/29/25 1:40 == 48	6/29/25 6:10 == 48	6/29/25 10:40 == 47.5
6/28/25 21:15 == 48	6/29/25 1:45 == 47.8	6/29/25 6:15 == 48	6/29/25 10:45 == 47.7
6/28/25 21:20 == 48.1	6/29/25 1:50 == 47.7	6/29/25 6:20 == 48	6/29/25 10:50 == 47.9
6/28/25 21:25 == 47.8	6/29/25 1:55 == 47.5	6/29/25 6:25 == 47.8	6/29/25 10:55 == 48.1
6/28/25 21:30 == 47.9	6/29/25 2:00 == 47.8	6/29/25 6:30 == 47.6	6/29/25 11:00 == 47.5
6/28/25 21:35 == 48	6/29/25 2:05 == 48.1	6/29/25 6:35 == 47.9	6/29/25 11:05 == 47.7
6/28/25 21:40 == 47.9	6/29/25 2:10 == 48	6/29/25 6:40 == 48.1	6/29/25 11:10 == 47.4
6/28/25 21:45 == 48.1	6/29/25 2:15 == 48.1	6/29/25 6:45 == 48	6/29/25 11:15 == 47.7
6/28/25 21:50 == 48	6/29/25 2:20 == 47.9	6/29/25 6:50 == 48	6/29/25 11:20 == 48
6/28/25 21:55 == 48	6/29/25 2:25 == 47.4	6/29/25 6:55 == 48	6/29/25 11:25 == 48
6/28/25 22:00 == 48	6/29/25 2:30 == 48	6/29/25 7:00 == 48.1	6/29/25 11:30 == 48
6/28/25 22:05 == 48	6/29/25 2:35 == 48	6/29/25 7:05 == 48	6/29/25 11:35 == 48
6/28/25 22:10 == 48	6/29/25 2:40 == 47.9	6/29/25 7:10 == 48.1	6/29/25 11:40 == 47.9
6/28/25 22:15 == 47.9	6/29/25 2:45 == 48	6/29/25 7:15 == 47.8	6/29/25 11:45 == 47.9
6/28/25 22:20 == 48.1	6/29/25 2:50 == 48.1	6/29/25 7:20 == 47.9	6/29/25 11:50 == 47.9
6/28/25 22:25 == 48.1	6/29/25 2:55 == 47.2	6/29/25 7:25 == 47.2	6/29/25 11:55 == 47.9

Pumpback Station Discharge (0364)

6/29/25 12:00 == 47.9	6/29/25 16:30 == 47.7	6/29/25 21:00 == 48	6/30/25 1:30 == 48
6/29/25 12:05 == 47.9	6/29/25 16:35 == 48.1	6/29/25 21:05 == 48.1	6/30/25 1:35 == 48.1
6/29/25 12:10 == 48	6/29/25 16:40 == 48	6/29/25 21:10 == 48	6/30/25 1:40 == 48.1
6/29/25 12:15 == 48.1	6/29/25 16:45 == 47.9	6/29/25 21:15 == 48	6/30/25 1:45 == 48
6/29/25 12:20 == 48	6/29/25 16:50 == 47.8	6/29/25 21:20 == 48	6/30/25 1:50 == 48.1
6/29/25 12:25 == 48	6/29/25 16:55 == 47.6	6/29/25 21:25 == 48	6/30/25 1:55 == 47.2
6/29/25 12:30 == 48	6/29/25 17:00 == 47.9	6/29/25 21:30 == 47.9	6/30/25 2:00 == 48.1
6/29/25 12:35 == 47.9	6/29/25 17:05 == 48	6/29/25 21:35 == 48	6/30/25 2:05 == 47.9
6/29/25 12:40 == 47.9	6/29/25 17:10 == 48	6/29/25 21:40 == 47.9	6/30/25 2:10 == 47.6
6/29/25 12:45 == 48	6/29/25 17:15 == 48.2	6/29/25 21:45 == 47.9	6/30/25 2:15 == 47.7
6/29/25 12:50 == 48	6/29/25 17:20 == 48.1	6/29/25 21:50 == 48	6/30/25 2:20 == 48
6/29/25 12:55 == 47.5	6/29/25 17:25 == 47.9	6/29/25 21:55 == 48	6/30/25 2:25 == 47.6
6/29/25 13:00 == 47.8	6/29/25 17:30 == 47.8	6/29/25 22:00 == 48	6/30/25 2:30 == 47.9
6/29/25 13:05 == 47.9	6/29/25 17:35 == 48	6/29/25 22:05 == 48	6/30/25 2:35 == 48.2
6/29/25 13:10 == 48.1	6/29/25 17:40 == 47.3	6/29/25 22:10 == 47.9	6/30/25 2:40 == 48
6/29/25 13:15 == 47.9	6/29/25 17:45 == 48	6/29/25 22:15 == 47.9	6/30/25 2:45 == 48
6/29/25 13:20 == 48	6/29/25 17:50 == 48	6/29/25 22:20 == 48.1	6/30/25 2:50 == 48
6/29/25 13:25 == 48	6/29/25 17:55 == 47.9	6/29/25 22:25 == 48.1	6/30/25 2:55 == 47.7
6/29/25 13:30 == 47.9	6/29/25 18:00 == 47.9	6/29/25 22:30 == 48.1	6/30/25 3:00 == 47.8
6/29/25 13:35 == 48	6/29/25 18:05 == 48	6/29/25 22:35 == 48	6/30/25 3:05 == 48
6/29/25 13:40 == 48	6/29/25 18:10 == 47.9	6/29/25 22:40 == 48.1	6/30/25 3:10 == 47.9
6/29/25 13:45 == 47.9	6/29/25 18:15 == 48	6/29/25 22:45 == 48.1	6/30/25 3:15 == 47.9
6/29/25 13:50 == 47.9	6/29/25 18:20 == 48	6/29/25 22:50 == 47.9	6/30/25 3:20 == 47.9
6/29/25 13:55 == 48	6/29/25 18:25 == 47.8	6/29/25 22:55 == 48	6/30/25 3:25 == 47.9
6/29/25 14:00 == 47.6	6/29/25 18:30 == 48	6/29/25 23:00 == 48	6/30/25 3:30 == 48
6/29/25 14:05 == 47.6	6/29/25 18:35 == 47.9	6/29/25 23:05 == 48	6/30/25 3:35 == 47.8
6/29/25 14:10 == 48	6/29/25 18:40 == 48	6/29/25 23:10 == 47.9	6/30/25 3:40 == 48
6/29/25 14:15 == 48	6/29/25 18:45 == 47.5	6/29/25 23:15 == 48.1	6/30/25 3:45 == 47.8
6/29/25 14:20 == 48	6/29/25 18:50 == 47.7	6/29/25 23:20 == 47.9	6/30/25 3:50 == 47.9
6/29/25 14:25 == 47.9	6/29/25 18:55 == 48	6/29/25 23:25 == 48	6/30/25 3:55 == 47.6
6/29/25 14:30 == 48	6/29/25 19:00 == 48	6/29/25 23:30 == 48.1	6/30/25 4:00 == 47.7
6/29/25 14:35 == 47.9	6/29/25 19:05 == 47.9	6/29/25 23:35 == 47.8	6/30/25 4:05 == 48
6/29/25 14:40 == 47.9	6/29/25 19:10 == 48	6/29/25 23:40 == 48	6/30/25 4:10 == 48
6/29/25 14:45 == 48.2	6/29/25 19:15 == 48	6/29/25 23:45 == 48	6/30/25 4:15 == 47.8
6/29/25 14:50 == 47.8	6/29/25 19:20 == 48	6/29/25 23:50 == 48	6/30/25 4:20 == 48
6/29/25 14:55 == 47.5	6/29/25 19:25 == 47.8	6/29/25 23:55 == 48	6/30/25 4:25 == 48.1
6/29/25 15:00 == 47.4	6/29/25 19:30 == 47.7	6/30/25 0:00 == 48	6/30/25 4:30 == 48
6/29/25 15:05 == 47.8	6/29/25 19:35 == 47.7	6/30/25 0:05 == 48.1	6/30/25 4:35 == 48
6/29/25 15:10 == 47.4	6/29/25 19:40 == 47.5	6/30/25 0:10 == 48	6/30/25 4:40 == 47.9
6/29/25 15:15 == 47.5	6/29/25 19:45 == 47.9	6/30/25 0:15 == 47.9	6/30/25 4:45 == 47.9
6/29/25 15:20 == 47.9	6/29/25 19:50 == 48.2	6/30/25 0:20 == 48	6/30/25 4:50 == 48.1
6/29/25 15:25 == 47.8	6/29/25 19:55 == 48.1	6/30/25 0:25 == 48	6/30/25 4:55 == 48
6/29/25 15:30 == 47.7	6/29/25 20:00 == 47.9	6/30/25 0:30 == 48	6/30/25 5:00 == 48.1
6/29/25 15:35 == 47.8	6/29/25 20:05 == 48	6/30/25 0:35 == 48	6/30/25 5:05 == 48.1
6/29/25 15:40 == 47.8	6/29/25 20:10 == 48	6/30/25 0:40 == 47.9	6/30/25 5:10 == 48
6/29/25 15:45 == 48	6/29/25 20:15 == 48.1	6/30/25 0:45 == 47.9	6/30/25 5:15 == 48
6/29/25 15:50 == 48	6/29/25 20:20 == 48	6/30/25 0:50 == 47.8	6/30/25 5:20 == 48.1
6/29/25 15:55 == 48	6/29/25 20:25 == 48	6/30/25 0:55 == 48	6/30/25 5:25 == 48.1
6/29/25 16:00 == 48	6/29/25 20:30 == 48	6/30/25 1:00 == 48	6/30/25 5:30 == 48
6/29/25 16:05 == 48.1	6/29/25 20:35 == 48.1	6/30/25 1:05 == 48.1	6/30/25 5:35 == 48.1
6/29/25 16:10 == 48	6/29/25 20:40 == 48	6/30/25 1:10 == 48	6/30/25 5:40 == 48.2
6/29/25 16:15 == 47.9	6/29/25 20:45 == 48.1	6/30/25 1:15 == 47.9	6/30/25 5:45 == 48.2
6/29/25 16:20 == 48	6/29/25 20:50 == 48	6/30/25 1:20 == 48	6/30/25 5:50 == 48.1
6/29/25 16:25 == 47.7	6/29/25 20:55 == 47.5	6/30/25 1:25 == 47.8	6/30/25 5:55 == 48

Pumpback Station Discharge (0364)

6/30/25 6:00 == 48.1	6/30/25 10:30 == 48	6/30/25 15:00 == 47.9	6/30/25 19:30 == 47.9
6/30/25 6:05 == 47.8	6/30/25 10:35 == 48	6/30/25 15:05 == 47.9	6/30/25 19:35 == 47.7
6/30/25 6:10 == 47.4	6/30/25 10:40 == 48	6/30/25 15:10 == 47.4	6/30/25 19:40 == 47.7
6/30/25 6:15 == 47.8	6/30/25 10:45 == 48.1	6/30/25 15:15 == 47.8	6/30/25 19:45 == 47.8
6/30/25 6:20 == 48	6/30/25 10:50 == 47.7	6/30/25 15:20 == 48	6/30/25 19:50 == 47.9
6/30/25 6:25 == 47.6	6/30/25 10:55 == 47.5	6/30/25 15:25 == 47.9	6/30/25 19:55 == 47.8
6/30/25 6:30 == 47.9	6/30/25 11:00 == 47.6	6/30/25 15:30 == 47.9	6/30/25 20:00 == 47.8
6/30/25 6:35 == 47.9	6/30/25 11:05 == 47.6	6/30/25 15:35 == 48	6/30/25 20:05 == 47.8
6/30/25 6:40 == 48	6/30/25 11:10 == 47.4	6/30/25 15:40 == 47.9	6/30/25 20:10 == 47.8
6/30/25 6:45 == 48	6/30/25 11:15 == 47.7	6/30/25 15:45 == 47.9	6/30/25 20:15 == 47.9
6/30/25 6:50 == 47.3	6/30/25 11:20 == 48	6/30/25 15:50 == 47.9	6/30/25 20:20 == 48
6/30/25 6:55 == 47.9	6/30/25 11:25 == 47.9	6/30/25 15:55 == 47.9	6/30/25 20:25 == 48
6/30/25 7:00 == 48	6/30/25 11:30 == 47.9	6/30/25 16:00 == 47.9	6/30/25 20:30 == 47.9
6/30/25 7:05 == 48.1	6/30/25 11:35 == 47.9	6/30/25 16:05 == 48	6/30/25 20:35 == 47.8
6/30/25 7:10 == 47.8	6/30/25 11:40 == 47.4	6/30/25 16:10 == 47.9	6/30/25 20:40 == 47.8
6/30/25 7:15 == 48	6/30/25 11:45 == 47.8	6/30/25 16:15 == 47.7	6/30/25 20:45 == 47.8
6/30/25 7:20 == 48	6/30/25 11:50 == 48.1	6/30/25 16:20 == 47.9	6/30/25 20:50 == 47.8
6/30/25 7:25 == 47.1	6/30/25 11:55 == 47.9	6/30/25 16:25 == 47.8	6/30/25 20:55 == 47.8
6/30/25 7:30 == 47.6	6/30/25 12:00 == 47.9	6/30/25 16:30 == 47.8	6/30/25 21:00 == 47.8
6/30/25 7:35 == 47.9	6/30/25 12:05 == 48	6/30/25 16:35 == 48	6/30/25 21:05 == 47.9
6/30/25 7:40 == 47.9	6/30/25 12:10 == 47.8	6/30/25 16:40 == 48	6/30/25 21:10 == 47.9
6/30/25 7:45 == 48	6/30/25 12:15 == 48	6/30/25 16:45 == 48	6/30/25 21:15 == 47.9
6/30/25 7:50 == 47.9	6/30/25 12:20 == 48.1	6/30/25 16:50 == 47.9	6/30/25 21:20 == 47.9
6/30/25 7:55 == 47.5	6/30/25 12:25 == 48	6/30/25 16:55 == 47.8	6/30/25 21:25 == 47.9
6/30/25 8:00 == 47.7	6/30/25 12:30 == 48.1	6/30/25 17:00 == 47.9	6/30/25 21:30 == 47.9
6/30/25 8:05 == 47.8	6/30/25 12:35 == 48	6/30/25 17:05 == 47.9	6/30/25 21:35 == 47.8
6/30/25 8:10 == 47.7	6/30/25 12:40 == 48	6/30/25 17:10 == 48	6/30/25 21:40 == 47.8
6/30/25 8:15 == 47.8	6/30/25 12:45 == 48	6/30/25 17:15 == 47.9	6/30/25 21:45 == 47.7
6/30/25 8:20 == 47.9	6/30/25 12:50 == 47.9	6/30/25 17:20 == 48.1	6/30/25 21:50 == 47.9
6/30/25 8:25 == 48	6/30/25 12:55 == 48	6/30/25 17:25 == 47.9	6/30/25 21:55 == 47.9
6/30/25 8:30 == 47.9	6/30/25 13:00 == 47.9	6/30/25 17:30 == 48	6/30/25 22:00 == 47.8
6/30/25 8:35 == 47.6	6/30/25 13:05 == 47.9	6/30/25 17:35 == 48	6/30/25 22:05 == 47.8
6/30/25 8:40 == 47.5	6/30/25 13:10 == 48.1	6/30/25 17:40 == 47.8	6/30/25 22:10 == 48
6/30/25 8:45 == 48	6/30/25 13:15 == 48	6/30/25 17:45 == 47.6	6/30/25 22:15 == 47.8
6/30/25 8:50 == 48.1	6/30/25 13:20 == 47.9	6/30/25 17:50 == 47.9	6/30/25 22:20 == 47.8
6/30/25 8:55 == 48.1	6/30/25 13:25 == 48	6/30/25 17:55 == 47.8	6/30/25 22:25 == 48.1
6/30/25 9:00 == 48.1	6/30/25 13:30 == 48	6/30/25 18:00 == 47.9	6/30/25 22:30 == 47.8
6/30/25 9:05 == 48.1	6/30/25 13:35 == 47.9	6/30/25 18:05 == 47.9	6/30/25 22:35 == 47.8
6/30/25 9:10 == 48	6/30/25 13:40 == 47.9	6/30/25 18:10 == 47.8	6/30/25 22:40 == 47.8
6/30/25 9:15 == 47.9	6/30/25 13:45 == 48	6/30/25 18:15 == 47.8	6/30/25 22:45 == 47.8
6/30/25 9:20 == 48	6/30/25 13:50 == 48	6/30/25 18:20 == 47.8	6/30/25 22:50 == 47.9
6/30/25 9:25 == 47.9	6/30/25 13:55 == 47.8	6/30/25 18:25 == 47.8	6/30/25 22:55 == 47.9
6/30/25 9:30 == 47.9	6/30/25 14:00 == 47.8	6/30/25 18:30 == 47.7	6/30/25 23:00 == 47.8
6/30/25 9:35 == 47.9	6/30/25 14:05 == 47.9	6/30/25 18:35 == 47.7	6/30/25 23:05 == 47.8
6/30/25 9:40 == 47.7	6/30/25 14:10 == 47.5	6/30/25 18:40 == 47.8	6/30/25 23:10 == 47.7
6/30/25 9:45 == 47.9	6/30/25 14:15 == 47.6	6/30/25 18:45 == 47.7	6/30/25 23:15 == 47.6
6/30/25 9:50 == 47.9	6/30/25 14:20 == 47.8	6/30/25 18:50 == 47.8	6/30/25 23:20 == 47.8
6/30/25 9:55 == 47.4	6/30/25 14:25 == 47.7	6/30/25 18:55 == 47.9	6/30/25 23:25 == 48
6/30/25 10:00 == 47.9	6/30/25 14:30 == 47.7	6/30/25 19:00 == 47.9	6/30/25 23:30 == 48
6/30/25 10:05 == 47.9	6/30/25 14:35 == 47.7	6/30/25 19:05 == 47.9	6/30/25 23:35 == 47.9
6/30/25 10:10 == 48.1	6/30/25 14:40 == 47.9	6/30/25 19:10 == 47.9	6/30/25 23:40 == 47.8
6/30/25 10:15 == 48	6/30/25 14:45 == 47.7	6/30/25 19:15 == 48	6/30/25 23:45 == 47.7
6/30/25 10:20 == 48	6/30/25 14:50 == 47.9	6/30/25 19:20 == 47.8	6/30/25 23:50 == 47.7
6/30/25 10:25 == 47.8	6/30/25 14:55 == 47.8	6/30/25 19:25 == 47.9	6/30/25 23:55 == 47.8