

MONO BASIN	Rush Cr @ Dam: 46	Lee Vining Creek: Above 30 (Spill: 30, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.65; (USGS Datum) (Read on: 2/21)
	C Ranch Hi/Lo: 53/23	Precip(Day/Month): 0.00/0.06
	Parker Cr Abv: 6	Below: 6 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7128.4	Outflow: 29 24hr AF Total: 56
	(7130.0 HW)AF: 45478	Diff AF: 11 Grant Lake Toe Drain: 0.19
	East Portal : 14	Below East Portal: 72
	(*) L V Resv Elev: 6779.1	Outflow: 42 24hr AF Total: 83
	(6781.5 HW)AF: 170995	Diff AF: 302
NORTH OWENS	L Vally Hi/Lo: 48/19	Precip(Day/Month):0.00/0.21
	ORG Main Weir: 3.40	Tunnel Drain: 0.17 Toe Drain: 0.49
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 55/53	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4386.7	Outflow: 125 24hr AF Total: 244
WELLS	(4390.0 HW)AF: 2664	Diff AF: -4
	Bishop Hi/Lo: 64/26	Precip(Day/Month): 0.00/0.20
	B C @ Plant 6: 81(avg)	O R Below BP Cr: 221 Fish Sprg @ RR Brdg: 33
	BP Pwr House : 63/32	Precip(Day/Month): 0.00/0.79 BP Cr Cur/Peak: 15/15
SOUTH OWENS		
SOUTHERN DISTRICT		