

MONO BASIN	Rush Cr @ Dam:	18	Lee Vining Creek: Above 40 (Spill: 40, Conduit: 0.0)
	West Portal :	0	Mono Lake Elev: 6383.65; (USGS Datum) (Read on: 2/21)
	C Ranch Hi/Lo:	49/19	Precip(Day/Month): 0.00/0.06
	Parker Cr Abv:	6	Below: 6 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(*) Grant Lake El:	7128.4	Outflow: 28 24hr AF Total: 57
	(7130.0 HW)AF: 45435	Diff AF: -54 Grant Lake Toe Drain: 0.22	

LONG VALLEY	East Portal :	14	Below East Portal: 72
	(*) L V Resv Elev:	6779.6	Outflow: 42 24hr AF Total: 83
		(6781.5 HW)AF: 173217	Diff AF: 101
	L Vally Hi/Lo:	46/26	Precip(Day/Month):0.00/0.21
	ORG Main Weir:	3.50	Tunnel Drain: 0.17 Toe Drain: 0.49
	Rock Crk Div :	0	

NORTH OWENS	RC@OR Cur/Ave:	49/49	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev:	4386.3	Outflow: 124 24hr AF Total: 243
		(4390.0 HW)AF: 2624	Diff AF: 11
	Bishop Hi/Lo:	63/39	Precip(Day/Month): 0.00/0.20
	B C @ Plant 6:	96(avg)	O R Below BP Cr: 224 Fish Sprg @ RR Brdg: 34
	BP Pwr House :	58/35	Precip(Day/Month): 0.00/0.79 BP Cr Cur/Peak: 14/15

WELLS		<u>North Wells</u>	<u>South Wells</u>	<u>* Total *</u>	
	Aqueduct	(2) 31.5	(2) 27.2	(4) 58.7	On:
	Domestic	(4) 4.9	(3) 1.9	(7) 6.8	
	Enhc./Mitig.	(0) 0.0	(1) 2.6	(1) 2.6	Off:
	* Total *	(6) 36.4	(6) 31.7	(12) 68.1	

SOUTH OWENS	(*) Tin Resv Elev:	3862.6	Outflow: 178 24hr AF Total: 348
		(3866.0 HW)AF: 3130	Diff AF: 170
	Tin Res Hi/Lo:	64/41	Precip(Day/Month): 0.00/0.27
	LAA Intake		Precip(Day/Month): 0.00/0.11
	Indep Hi/Lo:	62/41	Precip(Day/Month): 0.00/0.10
	Alab Gt Hi/Lo:	64/43	Precip(Day/Month): 0.00/0.01
	Cotw Gt Hi/Lo:	63/42	Precip(Day/Month): 0.00/0.35
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0 Lone Pine Creek: 4
	Alab Gates GA:	5.50	Flow: 183
	Cottw Gt Gage:	5.88	Flow: 220 Creek: 10 Power Plant: 0
	LORP(inflows):	Intake 43, Blackrock 1.1, Goose 0.0, Billy 1.2, Locust 0.7, Georges 0.5, Alabama Gates 0 Total Inflow(cfs): 47	
	(outflows):	PumpSta 48, Delta(L.G.) 10, Delta(weir) 5 Total Outflow(cfs): 63	
	Lubkin Splgt:	Flow(in/out): 9/0	AF Total(in/out): 13/6 net AF: -7
	Cartago Splgt:	Flow(in/out): 0/43	AF Total(in/out): 0/65 net AF: 65
	Owens Lk Use :	(net avg cfs) PumpSta 47.8, Lubkin -4, Cartago 33	Total: 77
	(*) N Haiwee Elev:	3756.8	
		(3757.5 HW)AF: 9612	Diff AF: 68
	(*) S Haiwee Elev:	3741.2	
		(3742.0 HW)AF: 26989	Diff AF: 9
	S Haiwe Hi/Lo:	64/39	Precip(Day/Month): 0.00/0.13
Hai Pwr Plant:	0	24hr AF Total: 0	
LAA #2 S Haiw:	137	24hr AF Total: 299	

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------